AQA GCSE Biology | 8461

SPECIFICATION POINT 4.3.3.2

Plant defence responses

Mark schemes and examiner comments

Tier	**Foundation**
Question groups	**11**
Available paper years	**2007–2021**

Using this booklet

1. Booklet answer numbers match the question booklet.
2. Use the original question number within marking tables.
3. Examiner comments are included where available.

Name: _____ **Date:** _____

Where a precise marking extract is unavailable, the full source document is included in an appendix. Any missing mark scheme is explicitly identified.

4.3.3.2 Plant defence responses

Answer 01 · Mark scheme June 2007 | BLY1F | Original Q1 | Legacy

The full source mark scheme begins on page 11. Follow original question 1 in that document.

Answer 02 · Mark scheme June 2008 | BLY1BP | Original Q9 | Legacy

Nine	**1**	**2**	**2**	**3**

Answer 03 · Mark scheme March 2010 | BLY1BP | Original Q9 | Legacy

Nine	**2**	**1**	**1**	**3**

Answer 04 · Mark scheme January 2011 | BLY1F | Original Q1 | Legacy

Question 1

question	answers	extra information	mark
1(a)	large area	allow thin / large / big / flat / light allow adaptations that cannot be seen eg internal air spaces	1
1(b)	*(*shape means that*)* snow falls off		1
1(c)	protect / stop it being eaten		1
1(d)	stores*/* absorbs water (from other parts of the plant)	ignore absorbs water from soil / air ignore nutrients	1
Total			**4**

BLY1F

4.3.3.2 Plant defence responses

Answer 05 · Mark scheme

March 2011 | BLY1BP | Original Q9 | Legacy

Nine	**3**	**4**	**3**	**2**

4.3.3.2 Plant defence responses

Answer 06 · Mark scheme

June 2012 | BL1FP | Original Q6 | Legacy

Question 6

question	answers	extra information	mark
6 (a)	insects don't eat / damage crop	allow idea of insects carrying plant disease	1
6 (b)(i)	60		1
6 (b)(ii)	lower (yield) by 8 (arbitrary units)	accept 'higher' if answer clearly refers to wheat with transferred gene allow yield is only 52 **or** goes down to 52 accept ecf from (b)(i) for **2** marks	1 1
6 (b)(iii)	grow / use wheat without insect poison (gene) higher yield (in fields)	 accept bigger crop / more wheat ignore grows better	1 1
6 (c)	 (concerned about) effect on populations of (wild) flowers / insects effect of eating GM crops on human health	ignore unnatural / unethical / against religion unqualified accept specific examples given ignore harms the environment allow harmful to humans if eaten	 1 1
Total			8

4.3.3.2 Plant defence responses

Answer 06 · Mark scheme

June 2012 | BL1FP | Original Q6 | Legacy

BL1FP

4.3.3.2 Plant defence responses

Answer 07 · Mark scheme

June 2012 | BL1FP | Original Q8 | Legacy

Question 8

question	information		mark
8	Marks awarded for this answer will be determined by the Quality of Written Communication (QWC) as well as the standard of the scientific response. Examiners should also refer to the information on page 2, and apply a 'best-fit' approach to the marking.		6
0 marks	**Level 1 (1-2 marks)**	**Level 2 (3-4 marks)**	**Level 3 (5-6 marks)**
No relevant content.	There is at least one example of an adaptation of either an animal **or** a plant. However it may not be clear how the adaptation helps the organism to avoid being eaten.	There is a description of an adaptation of at least one animal **and** at least one plant. It is clear how at least one of these adaptations helps the organism to avoid being eaten.	There are clear and detailed descriptions of a range of adaptations of named animals **and** named plants. It is clear how most of these adaptations help the organisms to avoid being eaten.
examples of clear and detailed biology points made in response: • **camouflage** – the method of camouflage should be described plus a statement that the predator is less likely to see the prey • **mimicry / warning colouration** – the method should be described plus a statement that the predator is likely to confuse the prey with e.g. a poisonous organism • **thorns / prickles / spines / horns** – a statement that these are sharp and are likely to hurt a predator • **long limbs / streamlining** – a statement that these increase speed and make it more likely that prey will outrun predator • **bad taste** / **poison** – a statement that predator will find this unpleasant and 'spit out' prey / not attack same prey again • **large ears / position of eyes** – a statement that predators will be detected earlier so the prey can escape sooner			
Total			**6**

UMS Conversion Calculator www.aqa.org.uk/umsconversion

4.3.3.2 Plant defence responses

Answer 08 · Mark scheme

June 2013 | BL1FP | Original Q2 | Legacy

Question 2

question	Answers	extra information	Mark
2(a)	looks like a leaf		1
	so predator less likely to / won't see it	allow 'camouflage' as alternative to either point	1
2(b)(i)	thorns (of acacia tree) hurt (predators)	allow idea that fewer animals / predators live in trees **or** ground living animals can't reach them (in the trees)	1
2(b)(ii)	(giraffe) avoids being bitten by ants	allow ants are poisonous / have unpleasant taste	1
2(c)	looks like / mimics a wasp **or** has warning colouration		1
	so predators think it has a sting		1
Total			**6**

4.3.3.2 Plant defence responses

Answer 09 · Mark scheme

June 2014 | BL1FP | Original Q9 | Legacy

The full source mark scheme begins on page 22. Follow original question 9 in that document.

Answer 10 · Mark scheme

November 2020 | 8461/1F | Original Q5

The full source mark scheme begins on page 37. Follow original question 5 in that document.

4.3.3.2 Plant defence responses

Answer 11 · Mark scheme November 2021 | 8461/1F | Original Q3

03.1	(has) spikes / thorns / prickles	allow (has a) tough outer layer	1	AO2 4.3.3.2
03.2	chemical		1	AO1 4.3.3.2
03.3	the plant will not lose as much water		1	AO2 4.2.3.2
03.4	chlorophyll / chloroplasts		1	AO2 4.1.1.2
03.5	to allow it to photosynthesise **or** to make sugar / glucose / carbohydrate / starch		1	AO2 4.4.1.1
03.6	organ		1	AO1 4.2.1
03.7	water / mineral ions	allow named mineral ions allow minerals / ions	1	AO1 4.2.3.1 4.2.3.2
03.8	phloem (tissue)		1	AO1 4.1.1.3 4.2.3.1 4.2.3.2
Total			**8**	

4.3.3.2 Plant defence responses

Answer 11 · Mark scheme

November 2021 | 8461/1F | Original Q3

Question	Answers	Extra information	Mark	AO / Spec. Ref.

Version 1.0: 0707

ASSESSMENT and QUALIFICATIONS ALLIANCE

General Certificate of Secondary Education

Science B 4462 / Biology 4411

BLY1F Unit Biology 1

Mark Scheme

2007 examination - June series

4.3.3.2 Plant defence responses

Mark schemes are prepared by the Principal Examiner and considered, together with the relevant questions, by a panel of subject teachers. This mark scheme includes any amendments made at the standardisation meeting attended by all examiners and is the scheme which was used by them in this examination. The standardisation meeting ensures that the mark scheme covers the candidates' responses to questions and that every examiner understands and applies it in the same correct way. As preparation for the standardisation meeting each examiner analyses a number of candidates' scripts: alternative answers not already covered by the mark scheme are discussed at the meeting and legislated for. If, after this meeting, examiners encounter unusual answers which have not been discussed at the meeting they are required to refer these to the Principal Examiner.

It must be stressed that a mark scheme is a working document, in many cases further developed and expanded on the basis of candidates' reactions to a particular paper. Assumptions about future mark schemes on the basis of one year's document should be avoided; whilst the guiding principles of assessment remain constant, details will change, depending on the content of a particular examination paper.

Further copies of this Mark Scheme are available to download from the AQA Website: www.aqa.org.uk

Copyright © 2007 AQA and its licensors. All rights reserved.

The Assessment and Qualifications Alliance (AQA) is a company limited by guarantee registered in England and Wales (company number 3644723) and a registered charity (registered charity number 1073334). Registered address: AQA, Devas Street, Manchester M15 6EX.
Dr Michael Cresswell, Director General.

4.3.3.2 Plant defence responses

MARK SCHEME

Information to Examiners

1. General

The mark scheme for each question shows:

- the marks available for each part of the question
- the total marks available for the question
- the typical answer or answers which are expected
- extra information to help the Examiner make his or her judgement and help to delineate what is acceptable or not worthy of credit or, in discursive answers, to give an overview of the area in which a mark or marks may be awarded.

The extra information is aligned to the appropriate answer in the left-hand part of the mark scheme and should only be applied to that item in the mark scheme.

At the beginning of a part of a question a reminder may be given, for example: where consequential marking needs to be considered in a calculation; or the answer may be on the diagram or at a different place on the script.

In general the right hand side of the mark scheme is there to provide those extra details which confuse the main part of the mark scheme yet may be helpful in ensuring that marking is straightforward and consistent.

2. Emboldening

2.1 In a list of acceptable answers where more than one mark is available 'any **two** from' is used, with the number of marks emboldened. Each of the following lines is a potential mark.

2.2 A bold **and** is used to indicate that both parts of the answer are required to award the mark.

2.3 Alternative answers acceptable for a mark are indicated by the use of **or**. (Different terms in the mark scheme are shown by a / ; eg allow smooth / free movement.)

3. Marking points

3.1 Marking of lists

This applies to questions requiring a set number of responses, but for which candidates have provided extra responses. The general principle to be followed in such a situation is that 'right + wrong = wrong'.

Each error/contradiction negates each correct response. So, if the number of error/contradictions equals or exceeds the number of marks available for the question, no marks can be awarded.

However, responses considered to be neutral (indicated as * in example 1) are not penalised.

4.3.3.2 Plant defence responses

Example 1: What is the pH of an acidic solution? (1 mark)

Candidate	Response	Marks awarded
1	4,8	0
2	green, 5	0
3	red*, 5	1
4	red*, 8	0

Example 2: Name two planets in the solar system. (2 marks)

Candidate	Response	Marks awarded
1	Pluto, Mars, Moon	1
2	Pluto, Sun, Mars, Moon	0

3.2 Use of chemical symbols / formulae

If a candidate writes a chemical symbol / formula instead of a required chemical name, full credit can be given if the symbol / formula is correct and if, in the context of the question, such action is appropriate.

3.3 Marking procedure for calculations

Full marks can be given for a correct numerical answer, as shown in the column 'answers', without any working shown.

However if the answer is incorrect, mark(s) can be gained by correct substitution / working and this is shown in the 'extra information' column;

3.4 Interpretation of 'it'

Answers using the word 'it' should be given credit only if it is clear that the 'it' refers to the correct subject.

3.5 Errors carried forward

Any error in the answers to a structured question should be penalised once only.

Papers should be constructed in such a way that the number of times errors can be carried forward are kept to a minimum. Allowances for errors carried forward are most likely to be restricted to calculation questions and should be shown by the abbreviation e.c.f. in the marking scheme.

3.6 Phonetic spelling

The phonetic spelling of correct scientific terminology should be credited **unless** there is a possible confusion with another technical term.

3.7 Brackets

(…..) are used to indicate information which is not essential for the mark to be awarded but is included to help the examiner identify the sense of the answer required.

3.8 Unexpected Correct Answers not in the Mark Scheme

The Examiner should use professional judgement to award credit where a candidate has given an unexpected correct answer which is not covered by the mark scheme. The Examiner should consult with the Team Leader to confirm the judgement. The Team Leader should pass this answer on to the Principal Examiner with a view to informing all examiners.

4.3.3.2 Plant defence responses

BLY1F Question 1

	answers	extra information	mark
(a)(i)	any **two** from: • light • water • space • nutrients / ions / minerals / named • carbon dioxide / CO_2	list principle ignore oxygen / food / sun	2
(ii)	less competition for water **or** more water / nutrients / minerals available	ignore space / light / food	1
(b)	camouflage / same shape as leaf / looks like a leaf	allow ‘blends in’ ignore colour	1
total			4

4.3.3.2 Plant defence responses

BLY1F Question 2

	answers	extra information	mark
(a)	any **three** from: • water • ions / minerals / salts • temperature • blood sugar • heart rate • blood pressure	 allow breathing / oxygen / carbon dioxide allow sodium / chloride, other ions neutral allow heat ignore urea	3
(b)	contraceptive drug fertility drug		1 1
(c)(i)	eg nicotine, alcohol, cocaine, heroin, painkillers, tranquilisers, LSD	allow cannabis / weed or other alternative names allow tobacco ignore smoking / ecstasy	1
(ii)	alters body chemistry **or** craving / needing / dependence withdrawal symptoms on stopping	allow psychological dependence allow withdrawal described allow ‘feel ill without it’	1 1
total			8

4.3.3.2 Plant defence responses

BLY1F Question 3

	answers	extra information	mark
	joining		1
	sexual		1
	identical		1
	asexual		1
	clones		1
total			5

BLY1F Question 4

	answers	extra information	mark
(a)	7.8		1
(b)	14 / 13.6	allow answer 13 without working for **1** mark 7500 ÷ 550 gains **1** mark	2
(c)	produces / increases blood cholesterol	ignore obesity	1
	affects heart **or** affects blood vessels **or** affects blood pressure	 accept clogs blood vessels	1
(d)	(increases) blood pressure	ignore references to heart / blood vessels	1
total			6

4.3.3.2 Plant defence responses

BLY1F Question 5

	answers	extra information	mark
(a)	fossils / teeth / bones / skeleton / foot prints	allow cave drawings do **not** accept scientists have seen them	1
(b)	only (some) bones remain / soft parts have decayed	accept 'no-one has ever seen one' allow no photos, no pictures, no drawings	1
(c)	any **two** from: • hunted by human • (new) predator • (new) competitor • (new) disease • environment changed / named environmental change • prey extinct / loss of food supply	 allow more predators allow natural disaster ignore not enough food	2
total			4

4.3.3.2 Plant defence responses

BLY1F Question 6

	answers	extra information	mark
(a)(i)	56	accept 54 – 58	1
(ii)	increased		1
	reasonable qualification eg slowly then more quickly **or** to 174 / 176 **or** by 138 / 140		1
(b)	any **two** from:		2
	• no immunity **or** antibodies ineffective	accept no resistance	
	• no vaccines **or** humans not immunised		
	• idea of large scale contact **or** large scale travel	do **not** accept passed on ignore no cure	
total			5

4.3.3.2 Plant defence responses

BLY1F Question 7

	answers	extra information	mark
(a)	scientists figures based on research / calculations / data **or** scientists sample whole area	ignore reasons based on bias	1
	fishermen based on impression / hearsay / experience **or** fishermen fish in well-stocked / limited areas		1
		scientists sample a wider area = **2** marks fishermen only fish in well-stocked areas = **2** marks if no marks gained fishermens' opinion **and** scientists' opinion gains **1** mark	
(b)	any **two** from: • economic considerations • political impact • pressure groups **or** fears of extinction	 eg fear for jobs, profits, big demand for cod eg allow EU / government decide or laws will be passed	2
total			4

4.3.3.2 Plant defence responses

BLY1F Question 8

	answers	extra information	mark
(a)	any **two** from: • area of bed sampled • sampling time • size of net • kicking action • net position	control variables from information given	2
(b)	any **two** from: • some animals not dislodged • some animals missed / through / escaped net • invertebrates difficult to identify • invertebrates from outside area	must be ideas related to a sample ignore reliability etc	2
(c)	10 to 99 **or** 10 – 99 **or** 99 to 10 **or** 99 – 10		1
(d)	any **two** from: • increased / goes up • 0 at sample 4 • to (more than) 100	allow increase implied from all data described	2
(e)	mayfly because not found downstream of point where sewage enters stream **or** only in the unpolluted water		1 1
total			9

4.3.3.2 Plant defence responses

AQA Qualifications

GCSE

SCIENCE A / BIOLOGY

BL1FP
Mark scheme

4405 / 4401
June 2014

Version: 1.0 Final

4.3.3.2 Plant defence responses

Mark schemes are prepared by the Lead Assessment Writer and considered, together with the relevant questions, by a panel of subject teachers. This mark scheme includes any amendments made at the standardisation events which all associates participate in and is the scheme which was used by them in this examination. The standardisation process ensures that the mark scheme covers the students' responses to questions and that every associate understands and applies it in the same correct way. As preparation for standardisation each associate analyses a number of students' scripts: alternative answers not already covered by the mark scheme are discussed and legislated for. If, after the standardisation process, associates encounter unusual answers which have not been raised they are required to refer these to the Lead Assessment Writer.

It must be stressed that a mark scheme is a working document, in many cases further developed and expanded on the basis of students' reactions to a particular paper. Assumptions about future mark schemes on the basis of one year's document should be avoided; whilst the guiding principles of assessment remain constant, details will change, depending on the content of a particular examination paper.

Further copies of this Mark Scheme are available from aqa.org.uk

Copyright © 2014 AQA and its licensors. All rights reserved.
AQA retains the copyright on all its publications. However, registered schools/colleges for AQA are permitted to copy material from this booklet for their own internal use, with the following important exception: AQA cannot give permission to schools/colleges to photocopy any material that is acknowledged to a third party even for internal use within the centre.

4.3.3.2 Plant defence responses

Information to Examiners

1. General

The mark scheme for each question shows:

- the marks available for each part of the question
- the total marks available for the question
- the typical answer or answers which are expected
- extra information to help the Examiner make his or her judgement and help to delineate what is acceptable or not worthy of credit or, in discursive answers, to give an overview of the area in which a mark or marks may be awarded
- the Assessment Objectives and specification content that each question is intended to cover.

The extra information is aligned to the appropriate answer in the left-hand part of the mark scheme and should only be applied to that item in the mark scheme.

At the beginning of a part of a question a reminder may be given, for example: where consequential marking needs to be considered in a calculation; or the answer may be on the diagram or at a different place on the script.

In general the right-hand side of the mark scheme is there to provide those extra details which confuse the main part of the mark scheme yet may be helpful in ensuring that marking is straightforward and consistent.

2. Emboldening and underlining

2.1 In a list of acceptable answers where more than one mark is available 'any **two** from' is used, with the number of marks emboldened. Each of the following bullet points is a potential mark.

2.2 A bold **and** is used to indicate that both parts of the answer are required to award the mark.

2.3 Alternative answers acceptable for a mark are indicated by the use of **or**. Different terms in the mark scheme are shown by a / ; eg allow smooth / free movement.

2.4 Any wording that is underlined is essential for the marking point to be awarded.

3. Marking points

3.1 Marking of lists

This applies to questions requiring a set number of responses, but for which students have provided extra responses. The general principle to be followed in such a situation is that 'right + wrong = wrong'.

Each error / contradiction negates each correct response. So, if the number of error / contradictions equals or exceeds the number of marks available for the question, no marks can be awarded.

However, responses considered to be neutral (indicated as * in example 1) are not penalised.

Example 1: What is the pH of an acidic solution? (1 mark)

Student	Response	Marks awarded
1	green, 5	0
2	red*, 5	1
3	red*, 8	0

Example 2: Name two planets in the solar system. (2 marks)

Student	Response	Marks awarded
1	Neptune, Mars, Moon	1
2	Neptune, Sun, Mars, Moon	0

3.2 Use of chemical symbols / formulae

If a student writes a chemical symbol / formula instead of a required chemical name, full credit can be given if the symbol / formula is correct and if, in the context of the question, such action is appropriate.

3.3 Marking procedure for calculations

Full marks can be given for a correct numerical answer, without any working shown.

However, if the answer is incorrect, mark(s) can be gained by correct substitution / working and this is shown in the 'extra information' column or by each stage of a longer calculation.

3.4 Interpretation of 'it'

Answers using the word 'it' should be given credit only if it is clear that the 'it' refers to the correct subject.

3.5 Errors carried forward

Any error in the answers to a structured question should be penalised once only.

Papers should be constructed in such a way that the number of times errors can be carried forward is kept to a minimum. Allowances for errors carried forward are most likely to be restricted to calculation questions and should be shown by the abbreviation e.c.f. in the marking scheme.

3.6 Phonetic spelling

The phonetic spelling of correct scientific terminology should be credited **unless** there is a possible confusion with another technical term.

3.7 Brackets

(.....) are used to indicate information which is not essential for the mark to be awarded but is included to help the examiner identify the sense of the answer required.

3.8 Ignore / Insufficient / Do <u>not</u> allow

Ignore or insufficient are used when the information given is irrelevant to the question or not enough to gain the marking point. Any further correct amplification could gain the marking point.

Do **not** allow means that this is a wrong answer which, even if the correct answer is given, will still mean that the mark is not awarded.

Quality of Written Communication and levels marking

In Question 9 students are required to produce extended written material in English, and will be assessed on the quality of their written communication as well as the standard of the scientific response.

Students will be required to:

- use good English
- organise information clearly
- use specialist vocabulary where appropriate.

The following general criteria should be used to assign marks to a level:

Level 1: basic

- Knowledge of basic information
- Simple understanding
- The answer is poorly organised, with almost no specialist terms and their use demonstrating a general lack of understanding of their meaning, little or no detail
- The spelling, punctuation and grammar are very weak.

Level 2: clear

- Knowledge of accurate information
- Clear understanding
- The answer has some structure and organisation, use of specialist terms has been attempted but not always accurately, some detail is given
- There is reasonable accuracy in spelling, punctuation and grammar, although there may still be some errors.

Level 3: detailed

- Knowledge of accurate information appropriately contextualised
- Detailed understanding, supported by relevant evidence and examples
- Answer is coherent and in an organised, logical sequence, containing a wide range of appropriate or relevant specialist terms used accurately.
- The answer shows almost faultless spelling, punctuation and grammar.

4.3.3.2 Plant defence responses

Question	Answers	Extra information	Mark	AO / spec ref.
1(a)(i)	Chromosomes		1	AO1 1.7.1b
1(a)(ii)	Characteristics		1	AO1 1.7.1b
1(a)(iii)	Classify		1	AO1 1.8.1d
1(b)	Plants	ignore algae	1	AO1 1.8.1d
Total			4	


4.3.3.2 Plant defence responses

Question	Answers	Extra information	Mark	AO / spec ref.
2(a)(i)	in the direction of the force of gravity		1	AO2 1.2.3a
2(a)(ii)	against the force of gravity		1	AO2 1.2.3a
2(b)(i)	diagram completed to show stem bending / leaning towards the window	the bend / lean can be at / from any point above pot level ignore any leaves	1	AO2 1.2.3a
2(b)(ii)	more light (for leaves) more photosynthesis / biomass / glucose	ignore heat ref to 'more' needed once only, eg 'more light for photosynthesis' = 2 marks if no other marks given allow 1 mark for 'to get light for photosynthesis'	1 1	AO1/ AO2 1.4.1a, b
Total			5	

4.3.3.2 Plant defence responses

Question	Answers	Extra information	Mark	AO / spec. ref
3(a)	(Type 2) diabetes / heart disease / deficiency disease / named	allow a relevant health problem ignore obesity **or** over / under weight / anorexia	1	AO1 1.1.1a
3(b)(i)	provides more (energy / sugar) than is used	idea of sugar being high in / having a lot of energy eg contains a lot of calories allow it is turned to fat **or** stored (as fat)	1	AO2 1.1.1a, b
3(b)(ii)	fat		1	AO1 1.1.1a
3(c)(i)	C		1	AO3 1.1.1
3(c)(ii)	no health problems	allow as others (may) have (possible) health problems ignore reference to sweetness	1	AO3 1.1.1
3(c)(iii)	idea of informed choice	eg in case you have health problems / allergies allow legal requirement ignore diabetes	1	AO3 1.1.1
Total			6	

4.3.3.2 Plant defence responses

Question	Answers	Extra information	Mark	AO / spec ref.
4(a)	 extra line from any drug cancels that mark		4	AO1 1.3.1d,f,i
4(b)(i)	any **one** from: • (live) animals • cells • tissues	accept named examples, eg mice ignore people / volunteers do **not** allow plants	1	AO1 1.3.1b
4(b)(ii)	to check that the drug works to find the best dose to use		1 1	AO1 1.3.1b
4(b)(iii)	only scientists at the drug company		1	AO2 1.3.1b
4(c)(i)	420		1	AO2 1.3.1
4(c)(ii)	statin(s)		1	AO3 1.3.1
4(c)(iii)	any **one** from: • side effects • other medication • other (medical) conditions	allow cost allow patient choice allow family history **or** age	1	AO3 1.3.1
Total			**11**	

4.3.3.2 Plant defence responses

Question	Answers	Extra information	Mark	AO / spec ref.
5(a)(i)	gamete(s)	ignore reproductive cells	1	AO1 1.7.2a
5(a)(ii)	womb / uterus	allow phonetic spellings	1	AO1 1.7.2c
5(b)(i)	are formed from the same original embryo		1	AO2 1.7.2c
5(b)(ii)	embryo transplantation		1	AO1 1.7.2c
5(b)(iii)	any **one** from: • (calves will have some) genes / DNA from bull / sperm • idea that sexual reproduction produces variation	allow not all genes from the cow allow may be male allow idea that gene for low fat milk may not be passed on	1	AO2 1.7.2a
Total			**5**	

4.3.3.2 Plant defence responses

Question	Answers	Extra information	Mark	AO / spec ref.
6(a)(i)	(volume) increases (with time)	ignore numbers	1	AO2 1.8.1
6(a)(ii)	there is more evidence / specimens / results (for Homo sapiens)	allow examples of this, eg more / better fossils allow converse if clearly referring to Australopithecus ignore reference to being 'more recent'	1	AO3 1.8.1
6(b)	2.5 – 3.15 (million years ago)	accept any number in range	1	AO3 1.8.1
6(c)(i)	Darwin		1	AO1 1.8.1a
6(c)(ii)	any **one** from: • they believed in other theories • insufficient evidence • no proof • genes / mechanism of inheritance not known / discovered	 allow they believe that God made all life ignore 'no evidence' allow not enough proof	1	AO1 1.8.1b
Total			**5**	

4.3.3.2 Plant defence responses

Question	Answers	Extra information	Mark	AO / spec ref.
7(a)	sensory neurone		1	AO1 1.2.1e
7(b)(i)	synapse		1	AO1 1.2.1e
7(b)(ii)	a chemical		1	AO1 1.2.1e
7(c)	(What happens to the muscle) any **one** from: • contraction / contracts • gets shorter (How this helps the body) idea of protection for body (from damage / pain)	mark both parts of the question together ignore relaxation / relaxes / tenses eg moves finger / arm away (from pin / stimulus / source of pain)	1 1	AO1 / AO2 1.2.1e
Total			**5**	

Question	Answers	Extra information	Mark	AO / spec ref.
8(a)	3-layered triangular pyramid	as blocks or layered triangle, ignore (small) gaps between layers	1	AO2 1.5.1b
	(pyramid) labelled in food chain order	all three labels are required for **2** marks the pyramid must be fully correct	1	
8(b)(i)	C		1	AO3 1.5.1c
8(b)(ii)	shortest **or** fewest stages / transfers / (trophic) levels	allow only if (b)(i) is C or blank	1	AO1 / AO2 1.5.1c
	less losses in waste / faeces / urine / CO_2 / excretion	allow smaller amount uneaten	1	
	less loss in respiration / heat / movement	allow less lost keeping warm do **not** allow energy for respiration do **not** allow respiration makes energy	1	
		allow less loss (of biomass / energy) **or** less transfer (of biomass / energy) to surroundings if neither 2nd nor 3rd point given, for **1** mark		
Total			**6**	

Question	Answers	Extra information	Mark	AO / spec ref.
9	Marks awarded for this answer will be determined by the Quality of Written Communication (QWC) as well as the standard of the scientific response. Examiners should also refer to the information on page 5 and apply a 'best-fit' approach to the marking.		6	AO1 1.4.1d,f

0 marks	**Level 1 (1-2 marks)**	**Level 2 (3-4 marks)**	**Level 3 (5-6 marks)**
No relevant content.	At least **one** way in which animals **and / or** plants are adapted to survive.	A description of ways in which animals **and / or** plants are adapted **and** an attempt to link at least **one** adaptation to how it increases the chance of survival.	A description of ways in which animals **and** plants are adapted **and** a description of how at least **one** adaptation increases the chance of survival.

examples of biology points made in the response:

(animals)
- (A) change / decrease in surface area / example
  - (decrease in surface area which) reduces area from which sweat / water may be lost
- (A) hump with fat / fat stores
  - (fat in hump) to convert to water (via respiration)
- (A) long eyelashes
  - (long eyelashes) to keep (wind-blown) dust out of eyes
- (A) nocturnal / 'keep out of the sun'
  - reduce sweat loss (in heat of the day)

(plants)
- (A) decrease in surface area
- (A) leaves are spikes
  - (reduced area / leaves are spikes) reduces water loss / transpiration / evaporation
- (A) long / wide spread / extensive roots
  - (long / wide spread /extensive roots) to absorb (more) water
- (A) fleshy / thick stem
  - (fleshy / thick stem) to store water

extra information

allow adaptations of specific animals to living in specified dry conditions, eg a desert
- (A) change / increase in surface area / example
  - (increase in surface area which) increases area heat may be lost from (by radiation)
- (A) changes to thickness of insulating coat
  - (thicker coat on upper surface) increases insulation from sun's heat
- (A) thin (layer) / reduced amount of body fat
  - (reduced amount of body fat which) reduces insulating layer
- (A) wide feet
  - (wide feet) to reduce pressure / spread weight / prevent sinking

allow adaptations of specific plants to living in specified dry conditions, eg a desert
- (A) thick wax
  - (thick wax) to reduce evaporation / water loss / transpiration
- (A) few(er) stomata
  - (few stomata) to reduce evaporation / water loss / transpiration

Total			**6**	

4.3.3.2 Plant defence responses

Question	Answers	Extra information	Mark	AO / spec ref.
10(a)	microorganisms	allow microbes / bacteria / fungi / decomposers	1	AO1 / AO2 1.6.1b
	(microorganisms) respire	do **not** allow dead plants respire	1	
	(respiration / decay / microorganisms) releases (thermal) energy / 'heat'	ignore produce 'heat' do **not** allow produce energy do **not** allow dead plants release 'heat'	1	
10(b)(i)	any **three** from: • (opening) allows oxygen in		3	AO1 / AO2 / AO3
	• microorganisms / eggs need oxygen	allow air for oxygen		1.6.1b, c, 1.6.2
	• oxygen needed for respiration			
	• (opening) allows release of carbon dioxide (from microorganisms / respiration / eggs)	allow gaseous exchange (1 mark) of / for microorganisms / eggs (1 mark) if none of first four points given		
	• (opening) allows energy / 'heat' to escape • (closing) retains energy / 'heat' if too cool / at night	if no mark awarded for either of these points allow 1 mark for vents open in the day to prevent overheating **and** close at night to prevent it getting too cold		
	• (closing) retains moisture	allow (opening) releases moisture		
10(b)(ii)	any **one** from: • maintains sex balance	e.g. equal / best / correct numbers of male and female	1	AO3 1.6.1
	• (survival of species depends on there being) males and females in population	allow so the offspring are not all the same sex		
Total			**7**	

4.3.3.2 Plant defence responses

AQA

GCSE
BIOLOGY
8461/1F

Paper 1 Foundation Tier

Mark scheme

June 2020

Version: 1.0 Final Mark Scheme

jun2084611F/MS

4.3.3.2 Plant defence responses

MARK SCHEME – GCSE BIOLOGY – 8461/1F – JUNE 2020

Mark schemes are prepared by the Lead Assessment Writer and considered, together with the relevant questions, by a panel of subject teachers. This mark scheme includes any amendments made at the standardisation events which all associates participate in and is the scheme which was used by them in this examination. The standardisation process ensures that the mark scheme covers the students' responses to questions and that every associate understands and applies it in the same correct way. As preparation for standardisation each associate analyses a number of students' scripts. Alternative answers not already covered by the mark scheme are discussed and legislated for. If, after the standardisation process, associates encounter unusual answers which have not been raised they are required to refer these to the Lead Examiner.

It must be stressed that a mark scheme is a working document, in many cases further developed and expanded on the basis of students' reactions to a particular paper. Assumptions about future mark schemes on the basis of one year's document should be avoided; whilst the guiding principles of assessment remain constant, details will change, depending on the content of a particular examination paper.

Further copies of this mark scheme are available from aqa.org.uk

Copyright information

For confidentiality purposes acknowledgements of third-party material are published in a separate booklet which is available for free download from www.aqa.org.uk after the live examination series.

Copyright © 2020 AQA and its licensors. All rights reserved.

Information to Examiners

1. General

The mark scheme for each question shows:

- the marks available for each part of the question
- the total marks available for the question
- the typical answer or answers which are expected
- extra information to help the Examiner make his or her judgement
- the Assessment Objectives, level of demand and specification content that each question is intended to cover.

The extra information is aligned to the appropriate answer in the left-hand part of the mark scheme and should only be applied to that item in the mark scheme.

At the beginning of a part of a question a reminder may be given, for example: where consequential marking needs to be considered in a calculation; or the answer may be on the diagram or at a different place on the script.

In general the right-hand side of the mark scheme is there to provide those extra details which confuse the main part of the mark scheme yet may be helpful in ensuring that marking is straightforward and consistent.

2. Emboldening and underlining

2.1 In a list of acceptable answers where more than one mark is available 'any **two** from' is used, with the number of marks emboldened. Each of the following bullet points is a potential mark.

2.2 A bold **and** is used to indicate that both parts of the answer are required to award the mark.

2.3 Alternative answers acceptable for a mark are indicated by the use of **or**. Different terms in the mark scheme are shown by a / ; eg allow smooth / free movement.

2.4 Any wording that is underlined is essential for the marking point to be awarded.

3. Marking points

3.1 Marking of lists

This applies to questions requiring a set number of responses, but for which students have provided extra responses. The general principle to be followed in such a situation is that 'right + wrong = wrong'.

Each error/contradiction negates each correct response. So, if the number of error/contradictions equals or exceeds the number of marks available for the question, no marks can be awarded.

However, responses considered to be neutral (indicated as * in example 1) are not penalised.

Example 1: What is the pH of an acidic solution?

[1 mark]

Student	Response	Marks awarded
1	green, 5	0
2	red*, 5	1
3	red*, 8	0

Example 2: Name two planets in the solar system.

[2 marks]

Student	Response	Marks awarded
1	Neptune, Mars, Moon	1
2	Neptune, Sun, Mars, Moon	0

3.2 Use of chemical symbols/formulae

If a student writes a chemical symbol/formula instead of a required chemical name, full credit can be given if the symbol/formula is correct and if, in the context of the question, such action is appropriate.

3.3 Marking procedure for calculations

Marks should be awarded for each stage of the calculation completed correctly, as students are instructed to show their working. Full marks can, however, be given for a correct numerical answer, without any working shown.

3.4 Interpretation of 'it'

Answers using the word 'it' should be given credit only if it is clear that the 'it' refers to the correct subject.

3.5 Errors carried forward

Any error in the answers to a structured question should be penalised once only.

Papers should be constructed in such a way that the number of times errors can be carried forward is kept to a minimum. Allowances for errors carried forward are most likely to be restricted to calculation questions and should be shown by the abbreviation ecf in the marking scheme.

3.6 Phonetic spelling

The phonetic spelling of correct scientific terminology should be credited **unless** there is a possible confusion with another technical term.

3.7 Brackets

(…..) are used to indicate information which is not essential for the mark to be awarded but is included to help the examiner identify the sense of the answer required.

3.8 Allow

In the mark scheme additional information, 'allow' is used to indicate creditworthy alternative answers.

3.9 Ignore

Ignore is used when the information given is irrelevant to the question or not enough to gain the marking point. Any further correct amplification could gain the marking point.

3.10 Do <u>not</u> accept

Do **not** accept means that this is a wrong answer which, even if the correct answer is given as well, will still mean that the mark is not awarded.

4. Level of response marking instructions

Extended response questions are marked on level of response mark schemes.

- Level of response mark schemes are broken down into levels, each of which has a descriptor.
- The descriptor for the level shows the average performance for the level.
- There are two marks in each level.

Before you apply the mark scheme to a student's answer, read through the answer and annotate it (as instructed) to show the qualities that are being looked for. You can then apply the mark scheme.

Step 1: Determine a level

Start at the lowest level of the mark scheme and use it as a ladder to see whether the answer meets the descriptor for that level. The descriptor for the level indicates the different qualities that might be seen in the student's answer for that level. If it meets the lowest level then go to the next one and decide if it meets this level, and so on, until you have a match between the level descriptor and the answer.

When assigning a level you should look at the overall quality of the answer. Do **not** look to penalise small and specific parts of the answer where the student has not performed quite as well as the rest. If the answer covers different aspects of different levels of the mark scheme you should use a best fit approach for defining the level.

Use the variability of the response to help decide the mark within the level, ie if the response is predominantly level 2 with a small amount of level 3 material it would be placed in level 2 but be awarded a mark near the top of the level because of the level 3 content.

Step 2: Determine a mark

Once you have assigned a level you need to decide on the mark. The descriptors on how to allocate marks can help with this.

The exemplar materials used during standardisation will help. There will be an answer in the standardising materials which will correspond with each level of the mark scheme. This answer will have been awarded a mark by the Lead Examiner. You can compare the student's answer with the example to determine if it is the same standard, better or worse than the example. You can then use this to allocate a mark for the answer based on the Lead Examiner's mark on the example.

You may well need to read back through the answer as you apply the mark scheme to clarify points and assure yourself that the level and the mark are appropriate.


Indicative content in the mark scheme is provided as a guide for examiners. It is not intended to be exhaustive and you must credit other valid points. Students do **not** have to cover all of the points mentioned in the indicative content to reach the highest level of the mark scheme.

You should ignore any irrelevant points made. However, full marks can be awarded only if there are no incorrect statements that contradict a correct response.

An answer which contains nothing of relevance to the question must be awarded no marks.

4.3.3.2 Plant defence responses

MARK SCHEME – GCSE BIOLOGY – 8461/1F – JUNE 2020

Question	Answers	Extra information	Mark	AO / Spec. Ref.
01.1	bacterium		1	AO2 4.1.1.1
01.2	to strengthen the cell		1	AO1 4.1.1.1 4.1.1.2
01.3	chloroplast		1	AO2 4.1.1.2 4.2.3.1
01.4	**Structure** **Function**  additional line from a box on the left negates the mark for that box		3	AO1 4.1.1.2 4.1.3.1
01.5	adjust the focus knob		1	AO3 4.1.1.2 RPA1
01.6	(A =) 15 (mm) (B =) 60 (mm)	allow a tolerance of ± 1mm	1 1	AO2 4.1.1.2 RPA 1
01.7	$\frac{60}{15} = 4(.0)$	allow ecf from question **01.6**	1	AO2 4.1.1.2 RPA 1

4.3.3.2 Plant defence responses

01.8	$\frac{40}{0.1}$ 400	 do **not** accept if a unit is given	1 1	AO2 4.1.1.5 RPA 1
Total			**12**	

4.3.3.2 Plant defence responses

Question	Answers	Extra information	Mark	AO / Spec. Ref.
02.1	mitosis		1	AO1 4.1.2.2
02.2	all lines correct = **2** marks 1 or 2 lines correct = **1** mark **Stage of cell cycle** / **What happens during that stage** Stage 1 → The cell grows and the chromosomes replicate Stage 2 → One set of chromosomes is pulled to each end of the cell Stage 3 → The cytoplasm and cell membrane divide to form two new cells additional line from a box on the left negates the credit for that box		2	AO1 4.1.2.2
02.3	$\frac{7}{10} \times 100$ 70(%)	allow $\frac{252}{300} \times 100$ allow answer calculated from angle in range 250° to 254° if no other mark awarded, allow 0.7 for **1** mark	1 1	AO2 4.1.2.2
02.4	3		1	AO2 4.1.2.2
02.5	DNA	allow deoxyribonucleic acid	1	AO1 4.1.2.1 4.1.2.2
02.6	a gene		1	AO1 4.1.2.1

4.3.3.2 Plant defence responses

02.7	(bone marrow) cells differentiate into many / other types of (named) cell (so) will cure diseases where new cells are needed **or** will cure diseases where cells are damaged	allow (bone marrow) cells can become many / other types of (named) cell allow (so) will cure anaemia / leukaemia **or** blood cancer **or** blood disorders allow (so) will cure paralysis / diabetes	1 1	AO1 AO2 4.1.2.3
Total			**10**	

4.3.3.2 Plant defence responses

Question	Answers	Extra information	Mark	AO / Spec. Ref.
03.1	any **one** from: • bacteria • fungi • protists	allow singular allow names of pathogens e.g. Salmonella ignore virus / germ	1	AO1 4.3.1.1 4.3.1.3 4.3.1.5
03.2	hydrochloric acid is produced by the stomach the skin is a barrier covering the whole body		1 1	AO1 4.2.2.1 4.3.1.6
03.3	white blood cells engulf the microorganisms.		1	AO1 4.2.2.3 4.3.1.6
03.4	weakened fast	in this order only	1 1	AO1 4.3.1.7
03.5	by coughs / sneezes	allow 'by droplets in the air' do **not** accept other means of transmission e.g. touch	1	AO1 4.3.1.1 4.3.1.2
03.6	(from day) 10 (to day) 18	allow (from day) 18 (to day) 10	1	AO2 4.3.1.2
03.7	14 (days)	allow in the range 13 to 15 (days)	1	AO3 4.3.1.2
03.8	any **one** from: • they had been vaccinated • they already had antibodies • they were immune • they had had it before • they did not get any / enough virus from infected child • they did not play (much) with the infected child	 ignore they were resistant ignore they wore a mask unqualified	1	AO3 4.3.1.2 4.3.1.7

4.3.3.2 Plant defence responses

03.9	antibiotics do not kill viruses	allow antibiotics do not work on viruses allow antibiotics only kill bacteria	1	AO3 4.3.1.8
Total			**11**	

4.3.3.2 Plant defence responses

Question	Answers	Extra information	Mark	AO / Spec. Ref.
04.1	increased (at first) until 4 minutes **or** 50 breaths per minute (then) stayed constant (from 4 minutes **or** at 50 breaths per minute)		1 1 1	AO2 4.4.2.2
04.2	175 (beats per minute)		1	AO2 4.4.2.2
04.3	140 (beats per minute)		1	AO2 4.4.2.2
04.4	because his rate is lower than the maximum safe rate	allow ecf for incorrect values in question **04.2** and question **04.3**	1	AO3 4.2.2.2 4.4.2.2

04.5	**Level 3:** Relevant points (reasons/causes) are identified, given in detail and logically linked to form a clear account.	5–6	AO3
	Level 2: Relevant points (reasons/causes) are identified, and there are attempts at logical linking. The resulting account is not fully clear.	3–4	AO2
	Level 1: Points are identified and stated simply, but their relevance is not clear and there is no attempt at logical linking.	1–2	AO2
	No relevant content	0	
	Indicative content • heart rate increased ○ to increase blood flowing to muscles / lungs ○ to provide more oxygen (to muscles) ○ to provide more glucose (to muscles) ○ to remove carbon dioxide more quickly (from the muscles / blood) ○ to remove lactic acid more quickly (from the muscles) • breathing rate increased ○ supplies more oxygen / air to lungs ○ so more oxygen to blood ○ more carbon dioxide removed • more oxygen to muscles ○ needed for (increased) respiration ○ to release / provide energy ○ for muscle contraction • anaerobic respiration occurs ○ due to lack of oxygen ○ which causes a build-up of lactic acid ○ oxygen debt ○ muscle fatigue / pain To reach **Level 3**, there must be reference to heart rate, breathing rate and respiration		4.2.2.2 4.2.2.3 4.4.2.1 4.4.2.3 4.4.2.2

Total			**12**


4.3.3.2 Plant defence responses

Question	Answers	Extra information	Mark	AO / Spec. Ref.
05.1	will stop animals / herbivores eating it	allow it will not be eaten	1	AO3 4.3.3.2
05.2	chemical		1	AO1 4.3.3.2
05.3	thorns / spikes / spines / prickles (to stop animals / herbivores eating it)		1	AO3 4.3.3.2
05.4	for respiration to store as starch		1 1	AO1 4.4.1.3 4.4.2.1
05.5	add Benedict's (solution / reagent to the liquid) boil / heat (if glucose is present the blue) colour changes to yellow / green / orange / brown / (brick)red	 allow any temperature of 65 °C or above 	1 1 1	AO1 4.2.2.1 RPA 4
05.6	(nitrate ions are needed) to make proteins / amino acids which are needed for growth / enzymes / new cells	allow to make chlorophyll / DNA / ATP / nucleic acid allow correct process for named molecule in mp1	1 1	AO1 AO2 4.1.3.3 4.4.1.3 4.4.2.3
05.7	in / on the (soil) water	allow through air (spaces) in the soil	1	AO3 4.3.1.1 4.3.1.4
05.8	dosage toxicity		1 1	AO1 4.3.1.9

4.3.3.2 Plant defence responses

05.9	placebos		1	AO1 4.3.1.9
Total			**14**	

4.3.3.2 Plant defence responses

Question	Answers	Extra information	Mark	AO / Spec. Ref.
06.1	all lines correct = **2** marks 1 **or** 2 lines correct = **1** mark **Type of blood vessel** / **Structure of blood vessel**  additional line from a box on the left negates the credit for that box		2	AO2 4.2.2.2

4.3.3.2 Plant defence responses

06.2	any **one** from: • thick(er) (muscle) walls / tissue (1) to push blood (all) around the body (1) **or** • thick(er) elastic walls / tissue (1) to maintain / withstand high (blood) pressure **or** to retain / regain shape (1) **or** • narrow lumen (1) to maintain high (blood) pressure (1)	allow to withstand high (blood) pressure do **not** accept to pump blood (all) around the body	2	AO1 4.2.2.2
06.3	(A) – white (blood) cell(s) (B) – platelet(s)	allow any named white (blood) cell(s)	1 1	AO2 4.2.2.3
06.4	(no nucleus) more space for haemoglobin / oxygen (has haemoglobin) to bind / carry oxygen	allow to carry more oxygen ignore carries carbon dioxide	1 1	AO3 4.1.1.2 4.1.1.3 4.2.2.3
06.5	plasma		1	AO1 4.2.2.3
06.6	platelets		1	AO3 4.2.2.3

4.3.3.2 Plant defence responses

06.7	any **one** from: • (continued) bleeding • (more) bruising	allow described allow blood does not clot (at cuts) allow ecf from answer to question **06.6**	1	AO3 4.2.2.3
Total			**11**	

4.3.3.2 Plant defence responses

Question	Answers	Extra information	Mark	AO / Spec. Ref.
07.1		allow correct chemical symbols ignore any attempt at balancing equation ignore light / chlorophyll		AO1 4.4.1.1
	before arrow carbon dioxide **and** water	either order	1	
	after arrow glucose	ignore sugar / carbohydrate do **not** accept starch	1	
07.2		ignore description of subsequent parts of the photosynthesis reaction		AO1 4.1.1.2 4.4.1.1
	<u>light</u>	allow sun<u>light</u> ignore sun	1	
	(light) is captured / trapped / absorbed by chlorophyll / chloroplasts	allow (light) is used by chlorophyll / chloroplasts	1	
07.3	$\frac{(18.5 + 19.3 + 19.5)}{3}$ **or** $\frac{57.3}{3}$		1	AO2 4.4.1.2 RPA 6
	19.1 (cm^3/hour)	allow an answer correctly calculated using only two correct values	1	
07.4	a ring around 14.2	allow clear indication of correct result	1	AO3 4.4.1.2 RPA 6

4.3.3.2 Plant defence responses

07.5	any **one** from: • scale / value was misread • there was air / oxygen in the syringe / measuring cylinder / apparatus • the lamp / light was moved • temperature changed • had different mass / length of pondweed • pondweed had not acclimatised	ignore human error ignore references to counting bubbles or time allow measurement error allow light intensity changed ignore different bulb / lamp unqualified	1	AO3 4.4.1.2 RPA 6
07.6	did not use it in calculation (of mean)		1	AO3 4.4.1.2 RPA 6
07.7	any **one** from: • light (intensity) • carbon dioxide (concentration) • pondweed size / amount • pondweed species	do **not** accept temperature ignore time allow distance / power / colour of lamp / light allow same (piece of) pondweed	1	AO3 4.4.1.2 RPA 6
07.8	enzyme(s) lose the shape of the active site	allow enzyme(s) (start to) denature allow enzyme(s) destroyed / damaged do **not** accept enzyme(s) killed	1	AO2 4.2.2.1

4.3.3.2 Plant defence responses

07.9	y-axis labelled '(rate of) photosynthesis in cm^3/hour'		1	AO2 4.4.1.2 RPA 6
	suitable scale on y-axis	must take up half or more of grid provided	1	
	all points plotted to within ± ½ small square	allow 3 or 4 correct plots for **1** mark ignore any attempt to plot a point at 20 °C	2	
	correct curved line of best fit	ignore line joined point to point with straight lines ignore extrapolation	1	
Total			**16**	

4.3.3.2 Plant defence responses

Question	Answers	Extra information	Mark	AO / Spec. Ref.
08.1	movement / spreading out of molecules / particles	allow movement / spreading out of (named) substances / chemicals / gases / liquids ignore reference to membranes / cells	1	AO1 4.1.3.1
	from (an area of) high(er) concentration to (an area of) low(er) concentration	allow down / with the concentration gradient ignore along / across the concentration gradient do **not** accept movement from / to a concentration gradient	1	
08.2	increased carbon dioxide concentration in the air		1	AO2 4.1.3.1 4.2.3.2
	increased number of stomata that are open		1	

4.3.3.2 Plant defence responses

08.3	**Level 3:** Relevant points (reasons/causes) are identified, given in detail and logically linked to form a clear account.	5–6	AO1 4.1.3.1 4.2.2.2 4.2.2.3
	Level 2: Relevant points (reasons/causes) are identified, and there are attempts at logical linking. The resulting account is not fully clear.	3–4	
	Level 1: Points are identified and stated simply, but their relevance is not clear and there is no attempt at logical linking.	1–2	
	No relevant content	0	

	Indicative content
	• (many) alveoli
	  • provide a large(r) surface area (**:** volume)
	
	• capillaries are thin
	  or alveoli / capillary walls are thin **or** one cell thick
	  or capillaries are close to the alveoli
	  • which provides short diffusion path (for oxygen / carbon dioxide)
	
	• breathing (mechanism) moves air in and out
	or lungs are ventilated
	  • to bring in (fresh) oxygen
	  • to remove carbon dioxide
	  • to maintain a concentration / diffusion gradient`
	
	• large capillary network (around alveoli)
	or good blood supply
	  • to remove oxygen(ated blood) quickly
	  • to bring carbon dioxide to the lungs quickly
	  • to maintain a concentration / diffusion gradient		

4.3.3.2 Plant defence responses

08.4	Osmosis	allow diffusion	1	AO1 4.1.3.1 4.2.3.2 4.1.3.2
08.5	active transport (because) energy is needed (to move nitrate ions) from a low(er) concentration (in the soil) to a high(er) concentration (in the root / cell)	 allow (to move nitrate ions) against / up the concentration gradient allow (because) there is a lower concentration (of nitrate ions) in the soil **or** (because) there is a higher concentration (of nitrate ions) in the root / cell ignore reference to amount / number of nitrate ions ignore along / across the concentration gradient do **not** accept if reference to molecules / atoms moving	1 1 1	AO3 AO2 AO2 4.1.1.3 4.2.3.2 4.1.3.3
Total			**14**	

4.3.3.2 Plant defence responses

Answer 10 · Examiner comments November 2020 | 8461/1F | Original Q5

Question 5 (low & standard demand)

As in previous years, many students missed heating the Benedict's solution in **05.5** and several confused this test with the test for starch. 25% of students scored at least one mark in this question. It was clear that a large proportion of students were not familiar with this experiment, and in these cases, students suggested splitting open the cells and looking for the glucose using a microscope which has not been seen in previous years. 22% of students gave no response to **05.5**.