AQA GCSE Biology | 8461

SPECIFICATION POINT 4.1.1.1

Eukaryotes and prokaryotes

Mark schemes and examiner comments

Tier	**Higher**
Question groups	**5**
Available paper years	**2010–2023**

Using this booklet

1. Booklet answer numbers match the question booklet.
2. Use the original question number within marking tables.
3. Examiner comments are included where available.

Name: _____ **Date:** _____

Where a precise marking extract is unavailable, the full source document is included in an appendix. Any missing mark scheme is explicitly identified.

4.1.1.1 Eukaryotes and prokaryotes

Answer 01 · Mark scheme June 2010 | BLY3H | Original Q1 | Legacy

Question 1

question	answers	extra information	mark
1(a)(i)	A = (cell) wall B = cytoplasm	ignore cellulose	1 1
1(a)(ii)	any **one** from • bacterial cell / it has no nucleus • DNA free in cytoplasm • has no vacuole / no vesicles	 accept has DNA instead of a nucleus but **not** just has DNA allow no mitochondria ignore size ignore strands of DNA	1
1(b)(i)	yeast grows best / better / well **or** optimum temperature for yeast / more yeast present CO_2 made(by yeast) **or** respires / respiration (by yeast)	allow yeast works best / better / well allow fermentation (ignore anaerobic/aerobic)	1 1
1(b)(ii)	bacterium grows best / better / well / more bacteria present **or** optimum temperature for bacterium (lactic) acid made (by bacterium)	ignore micro organism / microbes allow works / respires best / better / well (ignore anaerobic/aerobic) do **not** allow wrong acid	1 1
1(b)(iii)	bread still rises (in acid conditions) **or** no need to control / monitor pH		1
Total			**8**

4.1.1.1 Eukaryotes and prokaryotes

Answer 01 · Mark scheme

June 2010 | BLY3H | Original Q1 | Legacy

BLY 3H

4.1.1.1 Eukaryotes and prokaryotes

Answer 02 · Mark scheme

June 2012 | BL2HP | Original Q2 | Legacy

Question 2

question	answers	extra information	mark
2(a)(i)	makes / produces / synthesises protein / enzyme		1
2(a)(ii)	plant cell has nucleus / vacuole / chloroplasts / chlorophyll **or** plant cell is much larger	'It' = plant cell allow correct reference to DNA or chromosomes allow plant cell has fewer ribosomes allow cellulose (cell wall)	1
2(b)(i)	200	correct answer with or without working gains **2** marks if answer incorrect, allow **1** mark for $\frac{2 \times 50{,}000}{500}$ **or** $\frac{100{,}000}{500}$ **or** 100	2
2(b)(ii)	bacterial cell is too small / bacterial cell about same size as a mitochondrion / 'no room'	ignore references to respiration	1
Total			**5**

4.1.1.1 Eukaryotes and prokaryotes

Answer 02 · Mark scheme June 2012 | BL2HP | Original Q2 | Legacy

BL2HP

Answer 03 · Mark scheme November 2020 | 8461/1H | Original Q3

The full source mark scheme begins on page 13. Follow original question 3 in that document.

4.1.1.1 Eukaryotes and prokaryotes

Answer 04 · Mark scheme

June 2023 | 8461/1H | Original Q3

Question 3

Question	Answers	Extra information	Mark	AO / Spec Ref.
03.1	(bacteria) release / produce toxins	allow (bacteria) release / produce poisons ignore toxins unqualified	1	AO1 4.3.1.3 4.3.1.1

Question	Answers	Mark	AO / Spec Ref.
03.2	**Level 2**: Relevant points (reasons / causes) are identified, given in detail and logically linked to form a clear account.	3-4	AO2
	Level 1: Relevant points (reasons / causes) are identified, and there are attempts at logical linking. The resulting account is not fully clear.	1-2	AO1 4.3.1.3 4.3.1.7
	No relevant content	0	
	Indicative content: *Vaccination of animal* • (animal's) white blood cells / lymphocytes produce antibodies (against *Salmonella* / vaccine / antigens) • antibodies are specific / complementary / correct to *Salmonella* / antigens • (specific) antibodies bind to *Salmonella* / antigens *Secondary response in animal* • if infected (specific) antibodies are produced quickly **or** in large numbers • (so) white blood cells **or** antibodies would kill (live) *Salmonella* • (so) fewer / no bacteria / pathogens / *Salmonella* in animals **or** in animal products (meat / milk / eggs) *Prevention of food poisoning in humans* • (so) fewer / no bacteria / pathogens / *Salmonella* eaten **or** in (named) food • (so) number of bacteria never reaches a high enough level for infection to develop • (so) fewer toxins produced (in humans). For **Level 2** students must link immune response in animals to prevention of an outbreak in humans.		

4.1.1.1 Eukaryotes and prokaryotes

Answer 04 · Mark scheme

June 2023 | 8461/1H | Original Q3

Question	Answers	Extra information	Mark	AO / Spec Ref.
03.3	any **two** from: • disinfect hands / work surface • sterilise Petri dish **or** culture medium (before use) • pass inoculating loop / forceps through a flame (before use) • work near a flame **or** work in a fume cupboard • tilt lid (of Petri dish) when placing discs on agar (to minimise contact with air / breath) • secure lid of Petri dish with adhesive tape	allow alternative descriptions of sterilising equipment such as UV light ignore clean / wash surfaces / hands / equipment allow sterilise agar (before use) ignore sterilise equipment allow example of other method to minimise contact with air / breath ignore store dish upside-down	2	AO1 4.1.1.6 RPA2

Question	Answers	Extra information	Mark	AO / Spec Ref.
03.4	(37 °C) 37 °C is human / body temperature *Salmonella* / bacteria grows best / better at 37 °C (25 °C) 25 °C reduces / prevents the growth of bacteria that are harmful to humans / students	 allow (so) bacteria grow best / better at human body temperature allow because it is too low for growth of human pathogens	 1 1 1	AO2 4.1.1.6 4.3.1.3 RPA2

4.1.1.1 Eukaryotes and prokaryotes

Question	Answers	Extra information	Mark	AO / Spec Ref.
03.5	(acts as a) control	allow for comparison allow to show that the results are not due to the paper disc allow to show that the results are due to the antibiotic ignore to show the effect / effectiveness of the antibiotic do **not** accept as a control variable	1	AO2 4.1.1.6 RPA2

Question	Answers	Extra information	Mark	AO / Spec Ref.
03.6	(they) killed the most bacteria	allow prevented most bacteria growing / replicating allow largest zone of inhibition (of bacteria) ignore largest clear area unqualified ignore antibiotic **B** killed the most bacteria	1	AO2 4.1.1.6 RPA2

Question	Answers	Extra information	Mark	AO / Spec Ref.
03.7	measure the diameter / radius of each clear area **or** calculate / measure the area of each clear area	allow measure the diameter / radius of each region where the bacteria are killed allow calculate the area of each region where the bacteria are killed	1	AO3 4.1.1.6 RPA2

4.1.1.1 Eukaryotes and prokaryotes

Question	Answers	Extra information	Mark	AO / Spec Ref.
03.8	bacteria must be resistant (to antibiotic **B**)	do **not** accept bacteria must be immune	1	AO3 4.3.1.8

Question	Answers	Extra information	Mark	AO / Spec Ref.
03.9	water enters the (bacterial) cell		1	AO2 4.3.1.8 4.1.3.2 4.1.1.1
	(water enters) by osmosis	allow (water enters) by diffusion through a partially / selectively / semi permeable membrane do **not** accept if description of concentrations is incorrect	1	
	(so) damaged / incomplete / no cell wall cannot withstand pressure (of water)	allow (so remaining) cell membrane cannot stretch further	1	

Total Question 3	**17**

4.1.1.1 Eukaryotes and prokaryotes

Answer 05 · Mark scheme

June 2023 | 8461/1H | Original Q5

Question 5

Question	Answers	Extra information	Mark	AO / Spec Ref.
05.1	vector		1	AO1 4.3.1.5

Question	Answers	Extra information	Mark	AO / Spec Ref.
05.2	any **three** from: • protist / it has mitochondria • protist / it has (a) nucleus **or** protist DNA / genetic material is not free in the cytoplasm • protist / it does not have a single loop of DNA / genetic material • protist / it does not have <u>plasmid</u>s • protist / it does not have a cell wall	allow converse for prokaryotic cells allow eukaryotic for protist if neither mark awarded, allow **1** mark for protist has membrane-bound structures ignore genetic information ignore genetic information do **not** accept eukaryotic cell does not have a cell wall allow protist / it does not have a slime capsule ignore cilia / flagellae / ribosomes ignore size / shape	3	AO2 4.1.1.1 4.3.1.5

4.1.1.1 Eukaryotes and prokaryotes

Answer 05 · Mark scheme

Question	Answers	Extra information	Mark	AO / Spec Ref.
05.3	less oxygen carried (in blood)	allow less oxygen carried (to cells) ignore reference to number of red blood cells unqualified do **not** accept no oxygen carried	1	AO2 4.4.2.3 4.4.2.1 4.2.2.3
	less energy released from respiration	do **not** accept energy produced / made / created	1	

Question	Answers	Mark	AO / Spec Ref.
05.4	any **three** pairs from: **Sexual reproduction** / **Asexual reproduction** involves two parents / involves one parent involves gametes joining / fusing **or** involves fertilisation / involves no (fusion of) gametes **or** does not involve fertilisation there is mixing of genetic material / information **or** there is genetic variation **or** offspring are genetically different / there is no mixing of genetic material / information **or** there is no genetic variation **or** offspring are genetically identical ignore reference to clones involves (only) meiosis / involves mitosis **or** does not involve meiosis more energy required / less energy required slower / faster if no other mark awarded allow **1** mark for asexual reproduction produces many offspring pairs of answers can be in any order	3	AO1 4.6.1.1 4.1.2.2

4.1.1.1 Eukaryotes and prokaryotes

Answer 05 · Mark scheme

Question	Answers	Extra information	Mark	AO / Spec Ref.
05.5	(no bases so) DNA replication cannot occur	allow copying / duplicating / doubling for replication ignore cannot make DNA unqualified	1	AO2 4.1.2.2

Question	Answers	Extra information	Mark	AO / Spec Ref.
05.6	(after DNA replication) one set of chromosomes is pulled to each end of the cell	allow one (member) of each pair of chromosomes is pulled to each end of the cell ignore (half the) chromosomes are pulled to each end of the cell	1	AO1 4.1.2.2
	nucleus divides	allow two (new) nuclei form	1	
	cytoplasm **or** cell membrane divides to form two cells	allow cytokinesis	1	

Question	Answers	Extra information	Mark	AO / Spec Ref.
05.7	having disorder **S** reduces incidence / percentage of malaria	allow having disorder **S** reduces chance of getting malaria allow having disorder **S** protects against malaria	1	AO3 4.2.2.5 4.3.1.5
	as age increases a lower percentage of children with disorder **S** get malaria until age 10, then the percentage increases	allow protection against malaria increases with (increasing) age until age 10, then it decreases	1	

Total Question 5	15

4.1.1.1 Eukaryotes and prokaryotes

AQA

GCSE
BIOLOGY
8461/1H

Paper 1 Higher Tier

Mark scheme

June 2020

Version: 1.0 Final

206G8461 1H/MS

4.1.1.1 Eukaryotes and prokaryotes

MARK SCHEME – GCSE BIOLOGY – 8461/1H – JUNE 2020

Mark schemes are prepared by the Lead Assessment Writer and considered, together with the relevant questions, by a panel of subject teachers. This mark scheme includes any amendments made at the standardisation events which all associates participate in and is the scheme which was used by them in this examination. The standardisation process ensures that the mark scheme covers the students' responses to questions and that every associate understands and applies it in the same correct way. As preparation for standardisation each associate analyses a number of students' scripts. Alternative answers not already covered by the mark scheme are discussed and legislated for. If, after the standardisation process, associates encounter unusual answers which have not been raised they are required to refer these to the Lead Examiner.

It must be stressed that a mark scheme is a working document, in many cases further developed and expanded on the basis of students' reactions to a particular paper. Assumptions about future mark schemes on the basis of one year's document should be avoided; whilst the guiding principles of assessment remain constant, details will change, depending on the content of a particular examination paper.

Further copies of this mark scheme are available from aqa.org.uk

Copyright information

For confidentiality purposes acknowledgements of third-party material are published in a separate booklet which is available for free download from www.aqa.org.uk after the live examination series.

Copyright © 2020 AQA and its licensors. All rights reserved.

4.1.1.1 Eukaryotes and prokaryotes

Information to Examiners

1. General

The mark scheme for each question shows:

- the marks available for each part of the question
- the total marks available for the question
- the typical answer or answers which are expected
- extra information to help the Examiner make his or her judgement
- the Assessment Objectives, level of demand and specification content that each question is intended to cover.

The extra information is aligned to the appropriate answer in the left-hand part of the mark scheme and should only be applied to that item in the mark scheme.

At the beginning of a part of a question a reminder may be given, for example: where consequential marking needs to be considered in a calculation; or the answer may be on the diagram or at a different place on the script.

In general the right-hand side of the mark scheme is there to provide those extra details which confuse the main part of the mark scheme yet may be helpful in ensuring that marking is straightforward and consistent.

2. Emboldening and underlining

2.1 In a list of acceptable answers where more than one mark is available 'any **two** from' is used, with the number of marks emboldened. Each of the following bullet points is a potential mark.

2.2 A bold **and** is used to indicate that both parts of the answer are required to award the mark.

2.3 Alternative answers acceptable for a mark are indicated by the use of **or**. Different terms in the mark scheme are shown by a / ; eg allow smooth / free movement.

2.4 Any wording that is underlined is essential for the marking point to be awarded.

3. Marking points

3.1 Marking of lists

This applies to questions requiring a set number of responses, but for which students have provided extra responses. The general principle to be followed in such a situation is that 'right + wrong = wrong'.

Each error / contradiction negates each correct response. So, if the number of error / contradictions equals or exceeds the number of marks available for the question, no marks can be awarded.

However, responses considered to be neutral (indicated as * in example 1) are not penalised.

Example 1: What is the pH of an acidic solution?

[1 mark]

Student	Response	Marks awarded
1	green, 5	0
2	red*, 5	1
3	red*, 8	0

Example 2: Name two planets in the solar system.

[2 marks]

Student	Response	Marks awarded
1	Neptune, Mars, Moon	1
2	Neptune, Sun, Mars, Moon	0

3.2 Use of chemical symbols / formulae

If a student writes a chemical symbol / formula instead of a required chemical name, full credit can be given if the symbol / formula is correct and if, in the context of the question, such action is appropriate.

3.3 Marking procedure for calculations

Marks should be awarded for each stage of the calculation completed correctly, as students are instructed to show their working. Full marks can, however, be given for a correct numerical answer, without any working shown.

3.4 Interpretation of 'it'

Answers using the word 'it' should be given credit only if it is clear that the 'it' refers to the correct subject.

3.5 Errors carried forward

Any error in the answers to a structured question should be penalised once only.

Papers should be constructed in such a way that the number of times errors can be carried forward is kept to a minimum. Allowances for errors carried forward are most likely to be restricted to calculation questions and should be shown by the abbreviation ecf in the marking scheme.

3.6 Phonetic spelling

The phonetic spelling of correct scientific terminology should be credited **unless** there is a possible confusion with another technical term.

3.7 Brackets

(…..) are used to indicate information which is not essential for the mark to be awarded but is included to help the examiner identify the sense of the answer required.

3.8 Allow

In the mark scheme additional information, 'allow' is used to indicate creditworthy alternative answers.

3.9 Ignore

Ignore is used when the information given is irrelevant to the question or not enough to gain the marking point. Any further correct amplification could gain the marking point.

3.10 Do <u>not</u> accept

Do **not** accept means that this is a wrong answer which, even if the correct answer is given as well, will still mean that the mark is not awarded.

4. Level of response marking instructions

Extended response questions are marked on level of response mark schemes.

- Level of response mark schemes are broken down into levels, each of which has a descriptor.
- The descriptor for the level shows the average performance for the level.
- There are two marks in each level.

Before you apply the mark scheme to a student's answer, read through the answer and annotate it (as instructed) to show the qualities that are being looked for. You can then apply the mark scheme.

4.1.1.1 Eukaryotes and prokaryotes

Step 1: Determine a level

Start at the lowest level of the mark scheme and use it as a ladder to see whether the answer meets the descriptor for that level. The descriptor for the level indicates the different qualities that might be seen in the student's answer for that level. If it meets the lowest level then go to the next one and decide if it meets this level, and so on, until you have a match between the level descriptor and the answer.

When assigning a level you should look at the overall quality of the answer. Do **not** look to penalise small and specific parts of the answer where the student has not performed quite as well as the rest. If the answer covers different aspects of different levels of the mark scheme you should use a best fit approach for defining the level.

Use the variability of the response to help decide the mark within the level, ie if the response is predominantly level 2 with a small amount of level 3 material it would be placed in level 2 but be awarded a mark near the top of the level because of the level 3 content.

Step 2: Determine a mark

Once you have assigned a level you need to decide on the mark. The descriptors on how to allocate marks can help with this.

The exemplar materials used during standardisation will help. There will be an answer in the standardising materials which will correspond with each level of the mark scheme. This answer will have been awarded a mark by the Lead Examiner. You can compare the student's answer with the example to determine if it is the same standard, better or worse than the example. You can then use this to allocate a mark for the answer based on the Lead Examiner's mark on the example.

You may well need to read back through the answer as you apply the mark scheme to clarify points and assure yourself that the level and the mark are appropriate.

Indicative content in the mark scheme is provided as a guide for examiners. It is not intended to be exhaustive and you must credit other valid points. Students do **not** have to cover all of the points mentioned in the indicative content to reach the highest level of the mark scheme.

You should ignore any irrelevant points made. However, full marks can be awarded only if there are no incorrect statements that contradict a correct response.

An answer which contains nothing of relevance to the question must be awarded no marks.

4.1.1.1 Eukaryotes and prokaryotes

Question	Answers	Extra information	Mark	AO / Spec. Ref.
01.1	*before arrow* carbon dioxide **and** water *after arrow* glucose	allow correct chemical symbols ignore any attempt at balancing equation ignore light / chlorophyll either order ignore sugar / carbohydrate do **not** accept starch	 1 1	AO1 4.4.1.1
01.2	<u>light</u> (light) is captured / trapped / absorbed by chlorophyll / chloroplasts	ignore description of subsequent parts of the photosynthesis reaction allow sun<u>light</u> ignore sun allow (light) is used by chlorophyll / chloroplasts	 1 1	AO1 4.1.1.2 4.4.1.1
01.3	$\frac{18.5 + 19.3 + 19.5}{3}$ **or** $\frac{57.3}{3}$ 19.1 (cm^3/hour)	 allow an answer correctly calculated using only two correct values	1 1	AO2 4.4.1.2 RPA 6
01.4	a ring around 14.2	allow clear indication of correct result	1	AO3 4.4.1.2 RPA 6

4.1.1.1 Eukaryotes and prokaryotes

01.5	any **one** from: • scale / value was misread • there was air / oxygen in the syringe / measuring cylinder / apparatus • the lamp / light was moved • temperature changed • had different mass / length of pondweed • pondweed had not acclimatised	ignore human error ignore references to counting bubbles or time allow measurement error allow light intensity changed ignore different bulb / lamp unqualified	1	AO3 4.4.1.2 RPA 6
01.6	did not use it in calculation (of mean)		1	AO3 4.4.1.2 RPA 6
01.7	any **one** from: • light (intensity) • carbon dioxide (concentration) • pondweed size / amount • pondweed species	do **not** accept temperature ignore time allow distance / power / colour of lamp / light allow same (piece of) pondweed	1	AO3 4.4.1.2 RPA 6
01.8	enzyme(s) lose the shape of the active site	allow enzyme(s) (start to) denature allow enzyme(s) destroyed / damaged do **not** accept enzyme(s) killed	1	AO2 4.2.2.1

4.1.1.1 Eukaryotes and prokaryotes

01.9	y-axis labelled '(rate of) photosynthesis in cm^3/hour'		1	AO2 4.4.1.2 RPA 6
	suitable scale on y-axis	must take up half or more of grid provided	1	
	all points plotted to within ± ½ small square	allow 3 or 4 correct plots for **1** mark ignore any attempt to plot a point at 20 °C	2	
	correct curved line of best fit	ignore line joined point to point with straight lines ignore extrapolation	1	
Total			**16**	

4.1.1.1 Eukaryotes and prokaryotes

Question	Answers	Extra information	Mark	AO / Spec. Ref.
02.1	movement / spreading out of molecules / particles	allow movement / spreading out of (named) substances / chemicals / gases / liquids ignore reference to membranes / cells	1	AO1 4.1.3.1
	from (an area of) high(er) concentration to (an area of) low(er) concentration	allow down / with the concentration gradient ignore along / across the concentration gradient do **not** accept movement from / to a concentration gradient	1	
02.2	increased carbon dioxide concentration in the air		1	AO2 4.1.3.1 4.2.3.2
	increased number of stomata that are open		1	

4.1.1.1 Eukaryotes and prokaryotes

02.3	**Level 3:** Relevant points (reasons/causes) are identified, given in detail and logically linked to form a clear account.	5–6	AO1 4.1.3.1 4.2.2.2 4.2.2.3
	Level 2: Relevant points (reasons/causes) are identified, and there are attempts at logical linking. The resulting account is not fully clear.	3–4	
	Level 1: Points are identified and stated simply, but their relevance is not clear and there is no attempt at logical linking.	1–2	
	No relevant content	0	

	Indicative content
	• (many) alveoli
	  • provide a large(r) surface area (**:** volume)
	
	• capillaries are thin
	  or alveoli / capillary walls are thin **or** one cell thick
	  or capillaries are close to the alveoli
	  • which provides short diffusion path (for oxygen / carbon dioxide)
	
	• breathing (mechanism) moves air in and out
	or lungs are ventilated
	  • to bring in (fresh) oxygen
	  • to remove carbon dioxide
	  • to maintain a concentration / diffusion gradient
	
	• large capillary network (around alveoli)
	or good blood supply
	  • to remove oxygen(ated blood) quickly
	  • to bring carbon dioxide to the lungs quickly
	  • to maintain a concentration / diffusion gradient		

4.1.1.1 Eukaryotes and prokaryotes

02.4	osmosis	allow diffusion	1	AO1 4.1.3.1 4.2.3.2 4.1.3.2
02.5	active transport (because) energy is needed (to move nitrate ions) from a low(er) concentration (in the soil) to a high(er) concentration (in the root / cell)	 allow (to move nitrate ions) against / up the concentration gradient allow (because) there is a lower concentration (of nitrate ions) in the soil **or** (because) there is a higher concentration (of nitrate ions) in the root / cell ignore reference to amount / number of nitrate ions ignore along / across the concentration gradient do **not** accept if reference to molecules / atoms moving	1 1 1	AO3 AO2 AO2 4.1.1.3 4.2.3.2 4.1.3.3
Total			**14**	

4.1.1.1 Eukaryotes and prokaryotes

Question	Answers	Extra information	Mark	AO / Spec. Ref.
03.1	any **two** from: (both have) • cytoplasm • (cell) membrane • DNA / genetic material • ribosomes	ignore reference to shape allow RNA ignore genetic information if no other mark awarded allow sub-cellular structures for **1** mark if no other mark awarded allow correct cellular process, e.g. respiration for **1** mark	2	AO2 4.1.1.1 4.1.1.2 4.1.2.1
03.2	any **three** from: • prokaryotic cell is smaller • prokaryotic cell has no mitochondria • prokaryotic cell has no nucleus **or** DNA is free in the cytoplasm **or** genetic material is free in the cytoplasm • prokaryotic cell has a single loop of DNA **or** prokaryotic cell has a single loop of genetic material • prokaryotic cell has plasmids	allow converse for eukaryotic cells allow reference to bacterium instead of prokaryotic cell ignore reference to features not shown in Figure **5** if neither mark awarded, allow prokaryotic cell has no membrane-bound organelles ignore genetic information ignore genetic information ignore circular / rings of DNA allow prokaryotic cells have smaller ribosomes	3	AO2 4.1.1.1 4.1.1.2 4.1.2.1

4.1.1.1 Eukaryotes and prokaryotes

03.3	1 µm = 0.001 mm **or** 1 mm = 1000 µm **or** 0.05 mm = 50 µm **or** 0.05 × 1000 (1:) 50	 do **not** accept if a unit is given	1 1	AO2 4.1.1.1 4.1.1.2
03.4	mitosis	correct spelling only	1	AO1 4.1.2.2
03.5	35%		1	AO2 4.1.2.2
03.6	 (stage 1) DNA / chromosomes replicate / duplicate mitochondria / ribosomes / sub-cellular structures increase in number **or** mitochondria / ribosomes / sub-cellular structures replicate (stage 2) one set of chromosomes is pulled / moved to each end of the cell (stage 3) the cytoplasm **and** cell membrane divides (to form two cells)	ignore names of the stages of the cell cycle ignore genetic material ignore DNA / chromosomes double / reproduce allow cytoplasm increases ignore cell grows unqualified allow one of each chromosome is pulled / moved to each end of the cell ignore nucleus divides allow cytoplasm divides **and** (new) cell membranes form ignore nucleus divides	 1 1 1 1	AO1 4.1.2.2
Total			**13**	

4.1.1.1 Eukaryotes and prokaryotes

Question	Answers	Extra information	Mark	AO / Spec. Ref.
04.1	fatty acids		1	AO1 4.2.2.1
	glycerol		1	4.4.2.3
04.2	enzyme binds to the substrate because they are complementary (shapes)	allow enzyme joins to the substrate because they fit together exactly allow enzyme joins to the substrate because the substrate fits the active site ignore reference to specificity do **not** accept same shape	1	AO2 4.2.2.1
	(so) substrate is broken down (into products)	allow (so) substrate splits (into products) ignore products are formed, unqualified	1	
	(so) products are released **or** enzyme is not changed	allow enzyme is not used up allow reference to activation energy for either marking point 2 **or** marking point 3	1	
04.3	each <u>active site</u> has a specific shape (so only fits one type of lipid molecule)	allow each <u>active site</u> is a different shape do **not** accept reference to the substrate having an active site	1	AO2 4.2.2.1
04.4	add Benedict's (solution / reagent to the liquid)		1	AO1 4.2.2.1 RPA 4
	boil / heat	allow any temperature of 65 °C or above	1	
	(if glucose is present the blue) colour changes to yellow / green / orange / brown / (brick)red		1	

MARK SCHEME – GCSE BIOLOGY – 8461/1H – JUNE 2020

04.5	add iodine solution / reagent (to the liquid) (if starch is present) it changes colour to blue / black (from yellow / orange / brown)	allow add a drop of iodine ignore iodine unqualified	1 1	AO1 4.2.2.1 RPA 4
04.6	glucose from photosynthesis (excess) glucose converted to starch	do **not** accept starch made in photosynthesis allow (excess) glucose is stored as starch	1 1	AO2 4.2.2.1 4.4.1.1 4.4.1.3 4.4.2.3
04.7	starch (stores) have been converted to glucose (so the glucose can be) used for respiration / (named) metabolic reactions **or** (so the glucose can be) used to release energy (because) there is no light to make (new / more) glucose by photosynthesis	ignore reference to residual glucose from previous photosynthesis do **not** accept idea of energy being produced / created / made	1 1 1	AO3 4.4.1.1 4.4.2.1 4.4.1.3
04.8	any **one** from: • test roots / stems of plants (in the light and dark) • test other species of plant • measure the concentrations of glucose **and** starch • vary the time in the dark / light • test variegated leaves	do **not** accept reference to changing the independent variable allow test other parts of the plants allow test other types of plant ignore mass / amount allow any other valid extension ignore repeats	1	AO3 4.4.1.2 4.4.1.3
Total			**17**	

4.1.1.1 Eukaryotes and prokaryotes

Question	Answers	Extra information	Mark	AO / Spec. Ref.
05.1	mechanical	allow physical allow structural	1	AO3 4.3.3.2
05.2	any **one** from: • to deter herbivores • to prevent animals damaging it	ignore to injure animals, unqualified allow to deter animals eating it do **not** accept to deter predators	1	AO2 4.3.3.2
05.3	chemical		1	AO3 4.3.3.2

4.1.1.1 Eukaryotes and prokaryotes

05.4	any **two** from : • lack of magnesium (ions) (1) (so) not enough chlorophyll for (efficient) photosynthesis (1) (so) not enough glucose to make proteins for growth **or** not enough glucose to release energy for growth (1) • infection by pathogen / bacteria / virus / fungus (1) (so) leaves become discoloured / yellow so less photosynthesis (1) (so) not enough glucose to make proteins for growth **or** not enough glucose to release energy for growth (1) • infected by aphids (1) (which) remove sugars from phloem (1) (so) not enough glucose to make proteins for growth **or** not enough glucose to release energy for growth (1) • lack of (available) light (1) (so) chlorophyll breaks down (1) (so) not enough glucose to make proteins for growth **or** not enough glucose to release energy for growth (1)	allow (so) lack of chlorophyll produced causes yellow leaves (1), (so) not enough photosynthesis to produce glucose which is used to make proteins for growth (1) allow correctly named pathogen allow has rose black spot / TMV allow other symptoms of named pathogens / disease award once only award once only award once only	5	AO2 4.3.3.1 4.3.1.1 4.3.1.2 4.3.1.4 4.4.1.1 4.4.1.2 AO1 4.4.2.3 4.4.1.3

4.1.1.1 Eukaryotes and prokaryotes

05.5	(bacteria) obtain glucose / sugar (from the plant) (glucose used) for respiration **or** (glucose used) for making other named substances	 allow (glucose used) to release energy	1 1	AO3 AO2 4.2.3.2 4.4.1.3
05.6	(gorse plant) obtains nitrate (ions) needed for amino acids / proteins	 allow needed to make chlorophyll / DNA	1 1	AO2 4.1.3.3 4.4.2.3 AO1 4.3.3.1
05.7	willow bark		1	AO2 4.3.1.9
Total			**13**	

4.1.1.1 Eukaryotes and prokaryotes

Question	Answers	Extra information	Mark	AO / Spec. Ref.
06.1	any **two** from: • BMI / morphology / obesity level • smoking habits • diet • medication • family history of liver disease • fitness levels • ethnicity • area of UK they live in	ignore genetic factors allow mass / weight **and** height allow previous drinking habits allow medical conditions allow drug use allow level of exercise allow race	2	AO3 4.2.2.6
06.2	2.55 – 1.60 (= 0.95) $\left(\frac{0.95}{2.55} \times 100 = \right)$ 37 (.2549019608…) (%)	allow 1.60 – 2.55 (= –0.95) allow value for with meals in range 1.60 to 1.65 (for 1.60) allow answer correctly calculated from values in ranges 1.60 to 1.65 and 2.50 to 2.60 allow – 37(.2549019608...)(%)	1 1	AO2 4.2.2.6
06.3	12 × 2 × 7 = 168 (g/week) 1.8	 allow in range 1.8-1.9 allow correct reading from a calculation that omits the 2 **or** the 7 do **not** accept if a unit is given	1 1	AO2 4.2.2.6

4.1.1.1 Eukaryotes and prokaryotes

06.4	any **two** from: • consuming alcohol increases the RR (with / without meals) **and** supporting data • consuming less than 50 g/week of alcohol with meals does not increase the RR • even (small amounts of alcohol at) 25 g/week increases the RR if not with meals	allow risk for RR throughout allow data in terms of number of glasses of wine allow increasing alcohol consumption increases the RR at an increasing rate allow any value between 35 and 60 g/week	2	AO3 4.2.2.6
06.5	any **two** from: • large number in survey • long term / 15 year survey • well controlled	allow 800 000 in survey if neither mark awarded allow large study allow many controls	2	AO3 4.2.2.6
06.6	any **one** from: • people underestimate / overestimate alcohol consumption • people may change (lifestyle / drinking) habits over time • some people may drink all their weekly alcohol at once	allow people lie about alcohol consumption **or** people lie about other named control variables ignore survey only tested women	1	AO3 4.2.2.6

06.7	**Level 2:** Scientifically relevant facts, events or processes are identified and given in detail to form an accurate account.	3-4	AO2 4.4.2.3 4.2.2.1
	Level 1: Facts, events or processes are identified and simply stated but their relevance is not clear.	1-2	AO1 4.4.2.2 4.2.2.6 4.2.2.5 4.5.3.3
	No relevant content	0	
	Indicative content Responses may refer to either total or partial liver failure • no bile made (in the liver) ○ fats / lipids are not emulsified ○ surface area of fats / lipids not increased ○ pH of small intestine will not be alkaline / neutralised ○ enzymes (in small intestine) will not work effectively **or** (named) food not digested / absorbed ○ so may lose weight • lactic acid not broken down / oxidised ○ accumulation of lactic acid in blood / body ○ lactic acid is toxic **or** body will be poisoned ○ oxygen debt higher / prolonged ○ so muscle pain / fatigue • proteins / amino acids will not be broken down (in liver) ○ (amino acids) not deaminated ○ amino acids not made into urea **or** will not form ammonia ○ (however) any ammonia formed is toxic ○ so accumulation of amino acids in blood / body • liver does not break down / remove other toxins (like alcohol) ○ toxins accumulate in blood / body ○ body will be poisoned ○ so pain **or** jaundice **or** swollen liver **or** portal hypertension occurs • glycogen stores will not be formed ○ cannot control blood glucose ○ so hyperglycaemia / hypoglycaemia / diabetes / coma may occur		

Total			**15**

4.1.1.1 Eukaryotes and prokaryotes

Question	Answers	Extra information	Mark	AO / Spec.Ref.
07.1	bind fluorescent dye to mAbs	ignore add mAbs and dye to slide (unbound)	1	AO2 4.3.2.2
	put (bound) fluorescent mAbs on the slide (and rinse off)		1	
	mAbs will bind to Candida albicans / pathogens and show up under the microscope	allow mAbs will bind to Candida albicans / pathogens and show up under UV (lamp)	1	
07.2	more Candida albicans / pathogens will be engulfed / killed by phagocytes / white blood cells	allow Candida albicans / pathogens will be engulfed / killed by phagocytes / white blood cells more quickly do **not** accept white blood cells produce antibodies do **not** accept lymphocytes engulf Candida albicans	1	AO2 4.2.2.3 4.3.1.6 4.3.1.7
	therefore less damage to cells / tissues / organs	ignore less toxin released (by Candida albicans)	1	

MARK SCHEME – GCSE BIOLOGY – 8461/1H – JUNE 2020

07.3	**Level 2:** Scientifically relevant facts, events or processes are identified and given in detail to form an accurate account.		4-6	AO1 4.3.1.9
	Level 1: Facts, events or processes are identified and simply stated but their relevance is not clear.		1-3	
	No relevant content		0	
	Indicative content • given first to healthy volunteers o at (very) low dose o to test it is safe **or** to test for toxicity **or** to check for any side effects • then to some patients (with the disease) **or** people with the disease o to test for the correct / optimum dose o to check for any side effects o to test for efficacy **or** to test if it works o in a double blind trial o where neither patients nor doctors know who has the mAbs and who has a placebo (or alternative treatment) • reference to large trial **or** long duration **or** control variables			
07.4	any **one** from: • (the body will) not reject the mAbs **or** (the body is) less likely to reject the mAbs • mouse mAbs are (more likely to be) rejected • the human lymphocytes have already responded to that infection / cancer cell so they are known to work against the disease	do **not** accept idea of rejection of cells	1	AO3 4.3.2.2 4.3.2.1 4.3.1.6
Total			**12**	

4.1.1.1 Eukaryotes and prokaryotes

Answer 03 · Examiner comments November 2020 | 8461/1H | Original Q3

Question 3 (standard, standard/high & high demand)

Several students thought that prokaryotic cells lacked ribosomes in **03.2** and there was a lot of confusion regarding the description of the prokaryotic DNA. Many students described this as ‘strands’ and a loop in the same sentence.

In **03.6**, weak use of language in expressing the movement of the chromosomes in stage 2 led to very few students gaining high marks in this question (36% scored zero marks). Many talked about chromosomes moving to different ends of the cell without making it clear that one chromosome **set** goes each way. In stage 1, many students stated that the subcellular structures simply ‘divided’ or ‘increased’.

4.1.1.1 Eukaryotes and prokaryotes

Answer 04 · Examiner comments

June 2023 | 8461/1H | Original Q3

Question 3 (Standard, standard/high and high demand)

03.1 A little over half of students correctly stated how *Salmonella* bacteria cause the symptoms of vomiting and diarrhoea. While the word 'toxin' was commonly used, many students failed to gain credit as they didn't refer to toxins being released or produced which was essential for the mark, but there was some confusion between the terms excrete and secrete.

03.2 This levelled response question required students to make links between the immune response in an animal (following vaccination), and the prevention of a food poisoning outbreak in humans. The high demand required to enter level 2 resulted in less than 6% of students making the leap, with just under 62% of students failing to even enter level 1, thus gaining no credit.
For many students lack of adequate technical language was a barrier to gaining credit with vague statements eg the body or immune system makes antibodies or the body can react faster when the bacteria re-infects. Common errors included poor understanding of what memory cell specifically are – suggesting they act as antibodies, or that antibodies make white blood cells. There appeared to be less confusion about the difference between antibodies, antitoxins and antigens than in previous years. The 2% minority of students who were able to answer both parts of the question skilfully gained full marks in level 2.

03.3 It was encouraging to read that most students had experience of the practical, allowing over 70% of students to gain 1 or more marks. Although many students gave precise answers, 'sterilise equipment' or 'flame equipment' was deemed too vague at this level.

03.4 This question proved a challenge for the majority of students, with only 1% gaining the full 3 available marks, and just under 43% gaining no marks at all. Very few students identified 37°C as being human body temperature, perhaps thinking this was unnecessary or assumed. Some responses identified the potential growth of harmful bacteria but did not specify that it may be harmful to humans in relation to the 25°C being used in school laboratories.

03.5 Generally well answered with around 66% of students gaining the mark. The incorrect term 'control variable' was not infrequent.

03.6 75% of students gave a correct answer here. Where students failed to gain this mark, it was often due to a lack of precision in their response, with a lack of a comparative term or weak description of the area where bacteria had been killed. Some students were unsuccessful as they referred to just one of the antibiotics, and the question clearly asks why should either A or B be prescribed so both had to be included in the response.

4.1.1.1 Eukaryotes and prokaryotes

Answer 04 · Examiner comments June 2023 | 8461/1H | Original Q3

03.7 Generally well answered with most students being able to make an attempt at the answer, and around 56% of students gaining credit. Where students failed to gain this mark, it was often due to a lack of precision, for example simply referring to the circle rather than the clear area or the area where bacteria had been killed.

03.8. It was pleasing to see over 66% of students giving correct responses as they were clear on the idea of developing resistance. Numerous students muddled resistance and immunity and some commented that animals become immune to antibodies and as such could not be credited. Sadly, some students correctly described the development of resistance but went on to negate the mark with comments such as 'now the bacteria are immune to the antibiotic'.

03.9 This high demand question was not accessible to most students, and indeed over three quarters of students failed to gain any marks. Many students simply rewrote information from the stem of the question without saying that this was due to pressure from water and linking it to the impact this had on either the cell wall or cell membrane. A sizeable minority thought that the antibiotic entered the bacteria by osmosis causing it to burst. As anticipated some students negated correct detail on water movement, by giving incorrect definitions of osmosis, and in particular incorrect references to water potential or diffusion gradients. If water concentration is not specified, it is assumed that solute concentration is being described and this often results in an incorrect answer (for example, 'water moves from an area of high concentration to an area of low concentration' is not correct). We continue to also see confusion regarding the role of the cell wall and cell membrane in a cell, as well as lack of understanding around the role antibiotics play in bacterial infections.

Answer 05 · Examiner comments June 2023 | 8461/1H | Original Q5

Question 5 (Standard, standard/high and high demand)

05.1 The majority of students answered this question correctly with just over 68% of students gaining credit. A number of students referred to 'communicable disease' or 'carrier' which were not creditworthy.

4.1.1.1 Eukaryotes and prokaryotes

Answer 05 · Examiner comments

05.2 Students were told in the stem of the question that the malarial protist is a eukaryotic cell, and clearly most students processed this information and just under 95% of student gained some marks. Incorrect responses were seen often when students mixed up protist and prokaryote structures or had misconceptions regarding prokaryote structure suggesting a lack of cell membrane or cytoplasm.

05.3 Most students gained credit for stating that lesson oxygen could be carried by the blood, if red blood cells burst. Only around 20% of students linked this idea to respiration and energy release for the second marking point. Some students suggested that as a result 'no oxygen would be carried' which was not creditworthy. We again this year saw the usual incorrect idea of energy being produced or created which lost students this second marking point.

05.4 Over 70% of students were able to gain some marks on this question, with 8% gaining the full 3 marks available. Many students knew that sexual reproduction involved 'gametes' but they failed to include the idea of fusion and missed out on the first marking point. A pleasing number of students gave the idea of genetic variation for the second marking point, but when 'genetic' was omitted or students simply referred to 'clones' credit was not awarded. The full array of possible creditworthy ideas were seen, as well as the fallback mark.

05.5 Only around 37% of students gained this mark. Those that did not, often lacked detail in their answer. Students were required to specifically refer to DNA, and terms such as 'chromosome' or 'genetic material' were ignored. Furthermore, references to DNA 'multiplying' or 'reproducing' did not gain credit.

05.6 This was a high demand question, and in particular the first marking point proved a good discriminator with very few students referring to 'one set of chromosomes' being pulled to each end of the cell, and instead giving vague references to 'chromosomes pulling apart', or 'DNA halves' which are insufficient at this level. While the process of mitosis is undoubtedly familiar to most students, they struggled to articulate their ideas clearly in their responses. Less than 3% of students gained all 3 marks as a result. Almost 37% gained 1 mark for references either the 'nucleus dividing' or 'the cell membrane / cytoplasm dividing' to form 2 cells.

05.7 The majority of students got muddled with the data in this question or misinterpreted it due to misreading the information provided in the stem informing them that 'the incidence of malaria in children with disorder S was calculated as a percentage of the incidence in children without disorder S'. Consequently, most students concluded that that having disorder S *increased* the chances of children getting malaria and therefore only a minority gained credit, with only 1% of students gaining 2 marks. The trend was however described correctly by around 27% of students for the whole age range obtaining 1 mark.