AQA GCSE Chemistry | 8462

SPECIFICATION POINT 4.4.2.3

Soluble salts

Mark schemes and examiner comments

Tier	**Foundation**
Question groups	**34**
Available paper years	**2008–2025**

Using this booklet

1. Booklet answer numbers match the question booklet.
2. Use the original question number within marking tables.
3. Examiner comments are included where available.

Name: _____ **Date:** _____

Where a precise marking extract is unavailable, the full source document is included in an appendix. Any missing mark scheme is explicitly identified.

4.4.2.3 Soluble salts

Answer 01 · Mark scheme

Question 3

question	answers	extra information	mark
(a)	gives out (heat)		1
(b)	D		1
(c)	L		1
(d)	magnesium chloride		1
total			4

4.4.2.3 Soluble salts

Answer 01 · Mark scheme

January 2008 | CHY2F | Original Q3 | Legacy

CHY2F

Answer 02 · Mark scheme


June 2008 | CHY2F | Original Q1 | Legacy

question	answers	extra information	mark
1(a)(i)	(phosphoric) acid	allow phosphoric acid	1
1(a)(ii)	hydrogen		1
1(b)(i)	faster / quicker / speeds it up (owtte)	allow answers based on activation energy ignore helps it to react	1
1(b)(ii)	most of the starting materials end up as useful products		1
1(b)(iii)	H_2O	allow HOH **or** OH_2	1
Total			**5**

4.4.2.3 Soluble salts

Answer 03 · Mark scheme

June 2008 | CHY2F | Original Q5 | Legacy

question	answers	extra information	mark
5(a)(i)		all three correct **2** marks one correct **1** mark	2
5(a)(ii)	14		1
5(b)	A		1
5(c)(i)	ammonia can break up to form nitrogen and hydrogen ammonia is made from nitrogen and hydrogen	list principle applies	2
5(c)(ii)	air		1
5(d)	ammonium nitrate		1
Total			**8**

4.4.2.3 Soluble salts

Answer 03 · Mark scheme

June 2008 | CHY2F | Original Q5 | Legacy

COMPONENT NUMBER: CHY2F

COMPONENT NAME: Additional Science / Chemistry

STATUS: Final

DATE: June 2008

4.4.2.3 Soluble salts

Question 3

question	answers	extra information	mark
3(a)	diagram **A**		1
3(b)	the atoms can slide over each other. the atoms are in layers		1 1
3(c)(i)	sulfuric		1
3(c)(ii)	bubbles are produced the magnesium disappears		1 1
3(c)(iii)	crystallisation		1
Total			7

4.4.2.3 Soluble salts

Answer 04 · Mark scheme

January 2011 | CHY2F | Original Q3 | Legacy

CHY2F

4.4.2.3 Soluble salts

Answer 05 · Mark scheme

June 2011 | CHY1F | Original Q7 | Legacy

Question 7

question	answers	extra information	mark
7(a)(i)	heat / high temperature / hot / vaporise	if (fractional) distillation / hydrogenation mentioned as the method = max 1 allow thermal decomposition ignore evaporation do **not** accept 'burns' do **not** accept temperature < 100	1
	catalyst **or** silica / alumina / porous pot **or** steam	ignore other named catalyst allow heat (the vapour) to a very high temperature / >800°C for **2** marks	1
7(a)(ii)	C_2H_3Cl	ignore attempts to balance equation	1
7(a)(iii)	single bonds between C – H, C – Cl **and** C – C	do **not** accept symbols outside the bracket	1
7(b)(i)	so that the amount of plasticiser / (sample of) PVC is the independent / only variable that affects the bending / flexibility of the samples	allow because different sizes would give different results accept because size is a control variable ignore references to reliability / precision etc	1
7(b)(ii)	to improve the reliability (of the investigation)	accept to calculate a mean accept to check for anomalous results **or** to check the range of results ignore accuracy / precision etc	1

Question 7 continues on the next page

Question 7 continued

question	answers	extra information	mark
7(b)(iii)	23	correct answer with or without working = **2** marks if answer is incorrect allow $\frac{22+23+24}{3}$ **or** 21 for **1** mark	2
7(b)(iv)	(PVC) sample had been stretched / used / tested in first three tests	accept higher temperature allow worn **or** become weaker ignore (human) error ignore more flexible / softer ignore intermolecular forces	1
7(c)	does not bend (easily / much) **or** it is not flexible **or** it is rigid	ignore non-biodegradable / low maintenance ignore sturdy / stronger / harder	1
Total			**10**

The AQA UMS Conversion Calculator is available on the Results statistics page of the AQA Website

4.4.2.3 Soluble salts

Answer 06 · Mark scheme

June 2011 | CHY3F | Original Q3 | Legacy

Question 3

question	answers	extra information	mark
3(a)(i)	sodium hydroxide solution blue		1 1
3(a)(ii)	barium chloride white		1 1
3(b)	fully ionised in water		1
3(c)(i)	H^+ ions		1
3(c)(ii)	lower than		1
3(d)(i)	(indicator) changed colour / goes colourless	ignore clear / discoloured	1
3(d)(ii)	13.9 **or** (titration) 2		1
3(d)(iii)	13.2	ecf from 3(d)(ii)	1
Total			**10**

4.4.2.3 Soluble salts

Answer 06 · Mark scheme

June 2011 | CHY3F | Original Q3 | Legacy

CHY3F

Answer 07 · Mark scheme

Question 7

question	answers	extra information	mark
7(a)	Marks awarded for this answer will be determined by the Quality of Written Communication (QWC) as well as the standard of the scientific response. Examiners should also refer to the information on page 2, and apply a 'best-fit' approach to the marking.		6

0 marks	Level 1 (1-2 marks)	Level 2 (3-4 marks)	Level 3 (5-6 marks)
No relevant content.	There is a simple description of a laboratory procedure for obtaining potassium chloride.	There is a clear description of a laboratory procedure for obtaining potassium chloride from potassium hydroxide solution and hydrochloric acid that does not necessarily allow the procedure to be completed successfully by another person. The answer must include the use of an indicator or a method of obtaining crystals.	There is a detailed description of a laboratory procedure for obtaining potassium chloride from potassium hydroxide solution and hydrochloric acid that can be followed by another person. The answer must include the use of an indicator and a method of obtaining crystals

examples of the chemistry points made in the response:

- One reagent in beaker (or similar)
- Add (any named) indicator
- Add other reagent
- Swirl or mix
- Add dropwise near end point
- Stop addition at change of indicator colour
- Note volume of reagent added
- Repeat without indicator, adding same volume of reagent **or** remove indicator using charcoal
- Pour solution into basin / dish
- Heat (using Bunsen burner)
- Leave to crystallise / leave for water to evaporate / boil off water

Accept any answers based on titration

Question 7 continues on the next page . .

CH2FP

Question 7 cont'd..

question	answers	extra information	mark
7(b)	nitric (acid)	allow HNO_3 ignore incorrect formula	1
7(c)(i)	because it is a fertiliser / helps plants grow	allow plant food do **not** accept pesticide / herbicide / neutralising soil	1
7(c)(ii)	tick by: 'Should farmers stop using ammonium nitrate on their land?' any **two** from: • cannot be done by experiment • based on opinion / view • ethical **or** economic issue	 accept difficult to get / not enough evidence allow must be done by survey if top box ticked allow **1** mark for drinking water varies from place to place	1 2
Total			**11**

UMS Conversion Calculator www.aqa.org.uk/umsconversion

4.4.2.3 Soluble salts

Answer 08 · Mark scheme

question	answers	extra information	mark
5(a)(i)	sulfuric		1
5(a)(ii)	1		1
5(a)(iii)	to speed up the reaction		1
5(b)	because copper oxide in excess **or** because acid all used up / neutralised	allow copper oxide unreacted	1
5(c)	evaporation **or** crystallisation	allow heating allow cooling allow leave (to evaporate) do **not** accept freezing	1
5(d)	Some copper sulfate may have been lost during the experiment		1
Total			**6**

4.4.2.3 Soluble salts

Answer 08 · Mark scheme

January 2013 | CH2FP | Original Q5 | Legacy

January 2013

CH2FP

4.4.2.3 Soluble salts

Answer 09 · Mark scheme

January 2013 | CH2FP | Original Q8 | Legacy

question	answers	extra information	mark
8(a)(i)	because they are positively charged	accept they are positive / H^+ accept oppositely charged **or** opposites attract ignore they are attracted	1
8(a)(ii)	gains one / an electron	accept $H^+ + e^- \rightarrow H$ or multiples allow gains electrons	1
8(b)	3 bonding pairs 1 lone pair	 accept 2 non-bonding electrons on outer shell of nitrogen	1 1
8(c)(i)	hydroxide / OH^-	do **not** accept sodium hydroxide	1
8(c)(ii)	$H^+ + OH^- \rightarrow H_2O$	ignore state symbols ignore word equation	1

January 2013

CH2FP

question	answers	extra information	mark
8(d)	Marks awarded for this answer will be determined by the Quality of Written Communication (QWC) as well as the standard of the scientific response. Examiners should also refer to the information on page 5.		6

0 marks	**Level 1 (1-2 marks)**	**Level 2 (3-4 marks)**	**Level 3 (5-6 marks)**
No relevant content.	There are basic descriptions of advantages or disadvantages of the electrolysis cells.	There are clear descriptions of environmental or economic advantages or disadvantages of the electrolysis cells. Comparisons may be implied.	There are detailed descriptions of environmental and economic advantages and disadvantages, comparing the electrolysis cells.

examples of chemistry points made in the response:

Accept converse where appropriate.

- mercury cell is more expensive to construct
- mercury is recycled but membranes must be replaced
- mercury is toxic but membrane / polymer is not
- removing traces of mercury from waste is expensive
- mercury cell uses more electricity
- mercury cell produces chlorine that is purer
- mercury cell produces higher concentration / better quality of sodium hydroxide (solution)

Total			**12**

UMS conversion calculator www.aqa.org.uk/umsconversion

4.4.2.3 Soluble salts

Answer 10 · Mark scheme

June 2013 | CH2FP | Original Q2 | Legacy

Question 2

question	answers	extra information	Mark
2(a)	11		1
2(b)(i)	nitric		1
2(b)(ii)	neutralisation		1
2(c)	fertiliser	accept helps plants grow accept provide nitrogen	1
2(d)(i)	nitrate iodide	must be in this order	1 1
2(d)(ii)	precipitate		1
2(d)(iii)	filtration/filtering		1
2(d)(iv)	crystallisation	allow evaporation / heat / cooling do **not** accept freezing ignore “leave it” if unqualified	1
Total			**9**

4.4.2.3 Soluble salts

Answer 11 · Mark scheme

June 2013 | CH3FP | Original Q2 | Legacy

Question 2

question	Answers	extra information	Mark
2(a)(i)	yellow		1
2(a)(ii)	lilac		1
2(b)	(bubble through) limewater cloudy	 allow white / milky	1 1
2(c)(i)	silver nitrate solution		1
2(c)(ii)	white		1
Total			6

4.4.2.3 Soluble salts

Answer 12 · Mark scheme June 2014 | CH2FP | Original Q4 | Legacy

Question	Answers	Extra information	Mark	AO / Spec. Ref.	ID
4(a)(i)	14		1	2 / 2.3.1c	G
4(a)(ii)	isotope		1	1 / 2.3.1d	G
4(a)(iii)	(very) small	*accept smaller / tiny / (very) little*	1	1 / 2.3.1b	G
4(b)(i)	C		1	1 / 2.1	A
4(b)(ii)	NH_3		1	1 / 2.1.1g	A
4(c)(i)	nitric (acid)		1	1 / 2.6.2b	G
4(c)(ii)	indicator		1	1 / 2.6.1b	E
4(c)(iii)	crystallisation **or** evaporation	allow by heating **or** cooling **or** leave (on windowsill) *do not accept freezing*	1	1 / 2.6.1c	E
4(c)(iv)	any **one** from: • grass grows faster • grass grows taller **or** thicker	*allow grass grows better / greener*	1	3 / 2.6.2c	E
4(d)	potassium (atom) loses (an electron) chlorine (atom) gains (an electron) 1 (electron) electron	reference to incorrect bonding or particle = max **3** ignore references to full outer shells	1 1 1 1	1 + 2 / 2.1.1c/d/e	E
Total			**13**		

4.4.2.3 Soluble salts

Answer 12 · Mark scheme

June 2014 | CH2FP | Original Q4 | Legacy



4.4.2.3 Soluble salts

Answer 13 · Mark scheme June 2015 | CH1FP | Original Q5 | Legacy

Question	Answers	Extra information	Mark	AO / Spec. Ref.
5(a)(i)	(calcium) carbonate	ignore $CaCO_3$	1	1 / 1.2.1a
5(a)(ii)	(thermal) decomposition		1	1 / 1.2.1b
5(a)(iii)	water	allow H_2O allow hydrogen oxide	1	1 / 1.2.1d
5(a)(iv)	alkali	allow base	1	1 / 1.2.1d
5(b)(i)	straight line through the first, second and fourth points straight line through the last four points	 allow a straight line through the last three points if the first straight line extrapolates below point four	1 1	2+3 / 1.2.1g
5(b)(ii)	repeat the experiment (at each mass of aggregate) (use the results to) calculate a mean / average value (for each mass of aggregate)	do not allow repeat at other masses	1 1	3 / 1.2.1g

4.4.2.3 Soluble salts

Answer 13 · Mark scheme

Question	Answers	Extra information	Mark	AO / Spec. Ref.
5(b)(iii)	line drawn to y axis showing extrapolation		1	2+3 / 1.2.1g
	correct value read from graph	allow +/- one small square do not allow 0 award 1 mark for a value of 34-40 if no extrapolation shown	1	
5(b)(iv)	at first, the force needed to break a concrete beam increases	allow values allow at first the statement is correct	1	3 / 1.2.1g
	but the force needed to break a concrete beam then decreases	allow values	1	
	mention of 400 g as the point at which the force needed changes or value from graph	allow 400g if there is no intercept on graph	1	
Total			**13**	

4.4.2.3 Soluble salts

Answer 13 · Mark scheme

June 2015 | CH1FP | Original Q5 | Legacy



4.4.2.3 Soluble salts

Answer 14 · Mark scheme


June 2015 | CH2FP | Original Q2 | Legacy

Question	Answers	Extra information	Mark	AO / Spec. Ref.
2(a)	sharing/covalent/metallic = max 2 sodium loses (electron) chlorine gains (electron) 1 **or** an (electron)		 1 1 1	**AO1/AO2** 2.1.1b,c,d, e,f
2(b)(i)	Have no overall electric charge		1	**AO1** 2.2.1a,c
2(b)(ii)	Should iodine be added to salt? reason: any **one** from: • cannot be done by experiment • based on opinion / view • ethical **or** economic issue	 accept difficult to get / not enough evidence allow must be done by survey	1 1	**AO3** 2.2.1
2(c)(i)	nitric (acid)		1	**AO1** 2.6.2b
2(c)(ii)	an alkali		1	**AO1** 2.6.2a
2(c)(iii)	indicator	accept any named acid base indicator	1	**AO1** 2.6.1b
2(d)(i)	Crystallisation		1	**AO1** 2.6.1c
2(d)(ii)	fertiliser	allow to help crops grow	1	**AO1** 2.6.2c
2(d)(iii)	any **one** from: • pressure • temperature • catalyst	 allow concentration ignore heat	1	**AO1** 2.2.5a
Total			**12**	

4.4.2.3 Soluble salts

Answer 14 · Mark scheme

June 2015 | CH2FP | Original Q2 | Legacy



4.4.2.3 Soluble salts

Answer 15 · Mark scheme


June 2015 | CH3FP | Original Q6 | Legacy

Question	Answers	Extra information	Mark	AO / Spec. Ref.
6(a)	copper (II) → blue iron (III) → brown	more than one line from any box negates the mark	1 1	**AO1** 3.4.1.c
6(b)	aluminium	allow correct answer shown in box if answer line blank	1	**AO1** 3.4.1.b
6(c)(i)	yellow	allow orange	1	**AO1** 3.4.1.a
6(c)(ii)	lilac	allow purple	1	**AO1** 3.4.1.a
6(c)(iii)	one colour masks the other	allow colours mixed	1	**AO2** 3.4.1.a
Total			**6**	

4.4.2.3 Soluble salts

Answer 15 · Mark scheme

June 2015 | CH3FP | Original Q6 | Legacy



4.4.2.3 Soluble salts

Answer 16 · Mark scheme


June 2015 | CH3FP | Original Q7 | Legacy

Question	Answers	Extra information	Mark	AO / Spec. Ref.
7(a)(i)	(19.5 + 18.5 + 19.0)/3	allow (23.0 +19.5 + 18.5 + 19.0)/4 for **1** mark	2	**AO2/ AO3** 3.4.1.g
7(a)(ii)	R P Q	allow Q P R for **1** mark	2	**AO3** 3.4.1.g
7(b)	any **two** from: • repeat more times • calculate a mean • measure to one decimal place		2	**AO3** 3.4.1.g
7(c)	both students get similar results / similar pattern		1	**AO3** 3.4.1.g
Total			**7**	

4.4.2.3 Soluble salts

Answer 16 · Mark scheme

June 2015 | CH3FP | Original Q7 | Legacy



4.4.2.3 Soluble salts

Answer 17 · Mark scheme June 2016 | CH2FP | Original Q6 | Legacy

Question	Answers	Extra information	Mark	AO / SpecRef
6(a)	endothermic		1	AO1 2.5.1d
6(b)	82 (%)	correct answer with working gains **3** marks if 17 or 34 not shown in working **max 2** marks accept 82.4 accept 82.35 to full calculator display (82.35294...) correctly rounded to at least 2 sf if no answer or incorrect answer, then (M_r =) 17 gains **1** mark **or** 14/17 gains **2** marks **OR** ($2M_r$ =) 34 gains **1** mark **or** 28/34 gains **2** marks **OR** 14/their M_r shown gains **1** mark **or** correct calculation of 14/their M_r gains **2** marks	3	AO2 2.3.3a, 2.3.1f
6(c)(i)	7 / seven		1	AO1 2.6.2d
6(c)(ii)	$H^+ + OH^- \rightarrow H_2O$		1	AO1 2.6.2e
6(c)(iii)	ammonium chloride	allow NH_4Cl ignore an incorrect formula	1	AO1 2.6.2b

Question 6 continues on the next page

Question 6 continued

Question	Answers	Extra information	Mark	AO / SpecRef
6(d)			6	2AO2 / 4AO3 2.6.2c

Marks awarded for this answer will be determined by the Quality of Written Communication (QWC) as well as the standard of the scientific response. Examiners should also refer to the information on page 5 and apply a 'best-fit' approach to the marking.

0 marks	Level 1 (1–2 marks)	Level 2 (3–4 marks)	Level 3 (5–6 marks)
No relevant content.	Suggestion with a reference to a graph.	Suggestion with reasons referring to more than one graph.	Suggestion with reasons from all three graphs, and linking of ideas which may explain a compromise.

Examples of chemistry points made in response:

A reasonable suggested amount of fertiliser would be in the region of 200 kg (per ha). Accept any suggestion from about 180 kg (per ha) to 500 kg (per ha).

Yield:

- Using fertiliser improves yield.
- Yield improved most up to about 200 kg (per ha) of fertiliser.
- Yield only increased slightly above about 200 kg (per ha).

Profit:

- About 200 kg of fertiliser gives the most profit.
- Above about 200 kg (per ha) of fertiliser profit declines.

Run off:

- Run off is at low levels until about 300 kg (per ha) of fertiliser.
- Above about 300 kg (per ha) of fertiliser, run off increases.

Examples of linking of ideas:

- Overall 200 kg gives high crop yield and most profit.
- In conclusion 200 kg gives high crop yield and low run off.
- 200 kg gives most profit and low run off.

Examples of compromise:

- Profits go down after about 200 kg (per ha) of fertiliser because cost of fertiliser is not covered by increased yield.
- 200 kg gives the highest profit although it is not the highest yield.
- 500 kg gives the best yield but has the most runoff.

Total			13

4.4.2.3 Soluble salts


Answer 18 · Mark scheme June 2017 | CH2FP | Original Q1 | Legacy

Question	Answers	Extra information	Mark	AO / Spec. Ref.
1 (a)(i)	the ink would run / smudge / smear	accept converse	1	**AO1** 2.3.2b
1 (a)(ii)	below		1	**AO1** 2.3.2b
1 (a)(iii)	any **two** from: • contains red • does not contain blue • contains two other colours • contains three colours in total	do **not** accept contains red and blue	2	**AO3** 2.3.2b
1(b)(i)	separated		1	**AO1** 2.3.2c
1(b)(ii)	6/six		1	**AO2** 2.3.2c
1(b)(iii)	any **one** from: • accurate • sensitive • rapid / fast • small sample.	do **not** accept more precise do **not** accept more reliable	1	**AO1** 2.3.2a
Total			**7**	

4.4.2.3 Soluble salts

Answer 18 · Mark scheme

June 2017 | CH2FP | Original Q1 | Legacy



4.4.2.3 Soluble salts

Answer 19 · Mark scheme


June 2017 | CH2FP | Original Q2 | Legacy

Question	Answers	Extra information	Mark	AO / Spec. Ref.
2(a)(i)	s		1	**AO2** 2.6.1a
2(a)(ii)	to speed up the reaction		1	**AO2** 2.6.1b
2(a)(iii)	tick (✓) by: 1		1	**AO1** 2.6.2d
2(a)(iv)	tick (✓) by: To make sure all the sulfuric acid has reacted		1	**AO1** 2.6.1b
2(b)(i)	funnel	accept filter funnel	1	**AO1** 2.6.1b
2(b)(ii)	heat / evaporate / boil	accept cool accept leave (to evaporate) do **not** accept heat until all water gone	1	**AO1** 2.6.1b
2(c)	tick (✓) by: The student left some copper sulfate crystals in the apparatus.		1	**AO3** 2.3.3d
2(d)(i)	white	accept grey	1	**AO1** 2.5.1d
2(d)(ii)	it goes blue	accept steam / water vapour ignore unspecified colour change	1	**AO1** 2.5.1d
2(e)(i)	polymers		1	**AO1** 2.2.5a
2(e)(ii)	as wealth decreases, ethene production decreases	accept converse	1	**AO2** 2.6; 3.7.12
2(e)(iii)	no relationship		1	**AO2** 2.6; 3.7.12
Total			**12**	

4.4.2.3 Soluble salts

Answer 19 · Mark scheme

June 2017 | CH2FP | Original Q2 | Legacy



Answer 20 · Mark scheme

June 2018 | 8462/1F | Original Q8

The full source mark scheme begins on page 66. Follow original question 8 in that document.

4.4.2.3 Soluble salts

Answer 21 · Mark scheme

June 2019 | 8462/1F | Original Q3

Question 3

Question	Answers	Extra information	Mark	AO / Spec. Ref.
03.1	B		1	AO2 4.1.1.1 4.1.1.2
03.2	D		1	AO2 4.1.1.1 4.1.1.2
03.3	E		1	AO2 4.1.1.1 4.1.1.2
03.4	chromatography → blue food colour from a mixture of food colours chromatography → copper from an alloy of copper and zinc crystallisation → copper sulfate from copper sulfate solution crystallisation → ethanol from a mixture of ethanol and water additional line from a box negates the mark for that box		1 1	AO2 4.1.1.2
03.5	(filter) funnel containing filter paper suitable vessel for collecting filtrate sand **and** water labelled in correct place		1 1 1	AO1 AO1 AO2 4.1.1.2
03.6	100 °C		1	AO2 4.1.1.2

4.4.2.3 Soluble salts

Answer 21 · Mark scheme

03.7	any **four** from: • solution is heated • water evaporates • the vapour cools in the condenser • the vapour condenses **or** the vapour turns to a liquid • (pure) water collects in the beaker	allow water boils / vaporises	4	AO1 4.1.1.2
Total			**13**	

4.4.2.3 Soluble salts

Answer 22 · Mark scheme

June 2019 | 8462/1F | Original Q9

Question 9

Question	Answers	Extra information	Mark	AO / Spec. Ref.
09.1	H^+		1	AO1 4.4.2.4
09.2	hydrochloric (acid) water	allow HCl allow H_2O	1 1	AO2 4.4.2.2
09.3	burette	do **not** accept biuret	1	AO1 4.4.2.5
09.4	27.6 (cm^3)	allow 27.60 (cm^3)	1	AO2 4.4.2.5

Question 9 continued

Question	Answers	Mark	AO/ Spec. Ref
09.5	**Level 3**: The design/plan would lead to the production of a valid outcome. All key steps are identified and logically sequenced.	5–6	AO3 AO1
	Level 2: The design/plan would not necessarily lead to a valid outcome. Most steps are identified, but the plan is not fully logically sequenced.	3–4	AO1 x 2
	Level 1: The design/plan would not lead to a valid outcome. Some relevant steps are identified, but links are not made clear.	1–2	AO1 x 2
	No relevant content	0	
	Indicative content allow converse using acid added to alkali Key steps • measure the volume of acid • add indicator to the acid • add sodium hydroxide solution • until the colour changes • record volume of sodium hydroxide solution added • repeat procedure with the other acid Use of results • compare the two volumes of sodium hydroxide solution to find which sample **P** or **Q** is more concentrated Other points • pipette to measure volume of acid • use a few drops of indicator • swirl • use a white tile • rough titration to find approximate end point • add dropwise near the endpoint • read volume from bottom of meniscus • repeat and take a mean		4.4.2.5

Total			**11**

4.4.2.3 Soluble salts

Answer 23 · Mark scheme

November 2020 | 8462/1F | Original Q4

Question 4

Question	Answers	Extra information	Mark	AO / Spec. Ref.
04.1	(negative electrode) solid produced	allow the electrode changes colour ignore metal produced	1	AO3 4.4.3.4 RPA 3
	(positive electrode) bubbles / fizzing / effervescence	ignore gas produced	1	
04.2	potassium nitrate		1	AO3 4.4.3.4 RPA 3
	hydrogen is not a metal	allow hydrogen is a gas allow hydrogen is not a solid allow the products at both electrodes are gases allow the product at the negative electrode is not potassium allow potassium is more reactive than hydrogen	1	
04.3	(graphite) conducts (electricity)	allow (graphite) has delocalised / free electrons	1	AO1 4.2.3.2 4.4.3.4 RPA 3
	(graphite) is inert	allow (graphite) is unreactive	1	
04.4	the ions move towards the positive electrode		1	AO3
	the electrode attracts ions of the opposite charge	allow opposite charges attract	1	AO1 4.4.3.1
Total			**8**	

4.4.2.3 Soluble salts

Answer 24 · Mark scheme

November 2020 | 8462/1F | Original Q7

Question 7

Question	Answers	Extra information	Mark	AO / Spec. Ref.
07.1	nitric acid		1	AO2 4.4.2.2 RPA 1
07.2	zinc oxide		1	AO2 4.4.2.2 RPA 1
07.3	magnesium bromide		1	AO2 4.1.1.1
07.4		allow a tolerance of 1 cm^3 on volumes allow a tolerance of 0.2 on pH values		AO2 4.4.2.4
	(from 0) to 20 cm^3 the pH increases (gradually)	allow increase from pH 1 to pH 3	1	
	at 20 cm^3 the pH changes from pH 3 to pH 11	allow sudden / steep increase at 20 cm^3 allow sudden / steep increase from pH 3 to pH 11	1	
	from 20 cm^3 the pH increases (gradually)	allow (gradual) increase from pH 11 if no other marks awarded allow **1** mark for a description of the three stages with no values used.	1	

Question 7 continued

Question	Answers	Extra information	Mark	AO / Spec. Ref.
07.5	20 (cm^3)	allow 20.0 (cm^3)	1	AO3 4.4.2.4
07.6	red		1	AO3 4.4.2.4
07.7	$\frac{0.06}{25(.0)} \times 100$ = 0.24 (%)		1 1	AO2 4.4.2.5
07.8	(pipette) measures volume more accurately **or** (pipette has a) smaller (percentage) uncertainty	allow (pipette is) more accurate	1	AO3 4.4.2.5 RPA 2
Total			**11**	

4.4.2.3 Soluble salts

Answer 25 · Mark scheme

November 2021 | 8462/1F | Original Q7

Question 7

Question	Answers	Extra information	Mark	AO / Spec. Ref.
07.1	by filtration		1	AO3 4.1.1.2


Question	Answers	Extra information	Mark	AO / Spec. Ref.
07.2	10 minutes per 2 cm on x-axis	allow 5 minutes per 1 cm on x-axis	1	AO2 4.4.3.4
	all points plotted correctly	allow a tolerance of ± ½ a small square allow **1** mark for 3 or 4 points plotted correctly	2	
	line of best fit	allow line of best fit drawn using incorrect plots	1	

Question	Answers	Extra information	Mark	AO / Spec. Ref.
07.3		allow ecf from question **07.2**		AO2 4.4.3.4
	0.14 (g)	allow a tolerance of ± ½ a small square	1	

Question 7 continued

Question	Answers	Extra information	Mark	AO / Spec. Ref.
07.4	(copper sulfate solution) pink / orange / red / brown solid (sodium chloride solution) bubbles / effervescence / fizzing	 allow copper plating allow metal for solid if no other mark awarded allow **1** mark for copper **and** hydrogen	 1 1	AO2 4.4.1.2 4.4.3.4 RPA3

Question	Answers	Extra information	Mark	AO / Spec. Ref.
07.5	toxic / poisonous (fumes)	allow harmful / corrosive (fumes) ignore dangerous / deadly / lethal	1	AO3 4.4.3.2

Question	Answers	Extra information	Mark	AO / Spec. Ref.
07.6	 allow **1** mark if zinc and chlorine the wrong way round		 2 1	AO2 4.4.3.2

Total			12

Answer 26 · Mark scheme

June 2023 | 8462/1F | Original Q11

Question 11

Question	Answers	Mark	AO/ Spec. Ref
11.1	**Level 3:** The method would lead to the production of a valid outcome. The key steps are identified and logically sequenced.	5–6	AO1 4.4.2.2 4.4.2.3 RPA1
	Level 2: The method would not necessarily lead to a valid outcome. Most steps are identified, but the method is not fully logically sequenced.	3–4	
	Level 1: The method would not lead to a valid outcome. Some relevant steps are identified, but links are not made clear.	1–2	
	No relevant content	0	
	Indicative content • use zinc carbonate and hydrochloric acid • **add zinc carbonate to the (hydrochloric) acid** • in a beaker • stir • **continue adding until the zinc carbonate is in excess** • shown by excess solid • and no more effervescence • **filter (the reaction mixture)** • to remove the excess zinc carbonate • **heat the solution** • using a water bath or electric heater • to crystallisation point • **leave the solution to crystallise** • pat crystals dry with filter paper		

Question	Answers	Extra information	Mark	AO / Spec. Ref.
11.2	any **two** from: • zinc • zinc oxide • zinc hydroxide	allow Zn allow ZnO allow $Zn(OH)_2$	2	AO2 4.4.2.3

Total Question 11	8

4.4.2.3 Soluble salts

Answer 27 · Mark scheme

June 2024 | 8462/1F | Original Q2

Question 2

Question	Answers	Extra information	Mark	AO / Spec. Ref.
02.1	(**A**) pipette (**B**) conical flask (**C**) burette		1 1 1	AO1 4.4.2.5 RPA2

Question	Answers	Extra information	Mark	AO / Spec. Ref.
02.2	methyl orange (solution) **or** phenolphthalein (solution)	allow litmus (solution) do **not** accept universal indicator	1	AO1 4.4.2.5 RPA2

Question	Answers	Extra information	Mark	AO / Spec. Ref.
02.3	colour change	ignore clear	1	AO1 4.4.2.5 RPA2

Question	Answers	Extra information	Mark	AO / Spec. Ref.
02.4	any **two** from: • swirl • add the acid drop by drop • read (burette) at eye level • ensure no bubbles in burette • use a white tile • repeat **and** take a mean	allow read (burette) at the bottom of the meniscus	2	AO1 4.4.2.5 RPA2

Question	Answers	Extra information	Mark	AO / Spec. Ref.
02.5	16.6 cm^3		1	AO2 4.4.2.5 RPA2

4.4.2.3 Soluble salts

Answer 27 · Mark scheme

Question	Answers	Extra information	Mark	AO / Spec. Ref.
02.6	trial 2 and trial 3		1	AO3 4.4.2.5 RPA2

Question	Answers	Extra information	Mark	AO / Spec. Ref.
02.7	$BaCl_2$		1	AO2 4.1.1.1 4.4.2.2

Total Question 2	**10**

4.4.2.3 Soluble salts

Answer 28 · Mark scheme

June 2024 | 8462/1F | Original Q8

Question 8

Question	Answers	Extra information	Mark	AO / Spec. Ref.
08.1	copper sulfate water	allow $CuSO_4$ allow H_2O	1 1	AO2 AO1 4.4.2.2 4.4.2.3 RPA1

Question	Answers	Extra information	Mark	AO / Spec. Ref.
08.2	solid remains (in the mixture) **or** no more effervescence / bubbles / fizzing	ignore references to colours allow copper carbonate remains (in the mixture)	1	AO1 4.4.2.3 RPA1

Question	Answers	Extra information	Mark	AO / Spec. Ref.
08.3	to remove copper carbonate	allow to remove excess (copper carbonate)	1	AO1 4.1.1.2 4.4.2.3 RPA1

Question	Answers	Extra information	Mark	AO / Spec. Ref.
08.4	electric heater **or** water bath	ignore Bunsen burner	1	AO1 4.4.2.3 RPA1

4.4.2.3 Soluble salts

Answer 28 · Mark scheme

Question	Answers	Extra information	Mark	AO / Spec. Ref.
08.5	$92.8 = \frac{\text{mass produced}}{12.5} \times 100$	allow mass produced = % yield × $\frac{\text{max theoretical mass}}{100}$	1	AO2 4.3.3.1
	(mass produced) = $\frac{92.8}{100} \times 12.5$		1	
	= 11.6 (g)		1	

Question	Answers	Extra information	Mark	AO / Spec. Ref.
08.6	(copper) does not react with (sulfuric) acid	allow is unreactive allow will not displace hydrogen allow is below hydrogen in the reactivity series	1	AO1 AO3
		ignore is not reactive enough		4.4.1.2 4.4.2.3
	(sodium) could explode **or** could get too hot	allow (the reaction is) dangerous	1	

Total Question 8	10

4.4.2.3 Soluble salts

Answer 29 · Mark scheme

June 2024 | 8462/1F | Original Q9

Question 9

Question	Answers	Extra information	Mark	AO / Spec. Ref.
09.1		allow energy level for shell		AO1 4.1.2.1
	(similarity) both have one outer (shell) electron	allow same number of outer (shell) electrons	1	
	(difference) sodium has 3 shells but potassium has 4 shells	allow potassium has more shells allow (different) number of shells	1	

Question	Answers	Extra information	Mark	AO / Spec. Ref.
09.2	any **two** from: • effervescence / bubbles / fizzing • (potassium) floats • (potassium) moves around • (potassium) becomes smaller • (potassium) melts • flame • explosion	ignore gas produced allow (potassium) forms a ball ignore colour of flame	2	AO1 4.1.2.5 4.4.1.2

Question	Answers	Extra information	Mark	AO / Spec. Ref.
09.3	blue / violet / purple		1	AO2
	(the solution is) alkaline	allow (the solution) contains OH^- (ions) allow (the solution) contains hydroxide ions allow the solution is basic	1	AO1 4.1.2.5 4.4.2.4

4.4.2.3 Soluble salts

Answer 29 · Mark scheme

Question	Answers	Extra information	Mark	AO / Spec. Ref.
09.4	all five points correctly plotted	allow a tolerance of ± ½ a small square allow **1** mark for three or four points correctly plotted	2	AO2 4.1.2.4

Question	Answers	Extra information	Mark	AO / Spec. Ref.
09.5	3.4 (mg/cm^3)	allow a value in the range 3.0 to 3.8 (mg/cm^3)	1	AO3 4.1.2.4

Question	Answers	Extra information	Mark	AO / Spec. Ref.
09.6	chlorine and potassium bromide		1	AO2 4.1.2.6

Question	Answers	Extra information	Mark	AO / Spec. Ref.
09.7	relative molecular mass increases and boiling point increases		1	AO1 4.1.2.6

Total Question 9	**11**

4.4.2.3 Soluble salts

Answer 30 · Mark scheme

June 2024 | 8462/2F | Original Q8

Question 8

Question	Answers	Extra information	Mark	AO / Spec. Ref.
08.1	(test) flame test (result) yellow (flame) **OR** (test) flame emission spectroscopy (1) (result) lines match sodium spectrum (1)	 allow FES	1 1	AO1 4.8.3.1 RPA7

Question	Answers	Extra information	Mark	AO / Spec. Ref.
08.2	(test) (add acidified) silver nitrate (solution) (result) white precipitate	 MP2 is dependent upon the award of MP1	 1 1	AO1 4.8.3.4 RPA7

Question	Answers	Extra information	Mark	AO / Spec. Ref.
08.3	to ensure that all the water has evaporated		1	AO3 4.10.1.2 RPA8

4.4.2.3 Soluble salts

Answer 30 · Mark scheme

June 2024 | 8462/2F | Original Q8

Question	Answers	Extra information	Mark	AO / Spec. Ref.
08.4	mass of evaporating dish and dry contents – mass of empty evaporating dish		1	AO1 4.10.1.2 RPA8

4.4.2.3 Soluble salts

Answer 30 · Mark scheme

June 2024 | 8462/2F | Original Q8

Question	Answers	Extra information	Mark	AO / Spec. Ref.
08.5	(mean concentration of NaCl =) $\frac{35.2 + 34.6 + 36.4 + 33.8}{4}$ **or** $\frac{140}{4}$ = 35.0 (g/dm^3)	allow **1** mark for $\frac{35.2 + 34.6 + 33.8}{3} = 34.5$	1 1	AO2 4.10.1.2 RPA8
	(mean concentration of Na$^+$ =) $35.0 \times \frac{39.3}{100}$	allow correct use of an incorrectly determined mean concentration of sodium chloride	1	
	= 13.8 (g/dm^3)	allow 13.755 correctly rounded to at least 3 significant figures	1	
	alternative approach 1:			
	(total concentration of NaCl = 35.2 + 34.6 + 36.4 + 33.8 = 140 total concentration of Na+ =) $140 \times \frac{39.3}{100}$ (1) = 55.02 (g/dm^3) (1)	allow **1** mark for (35.2 + 34.6 + 33.8 = 103.6) $103.6 \times \frac{39.3}{100} = 40.71$		
	(mean concentration of Na$^+$ =) $\frac{55.02}{4}$ (1) =13.8 (g/dm^3) (1)	allow correct use of an incorrectly determined total concentration of Na$^+$ allow 13.755 correctly rounded to at least 3 significant figures		

	alternative approach 2: (concentrations of Na^+ =) $35.2 \times \frac{39.3}{100}$ $34.6 \times \frac{39.3}{100}$ $36.4 \times \frac{39.3}{100}$ $33.8 \times \frac{39.3}{100}$ (1) = 13.83 13.60 14.31 13.28 (1) (mean concentration of Na^+ =) $\frac{13.83 + 13.60 + 14.31 + 13.28}{4}$ (1) =13.8 (g/dm^3) (1)	allow **1** mark if a concentration of 36.4 is treated as an anomaly and not used allow correct use of incorrectly determined concentration(s) of Na^+ allow 13.755 correctly rounded to at least 3 significant figures		

Total Question 8	**10**

4.4.2.3 Soluble salts

Answer 31 · Mark scheme

June 2024 | 8462/2F | Original Q9

Question 9

Question	Answers	Extra information	Mark	AO / Spec. Ref.
09.1	to recycle (remaining) nitrogen and hydrogen	allow to recycle unreacted gases allow to return nitrogen and hydrogen to the reactor	1	AO1 4.10.4.1


Question	Answers	Extra information	Mark	AO / Spec. Ref.
09.2	iron	allow Fe	1	AO1 4.6.1.4 4.10.4.1

Question	Answers	Extra information	Mark	AO / Spec. Ref.
09.3	(test) glowing splint (result) (splint) relights	 MP2 is dependent upon MP1 being awarded	 1 1	AO1 4.8.2.2

4.4.2.3 Soluble salts

Answer 31 · Mark scheme

June 2024 | 8462/2F | Original Q9

Question	Answers	Extra information	Mark	AO / Spec. Ref.
09.4	labelled vertical arrow from dotted line to peak ammonia **and** oxygen on left **and** nitric acid **and** water on right	ignore arrow heads allow NH_3 for ammonia allow O_2 for oxygen allow HNO_3 for nitric acid allow H_2O for water an answer of  scores **2** marks	1 1	AO2 4.6.1.4 4.10.4.1 4.10.4.2

Question	Answers	Extra information	Mark	AO / Spec. Ref.
09.5	the line would reach a higher peak		1	AO1 4.6.1.4 4.10.4.1 4.10.4.2

Question	Answers	Extra information	Mark	AO / Spec. Ref.
09.6	fertilisers	allow explosives allow sports injury packs	1	AO3 4.10.4.1 4.10.4.2

Total Question 9	8


4.4.2.3 Soluble salts

Answer 32 · Mark scheme

Question 2

Question	Answers	Extra information	Mark	AO / Spec. Ref.
02.1	magnesium chloride		1	AO2 4.4.2.1

Question	Answers	Extra information	Mark	AO / Spec. Ref.
02.2	hydrogen		1	AO1 4.4.2.1

Question	Answers	Mark	AO / Spec. Ref.
02.3	 do **not** accept more than one line from a box on the left	1 1	AO1 4.5.1.1 RPA4

4.4.2.3 Soluble salts

Question	Answers	Extra information	Mark	AO / Spec. Ref.
02.4	a polystyrene cup		1	AO3 4.5.1.1 RPA4

Question	Answers	Extra information	Mark	AO / Spec. Ref.
02.5	2 °C		1	AO3 4.5.1.1 RPA4

Question	Answers	Extra information	Mark	AO / Spec. Ref.
02.6	increases		1	AO1 4.5.1.1 RPA4

Question	Answers	Extra information	Mark	AO / Spec. Ref.
02.7	**A**		1	AO1 4.5.1.2

Question	Answers	Extra information	Mark	AO / Spec. Ref.
02.8	**C**		1	AO1 4.5.1.2

Question	Answers	Extra information	Mark	AO / Spec. Ref.
02.9	**B**		1	AO1 4.5.1.2

Total Question 2	10

4.4.2.3 Soluble salts

Answer 33 · Mark scheme

June 2025 | 8462/1F | Original Q4

Question 4

Question	Answers	Extra information	Mark	AO / Spec. Ref.
04.1	titration		1	AO1 4.4.2.5 RPA 2

Question	Answers	Extra information	Mark	AO / Spec. Ref.
04.2	indicator	allow any named indicator	1	AO1 4.4.2.5 RPA 2


Question	Answers	Extra information	Mark	AO / Spec. Ref.
04.3	burette		1	AO1 4.4.2.5 RPA 2

Question	Answers	Extra information	Mark	AO / Spec. Ref.
04.4	add the acid dropwise (near the end point) **or** swirl the flask		1	AO3 4.4.2.5 RPA 2

4.4.2.3 Soluble salts

Answer 33 · Mark scheme

Question	Answers	Extra information	Mark	AO / Spec. Ref.
04.5	use of 8.95, 9.00 and 8.85 **only**		1	AO3
	(mean volume =) $\frac{8.95 + 9.00 + 8.85}{3}$	allow (mean volume =) $\frac{26.80}{3}$ allow correct use of incorrect values of volume	1	AO2
	= 8.933333 (cm^3)		1	AO2
	= 8.93 (cm^3)	allow an answer correctly rounded to 3 significant figures from an incorrect calculation which uses the values in the question	1	AO2 4.4.2.5 RPA 2

Question	Answers	Mark	AO / Spec. Ref.
04.6	 do **not** accept more than one line from a box on the left	1 1	AO1 4.4.2.4


Total Question 4	10

4.4.2.3 Soluble salts

Answer 34 · Mark scheme

June 2025 | 8462/1F | Original Q7

Question 7

Question	Answers	Mark	AO / Spec. Ref.
07.1	 do **not** accept more than one line from a box on the left	1 1	AO2 4.1.1.1 4.1.1.2

4.4.2.3 Soluble salts

Answer 34 · Mark scheme

Question	Answers	Mark	AO / Spec. Ref.
07.2	**Level 3:** The method would lead to the production of a valid outcome. The key steps are identified and logically sequenced.	5–6	AO3 4.1.1.2 4.4.2.3 RPA1
	Level 2: The method would not necessarily lead to a valid outcome. Most steps are identified, but the method is not fully logically sequenced.	3–4	
	Level 1: The method would not lead to a valid outcome. Some relevant steps are identified, but links are not made clear.	1–2	
	No relevant content	0	
	Indicative content **add mixture to water** • in a beaker • place beaker on a tripod and gauze • heat • using a Bunsen burner • stir • using a glass rod • to dissolve the salt **filter using filter paper and funnel** • to remove the sand • the sand collects in the filter paper • rinse the sand • leave to dry **heat the salt solution** • in an evaporating dish • heat the solution to half volume **or** heat to crystallisation point • leave the remaining solution to form salt crystals • heat to dryness to obtain salt		

4.4.2.3 Soluble salts

Answer 34 · Mark scheme

Question	Answers	Extra information	Mark	AO / Spec. Ref.
07.3	(% yield =) $\frac{13.6}{16.0} \times 100$		1	AO2 4.3.3.1
	= 85 (%)		1	

Total Question 7	**10**

4.4.2.3 Soluble salts

AQA

GCSE
CHEMISTRY

8462/1F - PAPER 1 FOUNDATION TIER

Mark scheme

8462

June 2018

Version/Stage: 1.0 Final

4.4.2.3 Soluble salts

Mark schemes are prepared by the Lead Assessment Writer and considered, together with the relevant questions, by a panel of subject teachers. This mark scheme includes any amendments made at the standardisation events which all associates participate in and is the scheme which was used by them in this examination. The standardisation process ensures that the mark scheme covers the students' responses to questions and that every associate understands and applies it in the same correct way. As preparation for standardisation each associate analyses a number of students' scripts. Alternative answers not already covered by the mark scheme are discussed and legislated for. If, after the standardisation process, associates encounter unusual answers which have not been raised they are required to refer these to the Lead Assessment Writer.

It must be stressed that a mark scheme is a working document, in many cases further developed and expanded on the basis of students' reactions to a particular paper. Assumptions about future mark schemes on the basis of one year's document should be avoided; whilst the guiding principles of assessment remain constant, details will change, depending on the content of a particular examination paper.

Further copies of this mark scheme are available from aqa.org.uk

Copyright © 2018 AQA and its licensors. All rights reserved.
AQA retains the copyright on all its publications. However, registered schools/colleges for AQA are permitted to copy material from this booklet for their own internal use, with the following important exception: AQA cannot give permission to schools/colleges to photocopy any material that is acknowledged to a third party even for internal use within the centre.

MARK SCHEME – GCSE CHEMISTRY – 8462/1F – JUNE 2018

Information to Examiners

1. General

The mark scheme for each question shows:

- the marks available for each part of the question
- the total marks available for the question
- the typical answer or answers which are expected
- extra information to help the Examiner make his or her judgement
- the Assessment Objectives and specification content that each question is intended to cover.

The extra information is aligned to the appropriate answer in the left-hand part of the mark scheme and should only be applied to that item in the mark scheme.

At the beginning of a part of a question a reminder may be given, for example: where consequential marking needs to be considered in a calculation; or the answer may be on the diagram or at a different place on the script.

In general the right-hand side of the mark scheme is there to provide those extra details which confuse the main part of the mark scheme yet may be helpful in ensuring that marking is straightforward and consistent.

2. Emboldening and underlining

2.1 In a list of acceptable answers where more than one mark is available 'any **two** from' is used, with the number of marks emboldened. Each of the following bullet points is a potential mark.

2.2 A bold **and** is used to indicate that both parts of the answer are required to award the mark.

2.3 Alternative answers acceptable for a mark are indicated by the use of **or**. Different terms in the mark scheme are shown by a / ; eg allow smooth / free movement.

2.4 Any wording that is underlined is essential for the marking point to be awarded.

PMT

MARK SCHEME – GCSE CHEMISTRY – 8462/1F – JUNE 2018

3. Marking points

3.1 Marking of lists

This applies to questions requiring a set number of responses, but for which students have provided extra responses. The general principle to be followed in such a situation is that 'right + wrong = wrong'.

Each error / contradiction negates each correct response. So, if the number of error / contradictions equals or exceeds the number of marks available for the question, no marks can be awarded.

However, responses considered to be neutral (indicated as * in example 1) are not penalised.

Example 1: What is the pH of an acidic solution?

[1 mark]

Student	Response	Marks awarded
1	green, 5	0
2	red*, 5	1
3	red*, 8	0

Example 2: Name two planets in the solar system.

[2 marks]

Student	Response	Marks awarded
1	Neptune, Mars, Moon	1
2	Neptune, Sun, Mars, Moon	0

3.2 Use of chemical symbols / formulae

If a student writes a chemical symbol / formula instead of a required chemical name, full credit can be given if the symbol / formula is correct and if, in the context of the question, such action is appropriate.

3.3 Marking procedure for calculations

Marks should be awarded for each stage of the calculation completed correctly, as students are instructed to show their working. Full marks can, however, be given for a correct numerical answer, without any working shown.

3.4 Interpretation of 'it'

Answers using the word 'it' should be given credit only if it is clear that the 'it' refers to the correct subject.

3.5 Errors carried forward

Any error in the answers to a structured question should be penalised once only.

Papers should be constructed in such a way that the number of times errors can be carried forward is kept to a minimum. Allowances for errors carried forward are most likely to be restricted to calculation questions and should be shown by the abbreviation ecf in the marking scheme.

3.6 Phonetic spelling

The phonetic spelling of correct scientific terminology should be credited **unless** there is a possible confusion with another technical term.

3.7 Brackets

(…..) are used to indicate information which is not essential for the mark to be awarded but is included to help the examiner identify the sense of the answer required.

3.8 Allow

In the mark scheme additional information, 'allow' is used to indicate creditworthy alternative answers.

3.9 Ignore

Ignore is used when the information given is irrelevant to the question or not enough to gain the marking point. Any further correct amplification could gain the marking point.

3.10 Do not accept

Do **not** accept means that this is a wrong answer which, even if the correct answer is given as well, will still mean that the mark is not awarded.

4. Level of response marking instructions

Extended response questions are marked on level of response mark schemes.

- Level of response mark schemes are broken down into levels, each of which has a descriptor.
- The descriptor for the level shows the average performance for the level.
- There are two marks in each level.

Before you apply the mark scheme to a student's answer, read through the answer and annotate it (as instructed) to show the qualities that are being looked for. You can then apply the mark scheme.

Step 1: Determine a level

Start at the lowest level of the mark scheme and use it as a ladder to see whether the answer meets the descriptor for that level. The descriptor for the level indicates the different qualities that might be seen in the student's answer for that level. If it meets the lowest level then go to the next one and decide if it meets this level, and so on, until you have a match between the level descriptor and the answer.

When assigning a level you should look at the overall quality of the answer. Do **not** look to penalise small and specific parts of the answer where the student has not performed quite as well as the rest. If the answer covers different aspects of different levels of the mark scheme you should use a best fit approach for defining the level.

Use the variability of the response to help decide the mark within the level, ie if the response is predominantly level 2 with a small amount of level 3 material it would be placed in level 2 but be awarded a mark near the top of the level because of the level 3 content.

Step 2: Determine a mark

Once you have assigned a level you need to decide on the mark. The descriptors on how to allocate marks can help with this.

The exemplar materials used during standardisation will help. There will be an answer in the standardising materials which will correspond with each level of the mark scheme. This answer will have been awarded a mark by the Lead Examiner. You can compare the student's answer with the example to determine if it is the same standard, better or worse than the example. You can then use this to allocate a mark for the answer based on the Lead Examiner's mark on the example.

You may well need to read back through the answer as you apply the mark scheme to clarify points and assure yourself that the level and the mark are appropriate.


Indicative content in the mark scheme is provided as a guide for examiners. It is not intended to be exhaustive and you must credit other valid points. Students do **not** have to cover all of the points mentioned in the indicative content to reach the highest level of the mark scheme.

You should ignore any irrelevant points made. However, full marks can be awarded only if there are no incorrect statements that contradict a correct response.

An answer which contains nothing of relevance to the question must be awarded no marks.

4.4.2.3 Soluble salts

MARK SCHEME – GCSE CHEMISTRY – 8462/1F – JUNE 2018

Question	Answers	Extra information	Mark	AO / Spec. Ref.
01.1			1 1 1	AO1 4.1.1.2
01.2	include a (filter) funnel	allow funnel drawn on the diagram ignore clamp stand	1	AO3 4.1.1.2
01.3	evaporate condense	must be this order	1 1	AO1 4.1.1.2
01.4	$\frac{2}{20} \times 100$ = 10 (%)	an answer of 10 (%) scores **2** marks an answer of 11.1(%) **or** 90 (%) scores **1** mark	1 1	AO2 4.2.2.7
01.5	an alloy		1	AO1 4.2.2.7
01.6	the layers in the mixture are distorted		1	AO1 4.2.2.7

4.4.2.3 Soluble salts

MARK SCHEME – GCSE CHEMISTRY – 8462/1F – JUNE 2018

Question	Answers	Extra information	Mark	AO / Spec. Ref.
01.7	8000 nm^3		1	AO2 4.2.4.1
Total			**11**	

4.4.2.3 Soluble salts

MARK SCHEME – GCSE CHEMISTRY – 8462/1F – JUNE 2018

Question	Answers	Extra information	Mark	AO / Spec. Ref.
02.1	7		1	AO1 4.1.2.6
02.2	small molecule		1	AO2 4.1.2.6 4.2.2.4
02.3	F_2		1	AO1 4.1.1.1 4.1.2.6
02.4	the reactivity decreases (going down Group 7) (because) chlorine displaces bromine and iodine (and) bromine displaces iodine **or** iodine does not react	allow the reactivity decreases from chlorine to iodine allow (because) chlorine has two reactions allow (because) neither bromine nor iodine can displace chlorine allow (and) bromine has one reaction **or** iodine has no reactions allow (and) iodine cannot displace bromine	1 1 1	AO1 4.1.2.6 AO3 4.1.2.6 AO3 4.1.2.6
02.5	80		1	AO2 4.3.1.2

4.4.2.3 Soluble salts

MARK SCHEME – GCSE CHEMISTRY – 8462/1F – JUNE 2018

Question	Answers	Extra information	Mark	AO / Spec. Ref.
02.6	(1.2 kg =) 1200 (g) **or** (900 g =) 0.9 (kg)	an answer of 75 (%) scores **2** marks	1	AO2 4.3.3.1
	$(\frac{900}{1200} \times 100) = 75(\%)$ **or** $(\frac{0.9}{1.2} \times 100) = 75(\%)$	allow an answer correctly calculated from: $(\frac{900}{\text{incorrect attempt at conversion of 1.2}} \times 100)$ **or** $(\frac{\text{incorrect attempt at conversion of 900}}{1.2} \times 100)$	1	
Total			**9**	

4.4.2.3 Soluble salts

MARK SCHEME – GCSE CHEMISTRY – 8462/1F – JUNE 2018

Question	Answers	Extra information	Mark	AO / Spec. Ref.
03.1	nucleus neutron neutron electron proton	must be in this order	1 1 1 1 1	AO1 4.1.1.3 4.1.1.4 4.1.1.5
03.2	(A_r) $\frac{(63 \times 70) + (65 \times 30)}{100}$ = 63.6	an answer of 63.6 scores **2** marks	1 1	AO2 4.1.1.6
03.3	copper / Cu	allow ecf from answer to question **03.2**	1	AO2 4.1.1.1
03.4	$\frac{1.2 \times 10^{-10}}{10\,000}$ **or** $1.2 \times 10^{-10} \times 1 \times 10^{-4}$ $= 1.2 \times 10^{-14}$ (m)	an answer of 1.2×10^{-14} (m) scores **2** marks a correct answer not in standard form scores **1** mark	1 1	AO2 4.1.1.5
Total			**10**	

4.4.2.3 Soluble salts

MARK SCHEME – GCSE CHEMISTRY – 8462/1F – JUNE 2018

Question	Answers	Extra information	Mark	AO / Spec. Ref.
04.1	3.6 (cm^3)		1	AO2 4.4.3.4
04.2	hydrogen line only		1	AO3 4.4.3.4
04.3	both lines		1	AO3 4.4.3.4
04.4	graphite has delocalised electrons		1	AO1 4.2.3.2
04.5	**cathode** zinc (1) **anode** chlorine (1) hydrogen (1) bromine (1)	do **not** accept chloride allow **1** mark if chlorine and zinc the wrong way around do **not** accept bromide allow **1** mark if bromine and hydrogen the wrong way around	1+1 1+1	AO2 4.4.3.2 4.4.3.4
Total			**8**	

4.4.2.3 Soluble salts

MARK SCHEME – GCSE CHEMISTRY – 8462/1F – JUNE 2018

Question	Answers	Extra information	Mark	AO / Spec. Ref.
05.1	gas		1	AO1 4.2.2.2
05.2	the gas escapes	allow carbon dioxide escapes do **not** accept references to evaporation	1	AO1 4.3.1.3
05.3	5.12 (g)		1	AO2 4.3.1.3
05.4	4.00 (g) trial 1	allow 2.89 written in either space, or ringed in the table, unless contradicted by mass of copper carbonate or trial number	1	AO3 4.3.1.3
05.5	reheat (and reweigh) until constant mass	 an answer of heat to constant mass scores **2** marks if no other mark scored allow for **1** mark heat for longer **or** (heat at a) higher temperature **alternative approach**: (1) continue heating and pass gas through limewater (1) until the (lime)water stops bubbling **or** until the limewater no longer turns cloudy	1 1	AO3 4.3.1.3

4.4.2.3 Soluble salts


MARK SCHEME – GCSE CHEMISTRY – 8462/1F – JUNE 2018

Question	Answers	Extra information	Mark	AO / Spec. Ref.
05.6	straight line of best fit	must touch at least 5 of the 6 plots	1	AO2 4.3.1.3
05.7	correct value read from line of best fit in Figure 8	allow tolerance of ± ½ small square	1	AO2 4.3.1.3
05.8	(mass =) $168 \times \frac{\text{answer from question } \mathbf{05.7}}{8.4}$ correctly calculated value (g)	a correctly calculated value from their answer to question **05.7** scores **2** marks allow (mass =) answer from question **05.7** × 20	1 1	AO2 4.3.1.3
Total			**10**	

4.4.2.3 Soluble salts

PMT

MARK SCHEME – GCSE CHEMISTRY – 8462/1F – JUNE 2018

Question	Answers	Extra information	Mark	AO / Spec. Ref.
06.1	 allow **one** mark if answers are reversed		1 1	AO1 4.5.1.1
06.2	polystyrene is a better insulator		1	AO3 4.5.1.1
06.3	both bars labelled both bars correctly plotted	 allow tolerance of ± ½ small square ignore width and spacing of bars if no other mark scored, allow **1** mark for any one bar correctly plotted and labelled	1 1	AO2 4.5.1.1

MARK SCHEME – GCSE CHEMISTRY – 8462/1F – JUNE 2018

Question	Answers	Extra information	Mark	AO / Spec. Ref.
06.4	temperature increases **or** temperature does not decrease	ignore because it is exothermic allow (because) energy / 'heat' is transferred to the surroundings energy / 'heat' is not taken in from the surroundings allow the energy of the products is less than the energy of the reactants	1	AO3 4.5.1.1
06.5	(most reactive) magnesium (zinc) nickel	this order only	1	AO3 4.5.1.1 4.4.1.2
06.6	suitable method described the observations / measurements required to place in order an indication of how results would be used to place the unknown metal in the reactivity series **approaches that could be used:** **approach 1:** add the unknown metal to copper sulfate solution (1) measure temperature change (1) place the metals in order of temperature change (1)		1 1 1	AO3 4.4.1.2 4.5.1.1

4.4.2.3 Soluble salts

MARK SCHEME – GCSE CHEMISTRY – 8462/1F – JUNE 2018

Question	Answers	Extra information	Mark	AO / Spec. Ref.
06.6 cont.	**approach 2:** add the metal to salt solutions of the other metals **or** heat the metal with oxides of the other metals (1) measure temperature change (only if salt solutions used) **or** observe whether a chemical change occurs (1) compare temperature change or whether there is a reaction to place in correct order (1) **approach 3:** add all of the metals to an acid (1) measure temperature change or means of comparing rate of reaction (1) place the metals in order of temperature change or rate of reaction (1) **approach 4:** set up electrochemical cells with the unknown metal as one electrode and each of the other metals as the other electrode (1) measure the voltage of the cell (1) place the metals in order of voltage (1)			
06.7	D		1	AO1 4.5.1.2
06.8	C		1	AO1 4.5.1.2
Total			**12**	

4.4.2.3 Soluble salts

MARK SCHEME – GCSE CHEMISTRY – 8462/1F – JUNE 2018

Question	Answers	Extra information	Mark	AO / Spec. Ref.
07.1	sodium oxide	allow Na_2O	1	AO2 4.1.1.1 4.1.2.5 4.4.1.1
07.2	oxidation		1	AO1 4.4.1.1
07.3	13		1	AO1 4.4.2.4
07.4	sodium hydroxide		1	AO2 4.1.1.1
07.5	OH^-		1	AO1 4.4.2.4
07.6	(volume =) $\frac{250}{1000}$ or ¼ or 0.25 (dm^3) **or** (mass per cm^3 =) $\frac{40}{1000}$ (g) or 0.04 (g) ($\frac{250}{1000}$ × 40 =) 10 (g)	an answer of 10 (g) scores **2** marks	1 1	AO2 4.3.2.5

4.4.2.3 Soluble salts

MARK SCHEME – GCSE CHEMISTRY – 8462/1F – JUNE 2018

Question	Answers	Extra information	Mark	AO / Spec. Ref.
07.7	all points correct	allow a tolerance of ± ½ a small square allow **1** mark for 3 points correct ignore any attempt at a line of best fit	2	AO2 4.1.2.5
07.8	39 (°C)	allow any value from 34 to 46 (°C)	1	AO2 4.1.2.5
Total			**10**	

4.4.2.3 Soluble salts

MARK SCHEME – GCSE CHEMISTRY – 8462/1F – JUNE 2018

Question	Answers	Extra information	Mark	AO / Spec. Ref.
08.1	any **one** from: • metal • (metal) hydroxide • (metal) carbonate • alkali	allow named example allow correct formula ignore base allow ammonium hydroxide allow ammonium carbonate allow soluble base allow ammonia	1	AO1 4.4.2.1 4.4.2.2 4.4.2.3
08.2	$Ca(NO_3)_2$	allow $Ca^{2+}(NO_3^-)_2$	1	AO2 4.4.2.2

4.4.2.3 Soluble salts

MARK SCHEME – GCSE CHEMISTRY – 8462/1F – JUNE 2018

Question	Answers	Mark	AO / Spec. Ref.
01.3	**Level 3:** The method would lead to the production of a valid outcome. All key steps are identified and logically sequenced.	5–6	AO1 4.4.2.3
	Level 2: The method would not necessarily lead to a valid outcome. Most steps are identified, but the method is not fully logically sequenced.	3–4	
	Level 1: The method would not lead to a valid outcome. Some relevant steps are identified, but links are not made clear.	1–2	
	No relevant content	0	
	Indicative content • use magnesium oxide and sulfuric acid • add sulfuric acid to a beaker • warm sulfuric acid • add magnesium oxide • stir • continue adding until magnesium oxide is in excess • filter • using a filter paper and funnel • to remove excess magnesium oxide • heat solution in an evaporating basin • to crystallisation point • leave to crystallise • pat dry with filter paper credit may be given for diagrams		
Total		**8**	

4.4.2.3 Soluble salts

MARK SCHEME – GCSE CHEMISTRY – 8462/1F – JUNE 2018

Question	Answers	Extra information	Mark	AO / Spec. Ref.
09.1	FeS_2	do **not** accept equations	1	AO2 4.2.1.3
09.2	26 30 26	must be this order	1 1 1	AO2 4.1.1.4 4.1.1.5
09.3	any **two** from: • iron has a high(er) melting / boiling point • iron is dense(r) • iron is hard(er) • iron is strong(er) • iron is less reactive • iron has ions with different charges • iron forms coloured compounds • iron can be a catalyst	allow the converse statements for sodium allow transition metal for iron allow Group 1 metal for sodium ignore references to atomic structure ignore iron rusts allow iron is less malleable / ductile allow specific reactions showing difference in reactivity allow iron is magnetic	2	AO1 4.1.2.5 4.1.3.1 4.1.3.2

4.4.2.3 Soluble salts

MARK SCHEME – GCSE CHEMISTRY – 8462/1F – JUNE 2018

Question	Answers	Extra information	Mark	AO / Spec. Ref.
09.4	carbon is more reactive (than nickel)	allow converse	1	AO1 4.4.1.2 4.4.1.3
	(so) carbon will displace / replace nickel (from nickel oxide) **or** (so) carbon will remove oxygen (from nickel oxide)	allow (so) nickel ions gain electrons allow (so) carbon transfers electrons to nickel (ions)	1	
09.5		an answer of 67.8 (%) scores **3** marks an answer of 67.8160919 (%) or correctly rounded answer to 2, 4 or more sig figs scores **2** marks an incorrect answer for one step does **not** prevent allocation of marks for subsequent steps		AO2 4.3.3.2
	(total M_r of reactants =) 87		1	
	(percentage atom economy) $= \frac{59}{87} \times 100$	allow (percentage atom economy) $= \frac{59}{\text{incorrectly calculated } M_r} \times 100$	1	
	= 67.8 (%)	allow an answer from an incorrect calculation to 3 sig figs	1	
Total			**11**	

4.4.2.3 Soluble salts

MARK SCHEME – GCSE CHEMISTRY – 8462/1F – JUNE 2018

Question	Answers	Extra information	Mark	AO / Spec. Ref.
10.1	copper, zinc, sodium chloride solution		1	AO2 4.5.2.1
10.2	a reactant is used up	allow the reaction stops allow electrolyte / electrode / ions / metal / metal hydroxide / alkali for reactant	1	AO1 4.5.2.1
10.3	the reaction is not reversible		1	AO1 4.5.2.1
10.4	$2H_2 + O_2 \rightarrow 2H_2O$	allow fractions / multiples allow **1** mark for O_2	2	AO1 AO2 4.1.1.1 4.5.2.2

<table>
<tr><th>Question</th><th>Answers</th><th>Mark</th><th>AO / Spec. Ref.</th></tr>
<tr><td rowspan="5">10.5</td><td>Level 3: A judgement, strongly linked and logically supported by a sufficient range of correct reasons, is given.</td><td>5–6</td><td rowspan="5">AO3

AO3

AO2

4.4.3.4
4.5.2.1
4.5.2.2</td></tr>
<tr><td>Level 2: Some logically linked reasons are given. There may also be a simple judgement.</td><td>3–4</td></tr>
<tr><td>Level 1: Relevant points are made. This is not logically linked.</td><td>1–2</td></tr>
<tr><td>No relevant content</td><td>0</td></tr>
<tr><td colspan="2">Indicative content

reasons why fuel cells could be judged as better

<table><tr><th>from the table</th><th>from other knowledge</th></tr><tr><td>• time for refuelling a fuel cell is faster than recharging
or
a fuel cell does not need to be recharged
• a fuel cell has a greater range</td><td>• hydrogen can be renewable if made by electrolysis using renewable energy
• lithium-ion batteries can catch fire
• produces only water
or
no pollutants produced
• lithium-ion batteries may release toxic chemicals on disposal
• lithium-ion batteries (eventually cannot be recharged so) have a finite life</td></tr></table>
reasons why the lithium-ion battery could be judged as better

<table><tr><th>from the table</th><th>from other knowledge</th></tr><tr><td>• lithium-ion uses energy more efficiently
• cost of lithium-ion car much less
• cost of recharging much less than refuelling with hydrogen</td><td>• hydrogen is often made from fossil fuels so is not renewable
• charging points are more widely available than hydrogen filling stations
• hydrogen takes up a lot of space
or
is difficult to store
• hydrogen can be highly flammable / explosive
• no emissions produced
• (catalyst in the hydrogen fuel-cell eventually becomes poisoned so) have a finite life</td></tr></table></td><td></td></tr>
<tr><td>Total</td><td colspan="2"></td><td>11</td></tr>
</table>

4.4.2.3 Soluble salts

Answer 20 · Examiner comments

June 2018 | 8462/1F | Original Q8

Question 8 (standard demand)

08.1 33% of students could give a different type of substance. Many suggested a base, but as metal oxides are themselves bases, this was not another type of substance and was ignored. Named examples of correct types of substance were accepted.

08.2 This was not answered well. 2% of students were able to work out that two nitrate ions were required for each calcium ion, or to use correct notation for the resulting formula.

08.3 This was a tough question that discriminated between students very well. 39% of students were able to achieve at least two marks, and 1% achieved all six.

Many students did not start with a metal oxide and an acid. Of those who did, many then added magnesium sulfate, the product, to their mixture, rendering the whole process nonsensical. Most did not name the metal oxide or the acid. Many conflated the reaction to produce the salt with the crystallisation phase, adding the metal oxide and acid together in an evaporating basin and then evaporating it to dryness.

The crystallisation phase was often described very well, and this was where most students scored their marks.

4.4.2.3 Soluble salts

Answer 21 · Examiner comments

June 2019 | 8462/1F | Original Q3

Question 3 (low and standard demand)

03.1 This question tested recognition of a diagram representing only one compound.

Almost half of the students identified the correct option.

The diagram representing only one element was a strong distractor.

03.2 This question tested recognition of a diagram representing a mixture of elements.

Approximately 55% of students identified the correct option.

03.3 This question tested recognition of a diagram representing a mixture of an element and a compound.

Approximately 60% of students identified the correct option.

03.4 This question tested students' ability to apply their knowledge and understanding of chromatography and crystallisation.

Approximately two-thirds of students scored both marks.

03.5 The diagram showing how a mixture of sand and water can be separated by filtration was often drawn and labelled clearly enough to score all 3 marks. The most common omissions were a filter funnel or filter paper.

03.6 Approximately two-thirds of students correctly predicted the temperature of 100 °C.

Answer 21 · Examiner comments

June 2019 | 8462/1F | Original Q3

03.7 This question which required a description of distillation was generally answered well. Almost 60% of students scored at least 3 marks.

The marks for the solution being heated and for the water being collected in the beaker were the most often scored.

Marks for the vapour cooling in the condenser and for the vapour condensing were the least often scored. Here, the term vapour / gas / steam needed to be used rather than, for example, evaporated water.

4.4.2.3 Soluble salts

Answer 22 · Examiner comments

June 2019 | 8462/1F | Original Q9

Question 9 (standard demand)

09.1 Approximately 50% of students correctly identified H^+ as the ion produced by all acids in aqueous solution.

The most common incorrect response was OH^-

09.2 Approximately 15% of students scored both marks for completing the word equation.

The correct answers 'hydrochloric' (acid) and 'water' were seen in approximately equal numbers.

Common incorrect responses included:

- chloric / chlorine (for the reactant)
- hydrogen (for the product).

09.3 The name 'burette' was not well known with only approximately a third of students scoring the mark. Phonetic equivalents of this word also scored the mark but not 'biuret' (as this is a reagent used in biology).

Common incorrect responses included:

- thermometer
- pipette

Answer 22 · Examiner comments

June 2019 | 8462/1F | Original Q9

- syringe
- measuring cylinder.

09.4 Approximately 50% of students were able to take a correct reading from the burette scale.

The most common incorrect answer was 28.4 cm^3.

09.5 Even though this extended response question drew on their experience of a required practical activity, approximately 20% of students did not attempt it. A similar proportion scored 0 marks.

Approximately 10% of students achieved a Level 3 mark.

In many cases, at least one of the key steps in this titration was omitted, which therefore meant that students were not able to access Level 3.

4.4.2.3 Soluble salts

Answer 26 · Examiner comments

June 2023 | 8462/1F | Original Q11

Question 11 (standard demand)

11.1 This extended response question discriminated well, although over a fifth of students gave no response. The majority of answers were at Level 1, but some students did reach Level 3. Many students described the crystallisation part of the process, but not how they made the necessary zinc chloride solution in the first place. They merely mixed the reactants and then heated them in a crystallising basin or other receptacle, missing out the essential steps of starting with the acid, adding the zinc carbonate to it until the zinc carbonate is in excess, and filtering to obtain the filtrate. Very few named the acid that is necessary to produce the chloride.

11.2 Few students gave two correct answers, although over a third could suggest one, zinc being the most common correct answer. Nearly a fifth of students did not give an answer.

4.4.2.3 Soluble salts

Answer 26 · Examiner comments

Mark Ranges and Award of Grades

Grade boundaries and cumulative percentage grades are available on the Results Statistics page of the AQA Website.

Answer 27 · Examiner comments

Question 2 (low and standard demand)

02.1 Over half of students named all three pieces of equipment correctly, with three quarters scoring at least two marks. The burette was often called a measuring cylinder, and the conical flask a beaker. The burette and pipette were sometimes reversed.

02.2 Students found this difficult – many gave names of acids or alkalis, or substances totally unrelated such as iodine. Of those who did give an indicator, many gave universal indicator, which is not suitable for a titration. The most common correctly named indicator was phenolphthalein; any reasonable attempt at the spelling was accepted.

02.3 This was answered well, with nearly two thirds of students giving 'colour change' or a description of one. 'Clear' is not a description of a colour so was insufficient for a mark.

02.4 A third of students scored one mark, but far fewer scored both. Many students did not realise that they had been given the correct apparatus, and merely had to say what they would do to use that apparatus accurately. Instead, most suggested using other, less accurate, equipment such as a measuring cylinder or a beaker. The most common correct answer was to add the acid drop by drop. A few suggested repeating the experiment, without also saying to take a mean of the results. Some students suggested using a measuring cylinder to measure acid into the burette, not understanding what a burette does.

02.5 Two thirds of students gave the correct reading. The most common distractor was 17.4 cm^3.

02.6 Three quarters of students identified the closest pair of results.

02.7 Students found this standard demand question difficult. Just over a third of students identified the formula of barium chloride, but the distractor Ba_2Cl was even more popular.

© 2024 AQA and its licensors. All rights reserved.

4.4.2.3 Soluble salts

Answer 28 · Examiner comments — June 2024 | 8462/1F | Original Q8

Question 8 (standard demand)

08.1 Nearly a half of students gave one correct product, although only about one in seven could give both. Copper sulfate was the most common correct answer but the two words were sometimes split either side of the + sign as if they were two substances. Copper and sulfur was another popular combination.

08.2 About a half of students gave a correct observation that would show that the reaction was no longer proceeding. Many did not realise that they were looking for signs of the reaction having stopped, and gave observations they would make while it was still ongoing.

08.3 Nearly two fifths of students were able to state that filtering is used to remove the excess copper carbonate. However, there were many answers that were expressed vaguely in terms of removing impurities, separating solids from liquids, or even removing the wrong substance such as the acid.

© 2024 AQA and its licensors. All rights reserved.

Answer 28 · Examiner comments — June 2024 | 8462/1F | Original Q8

08.4 Only one in six students could give one of the two methods in the specification, i.e. a water bath or an electric heater. The use of a water bath was by far the more popular correct response. Many, however, simply stated that a Bunsen burner would be used. This was an insufficient response unless a beaker of water was also present.

08.5 Nearly a half of students scored two or three marks. Many could not substitute the correct values into the expression. There were often attempts to bring 50 cm^3 into the calculation. Rearrangement of the equation also proved difficult for some students.

08.6 Students struggled with this question, with fewer than one in five scoring one mark and very few scoring two. Many focused on physical properties of the metals, such as boiling point or conductivity, rather than their reactivity. Of those who did consider reactivity, many had the relative reactivities the wrong way round. Responses were often vague; for example ‘high reactivity’ for sodium was insufficient for the mark, as high reactivity on its own does not explain what the problem is.

4.4.2.3 Soluble salts

Answer 29 · Examiner comments — June 2024 | 8462/1F | Original Q9

Question 9 (standard demand)

09.1 This question discriminated well, with one in six students scoring both marks and more than two fifths scoring at least one. Many students did not read the question fully and gave similarities and differences in properties rather than electronic structures. These responses gained no credit. Of those who did reference the electronic structure, most stated correctly that both have one electron on the outer shell, but were less successful in giving a correct difference. Sometimes the wrong number of shells was given for the two elements: usually 2 shells for sodium and 3 for potassium. Some stated that potassium has more outer shells than sodium. This is not correct as the phrase 'outer shell' is always taken to mean the single outermost shell.

09.2 More than a third of students could give two correct observations, and more than four fifths could give one, with bubbling, floating and a flame being the most popular. 'Gas produced' did not gain credit as it is not an observation but a deduction from the observation of bubbling. 'Fizzing' is taken to mean effervescence, so fizzing and bubbling are the same thing rather than two different observations. Credit was not given for any observation requiring extra equipment such as a thermometer or an indicator.

09.3 Only two fifths of students could give a correct colour and even fewer could express the reason in terms of the solution being alkaline; many thought it would be neutral. Some students gave purple as the colour, but gave potassium burning with a purple flame as their reason.

09.4 Nearly three fifths of students scored both marks for plotting the data, with the vast majority scoring at least one. The most commonly mis-plotted point was (86, 9.1) which was often plotted at (92, 9.1). There was no expectation that a line of best fit would be drawn.

09.5 Students were good at estimating the missing value, with nearly three quarters scoring the mark. Sometimes incorrect and inappropriate methods were seen which produced values in the allowed range, such as averaging all five values, or finding the difference between the points adjacent to the missing one. These were not given credit.

09.6 Over a third of students identified the reagents. There was an even distribution of incorrect responses.

© 2024 AQA and its licensors. All rights reserved.

Answer 29 · Examiner comments — June 2024 | 8462/1F | Original Q9

09.7 Two fifths of students identified the correct pair of trends. The most popular error was to identify that the boiling point decreases down the group.

4.4.2.3 Soluble salts

Answer 30 · Examiner comments June 2024 | 8462/2F | Original Q8

Question 8 (standard demand)

08.1 The test for sodium ions and the correct result were not well known with only 10% of students achieving both marks and a further 10% achieving one mark. Some students attempted to describe a flame test but failed to include the flame or how to introduce the sample into the flame in some way. Incorrect flame colours were often seen, particularly orange or crimson. Other incorrect tests that were commonly seen was the use of limewater or universal indicator.

08.2 The specific test for chloride ions is poorly understood with fewer than 1.5% of students achieving any marks. Many students misread the question and correctly described the test for chlorine gas. The mark for the result of the test was dependent upon a mark being awarded for a correct test.

08.3 The majority of students (more than 96%) were not awarded this mark. The use of words such as solution or liquid were common incorrect responses. The removal of **all** of the water was also not included by many students.

08.4 Less than 50% of students correctly identified how the mass of solid sodium chloride was calculated.

08.5 More than one in two students correctly calculated the mean concentration of sodium chloride and gained two marks. Fewer than one in five students correctly calculated the percentage. The remaining students either failed to progress in the calculation or attempted to calculate a percentage, frequently missing multiplying by one hundred, or getting the expression upside down. Many students incorrectly identified one of the concentrations as being anomalous despite this not being asked for in the q uestion. The only possible anomaly would be 36.4g/dm^3 and omitting only this value allowed students access to one of the two marks for the calculation of the mean concentration.

Answer 31 · Examiner comments June 2024 | 8462/2F | Original Q9

Question 9 (standard demand)

09.1 The role of the condenser and the importance of recycling unreacted gases in the Haber process is poorly understood with just over 5% of students gaining credit in this question. A large number of students stated that the ammonia or excess gases or gases alone were returned to the reactor. In addition, a number of students focused their answer on the condenser part of the flow chart and responded with the idea that uncondensed gases needed to be recycled.

09.2 Less than 25% of students correctly identified the catalyst used in the Haber process as iron, with copper, ammonia and hydrogen being frequently seen incorrect responses.

09.3 The test for oxygen gas is poorly understood with less than 25% of students being able to recall the correct test and its result. Many students referred to the splint being lit and then blown out or

© 2024 AQA and its licensors. All rights reserved.

4.4.2.3 Soluble salts

Answer 31 · Examiner comments June 2024 | 8462/2F | Original Q9

attempted to describe a glowing splint as a small or dying flame. A correct test was needed to allow award of a mark for the test result. The correct test and result for hydrogen gas was frequently seen.

09.4 Over 25% of students either correctly labelled the products and reactants or correctly drew an arrow, labelled the activation energy, and gained one mark. A further 10% of students gained two marks by doing both correctly.

There were many variations of drawing and labelling the arrow for the activation energy. Some students mistakenly labelled the peak as being the activation energy or despite the dotted line drew the arrow too short or at an angle.

Many students incorrectly identified the reactants and products from the equation or used nitrogen, hydrogen, and ammonia from the previous question. Other students were unsure where the reactants and products would be located on a reaction profile diagram.

09.5 One in five students correctly identified that if there was no catalyst used in the reaction the peak would be higher. Many students misread the question and incorrectly answered that the peak would be lower.

09.6 One in six students were able to identify the use of ammonium nitrate in a fertiliser or NPK fertiliser. A small minority stated that it was used in farming or agriculture unqualified. Only a handful of students identified its use in explosives or sports injury packs. Many students misread the question and took salt from the stem of the question and answered in terms or flavouring or preserving food or using salt to de-ice roads.

4.4.2.3 Soluble salts

Answer 32 · Examiner comments

June 2025 | 8462/1F | Original Q2

Question 2 (low and standard demand)

02.1 More than four fifths chose the correct name. Magnesium nitrate was a more popular distractor than magnesium sulfate.

02.2 Fewer than three fifths chose hydrogen as the correct gas. Chlorine was by far the most popular distractor, and oxygen the least.

02.3 Fewer than two fifths of students could identify both variables, but another third could identify one. More students could identify the independent variable correctly than the dependent variable, with the volume of hydrochloric acid being a popular wrong choice for the dependent variable. Some students identified the correct two variables but had them the wrong way round, and a few drew multiple lines from the same box, which automatically negated any marks.

02.4 More than three fifths gave the correct answer, with the two distractors being approximately equal in popularity.

02.5 Just over a third of students gave 2 °C as the resolution of the thermometer, with the majority incorrectly opting for 20 °C. Many appear to think that the resolution of an instrument is the gap between numbered values on the scale rather than the size of the smallest scale division.

02.6 Fewer than half of responses gave the correct answer, with more than half believing that temperature decreases in an exothermic reaction.

02.7 Nearly three quarters of students were able to identify **A** as the reactants. **C** was the most popular distractor, followed by **B** and **D**.

02.8 More than four fifths could identify **C** as the activation energy, with **A** being the most popular distractor.

02.9 Only a quarter of students were able to identify **B** as the overall energy change, with **E** being by far the most popular response.

4.4.2.3 Soluble salts

Answer 33 · Examiner comments

June 2025 | 8462/1F | Original Q4

Question 4 (low and standard demand)

04.1 Nearly three quarters chose the correct answer. Distillation was a very popular distractor.

04.2 Fewer than a third of students realised that the substance should be an indicator or were able to name one. Universal indicator was the most popular named indicator; this was accepted although it is not really appropriate for a titration. Acid and alkali were popular incorrect responses, as was liquid.

04.3 About five sixths of students chose burette as the correct answer.

04.4 Only two fifths of students realised that the acid should be added dropwise and / or that the solution should be swirled. One popular misconception was that the addition should be timed. Stirring was not accepted as an alternative to swirling, but adding the acid slowly was accepted as an alternative to dropwise or drop by drop.

Answer 33 · Examiner comments

June 2025 | 8462/1F | Original Q4

04.5 Most students knew how to calculate a mean, and the majority could round to 3 significant figures. However, some thought that 9.00, rather than 8.45, was the anomalous result; students need to look beyond the first digit. Quite a few placed a dot over the 3 in 8.93 of their final answer, indicating a recurring decimal, which was therefore an infinite number of significant figures not 3. Over two thirds of students scored at least 3 marks, with two fifths scoring full marks.

04.6 Only a quarter of students could identify both ions correctly. The ion present in an acid was known more often than the ion in an alkali. Many knew the correct two ions but had them the wrong way round. A significant number identified the ions in sodium chloride rather than in an acid and an alkali.

4.4.2.3 Soluble salts

Answer 34 · Examiner comments — June 2025 | 8462/1F | Original Q7

Question 7 (low and standard demand)

07.1 Many could identify one mixture but not the other; two thirds of students scored one mark but fewer than a third scored both. Many chose the second box (a pure compound) for one of their answers.

07.2 Unlike some 6-mark questions in previous years, most students attempted this question with about 1 in 10 making no attempt. Three fifths of students were able to reach at least level 2 and a third scored full marks. The question provided lots of useful information to prompt and assist with creating a suitable method. Most students could state that the mixture needed to be dissolved in water. Where this happened varied, with many stating a beaker, but a number suggested doing this in a filter funnel. When this happened, some lost credit as they did not mention using a filter paper. Most could suggest evaporating the solution in an evaporating dish. Other common alternatives included leaving the solution to evaporate slowly or with a water bath.

Some students mixed up the correct order in which steps should be undertaken. Those who scored zero marks often described the set up of a water bath without providing any further indicative content. Some thought the glass rod was to measure temperature. Others used it to push the mixture through the filter paper. Those who did not add water to the mixture as their first step had difficulty in producing a method that would work. Many only used the water for a water bath, not as a solvent for the salt.

Answer 34 · Examiner comments — June 2025 | 8462/1F | Original Q7

07.3 Four fifths of students scored both marks. A few inverted the expression provided.