AQA GCSE Chemistry | 8462

SPECIFICATION POINT 4.1.1.2

Mixtures

Mark schemes and examiner comments

Tier	**Higher**
Question groups	**142**
Available paper years	**2007–2025**

Using this booklet

1. Booklet answer numbers match the question booklet.
2. Use the original question number within marking tables.
3. Examiner comments are included where available.

Name: _____ **Date:** _____

Where a precise marking extract is unavailable, the full source document is included in an appendix. Any missing mark scheme is explicitly identified.

4.1.1.2 Mixtures

Answer 01 · Mark scheme January 2007 | CHY1H | Original Q5 | Legacy

Question 5

	answers	extra information	mark
(a)(i)	heat / evaporate the crude oil / change to gas or vapour	do **not** accept heat with catalyst	1
	cool / condense (hydrocarbons)	allow small molecules at top and / or large molecules at bottom	1
	at different temperatures / boiling points	if the answer describes cracking – no marks	1
(ii)	C_4H_{10}		1
(b)			1
(c)(i)	C_5 to C_8 fraction are fuels **or** easier to burn **or** petrol (fraction)	accept C_{21} to C_{24} fraction not useful as fuels do **not** accept produce more energy	1
(ii)	C_2H_4	do **not** accept C_4H_8	1

Continued on next page

4.1.1.2 Mixtures

Answer 01 · Mark scheme

	answers	extra information	mark
(iii)	any **three** from: • use different / lighter crude oils • develop markets for low demand fractions • develop new techniques / equipment to use low demand fractions as fuels • cracking • convert low demand fractions to high demand fractions **or** bigger molecules to smaller molecules • develop alternative / bio fuels	do **not** accept price	3
total			10

4.1.1.2 Mixtures

Answer 02 · Mark scheme March 2007 | CHY1A | Original Q3 | Legacy

Three	**A**	0	**3**
	B	5	**1**
	C	8	**2**
	D	70	**4**

Answer 03 · Mark scheme March 2007 | CHY1A | Original Q7 | Legacy

Seven	**3**	**2**	**4**	**2**

Answer 04 · Mark scheme March 2007 | CHY1A | Original Q8 | Legacy

Eight	**3**	**2**	**3**	**3**

Answer 05 · Mark scheme March 2007 | CHY1B | Original Q3 | Legacy

Three	**A**	ethanol	**2**
	B	ethene	**4**
	C	helium	**1**
	D	poly(propene)	**3**

Answer 06 · Mark scheme June 2007 | CHY1A | Original Q2 | Legacy

Two	**A**	an alloy	**4**
	B	an element	**1**
	C	a hydrocarbon	**2**
	D	a mixture of compounds	**3**

	A	**B**	**C**	**D**

Answer 07 · Mark scheme June 2007 | CHY1A | Original Q6 | Legacy

Six	**4**	**4**	**3**	**3**

Answer 08 · Mark scheme June 2007 | CHY1A | Original Q8 | Legacy

Eight	**1**	**3**	**2**	**3**

4.1.1.2 Mixtures

Answer 09 · Mark scheme June 2007 | CHY1A | Original Q9 | Legacy

Nine	**2**	**3**	**2**	**3**

Answer 10 · Mark scheme June 2007 | CHY1B | Original Q7 | Legacy

Seven	**1**	**3**	**3**	**2**

Answer 11 · Mark scheme June 2007 | CHY1H | Original Q1 | Legacy

The full source mark scheme begins on page 229. Follow original question 1 in that document.

Answer 12 · Mark scheme June 2007 | CHY1H | Original Q5 | Legacy

The full source mark scheme begins on page 229. Follow original question 5 in that document.

4.1.1.2 Mixtures

Answer 13 · Mark scheme November 2007 | CHY1A | Original Q1 | Legacy

One	**A**	condense	**2**
	B	vaporise	**1**
	C	viscous	**4**
	D	volatile	**3**

Answer 14 · Mark scheme November 2007 | CHY1A | Original Q2 | Legacy

Two	**A**	pure iron	**3**
	B	an alloy	**1**
	C	a mixture of compounds	**2**
	D	a mixture of elements	**4**

	A	**B**	**C**	**D**

Answer 15 · Mark scheme November 2007 | CHY1B | Original Q1 | Legacy

One	**A**	oil hardens and additives are mixed in	**4**
	B	sunflower oil separates from the water	**2**
	C	water is added and the mixture is stirred	**1**
	D	sunflower oil is reacted with hydrogen	**3**

Answer 16 · Mark scheme November 2007 | CHY1B | Original Q8 | Legacy

Eight	**1**	**2**	**2**	**3**

Answer 17 · Mark scheme January 2008 | CHY1H | Original Q2 | Legacy

No matching mark scheme was available in the supplied archive for this question.

Answer 18 · Mark scheme January 2008 | CHY1H | Original Q3 | Legacy

No matching mark scheme was available in the supplied archive for this question.

4.1.1.2 Mixtures

Answer 19 · Mark scheme

January 2008 | CHY1H | Original Q6 | Legacy

No matching mark scheme was available in the supplied archive for this question.

Answer 20 · Mark scheme

January 2008 | CHY2H | Original Q6 | Legacy

The full source mark scheme begins on page 242. Follow original question 6 in that document.

4.1.1.2 Mixtures

Answer 21 · Mark scheme January 2008 | CHY2H | Original Q7 | Legacy

(c)	7		1
(d)(i)	steeper line from around the same starting point and left of the points levelling off at 99	allow crosses if they are fully correct for **1** mark accept short level line at 99 ± ½ square	1 1
(d)(ii)	any **three** from: • particles / molecules / atoms/ ions have more energy • move faster • collide <u>more</u> often **or** <u>more</u> chance of collisions **or** bump into each other <u>more</u> • collide with <u>more</u> force / energy **or** <u>more</u> particles have the activation energy **or** <u>more</u> collisions result in reaction **or** <u>more</u> collisions are successful	allow given / gain / get energy ignore move about more ignore vibrate more / faster ignore collide quicker / faster	3
total			8

CHY2H

Question 2

question	answers	extra information	mark
(a)	any **one** from: • they are made of layers • atoms / ions / particles / layers (of atoms) can slide over each other	do **not** accept line / rows / lattice	1
(b)	any **one** from: • smaller / tiny **or** very small • correct size range 1 to 100 nanometres • a few hundred atoms in size	do **not** allow small alone if they state smaller and give a size outside range ignore size if it is less than 20,000	1
(c)	harder plus **one** from: • so does not wear as quickly / erode as quickly • less vulnerable to damage owtte • because they have a high surface area to volume ratio **or** stronger (1) plus **one** from: (1) • less likely to break / do not break • not as vulnerable to damage owtte • do not bend out of shape • because they have a high surface area to volume ratio	 ignore corrode harder to wear down = **1** mark accept withstand pressure harder and stronger alone gains **1** mark	1 1
total			4

4.1.1.2 Mixtures

CHY2H

Question 3

question	answers	extra information	mark
(a)	N_2O		1
(b)	13.8 to 14	gains full marks without working if answer incorrect 13 gains **1** mark **or** 14/101 × 100 gains **1** mark	2
total			3

4.1.1.2 Mixtures

Answer 21 · Mark scheme

January 2008 | CHY2H | Original Q7 | Legacy

CHY2H

Question 4

question	answers	extra information	mark
(a)	electric current / electricity		1
	plus **one** from:		1
	• is passed through ionic compound / substance / electrolyte • passed through molten/aqueous compound / substance	must be linked to electricity allow liquid compound / substance do **not** allow solution / liquid alone	
	• causing decomposition	accept split up / breakdown / breaking up owtte ignore separated accept elements are formed ignore new substances form	
(b)	hydrogen	accept H_2 do **not** accept H / H^2	1
(c)	one electron from each atom	accept each carbon is bonded to three other carbon atoms leaving one (unbonded) electron owtte	1
	is delocalised / free (to move)	must be linked to electrons answers of delocalised / free electrons only, gains **1** mark accept each carbon is bonded to three other carbon atoms leaving delocalised / free electrons = **2** marks **maximum 1** mark if graphite described as a metal / giant ionic lattice	1
total			5

CHY2H

Question 5

question	answers	extra information	mark
(a)	any **one** from: • gives out heat / energy • transfers energy from a substance to the surroundings • ΔH / energy change / enthalpy change is negative	accept releases / gives off owtte ignore references to light	1
(b)	$2Mg + O_2 \rightarrow 2MgO$	accept correct multiples / fractions	1
(c)		electrons do not need to be paired accept dots / circles / e instead of crosses do **not** allow 2.6 without diagram	1
(d)		electrons do not need to be paired allow without brackets must have the charge accept dots / circles / e instead of crosses ignore extra empty outer shells ignore nucleus do **not** allow $[2.8]^{2+}$ without diagram	1

continued…

CHY2H

Question 5 continued…

question	answers	extra information	mark
(e)	oppositely charged (ions / atoms)	allow positive and negative(ions / atoms)	1
	(they) attract	must be in correct context accept held by electrostatic forces ignore ionic bonding **maximum 1** if they refer to intermolecular forces / attractions / covalent bonds	1
(f)	magnesium chloride	accept $MgCl_2$ (if correctly written)	1
total			7

4.1.1.2 Mixtures

Answer 21 · Mark scheme

CHY2H

Question 6

question	answers	extra information	mark
(a)	**Compound A** any **one** from: • sodium bromide • potassium bromide • ammonium bromide • hydrogen bromide • any metal bromide except silver and lead. **Compound B** silver nitrate	accept correct formulae accept silver sulfate	1 1
(b)	the silver compound will decompose / silver ions be reduced to silver (owtte)	accept film would darken owtte accept any idea of light changing silver bromide / silver ions / silver nitrate / silver sulfate allow 'forms a black solid' / it would turn black	1
(c)	precipitation	accept descriptions of precipitation reactions accept double decomposition accept precipitate do **not** allow displacement	1
(d)	electrons are gained	 the second mark **must** be linked to electrons accept it / silver / silver ions gains electrons for **both** marks ignore references to oxygen	1 1
total			6

CHY2H

Question 7

question	answers	extra information	mark
(a)	1213.8 to 1214.3 correct answer not given then check working 1) moles of N_2 = $\frac{1000}{28}$ = 35.7 mol 2) moles of NH_3 = 2 × (answer from (1)) = 71.4 mol 3) mass of NH_3 = (answer from 2) × 17 = 71.4 × 17 = 1214 g **or** • 28g of N_2 → 34g of NH_3 • 1g of N_2 → $\frac{34}{28}$ = 1.214g NH_3 • 1000 g of N_2 → 1000 × 1.214 = 1214g **or** • $1000 \times \frac{34}{28}$ **or** **other correct methods**	gains **3** marks without working **1** mark for each correct step do **not** penalise rounding errors in this part **1** mark for each correct step do **not** penalise rounding errors in this part allow error carried forward eg gains **2** marks if correct answer not given $1000 \times \frac{28}{34}$ gains **1** mark, **2** marks if correctly calculated (823.5g) $1000 \times \frac{28}{17}$ gains **1** mark if calculated correctly (1647.05g) look for the key ideas in the methods above	3

continued…

CHY2H

Question 7 continued…

question	answers	extra information	mark
(b)	25 / 25.035 **or** ecf from (a)	gains **2** marks even when there is no working incorrect answer then 304/(their answer from (a)) × 100 gains **1** mark	2
	or using figures from part (b)		
	27.6 / 28	gains **2** marks even when there is no working accept 27 for **1** mark if answers incorrect then304/1100 × 100 gains **1** mark	
(c)(i)	increase yield		1
	reaction is exothermic		1
	or		
	allow decreased yield because rate of reaction is slower / fewer collisions for **2** marks	**must** get both points for **2** marks	
(c)(ii)	increase yield		1
	plus **one** from: • more (gaseous) reactant molecules than (gaseous) product molecules (owtte) • increased rate of reaction / more collisions	accept greater volume on the left than the right owtte	1

continued…

CHY2H

Question 7 continued…

question	answers	extra information	mark
(d)	any **one** from: **economic** • large town provides workforce • workers do not have to travel far to the factory. (owtte) • transport infrastructure already in place for large town. (owtte) • factory brings prosperity to town (owtte) • factory provides employment • reduced tourism • reduction in local house prices • any other sensible economic factor linked to town		1
	any **one** from: **safety** • <u>escape</u> of dangerous / harmful chemicals / gases (owtte) • <u>danger</u> of increased traffic • risk of explosion.(owtte) /danger of high pressure • consequences of an accident could be severe if the town is close • any other sensible safety idea	do **not** allow polluting gases unqualified	1

continued…

4.1.1.2 Mixtures

CHY2H

Question 7(d) continued…

question	answers	extra information	mark
	any **one** from: **environmental** • factory might be unsightly (owtte) • screening of factory (owtte) • loss of habitats (owtte) • plant trees/ hedges etc on and around plant site • pollution of water / air / soil could harm plants / animals **or** noise pollution • CO_2 is produced by burning fuels / heating • CO_2 causes global warming / any effect of global warming • eye sore • any other sensible environmental factor	must be explained	1
total			12

4.1.1.2 Mixtures

Answer 22 · Mark scheme March 2008 | CHY1AP | Original Q2 | Legacy

Two	**A** Hydrocarbons in the crude oil turn to vapour **1** **B** Hydrocarbons collected as gases **2** **C** Hydrocarbons with high boiling points **3** **D** Hydrocarbons condense to form liquids **4**			
	A	**B**	**C**	**D**

Answer 23 · Mark scheme March 2008 | CHY1AP | Original Q8 | Legacy

Eight	**2**	**2**	**1**	**1**

Answer 24 · Mark scheme June 2008 | CHY1AP | Original Q6 | Legacy

Six	**1**	**2**	**4**	**3**

Answer 25 · Mark scheme June 2008 | CHY1BP | Original Q8 | Legacy

Eight	**1**	**1**	**3**	**1**

Answer 26 · Mark scheme June 2008 | CHY1BP | Original Q9 | Legacy

Nine	**1**	**3**	**3**	**2**

4.1.1.2 Mixtures

Answer 27 · Mark scheme June 2008 | CHY1H | Original Q3 | Legacy

question	answers	extra information	mark
3(a)	check if safe to eat / healthy **or** permitted	accept references to allergies / medical problems	1
3(b)	any **three** from: • made up of two colours / dots • contains an unknown colour / dot • contains a harmful colour • contains E104 / quinoline yellow **or** does not contain E133 / brilliant blue • further analysis needed	accept dye for colour	3
3(c)	there could be other additives (in the sweets) could still contain / use / add natural colours	ignore No or Yes but No must be implied accept any other type of additives but **not** colourings accept non-artificial for natural **or** named natural colours	1 1
Total			**6**

4.1.1.2 Mixtures

Answer 27 · Mark scheme June 2008 | CHY1H | Original Q3 | Legacy

COMPONENT NUMBER: CHY1H

COMPONENT NAME: Science B / Chemistry

STATUS: Final

DATE: June 2008

Answer 28 · Mark scheme November 2008 | CHY1AP | Original Q4 | Legacy

Four	**2**	**3**	**3**	**3**

Answer 29 · Mark scheme November 2008 | CHY1BP | Original Q7 | Legacy

Seven	**4**	**3**	**3**	**4**

Answer 30 · Mark scheme June 2009 | CHY1AP | Original Q9 | Legacy

Nine	**3**	**3**	**2**	**3**

Answer 31 · Mark scheme June 2009 | CHY1BP | Original Q6 | Legacy

Six	**4**	*	**2**	**4**

4.1.1.2 Mixtures

Answer 32 · Mark scheme

June 2009 | CHY1BP | Original Q9 | Legacy

Nine	**2**	**2**	**2**	**4**

* This question has been removed

4.1.1.2 Mixtures

Answer 33 · Mark scheme

June 2009 | CHY1H | Original Q2 | Legacy

Question 2

question	answers	extra information	mark
2(a)(i)	calcium oxide / quicklime	allow calcium monoxide do **not** accept calcium dioxide ignore chemical formulae	1
2(a)(ii)	any **three** from: • carbon dioxide / CO_2 • (carbon dioxide) reacts (with the calcium hydroxide / slaked lime / plaster) • limestone / calcium carbonate / $CaCO_3$ forms • water is lost / evaporates	it = plaster allow reaction 3 identified do **not** allow incorrect reaction ignore mixes, unless they state the correct product allow marble / chalk allow moisture ignore dries	3
2(b)(i)	as the amount / volume of sand decreases the strength of the mortar increases	accept as sand decreases the mortar is stronger / harder to crack allow as sand decreases the mortar increases allow converse ignore references to height of metal ball	1

Question 2 continues on the next page…

4.1.1.2 Mixtures

CHY1H

Question 2 continued

question	answers	extra information	mark
2(b)(ii)	any **two** from: • 400 / 5th result is anomalous • the interval between the others is similar or the interval is about 6/7 • he has only one set of results	accept two results (36 and 37 / 400 and 500 / 4th and 5th) are almost the same accept result at 400 should be 42 allow the other results fit a pattern / are on a straight line allow he has only done it once ignore reliable	2
Total			**7**

4.1.1.2 Mixtures

Answer 33 · Mark scheme

June 2009 | CHY1H | Original Q2 | Legacy

CHY1H

4.1.1.2 Mixtures

Answer 34 · Mark scheme

Question 6

question	answers	extra information	mark
6(a)(i)	many ethene / molecules / monomers join to form a long hydrocarbon / chain / large molecule	accept double bonds open / break accept addition polymerisation ignore references to ethane correct equation gains **2** marks	1 1
6(a)(ii)	(can be deformed but) return to their original shape (when heated or cooled)	ignore 'it remembers its shape'	1
6(a)(iii)	cross links / extra bonds in PEX molecules / chains in PEX are held in position molecules / chains in PEX unable to slide past each other / move	it = PEX throughout accept inter-molecular bonds ignore inter-molecular forces accept rigid structure	1 1 1

Question 6 continues on the next page…

4.1.1.2 Mixtures

CHY1H

Question 6 Continued

question	answers	extra information	mark
6(b)	any **four** from: • less (hydrocarbon) fuels used • less / no electrical energy used • reduce carbon / carbon dioxide emissions • reduce / no pollution by sulfur dioxide / acid rain • continuous process • conserve copper which is running out or only low-grade ores available • reduce the amount of solid waste rock that needs to be disposed • reduce the need to dig large holes (to extract copper ores)	ignore costs / sustainability / non-renewable allow less energy allow no electrolysis allow less global warming allow less / no transportation allow less waste allow less mining	4
Total			**10**

4.1.1.2 Mixtures

Answer 35 · Mark scheme

June 2009 | CHY2H | Original Q3 | Legacy

Question 3

question	answers	extra information	mark
3(a)	to speed up the reaction **or** it is a catalyst	allow higher level answers such as to reduce the activation energy ignore cost or yield	1
3(b)(i)	reaction is exothermic	accept reverse reaction is endothermic **or** high temperature causes decomposition of ammonia ignore reference to rate	1
3(b)(ii)	more (gaseous) reactant molecules than (gaseous) product molecules	accept 4 volumes / moles of reactant and 2 volumes / moles of product accept lower volume of products **or** volume lower on right hand side accept 'favours the reaction which produces fewer molecules' ignore incorrect number of moles ignore reference to' amount' of product / reactant ignore reference to rate	1
3(c)	(rate is) too slow / slower owtte	allow catalyst would not work accept at higher temperature the rate is quicker accept at lower temperatures particles do not collide as often **or** fewer particles have the activation energy **or** particles do not have the activation energy ignore reaction would not work ignore optimum / compromise type answers	1

Question 3 continues on the next page…

CHY2H

Question 3 Continued

question	answers	extra information	mark
3(d)	cooled	allow ammonia / it is turned into a liquid **or** is condensed ignore references to boiling point	1
3(e)	nitric (acid)	allow HNO_3 ignore hydrogen nitrate	1
Total			**6**

4.1.1.2 Mixtures

Answer 35 · Mark scheme

June 2009 | CHY2H | Original Q3 | Legacy

CHY2H

4.1.1.2 Mixtures

Answer 36 · Mark scheme

June 2009 | CHY2H | Original Q6 | Legacy

Question 6

question	answers	extra information	mark
6(a)	C H O		
	0.60 0.15 0.40	**1** mark for dividing the correct amount or multiples of correct amount by A_r	1
	12 1 16		
	= 0.05 = 0.15 = 0.025	**1** mark for proportions	1
	2 6 1	**1** mark for whole number ratio – accept any multiple	1
	C_2H_6O	**1** mark for correctly written simplest formula correct formula without working gets only **2** marks correct formula gains full marks provided steps 1 and 2 are correct. ecf can be allowed from step 2 to 3 **or** step 3 to 4 formula can be in any order eg OH_6C_2	1
6(b)	intermolecular forces / bonds		1
	are weak	(covalent) bonds are weak = 0	1
	or		
	forces between molecules **or** bonds between molecules (1)	(attractive) forces are weak = 1	
	are weak (1)	if no marks awarded, allow low boiling point **or** small M_r for **1** mark	

Question 6 continues on the next page…

CHY2H

Question 6 Continued

question	answers	extra information	mark
6(c)(i)	to check the safety of the perfume (owtte)	accept references to possible harmful / dangerous effects of perfume **or** possible reactions on skin eg to show it does not damage skin / cause cancer etc. allow to see what it smells like on the skin allow so the company do not have to test on animals	1

Question 6 continues on the next page…

CHY2H

Question 6 Continued

question	answers	extra information	mark
6(c)(ii)	any **two** from: idea from text **linked with** an explanation • the company claim to have tested the product: but we cannot be certain they have **or** how thorough they are **or** how accurately reported • companies did not disclose how they did their tests: so they could not be checked **or** so they could not be shown to be reliable / valid **or** so they could not be repeated • companies may not have repeated their tests: so they may not be reliable • companies do their own tests: so they may be biased **or** so they may not be truthful about their results **or** so they may not be reliable • the companies are using different tests: so the results cannot be compared **or** so results will be different **or** so results will not be fair / valid / reliable • companies would not give false information because of damage to reputation **or** it might lead to litigation	or converse eg companies should disclose how they did their tests so that results can be checked etc. or converse eg independent tests should be done so as to ensure there is no bias etc. or converse eg companies should do the same tests so that the results will be fair etc.	2
Total			**9**

4.1.1.2 Mixtures

Answer 37 · Mark scheme

November 2009 | CHY1AP | Original Q4 | Legacy

Four	**4**	**3**	**2**	**1**

Answer 38 · Mark scheme

November 2009 | CHY1AP | Original Q7 | Legacy

Seven	**2**	**3**	**2**	**4**

Answer 39 · Mark scheme

November 2009 | CHY1BP | Original Q1 | Legacy

No matching mark scheme was available in the supplied archive for this question.

4.1.1.2 Mixtures

Answer 40 · Mark scheme

Question 2

question	answers	extra information	mark
2(a)(i)	any **one** from: • contain metals / filaments / wires • contain other / toxic chemicals / materials • different type of glass	ignore contamination without explanation accept named metal(s) accept named chemical(s) / material(s) accept glass would not melt ignore thicker / thinner glass	1
2(a)(ii)	any **one** from: • (glass bottles are) recycled • need to be more expensive glass **or** strong / thicker / different glass (to be reused) • damaged / weaker (with reuse) • need to be cleaned / transported • different sizes / shapes / colours • no refunds paid	 accept made to be used only once accept glass bottles are made of readily available materials **or** thin / cheap glass accept need to be sorted	1
2(a)(iii)	any **two** from: • low / less energy / heat or lower temperature needed • low / less fuel burned • no (carbon dioxide) from carbonate(s)	allow converse arguments ignore no energy without explanation ignore no fuel without explanation accept less fuel for extraction / transportation of raw materials accept name(s) of this carbonate(s)	2
2(b)(i)	46		1

Question 2 continues on the next page…

CHY1H

Question 2 continued

question	answers	extra information	mark
2(b)(ii)	any **one** from: • (more) imported (as wine bottles) • not much green glass made in the UK • not a high demand (for green glass)	accept come from / made in other countries **or** made elsewhere	1
2(b)(iii)	any **two** from: • more (clear) glass is produced (64%) than recycled (40%) • (clear) glass going to landfill • (more) raw materials needed / extracted / quarried • (more) heat / energy / fuel would be needed • (more) carbon dioxide produced	accept not enough (clear) glass is recycled allow 'thrown away' ignore they will run out accept high carbon footprint / carbon emissions **or** global warming	2
Total			**8**

4.1.1.2 Mixtures

Answer 40 · Mark scheme

January 2010 | CHY1H | Original Q2 | Legacy

CHY1H

4.1.1.2 Mixtures

Answer 41 · Mark scheme

Question 6

question	answers	extra information	mark
6(a)	vaporise / evaporate different condensing points / temperatures	allow boil for vaporise accept condense at different levels ignore different size molecules or different densities mention of cracking = max **1** allow boils at different temperatures and condenses for **2** marks if no other marks awarded allow fractional distillation for **1** mark	1 1
6(b)(i)	3 (C_2H_4)	accept +C_4H_8	1
6(b)(ii)	(decane / naphtha / hydrocarbon) vaporise / evaporate (passed over) a catalyst / alumina / porous pot	allow crude oil allow boil for vaporise ignore other names of catalysts	1 1
6(c)	any **two** from: • alkanes / butane (molecules) do not have a (carbon carbon) double bond / are saturated / have (carbon carbon) single bonds • alkenes / ethene (molecules) have (carbon carbon) double bonds **or** are unsaturated • alkenes / ethene molecules are able to bond to other molecules	'they' must be clarified	2
6(d)	single bonds between carbon atoms the –CH_3 group appears on each pair of carbons on the 'chain'	— C – C — NB any double bonds = **0** marks	1 1
Total			**9**

4.1.1.2 Mixtures

Answer 41 · Mark scheme January 2010 | CHY1H | Original Q6 | Legacy

CHY1H

4.1.1.2 Mixtures

Answer 42 · Mark scheme

Question 2

question	answers	extra information	mark
2(a)	gas / g	accept low density / low boiling point **or** weak intermolecular forces **or** small molecules **or** simple molecules **or** simple molecular (structure) accept volatile **or** easy to evaporate ignore very light ignore incorrect name of gas	1
2(b)	filter / filtration	accept filter paper accept decant / centrifuge ignore filter funnel / sieving / drained off / funnelling ignore names of compounds ignore evaporation / heating if after filtration do **not** accept crystallisation	1
2(c)	evaporation / crystallisation	accept heating / boiling accept 'leave for a few days' owtte allow cool do **not** allow freeze ignore filtration	1

Question 2 continues on next page

CHY2H

Question 2 continued

question	answers	extra information	mark
2(d)	candidates can gain marks from any two of the three linked pairs		
	hydrogen chloride escaped / released (into atmosphere) **or** (hydrogen chloride) damaged vegetation / harmful	to get both of these **2** marks hydrogen chloride must be mentioned	1
		ignore HCl formed / produced / made	
	used to make chlorine / bleach	ignore sale of hydrogen chloride	1
	unpleasant smell (of calcium sulfide) **or** waste of calcium (sulfide)	ignore calcium sulphide alone allow calcium / calcium sulfate for calcium sulphide to get both of these 2 marks calcium (sulphide) must be mentioned	1
	converted to sulfur **or** used to make sulfuric acid	ignore sale of calcium sulfide	1
	unreacted coal (1) recycled / burnt / used / sold (1)	must be linked to first coal point	
Total			**7**

4.1.1.2 Mixtures

Answer 42 · Mark scheme January 2010 | CHY2H | Original Q2 | Legacy

CHY2H

Answer 43 · Mark scheme March 2010 | CHY1AP | Original Q5 | Legacy

Five	**3**	**3**	**1**	**3**

Answer 44 · Mark scheme March 2010 | CHY1BP | Original Q1 | Legacy

Question	Key		
One	**A**	The modified oil solidifies and additives are mixed in	**4**
	B	Soybean oil is used as biofuel in vehicles	**3**
	C	Soybean oil separates from the water	**2**
	D	Mixture of soybean seeds and water is pressed	**1**

Answer 45 · Mark scheme June 2010 | CHY1AP | Original Q4 | Legacy

Four	**3**	**4**	**3**	**1**

Answer 46 · Mark scheme June 2010 | CHY1AP | Original Q6 | Legacy

Six	**3**	**4**	**2**	**4**

Answer 47 · Mark scheme June 2010 | CHY1BP | Original Q1 | Legacy

Question	Key		
One	**A**	Burn in oxygen	**4**
	B	Test for unsaturation	**2**
	C	Add water and shake vigorously	**3**
	D	React with hydrogen	**1**

4.1.1.2 Mixtures

Answer 48 · Mark scheme

June 2010 | CHY1H | Original Q3 | Legacy

Question 3

question	answers	extra information	mark
3(a)(i)	C	must be correct symbol do **not** accept carbon any balancing must be correct	1
3(a)(ii)	Fe + CO_2 2…. + 3….	correct formulae correct balancing allow Fe_2 + $3CO_2$ for this mark	1 1
3(a)(iii)	layers / atoms in pure iron are able to slide over each other **or** layers / atoms in cast iron are unable to slide over each other (easily)	it = pure iron accept ions for atoms ignore molecules / particles	1

Question 3 continues on the next page

CHY1H

Question 3 continued

question	answers	extra information	mark
3(b)	any **three** from: • less iron ore used • less other metals extracted / used to make different steels • less fuel used • less specified pollution • less / no landfill space needed • less / no mining needed **or** fewer specified effects of mining	mention of ozone = max **2** accept the idea that ores would be conserved but not unspecified conservation accept the idea that ores would be conserved but not unspecified conservation accept the idea that fuels would be conserved ignore reduces energy requirements accept global warming / greenhouse effect / CO_2 / CO / carbon emissions / acid rain / SO_2 / global dimming / do **not** accept ozone layer ignore reduces waste accept effect such as eyesore / loss of habitat eg 'less mining iron ore' = **2** marks	3
Total			**7**

4.1.1.2 Mixtures

Answer 48 · Mark scheme June 2010 | CHY1H | Original Q3 | Legacy

CHY1H

4.1.1.2 Mixtures

Answer 49 · Mark scheme

June 2010 | CHY1H | Original Q4 | Legacy

Question 4

question	answers	extra information	mark
4(a)(i)	(iodine is) decolourised	accept colourless allow oil decolourised ignore initial colour of iodine / nothing / clear	1
4(a)(ii)	(molecule / compound) has a double (carbon carbon) bond	allow C = C	1
4(a)(iii)	palm any **one** from: • contains less / low amount of unsaturated fat(s) • contains more / high amount of saturated fat(s)	 only allow this mark if correct **or** no answer in first part ignore references to iodine number / melting point	1 1
4(b)	any **three** from: • (react with*)* hydrogen • with a (nickel) catalyst • at about 60°C • increase *the* melting point	cracking / emulsification = max **2** accept by hydrogenation do **not** accept cracking / emulsify allow hot **or** range 50°C to 120°C	3
Total			**7**

4.1.1.2 Mixtures

Answer 49 · Mark scheme

June 2010 | CHY1H | Original Q4 | Legacy

CHY1H

4.1.1.2 Mixtures

Answer 50 · Mark scheme

June 2010 | CHY1H | Original Q5 | Legacy

Question 5

question	answers	extra information	mark
5(a)(i)	(thermal) decomposition	allow it breaks down accept symbol equation or in words allow reaction with SO_2 (to form CO_2)	1
5(a)(ii)	calcium carbonate / calcium oxide / limestone / quicklime / it reacts with sulfur dioxide / forms calcium sulfate	accept it neutralises sulfur dioxide / neutralisation ignore references to sulfur do not accept 'calcium reacts with…'	1
5(b)	by incomplete / partial combustion (of the fuel) insufficient oxygen / *air* (to burn fuel)	 accept insufficient oxygen / *air* to burn fuel completely for **2** marks if no other marks awarded accept $C + CO_2 \rightarrow 2CO$ **or** $2C + O_2 \rightarrow 2CO$ **or** in words for **1** mark	1 1

Question 5 continues on the next page

CHY1H

Question 5 continued

question	answers	extra information	mark
5(c)(i)	any **two** from: • (CO_2) from the atmosphere • (CO_2) taken in millions of years ago **or** early (atmosphere) • (CO_2) was used to form the shells / skeletons of marine organisms / fossil fuels	allow thousands / billions allow rocks formed millions of years ago accept sedimentary rocks allow used to form correct named fossil fuel ignore limestone	2
5(c)(ii)	any **one** from: • *(*increases / enhances*)* global warming • is additional carbon dioxide **or** not able to be absorbed by oceans / seas **or** used by (green) plants • acidification of sea water	allow greenhouse gas / effect do **not** accept ozone layer / acid rain / global dimming ignore consequences of global warming	1
Total			**7**

4.1.1.2 Mixtures

Answer 50 · Mark scheme

June 2010 | CHY1H | Original Q5 | Legacy

CHY1H

4.1.1.2 Mixtures

Answer 51 · Mark scheme

June 2010 | CHY1H | Original Q6 | Legacy

Question 6

question	answers	extra information	mark
6(a)	it is a mixture (of hydrocarbons) **or** contains hydrocarbons with different boiling points	accept 'to separate (crude) oil (into fractions) **or** obtain the naphtha (fraction) accept to get useful products ignore removal of impurities	1
6(b)(i)	heat / vaporise	mention of hydrogen = max **1** accept thermal (decomposition) for heat allow boil do not allow temperatures below 100°C ignore steam	1
	catalyst	allow alumina / porous pot ignore other catalysts	1
6(b)(ii)	4 × C – H **and** C = C	ignore brackets with or without an 'n' before them do not allow poly(ethene)	1

Question 6 continues on the next page

4.1.1.2 Mixtures

Answer 51 · Mark scheme

question	answers	extra information	mark
6(c)	any **four** from: **must** be at least **one** advantage and **one** disadvantage for all four marks <u>crops</u> advantages eg: • renewable (resource) / sustainable • low / less energy / fuel needed for process **or** lower temperature [ignore heat or quoted temperatures] • can use waste plant / crop material • carbon neutral • low safety risk (processes) • low technology disadvantages eg: • batch process / process is slow • many steps in the process • ethanol is impure / may contain water • food shortages • need very large areas of (arable) land to grow crops **or** can only grow in certain areas / climates • destruction of woodland / habitat • slow growth of crops • labour intensive a conclusion with a reasoned argument based on	ignore ideas about carbon dioxide formation / photosynthesis or cost / economics / environmentally friendly candidates are only awarded **1** mark if they use equivalent pairs of bulleted points <u>crude oil</u> disadvantages eg: • *non*-renewable (resource) / finite / running out • high / more energy needed for process **or** higher temperature • not carbon neutral **or** releases locked up carbon • high safety risk (process) • high technology • risk of major oil spillage • can be used to make other products advantages eg: • continuous process / process is fast • few steps in the process • ethanol is pure • ‘conserves’ food • can accept reverse arguments there must be at least one advantage and one disadvantage, however, a	4

4.1.1.2 Mixtures

Answer 51 · Mark scheme June 2010 | CHY1H | Original Q6 | Legacy

	valid advantages **and** disadvantages	matched pair, although only awarded one mark would allow the conclusion mark to be awarded	1
Total			**9**

4.1.1.2 Mixtures

Answer 52 · Mark scheme

June 2010 | CHY2H | Original Q4 | Legacy

Question 4

question	answers	extra information	mark
4(a)(i)	84 / 84.5 / 83.98	correct answer with or without working gains **3** marks (moles of NaN_3 =) 130/65 (1) moles of nitrogen = 3 (1) mass of nitrogen = 3 x 28 = 84 (1) **or** 2 x (23 + (3 x 14)) (1) 3 x (2 x14) (1) **or** $2NaN_3$ = 130 (1) $3N_2$ = 84 (1) if answer is incorrect then look for evidence of correct working. allow ecf from previous stage **1** mark lost for each mistake in the working if they do not have the correct answer.	3
4(a)(ii)	72 / 72.24 / 72.2 **or** 69 **or** 68.8	allow ecf from part (i) × 0.86 ignore working	1
4(b)(i)	2 **and** 5		1
4(b)(ii)	any **one** from: • corrosive / burns • alkaline / basic • attacks / destroys / damages living tissue / cells	do **not** accept acidic allow irritant ignore reference to reactivity ignore reference to silicates ignore harmful / toxic	1
Total			**6**

4.1.1.2 Mixtures

Answer 52 · Mark scheme June 2010 | CHY2H | Original Q4 | Legacy

CHY 2H

Answer 53 · Mark scheme November 2010 | CHY1AP | Original Q1 | Legacy

Question	Key		
One	**A**	uses another metal	**3**
	B	does **not** use a chemical reaction	**2**
	C	could be done in a blast furnace	**4**
	D	is called electrolysis	**1**

Answer 54 · Mark scheme November 2010 | CHY1AP | Original Q5 | Legacy

Five	**3**	**4**	**2**	**3**

Answer 55 · Mark scheme November 2010 | CHY1AP | Original Q7 | Legacy

Seven	**2**	**3**	**1**	**4**

Answer 56 · Mark scheme November 2010 | CHY1BP | Original Q1 | Legacy

Question	Key		
One	**A**	chromatography	**1**
	B	combustion	**4**
	C	hydrogenation	**3**
	D	unsaturation	**2**

4.1.1.2 Mixtures

Answer 57 · Mark scheme

Question 2

question	answers	extra information	mark
2(a)	crude oil / it is evaporated / vaporised vapours / gases / fractions cool and condense (different) vapours / gases / fractions (condense) at different temperatures	ignore heated accept named fraction(s) accept (different) vapours / gases / fractions have different boiling points max **2** marks for description of laboratory method **or** mention of cracking	1 1 1
2(b)(i)	any **one** from: • range of boiling points • range of carbon atoms		1
2(b)(ii)	greater the number (of carbon atoms) the higher the boiling point	do **not** accept molecules / particles	1
2(c)(i)	burning / combustion	allow oxidation / redox	1
2(c)(ii)	any **two** from: • cracking / (thermal) decomposition • heat / vaporise • catalyst / aluminium oxide	reaction with hydrogen gains max of **1** mark only allow porous pot ignore names of other catalysts	2
Total			**8**

4.1.1.2 Mixtures

Answer 57 · Mark scheme January 2011 | CHY1H | Original Q2 | Legacy

CHY1H

Answer 58 · Mark scheme March 2011 | CHY1AP | Original Q5 | Legacy

Five	**4**	**3**	**2**	**1**

Answer 59 · Mark scheme March 2011 | CHY1BP | Original Q8 | Legacy

Eight	**3**	**2**	**3**	**2**

Answer 60 · Mark scheme June 2011 | CHY1AP | Original Q1 | Legacy

Question	Key		
One	**A**	electrons	**2**
	B	bonds	**3**
	C	products	**1**
	D	elements	**4**

Answer 61 · Mark scheme June 2011 | CHY1AP | Original Q4 | Legacy

Four	**4**	**2**	**2**	**2**

Answer 62 · Mark scheme June 2011 | CHY1AP | Original Q9 | Legacy

Nine	**1**	**2**	**2**	**3**

The AQA UMS Conversion Calculator can be found at the following web address:

http://www.aqa.org.uk/umsconversion

4.1.1.2 Mixtures

Answer 63 · Mark scheme

June 2011 | CHY1BP | Original Q1 | Legacy

Question	Key		
One	**A**	Sunflower oil separates as a layer above the water	**2**
	B	Sunflower oil is reacted with hydrogen at 60 °C	**3**
	C	Sunflower oil is mixed with petroleum diesel	**4**
	D	Mixture of sunflower seeds and water is pressed	**1**

Answer 64 · Mark scheme

June 2011 | CHY1BP | Original Q4 | Legacy

Four	**4**	**3**	**3**	**3**

4.1.1.2 Mixtures

Answer 65 · Mark scheme

June 2011 | CHY1H | Original Q3 | Legacy

Question 3

question	answers	extra information	mark
3(a)		any mention of molecules / compounds = max **1** allow ions for particles throughout it = brass	
	brass is an alloy **or** brass is a mixture (of metals) **or** brass has different sized / types of atoms / particles	accept brass does not have a regular structure **or** has a disrupted / irregular structure	1
	or in copper all the atoms / particles are the same **or** are the same size / type	accept copper has a regular structure	
	(so) in brass layers / atoms / particles cannot (easily) slide **or** in copper layers / atoms / particles can slide (more easily)	ignore moves easier	1
3(b)(i)	(thermal) decomposition	accept endothermic (reaction) do not accept combustion / burning	1
	by heating	accept in a furnace / kiln	1
3(b)(ii)		they = zinc or lead	
	carbon is more reactive than lead / zinc		1
	(so) lead / zinc oxide is reduced **or** oxygen is removed (by carbon)	accept so lead / zinc oxide reacts with carbon / carbon monoxide accept carbon displaces zinc / lead (from their oxide) allow carbon reacts with the oxygen accept word equation **or** balanced symbol equation	1

Question 3 continues on the next page . . .

4.1.1.2 Mixtures

CHY1H

Question 3 continued . . .

question	answers	extra information	mark
3(b)(iii)	(zinc separates / escapes because) zinc boils / turns to a gas (at the temperature of the furnace) **or** the boiling point of zinc is below the temperature of the furnace	ignore density ignore evaporates	1
	lead separates because it melts but does not boil **or** the temperature of the furnace is above the melting point of lead but below its boiling point	ignore density accept lead is molten for lead melts	1
		if no other mark awarded allow **1** mark for they (zinc and lead) have different boiling points **or** zinc's boiling point is lower than lead's or vice versa	
Total			**8**

4.1.1.2 Mixtures

Answer 65 · Mark scheme

June 2011 | CHY1H | Original Q3 | Legacy

CHY1H

4.1.1.2 Mixtures

Answer 66 · Mark scheme

June 2011 | CHY1H | Original Q4 | Legacy

Question 4

question	answers	extra information	mark
4(a)	any **two** from: • improve the colour / appearance • additives are permitted / not banned / listed on the label • link between additives and hyperactivity not proved • maintain the low cost of the drink **or** natural colours would make the drink cost more	ignore reference to taste / shelf-life / sales etc allow cheaper if qualified	2
4(b)	have a control group / placebo **or** test children before any drink given give a drink to at least 3 groups **or** give a drink at least 3 times give each additive to different group / children / at different times observe / monitor / compare behaviour of group / children		1 1 1 1
4(c)(i)	so that there would be trust / respect / no bias		1
4(c)(ii)	compare the colours / spots from the orange drink with those of the (three) additives there should be no matching colours / spots	accept diagram of chromatogram(s) with spots for E102, 104, 110 and sample	1 1
Total			**9**

4.1.1.2 Mixtures

Answer 66 · Mark scheme

June 2011 | CHY1H | Original Q4 | Legacy

CHY1H

4.1.1.2 Mixtures

Answer 67 · Mark scheme

June 2011 | CHY1H | Original Q5 | Legacy

Question 5

question	answers	extra information	mark
5(a)	complete diagram with 2 carbon atoms and 5 hydrogen atoms each C–C and each C–H linked by a single line (bond)		1
5(b)(i)	the greater the number of (carbon) atoms (in an alkane molecule) the greater its boiling point **or** vice versa	allow as the (carbon) chain gets longer the boiling point increases ignore melting points do **not** accept reference to greater number of molecules	1
5(b)(ii)	any **two** from: • low boiling point / volatile • low viscosity • high flammability • small molecules • burn completely	they = hydrocarbons from the graph it = $C_{30}H_{62}$ accept they are gases or liquids accept easier to burn / ignite accept short chains ignore number of carbon atoms ignore speed of burning	2
5(c)(i)	16 (CO_2) + 18 (H_2O)		1
5(c)(ii)	(carbon dioxide in the Earth's early) atmosphere	accept from volcanoes (millions of years ago) **or** from dead plants / animals allow dead sea creatures ignore shells	1

Question 5 continues on the next page . . .

4.1.1.2 Mixtures

CHY1H

Question 5 continued . . .

question	answers	extra information	mark
5(c)(iii)	increase in burning / use of fossil fuels		1
	locked up carbon (carbon dioxide) is released	allow carbon / carbon dioxide from millions of years ago is released accept extra carbon dioxide is not 'absorbed' (by the carbon cycle)	1
Total			**8**

4.1.1.2 Mixtures

Answer 68 · Mark scheme

June 2011 | CHY1H | Original Q6 | Legacy

Question 6

question	answers	extra information	mark
6	any **four** from: **Arguments for biodiesel** max **three** from: • sustainable / renewable • (carbon neutral) absorbs CO_2 when growing / during photosynthesis • burning biodiesel produces low amounts particulates / carbon monoxide • can use waste vegetable oils / fats (from food industry) **or** can use waste plant material • can be used to conserve crude oil (instead of / mixed with petroleum diesel) • produced by a low energy / temperature process • biodegrades (easily) **Arguments against biodiesel** max **three** from: • creates food shortages • deforestation to plant more crops leads to loss of habitat / biodiversity **or** deforestation leads to a reduction in absorption of CO_2 • burning biodiesel produces high amounts of nitrogen oxides • crops takes time to grow • vast areas of land needed to grow crops conclusion supported by the argument presented, which must give added value to the points for and against given above	to gain **4** marks both pros and cons should be given allow burning biodiesel produces little / low amount of global dimming ignore sulfur dioxide accept produced by a low tech process ignore engine effects accept price of food increases allow burning trees increases CO_2 allow deforestation increases global warming allow increases acid rain allow crops can fail	4 1
Total			**5**

The AQA UMS Conversion Calculator is available on the Results statistics page of the AQA Website

4.1.1.2 Mixtures

Answer 69 · Mark scheme

June 2011 | CHY2H | Original Q3 | Legacy

Question 3

question	answers	extra information	mark
3(a)	particles move faster **or** particles have more energy	accept molecules / atoms / ions instead of particles ignore move / vibrate more	1
	so they collide more often / frequently **or** more of the collisions are successful / have the activation energy	allow particles collide harder / with more force ignore collide quicker ignore collide more / more collisions	1
3(b)	any **one** from: • increase surface area (of the rock) • increase the concentration (of the acid) • add a catalyst • stir / mix the mixture	 accept crush / powder the rock ignore increase the pressure / temperature	1
Total			**3**

4.1.1.2 Mixtures

Answer 69 · Mark scheme

June 2011 | CHY2H | Original Q3 | Legacy

CHY2H

4.1.1.2 Mixtures

Answer 70 · Mark scheme

June 2011 | CHY2H | Original Q5 | Legacy

Question 5

question	answers	extra information	mark
5(a)(i)	electron(s)	allow free / delocalised / negative electrons do **not** accept additional particles	1
5(a)(ii)	ion(s)	allow named ions from table ignore positive or negative do **not** accept additional particles	1
5(b)(i)	copper	accept Cu do **not** accept Cu^{2+}	1
5(b)(ii)	it is / they are positive (ions) and it is the least reactive	accept formula of positive ion	1 1
5(c)(i)	loss of electron(s)	ignore numbers	1
5(c)(ii)	$\mathbf{2H^+}$ + $\mathbf{2e^-}$ → H_2	accept correct multiples / fractions accept e / e^- allow $\mathbf{2H^+}$ → H_2 — $\mathbf{2e^-}$	1
Total			**7**

4.1.1.2 Mixtures

Answer 70 · Mark scheme June 2011 | CHY2H | Original Q5 | Legacy

CHY2H

Answer 71 · Mark scheme November 2011 | CHY1AP | Original Q2 | Legacy

Two	**A**	Hydrocarbons turn to vapour		**1**
	B	Hydrocarbons cool		**3**
	C	Hydrocarbons with low boiling points		**2**
	D	Hydrocarbons condense to form liquids		**4**

	A	**B**	**C**	**D**

Answer 72 · Mark scheme November 2011 | CHY1AP | Original Q5 | Legacy

Five	**4**	**2**	**2**	**2**

Answer 73 · Mark scheme November 2011 | CHY1AP | Original Q7 | Legacy

Seven	**1**	**2**	**2**	**3**

Answer 74 · Mark scheme November 2011 | CHY1BP | Original Q9 | Legacy

Nine	**4**	**1**	**3**	**2**

The AQA UMS Conversion Calculator can be found at the following web address:

http://www.aqa.org.uk/umsconversion

4.1.1.2 Mixtures

Answer 75 · Mark scheme

Question 2

question	answers	extra information	mark
2(a)(i)	C_7H_{16}	mark answer line first answer may be given in the table	1
2(a)(ii)	C_nH_{2n+2}		1
2(b)(i)	carbon monoxide	do **not** accept carbon oxide do **not** accept water ignore CO	1
2(b)(ii)	because of partial / incomplete combustion (in reaction 2) **or** complete combustion (in reaction 1)	allow because there is less/insufficient oxygen (in reaction 2) **or** sufficient oxygen (in reaction 1) allow different amounts of oxygen used (in the reactions) **or** $19O_2$ (in reaction 1) **and** $13O_2$ (in reaction 2) ignore air	1
2(c)(i)	15 (%)	ignore units	1
2(c)(ii)	water (vapour) / steam	allow H_2O / OH_2 / hydrogen oxide	1
2(c)(iii)	<u>sulfur</u> in petrol / crude oil (reacts with oxygen)	it = sulfur dioxide	1
2(c)(iv)	because nitrogen **and** oxygen (are in the air and) react at high temperature (inside a petrol engine)	allow nitrogen **and** oxygen burn accept nitrogen + oxygen → nitrogen oxide **or** symbol equation ignore air allow heat/hot (engine)	1 1

Question 2 continues on the next page……..

4.1.1.2 Mixtures

Answer 75 · Mark scheme

CH1HP

Question 2 cont'd….

question	answers	extra information	mark
2(d)	because carbon dioxide / it causes global warming **or** because carbon dioxide / it has an impact on oceans because this carbon dioxide / carbon / it was 'locked up' (in fossil fuels) **or** because the percentage/amount of carbon dioxide/it in the atmosphere is increasing	allow because carbon dioxide/it causes greenhouse effect / climate change	1 1
Total			**11**

4.1.1.2 Mixtures

Answer 75 · Mark scheme

January 2012 | CH1HP | Original Q2 | Legacy

CH1HP

4.1.1.2 Mixtures

Answer 76 · Mark scheme

Question 4

question	answers	extra information	mark
4(a)(i)	reduction	accept redox / smelting	1
4(a)(ii)	3 4 3		1
4(b)(i)	55	ignore other units	1
4(b)(ii)	water	accept sodium hydroxide accept correct formulae H_2O or NaOH	1
4(b)(iii)	any **one** from: • save energy / fuel for transporting the ore • (old) quarries nearby for waste/red mud	accept less (cost of) transport allow transported quickly	1

Question 4 continues on the next page …….

CH1HP

Question 4 cont'd…

question	answers	extra information	mark
4(c)	**Environmental** any **one** from: • less mining / quarrying (of bauxite) • less landfill space needed / used • less use of fossil fuels / energy • less carbon dioxide produced **Ethical or social** any **one** from: • saves resources • creates (local) employment • more people aware of the need for recycling	 allow loss of habitat / less qualified noise pollution allow less red mud / waste allow using resources more than once if answers reversed and both correct award **1** mark allow less qualified noise pollution if not given in environmental	1 1
Total			**7**

4.1.1.2 Mixtures

Answer 76 · Mark scheme

January 2012 | CH1HP | Original Q4 | Legacy

CH1HP

4.1.1.2 Mixtures

Answer 77 · Mark scheme

January 2012 | CH1HP | Original Q5 | Legacy

Question 5

question	answers	extra information	mark
5(a)		students do not have to use the letters but the descriptions should be in logical order	
	W the water boils **or** steam is produced	allow water vapour rises	1
	X the oils / substances (in lavender) are vaporised / removed (by the steam)		1
	Y (the vapours are) condensed	allow turned back to liquid ignore cooled	1
	Z the water can be run off / tapped off leaving the oil(s)	allow oil floats on water **or** they form two layers	1
5(b)(i)		incorrect reagent = 0 marks	
	add bromine water		1
	(bromine water) is decolourised / goes colourless	ignore clear if colour of bromine water given it must be yellow, orange, red or brown	1
5(b)(ii)	any **one** from: • to harden the oil • to change the oil into a solid • to make the oil into a spread • to increase its melting point	ignore boiling point	1

Question 5 continues on the next page…….

4.1.1.2 Mixtures

Answer 77 · Mark scheme

CH1HP

Question 5 cont'd…

question	answers	extra information	mark
5(b)(iii)		incorrect process = max 2	
	(olive oil is) reacted with hydrogen	accept hydrogenated	1
	using a nickel catalyst		1
	at a temperature of about 60 °C	allow 50°C to 160°C	1
		if last two points not given allow 'heat with a catalyst' for **1** mark	
Total			**10**

4.1.1.2 Mixtures

Answer 77 · Mark scheme

January 2012 | CH1HP | Original Q5 | Legacy

CH1HP

4.1.1.2 Mixtures

Answer 78 · Mark scheme

January 2012 | CH1HP | Original Q7 | Legacy

Question 7

question	answers	extra information	mark
7(a)(i)	$C_{11}H_{24}$ it does not have a (carbon carbon) double bond **or** it has only single (carbon carbon) bonds.	 linked to first mark point accept it is an alkane **or** it is (a) saturated (hydrocarbon) accept converse statement	1 1
7(a)(ii)	ethene 4 x single C-H bonds 1 x double C=C bond ethanol 5 x single C-H bonds 1 x single C-C bond	 if additional bonds are given on water molecule then both ethene and ethanol must be correct for **1** mark	1 1
7(b)	Marks awarded for this answer will be determined by the Quality of Written Communication (QWC) as well as the standard of the scientific response. Examiners should also refer to the information on page 2, and apply a 'best-fit' approach to the marking.		6

0 marks	Level 1 (1-2 marks)	Level 2 (3-4 marks)	Level 3 (5-6 marks)
No relevant content.	There is a simple description of advantages **and / or** disadvantages of environmental or economic or social factors why Brazil should produce ethanol from crude oil or from sugar cane. There is a weak or no conclusion.	There a clear description of advantages **and /or** disadvantages of environmental **and** economic or social factors why Brazil should produce ethanol from crude oil or from sugar cane. There is a conclusion based on the factors described.	There is a detailed description of the advantages **and / or** disadvantages of environmental **and** economic or social factors why Brazil should produce ethanol from crude oil or from sugar cane, considering both processes. There is a justified conclusion.

examples of the chemistry points made in the response			
Sugar cane		**Crude oil**	
Advantage **Environmental:** • it is renewable / sustainable • it grows absorbing CO_2 which makes it 'carbon neutral' **Economical / Social:** • growing it is labour intensive so provides (local, rural) employment • low amount of energy / fuel needed so process costs are low • simple / low technology process so process / investment costs are low		Disadvantage **Environmental:** • it is non-renewable / will run out • it contains 'locked up' carbon / CO_2 **or** when released increases global warming • destruction of marine habitats caused by accidents / spillages **Economical / Social:** • process requires small number of trained workers • high amount of energy / fuel needed so process costs are high • complex / high tech process so process / investment costs are high	
Disadvantage **Environmental:** • destruction of habitats / biodiversity to provide land to grow sugar cane **Economical / Social:** • land should be used to grow food (shortage / cost / population increase) • growing or process is slow / batch / unreliable (crop failure)		Advantage **Environmental:** • does not use land as it is offshore **Economical / Social:** • no loss of food crops • extracting or process is fast / continuous / reliable	
Total			**10**

UMS Conversion Calculator www.aqa.org.uk/umsconversion

4.1.1.2 Mixtures

Answer 79 · Mark scheme

June 2012 | CH1HP | Original Q2 | Legacy

Question 2

question	answers	extra information	mark
2(a)	any **one** from: • there are many stages needed (to extract titanium) • more energy / materials are needed (to extract titanium) • titanium cannot be extracted by using carbon	ignore references to cost / mining / availability allow longer / slower / more complicated process / batch process ignore higher temperature ignore reference to electrolysis do **not** accept titanium extracted by electrolysis	1
2(b)	carbon dioxide	allow CO_2	1
2(c)	magnesium chloride is electrolysed / used / decomposed magnesium and / or chlorine are recycled / reused	 allow the products of electrolysis are recycled word / symbol equation = **1** mark	1 1
2(d)	 because oxygen / nitrogen (in air) would react with the magnesium **or** would produce magnesium oxide / nitride whereas argon is inert / unreactive **or** argon does not react (with magnesium)	accept titanium for magnesium ignore argon is in Group 0 / noble gas	 1 1
2(e)	240		1
2(f)	250	allow range 245 to 250	1
Total			**8**

4.1.1.2 Mixtures

Answer 79 · Mark scheme

June 2012 | CH1HP | Original Q2 | Legacy

CH1HP

4.1.1.2 Mixtures

Answer 80 · Mark scheme

June 2012 | CH1HP | Original Q3 | Legacy

Question 3

question	answers	extra information	mark
3(a)(i)	(1) 5 3 (6) 4 2	all numbers in the correct order gains both marks any two numbers in the correct position gains **1** mark	2
3(a)(ii)	water carbon dioxide	ignore formula if correct name given accept hydrogen oxide allow H_2O allow CO_2 accept carbon monoxide / CO **or** carbon / C	1 1

Question 3 continues on the next page . . .

CH1HP

Question 3 cont'd…

question	answers	extra information	mark
3(b)	Marks awarded for this answer will be determined by the Quality of Written Communication (QWC) as well as the standard of the scientific response. **Examiners should also refer to the information on page 2**, and apply a 'best-fit' approach to the marking.		6

0 marks	Level 1 (1-2 marks)	Level 2 (3-4 marks)	Level 3 (5-6 marks)
No relevant content.	There is a **basic** description of at least one advantage **or** one disadvantage caused by using plastic shopping bags made from poly(ethene).	There is a **clear** description of both an advantage **and** a disadvantage caused by using plastic shopping bags made from poly(ethene).	There is a **detailed** description of both advantages **and** disadvantages caused by using plastic shopping bags made from poly(ethene).

examples of the chemistry/social points made in the response:
ignore cost unqualified

Advantages:

- Simple properties eg strong / low density / water resistant
- Bags can be reused (for shopping) **or** another specified use eg bin liners
- Money charged for bags can go to good causes **or** encourage reuse
- Poly(ethene) bags can be recycled eg made into milk bottle crates
- Poly(ethene) bags can be burned to provide heat for buildings/generation of electricity
- New bags are now made that can biodegrade

Disadvantages:

- (Older) bags can take many years to biodegrade
- There is a shortage of landfill space
- Bags are made from (crude) oil which is a non-renewable resource/running out
- Large amounts of energy/fuel are used for the production of poly(ethene)
- Production of poly(ethene) releases carbon dioxide/causes global warming
- Specified issue caused by litter eg visual pollution or effect on wildlife
- Burning bags release carbon dioxide / causes global warming

Total			10

4.1.1.2 Mixtures

Answer 80 · Mark scheme June 2012 | CH1HP | Original Q3 | Legacy

CH1HP

Answer 81 · Mark scheme

June 2012 | CH1HP | Original Q5 | Legacy

Question 5

question	answers	extra information	mark
5(a)(i)	water	accept hydrogen oxide allow H_2O	1
5(a)(ii)	carbon dioxide	allow CO_2 accept any soluble carbonate **or** carbonic acid	1
5(b)(i)	$CaCO_3$ + **2** HCl → $CaCl_2$ + CO_2 + H_2O		1
5(b)(ii)	because sulfur reacts with oxygen / air to produce sulfur dioxide **or** sulfur burns to produce sulfur dioxide and (sulfur dioxide) causes acid rain that reacts with/erodes limestone/calcium carbonate	accept correct equation ignore wears away	1 1
5(c)(i)	 because carbon dioxide is produced from burning methane because carbon dioxide is produced from decomposing calcium carbonate/limestone	it = carbon dioxide ignore references to carbon dioxide is in the air accept correct equation accept correct equation do **not** accept carbon in calcium carbonate reacting with air	 1 1
5(c)(ii)	nitrogen this is the main gas / 75 – 80% / of air	 allow there is a lot of this gas in air	1 1
Total			**9**

4.1.1.2 Mixtures

Answer 81 · Mark scheme

June 2012 | CH1HP | Original Q5 | Legacy

CH1HP

4.1.1.2 Mixtures

Answer 82 · Mark scheme

June 2012 | CH1HP | Original Q6 | Legacy

Question 6

question	answers	extra information	mark
6(a)(i)	olive oil does not dissolve in water	accept olive oil and water are immiscible allow there is no emulsifier ignore mustard ignore do not mix / different densities	1
6(a)(ii)	because mustard is an emulsifier **or** an emulsion forms **or** a suspension of oil in vinegar / water forms **or** vice versa	accept because an emulsifier is added	1
	the molecules have a 'head' / hydrophilic end which dissolves in / attracted to water	accept a diagram for either or both of these two marking points	1
	and a 'tail' / hydrophobic end which dissolves in / attracted to oil	if diagram contradicts the description or vice versa max one of these two marks	1
6(b)	(test:) bromine (water)	allow iodine (solution)	1
	(result:) turns colourless	allow orange colour disappears / decolourises ignore clear	1
6(c)	(olive oil is reacted with) hydrogen	accept hydrogenated	1
	using a nickel catalyst		1
	(at a temperature of about) 60 °C	allow 50 – 120°C ignore hot / heat	1
Total			**9**

4.1.1.2 Mixtures

Answer 82 · Mark scheme

June 2012 | CH1HP | Original Q6 | Legacy

CH1HP

4.1.1.2 Mixtures

Answer 83 · Mark scheme

June 2012 | CH1HP | Original Q7 | Legacy

Question 7

question	answers	extra information	mark
7(a)	C_2H_4 a correct other product **and** balanced eg C_4H_{10}		1 1
7(b)	bubbling / fizzing / frothing / effervescence	ignore gas given off **or** solution goes cloudy	1
7(c)	any **five** from the following bullet points: To gain full marks there should be both advantageous and disadvantageous issues and their importance **Advantageous issues using sugar cane:** • sugar cane/plants absorb carbon dioxide / photosynthesise • sugar cane / plants are renewable / sustainable • low energy process	allow converse for ethanol from crude oil ignore costs – unless specified ignore safety ignore simple/low technology process ignore labour intensive as an advantage **linked importance** so is carbon neutral **or** reduce global warming and so save resources / oil **or** crude oil is non-renewable and so it saves fuel **or** / making ethanol from crude oil needs fuel for fractional distillation / cracking	5

Question 7(c) continues on the next page . . .

Question 7(c) cont'd…

question	answers	extra information	mark
7(c)	**Disadvantageous issues using sugar cane:**	ignore fermentation releases carbon dioxide; destruction of habitats/land to build production plants; types of pollution; waste products	
	• large areas of land are needed	which leads to destruction of habitats / forest	
	• land could be used for food crops	may cause food shortages **or** increases the price of food **or** increasing world population	
	• slow process	so limits supply / production of ethanol	
	• ethanol is impure **or** contains 50% ethanol	so needs further separation or ethanol from crude oil is 100% pure	
	• batch process	so uses more labour	
	• the crop yield / supply of ethanol is unreliable	because growth is seasonal / weather dependent **or** possibility of crop failure	
	a justified conclusion	**compensation mark,** if no other mark awarded allow one mark for two or more issues	
Total			**9**

4.1.1.2 Mixtures

Answer 83 · Mark scheme

June 2012 | CH1HP | Original Q7 | Legacy

CH1HP

4.1.1.2 Mixtures

Answer 84 · Mark scheme

June 2012 | CH2HP | Original Q1 | Legacy

Question 1

question	answers	extra information	mark
1(a)(i)	prevent evaporation of solvent	allow prevent loss of solvent allow to support the (chromatography) paper	1
1(a)(ii)	ink dissolves in the solvent **or** carbon / graphite does not dissolve in the solvent	allow ink 'runs' / spreads **or** pencil does not 'run' / spread allow ink would affect the result / mixes with colours accept pencil for carbon / graphite	1
1(b)(i)	4		1
1(b)(ii)	any **one** from: • because not all colours match • not all colours are safe • some colours could be unsafe • some colours travelled higher (than safe colours)	no mark for 'no / don't know' ignore numbers	1
1(c)(i)	any **two** from: • rapid / quick • accurate • sensitive **or** detects very small quantities	ignore reliable / precise accept small sample	2

Question 1 continues on the next page . . .

4.1.1.2 Mixtures

CH2HP

Question 1 cont'd…..

question	answers	extra information	mark
1(c)(ii)	separates		1
1(c)(iii)	identifies solvents / compounds / substances	accept (relative) molecular mass accept formula mass accept M_r accept relative mass accept molecular ion peak	1
Total			**8**

4.1.1.2 Mixtures

Answer 84 · Mark scheme

June 2012 | CH2HP | Original Q1 | Legacy

CH2HP

4.1.1.2 Mixtures

Answer 85 · Mark scheme

January 2013 | CH1HP | Original Q3 | Legacy

question	answers	extra information	mark
3(a)	heat to vaporise (the crude oil)	do **not** accept cracking / burning	1
	vapours condense		1
	at different temperatures	allow they have different boiling points	1
3(b)	(alkanes) are hydrocarbons **or** are compounds of hydrogen and carbon only		1
	alkanes are saturated **or** have only (carbon-carbon) single bonds	accept have no (carbon-carbon) double bonds accept general formula is C_nH_{2n+2} for **2** marks	1

CH1HP

question		mark
3(c) Marks awarded for this answer will be determined by the Quality of Written Communication (QWC) as well as the standard of the scientific response.		6

0 marks	Level 1 (1-2 marks)	Level 2 (3-4 marks)	Level 3 (5-6 marks)
No relevant content.	There is a basic description of at least one advantage or one disadvantage of extracting petroleum products from oil sands.	There is a clear description of an advantage and a disadvantage of extracting petroleum products from oil sands.	There is a detailed description of both advantages and disadvantages of extracting petroleum products from oil sands.

examples of the chemistry/environmental/economic/social points made in the response

Advantages:

- the oil sands are needed because crude oil is running out
- this crude oil is needed because demand is increasing
- the oil sands contain a large amount of crude oil
- the oil sands could improve Canada's economy
- the oil sands provide employment for a lot of people
- the trees / forest are used for wood products / fuel

Disadvantages:

- destruction of environment / habitats
- fewer trees / forests to absorb carbon dioxide
- specified pollution, for example, visual, noise, atmospheric (including dust), water (including river or drinking) with cause, e.g. gases/particulates from burning diesel
- large amounts of methane(natural gas) are used to provide energy
- energy / fuel needed for cracking and fractional distillation
- burning fuel releases carbon dioxide
- crude oil / natural gas contains locked up carbon
- crude oil is non-renewable

Total			11

4.1.1.2 Mixtures

Answer 85 · Mark scheme

January 2013 | CH1HP | Original Q3 | Legacy

CH1HP

4.1.1.2 Mixtures

Answer 86 · Mark scheme

January 2013 | CH1HP | Original Q5 | Legacy

question	answers	extra information	mark
5(a)(i)	in the presence of a nickel catalyst		1
	at about 60°C	allow 50 – 150°C	1
5(a)(ii)	(no) because hydrogen adds to the unsaturated fat **or** (no) because hydrogen reduces the number of (carbon–carbon) double bonds	accept (no) because hydrogen increases number of (carbon-carbon) single bonds	1
	therefore there will be less unsaturated fat	accept therefore there will be more saturated fat ignore prefixes to unsaturated e.g. trans/mono/poly if the answer is 'yes' maximum **1** mark	1
5(b)	(shaking breaks up the olive oil into tiny) droplets that are unable to join up		1
	because (molecules in the) emulsifier have a 'head' which dissolves in / is attracted to water **or** is hydrophilic	accept correctly drawn diagram for **2** marks	1
	because (molecules in the) emulsifier have a 'tail' which dissolves in / is attracted to oil **or** is hydrophobic	if hydrophilic and hydrophobic are given the wrong way round, allow **1** mark	1
Total			**7**

4.1.1.2 Mixtures

Answer 86 · Mark scheme

January 2013 | CH1HP | Original Q5 | Legacy

CH1HP

4.1.1.2 Mixtures

Answer 87 · Mark scheme

question	answers	extra information	mark
6(a)	CO_2 (+) H_2O	correct products	1
	3(O_2) **2**(CO_2) **3**(H_2O)	correct balancing	1
6(b)(i)	add bromine water	allow iodine	1
	changes (from orange) to colourless / decolourised	ignore clear	1
6(b)(ii)		ignore any references to butane (C_4H_{10}) ignore incorrect names of catalysts	
	octane vapours		1
	are passed over a catalyst (to produce ethene)		1
	OR		
	octane mixed with steam (1)	for steam cracking, second mark is conditional on 'steam'	
	at a (very) high temperature (1)		
	steam is added (to ethene)	ignore the formula H_2O / water	1
	in the presence of a catalyst (to produce ethanol)		1
		if no other marks awarded then allow **1** mark for cracking of octane **or** hydration of ethene	
Total			**8**

4.1.1.2 Mixtures

Answer 87 · Mark scheme

January 2013 | CH1HP | Original Q6 | Legacy

CH1HP

4.1.1.2 Mixtures

Answer 88 · Mark scheme

January 2013 | CH2HP | Original Q3 | Legacy

question	answers	extra information	mark
3(a)(i)	to increase the rate of reaction		1
3(a)(ii)	H_2SO_4 on the left hand side H_2O on right hand side		1 1
3(a)(iii)	filtration	allow centrifuging **or** decanting ignore evaporation if after filtration	1
3(a)(iv)	crystallisation **or** evaporation / heating / boiling / cooling	ignore reference to filtration unless given as an alternative	1
3(a)(v)	any **one** from: • because of an incomplete reaction • because some (copper sulfate) lost on filtering **or** when poured into evaporating basin **or** boiled over **or** left in apparatus • weighing error (of copper sulfate)	 accept not all acid reacted accept impure reactants accept unexpected reaction ignore reversible reaction must specify when lost accept some (copper sulfate **or** acid) spilt	1
3(b)(i)	reversible (reaction)		1
3(b)(ii)	300(J) (energy) given out / released	allow the same accept exothermic / – ignore increasing **or** decreasing energy	1 1

Question 3 continues on the next page

January 2013

CH2HP

Question 3 cont'd

question	answers		extra information	mark
3(c)	$\frac{3.81}{63.5}$	$\frac{0.28}{14}$	**1** mark for dividing mass by A_r (max **2** if A_r divided by mass)	1
	= 0.06	= 0.02	**1** mark for correct proportions	1
	3	1	**1** mark for correct whole number ratio (allow multiples). Can be awarded from formula	1
	Cu_3N		**ecf** allowed from **step 2 to step 3** and **step 3 to step 4** if sensible attempt at step 1 correct formula gains **1** mark	1
Total				**13**

4.1.1.2 Mixtures

Answer 88 · Mark scheme

January 2013

CH2HP

4.1.1.2 Mixtures

Answer 89 · Mark scheme

January 2013 | CH2HP | Original Q4 | Legacy

question	answers	extra information	mark
4(a)	it is not used up	accept does not change accept reusable allow does not react	1
4(b)	they would melt **or** they have a low melting point	allow would lose their shape ignore soften	1
	because there are no cross links **or** there are weak intermolecular forces	accept there are weak bonds / forces between (polymer) chains	1
4(c)(i)		ignore reference to mass spectroscopy do **not** accept other incorrect process described	
	substances carried by gas	allow named gas	1
	(through) column / coil / tube **or** (through) solid (material) / powder		1
	at different speeds	accept different retention times	1
4(c)(ii)	(relative) molecular mass / M_r	allow (relative) formula mass **or** relative mass ignore relative atomic mass ignore identity of substance / molecule	1
Total			**7**

4.1.1.2 Mixtures

Answer 89 · Mark scheme

January 2013 | CH2HP | Original Q4 | Legacy

January 2013

CH2HP

Answer 90 · Mark scheme

June 2013 | CH1HP | Original Q3 | Legacy

Question 3

question	answers	extra information	Mark
3(a)(i)	exothermic	accept combustion allow burning **or** oxidation **or** redox	1
3(a)(ii)	carbon monoxide / *CO* (is produced) because there is incomplete / partial combustion (of the fuel)	allow monoxide (is produced) ignore carbon oxide accept because there is insufficient oxygen / air (to burn the fuel)	1 1

Question 3(b) continues on the next page

Question 3 continued

question	Answers	extra information	Mark
3(b)	Marks awarded for this answer will be determined by the Quality of Written Communication (QWC) as well as the standard of the scientific response. Examiners should also refer to the information on page 5.		6

0 marks	**Level 1 (1-2 marks)**	**Level 2 (3-4 marks)**	**Level 3 (5-6 marks)**
No relevant content.	There is a statement that crude oil is heated **or** that substances are cooled. However there is little detail and any description may be confused or inaccurate.	There is some description of heating / evaporating crude oil **and either** fractions have different boiling points **or** there is an indication of a temperature difference in the column.	There is a reasonable explanation of how petrol is or fractions are separated from crude oil using evaporating **and** condensing.

If cracking is given as a preliminary or subsequent process to fractional distillation then ignore.

However, if cracking / catalyst is given as part of the process, maximum is **level 2**

examples of chemistry points made in the response could include:

- Some / most of the hydrocarbons (or petrol) evaporate / form vapours or gases
- When some of / a fraction of the hydrocarbons (or petrol) cool to their boiling point they condense
- Hydrocarbons (or petrol) that have (relatively) low boiling points and are collected near the top of the fractionating column or hydrocarbons with (relatively) high boiling points are collected near the bottom of the fractionating column
- The process is fractional distillation
- Heat the crude oil / mixture of hydrocarbons or crude oil / mixture is heated to about 350°C
- Some of the hydrocarbons remain as liquids
- Liquids flow to the bottom of the fractionating column
- Vapours / gases rise up the fractionating column
- Vapours / gases cool as they rise up the fractionating column
- The condensed fraction (or petrol) separates from the vapours / gases and flows out through a pipe
- Some of the hydrocarbons remain as vapours / gases
- Some vapours / gases rise out of the top of the fractionating column
- There is a temperature gradient in the fractionating column or the fractionating column is cool at the top and hot at the bottom

Total			**9**

4.1.1.2 Mixtures

Answer 91 · Mark scheme

June 2013 | CH1HP | Original Q5 | Legacy

Question 5

question	Answers	extra information	Mark
5(a)(i)	H_2O	must be formula	1
	CaO	must be formula	1
5(a)(ii)		it = carbon (dioxide)	
	carbon dioxide from the air / (Earth's early) atmosphere	accept carbon dioxide from millions of years ago	1
	formed (sedimentary) rocks **or** fossil fuels	ignore trapped / stored	1
5(b)(i)		it = carbon (dioxide)	
	decreases rapidly at first		1
	then slowly **or** levels off		1
		allow both marks if the description is correct using either 'rapidly' **or** 'slowly'	
		allow correct use of figures for either marking point	
		if no other mark awarded, allow CO_2 decreased for **1** mark	
5(b)(ii)	any **two** from: • used by plants • dissolved in oceans • 'locked up' in fossil fuels **or** formed fossil fuels • 'locked up' in rocks **or** formed rocks	it = carbon (dioxide) accept photosynthesis	2

Question 5 continues on the next page

4.1.1.2 Mixtures

Question 5 continued

question	Answers	extra information	Mark
5(c)		it = percentage of carbon (dioxide)	
	(yes)	ignore yes or no	
	because the percentage of carbon dioxide is increasing		1
	which causes global warming (to increase)	allow (carbon dioxide) causes greenhouse effect/climate change	1
	or		
	(no)		
	because the percentage of carbon dioxide is low (1)		
	compared to millions of years ago (1)	allow global warming can be caused by other factors (e.g. Sun / water vapour / methane)	
Total			**10**

4.1.1.2 Mixtures

Answer 92 · Mark scheme

June 2013 | CH2HP | Original Q1 | Legacy

Question 1

question	Answers	extra information	Mark
1(a)(i)	the more sodium hydrogencarbonate the greater the temperature change up to 8 spatula measures then the temperature change is constant	accept examples from the table accept any correct indication of when change occurs if no marks awarded allow **1** mark for: the more sodium hydrogencarbonate the lower the final temperature	1 1 1
1(a)(ii)	energy is taken in from the surroundings **or** endothermic		1
1(b)(i)	gas / carbon dioxide / steam / water is produced	accept carbon dioxide is a gas **or** steam / water is a gas allow gas / air expands when heated	1
1(b)(ii)	no, because (reaction) is exothermic **or** yes, to start the reaction	allow no, because (reactants) were formed by heating ignore references to cooling	1
1(c)(i)	84	correct answer with or without working gains **2** marks if no answer or incorrect answer then evidence of 23 +1 + 12 + (3 × 16) gains **1** mark	2
1(c)(ii)	14.29	accept rounding to 14.3 or 14 allow ecf from (c)(i)	1
Total			**9**

4.1.1.2 Mixtures

Answer 93 · Mark scheme

June 2013 | CH2HP | Original Q6 | Legacy

Question 6

question	Answers	extra information	Mark
6(a)	has simple / small molecules	accept molecular covalent	1
	the intermolecular forces / intermolecular bonds (are weak)	do **not** accept weak covalent bonds **or** reference to incorrect bonding	1
	only need a small amount of energy to be overcome	accept only need a small amount of energy to separate the molecules if no other mark awarded, allow it has a low boiling point for **1** mark	1
6(b)(i)	to separate		1
6(b)(ii)	(relative) molecular mass	allow M_r / (R)MM / relative mass / mass of molecule / (R)FM	1
6(c)(i)	any pH value from 0 to 6.9		1
6(c)(ii)	hydrogen	allow H^+ ignore H / H_2 / H^-	1
6(d)	any **three** from:		3
	• same number of protons	accept same atomic number numbers if given must be correct	
	• ^2H has one neutron • ^1H has no neutrons	accept different mass number **or** different number of neutrons for **1** mark ignore relative atomic mass	
	• same number of electrons	numbers if given must be correct	
Total			**10**

UMS Conversion Calculator: www.aqa.org.uk/umsconversion

4.1.1.2 Mixtures

Answer 94 · Mark scheme

June 2014 | CH1HP | Original Q2 | Legacy

Question	Answers	Extra information	Mark	AO / Spec. Ref.	ID
2(a)(i)	reaction with water / steam	allow add water / steam *(to produce ethanol)* *allow H_2O or hydrogen oxide for water* *ignore mix*	1	1 / 1.5.3a	E
2(a)(ii)	filter / decant (to remove the yeast)	*allow answers in either order* *accept description of decanting* *ignore sieve*	1	2 / 1.5.3b	E
	(fractional) distillation / distil	*accept evaporation then condensation*	1		

Answer 94 · Mark scheme

<table>
<tr><td colspan="4">2(b) Marks awarded for this answer will be determined by the Quality of Written Communication (QWC) as well as the standard of the scientific response. Examiners should also refer to the information on page 5, and apply a ‘best-fit’ approach to the marking.</td><td>1+2+3 / 1.4.3e</td><td>E</td></tr>
<tr><td>0 marks</td><td>Level 1 (1–2 marks)</td><td>Level 2 (3–4 marks)</td><td>Level 3 (5–6 marks)</td><td rowspan="2"></td><td rowspan="2"></td></tr>
<tr><td>No relevant content</td><td>There is a stated advantage or disadvantage of using biodiesel or petroleum diesel.</td><td>There is a stated advantage or disadvantage of using biodiesel or petroleum diesel with a linked consequence.</td><td>There is at least one stated advantage and at least one stated disadvantage of using biodiesel or petroleum diesel with a linked consequence for each.</td></tr>
<tr><td colspan="4">Examples of points made in the response could include:
Advantages of biodiesel:
• Produces less carbon dioxide
• Produces no sulfur dioxide
• Produces less particulates
• Sustainable / renewable
• Growing crops absorb carbon dioxide
• Carbon neutral
• Produces less acid rain
• Conserves the limited amount of petroleum diesel
Disadvantages of biodiesel:
• Produces more nitrogen oxides
• Deforestation for land
• Destruction of habitats for land
• Uses land that could be used for food crops
• Creates food shortages
• Crops are not reliable</td><td></td><td></td></tr>
</table>

Total			**9**

4.1.1.2 Mixtures

Answer 94 · Mark scheme

June 2014 | CH1HP | Original Q2 | Legacy



4.1.1.2 Mixtures

Answer 95 · Mark scheme June 2014 | CH2HP | Original Q1 | Legacy

Question	Answers	Extra information	Mark	AO / Spec. Ref.	ID
1(a)(i)	(phosphoric) acid	*allow phosphoric*	1	2 / 2.6.2d	G
1(a)(ii)	H^+ / hydrogen (ion)	*if ion symbol given, charge must be correct*	1	2 / 2.6.2d	E
1(b)(i)	pencil so it will not run / smudge / *dissolve* **or** because ink would run / smudge / *dissolve*	 *ignore pencil will not interfere with / affect the results* *ignore ink will interfere with / affect the results*	1 1	2 / 2.3.2b	E
1(b)(ii)	any **three** from: • *3* colours in Cola • *2* colours in Fruit drink • one of the colours is the same • two of the colours in Cola are different • one of the colours in Fruit drink is different • *one of the colours in Cola is the most soluble*	*reference to spots / dots = max **2*** *allow colouring for colour* *allow more colours in cola **or** fewer colours in fruit drink* *allow some of the colours in the drinks are different* *accept one of the colours in Cola has the highest R_f value*	3	3 / 2.3.2b	E
1(c)	different substances travel at different speeds **or** have different retention times	*accept different attraction to solid* *ignore properties of compounds*	1	1 / 2.3.2c	E

4.1.1.2 Mixtures

Answer 95 · Mark scheme

June 2014 | CH2HP | Original Q1 | Legacy

Question	Answers	Extra information	Mark	AO / Spec. Ref.	ID
1(d)(i)	Is there caffeine in a certain brand of drink?		1	3 / 2.3.2	A
1(d)(ii)	any **two** from: • cannot be done by experiment • based on opinion / *lifestyle choice* • ethical, *social* or economic issue	*accept caffeine has different effects on different people*	2	3 / 2.3.2	E
Total			**11**		

4.1.1.2 Mixtures

Answer 95 · Mark scheme

June 2014 | CH2HP | Original Q1 | Legacy

Question	Answers	Extra information	Mark	AO / Spec. Ref.	ID
2 Marks awarded for this answer will be determined by the Quality of Written Communication (QWC) as well as the standard of the scientific response. Examiners should also refer to the information on page 5, and apply a 'best-fit' approach to the marking.				1 + 2 / 2.1.1f/g 2.2.1a 2.2.2a	E
0 marks	**Level 1 (1–2 marks)**	**Level 2 (3–4 marks)**	**Level 3 (5–6 marks)**		
No relevant content	*There is a statement about the bonding and/or structure **or** melting / boiling point of chlorine **or** sodium chloride.*	*There are statements about the bonding and/or structure of chlorine **or** sodium chloride.*	*There are statements about the bonding and/or structure of chlorine **and** sodium chloride.* *There is an explanation of why chlorine is a gas **or** sodium chloride is a solid.*		
Examples of chemistry points made in response: **Chlorine:** covalent bonds between atoms forming simple molecules *no / weak attraction / bonds between molecules* low boiling point **Sodium chloride:** *ionic bonds **or** electrostatic attraction* strong bonds in all directions between oppositely charged ions forming giant lattice *large amounts of energy needed to break bonds* *high melting point*					
Total			**6**		

4.1.1.2 Mixtures

Answer 95 · Mark scheme

June 2014 | CH2HP | Original Q1 | Legacy



4.1.1.2 Mixtures

Answer 96 · Mark scheme

June 2014 | CH3HP | Original Q1 | Legacy

Question	Answers	Extra information	Mark	AO / Spec. Ref.	ID
1(a)	filter to remove *solids* **or** *insoluble particles* **OR** *add coagulant (1)* flocculation / settling / remove *solids* (1) (add) chlorine to reduce the number of microbes	 *accept ozone / UV* accept to kill microbes / bacteria / germs accept sterilise *allow disinfect* *ignore remove microbes*	1 1 1 1	1 / 3.2.2a/c	E
1(b)(i)	ion exchange resin	allow ion exchange column *allow sodium ions / Na^+* *allow hydrogen ions / H^+*	1	1 / 3.2.2b	E
1(b)(ii)	prevent growth of microbes	*accept sterilise* *accept to kill microbes / bacteria / germs* *accept to reduce the number of microbes* *ignore remove microbes*	1	1 / 3.2.2b	E
1(c)	high cost of energy / *heating*	*allow uses a lot of energy*	1	2 / 3.2.2d	E
1(d)	any **one** from: • helps to develop / maintain bones • helps to develop / maintain teeth • reduces heart disease	 allow any suitable positive effect on bones allow any suitable positive effect on teeth	1	1 / 3.2.1f	E
Total			**8**		

4.1.1.2 Mixtures

Answer 96 · Mark scheme

June 2014 | CH3HP | Original Q1 | Legacy



4.1.1.2 Mixtures

Answer 97 · Mark scheme

June 2015 | CH1HP | Original Q2 | Legacy

Question	Answers	Extra information	Mark	AO / Spec. Ref.
2(a)(i)	(calcium) carbonate	ignore $CaCO_3$	1	1 / 1.2.1a
2(a)(ii)	(thermal) decomposition		1	1 / 1.2.1b
2(a)(iii)	water	allow H_2O allow hydrogen oxide	1	1 / 1.2.1d
2(a)(iv)	alkali	allow base	1	1 / 1.2.1d
2(b)(i)	straight line through the first, second and fourth points straight line through the last four points	 allow a straight line through the last three points if the first straight line extrapolates below point four	1 1	2+3 / 1.2.1g
2(b)(ii)	repeat the experiment (at each mass of aggregate) (use the results to) calculate a mean/average value (for each mass of aggregate)	do not allow repeat at other masses	1 1	3 / 1.2.1g

4.1.1.2 Mixtures

Answer 97 · Mark scheme

Question	Answers	Extra information	Mark	AO / Spec. Ref.
2(b)(iii)	line drawn to y axis showing extrapolation		1	2+3 / 1.2.1g
	correct value read from graph	allow +/- one small square do not allow 0 award 1 mark for a value of 34-40 if no extrapolation shown	1	
2(b)(iv)	at first, the force needed to break a concrete beam increases	allow values allow at first the statement is correct	1	3 / 1.2.1g
	but the force needed to break a concrete beam then decreases	allow values	1	
	mention of 400 g as the point at which the force needed changes or value from graph	allow 400g if there is no intercept on graph	1	
Total			13	

4.1.1.2 Mixtures

Answer 97 · Mark scheme

June 2015 | CH1HP | Original Q2 | Legacy



4.1.1.2 Mixtures

Answer 98 · Mark scheme

June 2015 | CH1HP | Original Q6 | Legacy

Question	Answers	Extra information	Mark	AO / Spec. Ref.
6(a)(i)	(vegetable oils) provide energy		1	1 / 1.6.1b
6(a)(ii)	any **two** from: • crushing • pressing • distillation	allow filtering, decanting, centrifuging (for either second or third bullet point)	2	1 / 1.6.1a
6(b)	vegetable oils have a higher boiling point (than water) so foods are cooked faster (than with water)	allow cooks food at a higher temperature (than water) if no other mark awarded allow 1 mark for flavour / texture	1 1	1 / 1.6.1c
6(c)	the emulsifier molecules have a 'head' or hydrophilic end which dissolves in/attracted to water the emulsifier molecules have a 'tail' or hydrophobic end which dissolves in/attracted to oil so forms a (stable) suspension or droplets of oil in water or vice versa hydrophilic is the 'head' of the molecule **or** hydrophobic is the 'tail' of the molecule	allow a diagram for any of the marking points allow 1 mark if both attractions are reversed allow droplets repel each other allow this mark anywhere in the answer	1 1 1 1	1+2 / 1.6.2a/b
Total			**9**	

4.1.1.2 Mixtures

Answer 99 · Mark scheme

June 2015 | CH2HP | Original Q3 | Legacy

Question	Answers	Extra information	Mark	AO / Spec. Ref.
3(a)		first 3 marks can be obtained from a suitably labelled diagram incorrect structure or bonding or particle = max 3		AO1 2.1.h,i 2.2.4a
	giant structure / lattice / layers / close packed		1	
	made up of atoms / positive ions		1	
	with delocalized / free electrons		1	
	so electrons can move / flow through the metal	accept so electrons can carry charge through the metal accept so electrons can form a current	1	
3(b)		accept converse for pure metal throughout both marks can be obtained from suitable diagrams		AO1 2,2,4c
	an alloy (is a metal which) has different types / sizes of atoms	allow made of different metals allow mixture of metals / atoms / elements ignore particles ignore properties do **not** accept compound	1	
	alloy has distorted layers	allow layers are unable to slide	1	
3(c)(i)	can return to its original shape	accept shape memory alloy accept smart alloy ignore other properties	1	AO1 2.2.4d

Question 3 continues on the next page

Question 3 continued

3(c)(ii)	(pure copper is too) soft	accept converse accept malleable or bends accept copper is running out ignore references to strength and weakness	1	**AO2** 2.2.4c 2.7.1d
3(c)(iii)	aluminium oxide	accept alumina accept Al_2O_3 ignore bauxite / aluminium ore	1	**AO1** 2.7.1h
3(c)(iv)	any **one** from: • different conditions • different catalyst • different pressure • different temperature	allow different concentration do **not** accept different monomers	1	**AO1** 2.2.5a
3(d)	any **two** from: • accurate • sensitive • rapid • small sample	both needed for 1 mark	1	**AO1** 2.3.2a
Total			**11**	

4.1.1.2 Mixtures

Answer 99 · Mark scheme

June 2015 | CH2HP | Original Q3 | Legacy



4.1.1.2 Mixtures

Answer 100 · Mark scheme June 2015 | CH3HP | Original Q8 | Legacy

Question	Answers	Extra information	Mark	AO / Spec. Ref.
8(a)(i)	any **one** from • incorrect measurement of temperature or volume • incorrect recording of temperature • failure to stir • heat loss	ignore faulty equipment	1	**AO3** 3.1.3.c
8(a)(ii)	32 - 33		1	**AO2** 3.1.3.c
8(a)(iii)	55		1	**AO2** 3.1.3.c
8(a)(iv)	20		1	**AO2** 3.1.3.c
8(a)(v)	4620 J / joules	allow 4.62 kJ for **2 marks** allow kJ if evidence of dividing by 1000 mark independently, but if a numerical answer has been divided by 1000 must be kJ. allow ecf from their answers to 8(a)(iii) and 8(a)(iv)	1 1	**AO2** 3.3.1.b/c
8(b)	twice as much energy released but twice as much water to heat	allow more energy released but more water to heat for **2 marks** if no other mark awarded, allow twice the amount of hydrochloric acid used for **1 mark**	1 1	**AO3** 3.3.1.c
Total			**8**	

4.1.1.2 Mixtures

Answer 101 · Mark scheme

June 2016 | CH1HP | Original Q2 | Legacy

Question 2

Question	Answers	Extra information	Mark	AO / Spec. Ref.
2(a)(i)	high temperature catalyst or steam	allow heating / hot / 250-900 °C allow named catalyst eg zeolite, Al_2O_3, silica, ceramic allow in the absence of air / oxygen ignore any references to pressure	1 1	AO1 1.5.1a
2(a)(ii)	colourless	allow decolourised ignore clear / discoloured	1	AO1 1.5.1d
2(a)(iii)			1	AO2 1.4.2a
2(b)(i)	20.3(0) (kJ)	if answer incorrect allow **1** mark for 24.36/1.2	2	AO2 1.4.3b
2(b)(ii)	use a lid reduce energy / heat loss	allow insulate beaker or use draught shield ignore references to thermometer or repeats or distance of flame or loss of water vapour allow stir (1) to distribute energy / heat (1) allow use a metal can (1) as it's a better conductor (1)	1 1	AO3 4.3.2b/c/d
2(b)(iii)	carbon/soot (produced by) incomplete combustion	ignore tar, smoke allow from a limited supply of oxygen/air	1 1	AO1+AO2 1.4.3a/b
2(b)(iv)	hexane gives out the greatest energy (per 1.0 g) hexane produces the least smoke / carbon / soot	ignore more energy allow has the cleanest flame ignore less smoke / carbon / soot	1 1	AO3 1.4.2c; 1.4.3a/b

QWC Mark Scheme

Question	Answers	Extra information	Mark	AO / Spec. Ref.
2(c)			6	AO1+AO2+ AO3 1.1.3b; 1.4.1b/c; 1.4.3a/b/c/d ;1.7.2h/i

Marks awarded for this answer will be determined by the Quality of Written Communication (QWC) as well as the standard of the scientific response. Examiners should also refer to the information on page 5 and apply a 'best-fit' approach to the marking.

0 marks	Level 1 (1–2 marks)	Level 2 (3–4 marks)	Level 3 (5–6 marks)
No relevant content	Statements made from the information that indicate whether at least one statement is an advantage **or** a disadvantage **or** a linked advantage or disadvantage	Descriptions of an advantage **and** a disadvantage with some use of their knowledge to add value.	Descriptions of advantages **and** disadvantages that are linked to their own knowledge.

Examples of the added value statements and links made in the response could include:
Note that link words are in bold; links can be either way round.
Accept reverse arguments and ignore cost throughout.

Advantages of using hydrogen:

- Combustion only produces water **so** causes no pollution
- Combustion does not produce carbon dioxide **so** this does not contribute to global warming or climate change
- Combustion does not produce sulfur dioxide **so** this does not contribute to acid rain
- Incomplete combustion of petrol produces carbon monoxide **that is** toxic
- Incomplete combustion of petrol produces particulates **that** contribute to global dimming
- Petrol comes from a non-renewable resource **but** there are renewable/other methods of producing hydrogen
- Hydrogen releases more energy **so** less fuel needed or more efficient

Disadvantages of using hydrogen:

- Hydrogen is a gas **so** is difficult to store or transfer to vehicles
- Hydrogen gas is very flammable **so** leaks cause a greater risk of explosion
- Most hydrogen is produced from fossil fuels **which** are running out
- Cannot be used in existing car engines **so** modification / development or replacement is needed
- Lack of filling stations **so** difficult to refuel your vehicle

Total			18

4.1.1.2 Mixtures

Answer 102 · Mark scheme

June 2016 | CH1HP | Original Q4 | Legacy

Question 4

Question	Answers	Extra information	Mark	AO / Spec. Ref.
4(a)(i)	add yeast		1	AO1
	and ferment **or** by fermentation	allow in a warm place **or** temperatures within the range 20-45°C **or** with an airlock/absence of air	1	1.5.3b
4(a)(ii)	by hydration with steam	allow react with/addition of steam	1	AO1 1.5.3a
	in the presence of a catalyst	ignore names of catalyst and any other conditions allow a correctly named catalyst e.g. phosphoric acid	1	
4(b)		"it" = crude oil		AO1+AO2 1.4; 1.4.3e
		allow the link pairs in either order		
		ignore cost throughout		
	Advantages			
	crude oil is reliable source of ethanol	**or** produces pure ethanol	1	
	because it is not affected by weather conditions or plant growth is affected by weather condition	so purification/separation is not required	1	
	or does not cause food shortages	**or** quick / continuous process		
	because farmland not used	whereas fermentation takes a long time/is a batch process		
	Disadvantages			
	crude oil is a non-renewable / finite resource	allow production of ethanol from crude oil uses more energy or a higher temperature or burns more fossil fuels	1	
	so it will run out / plants grow again	so releases more carbon dioxide or causes global warming (or an effect)	1	

4.1.1.2 Mixtures

Answer 102 · Mark scheme

4(c)	heat (the mixture) ethanol has a lower boiling point than water **or** more ethanol than water vaporises **or** ethanol evaporates first or when the temperature reaches 78°C condense (the vapour)	 allow ethanol and water boil at different temperatures allow condense at different temperatures for the last two marking points if no other mark is awarded, allow repeat distillation or use fractional distillation apparatus for 1 mark	1 1 1	AO2 1.4.1 b; 1.5.3 b
Total			**11**	

4.1.1.2 Mixtures

Answer 103 · Mark scheme June 2016 | CH3HP | Original Q1 | Legacy

Question	Answers	Extra information	Mark	AO / SpecRef
1(a)(i)	fizz / effervescence / bubbles	allow calcium carbonate decreases in size or dissolves	1	AO2/AO3 3.4.1d, 3.6.2b
	because carbon dioxide produced / released	allow because gas produced / released	1	
	limewater turns cloudy / milky / white		1	
	because (a precipitate of or solid) calcium carbonate forms	allow because of carbon dioxide if not already credited	1	
1(a)(ii)		allow –OH do not allow lower case 'h'	1	AO1 3.6.2a
1(a)(iii)	acid	must be in this order ignore any name of an acid	1	AO1 3.6.2b
	ester(s)		1	
1(b)	white (precipitate) no change no change no change	all four correct 2 marks any two correct 1 mark	2	AO2 3.4.1e,f
1(c)(i)	lilac red	must be in this order allow purple	1 1	AO1 3.4.1a
1(c)(ii)	colours are masked / changed by each flame colour		1	AO3 3.4.1a
Total			**12**	

4.1.1.2 Mixtures

Answer 103 · Mark scheme

Question	Answers	Extra information	Mark	AO / SpecRef
2			6	2AO1 / 3AO2 / 1AO3 3.4.1g

Marks awarded for this answer will be determined by the Quality of Written Communication (QWC) as well as the standard of the scientific response. Examiners should also refer to the information on page 5 and apply a 'best-fit' approach to the marking.

0 marks	Level 1 (1–2 marks)	Level 2 (3–4 marks)	Level 3 (5–6 marks)
No relevant content.	There is a simple description of using some of the apparatus.	There is a description of an experimental method including addition of acid to alkali which may include an indicator or colour change and may include a measurement of volume.	There is a description of titrations that would allow a comparison to be made between the two solutions of hydrochloric acid.

examples of chemistry points made in the response could include:

- acid in burette **or** flask
- alkali/sodium hydroxide **or** acid in burette or flask
- volume of acid **or** alkali measured using the pipette
- indicator in flask
- white tile under the flask
- slow addition
- swirling/mixing
- colour change of indicator
- burette volume measured

Total		6

4.1.1.2 Mixtures

Answer 103 · Mark scheme

June 2016 | CH3HP | Original Q1 | Legacy



4.1.1.2 Mixtures

Answer 104 · Mark scheme

June 2016 | CH3HP | Original Q6 | Legacy

Question	Answers	Extra information	Mark	AO / SpecRef
6(a)(i)	natural gas	allow fossil fuels / biogas generator	1	AO1 3.5.1a
6(a)(ii)	air contains oxygen this would react with / oxidise the hydrogen	 allow this would react with / oxidise the iron ignore nitrogen	1 1	AO3 3.5.1b
6(a)(iii)	cooled ammonia condenses / liquefies (so can be separated) nitrogen and hydrogen (remain as gases and) are returned to the reactor	 allow recycled	1 1 1	AO1 3.5.1b
6(b)(i)	200 °C **and** 1000 atmospheres		1	AO3 3.5.1b
6(b)(ii)	the reaction is reversible forward reaction is exothermic so increased temperature lowers the yield of ammonia a lower temperature would decrease rate of reaction a higher pressure would increase the yield of ammonia because the forward reaction produces the least number of (gaseous) molecules / moles higher pressures would involve high cost / energy	allow stated as equilibrium or forward / backward reaction anywhere in answer allow converse allow converse allow converse ignore risk / explosion	1 1 1 1 1	3AO1 / 2AO3 3.5.1d,e,f,g,h
Total			**12**	

4.1.1.2 Mixtures

Answer 105 · Mark scheme June 2017 | CH1HP | Original Q2 | Legacy

Question	Answers	Extra information	Mark	AO / Spec. Ref.
2(a)(i)	electronic structure drawn	allow any representation of an electron allow 2,4	1	**AO2** 1.1.1h
2(a)(ii)	six / 6 protons (protons) are positively charged	 do **not** allow electrons in nucleus otherwise ignore electrons do **not** allow nucleus is neutral allow (protons are) + / +1 / 1+ ignore statements about mass if no other mark awarded allow one mark for nucleus	1 1 1	**AO1** **AO2** 1.1.1c;d;e
2(b)	(a hydrocarbon is) made up of hydrogen and carbon (atoms) only	do **not** allow mixture	1	**AO1** 1.4.1a;c
2(c)(i)	 	ethane correctly drawn with another hydrogen on each carbon and another three single bonds ethene correctly drawn with a double bond between the carbon atoms	1 1	**AO1** 1.4.2a 1.5.1c
2(c)(ii)	as the number of carbon atoms increases the boiling point increases	allow converse ignore alkene	1	**AO3** 1.4.2c

4.1.1.2 Mixtures

Answer 105 · Mark scheme

2(c)(iii)	the boiling points of alkanes are higher than the boiling points of alkenes that have the same number of carbon atoms **or** state a correct example	allow the boiling points of alkenes are lower than the boiling points of alkanes consequential on first marking point e.g. hexane has a higher boiling point than hexene **or** hexane boils at 69ºC hexene boils at 64ºC if no other mark awarded allow both alkanes and alkenes have the same pattern of the more carbon atoms the higher the boiling point for one mark	1 1	**AO2** 1.4.2b;c
2(d)	(alkane molecules are) cracked to produce small(er) molecules / alkanes / hydrocarbons and alkenes **or** a named alkene	allow break down / up **or** decompose **or** split up ignore separate allow short chain for small allow molecules that have a double bond **or** are unsaturated if no other mark awarded allow evaporate **or** boil for one mark ignore turns to gas	1 1 1	**AO1** **AO2** **AO3** 1.5.1a;b;d
Total			**13**	

4.1.1.2 Mixtures

Answer 105 · Mark scheme

June 2017 | CH1HP | Original Q2 | Legacy



4.1.1.2 Mixtures

Answer 106 · Mark scheme June 2017 | CH1HP | Original Q5 | Legacy

Question	Answers	Extra information	Mark	AO / Spec. Ref.
5(a)(i)	any **one** from: • all these gases / hydrogen / methane / water vapour / ammonia may not have been in the Earth's early atmosphere • the conditions of the reaction were not like those on early Earth • many different amino acids are needed for life processes	ignore no proof / evidence **or** no one was there **or** references to religion **or** meteorites / comets. allow nobody knows what was in the Earth's early atmosphere allow very little (0.5%) in the Earth's early atmosphere allow nobody knows what the conditions were on early Earth allow only simple amino acids **/** glycine were produced	1	**AO3** 1.7.2d;e
5(a)(ii)	any **three** from: • used by plants / algae **or** for photosynthesis • absorbed / dissolved by oceans • locked up in sedimentary rocks / carbonates / limestone • locked up in fossil fuels	ignore volcanoes allow stored in for locked up allow stored in for locked up mention of respiration: maximum two marks	3	**AO1** 1.7.2f;g;h
5(b)(i)	helium / He **and** neon / Ne	both needed	1	**AO2** 1.7.2j

4.1.1.2 Mixtures

Answer 106 · Mark scheme

June 2017 | CH1HP | Original Q5 | Legacy

5(b)(ii)	carbon dioxide would be solid **or** would block pipes	ignore freezes allow forms dry ice	1	**AO3** 1.7.2j
5(b)(iii)	 the other gas is argon / Ar because they have similar boiling points **or** there is only 3 °C difference in boiling points	mark independently	 1 1	**AO2** 1.7.2j
5(c)	 **stage 1:** oxygen reacts with carbon so carbon content decreases **or** carbon forms carbon dioxide **stage 2:** (other metals added) to form an alloy so the steel has a specific property / specific use	mark independently allow because cast iron is (too) brittle allow to stop layers sliding allow because pure iron is (too) soft	 1 1 1 1	**AO1** **AO2** 1.3.2a;b;c
Total			**12**	

4.1.1.2 Mixtures

Answer 106 · Mark scheme

June 2017 | CH1HP | Original Q5 | Legacy



Answer 107 · Mark scheme

June 2017 | CH2HP | Original Q5 | Legacy

The full source mark scheme begins on page 257. Follow original question 5 in that document.

Answer 108 · Mark scheme

June 2017 | CH2HP | Original Q6 | Legacy

The full source mark scheme begins on page 257. Follow original question 6 in that document.

4.1.1.2 Mixtures

Answer 109 · Mark scheme

June 2017 | CH3HP | Original Q3 | Legacy

Question	Answers	Extra information	Mark	AO / Spec. Ref.
3(a)(i)	any **one** from: • for undiscovered elements • so elements with similar properties were in same column / group	ignore so they fit the pattern	1	**AO1** 3.1.1b
3(a)(ii)	any **one** from: • they have different properties from elements above them • they are (transition) metals .	ignore electronic configuration ignore they did not fit the pattern allow transition elements	1	**AO1** 3.1.1a,b
3(b)(i)	7 electrons in outer shell / highest energy level	ignore gain of 1 electron	1	**AO2** 3.1.2b
3(b)(ii)	for bromine: outer shell closer to nucleus stronger force of attraction (to nucleus) electron more easily gained to outer shell	'outer' must be mentioned once for 3 marks. comparatives required. ignore references to bromide / iodide allow converse for iodine allow fewer shells allow smaller atom allow less shielding	1 1 1	**AO1** **AO2** 3.1.3g,h

4.1.1.2 Mixtures

Answer 109 · Mark scheme

3(c)(i)	yellow precipitate	allow yellow or dark yellow or light yellow or pale yellow allow dark yellow or light yellow or pale yellow precipitate allow dark yellow or light yellow or pale yellow ppt allow dark yellow or light yellow or pale yellow solid do **not** allow yellow solution	1	**AO1** 3.4.1e
3(c)(ii)	green precipitate	allow green or dark green or light green or pale green or dirty green allow dark green or light green or pale green or dirty green precipitate allow dark green or light green or pale green or dirty green ppt allow dark green or light green or pale green or dirty green solid do **not** allow green solution	1	**AO1** 3.4.1b
3(d)	one colour obscures the other	allow colours mix / blend allow only one colour seen	1	**AO3** 3.4.1a
3(e)(i)		allow -OH in the structure without the -O-H bond shown	1	**AO1** 3.6.2a

4.1.1.2 Mixtures

Answer 109 · Mark scheme

June 2017 | CH3HP | Original Q3 | Legacy

3(e)(ii)	weak acid (because) ethanoic acid is not fully ionised / dissociated	allow converse for hydrochloric acid allow (the solution) has a lower concentration of hydrogen ions allow (produces) fewer hydrogen ions. do **not** allow ionising	1 1	**AO3** 3.6.2a,b
Total			**12**	

4.1.1.2 Mixtures

Answer 109 · Mark scheme

June 2017 | CH3HP | Original Q3 | Legacy



4.1.1.2 Mixtures

Answer 110 · Mark scheme June 2017 | CH3HP | Original Q6 | Legacy

Question	Answers	Extra information	Mark	AO / Spec. Ref.
6(a)(i)	natural gas or water / steam	allow methane / crude oil / petroleum ignore processes	1	**AO1** 3.5.1a
6(a)(ii)	cool to any temp in the range -33 to -196 °C because (at this temperature) ammonia becomes a liquid **or** ammonia condenses		1 1	**AO1** **AO3** 3.5.1b
6(b)(i)	81(kJ)	ignore sign ((4 x 391 + 160) =) 1724 for 1 mark, and ((2 x 432 + 941) =) 1805 for 1 mark correct subtraction using one correct value for 1 mark	3	**AO2** 3.3.1f
6(b)(ii)	because energy taken in to break bonds is less than energy given out when bonds form	allow converse	1 1	**AO1** 3.3.1e,f
Total			**8**	

4.1.1.2 Mixtures

Answer 111 · Mark scheme

June 2018 | 8462/2H | Original Q1

Question	Answers	Extra information	Mark	AO / Spec. Ref.
01.1	yellow	allow orange allow orange-yellow	1	AO1 4.8.3.1
01.2	copper (ion)	allow Cu^{2+} allow copper (II) allow barium (ion) allow Ba^{2+}	1	AO1 4.8.3.1
01.3	(flame) colours are masked	allow (flame) colours mix / blend allow only see one colour allow cannot see two colours at once ignore hard to distinguish	1	AO1 4.8.3.1
01.4	Li^+ Na^+		1 1	AO2 4.8.3.7
01.5	bromide (ion)	allow Br^- ignore bromine	1	AO1 4.8.3.4
01.6	add barium chloride (solution) add hydrochloric acid white precipitate produced	allow barium nitrate (solution) allow nitric acid allow acidified do **not** accept sulfuric acid dependent on use of a barium compound	1 1 1	AO1 4.8.3.5
Total			9	

4.1.1.2 Mixtures

Answer 111 · Mark scheme

June 2018 | 8462/2H | Original Q1



4.1.1.2 Mixtures

Answer 112 · Mark scheme June 2018 | 8462/2H | Original Q2

Question	Answers	Extra information	Mark	AO / Spec. Ref.
02.1	formulation		1	AO1 4.8.1.2
02.2	$\frac{23.3}{265.5 + 23.3 + 3.0 + 1.5}$ (× 100) = 7.9 (%)	an answer of 7.9 (%) scores **2** marks allow $\frac{23.3}{293.3}$ (× 100) allow 7.944084555 (%) rounded correctly	1 1	AO2 4.8.1.2
02.3	to deter consumption / drinking (by people)		1	AO3 4.7.2.3
02.4	any **one** from: • fuel • solvent • antiseptic	do **not** accept as an alcoholic drink allow specific uses eg • fuel additive • cleaning products • hand-sanitisers	1	AO2 4.7.2.3
02.5	ferment(ation) add yeast anaerobic (conditions) **or** warm	ignore distillation allow in the absence of oxygen allow a temperature value in range 5 – 45 °C inclusive allow room temperature ignore hot / heat ignore high temperature	1 1 1	AO1 4.7.2.3

4.1.1.2 Mixtures

Answer 112 · Mark scheme

Question	Answers	Extra information	Mark	AO / Spec. Ref.
02.6		allow 	1	AO1 4.7.2.3
02.7	hydrogen	allow H_2	1	AO1 4.7.2.3
02.8	oxidising (agent)	allow permanganate / dichromate ions allow [O] ignore oxygen	1	AO1 4.7.2.3
Total			11	

4.1.1.2 Mixtures

Answer 112 · Mark scheme

June 2018 | 8462/2H | Original Q2



4.1.1.2 Mixtures

Answer 113 · Mark scheme

June 2018 | 8462/2H | Original Q3

Question	Answers	Extra information	Mark	AO / Spec. Ref.
03.1	hydrogen	allow H_2	1	AO1 4.10.4.1
03.2	450 °C 200 atm / atmospheres	allow values in the range 400– 500 °C allow values in the range 150– 250 atm / atmospheres allow **1** mark if both values within range but no units given	1 1	AO1 4.10.4.1
03.3	ammonia has a higher boiling point	allow the other gases have lower boiling points ignore references to melting point	1	AO3 4.10.4.1

4.1.1.2 Mixtures

Answer 113 · Mark scheme

June 2018 | 8462/2H | Original Q3

Question	Answers		Mark	AO / Spec. Ref.
03.4	**Level 3:** Relevant points (reasons / causes) are identified, given in detail and logically linked to form a clear account.		5–6	AO2
	Level 2: Relevant points (reasons / causes) are identified, and there are attempts at logical linking. The resulting account is not fully clear.		3–4	AO1
	Level 1: Points are identified and stated simply, but their relevance is not clear and there is no attempt at logical linking.		1–2	AO1
	No relevant content		0	
	Indicative content **changes** • carbon dioxide has decreased • oxygen has increased **processes** • volcanic activity released water vapour • the water vapour condensed to form oceans • carbon dioxide dissolved in oceans • carbonates produce sediments • carbon locked up in sedimentary rocks • algae and plants evolved / appeared • algae / plants absorbed carbon dioxide • by photosynthesis • which also released oxygen • carbon locked up in fossil fuels			4.9.1.2 4.9.1.3 4.9.1.4
03.5	any **one** from: • occurred 4.6 billion years ago • limited or no evidence	allow any indication of billions of years allow limited or no proof ignore there was nobody there	1	AO1 4.9.1.2
Total			**11**	

4.1.1.2 Mixtures

Answer 113 · Mark scheme

June 2018 | 8462/2H | Original Q3



4.1.1.2 Mixtures

Answer 114 · Mark scheme

June 2018 | 8462/2H | Original Q4

Question	Answers	Extra information	Mark	AO / Spec. Ref.
04.1	start line drawn in ink	allow start line should have been drawn in pencil	1	AO3 4.8.1.3
	(so) ink dissolves **or** ink runs in solvent / water	(as) pencil does not dissolve **or** pencil does not run in solvent / water	1	
	water used (as solvent) **or** water in beaker	allow ethanol not used	1	
	(so) colours will not dissolve / move		1	
04.2	any **two** from: • the flowers have no colours in common • A / B contain one colour • C contains two colours • (the colour in) B is most soluble	allow the flowers are not the same colour allow C is a mixture of colours allow (the colour in) B has the highest R_f value allow one of the colours in C is the least soluble	2	AO3 4.8.1.3
04.3	(distance moved =) $\frac{3.2}{0.65}$	an answer of 4.9 (cm) scores **2** marks	1	AO2 4.8.1.3
	(distance moved) = 4.9 (cm)	allow 4.923076923 (cm) correctly rounded	1	
Total			**8**	

4.1.1.2 Mixtures

Answer 114 · Mark scheme

June 2018 | 8462/2H | Original Q4



4.1.1.2 Mixtures

Answer 115 · Mark scheme

June 2018 | 8462/2H | Original Q6

Question	Answers	Extra information	Mark	AO / Spec. Ref.
06.1	water	allow H_2O allow hydrogen chloride **or** HCl	1	AO1 4.7.3.2
06.2		an answer of  scores **3** marks		AO2 4.7.3.1
	single C–C bond and nothing added to the trailing bonds		1	
	3 × H and CH_3 correct	must be four single bonds	1	
	n at bottom right		1	
		must be fully correct to score all **3** marks		
06.3	any **two** from: • poly(propene) comes from a non-renewable source • poly(propene) requires a lot of energy to make • poly(propene) is not biodegradable • a wool carpet needs replacing more often • wool requires the use of large areas of land (which could be used to grow food crops)	allow converse arguments allow poly(propene) will run out must refer to the carpet, not just the fibre ignore references to cost ignore pollution ignore landfill	2	AO3 4.10.1.1

4.1.1.2 Mixtures

Answer 115 · Mark scheme

June 2018 | 8462/2H | Original Q6

Question	Answers	Extra information	Mark	AO/ Spec. Ref.
06.4	any **four** from: advantages of polyester • better flame resistance (so burns less easily) • higher melting point (so melts less easily) • absorbs water so less likely to ignite disadvantages of polyester: • high density so uniform is heavy • absorbs water so firefighter gets wet • absorbs water so uniform becomes heavy • justified conclusion	allow converse arguments throughout. **max 3** marks if only advantages or only disadvantages of one type of fibre allow good flame resistance so protects the firefighter allow high melting point so uniform is not damaged	4	AO3 4.7.3.1 4.7.3.2
Total			**10**	

4.1.1.2 Mixtures

Answer 115 · Mark scheme

June 2018 | 8462/2H | Original Q6



4.1.1.2 Mixtures

Answer 116 · Mark scheme

June 2018 | 8462/2H | Original Q7

Question	Answers	Extra information	Mark	AO/Spec. Ref.
07.1	incomplete combustion (because) insufficient / limited oxygen supply		1 1	AO1 4.9.3.1
07.2	any **two** from: • carbon monoxide toxic / poisonous • greater public concern / awareness about pollution • more cars so otherwise there would be more carbon monoxide entering atmosphere • improved engine technology • catalytic converters have been introduced	allow description of how carbon monoxide is toxic / poisonous ignore carbon monoxide is harmful / dangerous / deadly ignore comments about the effects of other pollutants ignore unspecified comments about carbon monoxide pollution	2	AO1 AO3 4.9.3.2
07.3	any **one** from: • (to reduce) health problems • (to reduce) global dimming	allow (to reduce) specified health problems eg breathing difficulties, asthma, lung cancer allow (to reduce) the effects of global dimming eg reduced light levels allow (to reduce) smog allow (to reduce) the formation of particulates ignore global warming do **not** accept to reduce soot	1	AO1 4.9.3.1 4.9.3.2

4.1.1.2 Mixtures

Answer 116 · Mark scheme

June 2018 | 8462/2H | Original Q7

Question	Answers	Extra information	Mark	AO / Spec. Ref.
07.4	nitrogen (from atmosphere) reacts with oxygen (from atmosphere) at high temperature (in engine) **or** with a spark (from spark plug)	 ignore heat / hot	1 1	AO1 4.9.3.1
07.5	**2** $NO_2 \rightarrow N_2$ + **2** O_2	allow multiples if incorrect, allow N_2 for **1** mark	2	AO2 4.1.1.1 4.3.1.1
07.6	any **two** from: • acid rain • respiratory problems • carbon monoxide • global dimming **or** smog	**max 1** mark if global warming mentioned allow specific effects of acid rain allow specific respiratory problems eg breathing difficulties, asthma	2	AO1 4.9.3.2
07.7	transition metals		1	AO2 4.1.3.2
Total			**12**	

4.1.1.2 Mixtures

Answer 116 · Mark scheme

June 2018 | 8462/2H | Original Q7



4.1.1.2 Mixtures

Answer 117 · Mark scheme

June 2019 | 8462/1H | Original Q7

Question 7

Question	Answers	Extra information	Mark	AO / Spec. Ref.
07.1	mixture has a lower melting point (than aluminium oxide) (so) less energy needed	allow cryolite lowers melting point (of aluminium oxide) ignore boiling point do **not** accept cryolite is a catalyst ignore cost	1 1	AO1 4.4.3.3
07.2	aluminium ions gain electrons		1	AO1 4.4.1.4 4.4.3.3
07.3	$2O^{2-} \rightarrow O_2 + 4e^-$	allow multiples allow **1** mark for an unbalanced equation containing correct species	2	AO2 4.1.1.1 4.4.3.1 4.4.3.3
07.4	the electrode reacts with oxygen the electrode is carbon / graphite (so) carbon dioxide is produced	 allow (so) the electrode / carbon / graphite is used up allow (so) the electrode / carbon / graphite is burned away ignore (so) the electrode / carbon / graphite is worn away ignore (so) the electrode / carbon / graphite is corroded	1 1 1	AO1 4.4.3.3

Answer 117 · Mark scheme

Question 7 continued

Question	Answers	Extra information	Mark	AO / Spec. Ref.
07.5		an answer of 941 (kg) scores **4** marks		AO2 4.3.2.2
	(M_r of Al_2O_3 =) 102		1	
	$\left(\frac{2\,000\,000}{102} =\right)$ 19 608 (mol Al_2O_3)	allow correct calculation using incorrectly calculated value of M_r of Al_2O_3	1	
	$\left(19\,608 \times \frac{3}{2} =\right)$ 29 412 (mol O_2)	allow correct calculation using incorrectly calculated value of moles of Al_2O_3	1	
	$\left(\frac{29\,412 \times 32}{1000} =\right)$ 941 (kg)	allow 941.1764706 (kg) correctly rounded to at least 2 significant figures allow correct answer using incorrectly calculated value of moles of O_2	1	
	alternative approach: (2 M_r of Al_2O_3 =) 204 (1) 204 (kg of Al_2O_3) gives 96 (kg of O_2) (1) (2000 kg of Al_2O_3 gives) $\frac{2000}{204}$ × 96 (kg of O_2) **or** $\frac{2000000}{204}$ × 96 (g of O_2) (1) = 941 (kg) (1)			

4.1.1.2 Mixtures

Answer 117 · Mark scheme

June 2019 | 8462/1H | Original Q7

07.6	hydrogen (gas) would be produced (instead of sodium) (because) sodium is more reactive than hydrogen		1 1	AO3 4.4.1.2 4.4.3.3 4.4.3.4
07.7	$\left(\frac{150\,000}{71} =\right)$ 2113 (mol of Cl_2) **or** (volume of 1 g of $Cl_2 = \frac{24}{71} =$) 0.34 (dm^3) ($\frac{150\,000}{71}$ x 24) = 50700 (dm^3)	an answer of 50700 (dm^3) scores **2** marks an answer of 50.7 (dm^3) scores **1** mark allow 50704.22535 (dm^3) correctly rounded to at least 2 significant figures allow correct calculation using their calculated number of moles and/or calculated volume of 1 g	1 1	AO2 4.3.5
Total			**16**	

4.1.1.2 Mixtures

Answer 118 · Mark scheme

June 2019 | 8462/2H | Original Q2

Question 2

Question	Answers	Mark	AO/ Spec. Ref
02.1	**Level 3**: The design/plan would lead to the production of a valid outcome. All key steps are identified and logically sequenced.	5–6	AO1 4.8.2.3 4.8.3.1 4.8.3.3
	Level 2: The design/plan would not necessarily lead to a valid outcome. Most steps are identified, but the plan is not fully logically sequenced.	3–4	
	Level 1: The design/plan would not lead to a valid outcome. Some relevant steps are identified, but links are not made clear.	1–2	
	No relevant content	0	
	Indicative content lithium: • crush tablets or dissolve tablet (in water or acid) • clean wire • place on wire • place in (roaring / blue / non-luminous) flame • observe flame colour • crimson flame carbonate: • add hydrochloric acid • effervescence / fizzing • bubble gas through limewater • limewater becomes cloudy		
02.2	formulation(s)	1	AO1 4.8.1.2

4.1.1.2 Mixtures

Answer 118 · Mark scheme

02.3		an answer of 58.3333333 (%) correctly rounded to at least 2 significant figures scores **3** marks		AO2 4.8.1.2
	1.20 g = 1200 mg **or** 700 mg = 0.700 g		1	
	$\frac{700}{1200} \times 100$ **or** $\frac{0.700}{1.20} \times 100$	allow correct use of incorrectly or not converted values from step 1	1	
	= 58.3 (%)	allow 58.3333333 (%) correctly rounded to at least 2 significant figures	1	

Total			**10**

4.1.1.2 Mixtures

Answer 119 · Mark scheme

November 2020 | 8462/1H | Original Q3

Question 3

Question	Answers	Extra information	Mark	AO / Spec. Ref.
03.1	(total) mass before = 156.76 (g) **and** (total) mass after = 156.76 (g) **or** increase in mass of beaker **A** and contents = 29.96 (g) **and** decrease in mass of beaker **B** and contents = 29.96 (g) (so) the mass of products equals the mass of the reactants **or** (so) there is no change in mass during the reaction	allow 78.26 + 78.50 = 156.76 **and** 108.22 + 48.54 = 156.76 allow 108.22 – 78.26 = 29.96 **and** 48.54 – 78.50 = – 29.96 allow (so) no atoms were lost or made during the reaction	1 1	AO2 AO1 4.3.1.1
03.2	filter / filtration	allow a description of filtration	1	AO2 4.1.1.2
03.3	sodium nitrate (solution) **or** silver nitrate (solution) **or** sodium iodide (solution)	allow correct formulae allow sodium / nitrate / silver / iodide ions	1	AO2 4.1.1.2
03.4	to remove / evaporate the water	allow to dry (the solid)	1	AO3 4.1.1.2

Answer 119 · Mark scheme

Question 3 continued

Question	Answers	Extra information	Mark	AO / Spec. Ref.
03.5	(total M_r = 170 + 150) = 320	allow (235 + 85) = 320	1	AO2 4.3.3.2
	(% atom economy =) $\frac{235}{320} \times 100$	allow correct use of incorrectly calculated total M_r	1	
	= 73.4375 (%)		1	
	= 73.4 (%)	allow an answer correctly calculated to 3 significant figures from an incorrect percentage calculation which uses the values in the question	1	
03.6	any **one** from: • for sustainable development • for economic reasons • to produce a high(er) percentage of useful product	allow to reduce waste	1	AO1 4.3.3.2
Total			**10**	

4.1.1.2 Mixtures

Answer 120 · Mark scheme

November 2020 | 8462/1H | Original Q6

Question 6

Question	Answers	Extra information	Mark	AO / Spec. Ref.
06.1	the (minimum) energy needed for particles to react **or** the (minimum) energy needed for a reaction to occur	allow the (minimum) energy needed to start a reaction	1	AO1 4.5.1.2
06.2	(M_r of Fe_2O_3 =) 160		1	AO2 4.3.1.2 4.3.2.1 4.3.2.2 4.3.2.4
	(moles $Fe_2O_3 = \frac{3000}{160}$ =) 18.75 (mol)	allow correct use of incorrectly calculated M_r	1	
	(moles Al $= \frac{1000}{27}$ =) 37.0 (mol)	allow 37.037037 (mol) correctly rounded to at least 2 significant figures if both MP2 and MP3 are not awarded allow **1** mark for 0.01875 mol Fe_2O_3 **and** 0.037 mol Al	1	
	(aluminium is limiting because) 37.0 mol is less than the (2 x 18.75 =) 37.5 mol (aluminium needed) **or** iron oxide is in excess because 18.75 mol is more than the ($\frac{37.0}{2}$ =) 18.5 mol (iron oxide needed)	allow correct use of incorrect number of moles from steps 2 and/or 3	1	

Answer 120 · Mark scheme

Question 6 continued

Question	Answers	Extra information	Mark	AO / Spec. Ref.
06.2 ctd	**alternative approaches:** **approach 1:** **(finding required mass of aluminium by moles method)** (M_r of Fe_2O_3 =) 160 (1) (moles $Fe_2O_3 = \frac{3000}{160}$ =) 18.75 (mol) (1) (moles Al needed =18.75 × 2 =) 37.5 (mol) **and** (mass Al needed = 37.5 × 27 =) 1012.5 (g) **or** 1.0125 kg (1) (so) 1.00 kg of aluminium is not enough (1) **approach 2:** **(finding required mass of aluminium by proportion method)** (M_r of Fe_2O_3 =) 160 (1) (3.00 kg Fe_2O_3 needs) $\frac{3.00}{160}$ × 2 × 27 (kg Al) (1) (=) 1.0125 (kg) (1) (so) 1.00 kg of aluminium is not enough (1)	allow correct use of incorrectly calculated M_r allow correct use of incorrectly calculated moles of iron oxide allow correct use of incorrectly calculated moles of aluminium needed dependent on calculated mass of aluminium needed being greater than 1.00 (kg) allow correct use of incorrectly calculated M_r dependent on calculated mass of aluminium needed being greater than 1.00 (kg)		AO2 4.3.1.2 4.3.2.1 4.3.2.2 4.3.2.4

Question 6 continued

Question	Answers	Extra information	Mark	AO / Spec. Ref.
06.2 ctd	**alternative approaches:** **approach 3:** **(finding required mass of iron oxide by moles method)** M_r of Fe_2O_3 =) 160 (1) (moles Al $= \frac{1000}{27}$ =) 37.0 (mol) (1) (moles Fe_2O_3 needed) $= \frac{37.0}{2}$) = 18.5 (mol) **and** (mass Fe_2O_3 needed = 18.5 × 160 =) 2960 (g) **or** 2.96 (kg) (1) (so) 3.00 kg of iron oxide is an excess (1) **approach 4:** **(finding required mass of iron oxide by proportion method)** (M_r of Fe_2O_3 =) 160 (1) (1.00 kg Al needs) $\frac{1.00}{2 \times 27} \times 160$ (kg Fe_2O_3) (1) (=) 2.96 (kg) (1) (so) 3.00 kg of iron oxide is an excess (1)	allow 37.037037 (mol) correctly rounded to at least 2 significant figures allow correct use of incorrectly calculated moles of aluminium allow correct use of incorrectly calculated moles of iron oxide needed allow correct use of incorrectly calculated M_r dependent on calculated mass of iron oxide needed being less than 3.00 (kg) allow correct use of incorrectly calculated M_r dependent on calculated mass of iron oxide needed being less than 3.00 (kg)		AO2 4.3.1.2 4.3.2.1 4.3.2.2 4.3.2.4

Question 6 continued

Question	Answers	Extra information	Mark	AO / Spec. Ref.
06.3	$Mg(s) + Zn^{2+}(aq) \rightarrow Mg^{2+}(aq) + Zn(s)$	allow multiples allow **1** mark for $Mg^{2+} + Zn$ with missing or incorrect state symbols	2	AO2 4.1.1.1 4.2.2.2 4.4.1.4
06.4	magnesium (atoms) are oxidised because they lose electrons (and) zinc (ions) are reduced because they gain electrons	 if no other marks awarded allow **1** mark for magnesium (atoms) lose electrons and zinc (ions) gain electrons	1 1	AO2 4.4.1.4
Total			**9**	

4.1.1.2 Mixtures

Answer 121 · Mark scheme

November 2020 | 8462/2H | Original Q1

Question 1

Question	Answers	Extra information	Mark	AO / Spec. Ref.
01.1	green	allow blue-green	1	AO1 4.8.3.1 RPA 7
01.2	did not clean the metal wire (between tests) **or** copper sulfate (solution) is still present (so) colours are mixed / blended / masked		1 1	AO3 4.8.3.1 RPA 7
01.3	(copper sulfate solution) blue precipitate (calcium iodide solution) white precipitate	allow blue solid allow white solid	1 1	AO1 4.8.3.2 RPA 7
01.4	barium chloride (solution)	allow barium nitrate (solution)	1	AO1 4.8.3.5 RPA 7
01.5	silver nitrate (solution) yellow precipitate	 allow yellow solid allow pale yellow precipitate / solid	1 1	AO1 4.8.3.4 RPA 7
Total			**8**	

4.1.1.2 Mixtures

Answer 122 · Mark scheme

November 2020 | 8462/2H | Original Q4

Question 4

Question	Answers	Extra information	Mark	AO / Spec. Ref.
04.1	$0.60 = \frac{5.7}{\text{distance moved by solvent}}$ (distance moved by solvent =) $\frac{5.7}{0.60}$ = 9.5 (cm)		1 1 1	AO2 4.8.1.3 RPA6
04.2	some of the compounds are colourless (in solution) **or** dyes / compounds have the same R_f values	allow there are only two compounds that are coloured (in solution)	1	AO3 4.8.1.3 RPA6
04.3	allow the solvent front to travel further use a different solvent		1 1	AO3 4.8.1.3 RPA6
04.4	so that the (shade of) green is the same	allow because the green ink is a formulation	1	AO3 4.8.1.2
04.5	the dye is less soluble in the new solvent and more attracted to the new paper		1	AO3 4.8.1.3
Total			8	

4.1.1.2 Mixtures

Answer 123 · Mark scheme

November 2020 | 8462/2H | Original Q10

Question 10

Question	Answers	Extra information	Mark	AO / Spec. Ref.
10.1	water	allow H_2O	1	AO1 4.2.2.2
10.2	becomes (more) red		1	AO2 4.6.2.4 4.6.2.5
	(because the position of) equilibrium moves to the right	allow (because) the concentration of $FeSCN^{2+}$ (ions) increases allow (because) the forward reaction is favoured	1	
	(so that) the (increase in the) concentration of thiocyanate (ions) is reduced	allow (so that) the increase in the concentration of thiocyanate (ions) is counteracted	1	
10.3	(the position of) equilibrium moves to the left	allow the concentration of Fe^{3+} (ions) increases allow the reverse reaction is favoured	1	AO2 4.6.2.4 4.6.2.6
	(so that) the (increase in the) temperature is reduced	allow (so that) the increase in the temperature is counteracted	1	
	(therefore) the forward reaction is exothermic	allow (therefore) the forward reaction releases energy (to the surroundings)	1	

Question 10 (continued)

Question	Answers	Extra information	Mark	AO / Spec. Ref.
10.4	no change in equilibrium position (because) no gases are present	 allow (because) only aqueous solutions are present	1 1	AO2 4.6.2.7
10.5	Co^{2+}		1	AO2 4.1.3.2 4.6.2.5
Total			**10**	

4.1.1.2 Mixtures

Answer 124 · Mark scheme

November 2021 | 8462/2H | Original Q2

Question 2

Question	Answers	Extra information	Mark	AO / Spec. Ref.
02.1	all five points plotted correctly	allow a tolerance of ± ½ a small square allow **1** mark for three or four points plotted correctly	2	AO2 4.7.1.3

Question	Answers	Extra information	Mark	AO / Spec. Ref.
02.2	98 (°C)	allow a value in the range 92 to 104 (°C)	1	AO3 4.7.1.3

Question	Answers	Extra information	Mark	AO / Spec. Ref.
02.3	the boiling point is lower than 0 (°C)	allow the graph cannot show negative temperatures	1	AO3 4.7.1.3

Question	Answers	Extra information	Mark	AO / Spec. Ref.
02.4	gas	allow (g)	1	AO2 4.2.2.1

Question	Answers	Extra information	Mark	AO / Spec. Ref.
02.5	C_9H_{20}		1	AO2 4.7.1.1

4.1.1.2 Mixtures

Question 2 continued

Question	Answers	Extra information	Mark	AO / Spec. Ref.
02.6	(nonane) has a higher boiling point	allow converse for the other alkanes	1	AO2 4.7.1.2
	(so nonane) condenses where the column has a higher temperature	allow (so nonane) collects where the column has a higher temperature	1	

Total			8

4.1.1.2 Mixtures

Answer 125 · Mark scheme

November 2021 | 8462/2H | Original Q3

Question 3

Question	Answers	Mark	AO/ Spec. Ref
03.1	**Level 3**: The design/plan would lead to the production of a valid outcome. All key steps are identified and logically sequenced.	5–6	AO1 4.8.1.3 RPA6
	Level 2: The design/plan would not necessarily lead to a valid outcome. Most steps are identified, but the plan is not fully logically sequenced.	3–4	
	Level 1: The design/plan would not lead to a valid outcome. Some relevant steps are identified, but links are not made clear.	1–2	
	No relevant content	0	
	Indicative content **Method** • draw (pencil) start line on (chromatography) paper • place spot of food colouring on start line • use of suitable solvent • place solvent in beaker / container • place (chromatography) paper in beaker / container • so (chromatography) paper is in solvent • but solvent is below start line • use a lid • wait for solvent to travel up the (chromatography) paper (until near top) • mark solvent front • dry the (chromatography) paper **Measurements** • measure distance between start line and centre of spot • measure distance between start line and solvent front • use of measurements to determine R_f value		

Question	Answers	Extra information	Mark	AO / Spec. Ref.
03.2	different solvent used		1	AO3 4.8.1.3 RPA6

4.1.1.2 Mixtures

Question 3 continued

Question	Answers	Extra information	Mark	AO / Spec. Ref.
03.3	paper		1	AO1 4.8.1.3 RPA6

Total			**8**

4.1.1.2 Mixtures

Answer 126 · Mark scheme

November 2021 | 8462/2H | Original Q5

Question 5

Question	Answers	Extra information	Mark	AO / Spec. Ref.
05.1	ammonium phosphate potassium nitrate		1 1	AO2 4.10.4.2

Question	Answers	Extra information	Mark	AO / Spec. Ref.
05.2	(nitric acid) calcium nitrate (phosphoric acid) (calcium) triple superphosphate **or** calcium dihydrogenphosphate		1 1	AO1 4.10.4.2

Question	Answers	Extra information	Mark	AO / Spec. Ref.
05.3	 (industrial process) (is) large(er) scale (is) quicker (is a) continuous process reasoned judgement	allow converse for laboratory process ignore references to cost / energy ignore large mass produced allow does not need to be repeated	 1 1 1 1	AO3 4.10.4.2

Total			8

4.1.1.2 Mixtures

Answer 127 · Mark scheme

November 2021 | 8462/2H | Original Q10

Question 10

Question	Answers	Extra information	Mark	AO / Spec. Ref.
10.1	(steam / catalytic) cracking	allow thermal decomposition	1	AO1 4.7.1.4

Question	Answers	Extra information	Mark	AO / Spec. Ref.
10.2	high temperature steam / catalyst	allow a temperature in the range 300 – 900 °C	1 1	AO1 4.7.1.4

Question 10 continued

Question	Answers	Mark	AO/ Spec. Ref
10.3	**Level 3:** Relevant points (reasons/causes) are identified, given in detail and logically linked to form a clear account.	5–6	AO2 4.6.1.3 4.6.2.4 4.6.2.6 4.6.2.7 4.7.2.2
	Level 2: Relevant points (reasons/causes) are identified, and there are attempts at logical linking. The resulting account is not fully clear.	3–4	
	Level 1: Points are identified and stated simply, but their relevance is not clear and there is no attempt at logical linking.	1–2	
	No relevant content	0	
	Indicative content **Rate** • higher temperature gives higher rate • because more frequent collisions • higher pressure gives higher rate • because more frequent collisions • a catalyst can be used to give a higher rate • because the activation energy is reduced **Yield** • higher temperature gives lower yield • because the reaction is exothermic • higher pressure gives higher yield • because there are more molecules on left hand side **Other factors** • higher temperatures use more energy so costs increase • higher pressures use more energy so costs increase • higher pressures require stronger reaction vessels so costs increase **Compromise** • chosen temperature is a compromise between rate and yield • chosen temperature is a compromise between rate and cost (of energy used) • chosen pressure is a compromise between rate and cost (of energy used) • chosen pressure is a compromise between yield and cost (of energy used)		

Question 10 continued

Question	Answers	Extra information	Mark	AO / Spec. Ref.
10.4	fermentation	allow ferment(ing)	1	AO1 4.7.2.3

Question	Answers	Extra information	Mark	AO / Spec. Ref.
10.5	warm anaerobic (conditions)	allow a value in the range 25 °C to 45 °C allow without oxygen / air	1 1	AO2 4.7.2.3

Question	Answers	Extra information	Mark	AO / Spec. Ref.
10.6	(conversion) 200 km = 200,000 m (moles =) $\frac{200000 \times 1.95 \text{ (mol)}}{1300}$ = 300 (mol)	 allow correct use of incorrect / no conversion for distance	1 1 1	AO2 4.7.2.3

Question	Answers	Extra information	Mark	AO / Spec. Ref.
10.7	$C_4H_9OH + 6\,O_2 \rightarrow 4\,CO_2 + 5\,H_2O$	allow $C_4H_{10}O$ for C_4H_9OH allow multiples allow **1** mark for $C_4H_9OH + O_2 \rightarrow CO_2 + H_2O$ with incorrect / no multipliers ignore state symbols	2	AO2 4.1.1.1 4.3.1.1 4.7.2.3

Total			17

4.1.1.2 Mixtures

Answer 128 · Mark scheme

June 2022 | 8462/1H | Original Q2

Question 2

Question	Answers	Mark	AO/ Spec. Ref
02.1	**Level 3:** The method would lead to the production of a valid outcome. The key steps are identified and logically sequenced.	5–6	AO1 4.5.1.1 RPA 4
	Level 2: The method would not necessarily lead to a valid outcome. Most steps are identified, but the plan is not fully logically sequenced.	3–4	
	Level 1: The method would not lead to a valid outcome. Some relevant steps are identified, but links are not made clear.	1–2	
	No relevant content	0	
	Indicative content • **measure volume of (hydrochloric) acid** • with a measuring cylinder • pour (hydrochloric) **acid into a suitable container** eg polystyrene cup • measure the initial temperature (of hydrochloric acid) • with a thermometer • **add a known mass of sodium carbonate** • measured with a balance • stir • **measure the highest temperature reached** • **repeat with different masses of sodium carbonate or add successive masses of sodium carbonate to the same mixture** • repeat the whole investigation • use the same starting temperature • use the same volume of (hydrochloric) acid each time • use the same concentration of (hydrochloric) acid each time		

4.1.1.2 Mixtures

Answer 128 · Mark scheme

June 2022 | 8462/1H | Original Q2

Question	Answers	Extra information	Mark	AO / Spec. Ref.
02.2 View with Figure 3	change in highest temperature	allow a tolerance of ± ½ a small square	1	AO2 4.5.1.1 RPA 4
	corresponding change in mass	allow a tolerance of ± ½ a small square	1	
	(gradient =) $\frac{\text{change in highest temperature}}{\text{change in mass}}$	allow correct use of an incorrectly determined change in highest temperature and / or change in mass	1	
	(gradient =) 1.6		1	
	°C/g	allow °C/gram(s)	1	

Question	Answers	Extra information	Mark	AO / Spec. Ref.
02.3 View with Figure 3	extrapolates line to the *y*-axis		1	AO2 4.5.1.1 RPA 4
	20.6 (°C)	allow a tolerance of ± ½ a small square allow a correctly determined value from an incorrectly extrapolated line	1	
	alternative approach:			
	(highest temperature at 1.0 g – change in highest temperature per gram =) 22.2 – 1.6 (1)	allow correct use of value determined for gradient in question **02.2**		
	= 20.6 (°C) (1)			

4.1.1.2 Mixtures

Answer 128 · Mark scheme

June 2022 | 8462/1H | Original Q2

Question	Answers	Extra information	Mark	AO / Spec. Ref.
02.4	C		1	AO3 4.5.1.1 RPA 4

Question	Answers	Extra information	Mark	AO / Spec. Ref.
02.5	(**X**) energy (**Y**) (overall) energy change		1 1	AO1 4.5.1.2

Question	Answers	Extra information	Mark	AO / Spec. Ref.
02.6	(level of) products is below (level of) reactants	allow the energy decreases (overall) allow energy is transferred to the surroundings ignore references to bond making / breaking	1	AO1 4.5.1.2

Total Question 2		17

4.1.1.2 Mixtures

Answer 129 · Mark scheme

June 2022 | 8462/1H | Original Q8

Question 8

Question	Answers	Mark	AO/ Spec. Ref
08.1	**Level 3:** Relevant points (reasons / causes) are identified, given in detail and logically linked to form a clear account.	3-4	AO1 4.3.2.5 4.4.2.4 4.4.2.6
	Level 2: Relevant points (reasons / causes) are identified, and there are attempts at logical linking. The resulting account is not fully clear.	1-2	
	No relevant content	0	
	Indicative content General principle • pH depends on H^+ ion concentration • the higher the concentration of H^+ ions the lower the pH Strength • the stronger an acid the greater the ionisation / dissociation (in aqueous solution) • (so) the stronger the acid the lower the pH Concentration • the higher the concentration of an acid the more acid / solute in the same volume (of solution) • (so) the higher the concentration of the acid the lower the pH		

4.1.1.2 Mixtures

Answer 129 · Mark scheme

June 2022 | 8462/1H | Original Q8

Question	Answers	Extra information	Mark	AO / Spec. Ref.
08.2	the mean of titration numbers 2 to 5 values is calculated	allow identification of titration by titration number or volume	1	AO3 4.4.2.5 RPA2
	(because) 23.90 (cm^3) is an anomalous result	allow (because) 23.90 (cm^3) is not concordant allow (because) 23.90 (cm^3) is too high a value allow (because) the first titration is a rough value	1	
		allow for **2** marks an answer of (because) the mean is taken of the values within 0.10 (cm^3)		
		allow for **2** marks an answer of (because) the mean is taken of the concordant values		

4.1.1.2 Mixtures

Answer 129 · Mark scheme

June 2022 | 8462/1H | Original Q8

Question	Answers	Extra information	Mark	AO / Spec. Ref.
08.3	(moles $Ba(OH)_2$ = $\frac{23.50}{1000}$ × 0.100) = 0.00235		1	AO2 4.3.4 4.4.2.5 RPA2
	(moles HCl = 0.00235 × 2 =) 0.00470	allow correct use of an incorrectly calculated number of moles of $Ba(OH)_2$	1	
	(concentration =) 0.00470 × $\frac{1000}{25.0}$	allow correct use of an incorrectly calculated number of moles of HCl	1	
	= 0.188 (mol/dm^3)		1	
	alternative approach:			
	$\left(\text{ratio } \frac{\text{moles HCl}}{\text{moles Ba(OH)}_2} = \right)$	allow inverted expression		
	$\frac{2}{1} = \frac{25.0 \times \text{concentration}}{23.50 \times 0.100}$ (**2**)	allow **1** mark for the expression with an incorrect mole ratio		
	(concentration =) $\frac{2 \times 23.50 \times 0.100}{25.00}$ (1)	allow correct use of the expression with an incorrect mole ratio		
	= 0.188 (mol/dm^3) (1)			

4.1.1.2 Mixtures

Answer 129 · Mark scheme

June 2022 | 8462/1H | Original Q8

Question	Answers	Extra information	Mark	AO / Spec. Ref.
08.4	there are no ions that are free to move	allow there are no ions in solution allow there are no ions free to carry the charge	1	AO3 4.2.2.3 4.4.2.2 4.4.2.4 4.4.2.5
	(because) barium sulfate is solid / insoluble		1	
	(and) hydrogen ions have reacted with hydroxide ions to produce water	allow (and) water is a covalent / molecular substance	1	

Question	Answers	Extra information	Mark	AO / Spec. Ref.
08.5	the mixture (now) contains barium ions and hydroxide ions that are free to move	allow excess barium hydroxide solution contains ions	1	AO3 4.2.2.3 4.4.2.2 4.4.2.4 4.4.2.5

Total Question 8		14

4.1.1.2 Mixtures

Answer 130 · Mark scheme

June 2022 | 8462/2H | Original Q4

Question 4

Question	Answers	Extra information	Mark	AO / Spec. Ref.
04.1	crude oil is heated to vaporise (the hydrocarbons)		1	AO1 AO2 4.7.1.2
	there is a temperature gradient in the (fractionating) column	allow a (fractionating) column is cooler going up	1	
	(so) the gases condense at different levels **or** (so) lubricating oil condenses below naphtha (and petroleum gases do not condense)		1	
	(because of their) different boiling points		1	

Question	Answers	Extra information	Mark	AO / Spec. Ref.
04.2	detergents		1	AO1 4.7.1.2
	solvents		1	

Question	Answers	Extra information	Mark	AO / Spec. Ref.
04.3	$C_9H_{20} + 14\,O_2 \rightarrow 9\,CO_2 + 10\,H_2O$	allow multiples allow **1** mark for $C_9H_{20} + O_2 \rightarrow CO_2 + H_2O$ with incorrect / no multipliers	2	AO2 4.1.1.1 4.3.1.1 4.7.1.3

4.1.1.2 Mixtures

Answer 130 · Mark scheme

June 2022 | 8462/2H | Original Q4

Question	Answers	Extra information	Mark	AO / Spec. Ref.
04.4	(when burned sulfur impurities) produce sulfur dioxide (which) causes acid rain **or** (which) causes respiratory problems	 allow specified effects of acid rain allow specified respiratory problems	1 1	AO1 4.9.3.1 4.9.3.2

Question	Answers	Extra information	Mark	AO / Spec. Ref.
04.5	 as molecular size increases viscosity increases (and) heavy fuel oil has larger molecules (than kerosene)	allow converse statements	 1 1	AO2 4.7.1.3

Question	Answers	Extra information	Mark	AO / Spec. Ref.
04.6	(name of process) cracking (conditions) high temperature steam / catalyst	 allow a stated temperature in the range 300 to 900 °C	 1 1 1	AO1 4.7.1.4

4.1.1.2 Mixtures

Answer 130 · Mark scheme

June 2022 | 8462/2H | Original Q4

Question	Answers	Extra information	Mark	AO / Spec. Ref.
04.7	C_7H_{14} and C_8H_{16}		1	AO2 4.7.1.4 4.7.2.1

Total Question 4		**16**

4.1.1.2 Mixtures

Answer 131 · Mark scheme

June 2022 | 8462/2H | Original Q5

Question 5

Question	Answers	Extra information	Mark	AO / Spec. Ref.
05.1		allow a description of each process		AO1 4.10.1.3
	screening **or** grit removal	allow filtering to remove (large) solids	1	
	sedimentation (to produce sewage sludge and effluent)		1	
	anaerobic digestion of (solid sewage) sludge		1	
	aerobic biological treatment of (liquid) effluent	allow aerobic digestion of effluent	1	

Question	Answers	Extra information	Mark	AO / Spec. Ref.
05.2	Na^+ : 0.003 mol/dm^3 Cl^- : 0.003 mol/dm^3		1	AO3 4.10.1.2

Question	Answers	Extra information	Mark	AO / Spec. Ref.
05.3	the ions pass through the filter	allow the ions are not trapped / removed by the filter	1	AO3 4.1.1.2 4.10.1.2
	(because) the ions are in solution	allow (because) the ions are smaller than the filter pores	1	

4.1.1.2 Mixtures

Answer 131 · Mark scheme

June 2022 | 8462/2H | Original Q5

Question	Answers	Extra information	Mark	AO / Spec. Ref.
05.4	(the ground water) contains microbes which are harmful (to health) (so) the water is sterilised **or** (so) the microbes are destroyed		1 1	AO3 AO1 4.10.1.2

Question	Answers	Extra information	Mark	AO / Spec. Ref.
05.5	(the water is) unadulterated **or** (the water is) in its natural state	allow nothing is added (to the water) allow (the water) contains no microbes	1	AO2 4.8.1.1 4.10.1.2

Question	Answers	Extra information	Mark	AO / Spec. Ref.
05.6	(use) damp litmus paper (the paper) is bleached **or** (the paper) turns white	MP2 is dependent upon MP1 ignore paper turns red	1 1	AO1 4.8.2.4

Total Question 5		12

4.1.1.2 Mixtures

Answer 132 · Mark scheme

Question 8

Question	Answers	Extra information	Mark	AO / Spec. Ref.
08.1	(sulfur is a) precipitate / solid **or** (sulfur is an) insoluble substance		1	AO2 4.6.1.2 RPA5

Question	Answers	Extra information	Mark	AO / Spec. Ref.
08.2 **View with Figure 7**	correctly drawn tangent at 30 s		1	AO2 4.6.1.1 RPA5
	correct values for *x* step **and** *y* step from tangent	allow correct use of an incorrectly drawn tangent allow a tolerance of ± ½ a small square for each coordinate	1	
	(ratio =) $\frac{\text{value for y step}}{\text{value for x step}}$	allow correct use of incorrectly determined values from tangent for *x* step and/or *y* step	1	
	correct calculation of ratio		1	
	(conversion rate = ratio × 7.1 × 10^{-5}) correct evaluation of rate (mol/s)	allow correct use of an incorrectly calculated ratio	1	

4.1.1.2 Mixtures

Answer 132 · Mark scheme

June 2022 | 8462/2H | Original Q8

Question	Answers	Extra information	Mark	AO / Spec. Ref.
08.3	rate decreases (because) concentration of reactants decreases **alternative approach:** greatest rate at start (1) (because) greatest concentration of reactants at start (1)	allow the collision frequency decreases allow the collision frequency is highest at the start	1 1	AO2 4.6.1.1 4.6.1.2 RPA5

Question	Answers	Extra information	Mark	AO / Spec. Ref.
08.4	(hydrochloric) acid is used up	allow (hydrochloric) acid is the limiting reactant ignore reactants used up	1	AO3 4.3.2.4 4.6.1.2 RPA5

Question	Answers	Extra information	Mark	AO / Spec. Ref.
08.5 View with Figure 8	decreasing curve starting at (0,95) **and** steeper initially than curve for 0.10 mol/dm^3 sodium thiosulfate solution levelling at 24%		1 1	AO2 4.6.1.2 RPA5

4.1.1.2 Mixtures

Answer 132 · Mark scheme

June 2022 | 8462/2H | Original Q8

Question	Answers	Extra information	Mark	AO / Spec. Ref.
08.6	stop light from other sources reaching the light sensor		1	AO3 4.6.1.2 RPA5

Question	Answers	Extra information	Mark	AO / Spec. Ref.
08.7	repeatable		1	AO3 4.6.1.2 RPA5

Question	Answers	Extra information	Mark	AO / Spec. Ref.
08.8	$V \propto m$		1	AO2 4.6.1.2

4.1.1.2 Mixtures

Answer 132 · Mark scheme

Question	Answers	Extra information	Mark	AO / Spec. Ref.
08.9 View with Figure 9	volume of sodium thiosulfate solution **and** volume of hydrochloric acid at any fixed mass	allow a tolerance of ± ½ a small square for volume readings	1	AO2 4.6.1.2
	$\left(\frac{\text{volume of } Na_2S_2O_3 \text{ solution}}{\text{volume of hydrochloric acid}} =\right)$ 0.25	allow $\left(\frac{\text{volume of hydrochloric acid}}{\text{volume of } Na_2S_2O_3 \text{ solution}} =\right)$ 4 allow correct use of incorrectly determined volumes	1	
	1 : 4		1	

Total Question 8		**17**

4.1.1.2 Mixtures

Answer 133 · Mark scheme

June 2023 | 8462/1H | Original Q7

Question 7

Question	Answers	Extra information	Mark	AO / Spec. Ref.
07.1	$Al^{3+} + 3e^- \rightarrow Al$	allow multiples	1	AO2 4.1.1.1 4.4.3.3 4.4.3.5

Question	Answers	Extra information	Mark	AO / Spec. Ref.
07.2	sodium is more reactive than aluminium		1	AO3 4.4.3.4

Question	Answers	Extra information	Mark	AO / Spec. Ref.
07.3		allow hydroxide ions for OH^- throughout		AO1 4.4.3.4
	water (molecules) break down		1	
	(to) produce (H^+ and) OH^- (ions)		1	
	(OH^- (ions) are attracted / move to the positive electrode		1	
	(OH^- (ions) are discharged / oxidised to give oxygen (molecules)	allow (OH^- (ions) lose electrons to give oxygen (molecules)	1	

Question	Answers	Extra information	Mark	AO / Spec. Ref.
07.4		allow (inverted) burettes for measuring cylinders allow gas syringes for measuring cylinders		AO3 4.4.3.4
	(change) use measuring cylinders (instead of test tubes)		1	
	(reason) because there is a scale (on the measuring cylinders)	allow measuring cylinder(s) measure volume	1	

4.1.1.2 Mixtures

Answer 133 · Mark scheme

June 2023 | 8462/1H | Original Q7

Question	Answers	Extra information	Mark	AO / Spec. Ref.
07.5	10 cm^3		1	AO2 4.3.5

Total Question 7	**9**

4.1.1.2 Mixtures

Answer 134 · Mark scheme

June 2023 | 8462/1H | Original Q9

Question 9

Question	Answers	Extra information	Mark	AO / Spec. Ref.
09.1	(substance reduced) Fe_2O_3 (reason) (Fe_2O_3) loses oxygen	allow iron oxide MP2 is dependent upon MP1 being awarded ignore Fe^{3+} gains electrons	1 1	AO2 4.4.1.1

Question	Answers	Extra information	Mark	AO / Spec. Ref.
09.2	$\frac{3}{2}$ × 12g		1	AO2 4.3.1.1 4.3.2.1 4.3.2.2

Question	Answers	Extra information	Mark	AO / Spec. Ref.
09.3	**A** loses electrons and $\mathbf{B}^+$ gains electrons		1	AO2 4.4.1.4

Question	Answers	Extra information	Mark	AO / Spec. Ref.
09.4	**D**		1	AO3 4.4.1.2

Question	Answers	Extra information	Mark	AO / Spec. Ref.
09.5	(metal) **C** (explanation) aluminium forms ions with a charge 3+ (so) 3 nitrate ions are needed for 1 aluminium ion	 allow aluminium forms Al^{3+} (ions) allow (so) 3 nitrate ions are needed to balance the 3+ charge on 1 aluminium (ion)	1 1 1	AO3 4.4.1.2 4.4.3.3

4.1.1.2 Mixtures

Answer 134 · Mark scheme

Question	Answers	Extra information	Mark	AO / Spec. Ref.
09.6	(percentage atom economy =) $\frac{A_r\mathbf{X}}{A_r\mathbf{X} + 54} \times 100 = 77.3$		1	AO2 4.3.3.2
	100 A_r**X** = 77.3 (A_r**X** + 54)	allow A_r**X** = 0.773 (A_r**X** + 54) allow correct use of an incorrectly determined value of the M_r of the non-useful reactant atoms	1	
	22.7 A_r**X** = 4174.2	allow 0.227 A_r**X** = 41.742	1	
	A_r**X** = 184	allow 183.8854626 correctly rounded to at least three significant figures	1	
	alternative approach 1: ($3M_r$ H_2O = (3 × 16) + (6 × 1) =) 54 **and** (percentage = 100 – 77.3 =) 22.7% (1)			
	(total M_r of reactants =) $\frac{100}{22.7} \times 54$ (1)	allow correct use of an incorrectly determined value for $3M_r$ H_2O and/or percentage of unwanted products		
	= 238 (1)			
	(A_r**X** = 238 – 54) **or** $\left(A_r\mathbf{X} = 238 \times \frac{77.3}{100}\right)$ = 184 (1)	allow correct use of an incorrectly determined value of total M_r of reactants and/or value for $3M_r$ H_2O allow 183.8854626 correctly rounded to at least three significant figures		

Answer 134 · Mark scheme

	alternative approach 2: ($3M_r$ H_2O = (3 × 16) + (6 × 1) =) 54 **and** (percentage = 100 – 77.3 =) 22.7% (1) $\left(\frac{1}{22.7} \times 54 =\right)$ 2.3788546 (1) 2.3788546 × 77.3 (1) = 184 (1)	allow correct use of an incorrectly determined value for $3M_r$ H_2O and/or percentage of unwanted products allow correct use of an incorrectly determined value for 1% of the total M_r of reactants allow 183.8854626 correctly rounded to at least three significant figures		

Total Question 9	**12**

4.1.1.2 Mixtures

Answer 135 · Mark scheme

June 2023 | 8462/2H | Original Q6

Question 6

Question	Answers	Extra information	Mark	AO / Spec. Ref.
06.1	the start line is drawn in ink	allow the start line should be drawn in pencil	1	AO3 4.8.1.3 RPA6
	the start line is below the water level	allow the start line should be above the water level	1	

Question	Answers	Extra information	Mark	AO / Spec. Ref.
06.2	$0.60 = \frac{\text{distance moved by dye}}{12.0}$		1	AO2 4.8.1.3 RPA6
	(distance moved by dye =) 0.60×12.0		1	
	= 7.2 (cm)		1	

Question	Answers	Extra information	Mark	AO / Spec. Ref.
06.3		allow converse		
	the R_f value is smaller for Paper **A**		1	AO2
	(because the red dye) is more attracted to Paper **A** (than to Paper **B**)		1	AO3
	(so the red dye) spends a greater (proportion of the) time distributed in Paper **A** (than in Paper **B**)		1	AO3
		if no other mark awarded allow **1** mark for the dye has a different attraction to each paper		4.8.1.3 RPA6

4.1.1.2 Mixtures

Answer 135 · Mark scheme

June 2023 | 8462/2H | Original Q6

Question	Answers	Extra information	Mark	AO / Spec. Ref.
06.4	use a different solvent	allow use ethanol (as the solvent)	1	AO1 4.8.1.3 RPA6

Total Question 6	9

4.1.1.2 Mixtures

Answer 136 · Mark scheme

June 2023 | 8462/2H | Original Q9

Question 9

Question	Answers	Extra information	Mark	AO / Spec. Ref.
09.1	(mass of water in 4.68 g = 4.68 - 2.99) = 1.69 (g)		1	AO2 4.6.2.2
	(mass of water in 11.7 g =) $\frac{11.7}{4.68} \times 1.69$	allow correct use of an incorrectly determined mass of water in 4.68 g	1	
	= 4.23 (g)	allow 4.2 / 4.225 (g)	1	
	alternative approach: $\left(\text{mass of anhydrous compound} = \frac{11.7}{4.68} \times 2.99\right)$			
	= 7.475 (g) (1)			
	(mass of water =) 11.7 – 7.475 (1)	allow correct use of an incorrectly determined mass of anhydrous compound		
	= 4.23 (g) (1)	allow 4.2 / 4.225 (g)		

Question	Answers	Extra information	Mark	AO / Spec. Ref.
09.2	(energy =) $\frac{15.0}{2.99} \times 1.47$		1	AO2 4.6.2.2
	= 7.37 (kJ)	allow 7.37458194 correctly rounded to at least 2 significant figures	1	

4.1.1.2 Mixtures

Answer 136 · Mark scheme

June 2023 | 8462/2H | Original Q9

Question	Answers	Extra information	Mark	AO / Spec. Ref.
09.3	shifts to the left		1	AO2 4.6.2.1 4.6.2.4 4.6.2.6

Question	Answers	Extra information	Mark	AO / Spec. Ref.
09.4	the mixture is a lighter shade of brown		1	AO2 4.6.2.4 4.6.2.7

Question	Answers	Extra information	Mark	AO / Spec. Ref.
09.5	no effect (on equilibrium position) (because) there are equal numbers of (gas) moles / molecules on each side (of the equation)	allow (equilibrium position) stays the same	1 1	AO2 4.6.2.4 4.6.2.7

Question	Answers	Extra information	Mark	AO / Spec. Ref.
09.6	no effect (on equilibrium position)	allow (equilibrium position) stays the same	1	AO2 4.6.2.3 4.6.2.4

Question	Answers	Extra information	Mark	AO / Spec. Ref.
09.7	add more hydrochloric acid		1	AO2 4.6.2.4 4.6.2.5

4.1.1.2 Mixtures

Answer 136 · Mark scheme

June 2023 | 8462/2H | Original Q9

Question	Answers	Extra information	Mark	AO / Spec. Ref.
09.8	(because the) forward and reverse reactions are taking place at (exactly) the same rate	ignore references to closed systems allow for **1** mark (because) the reactions are taking place at (exactly) the same rate	2	AO1 4.6.2.3

Total Question 9	**13**

4.1.1.2 Mixtures

Answer 137 · Mark scheme

June 2024 | 8462/1H | Original Q1

Question 1

Question	Answers	Extra information	Mark	AO / Spec. Ref.
01.1	copper sulfate water	allow $CuSO_4$ allow H_2O	1 1	AO2 AO1 4.4.2.2 4.4.2.3 RPA1

Question	Answers	Extra information	Mark	AO / Spec. Ref.
01.2	solid remains (in the mixture) **or** no more effervescence / bubbles / fizzing	ignore references to colours allow copper carbonate remains (in the mixture)	1	AO1 4.4.2.3 RPA1

Question	Answers	Extra information	Mark	AO / Spec. Ref.
01.3	to remove copper carbonate	allow to remove excess (copper carbonate)	1	AO1 4.1.1.2 4.4.2.3 RPA1

Question	Answers	Extra information	Mark	AO / Spec. Ref.
01.4	electric heater **or** water bath	ignore Bunsen burner	1	AO1 4.4.2.3 RPA1

4.1.1.2 Mixtures

Answer 137 · Mark scheme

Question	Answers	Extra information	Mark	AO / Spec. Ref.
01.5	$92.8 = \frac{\text{mass produced}}{12.5} \times 100$	allow mass produced = % yield × $\frac{\text{max theoretical mass}}{100}$	1	AO2 4.3.3.1
	(mass produced) = $\frac{92.8}{100} \times 12.5$		1	
	= 11.6 (g)		1	

Question	Answers	Extra information	Mark	AO / Spec. Ref.
01.6	(copper) does not react with (sulfuric) acid	allow is unreactive allow will not displace hydrogen allow is below hydrogen in the reactivity series	1	AO1 AO3
		ignore is not reactive enough		4.4.1.2 4.4.2.3
	(sodium) could explode **or** could get too hot	allow (the reaction is) dangerous	1	

Total Question 1	10

4.1.1.2 Mixtures

Answer 138 · Mark scheme

June 2024 | 8462/1H | Original Q4

Question 4

Question	Answers	Extra information	Mark	AO / Spec. Ref.
04.1	line of best fit using the first five points	max **1** mark if the lines do not intersect	1	AO3 4.5.1.1 RPA4
	line of best fit using the last four points		1	

Question	Answers	Extra information	Mark	AO / Spec. Ref.
04.2	the temperature rises because the reaction is exothermic **or** the temperature rises because energy is transferred to the surroundings	allow heat for energy	1	AO2
	until 0.8 g (zinc) is added	allow a tolerance of ± ½ a small square allow until the temperature reaches 47 °C allow a correctly determined value for mass of zinc or temperature from the intersection of drawn lines of best fit	1	AO2
	(so) there is no additional reaction	allow (when) the reaction has finished	1	AO3
	(because) zinc is in excess **or** (because) copper sulfate is used up		1	AO3 4.5.1.1 RPA4

Answer 138 · Mark scheme

June 2024 | 8462/1H | Original Q4

Question	Answers	Extra information	Mark	AO / Spec. Ref.
04.3	polystyrene is a better (thermal) insulator (so) there is less energy transfer to the surroundings	allow converse statements for glass allow (so) less energy is lost (to the surroundings) allow heat for energy	1 1	AO1 4.5.1.1 RPA4

Question	Answers	Extra information	Mark	AO / Spec. Ref.
04.4	$Zn(s) + Cu^{2+}(aq) \rightarrow Zn^{2+}(aq) + Cu(s)$ allow **1** mark for $Zn^{2+} + Cu$		2	AO2 4.1.1.1 4.2.2.2 4.4.1.4

Question	Answers	Extra information	Mark	AO / Spec. Ref.
04.5	(mean highest temperature =) $\frac{37.6 + 37.2 + 37.8 + 37.4}{4}$ = 37.5 (°C) 37.5 (°C) ± 0.3 (°C)	allow (mean highest temperature =) $\frac{150}{4}$	1 1 1	AO2 4.3.1.4

Question	Answers	Extra information	Mark	AO / Spec. Ref.
04.6	any **one** from: • starting temperature may be different • inconsistent stirring	ignore room temperature allow inconsistent use of a lid	1	AO3 4.5.1.1 RPA4

Total Question 4	14

4.1.1.2 Mixtures

Answer 139 · Mark scheme

June 2024 | 8462/2H | Original Q4

Question 4

Question	Answers	Extra information	Mark	AO / Spec. Ref.
04.1		allow converse argument allow stationary phase for paper		AO1 4.8.1.3 RPA6
	the yellow dye travels further		1	
	(because the yellow) dye has a weaker attraction to the (chromatography) paper		1	
		if no other mark awarded allow for **1** mark the weaker the attraction to the (chromatography) paper the greater the distance travelled (by the dye)		

4.1.1.2 Mixtures

Answer 139 · Mark scheme

June 2024 | 8462/2H | Original Q4

Question	Answers	Extra information	Mark	AO / Spec. Ref.
04.2	(in Experiment **2**) the yellow dye travels further	allow mobile phase for solvent	1	AO3 4.8.1.3 RPA6
	(because) the solvents are different		1	
	(and) the yellow dye is more soluble in ethanol (than water) **or** (and) the yellow dye is more attracted to ethanol (than water)	allow the yellow dye is less soluble in water (than ethanol) allow the yellow dye is less attracted to water (than ethanol)	1	
	OR (in Experiment **1**) the yellow dye does not travel as far (1) (because) the solvents are different (1)			
	(and) the yellow dye is less soluble in water (than ethanol) **or** (and) the yellow dye is less attracted to water (than ethanol) (1)	allow (and) the yellow dye is more soluble in ethanol (than water) allow (and) the yellow dye is more attracted to ethanol (than water)		

4.1.1.2 Mixtures

Answer 139 · Mark scheme

June 2024 | 8462/2H | Original Q4

Question	Answers	Extra information	Mark	AO / Spec. Ref.
04.3	**A** is an impure (substance) **and** **B** is a pure (substance)	allow **A** is a mixture **and** **B** is a pure (substance)	1	AO3 4.8.1.1 4.8.1.3 RPA6
	(because) **A** contains two dyes **and** **B** contains one dye	allow (because) **A** produces two spots **and** **B** produces one spot if no other mark awarded allow **1** mark for **A** contains two dyes (so) is impure (substance) **or** **A** contains two dyes (so) is a mixture **or** **B** contains one dye (so) is pure (substance)	1	

Question	Answers	Extra information	Mark	AO / Spec. Ref.
04.4	$0.48 = \frac{5.4}{\text{distance moved by solvent}}$		1	AO2 4.8.1.3 RPA6
	(distance moved by solvent =) $\frac{5.4}{0.48}$		1	
	=11.25 (cm)	allow 11.25 correctly rounded to at least 2 significant figures	1	

4.1.1.2 Mixtures

Answer 139 · Mark scheme

Question	Answers	Extra information	Mark	AO / Spec. Ref.
04.5	the ratio / proportion of spot distance (moved) to solvent distance (moved) is fixed / constant	allow the distance travelled by the spot relative to the distance travelled by the solvent is constant allow the distance travelled by the spot is (directly) proportional to the distance travelled by the solvent	1	AO1 4.8.1.3 RPA6

Question	Answers	Extra information	Mark	AO / Spec. Ref.
04.6	any **two** from: • (more) sensitive • (more) accurate • fast(er)	allow small(er) sample allow greater resolution	2	AO1 4.8.3.6

Total Question 4	**13**

4.1.1.2 Mixtures

Answer 140 · Mark scheme

June 2024 | 8462/2H | Original Q5

Question 5

Question	Answers	Extra information	Mark	AO / Spec. Ref.
05.1	high temperatures (cause) nitrogen (from air) and oxygen (from air) to react	ignore pressure	1 1	AO1 4.9.3.1

Question	Answers	Extra information	Mark	AO / Spec. Ref.
05.2		ignore references to water vapour		
	less climate change	allow less global warming allow an effect of climate change for climate change	1	AO1
	(because) no carbon dioxide (produced)		1	AO3 4.7.1.3 4.9.2.4

Question	Answers	Extra information	Mark	AO / Spec. Ref.
05.3	more oxides of nitrogen (produced)		1	AO1
	(so) more acid rain **or** (so) more respiratory problems	allow an effect of acid rain for acid rain allow a named respiratory problem for respiratory problems MP2 cannot be linked to an incorrect gas from MP1	1	AO3 4.7.1.3 4.9.3.2

4.1.1.2 Mixtures

Answer 140 · Mark scheme

Question	Answers	Extra information	Mark	AO / Spec. Ref.
05.4	(volume of oxygen = $3.50 \times \frac{1}{2}$ =) 1.75 (dm^3)		1	AO2 4.3.5 4.9.1.1
	(volume of air =) $1.75 \times \frac{100}{20}$	allow correct use of an incorrectly determined volume of oxygen	1	
	= 8.75 (dm^3)		1	

Question	Answers	Extra information	Mark	AO / Spec. Ref.
05.5	there is a temperature gradient in the (fractionating) column	allow the (fractionating) column gets cooler going up	1	AO1
	(so) kerosene condenses	allow (so) the hydrocarbons / vapours condense	1	AO2
	at the level (in the column) corresponding to kerosene's boiling point (range)	allow at the level (in the column) corresponding to the boiling point of the hydrocarbons / vapours for the award of 2 marks for MP2 and MP3, a reference to kerosene must be made	1	AO1 4.7.1.2

Total Question 5	12

Answer 141 · Mark scheme

June 2025 | 8462/1H | Original Q6

Question 6

Question	Answers	Extra information	Mark	AO / Spec. Ref.
06.1	strong electrostatic forces	allow strong forces of attraction ignore strong ionic bonds	1	AO1 4.2.1.3 4.2.2.3
	between oppositely charged ions	allow between (positive) aluminium ions and (negative) oxide ions allow between Al^{3+} (ions) and O^{2-} (ions)	1	
	(which) act in all directions (in the giant structure)		1	
	(so) need a lot of energy to break (the many strong bonds)		1	

Question	Answers	Extra information	Mark	AO / Spec. Ref.
06.2	cryolite	allow Na_3AlF_6	1	AO1 4.4.3.3

Question	Answers	Extra information	Mark	AO / Spec. Ref.
06.3	the mixture has a lower melting point than aluminium oxide	allow to lower the melting point (of the mixture) allow to lower the energy demand (of the process)	1	AO1 4.4.3.3

4.1.1.2 Mixtures

Answer 141 · Mark scheme

Question	Answers	Extra information	Mark	AO / Spec. Ref.
06.4	$2\,O^{2-} \rightarrow O_2 + 4\,e^-$	allow multiples allow **1** mark for $O^{2-} \rightarrow O_2 + e^-$ with no / incorrect balancing numbers	2	AO2 4.1.1.1 4.4.3.2 4.4.3.5

Question	Answers	Extra information	Mark	AO / Spec. Ref.
06.5	the (positive) electrode is made of carbon / graphite		1	AO1 4.4.3.3
	(so) the carbon / graphite reacts with oxygen (produced in the electrolysis)		1	
	(which) produces carbon dioxide		1	

Total Question 6	**11**

4.1.1.2 Mixtures

Answer 142 · Mark scheme

June 2025 | 8462/2H | Original Q9

Question 9

Question	Answers	Extra information	Mark	AO / Spec. Ref.
09.1	the forward reaction is endothermic		1	AO2 4.6.1.3 4.6.2.4 4.6.2.6
	(so high temperature) shifts the equilibrium (position) to the right		1	
	(which) increases the yield (of products)	allow (and a high temperature) increases the rate of reaction	1	

Question	Answers	Extra information	Mark	AO / Spec. Ref.
09.2		allow converse		AO2 4.6.2.4 4.6.2.7
	(low pressure) shifts the equilibrium (position) to the right		1	
	(because) there are more moles on the right	allow (because) there are more molecules on the right	1	

Question	Answers	Extra information	Mark	AO / Spec. Ref.
09.3	no effect on equilibrium position		1	AO3 4.6.1.4 4.6.2.3

Question	Answers	Extra information	Mark	AO / Spec. Ref.
09.4	(volume ~) $\frac{50 \times 100}{80}$	allow a value in the range 78.0 to 80.0 for percentage of nitrogen	1	AO2 4.9.1.1 4.10.4.1
	~ 62.5 (dm^3)		1	

4.1.1.2 Mixtures

Answer 142 · Mark scheme

Question	Answers	Extra information	Mark	AO / Spec. Ref.
09.5	(the reaction mixture is) cooled		1	AO1 4.10.4.1
	(so that) ammonia condenses / liquefies		1	
	(but) nitrogen **and** hydrogen are gases		1	

Question	Answers	Extra information	Mark	AO / Spec. Ref.
09.6	any **three** from: • nitrogen is an abundant gas (in the air) • the use of nitrogen releases fewer greenhouse gases • the nitrogen released replaces that used to make ammonia • natural gas is a finite resource • (the use of hydrogen / methane releases) carbon dioxide which contributes to climate change	allow nitrogen is renewable allow (the use of hydrogen / methane releases) carbon dioxide contributes to global warming	3	AO3 4.10.1.1 4.10.4.1

Total Question 9	14

Version 1.0: 0707

ASSESSMENT and QUALIFICATIONS ALLIANCE

General Certificate of Secondary Education

Science B 4462 / Chemistry 4421

CHY1H Unit Chemistry 1

Mark Scheme

2007 examination - June series

4.1.1.2 Mixtures

Mark schemes are prepared by the Principal Examiner and considered, together with the relevant questions, by a panel of subject teachers. This mark scheme includes any amendments made at the standardisation meeting attended by all examiners and is the scheme which was used by them in this examination. The standardisation meeting ensures that the mark scheme covers the candidates' responses to questions and that every examiner understands and applies it in the same correct way. As preparation for the standardisation meeting each examiner analyses a number of candidates' scripts: alternative answers not already covered by the mark scheme are discussed at the meeting and legislated for. If, after this meeting, examiners encounter unusual answers which have not been discussed at the meeting they are required to refer these to the Principal Examiner.

It must be stressed that a mark scheme is a working document, in many cases further developed and expanded on the basis of candidates' reactions to a particular paper. Assumptions about future mark schemes on the basis of one year's document should be avoided; whilst the guiding principles of assessment remain constant, details will change, depending on the content of a particular examination paper.

Further copies of this Mark Scheme are available to download from the AQA Website: www.aqa.org.uk

Copyright © 2007 AQA and its licensors. All rights reserved.

The Assessment and Qualifications Alliance (AQA) is a company limited by guarantee registered in England and Wales (company number 3644723) and a registered charity (registered charity number 1073334). Registered address: AQA, Devas Street, Manchester M15 6EX.
Dr Michael Cresswell, Director General.

4.1.1.2 Mixtures

MARK SCHEME

Information to Examiners

1. General

The mark scheme for each question shows:

- the marks available for each part of the question
- the total marks available for the question
- the typical answer or answers which are expected
- extra information to help the Examiner make his or her judgement and help to delineate what is acceptable or not worthy of credit or, in discursive answers, to give an overview of the area in which a mark or marks may be awarded.

The extra information is aligned to the appropriate answer in the left-hand part of the mark scheme and should only be applied to that item in the mark scheme.

At the beginning of a part of a question a reminder may be given, for example: where consequential marking needs to be considered in a calculation; or the answer may be on the diagram or at a different place on the script.

In general the right hand side of the mark scheme is there to provide those extra details which confuse the main part of the mark scheme yet may be helpful in ensuring that marking is straightforward and consistent.

2. Emboldening

2.1 In a list of acceptable answers where more than one mark is available 'any **two** from' is used, with the number of marks emboldened. Each of the following lines is a potential mark.

2.2 A bold **and** is used to indicate that both parts of the answer are required to award the mark.

2.3 Alternative answers acceptable for a mark are indicated by the use of **or**. (Different terms in the mark scheme are shown by a / ; eg allow smooth / free movement.)

3. Marking points

3.1 Marking of lists

This applies to questions requiring a set number of responses, but for which candidates have provided extra responses. The general principle to be followed in such a situation is that 'right + wrong = wrong'.

Each error/contradiction negates each correct response. So, if the number of error/contradictions equals or exceeds the number of marks available for the question, no marks can be awarded.

However, responses considered to be neutral (indicated as * in example 1) are not penalised.

4.1.1.2 Mixtures

Example 1: What is the pH of an acidic solution? (1 mark)

Candidate	Response	Marks awarded
1	4,8	0
2	green, 5	0
3	red*, 5	1
4	red*, 8	0

Example 2: Name two planets in the solar system. (2 marks)

Candidate	Response	Marks awarded
1	Pluto, Mars, Moon	1
2	Pluto, Sun, Mars, Moon	0

3.2 Use of chemical symbols / formulae

If a candidate writes a chemical symbol / formula instead of a required chemical name, full credit can be given if the symbol / formula is correct and if, in the context of the question, such action is appropriate.

3.3 Marking procedure for calculations

Full marks can be given for a correct numerical answer, as shown in the column 'answers', without any working shown.

However if the answer is incorrect, mark(s) can be gained by correct substitution / working and this is shown in the 'extra information' column;

3.4 Interpretation of 'it'

Answers using the word 'it' should be given credit only if it is clear that the 'it' refers to the correct subject.

3.5 Errors carried forward

Any error in the answers to a structured question should be penalised once only.

Papers should be constructed in such a way that the number of times errors can be carried forward are kept to a minimum. Allowances for errors carried forward are most likely to be restricted to calculation questions and should be shown by the abbreviation e.c.f. in the marking scheme.

3.6 Phonetic spelling

The phonetic spelling of correct scientific terminology should be credited **unless** there is a possible confusion with another technical term.

3.7 Brackets

(…..) are used to indicate information which is not essential for the mark to be awarded but is included to help the examiner identify the sense of the answer required.

3.8 Unexpected Correct Answers not in the Mark Scheme

The Examiner should use professional judgement to award credit where a candidate has given an unexpected correct answer which is not covered by the mark scheme. The Examiner should consult with the Team Leader to confirm the judgement. The Team Leader should pass this answer on to the Principal Examiner with a view to informing all examiners.

4.1.1.2 Mixtures

CHY1H Question 1

	answers	extra information	mark
(a)	any **two** from: • nitrogen • carbon dioxide • water (vapour) / steam	 accept formulae N / N_2 accept formula CO_2 ignore CO accept formula H_2O	2
(b)	any **three** from: <u>limestone</u> • abundant / local • natural material **or** no 'processing' needed • relatively easy to cut • appearance better <u>concrete</u> • <u>raw materials</u> are abundant • can be reinforced (by steel rods) / strong(er) / supported (by steel rods) • concrete mixture can be poured / moulded / constructed on site • less reactive with acid rain / weathering / erosion	no mark for 'limestone' or 'concrete' on first line – mark advantages only ignore ideas of speed of production or easier to use accept 'can build higher' ignore density / extraction / quarrying / pollution / cost	3
total			5

4.1.1.2 Mixtures

CHY1H Question 2

	answers	extra information	mark
(a)(i)	$Cu_2S + 2O_2 \rightarrow 2CuO + SO_2$	accept fractions and multiples	1
(ii)	any **two** from: • sulfur dioxide • causes acid rain • consequence of acid rain eg kills fish / plants	 accept sulphur dioxide / sulphur oxide / SO_2 ignore other comments eg global warming / ozone / global dimming / greenhouse effect	2
(b)	any **two** from: • heat (copper oxide with carbon) • oxygen is removed by carbon **or** carbon monoxide / carbon dioxide is produced **or** carbon displaces copper • because carbon is more reactive than copper	 accept copper (oxide) loses oxygen **or** carbon gains oxygen accept carbon oxide accept a correct word or balanced symbol equation allow a correct comparison of reactivity	2
(c)(i)	electrolysis	accept electroplating	1
(ii)	(electrical) wiring / appliances / coins / pipes / cladding for buildings / jewellery / making alloys **or** named alloys		1

Continued on next page

4.1.1.2 Mixtures

Question 2 continued

	answers	extra information	mark
(d)	any **three** explanations from: <u>for recycling</u> • less acid rain (pollution) • copper reserves last longer / conserved **or** do not run out • energy for extraction (saved) **or** less energy required • less mining / quarrying • less waste (copper) / electrical appliances dumped **or** less landfill <u>against recycling</u> • collection problems • transport problems • difficult to separate copper from appliances • energy used to melt the collected copper	ignore electrolysis / pollution ignore ideas about less machinery / plant ignore idea of cost	3
total			10

4.1.1.2 Mixtures

CHY1H Question 3

	answers	extra information	mark
(a)(i)	core		1
(ii)	plate (boundaries)	accept parts of the crust ignore crust alone	1
	sudden movement / colliding **or** normally move a few centimetres per year	accept movement but ignore movement apart accept continental drift	1
	convection currents / driven by heat from radioactive processes / decay	idea of source of energy for the movement	1
	the idea of uncertainty with an explanation eg scientists do not know (with any certainty) • what happens under the crust • where the forces / pressure are building up • we cannot measure the forces • when the forces reach their limit	ignore references to volcanoes	1
(b)(i)	78		1

Continued on next page

4.1.1.2 Mixtures

Question 3 continued

	answers	extra information	mark
(ii)	marks awarded for any 2 gases from the following 3 gases	max **3** marks from CO_2	
	any **four** from: carbon dioxide has decreased: • used by plants / bacteria (stromatolites) • during photosynthesis (must be linked to CO_2 decrease) • 'locked up' in (sedimentary) rocks / carbonates / fossil fuels • dissolved in oceans **and / or** oxygen has increased because: • released by plants / bacteria (stromatolites) • during photosynthesis (must be linked to O_2 increase) **and / or** nitrogen has increased because • ammonia reacted with oxygen (to release nitrogen) • nitrogen is released by bacteria	ignore references to respiration	4
total			10

4.1.1.2 Mixtures

CHY1H Question 4

	answers	extra information	mark
(a)	permitted additive / (added) chemicals **or** names / types of additives	accept the chemical name ignore food additive alone	1
(b)(i)	water and oil do not mix / are immiscible **or** don't dissolve each other	ignore density ignore emulsifier alone	1
(ii)	any **two** from: • emulsifier • forms an emulsion • holds the two components together • by lowering the surface tension	 accept description of an emulsion accept stops them separating / they mix allow bonds / binds for holds accept a description of how an emulsifier works for **two** marks eg 'tadpole' diagram or dispersal of oil drops	2
(c)(i)	(because they contain) a double (carbon carbon) bond	accept unsaturated ignore poly or mono	1
(ii)	results suggest sunflower oil is best **or** 'the one that took the least time' because (sunflower oil) has the highest amount of unsaturation / most double bonds / least saturated	 ignore uses up I_2 most quickly second mark is dependent on first	1 1

Continued on next page

4.1.1.2 Mixtures

Question 4 continued

	answers	extra information	mark
(d)(i)	any **one** from: • have a higher melting point than (vegetable) oil • are solid at (room temperature) / hardened / harder	 accept useful as spreads **or** doesn't soak into bread ignore hard / soft(er)	1
(ii)	any **two** from: • hydrogen added • to carbon carbon double bond / to saturate • (nickel) catalyst / temperature 60 - 150°C	 do **not** accept 'water' wrong catalyst doesn't get this mark ignore high / warm temperature	2
total			10

4.1.1.2 Mixtures

CHY1H Question 5

	answers	extra information	mark
(a)(i)	by (fractional) distillation **or** fractionation	accept a description of the distillation process (heat and how separation works) eg heat **and** condense accept boil / vapourise etc for heat	1
(ii)	CO_2 H_2O	note the order of these products must be correct wrong way round = **1** mark	1 1
(b)(i)	(hexane) has been broken down (into smaller hydrocarbons / molecules)	accept (thermal) decomposition / cracked / split / broken up owtte	1
(ii)		accept $CH_2=CH_2$	1
(iii)	water / hydrogen oxide / steam	accept H_2O	1

Continued on next page

4.1.1.2 Mixtures

Question 5 continued

	answers	extra information	mark
(c)	candidates must include both sugar cane and crude oil in their evaluation **and** both an advantage and a disadvantage to gain full marks. if they do not then the maximum mark is three any **four** from: <u>advantages of using sugar</u> • country has no wealth to buy (large quantities of) crude oil • country has limited technological development **or** underdeveloped / third world country • able / suitable climate to grow sugar cane • enough land to grow sugar cane / land cannot be used to grow food / deforestation • sugar is a renewable source **or** crude oil is a non-renewable resource / finite resource / limited resources • CO_2 / carbon neutral <u>advantages of using alkanes:</u> • economic costs are low • continuous process • country has large oil resources • country has oil refineries / cracking plants • very pure product • faster process	not 'expensive' alone	4
total			10

Version 1.0: 0108

ASSESSMENT and QUALIFICATIONS ALLIANCE

General Certificate of Secondary Education

Additional Science 4463 / Chemistry 4421

CHY2H Unit 2 Chemistry

Mark Scheme

2008 examination – January series

4.1.1.2 Mixtures

Mark schemes are prepared by the Principal Examiner and considered, together with the relevant questions, by a panel of subject teachers. This mark scheme includes any amendments made at the standardisation meeting attended by all examiners and is the scheme which was used by them in this examination. The standardisation meeting ensures that the mark scheme covers the candidates' responses to questions and that every examiner understands and applies it in the same correct way. As preparation for the standardisation meeting each examiner analyses a number of candidates' scripts: alternative answers not already covered by the mark scheme are discussed at the meeting and legislated for. If, after this meeting, examiners encounter unusual answers which have not been discussed at the meeting they are required to refer these to the Principal Examiner.

It must be stressed that a mark scheme is a working document, in many cases further developed and expanded on the basis of candidates' reactions to a particular paper. Assumptions about future mark schemes on the basis of one year's document should be avoided; whilst the guiding principles of assessment remain constant, details will change, depending on the content of a particular examination paper.

Further copies of this Mark Scheme are available to download from the AQA Website: www.aqa.org.uk

Copyright © 2008 AQA and its licensors. All rights reserved.

COPYRIGHT
AQA retains the copyright on all its publications. However, registered centres for AQA are permitted to copy material from this booklet for their own internal use, with the following important exception: AQA cannot give permission to centres to photocopy any material that is acknowledged to a third party even for internal use within the centre.

Set and published by the Assessment and Qualifications Alliance.

The Assessment and Qualifications Alliance (AQA) is a company limited by guarantee registered in England and Wales (company number 3644723) and a registered charity (registered charity number 1073334).
Registered address: AQA, Devas Street, Manchester M15 6EX
Dr Michael Cresswell Director General

4.1.1.2 Mixtures

MARK SCHEME

Information to Examiners

1. General

The mark scheme for each question shows:

- the marks available for each part of the question
- the total marks available for the question
- the typical answer or answers which are expected
- extra information to help the Examiner make his or her judgement and help to delineate what is acceptable or not worthy of credit or, in discursive answers, to give an overview of the area in which a mark or marks may be awarded.

The extra information is aligned to the appropriate answer in the left-hand part of the mark scheme and should only be applied to that item in the mark scheme.

At the beginning of a part of a question a reminder may be given, for example: where consequential marking needs to be considered in a calculation; or the answer may be on the diagram or at a different place on the script.

In general the right hand side of the mark scheme is there to provide those extra details which confuse the main part of the mark scheme yet may be helpful in ensuring that marking is straightforward and consistent.

2. Emboldening

2.1 In a list of acceptable answers where more than one mark is available 'any **two** from' is used, with the number of marks emboldened. Each of the following lines is a potential mark.

2.2 A bold **and** is used to indicate that both parts of the answer are required to award the mark.

2.3 Alternative answers acceptable for a mark are indicated by the use of **or**. (Different terms in the mark scheme are shown by a / ; eg allow smooth / free movement.)

3. Marking points

3.1 Marking of lists

This applies to questions requiring a set number of responses, but for which candidates have provided extra responses. The general principle to be followed in such a situation is that 'right + wrong = wrong'.

Each error/contradiction negates each correct response. So, if the number of error/contradictions equals or exceeds the number of marks available for the question, no marks can be awarded.

However, responses considered to be neutral (indicated as * in example 1) are not penalised.

Example 1: What is the pH of an acidic solution? (1 mark)

Candidate	Response	Marks awarded
1	4,8	0
2	green, 5	0
3	red*, 5	1
4	red*, 8	0

Example 2: Name two planets in the solar system. (2 marks)

Candidate	Response	Marks awarded
1	Pluto, Mars, Moon	1
2	Pluto, Sun, Mars, Moon	0

3.2 Use of chemical symbols / formulae

If a candidate writes a chemical symbol / formula instead of a required chemical name, full credit can be given if the symbol / formula is correct and if, in the context of the question, such action is appropriate.

3.3 Marking procedure for calculations

Full marks can be given for a correct numerical answer, as shown in the column 'answers', without any working shown.

However if the answer is incorrect, mark(s) can be gained by correct substitution / working and this is shown in the 'extra information' column;

3.4 Interpretation of 'it'

Answers using the word 'it' should be given credit only if it is clear that the 'it' refers to the correct subject.

3.5 Errors carried forward

Any error in the answers to a structured question should be penalised once only.

Papers should be constructed in such a way that the number of times errors can be carried forward are kept to a minimum. Allowances for errors carried forward are most likely to be restricted to calculation questions and should be shown by the abbreviation e.c.f. in the marking scheme.

3.6 Phonetic spelling

The phonetic spelling of correct scientific terminology should be credited **unless** there is a possible confusion with another technical term.

3.7 Brackets

(…..) are used to indicate information which is not essential for the mark to be awarded but is included to help the examiner identify the sense of the answer required.

3.8 Unexpected Correct Answers not in the Mark Scheme

The Examiner should use professional judgement to award credit where a candidate has given an unexpected correct answer which is not covered by the mark scheme. The Examiner should consult with the Team Leader to confirm the judgement. The Team Leader should pass this answer on to the Principal Examiner with a view to informing all examiners.

4.1.1.2 Mixtures

CHY2H

Question 1

question	answers	extra information	mark
(a)	sensible line of best fit which goes through or close to all the points **except** the anomalous point	allow wobbly / short double lines ± ½ square	1
(b)	loss of gas / loss of CO_2	idea of gas produced / formed	1
(c)	7		1
(d)(i)	steeper line from around the same starting point and left of the points levelling off at 99	allow crosses if they are fully correct for **1** mark accept short level line at 99 ± ½ square	1 1
(d)(ii)	any **three** from: • particles / molecules / atoms/ ions have more energy • move faster • collide <u>more</u> often **or** <u>more</u> chance of collisions **or** bump into each other <u>more</u> • collide with <u>more</u> force / energy **or** <u>more</u> particles have the activation energy **or** <u>more</u> collisions result in reaction **or** <u>more</u> collisions are successful	 allow given / gain / get energy ignore move about more ignore vibrate more / faster ignore collide quicker / faster	3
total			8

4.1.1.2 Mixtures

CHY2H

Question 2

question	answers	extra information	mark
(a)	any **one** from: • they are made of layers • atoms / ions / particles / layers (of atoms) can slide over each other	 do **not** accept line / rows / lattice	1
(b)	any **one** from: • smaller / tiny **or** very small • correct size range 1 to 100 nanometres • a few hundred atoms in size	 do **not** allow small alone if they state smaller and give a size outside range ignore size if it is less than 20,000	1
(c)	harder plus **one** from: • so does not wear as quickly / erode as quickly • less vulnerable to damage owtte • because they have a high surface area to volume ratio **or** stronger (1) plus **one** from: (1) • less likely to break / do not break • not as vulnerable to damage owtte • do not bend out of shape • because they have a high surface area to volume ratio	 ignore corrode harder to wear down = **1** mark accept withstand pressure harder and stronger alone gains **1** mark	1 1
total			4

4.1.1.2 Mixtures

CHY2H

Question 3

question	answers	extra information	mark
(a)	N_2O		1
(b)	13.8 to 14	gains full marks without working if answer incorrect 13 gains **1** mark **or** 14/101 × 100 gains **1** mark	2
total			3

4.1.1.2 Mixtures

CHY2H

Question 4

question	answers	extra information	mark
(a)	electric current / electricity		1
	plus **one** from:		1
	• is passed through ionic compound / substance / electrolyte	must be linked to electricity allow liquid compound / substance	
	• passed through molten/aqueous compound / substance	do **not** allow solution / liquid alone	
	• causing decomposition	accept split up / breakdown / breaking up owtte ignore separated accept elements are formed ignore new substances form	
(b)	hydrogen	accept H_2 do **not** accept H / H^2	1
(c)	one electron from each atom	accept each carbon is bonded to three other carbon atoms leaving one (unbonded) electron owtte	1
	is delocalised / free (to move)	must be linked to electrons answers of delocalised / free electrons only, gains **1** mark accept each carbon is bonded to three other carbon atoms leaving delocalised / free electrons = **2** marks **maximum 1** mark if graphite described as a metal / giant ionic lattice	1
total			5

4.1.1.2 Mixtures

CHY2H

Question 5

question	answers	extra information	mark
(a)	any **one** from: • gives out heat / energy • transfers energy from a substance to the surroundings • ΔH / energy change / enthalpy change is negative	accept releases / gives off owtte ignore references to light	1
(b)	$2Mg + O_2 \rightarrow 2MgO$	accept correct multiples / fractions	1
(c)		electrons do not need to be paired accept dots / circles / e instead of crosses do **not** allow 2.6 without diagram	1
(d)		electrons do not need to be paired allow without brackets must have the charge accept dots / circles / e instead of crosses ignore extra empty outer shells ignore nucleus do **not** allow $[2.8]^{2+}$ without diagram	1

continued…

4.1.1.2 Mixtures

CHY2H

Question 5 continued…

question	answers	extra information	mark
(e)	oppositely charged (ions / atoms)	allow positive and negative(ions / atoms)	1
	(they) attract	must be in correct context accept held by electrostatic forces ignore ionic bonding **maximum 1** if they refer to intermolecular forces / attractions / covalent bonds	1
(f)	magnesium chloride	accept $MgCl_2$ (if correctly written)	1
total			7

4.1.1.2 Mixtures

CHY2H

Question 6

question	answers	extra information	mark
(a)	**Compound A** any **one** from: • sodium bromide • potassium bromide • ammonium bromide • hydrogen bromide • any metal bromide except silver and lead. **Compound B** silver nitrate	accept correct formulae accept silver sulfate	1 1
(b)	the silver compound will decompose / silver ions be reduced to silver (owtte)	accept film would darken owtte accept any idea of light changing silver bromide / silver ions / silver nitrate / silver sulfate allow 'forms a black solid' / it would turn black	1
(c)	precipitation	accept descriptions of precipitation reactions accept double decomposition accept precipitate do **not** allow displacement	1
(d)	electrons are gained	 the second mark **must** be linked to electrons accept it / silver / silver ions gains electrons for **both** marks ignore references to oxygen	1 1
total			6

4.1.1.2 Mixtures

CHY2H

Question 7

question	answers	extra information	mark
(a)	1213.8 to 1214.3 correct answer not given then check working 1) moles of $N_2 = \frac{1000}{28}$ $= 35.7$ mol 2) moles of $NH_3 = 2 \times$ (answer from (1)) $= 71.4$ mol 3) mass of NH_3 = (answer from 2) × 17 $= 71.4 \times 17 = 1214$ g **or** • 28g of $N_2 \rightarrow 34$g of NH_3 • 1g of $N_2 \rightarrow \frac{34}{28}$ $= 1.214$g NH_3 • 1000 g of $N_2 \rightarrow 1000 \times 1.214$ $= 1214$g **or** • $1000 \times \frac{34}{28}$ **or** **other correct methods**	gains **3** marks without working **1** mark for each correct step do **not** penalise rounding errors in this part **1** mark for each correct step do **not** penalise rounding errors in this part allow error carried forward eg gains **2** marks if correct answer not given $1000 \times \frac{28}{34}$ gains **1** mark, **2** marks if correctly calculated (823.5g) $1000 \times \frac{28}{17}$ gains **1** mark if calculated correctly (1647.05g) look for the key ideas in the methods above	3

continued…

4.1.1.2 Mixtures

CHY2H

Question 7 continued…

question	answers	extra information	mark
(b)	25 / 25.035 **or** ecf from (a)	gains **2** marks even when there is no working incorrect answer then 304/(their answer from (a)) × 100 gains **1** mark	2
	or using figures from part (b)		
	27.6 / 28	gains **2** marks even when there is no working accept 27 for **1** mark if answers incorrect then304/1100 × 100 gains **1** mark	
(c)(i)	increase yield		1
	reaction is exothermic		1
	or		
	allow decreased yield because rate of reaction is slower / fewer collisions for **2** marks	**must** get both points for **2** marks	
(c)(ii)	increase yield		1
	plus **one** from: • more (gaseous) reactant molecules than (gaseous) product molecules (owtte) • increased rate of reaction / more collisions	accept greater volume on the left than the right owtte	1

continued…

4.1.1.2 Mixtures

CHY2H

Question 7 continued…

question	answers	extra information	mark
(d)	any **one** from: **economic** • large town provides workforce • workers do not have to travel far to the factory. (owtte) • transport infrastructure already in place for large town. (owtte) • factory brings prosperity to town (owtte) • factory provides employment • reduced tourism • reduction in local house prices • any other sensible economic factor linked to town		1
	any **one** from: **safety** • escape of dangerous / harmful chemicals / gases (owtte) • danger of increased traffic • risk of explosion.(owtte) /danger of high pressure • consequences of an accident could be severe if the town is close • any other sensible safety idea	do **not** allow polluting gases unqualified	1

continued…

4.1.1.2 Mixtures

CHY2H

Question 7(d) continued…

question	answers	extra information	mark
	any **one** from: **environmental** • factory might be unsightly (owtte) • screening of factory (owtte) • loss of habitats (owtte) • plant trees/ hedges etc on and around plant site • pollution of water / air / soil could harm plants / animals **or** noise pollution • CO_2 is produced by burning fuels / heating • CO_2 causes global warming / any effect of global warming • eye sore • any other sensible environmental factor	must be explained	1
total			12

4.1.1.2 Mixtures

GCSE

Additional Science / Chemistry

CH2HP
Final Mark scheme

4408 / 4402
June 2017

Version/Stage: v1.0

4.1.1.2 Mixtures

Mark schemes are prepared by the Lead Assessment Writer and considered, together with the relevant questions, by a panel of subject teachers. This mark scheme includes any amendments made at the standardisation events which all associates participate in and is the scheme which was used by them in this examination. The standardisation process ensures that the mark scheme covers the students' responses to questions and that every associate understands and applies it in the same correct way. As preparation for standardisation each associate analyses a number of students' scripts. Alternative answers not already covered by the mark scheme are discussed and legislated for. If, after the standardisation process, associates encounter unusual answers which have not been raised they are required to refer these to the Lead Assessment Writer.

It must be stressed that a mark scheme is a working document, in many cases further developed and expanded on the basis of students' reactions to a particular paper. Assumptions about future mark schemes on the basis of one year's document should be avoided; whilst the guiding principles of assessment remain constant, details will change, depending on the content of a particular examination paper.

Further copies of this mark scheme are available from aqa.org.uk

Copyright © 2017 AQA and its licensors. All rights reserved.
AQA retains the copyright on all its publications. However, registered schools/colleges for AQA are permitted to copy material from this booklet for their own internal use, with the following important exception: AQA cannot give permission to schools/colleges to photocopy any material that is acknowledged to a third party even for internal use within the centre.

Information to Examiners

1. General

The mark scheme for each question shows:

- the marks available for each part of the question
- the total marks available for the question
- the typical answer or answers which are expected
- extra information to help the Examiner make his or her judgement and help to delineate what is acceptable or not worthy of credit or, in discursive answers, to give an overview of the area in which a mark or marks may be awarded
- the Assessment Objectives and specification content that each question is intended to cover.

The extra information is aligned to the appropriate answer in the left-hand part of the mark scheme and should only be applied to that item in the mark scheme.
At the beginning of a part of a question a reminder may be given, for example: where consequential marking needs to be considered in a calculation; or the answer may be on the diagram or at a different place on the script.
In general the right-hand side of the mark scheme is there to provide those extra details which confuse the main part of the mark scheme yet may be helpful in ensuring that marking is straightforward and consistent.

2. Emboldening and underlining

2.1 In a list of acceptable answers where more than one mark is available 'any **two** from' is used, with the number of marks emboldened. Each of the following bullet points is a potential mark.

2.2 A bold **and** is used to indicate that both parts of the answer are required to award the mark.

2.3 Alternative answers acceptable for a mark are indicated by the use of **or**.
Different terms in the mark scheme are shown by a / ; eg allow smooth/free movement.

2.4 Any wording that is underlined is essential for the marking point to be awarded.

3. Marking points

3.1 Marking of lists

This applies to questions requiring a set number of responses, but for which students have provided extra responses. The general principle to be followed in such a situation is that 'right + wrong = wrong'.

Each error/contradiction negates each correct response. So, if the number of error/contradictions equals or exceeds the number of marks available for the question, no marks can be awarded.

However, responses considered to be neutral (indicated as * in example 1) are not penalised.

Example 1: What is the pH of an acidic solution?

[1 mark]

Student	Response	Marks awarded
1	green, 5	0
2	red*, 5	1
3	red*, 8	0

Example 2: Name two planets in the solar system.

[2 marks]

Student	Response	Marks awarded
1	Pluto, Mars, Moon	1
2	Pluto, Sun, Mars, Moon	0

3.2 Use of chemical symbols/formulae

If a student writes a chemical symbol/formula instead of a required chemical name, full credit can be given if the symbol/formula is correct and if, in the context of the question, such action is appropriate.

3.3 Marking procedure for calculations

Full marks can be given for a correct numerical answer, without any working shown. However, if the answer is incorrect, mark(s) can be gained by correct substitution/working and this is shown in the 'extra information' column or by each stage of a longer calculation.

3.4 Interpretation of 'it'

Answers using the word 'it' should be given credit only if it is clear that the 'it' refers to the correct subject.

3.5 Errors carried forward

Any error in the answers to a structured question should be penalised once only. Papers should be constructed in such a way that the number of times errors can be carried forward are kept to a minimum. Allowances for errors carried forward are most likely to be restricted to calculation questions and should be shown by the abbreviation 'ecf' in the marking scheme.

3.6 Phonetic spelling

The phonetic spelling of correct scientific terminology should be credited **unless** there is a possible confusion with another technical term.

3.7 Brackets

(…..) are used to indicate information which is not essential for the mark to be awarded but is included to help the examiner identify the sense of the answer required.

3.8 Accept/allow

Accept is used to indicate an equivalent answer to that given on the left-hand side of the mark scheme. Allow is used to denote lower-level responses that just gain credit.

3.9 Ignore/Insufficient/Do not allow

Ignore or insufficient is used when the information given is irrelevant to the question or not enough to gain a marking point. Any further correct amplification could gain the marking point.
Do **not** allow means that this is a wrong answer which, even if the correct answer is given, will still mean that the mark is not awarded.

4 Quality of Written Communication and levels marking

In Question 2 students are required to produce extended written material in English, and will be assessed on the quality of their written communication as well as the standard of the scientific response.

Students will be required to:
- use good English
- organise information clearly
- use specialist vocabulary where appropriate.

The following general criteria should be used to assign marks to a level:

Level 1: Basic

- Knowledge of basic information.
- Simple understanding.
- The answer is poorly organised, with almost no specialist terms and their use demonstrating a general lack of understanding of their meaning, little or no detail.
- The spelling, punctuation and grammar are very weak.

Level 2: Clear

- Knowledge of accurate information.
- Clear understanding.
- The answer has some structure and organisation, use of specialist terms has been attempted but not always accurately, some detail is given.
- There is reasonable accuracy in spelling, punctuation and grammar, although there may still be some errors.

Level 3: Detailed

- Knowledge of accurate information appropriately contextualised.
- Detailed understanding, supported by relevant evidence and examples.
- Answer is coherent and in an organised, logical sequence, containing a wide range of appropriate or relevant specialist terms used accurately.
- The answer shows almost faultless spelling, punctuation and grammar.

4.1.1.2 Mixtures

Question	Answers	Extra information	Mark	AO / Spec. Ref.
1(a)(i)	a smooth curve through or close to all points except (30,12)		1	AO2 2.4
1(a)(ii)	correct reading from the curve in 1(a)(i) (cm^3)	allow a tolerance of +/- 0.5 cm^3	1	AO2 2.4
1(a)(iii)	45-50 (seconds)		1	AO3 2.4
1(a)(iv)	line becomes less steep because gas is produced more slowly	ignore line levels out or plateaus allow examples with figures, eg 12 cm^3 gas from 0 to 20s but 1.5 cm^3 gas in last 20s ignore reaction has stopped or no more gas produced	1 1	AO3 2.4
1(a)(v)	0.6 (cm^3 per second)	allow 0.55 to 0.65	1	AO2 2.4
1(b)(i)	 temperature volume (of hydrogen peroxide)	concentration of hydrogen peroxide = max **1** ignore amount (of hydrogen peroxide)	 1 1	AO3 2.4
1(b)(ii)	 rate increases because more particles (in the same volume) so frequency of collisions increases	incorrect reference to energy = max **2** accept particles closer together allow greater chance of collisions ignore more collisions	 1 1 1	AO1 2.4.1e

4.1.1.2 Mixtures

1(c)	(increasing the amount of catalyst) increases rate same final volume of gas	accept steeper graph or graph levels off earlier	1 1	**AO2** 2.4.1g
Total			**13**	

4.1.1.2 Mixtures

<table>
<tr><th>Question</th><th>Answers</th><th>Extra information</th><th>Mark</th><th>AO / Spec. Ref.</th></tr>
<tr><td>2</td><td></td><td></td><td>6</td><td rowspan="6">AO1
2.1.1h
2.2.4b,c
2.2.5a,b</td></tr>
<tr><td colspan="4">Marks awarded for this answer will be determined by the Quality of Written Communication (QWC) as well as the standard of the scientific response. Examiners should also refer to the information on page 5 and apply a ‘best-fit’ approach to the marking.</td></tr>
<tr><td colspan="4"><table>
<tr><th>0 marks</th><th>Level 1
(1–2 marks)</th><th>Level 2
(3–4 marks)</th><th>Level 3
(5–6 marks)</th></tr>
<tr><td>no relevant information given</td><td>a statement about the structure or a property of a metal
or
a statement about the structure or a property of a polymer</td><td>a statement about the structure or a property of a metal
and
a statement about the structure or a property of a polymer</td><td>a statement about the structure or a property of a metal
and
a statement about the structure or a property of a polymer
and
at least one statement linking structure and property</td></tr>
</table></td></tr>
<tr><td colspan="4">Statements shown as HT only are credited on both FT and HT.
However, HT only means that these statements are not expected in a FT answer.</td></tr>
<tr><td colspan="4">Examples of chemistry points made in response

Metal:

Properties
shiny
hardness
(tensile) strength
melting point/boiling point
density
malleable/flexible
ductile
conduct electricity or thermal energy</td></tr>
</table>

MARK SCHEME – GCSE ADDITIONAL SCIENCE / CHEMISTRY – CH2HP – JUNE 2017

Structure • metals contain atoms /((positive) ions HT only) • (the atoms/(positive) ions/particles are) closely packed / in a regular pattern / in a giant structure/in layers / in a lattice • strong bonds/(electrostatic attractions HT only) • (metal has delocalised electrons HT only) **Polymer:** **Properties** • flexible • melting/boiling point • density • can be shaped/moulded • poor conductor of electricity or thermal energy **Structure** • polymer consists of chains • polymer chains may be tangled • polymer has no cross links. • (polymer has weak intermolecular forces HT only) **Level 3:** **Examples of linked statements:** • metal can be bent and shaped because the layers can slide • some metals are soft because layers can slide • some metals are hard because they have strong bonds and/ or (the atoms/(positive) ions/particles) are closely packed / in a regular pattern / in a giant structure/ in a lattice • metal has high melting/boiling point because they have strong bonds and/ or (the atoms/(positive) ions/particles) are closely packed / in a regular pattern / in a giant structure / in a lattice • metal is strong because of strong bonds • some metals are dense because the atoms are closely packed • (metal can conduct thermal energy and electricity because metal has delocalised electrons HT only) • thermosoftening polymer melts when heated because it has no cross-links (or has weak intermolecular forces HT only) • thermosoftening polymer is flexible because the chains can move over each other	

Total			**6**

4.1.1.2 Mixtures

Question	Answers	Extra Information	Mark	AO / Spec. Ref
3(a)(i)	2 bonding pairs 4 unbonded electrons on each atom	accept dots, crosses, e, - or any combination ignore any electrons on any inner shells if no other mark awarded allow **1** mark for 1 bonding pair and 6 unbonded electrons on each atom	1 1	**AO2** 2.1.1g
3(a)(ii)	covalent	allow convalent and covelant ignore single or double ignore shared, shared bond or sharing	1	**AO1** 2.1.1g
3(a)(iii)	weak intermolecular forces require little energy to overcome	reference to weak covalent or weak ionic bonds = **0** accept weak intermolecular bonds MP2 dependent on MP1 if no other mark awarded allow 1 mark for simple/small molecules	1 1	**AO1** **AO2** 2.2.1a,b

4.1.1.2 Mixtures

3(b)(i)	**2** Mg + O_2 → **2** MgO	accept multiples	1	**AO2** 2.2.2
3(b)(ii)		reference to incorrect particles **or** incorrect bonding **or** incorrect structure = max **2**		**AO1** **AO2** 2.1.1a,b,c,f
	magnesium loses (electrons) **and** oxygen gains (electrons)		1	
	two (electrons transferred)		1	
	noble gas structure **or** 8 electrons in outer shells **or** (electrostatic) attraction between ions **or** forms ionic bonds	accept full outer shell (of electrons)	1	
3(b)(iii)	particles 1-100 nm in size	accept contain a few hundred atoms/ions accept have a high surface area to volume ratio ignore reference to (very) small particles do **not** accept smaller than an atom/ion	1	**AO1** 2.2.6a

3(c)	has a high melting point	allow will not melt allow a lot of energy needed to melt ignore boiling point reference to incorrect particles or incorrect bonding or incorrect structure = max **1** from MP2 and MP3	1	**AO1** **AO2** 2.2.3a
	because all atoms linked to other atoms	allow giant structure/lattice ignore many bonds	1	
	by covalent bonds	allow strong bonds allow a lot of energy needed to break bonds accept giant covalent structure for MP2 and MP3	1	
Total			**13**	

4.1.1.2 Mixtures

Question	Answers	Extra Information	Mark	AO / Spec. Ref
4(a)	add copper oxide and (sulfuric) acid		1	**AO1** **AO2** 2.6.1b,c
	excess (copper oxide)		1	
	filter (to remove excess)	ignore impurities	1	
	heat /boil / evaporate / leave (to crystallise)	do **not** accept to dryness	1	
4(b)	(M_r CuO =) 79.5		1	**AO2** 2.3.3c
	24.95/249.5 **or** 0.1 **OR** 79.5/249.5 **or** 0.3186…	allow ecf for M_r CuO from step 1 allow correct rounding to min 2SF	1	
	(24.95/249.5 x 79.5=) 7.95	allow ecf for M_r CuO from step 1 allow ecf from step 2 of incorrect calculation/ rounding of correct ratio allow correct rounding to min 2SF correct answer with or without working gains 3 marks	1	
4(c)(i)	as wealth decreases, ethene production decreases (with the exception of country C or D)	accept converse	1	**AO2** **AO3** 2.6
	sulfuric acid production is not linked to wealth		1	

4.1.1.2 Mixtures

4(c)(ii)	use of products of ethene has increased	allow use of polymers / plastics / ethanol / poly(ethene) has increased ignore use of ethene as a (bio)fuel ignore cost	1	**AO3** 2.2.5
Total			**10**	

4.1.1.2 Mixtures

Question	Answers	Extra Information	Mark	AO / Spec. Ref
5(a)(i)	draw line on paper put (dots of) inks on line place (bottom of) paper in solvent / water any **one** from: line drawn in pencil allow dots of ink to dry line above solvent lid		1 1 1 1	**AO1** 2.3.2b
5(a)(ii)	any **two** from: • A has 3 colours **and** B has 4 colours • 2 colours are the same • **A** has 1 colour not in **B and B** has 2 colours not in **A**	accept 3 colours are different if no other mark awarded allow **one** more colour in ink **B** than in ink **A** (or converse)	2	**AO3** 2.3.2b
5(b)(i)	substances carried by gas through column / tube / coil (packed with solid) (different substances move through the column) at different speeds	 accept (different) substances come out at different times or have different retention times	1 1 1	**AO1** 2.3.2c
5(b)(ii)	(relative) molecular mass	allow (relative) formula mass allow RFM, RMM, M_r	1	**AO1** 2.3.2c
Total			**10**	

Question	Answers	Extra Information	Mark	AO / Spec. Ref
6(a)(i)	tick (✓) by: the initial temperature reading was too low		1	**AO3** 2.5
6(a)(ii)	the reaction is exothermic	allow energy is given out	1	**AO3** 2.5.1b
6(b)(i)	(positive/hydrogen) ions gain electrons hydrogen is below sodium in the reactivity series so hydrogen / H_2 is produced	accept (positive/hydrogen) ions are reduced accept reference to high reactivity of sodium If no other mark awarded allow hydrogen (and sodium) ions **or** positive ions are attracted to negative electrode for **1** mark	1 1 1	**AO1** **AO2** 2.7.1c,f,i
6(b)(ii)	**2** (Cl^-) → **Cl_2 + 2e^-**	must be completely correct allow multiples	1	**AO1** 2.7.1g
6(b)(iii)	solution is alkaline because sodium hydroxide / NaOH is produced **or** sodium hydroxide / NaOH is left over	accept hydroxide (ions) / OH^- is produced **or** hydroxide (ions) / OH^- is left over	1 1	**AO1** **AO2** 2.7.1i; 2.6.2d
Total			**8**	

4.1.1.2 Mixtures

Answer 111 · Examiner comments

June 2018 | 8462/2H | Original Q1

Question 1 (standard demand)

01.1 80% of students gave yellow or orange. There was a lot of variety in the wrong answers with all the colours of the spectrum represented.

01.2 This was well answered. Copper was the most common answer given although a few gave barium and gained credit.

01.3 60% of students achieved this mark. Popular incorrect responses implied that the flame colours were similar or the same.

01.4 87% of students could correctly identify both of the ions in the flame emission spectrum.

01.5 33% of students identified the correct answer as bromide. A few put bromine but many seemed to guess.

01.6 The test for sulfate ions was not well known with many students gaining only the acidification mark. 27% of students achieved full marks.

4.1.1.2 Mixtures

Answer 112 · Examiner comments

June 2018 | 8462/2H | Original Q2

Question 2 (standard demand)

02.1 28% of students recognised a formulation from this part of the specification.

02.2 This question presented little difficulty, with 81% of students achieving full marks.

02.3 Reading the stem would have avoided answers such as ‘to make it more attractive to drink’. 33% of students realised that it was to warn people not to drink it.

02.4 Uses of ethanol, and therefore methylated spirits, as a solvent, steriliser and fuel were well known.

02.5 Few students could give both yeast and the reaction conditions for the production of ethanol from sugar solution by fermentation. Some knew the name of the process but could give no correct detail.

02.6 34% of students could complete the displayed formula for ethanol. Ethane was the most common incorrect answer, but ethanoic acid was also frequently seen.

02.7 45% of the students knew that hydrogen would be the gas produced.

02.8 6% of students knew that an oxidising agent was required.

4.1.1.2 Mixtures

Answer 113 · Examiner comments

June 2018 | 8462/2H | Original Q3

Question 3 (standard demand)

03.1 80% of students realised that the other gas used in the Haber process is hydrogen.

03.2 44% of the students knew the temperature and pressure used in the process. This was made even more challenging as they had to give the correct units as well.

03.3 32% of students could explain why only the ammonia, and not the other gases, turn into a liquid: because its boiling point is higher.

03.4 This was an 'extended response', 'level marked' question. There were three levels and the command word was 'explain'. The question was marked holistically. Students were given information about the current atmosphere of Venus, believed to be similar to that on the early Earth, and the Earth's atmosphere today.

Generally, a level 1 response used the percentages given to say in which direction the amounts of these gases had moved. Level 2 moved beyond this, giving an explanation in terms of one process, such as photosynthesis or dissolving in oceans. Level 3 responses usually gave more than one process, for example both of the processes mentioned above.

Many students talked only about the changes in the last few centuries, which was not what the question was asking. 47% of students were able to provide a level 3 response.

03.5 39% of students seemed aware of the timescale under consideration here, namely the atmosphere of billions of years ago, or that there was a lack of evidence or proof. Many merely asserted that there was no-one there (to make measurements).

4.1.1.2 Mixtures

Answer 114 · Examiner comments

June 2018 | 8462/2H | Original Q4

Question 4 (standard & standard / high demand)

04.1 The lid confused many students and they came up with many creative ways to describe how this would lead to a problem. Another common misconception was that the water level was too low and therefore would affect the R_f value calculated, or that it wouldn't move up the paper. Some students wrote a poorly expressed and confused account of the relationship of the mobile and stationary phases. Nevertheless, 39% of students achieved all four marks.

04.2 Many students described substances, inks and compounds rather than colours. Weaker responses merely described the pattern of the dots rather than the deductions that could be drawn from these patterns. Some students answered in terms of purity. 49% of students achieved both marks.

04.3 65% of students calculated the answer correctly. There was lots of incorrect rounding here. 2.08 was a common wrong answer (from 3.2×0.65).

4.1.1.2 Mixtures

Answer 115 · Examiner comments

June 2018 | 8462/2H | Original Q6

Question 6 (standard / high & high demand)

06.1 There was a variety of incorrect answers for the small molecule lost during condensation polymerisation, some of which were not molecules. However, 56% of students knew the answer was water.

06.2 Of those students who lost marks here, there was no clear-cut marking point that caused the problem. Some students did not make it clear that the bond joined on to the C atom of the methyl group, but were given benefit of the doubt provided it didn't join to the H_3. 28% of students gave faultless answers.

06.3 This question was not answered well, mainly because students did not appreciate that they were making a comparison with both of the fibres used alone.

- Some students restated the question stem by saying 'wool wears out quickly'.
- There was little mention of land usage for wool production or that poly(propene) is not biodegradable.
- There were many uncreditworthy references to cost, and the greater comfort of wool.
- Many students failed to make it clear whether they were talking about the fibre or the carpet, or whether they were comparing the mixed fibre carpet with wool or poly(propene) alone.

Most students who achieved any marks at all (39%) were only able to score one of the available marks.

06.4 This was generally well answered with 99% of students achieving at least one mark. There were various advantages and disadvantages given for the uniform absorbing water as covered by the marking points on the mark scheme (including an advantage of 'it would absorb lots of sweat'). 44% of the students were able to achieve all four marks.

4.1.1.2 Mixtures

Answer 116 · Examiner comments

June 2018 | 8462/2H | Original Q7

Question 7 (standard & standard / high demand)

07.1 This was generally well answered with 72% of students achieving one or two marks. The mark most commonly not achieved was for an insufficient or limited oxygen supply. This was usually because the students either did not mention oxygen or failed to say the supply was limited. However a number of students did not achieve the mark by stating that **no** oxygen was present. Global warming was a frequent response but was not creditworthy.

07.2 This was less well answered with 5% of students achieving both marks. Many students realised that CO is toxic in some way, but were too vague using words like 'harmful' or 'dangerous'. However this was the mark which was most frequently awarded.

Many students struggled to find a second reason. Again specific responses were required. Responses such as 'improved technology', 'more efficient cars' were not, on their own, sufficient to gain the 'improved engine technology' mark.

Although the question specifically mentioned new cars, responses comparing old cars to new cars did not normally contain creditworthy material.

07.3 This was not well answered with 11% of students achieving the mark. Most students did not appear to have realised that the question was asking about unburned hydrocarbons. Many who did were side-tracked into talking about wasting petrol / resources, or the flammability of unburned hydrocarbons. Again, global warming was a frequent response which did not gain credit.

07.4 There were a few good responses, but many that were not. 11% of students achieved both marks.

Students did not have to state where the oxygen and nitrogen came from, but when they did this needed to be correct. Nitrogen coming from the petrol or from combustion was not an acceptable response. The second mark was frequently not given because of the use of vague terms such as 'hot', rather than naming the conditions required ('high temperature')

07.5 This was generally well answered, although ‘2N’ was a common incorrect response. Students need to remember that gases such as nitrogen, hydrogen and oxygen normally exist as diatomic molecules. 61% of students achieved both the marks.

07.6 Again global warming and other associated responses were frequently seen, and in this case lost credit. Vague responses were also frequently seen. However most responses referred correctly to acid rain and one mark was often awarded. Some good responses included details about the pollutants that contribute to these effects. 56% of students were able to gain at least one mark.

07.7 61% of students knew that the transition metal block was the most likely source of catalysts.

4.1.1.2 Mixtures

Answer 117 · Examiner comments

Question 7 (standard, standard / high and high demand)

07.1 The explanation for the use of cryolite in the extraction of aluminium does not appear to be well known. Almost two-thirds of students scored 0 marks.

A common misconception was that cryolite acts as a catalyst.

Common responses seen that were not credited included:

- to melt the aluminium oxide so that it conducts electricity
- so that the ions can move freely
- to reduce costs.

07.2 Almost 60% of students correctly identified that aluminium ions gain electrons as the process occurring at the negative electrode.

07.3 Students found the completion of the half-equation difficult. Almost 70% scored 0 marks.

Common errors included:

- including Al / Al_2O_3
- representing the oxide ion as O^- or O_2^-
- 2 electrons rather than 4 electrons being produced.

07.4 However, only approximately a quarter of students were able to state why the positive electrode needs to be replaced and hence score all 3 marks.

4.1.1.2 Mixtures

Answer 117 · Examiner comments

07.5 Most students scored at least 1 mark. Approximately 40% scored all 4 marks.

The most frequently scored mark was for M_r (Al_2O_3) = 102 (or '204' from the alternative approach in the mark scheme).

A common error was M_r (Al_2O_3) = 156 but students were still able to score marks for using this incorrect value in subsequent steps.

A valid variation on the reacting mass method was to calculate the percentage by mass of oxygen in Al_2O_3 and then use this to calculate the mass of oxygen in 2000 kg of Al_2O_3

It was not always clear which approach was being used. A common incorrect final answer was 1412 (kg) where students had applied the 2 : 3 mole ratio (from the main approach) as well as the 96 / 204 mass ratio (from the alternative approach).

07.6 Students found this question difficult. Almost two-thirds of students scored 0 marks.

Even when students realised that reactivity was the key idea, they sometimes compared the reactivity of the wrong species, for example, sodium and chlorine or Na^+ ions and H^+ ions

A common misconception was that sodium chloride solution does not conduct electricity.

07.7 Approximately two-thirds of students scored at least 1 mark for this calculation.

However, the most common final answer was 50.7 dm^3. The error here was the omission of the unit conversion, kg to g.

4.1.1.2 Mixtures

Answer 119 · Examiner comments November 2020 | 8462/1H | Original Q3

Question 3 (standard demand)

03.1 Many students failed to recognise or state that a reaction was taking place, merely referring to changes in mass on mixing. Some did not use the data in the question, as was required. Many students appeared to confuse conservation of mass with conservation of energy.

03.2 Most students realised that filtration would obtain the solid. Crystallisation was a commonly seen incorrect response.

03.3 Many students gave the answer 'sodium' as opposed to sodium nitrate, sodium iodide or sodium ions. Dust and bacteria were not uncommon responses.

03.4 Many students did not realise that heating was simply to dry the silver iodide, by evaporating off the water from the previous step.

03.5 This calculation was well done, although some students added up all four values of M_r instead of just those of the reactants.

03.6 Most answered correctly in terms of profitability, or reduction of waste. There was some confusion between atom economy and percentage yield.

Answer 120 · Examiner comments November 2020 | 8462/1H | Original Q6

Question 6 (standard, standard / high and high demand)

06.1 Most students were able to express the idea that activation energy is the minimum energy required to start a reaction. One common error was to say that it is the energy needed to make particles collide.

06.2 A variety of approaches was seen. The majority of students calculated the number of moles of both aluminium and of iron oxide and then attempted with varying degrees of success to explain why the number of moles of aluminium was insufficient for the iron oxide. Common errors were to omit to convert the mass from kilograms to grams, and/or using 54 as the 'M_r' of aluminium. Of those who did correctly calculate the number of moles of each reactant, some had difficulty in expressing clearly the idea of 2 moles of aluminium being needed to react with 1 mole of iron oxide, and therefore 37.0 moles of aluminium is less than the 37.5 moles required, or that 18.75 moles of iron oxide is more than the 18.5 moles required. Other students started with the mass of one reagent and calculated the required mass of the other, either by the moles method or by proportion. These students found it easier to express why there was insufficient aluminium or excess iron oxide.

06.3 Few students scored both marks. Aqueous zinc was often seen as a response. Many students did not understand the idea of an ionic equation and tried to include the sulfate ion.

06.4 Only a third of students scored both marks, but a lot of students were confused about which species gained electrons and which lost them. Definitions of oxidation and reduction in terms of gain and loss of oxygen were not appropriate here and were not credited.

4.1.1.2 Mixtures

Answer 121 · Examiner comments — November 2020 | 8462/2H | Original Q1

Question 1 (standard demand)

01.1 The majority of students were able to answer this item.

01.2 Most students were aware that the wire should be cleaned, though many suggested the wire (loop) should be sterilised. Far fewer were able to describe the effect on the results with many just repeating the third line of the question stem.

01.3 Few of the students were able to give correct precipitate colours for both copper and calcium ions. There was no real pattern in the incorrect responses, but green or brown were often seen.

01.4 Few students were able to name barium chloride (solution). Many unsuitable reagents were named, including silver nitrate

01.5 Some students were able to name the solution. Those who gave the correct solution sometimes gave the result for a different halide ion.

Answer 122 · Examiner comments — November 2020 | 8462/2H | Original Q4

Question 4 (standard / high and high demand)

04.1 Well answered. Some students left contradictory working in place (e.g. 5.7 / 0.60 = 9.5 left alongside 5.7 x 0.60 = 3.42) which compromises their ability to score marks. Once students have decided which answer is correct, they should cross the other out.

04.2 Very few students scored this mark. Some didn't appear to have read the first sentence and just stated that there are two spots because there are two dyes. Many thought that the other compounds were insoluble; very few suggested that compounds could be colourless.

04.3 A majority of students gained one mark here, with many going on to score both.

04.4 Quite well answered by many students. Most referred to consistency of the green colour, with some referring to the ink being a formulation so having to have the same proportions. A few students tried to refer back to the experiment – 'to make it a fair test' or 'to produce the same R_f value'.

04.5 A minority of students selected the correct response.

4.1.1.2 Mixtures

Answer 123 · Examiner comments

November 2020 | 8462/2H | Original Q10

Question 10 (standard and high demand)

10.1 A minority of students identified water as the solvent.

10.2 The mark for describing the colour change was scored more often than the mark for the shift in the position of equilibrium that caused this colour change. The mark for the application of Le Chatelier's Principle was rarely scored by students.

10.3 Once again, the shift in equilibrium position and the identification of the forward reaction as exothermic were seldom justified in terms of Le Chatelier's Principle. The distribution of marks awarded to students was very similar to that for **10.2**.

10.4 Students answered this question poorly. A minority recognised that the position of equilibrium had not changed, but fewer still linked the non-effect of pressure with the absence of gases. A common error was to state that there there are equal numbers of moles on each side of the equation, as though this **were** a gaseous reaction.

10.5 A minority of students were able to identify cobalt as the only transition metal ion in the list.

4.1.1.2 Mixtures

Answer 123 · Examiner comments

November 2020 | 8462/2H | Original Q10

Concluding Remarks

Many students gave responses which showed an excellent understanding while others had difficulty even with core chemical concepts.

The majority of students appeared to have sufficient time to complete the paper. A few used up a lot of time and space in practical and extended writing contexts by providing detailed additional information that did not contribute to a fully answered question.

Basic knowledge and understanding of how science works in everyday situations, including in the laboratory, were tested throughout this paper. This means that it was essential that students read and analysed the information provided, then read and understood the question before writing their response.

There is still some evidence that command words are misunderstood or ignored. This limits the marks awarded, especially in extended response questions. In this paper **compare** and **evaluate** were often too loosely interpreted.

Students seemed well prepared for questions based on Rate and Extent of Chemical Change and Organic Chemistry. In this series they seemed less equipped to deal with Chemical Analysis, Chemistry of the Atmosphere and some aspects of Using Resources.

4.1.1.2 Mixtures

Answer 123 · Examiner comments

Mark Ranges and Award of Grades

Grade boundaries and cumulative percentage grades are available on the Results Statistics page of the AQA Website.

4.1.1.2 Mixtures

Answer 124 · Examiner comments November 2021 | 8462/2H | Original Q2

Question 2 (standard demand)

02.1 This was very well attempted and three quarters of students gained both marks.

02.2 Most students were able to determine the boiling point of heptane.

02.3 Two thirds of students identified that the *y*-axis did not fall below 0°C.

02.4 Just over two-thirds of students identified the gaseous nature of butane at 20°C.

02.5 More than three-quarters of students were able to apply the general formula to nonane.

02.6 Many students were able to state that nonane has a higher boiling point than the other alkanes in the table, but far fewer could use this to explain the condensing location in the column.

.

Answer 125 · Examiner comments November 2021 | 8462/2H | Original Q3

Question 3 (standard demand)

03.1 Nearly two-fifths achieved a Level 3 response and well over four-fifths gained at least a Level 2 mark here. The main barriers to accessing Level 3 were an assertion that the solvent level should start at or above start-line level, or a failure to identify if or how measurements should be made. Level 1 responses usually had several keys steps missing.

03.2 Most students answered this question correctly.

03.3 Most students answered this question correctly.

Answer 126 · Examiner comments November 2021 | 8462/2H | Original Q5

Question 5 (standard / high and high demand)

05.1 Nearly four-fifths of students identified one salt, while more than a third worked out both.

05.2 Around two-thirds of students could identify calcium nitrate.

05.3 Two marks were usually easily scored, often for ideas relating to a quicker or continuous process. Four marks were almost never awarded, because students did not appear to appreciate the need for a reasoned judgement when the command word is ‘evaluate’.

4.1.1.2 Mixtures

Answer 127 · Examiner comments November 2021 | 8462/2H | Original Q10

Question 10 (standard, standard / high and high demand)

10.2 More than two thirds of students knew one condition (high temperature) and more than one third knew two.

10.3 There was a very wide range of marks but many did not score above Level 1. The main failure to reach Level 2 was that the question focuses on economics so that an answer which fails to mention energy, cost or a compromise in reaction conditions does not meet the level descriptor for Level 2. Similarly, the requirements for Level 3 were not usually met if the references did not mention the impact of reaction conditions on both rate and yield. Only a handful of students gave a Level 3 answer.

10.4 Fermentation was well known.

10.5 Around half of students scored one mark by extending their knowledge of fermentation to this unfamiliar context, 'warm' was seen much more often than 'anaerobic'.

10.6 This was completely correct in the responses of nearly half of students. Where a mark was not obtained, this was usually caused by a failure to convert kilometres to metres.

10.7 A challenging concluding equation with no scaffolding which students found difficult.

Concluding Remarks

There is still some evidence that command words are misunderstood or ignored. This limits the marks awarded, especially in extended response questions. This is particularly true where a command word demands a reasoned judgement.

Students seemed well prepared for questions based on Organic Chemistry and Chemistry of the Atmosphere. In this series they seemed less equipped to deal with Chemical Analysis, Rate of Reaction and some aspects of Using Resources.

There were a number of instances of key reagents, techniques and colour changes still not being well known.

4.1.1.2 Mixtures

Answer 127 · Examiner comments

Mark Ranges and Award of Grades

Grade boundaries and cumulative percentage grades are available on the Results Statistics page of the AQA Website.

4.1.1.2 Mixtures

Answer 128 · Examiner comments

June 2022 | 8462/1H | Original Q2

Question 2 (Standard demand)

02.1 Many excellent answers were seen, with a workable method laid out clearly in a logical order, and with added detail such as the use of a beaker to support a polystyrene cup, or using lagging to insulate a beaker. Answers often included a list of suitable apparatus for measurement of volume and mass, and details of important control variables such as the volume and concentration of acid.

Some students, however, tried to measure the loss in mass during the reaction, or even the volume of gas produced. A few compromised the experiment by heating the mixture with a Bunsen burner. Some students measured and varied the volume of sodium carbonate rather than the mass, despite being informed that the sodium carbonate was a powder and to investigate the change in mass.

Although most candidates referred to the measurement of temperature, the key step in the method that was most often missing was the instruction to measure the highest temperature reached by the mixture.

Repeating the experiment with a different mass of sodium carbonate was the most common method used but a method which involved adding successive masses of sodium carbonate to the same container could also gain full credit provided that the highest temperature reached was measured after each addition of sodium carbonate.

02.2 Most students determined the gradient correctly, with many using the coordinates of the points at the limits of the printed line. Some appeared to misread the scale on the *y*-axis, reading 28.6 as 28.3 and 22.2 as 22.1. Many did not annotate their graph; those who read their coordinates incorrectly made it very difficult for examiners to judge whether the *x*-coordinates corresponded to the given *y*-coordinates. Students should always show their working in full, including annotating the graph. Units were usually given correctly, but g/°C was often seen. C° is not a correct representation of degrees Celsius.

02.3 The vast majority of students extrapolated the line to the *y*-axis correctly and read off the value of initial temperature. A handful of candidates gave a value for the initial temperature without annotating the graph so were not awarded any marks.

02.4 Nearly all students correctly identified **C** as the correct graph.

02.5 Fewer than half of students scored both marks, although nearly 80% scored at least one mark. Activation energy was a common incorrect response for either **X** or **Y**. Other incorrect answers included time for **Y** and temperature for **X**.

02.6 Most students referred correctly to the relative energies of the reactants and products, or to the loss of energy shown by those energies. A few students referred to temperature or heat rather than energy and were not given any credit.

4.1.1.2 Mixtures

Answer 129 · Examiner comments

June 2022 | 8462/1H | Original Q8

Question 8 (Standard, standard/high and high demand)

08.1 While over a half of students scored one mark on this question, very few scored all four. Many referred to a pH being more or less acidic, without referring to higher or lower pH values. Few students mentioned hydrogen ions, so limited themselves to Level 2. The strength of an acid was explained better than the concentration; very few students could state that the more concentrated the acid, the more of it there is per unit volume. Even those who did know the definition often stated that the concentration of the acid was the number of hydrogen ions per unit volume, rather than the acid molecules. There were vague statements such as the strength of an acid depends on the extent of ionisation, without giving the direction of that dependency. Some otherwise good answers were compromised by incorrect links to pH, such as 'the stronger the acid the higher the pH'. Many students made incorrect statements trying to link strength to concentration, not recognising that they are entirely separate.

08.2 Most students were able to explain that the first titration is anomalous and the mean of the other four titrations is used. Some correctly described this as taking the mean of the concordant results, or the mean of the results within 0.10 cm^3. Incorrect answers included that the value used was the mean of all five results, or that it was the mode or median of the results.

08.3 There were many fully correct answers. Some students use a table approach without showing their working for each entry in the table, so that if an intermediate step is incorrect it is difficult to see what the student has done in subsequent steps. Some students calculated their number of moles incorrectly due to not converting their volume from cm^3 to dm^3; in this case they often repeated the error, obtaining what looked like a correct answer. In a multi-step calculation working must be shown.

4.1.1.2 Mixtures

Answer 129 · Examiner comments June 2022 | 8462/1H | Original Q8

08.4 Although many students scored one mark, very few scored all three. There was a lot of confusion evident over the mechanism of conductivity in a solution. Many students stated that ions allow delocalised electrons to be passed from one to another, rather than the flow of ions themselves constituting the electric current. Many of those students who did understand the mechanism only considered the removal of one pair of ions (usually the barium and sulfate ions, but sometimes the hydrogen and hydroxide ions), and few said categorically that there were no longer **any** ions which were mobile in the solution.

08.5 Few students recognized that the excess barium hydroxide provided ions that were free to move in solution. There was confusion evident between neutralised in the context of positive and negative charges, and neutralised in the context of pH. Some stated that OH^- ions contain a delocalised electron.

4.1.1.2 Mixtures

Answer 129 · Examiner comments

Use of statistics

Statistics used in this report may be taken from incomplete processing data. However, this data still gives a true account of how students have performed for each question.

Mark Ranges and Award of Grades

Grade boundaries and cumulative percentage grades are available on the Results Statistics page of the AQA Website.

4.1.1.2 Mixtures

Answer 130 · Examiner comments

June 2022 | 8462/2H | Original Q4

Question 4 (Standard, standard/high and high demand)

04.1 The vast majority of students wrote detailed answers to this question and the full range of marks was awarded although relatively few answers were awarded full marks. About 1 in 10 students scored all four marks, while a quarter scored three. Students often neglected to state the crude oil must be heated to begin the separation process. Some students failed to score the second marking point in the mark scheme because their description of a temperature gradient was not in the context of gases rising through a fractionating column or fractionating tower. A handful of students illustrated this idea by referring to a labelled diagram.

The idea of fractions collecting at different levels in the fractionating column was well understood but many described the collection of fractions without mentioning condensing and so could not access this mark. Some students incorrectly suggested that petroleum gases would condense at the top of the column. The idea that the separation of crude oil is based on differences in boiling points was an accessible mark but many failed to mention boiling points or simply quoted boiling point ranges from the table.

04.2 Just over a third of students were able to score both of the marks available in this multiple choice question. This suggests that the feedstock concept in the specification is not well known.

04.3 Nearly half of the students scored both marks by being able to write a correctly balanced equation for the combustion of nonane. Many were able to pick up one mark for writing the correct formulae for oxygen, carbon dioxide and water. Some students failed to score any marks because they included hydrocarbon molecules in their equation, perhaps confusing this combustion reaction with cracking. Students should be advised to take care when writing numbers in equations. A quickly written 14 sometimes looked like 19 and 19 H_2O was occasionally written by students who had double-counted the oxygen atoms in water. Similarly, excessively large subscript numbers and excessively small capital letters (especially O) are likely not to gain credit.

4.1.1.2 Mixtures

Answer 130 · Examiner comments June 2022 | 8462/2H | Original Q4

04.4 This question was generally well answered but some students stated that the combustion of sulfur would cause damage to the car engine while others appeared to confuse the effects of burning sulfur with a lack of oxygen and named the products of incomplete combustion. Some seemed to think that sulfur would be released into the air as a toxic gas but these students could still be credited for a description of the problems caused by sulfur dioxide. These problems were well known; acid rain or respiratory problems were common answers. Around 30% of the students gained both marks.

04.5 Most students scored at least one mark for this question, usually by giving a statement that heavy fuel oil has larger molecules. A relatively small proportion scored the first marking point in the mark scheme for stating the general relationship between molecular size and viscosity. A statement about heavy fuel oil being more viscous than kerosene was insufficient for credit because this repeated information given in the question. Nearly 30% of the students gained both of the marks.

04.6 The full range of marks was awarded. The name of the process was well known but a large proportion of students failed to mention either the high temperature or the use of steam or a catalyst and so gained only two of the three marks. Marks were awarded independently so even students who could not name the process could pick up two marks for correctly describing the conditions. Nearly half of the students gained all three marks here.

4.1.1.2 Mixtures

Answer 131 · Examiner comments

June 2022 | 8462/2H | Original Q5

Question 5 (Standard, standard/high and high demand)

05.1 About a fifth of the students gained all the available marks. Many students answered the question in terms of treating water to make it potable, rather than treating sewage. Those who did answer in terms of treating sewage initially answered well though many answers broke down after mention of screening and sedimentation.

05.2 Half of the students were able to give the correct pair of concentrations in this multiple choice question.

05.3 The common error in this question was to concentrate on what Process 1 (filtering) did do, rather than the lack of effect on the ions. Of those who did correctly answer the question, more were awarded the first mark on the mark scheme. Around a quarter of the students gained both of the marks.

05.4 Students needed to state that the microbes were harmful and because of this some did not gain the first mark, although many were awarded the second. About 40% of the students scored both marks.

05.5 Less than a third of students answered this successfully with many responses stating the company meant the water was chemically pure, in spite of this being explicitly negated in the question.

05.6 Most students knew the test for chlorine gas; however a significant number did not refer to the need for the litmus paper to be damp and therefore did not gain the first mark. Over one-third of the students gained both marks.

4.1.1.2 Mixtures

Answer 132 · Examiner comments

June 2022 | 8462/2H | Original Q8

Question 8 (Standard, standard/high and high demand)

08.1 The majority of the students recognised that the solution became cloudy due to one of the products being a precipitate / solid.

08.2 The large majority of the students were able to draw a tangent at 30 seconds.
The construction lines used to determine the values of Δ*y* and Δ*x* were less well done.
Some students appeared to have difficulty reading the scales on each of the axes.

Students should be aware that using very small portions of the graph for this type of calculation (and also in the ratio calculation in **08.9**) potentially limits the accuracy of their final answer.

Most students who determined the values of Δ*y* and Δ*x* went on to determine the correct ratio. The better responses then continued to use the ratio to determine the rate in mol/s. One-fifth of the students gained all five marks, whilst over half scored four, most often as a result of not using the factor 7.1×10^{-5} correctly.

4.1.1.2 Mixtures

Answer 132 · Examiner comments

June 2022 | 8462/2H | Original Q8

08.3 Most students recognised that the rate of reaction decreased as the reaction proceeded but a significant proportion of these students did not gain the second mark because they referred to the concentration of unspecified substances rather than stating that the concentration of the reactants decreases. Nearly one-third of students gained both of these marks.

08.4 Some students made an insufficient general statement about reactants being used up. However a larger number mentioned the acid being used up. Few used the term limiting reactant. Over a third of students gained this mark.

08.5 Just over a third of students scored two marks on this question, understanding the meaning of a sketch graph. Others realised the gradient needed to be steeper for the sketch but did not level the line at 24%.

A sizeable minority had the sketch with a shallower gradient. Such a sketch seldom levelled out at 24%.

08.6 More than 80% of the students were able to identify the required improvement.

08.7 Just under half of the students gained the mark for this multiple choice question. Reproducible was a very common incorrect response.

08.8 Around 70% of the students were able to identify the expression representing the relationship between volume and mass.

08.9 Around half of the students gained all three marks. Students were usually able to find the smallest whole number ratio once they had determined the volumes. Students often did not indicate on the graph where the volumes were from, but this was not an actual requirement, just an aid to answering the question. Many chose the limits of the lines, i.e. 120 and 480 cm^3 respectively.

Students should be aware that using very small portions of the graph for this type of calculation (and also in the rate calculation in **08.2**) potentially reduces the accuracy of their final answer. Many answers of 6:25 were seen and awarded credit because the error in reading the graph values was within half a small square.

Some students used two masses of sulfur rather than the volumes of each reactant and therefore did not gain any marks.

4.1.1.2 Mixtures

Answer 132 · Examiner comments

Use of statistics

Statistics used in this report may be taken from incomplete processing data. However, this data still gives a true account of how students have performed for each question.

Mark Ranges and Award of Grades

Grade boundaries and cumulative percentage grades are available on the Results Statistics page of the AQA Website.

4.1.1.2 Mixtures

Answer 133 · Examiner comments — June 2023 | 8462/1H | Original Q7

Question 7 (standard, standard/high and high demand)

07.1 Nearly all students could balance the ionic equation correctly.

07.2 About a fifth of students answered this high demand question correctly. Some students compared the reactivity of sodium with hydrogen instead of with aluminium. Imprecise language was sometimes a problem; it is elemental sodium which is more reactive, not sodium ions. Aluminium is released at the electrode, not discharged (it is the ion which is discharged, ie loses its charge). There is no displacement occurring.

07.3 The question discriminated well, but very few fully correct answers were seen, with just over a third of students scoring at least one mark. Students were asked to explain how oxygen is produced from water, not why oxygen is produced. Few students described the initial step outlined in the specification; that water molecules break down to form H^+ ions and OH^- ions. Many seem to think that oxide or 'oxygen' ions are responsible, rather than hydroxide ions. The attraction of the hydroxide ions to the positive electrode was reasonably well known, but few students then correctly described the oxidation or discharge of the hydroxide ions to form oxygen. As in the previous question, the term 'discharged' is widely misunderstood – the word means 'loses its charge', so to say that oxygen is discharged is not correct.

Answer 133 · Examiner comments — June 2023 | 8462/1H | Original Q7

07.4 Nearly two thirds of students scored at least one mark, but just over half of these also scored the second mark. The easiest change to the apparatus is to change the test tubes to measuring cylinders or inverted burettes. Many students suggested gas syringes; this was allowed, although it would be difficult to set up the apparatus in such a way that this would work. However, a 'gas cylinder' is not a measuring device. One popular misconception is that gas would escape from the apparatus so a lid should be used.

Most students realised that the reason was so that the gas volume could be measured rather than estimated, or that test tubes have no scale; any equivalent way of expressing this idea was allowed. Some students used imprecise language such as 'so the gas could be measured' without referring to volume or a scale.

07.5 The great majority of students gave the correct response, with 20 cm^3 being the most common incorrect choice.

4.1.1.2 Mixtures

Answer 134 · Examiner comments

June 2023 | 8462/1H | Original Q9

Question 9 (standard, standard/high and high demand)

09.1 Students found this question difficult, with only a tenth of students scoring both marks and not many more scoring one. Most students gave incorrect responses for the substance reduced: usually iron, but sometimes carbon. Those who gave the correct substance were usually able to give the correct reason in terms of loss of oxygen. It seems that students are so well versed in the definitions of redox in terms of electrons (as in question 09.3) that they have forgotten the simpler definitions in terms of gain or loss of oxygen.

09.2 Fewer than a third of students gave the correct answer, with all three distractors being very popular. This suggests a large degree of guessing rather than using the equation to work out the mole ratio of C:Fe as 3/2 and then multiply by 12 grams.

09.3 Over three-quarters of students could correctly apply their knowledge of redox in terms of electrons. By far the most common incorrect response was **A** gains electrons and $\mathbf{B}^{+}$ loses electrons.

09.4 Fewer than one in seven students answered this high demand question correctly, with the great majority giving metal **A** as the answer. It was necessary to realise that the greatest tendency to form positive ions means the most reactive metal. It was then necessary to work out from the three reactions in the table that **A** is more reactive than **B**, **C** is more reactive than **A**, and **C** is less reactive than **D**, making **D** the most reactive.

09.5 This question discriminated well. Over half of students scored at least one mark, with just over one in ten scoring all three.

Many students tried to answer in terms of the reactivity series. This was not possible, as insufficient detail was provided to identify any of the four metals. The formula of the nitrate ion was provided but was not referenced by the majority of students. The key to answering the question was in the formulae of the nitrates; aluminium forms an ion of charge 3+, so each ion requires three nitrate ions to balance the charge. Even when students got the basic idea, they often did not express themselves clearly enough, using phrases such as ‘aluminium has a 3+ charge’ rather than referring to an aluminium ion.

09.6 Those who understood the concept of atom economy were able to complete this difficult calculation successfully; over a fifth of students scored all four marks and two fifths scored at least one.

There were two main approaches. One was to substitute values into the atom economy expression, followed by successive rearrangements of the expression to give the value of A_r of **X**. A neater solution, used by students who had a good understanding of atom economy, was to realise that the remaining 22.7% was the total M_r of the waste atoms, ie 54, and then scale either to 100% and subtract the 54, or scale straight to 77.3%. Many students misunderstood the M_r of XO_3, thinking it meant the A_r of **X** times 48. Some also misunderstood $3H_2$ or $3H_2O$, giving various values for what should have been a total of 54 for the M_r of the waste atoms. Nevertheless, correct manipulation after these errors allowed access to 3 marks.

4.1.1.2 Mixtures

Answer 135 · Examiner comments — June 2023 | 8462/2H | Original Q6

Question 6 (standard, standard / high and high demand)

Answer 135 · Examiner comments — June 2023 | 8462/2H | Original Q6

06.1 Students had a very good knowledge of chromatography and around 75% of students scored two marks for this question. Incorrect responses included references to a lack of a lid and talking about the chromatography paper in general being in the water and not the starting line specifically.

06.2 This was answered extremely well by most and nearly 90% of students scored full marks. Some students used a correct ratio method to arrive at the correct answer. Only a few scripts had no working and the correct answer but there were a number of other incorrect methods used to arrive at the correct answer which therefore scored no marks.

06.3 Students found this question difficult. Many just quoted information from the table, mostly comparing the different distances moved by the dyes on the different chromatography papers. Only a small percentage of students' answers were comparative and they often did not refer to type A and B chromatography paper. Few noted the difference in R_f values between the 2 papers. The compensatory mark was therefore often the only one accessed by students. Many answers were confused involving contradictory ideas. Differences in attraction to the paper was better understood and answered rather than time spent distributed on different papers. So therefore, on the whole, MP2 was accessed more often than MP3. Around 40% of the students gained 1 mark, with higher marks being rare.

06.4 About 50% of students scored 1 mark. Most just referred to using a different solvent, with a few naming ethanol.

4.1.1.2 Mixtures

Answer 136 · Examiner comments

June 2023 | 8462/2H | Original Q9

Question 9 (standard, standard / high and high demand)

09.1 This question was well done by a large proportion of the students. There was an understanding of how to calculate the mass of water obtained from 4.68 g of hydrated copper(II) sulphate and use this to calculate the mass of water from 11.7 g hydrated copper(II) sulphate. The alternative method on the mark scheme was less popular with the students. Over two-thirds of students scored all three marks.

09.2 This question proved to be more difficult for many of the students. It was noticeable that rather than using the value 2.99 g in the calculation a large proportion of the students used 4.68 grams without understanding that the calculation was about the reverse reaction. Just under half of the students gained both marks.

09.3 Around two-thirds of the students gained this multiple-choice mark. Most who did not score selected 'shifts to the right' instead.

09.4 Around 40% of the students gained this multiple-choice mark. Most who did not score selected 'the mixture is a darker shade of brown' instead.

09.5 Large numbers of the students did not recognise that there were the same number of moles on each side of the equation. Quite a number of students stated that the equilibrium shifts to the side with the least moles and then said that the equilibrium shifts to either the left or the right showing a lack of understanding of the stoichiometry of written chemical equations. Around one-third of the students gained both marks.

09.6 There were a lot of answers relating to the effect of a catalyst on the rate of a chemical reaction without any mention of the effect on equilibrium position. There was a common misconception that increasing the rate of reaction increased the yield of products and therefore stated that the equilibrium shifts to the right. Around one-third of the students gained both marks.

09.7 More than 80% of the students gained this multiple-choice mark. 'Add more water' was occasionally seen but 'leave the reaction mixture for 30 minutes' was rarely seen.

09.8 This question was not well done. Students appear not to understand what is happening at equilibrium and responses did not relate to the rate of reaction. Around one-quarter of students gained this mark.

4.1.1.2 Mixtures

Answer 137 · Examiner comments — June 2024 | 8462/1H | Original Q1

Question 1 (standard demand)

01.1 Two thirds of students gained both marks, with nearly all scoring one mark. A few incorrect salts were named, such as copper chloride and copper sulfide, and sometimes hydrogen was given as the third product instead of water.

01.2 Nearly three quarters of students were awarded the mark for this question. The question asked for an observation to show that the reaction was complete. Those who stated that the solid would no longer react were simply rewording the question and did not gain credit. A statement of copper carbonate no longer disappearing or still being visible did gain credit, and this was the approach taken by the vast majority of students. The idea of a product forming rather than remaining did not gain credit. Only a few recognised that bubbling would stop.

01.3 More than 3/4 of students were awarded the mark. Most answered correctly in terms of removing the excess copper carbonate. A few gave generalised answers about filtration removing solids that were not specific to this salt preparation and therefore did not gain credit.

© 2024 AQA and its licensors. All rights reserved.

Answer 137 · Examiner comments — June 2024 | 8462/1H | Original Q1

01.4 Students were expected to give one of the two methods in the specification, ie a water bath or an electric heater. Many, however, simply stated that a Bunsen burner would be used. This was an insufficient response unless a beaker of water was also present. Less than half of students scored the mark.

01.5 The great majority of students were able to substitute the values and rearrange the expression to give the correct answer. Some students used their calculator incorrectly, using both the % button and also dividing by 100, giving an answer that was a factor of 100 too low. They seemed unfamiliar with the idea that the symbol '%' means divided by 100. A minority of students tried to incorporate the 50 cm^3 into their calculation.

01.6 This question proved surprisingly difficult, although it did discriminate well. Only a sixth of students scored both marks, with half of students not gaining credit at all.

Students were expected to recognise that copper would not react with an acid, and that the reaction with sodium would be too vigorous to be safe. There were some excellent answers for the lack of reactivity of copper in terms of its position below hydrogen in the reactivity series. However, there were many poorly phrased answers that implied there might be some reaction with copper, and also many that described copper as a transition metal but did not link that to reactivity in any way. There were also some excellent answers in terms of the consequences of the high reactivity of sodium, although some did not go far enough; they simply stated that sodium is too reactive without saying why that is a problem. A minority of students thought that the metal would be displacing sulfur if it reacted.

Answer 138 · Examiner comments

Question 4 (standard and standard/high demand)

04.1 Just over two fifths of students correctly drew two straight lines, with the ascending line having an even scatter either side of the points, and the horizontal line avoiding the anomaly. Some lines were doubled or feathered so did not gain credit. Some drew two different curves, each encompassing all the points, and made them cross somewhere. This gained no credit. Students should be aware of the sort of graph produced by this required practical.

04.2 This question discriminated well, with a quarter of students scoring 3 or 4 marks and the great majority scoring at least one mark. The question asked students to explain the results, but many simply described them. It was not sufficient just to describe the temperature increasing with the addition of more zinc; reference to the reaction being exothermic was also needed. The fact that the maximum temperature change occurred when 0.80 g of zinc was added was the mark scored most often, but many students were also able to explain this turning point in terms of no further reaction being possible because the zinc was now in excess. There were some excellent answers in terms of the zinc being the limiting reactant up to 0.8 g, after which the copper sulfate became the limiting reactant.

04.3 Some excellent answers were seen; however, fewer than a quarter of students scored both marks and only three fifths scored at all. The question asked why a polystyrene cup gives a more accurate result, so answers needed to be phrased in comparative terms. Polystyrene is a better insulator than glass, but it is not true that polystyrene is 'an insulator' and glass is 'a conductor,' since both materials insulate and conduct thermal energy to different extents. Similarly, many answers implied that no energy is lost from a polystyrene cup, which is not true.

04.4 Nearly two fifths of students were able to give the correct formulae of the products but the state symbols were sometimes incorrect. A common incorrect formula was Zn^{2-}. There was sometimes no clear distinction between upper and lower case letters; the n and u need to be discernibly smaller than the Z and the C. Many students tried to give formulae of compounds rather than just the ion or atom.

04.5 The vast majority of students were able to calculate the mean. Fewer than half were also able to express the mean and the uncertainty correctly. Some students only averaged the highest and lowest values, which calculates the median rather than the mean. Although the mean and the median are the same in this particular set of values, this method did not gain credit. Some students calculated the uncertainty by halving the range. This calculates the range about the median, rather than the definition in the specification which is the range about the mean. This method was given credit on this occasion, although it is not strictly correct.

04.6 Students found this question difficult, with fewer than a quarter scoring the mark. Despite the information that there were no measurement errors, many students gave a type of measurement error as their answer. Reading the method carefully would have pointed out that the starting temperature was neither measured nor controlled, so may have fluctuated, and that stirring is inherently inconsistent. Some students had evidently done the practical using a lid and referred to it being replaced at different times; this was given credit.

© 2024 AQA and its licensors. All rights reserved.

4.1.1.2 Mixtures

Answer 139 · Examiner comments — June 2024 | 8462/2H | Original Q4

Question 4 (standard, standard / high and high demand)

04.1 Those students who gained marks, mostly did so by stating that the yellow dye travelled further up the page. Fewer students were able to explain that this was due to a weaker attraction between the dye and the chromatography paper. These students did not act on the instruction given in the question to refer to the force of attraction between the dyes and the chromatography paper, instead referring to the relative solubilities of the dyes, or their attraction to the solvent. Around 30% gained both marks.

04.2 Most students gained credit for recognising that the yellow dye travels further in experiment **2**. Those that went on to link this to the relative solubility of the dye in ethanol gained credit for marking point 3. Fewer students explicitly stated that the difference in the distance travelled was

© 2024 AQA and its licensors. All rights reserved.

Answer 139 · Examiner comments — June 2024 | 8462/2H | Original Q4

due to different solvents being used in each experiment. About a quarter of students scored all three marks.

04.3 Most students considered both dyes in their answers. Students who gained credit usually did so by identifying that dye **A** contained two dyes and dye **B** contained one. However, students often did not gain the first mark as they did not state that dye **A** was impure and dye **B** was pure; instead, they described the dyes in degrees of purity (eg less pure, purer), which was insufficient. Roughly a quarter of students scored both marks.

04.4 This question was well answered and about three-quarters of students were able to gain full marks. Those that didn't gain full marks, commonly didn't gain any credit as they had incorrectly substituted the data given into the equation to calculate the R_f value.

04.5 Only around 10% of students were able to explain the mathematical relationship between the R_f value and the distances travelled by the spot and solvent. Many merely stated that both the spot and solvent travelled further.

04.6 A number of students were able to gain some credit for their answer, with nearly half gaining both marks. Some students incorrectly stated that increased precision was an advantage. Other answers referring to instrumental methods as being more exact, reliable, repeatable, reproducible, efficient or reducing human error were considered too vague.

4.1.1.2 Mixtures

Answer 140 · Examiner comments June 2024 | 8462/2H | Original Q5

Question 5 (standard and standard / high demand)

05.1 This was not well understood. Some students knew that nitrogen and oxygen were reacting together. However, some thought that nitrogen came from the fuel and some that oxygen is a product of combustion. Only a minority mentioned high temperature although many said, 'very hot'. About 15% scored both marks.

05.2 Some students stated that no carbon dioxide is produced when hydrogen burns. However, many simply described what carbon dioxide does to the environment, rather than stating that burning hydrogen instead of methane **reduces** the rate of climate change. Many referred to the greenhouse effect without referencing the effect on the environment, ie climate change. Around 40% scored both marks.

05.3 Most realised that increased levels of nitrogen oxides would be produced. Although there were some good descriptions of what nitrogen oxides do to the environment, very few said that those effects would be increased by burning hydrogen instead of methane, ie **more** acid rain etc. Many thought that nitrogen oxides are greenhouse gases rather than a precursor of acid rain. Some suggested more nitrogen was released to the atmosphere, rather than oxides of nitrogen. Less than 10% of students scored both marks, although more than half scored one.

05.4 Over one-third of students gained all three marks. However, some students appeared to believe that the other 80% of the air was hydrogen. Some tried to involve the relative atomic masses, even though these were not provided. A few unnecessarily converted the volume of hydrogen to moles and then the moles of oxygen to volume, not realising that the mole ratio is the volume ratio for gases. This did score full marks if correct.

© 2024 AQA and its licensors. All rights reserved.

Answer 140 · Examiner comments June 2024 | 8462/2H | Original Q5

05.5 Most scored the mark for kerosene, or the vapours condensing, and many also described the temperature gradient correctly. Far fewer scored the mark for linking the height in the column to the boiling point and the condensation of kerosene. Most did not mention the height or level in the column, while others seem to think that a vapour only condenses at a temperature below, rather than at, its boiling point. A few students thought that kerosene was either a product of cracking, or a polymer. Just over 10% scored all the marks.

4.1.1.2 Mixtures

Answer 141 · Examiner comments

June 2025 | 8462/1H | Original Q6

Question 6 (standard, standard/high and high demand)

06.1 This was a high demand question which required the use of correct terminology. The question discriminated well, with three fifths of students gaining one mark but very few scoring all four. Many students referred correctly to strong electrostatic forces of attraction and to the large amount of energy needed to break these. Fewer referred correctly to the particles that those forces acted between, i.e. the oppositely charged ions; some referred incorrectly to the forces being between bonds. Some referred to

Answer 141 · Examiner comments June 2025 | 8462/1H | Original Q6

'oxygen ions' rather than oxide ions. There were very few who stated that the electrostatic forces act in all directions in the giant structure, despite the statement in the specification; this was the mark that most students did not score. Some students ruined their answer by the use of the word 'intermolecular', which is not appropriate as there are no molecules. Most students did recognise that a lot of energy was needed to break bonds but had contradicted this marking point earlier in their response by referring to the bonds as intermolecular forces. Some referred to 'more' energy being needed to break the bonds; this did not gain credit because the question did not require a comparison to anything else, and 'more' does not necessarily imply 'a lot'.

06.2 Only a half of students knew that cryolite was the correct substance. The most common incorrect answer was water.

06.3 Only one in five students scored the mark. Many students missed the point and referred to allowing ions to flow. The idea that the mixture has a lower melting point than pure aluminium oxide so that less energy is required was not well known. It is not correct to say that the melting point of aluminium oxide is lowered, as aluminium oxide has a fixed melting point. Some appear to think incorrectly that cryolite is a catalyst.

06.4 Students had difficulty with this high demand question, but it did discriminate well between the higher achieving students. One in five students scored both marks. Many could not write the formula of the oxide ion, and of those who could, some had the oxygen on the left and the oxide ion on the right. Those who could write the correct formulae could often balance the equation correctly, with the correct number of electrons on the right. An electron must be written with its charge in an ionic equation, as e^-, so that the charge balances as well as the atoms.

06.5 This question discriminated well, with half of students scoring at least one mark and more than a third scoring all three. Those who knew that the positive electrode is made of carbon often went on to score all three marks, although some merely referred to oxidation of the electrode rather than a specific reaction with the oxygen produced. There appeared to be much guesswork, with unspecified corrosion of an electrode made of an unspecified material being fairly common. Some thought that the deterioration of the electrode was due to its gaining electrons, and some thought that the electrode was made of iron and would rust.

4.1.1.2 Mixtures

Answer 142 · Examiner comments June 2025 | 8462/2H | Original Q9

Question 9

09.1 Three quarters of students scored at least one mark on this item. This was for either identifying the forward reaction as endothermic, or giving the allow statement for marking point 3, that a high temperature increases the rate. The answers for marking point 2 were often quite vague, talking about the reaction moving to the right-hand side, rather than the position of the equilibrium. Many students gave answers in terms of the Haber process, rather than the given reaction, so answers that suggest an increase in the yield of ammonia were incorrect.

09.2 Fewer than half of students scored either or both marks for this high demand item. The most common response was for identifying that the equilibrium position moved to the right, with far fewer giving the link to the number of molecules on either side of the equation. Many incorrect answers were seen in terms of rate of reaction, or because safety is a factor.

09.3 Two thirds of students correctly identified that catalysts have no effect on the position of the equilibrium.

09.4 It is quite rare to ask for an estimate in a calculation question and this was included because the percentage of nitrogen in the air is given as four fifths in the specification. Around 40% of students recognised that nitrogen makes up between

4.1.1.2 Mixtures

Answer 142 · Examiner comments June 2025 | 8462/2H | Original Q9

78 and 80% of the atmosphere, so would require between 62 and 65 dm^3 of air to produce 50 dm^3 of nitrogen. Where students did not score was because they did not know the percentage of nitrogen in the air.

09.5 Around half of students gained at least one mark on this item, usually for the idea that ammonia condenses. Far fewer students knew that this is done by cooling the mixture or that both nitrogen and hydrogen stay as gases and are recycled, many only mentioning recycling, which was given in the diagram.

09.6 Around two-thirds of students gained at least one mark for this high demand interpretation question. The most common answer was for linking carbon dioxide to climate change. Many students did not gain this mark as there was a need to mention that the production of hydrogen causes this, if further detail was given. Mant talked about hydrogen producing carbon dioxide, which is incorrect and did not gain credit. The next most common response was for the idea that nitrogen was abundant in the atmosphere.

4.1.1.2 Mixtures

Answer 142 · Examiner comments

Mark Ranges and Award of Grades

Grade boundaries and cumulative percentage grades are available on the Results Statistics page of the AQA Website.