AQA GCSE Chemistry | 8462

SPECIFICATION POINT 4.6.2.6

The effect of temperature changes on equilibrium (HT only)

Mark schemes and examiner comments

Tier	**Higher**
Question groups	**10**
Available paper years	**2009–2024**

Using this booklet

1. Booklet answer numbers match the question booklet.
2. Use the original question number within marking tables.
3. Examiner comments are included where available.

Name: _____ **Date:** _____

Where a precise marking extract is unavailable, the full source document is included in an appendix. Any missing mark scheme is explicitly identified.

4.6.2.6 The effect of temperature changes on equilibrium (HT only)

Answer 01 · Mark scheme June 2009 | CHY2H | Original Q3 | Legacy

Question 3

question	answers	extra information	mark
3(a)	to speed up the reaction **or** it is a catalyst	allow higher level answers such as to reduce the activation energy ignore cost or yield	1
3(b)(i)	reaction is exothermic	accept reverse reaction is endothermic **or** high temperature causes decomposition of ammonia ignore reference to rate	1
3(b)(ii)	more (gaseous) reactant molecules than (gaseous) product molecules	accept 4 volumes / moles of reactant and 2 volumes / moles of product accept lower volume of products **or** volume lower on right hand side accept 'favours the reaction which produces fewer molecules' ignore incorrect number of moles ignore reference to' amount' of product / reactant ignore reference to rate	1
3(c)	(rate is) too slow / slower owtte	allow catalyst would not work accept at higher temperature the rate is quicker accept at lower temperatures particles do not collide as often **or** fewer particles have the activation energy **or** particles do not have the activation energy ignore reaction would not work ignore optimum / compromise type answers	1

Question 3 continues on the next page…

4.6.2.6 The effect of temperature changes on equilibrium (HT only)

CHY2H

Question 3 Continued

question	answers	extra information	mark
3(d)	cooled	allow ammonia / it is turned into a liquid **or** is condensed ignore references to boiling point	1
3(e)	nitric (acid)	allow HNO_3 ignore hydrogen nitrate	1
Total			**6**

4.6.2.6 The effect of temperature changes on equilibrium (HT only)

Answer 01 · Mark scheme

June 2009 | CHY2H | Original Q3 | Legacy

CHY2H

4.6.2.6 The effect of temperature changes on equilibrium (HT only)

Answer 02 · Mark scheme January 2010 | CHY2H | Original Q6 | Legacy

Question 6

question	answers	extra information	mark
6(a)	any **two** from: • heat water / make steam / boil water **or** heat / steam used in stage 1 • carbon dioxide from stage 3 used in stage 7 / to make urea • nitrogen and / or hydrogen recycled (owtte) • ammonia and / or carbon dioxide <u>recycled</u> (owtte)	allow reused instead of recycled in correct context allow unreacted material / gas recycled from stage 5 (to 4) allow unreacted material / gas recycled from stage 8 (to 7) NB if neither of the last two points are awarded unreacted material recycled = **1** mark	2
6(b)	any **one** from: • fertiliser / fertilise / fertile • provide nitrogen • any idea of faster / better / helps growth of crop • greater yield of crop • helps proteins / amino acids to form in plants owtte	ignore cost ignore neutralisation / minerals / to treat plants / photosynthesis allow give plants nutrients allow provides nitrate	1
6(c)	3	allow correct multiples eg $2CH_4 + 2H_2O \rightarrow 2CO + 6H_2$	1
6(d)(i)	(forward reaction is) exothermic / gives out heat	accept Le Chatelier based answers accept reverse argument eg because at high temperature the ammonia would decompose	1

Question 6 continues on the next page...

CHY2H

Question 6 continued

question	answers	extra information	mark
6(d)(ii)	reaction is too slow / takes too long **or** to make the reaction fast(er)	allow answers that imply increased rate eg more collisions / particles have more energy allow catalyst works better ignore optimum condition / compromise type answers ignore yield	1
6(e)	sulfuric / H_2SO_4	accept sulphuric	1
6(f)(i)	3400	correct answer gains all **3** marks with or without working if answer incorrect: 1700 with or without working or 6000 × (34/60) gains **2** marks **or** 6800 gains **2** marks with or without working **or** moles of urea = 6000/60 = 100 gains **1** mark moles of ammonia needed = 200 gains **1** mark **or** 6000 × (17/60) gains **1** mark **or** (2×17) → 60 gains **1** mark **or** 34 → 60 gains **1** mark	3

Question 6 continueson the next page

CHY2H

Question 6 continued

question	answers	extra information	mark
6(f)(ii)	76.9	correct answer gains **2** marks with or without working. allow 77 or 76.923… allow 76 **or** 0.77 **or** 0.76923 for **1** mark if answer incorrect allow **1** mark for **either** identifying the mass of the useful product **or** the total M_r of reactants – this can be awarded from the numbers in the calculation: M_r of useful product = 60 M_r of reactants = 78 **or** (2×17)+44 **or** 60 +18 60/78 × 100 gains **1** mark	2
Total			**12**

4.6.2.6 The effect of temperature changes on equilibrium (HT only)

Question 6

question	answers	extra information	mark
6(a)	same number of (gaseous) molecules / moles / volume on both sides of the equation	allow particles for molecules do **not** accept atoms ignore amount	1
6(b)	(forward) reaction is exothermic	accept reverse answer	1
6(c)	any **three** from: • particles gain energy • particles move faster • particles collide more **or** more collisions • more of the collisions are successful **or** more of the particles have the activation energy **or** particles collide with more force / energy	 allow particles collide faster / quicker ignore move more / vibrate more	3

Question 6 continues on the next page

4.6.2.6 The effect of temperature changes on equilibrium (HT only)

CHY 2H

Question 6 continued

question	answers	extra information	mark
6(d)	any **two** from: • more product *(*obtained in shorter time) • less fuel needed **or** lower fuel costs • less pollution caused by burning fuels **or** less specified type of pollution caused by producing heat / burning fuels • using less fuel conserves resources	 accept better yield (of product) accept less energy / heat / electricity needed ignore cheaper unqualified allow correct specified pollutants caused by burning fossil fuels eg CO_2 **/** greenhouse gases **or** correct effect of burning fossil fuels eg global warming accept thermal / heat pollution accept sustainable accept fossil fuels are non-renewable	2
Total			**7**

4.6.2.6 The effect of temperature changes on equilibrium (HT only)

Question 6

question	answers	extra information	mark
6(a)(i)	less drying time **and/or** less soaking time	allow it is quicker / faster allow converse if they state water	1
6(a)(ii)	forces of attraction / bonds between molecules are weak (owtte) **or** intermolecular forces / bonds are weak (owtte)	do not accept intramolecular forces / covalent bonds are weak forces of attraction are weak (without specifying between molecules / intermolecular) gains **1** mark (accept easily broken / not much energy needed to break instead of weak) bonds are weak without specifying intermolecular would **not** gain a mark and would be ignored. made of small molecules / simple molecular gain **1** mark an answer such as, it is made of small molecules with weak forces of attraction, would gain **2** marks	2
6(b)(i)	exothermic reaction (owtte)	accept answers based on Le Chatelier eg when temperature is low the reaction moves to increase the temperature accept reverse argument	1

Question 6 continued on the next page

Question 6 contd

question	answers	extra information	mark
6(b)(ii)	fewer product molecules / particles (than reactants molecules) (owtte)	accept three molecules / particles / volumes / moles on the left and one on the right (numbers given must be correct) accept answers based on Le Chatelier eg when pressure is high, reaction moves to the side with fewest molecules / smaller volume **or** when pressure is high, reaction moves to reduce the pressure do **not** accept reference to atoms do not accept more reactants than products unless qualified	1
6(b)(iii)	any **two** from: • molecules / particles / they move faster • collide more (often) / quicker • more of the collisions are successful **or** more have the activation energy (owtte) **or** more energetic collisions	 ignore move / vibrate more allow harder collisions allow collide with more force	2
6(c)(i)	16	correct answer with or without working accept correct rounding if the answer is incorrect then check the working. for **1** mark look for correct method in one line of the working. Moles of CO = 14/28 **or** 0.5 **or** Mass of CH_3OH = 0.5 × 32 **or** 28 → 32 **or** 14 → 32/2 **or** $\frac{32}{28} \times 14$	2

Question 6 contd

question	answers	extra information	mark
6(c)(ii)	75	correct answer with or without working allow correct answer with ecf from (c)(i) for **2** marks if the answer is incorrect $\frac{12}{16}\times 100$ **or** $\frac{12}{\text{their (c)(i)}}\times 100$ gains **1** mark **OR if working from 18 g** 66.6 recurring or correctly rounded to a max of 67 = **2** marks incorrect rounding eg 66 = **1** mark **or** $\frac{12}{18}\times 100$ gains **1** mark	2
6(c)(iii)	reversible reaction **or** not all reactants converted to product (owtte) **or** other sensible reason such as: loss of product / reactant **or** impurities in reactants **or** side reactions / other products **or** temperature too high / pressure too low	 allow 'it did not all react' allow gas is lost ignore mass lost ignore some is lost	1
Total			**12**

4.6.2.6 The effect of temperature changes on equilibrium (HT only)

Answer 05 · Mark scheme

June 2014 | CH3HP | Original Q5 | Legacy

Question	Answers	Extra information	Mark	AO / Spec. Ref.	ID
5(a)	$2NH_3$	allow NH_3 with incorrect or missing balancing for **1** mark *allow multiples*	2	2 / 3.5.1b	E
5(b)(i)	200		1	3 / 3.5	G
5(b)(ii)	rate of reaction (too) slow	*allow converse* ignore references to yield / *cost*	1	2 / 3.5.1f/h	E
5(b)(iii)	400		1	2 / 3.5	A
5(b)(iv)	lower yield	*allow converse* accept shifts equilibrium to left allow favours the backward reaction allow favours side with *more* (gaseous) molecules allow lower rate	1	2 / 3.5.1g/h	E
5(c)	(gases) cooled *ammonia* liquefied	*it = ammonia* accept *ammonia* condensed accept ammonia cooled below boiling point for **2** marks	 1 1	1 / 3.5.1b	E
Total			**8**		

4.6.2.6 The effect of temperature changes on equilibrium (HT only)

Answer 05 · Mark scheme

June 2014 | CH3HP | Original Q5 | Legacy



4.6.2.6 The effect of temperature changes on equilibrium (HT only)

Answer 06 · Mark scheme

June 2015 | CH3HP | Original Q6 | Legacy

Question	Answers	Extra information	Mark	AO / Spec. Ref.
6(a)(i)	nothing can enter **and** nothing can leave the reaction	allow sealed reaction vessel	1	**AO1** 3.5.1.c
6(a)(ii)	forward and backward reactions have same rate so there is no (overall) change in quantities of reactants and products	 allow concentrations of reactants and products	1 1	**AO1/ AO2** 3.5.1.c
6(b)(i)	natural gas	allow methane / CH_4 allow fossil fuels / hydrocarbons allow water	1	**AO1** 3.5.1.a
6(b)(ii)	provides an alternative reaction pathway which has a lower activation energy	 ignore references to collisions	1 1	**AO1** 3.3.1.h
6(b)(iii)	the amount (of ammonia) increases the equilibrium moves to the side (of the equation) with fewer (gaseous) molecules / moles	allow yield increases allow it favours the forward reaction	1 1	**AO1/ AO2** 3.5.1.d/g
6(c)(i)	vertical arrow from reactants to maximum		1	**AO2** 3.3.1.e
6(c)(ii)	(energy of) products higher than (energy of) reactants	allow converse	1	**AO2** 3.3.1.d
6(c)(iii)	amount of hydrogen iodide decreases equilibrium moves in the direction of the endothermic reaction	 allow it favours the forward reaction	1 1	**AO1/ AO2** 3.5.1.d/e
Total			**12**	

4.6.2.6 The effect of temperature changes on equilibrium (HT only)

Answer 06 · Mark scheme

June 2015 | CH3HP | Original Q6 | Legacy



4.6.2.6 The effect of temperature changes on equilibrium (HT only)

Answer 07 · Mark scheme

November 2020 | 8462/2H | Original Q10

Question 10

Question	Answers	Extra information	Mark	AO / Spec. Ref.
10.1	water	allow H_2O	1	AO1 4.2.2.2
10.2	becomes (more) red		1	AO2 4.6.2.4 4.6.2.5
	(because the position of) equilibrium moves to the right	allow (because) the concentration of $FeSCN^{2+}$ (ions) increases allow (because) the forward reaction is favoured	1	
	(so that) the (increase in the) concentration of thiocyanate (ions) is reduced	allow (so that) the increase in the concentration of thiocyanate (ions) is counteracted	1	
10.3	(the position of) equilibrium moves to the left	allow the concentration of Fe^{3+} (ions) increases allow the reverse reaction is favoured	1	AO2 4.6.2.4 4.6.2.6
	(so that) the (increase in the) temperature is reduced	allow (so that) the increase in the temperature is counteracted	1	
	(therefore) the forward reaction is exothermic	allow (therefore) the forward reaction releases energy (to the surroundings)	1	

4.6.2.6 The effect of temperature changes on equilibrium (HT only)

Question 10 (continued)

Question	Answers	Extra information	Mark	AO / Spec. Ref.
10.4	no change in equilibrium position (because) no gases are present	 allow (because) only aqueous solutions are present	1 1	AO2 4.6.2.7
10.5	Co^{2+}		1	AO2 4.1.3.2 4.6.2.5
Total			**10**	

4.6.2.6 The effect of temperature changes on equilibrium (HT only)

Answer 08 · Mark scheme

June 2022 | 8462/2H | Original Q7

Question 7

Question	Answers	Extra information	Mark	AO / Spec. Ref.
07.1	(nitrogen) air (hydrogen) natural gas	allow atmosphere allow methane allow water / steam	1 1	AO1 4.10.4.1

Question	Answers	Extra information	Mark	AO / Spec. Ref.
07.2	there is only one product		1	AO2 4.3.3.2 4.10.4.1

Question	Answers	Extra information	Mark	AO / Spec. Ref.
07.3	(mixture is) cooled (so that only) ammonia liquefies	 allow (so that only) ammonia condenses	1 1	AO1 4.10.4.1

4.6.2.6 The effect of temperature changes on equilibrium (HT only)

Answer 08 · Mark scheme

June 2022 | 8462/2H | Original Q7

Question	Answers	Extra information	Mark	AO / Spec. Ref.
07.4	scale labelled at 100, 200, 300 and 400 (atm)	allow scale labelled at 50, 150, 250 and 350 (atm)	1	AO2 4.10.4.1
	all five points plotted correctly	allow a tolerance of ± ½ a small square allow **1** mark for three / four points plotted correctly	2	
	line of best fit		1	

Question	Answers	Extra information	Mark	AO / Spec. Ref.
07.5 View with Figure 5	extrapolation to 500 atmospheres		1	AO2 4.10.4.1
	percentage value at 500 atmospheres	allow a tolerance of ± ½ a small square	1	

4.6.2.6 The effect of temperature changes on equilibrium (HT only)

Answer 08 · Mark scheme

June 2022 | 8462/2H | Original Q7

Question	Answers	Mark	AO / Spec. Ref.
07.6	**Level 3**: Relevant points (reasons/causes) are identified, given in detail and logically linked to form a clear account.	5–6	AO1 4.6.1.3 4.6.1.4 4.6.2.6 4.6.2.7 4.10.4.1
	Level 2: Relevant points (reasons/causes) are identified, and there are attempts at logical linking. The resulting account is not fully clear.	3–4	
	Level 1: Points are identified and stated simply, but their relevance is not clear and there is no attempt at logical linking.	1–2	
	No relevant content	0	
	Indicative content **rate** • higher temperature gives higher rate because of more frequent collisions • higher temperature gives higher rate because more particles have the activation energy • higher pressure gives higher rate because of more frequent collisions • use of catalyst gives higher rate because the activation energy is lowered **equilibrium** • higher temperature shifts the position of equilibrium to the left because reaction is exothermic • higher pressure shifts the position of equilibrium to the right because more molecules on left-hand side • use of catalyst has no effect on the position of equilibrium **other factors** • higher temperature (than 450°C) uses more energy so increases costs • higher pressure (than 200 atmospheres) uses more energy so increases costs • higher pressure (than 200 atmospheres) requires stronger reaction vessels so increases costs • use of a catalyst reduces energy costs **compromise** • the temperature chosen is a compromise between rate of reaction and position of equilibrium • the temperature chosen is a compromise between rate and cost • the pressure chosen is a compromise between yield / rate and cost		

Total Question 7		**17**

4.6.2.6 The effect of temperature changes on equilibrium (HT only)

Answer 09 · Mark scheme

June 2023 | 8462/2H | Original Q9

Question 9

Question	Answers	Extra information	Mark	AO / Spec. Ref.
09.1	(mass of water in 4.68 g = 4.68 - 2.99) = 1.69 (g)		1	AO2 4.6.2.2
	(mass of water in 11.7 g =) $\frac{11.7}{4.68} \times 1.69$	allow correct use of an incorrectly determined mass of water in 4.68 g	1	
	= 4.23 (g)	allow 4.2 / 4.225 (g)	1	
	alternative approach: $\left(\text{mass of anhydrous compound} = \frac{11.7}{4.68} \times 2.99\right)$ = 7.475 (g) (1)			
	(mass of water =) 11.7 – 7.475 (1)	allow correct use of an incorrectly determined mass of anhydrous compound		
	= 4.23 (g) (1)	allow 4.2 / 4.225 (g)		

Question	Answers	Extra information	Mark	AO / Spec. Ref.
09.2	(energy =) $\frac{15.0}{2.99} \times 1.47$		1	AO2 4.6.2.2
	= 7.37 (kJ)	allow 7.37458194 correctly rounded to at least 2 significant figures	1	

4.6.2.6 The effect of temperature changes on equilibrium (HT only)

Answer 09 · Mark scheme

June 2023 | 8462/2H | Original Q9

Question	Answers	Extra information	Mark	AO / Spec. Ref.
09.3	shifts to the left		1	AO2 4.6.2.1 4.6.2.4 4.6.2.6

Question	Answers	Extra information	Mark	AO / Spec. Ref.
09.4	the mixture is a lighter shade of brown		1	AO2 4.6.2.4 4.6.2.7

Question	Answers	Extra information	Mark	AO / Spec. Ref.
09.5	no effect (on equilibrium position) (because) there are equal numbers of (gas) moles / molecules on each side (of the equation)	allow (equilibrium position) stays the same	1 1	AO2 4.6.2.4 4.6.2.7

Question	Answers	Extra information	Mark	AO / Spec. Ref.
09.6	no effect (on equilibrium position)	allow (equilibrium position) stays the same	1	AO2 4.6.2.3 4.6.2.4

Question	Answers	Extra information	Mark	AO / Spec. Ref.
09.7	add more hydrochloric acid		1	AO2 4.6.2.4 4.6.2.5

4.6.2.6 The effect of temperature changes on equilibrium (HT only)

Answer 09 · Mark scheme

June 2023 | 8462/2H | Original Q9

Question	Answers	Extra information	Mark	AO / Spec. Ref.
09.8	(because the) forward and reverse reactions are taking place at (exactly) the same rate	ignore references to closed systems allow for **1** mark (because) the reactions are taking place at (exactly) the same rate	2	AO1 4.6.2.3

Total Question 9	**13**

4.6.2.6 The effect of temperature changes on equilibrium (HT only)

Answer 10 · Mark scheme

June 2024 | 8462/2H | Original Q7

Question 7

Question	Answers	Extra information	Mark	AO / Spec. Ref.
07.1		ignore (hydrochloric / nitric / sulfuric) acid		AO1 4.8.3.5
	(test) add barium chloride (solution)	allow add barium nitrate (solution)	1	
	(result) white precipitate		1	
		MP2 is dependent upon MP1 being awarded		

Question	Answers	Extra information	Mark	AO / Spec. Ref.
07.2	the yield is smaller at higher temperatures because the reaction is exothermic		1	AO2 4.6.2.6

Question	Answers	Extra information	Mark	AO / Spec. Ref.
07.3		allow converse		AO2 4.6.2.7
	there are more moles / molecules (of gas) on the left	ignore particles	1	
	(so the position of) equilibrium shifts to the right		1	

4.6.2.6 The effect of temperature changes on equilibrium (HT only)

Answer 10 · Mark scheme

June 2024 | 8462/2H | Original Q7

Question	Answers	Extra information	Mark	AO / Spec. Ref.
07.4	any **two** from: • the yield is already high • more energy required • risk of explosion is increased • higher income from increased yield is outweighed by the extra expenditure • increased cost of safety precautions	allow requires stronger vessels allow requires thicker walls	2	AO3 4.6.2.7

Question	Answers	Extra information	Mark	AO / Spec. Ref.
07.5	vanadium (V)		1	AO3 4.1.3.2

Total Question 7	**8**

4.6.2.6 The effect of temperature changes on equilibrium (HT only)

Answer 07 · Examiner comments

November 2020 | 8462/2H | Original Q10

Question 10 (standard and high demand)

10.1 A minority of students identified water as the solvent.

10.2 The mark for describing the colour change was scored more often than the mark for the shift in the position of equilibrium that caused this colour change. The mark for the application of Le Chatelier's Principle was rarely scored by students.

10.3 Once again, the shift in equilibrium position and the identification of the forward reaction as exothermic were seldom justified in terms of Le Chatelier's Principle. The distribution of marks awarded to students was very similar to that for **10.2**.

10.4 Students answered this question poorly. A minority recognised that the position of equilibrium had not changed, but fewer still linked the non-effect of pressure with the absence of gases. A common error was to state that there there are equal numbers of moles on each side of the equation, as though this **were** a gaseous reaction.

10.5 A minority of students were able to identify cobalt as the only transition metal ion in the list.

4.6.2.6 The effect of temperature changes on equilibrium (HT only)

Answer 07 · Examiner comments

November 2020 | 8462/2H | Original Q10

Concluding Remarks

Many students gave responses which showed an excellent understanding while others had difficulty even with core chemical concepts.

The majority of students appeared to have sufficient time to complete the paper. A few used up a lot of time and space in practical and extended writing contexts by providing detailed additional information that did not contribute to a fully answered question.

Basic knowledge and understanding of how science works in everyday situations, including in the laboratory, were tested throughout this paper. This means that it was essential that students read and analysed the information provided, then read and understood the question before writing their response.

There is still some evidence that command words are misunderstood or ignored. This limits the marks awarded, especially in extended response questions. In this paper **compare** and **evaluate** were often too loosely interpreted.

Students seemed well prepared for questions based on Rate and Extent of Chemical Change and Organic Chemistry. In this series they seemed less equipped to deal with Chemical Analysis, Chemistry of the Atmosphere and some aspects of Using Resources.

4.6.2.6 The effect of temperature changes on equilibrium (HT only)

Answer 07 · Examiner comments

November 2020 | 8462/2H | Original Q10

Mark Ranges and Award of Grades

Grade boundaries and cumulative percentage grades are available on the Results Statistics page of the AQA Website.

4.6.2.6 The effect of temperature changes on equilibrium (HT only)

Answer 08 · Examiner comments

June 2022 | 8462/2H | Original Q7

Question 7 (Standard, standard/high and high demand)

07.1 This was well answered with around half of the students scoring both marks. Incorrect responses included the atmosphere being a source of the hydrogen as well as the nitrogen. There were far fewer responses stating that biogas of any kind was suitable for the large-scale production of ammonia than in previous years.

07.2 About 25% of the students scored this mark. 'No by-products' was seen quite often and others stated there were the same number of atoms on both sides, which just means that the equation is balanced, not necessarily that there is only 1 product.

07.3 Roughly 1 in 10 students gained both marks. Many scored the second mark, but far fewer the first. This was often due to imprecise language rather than misunderstanding, but many stated that 'ammonia is cooled'. The distinction between **all** the gases being cooled but only ammonia condensing is important. A large proportion did not mention cooling at all. Some negated the second mark by stating that ammonia has a lower boiling point than the other two gases.

4.6.2.6 The effect of temperature changes on equilibrium (HT only)

Answer 08 · Examiner comments

June 2022 | 8462/2H | Original Q7

07.4 Labelling the scale and the plotting of the given points was nearly always correct. Some did not label on the major gridlines, while a few got the scale completely wrong by labelling the major gridlines in multiples of 60 atmospheres, which did not match the pre-plotted points and therefore denied access to the plotting marks. Most students drew good best-fit curves, although some inappropriately drew a straight line. Over half of the students gained all four marks.

07.5 Most students extrapolated their line correctly and read off the value of the percentage at 500 atmospheres. About two-thirds of the students scored both marks.

07.6 This high demand extended response question gave students the opportunity to demonstrate their knowledge of collision theory, Le Chatelier's Principle and catalytic action in the context of the Haber Process.

More able students seemed to understand that they needed to consider cost implications. Explaining that a compromise is made in the choice of the temperature and the pressure was important in accessing Level 3.

The compromises made for temperature and pressure that were related to cost were more commonly stated than the compromise for temperature in relation to rate and position of equilibrium.

There was a high proportion of responses with additional material producing comprehensive, high-scoring responses. There were also a good number of weaker responses containing isolated statements, most commonly relating the conditions to rate, or more rarely position of equilibrium, but without explaining these relationships. Such responses were usually confined to Level 1. The ratio of Level 1:2:3 marks was roughly 40:20:20 with the remainder failing to gain any marks on this question.

4.6.2.6 The effect of temperature changes on equilibrium (HT only)

Answer 09 · Examiner comments June 2023 | 8462/2H | Original Q9

Question 9 (standard, standard / high and high demand)

09.1 This question was well done by a large proportion of the students. There was an understanding of how to calculate the mass of water obtained from 4.68 g of hydrated copper(II) sulphate and use this to calculate the mass of water from 11.7 g hydrated copper(II) sulphate. The alternative method on the mark scheme was less popular with the students. Over two-thirds of students scored all three marks.

09.2 This question proved to be more difficult for many of the students. It was noticeable that rather than using the value 2.99 g in the calculation a large proportion of the students used 4.68 grams without understanding that the calculation was about the reverse reaction. Just under half of the students gained both marks.

09.3 Around two-thirds of the students gained this multiple-choice mark. Most who did not score selected 'shifts to the right' instead.

09.4 Around 40% of the students gained this multiple-choice mark. Most who did not score selected 'the mixture is a darker shade of brown' instead.

09.5 Large numbers of the students did not recognise that there were the same number of moles on each side of the equation. Quite a number of students stated that the equilibrium shifts to the side with the least moles and then said that the equilibrium shifts to either the left or the right showing a lack of understanding of the stoichiometry of written chemical equations. Around one-third of the students gained both marks.

09.6 There were a lot of answers relating to the effect of a catalyst on the rate of a chemical reaction without any mention of the effect on equilibrium position. There was a common misconception that increasing the rate of reaction increased the yield of products and therefore stated that the equilibrium shifts to the right. Around one-third of the students gained both marks.

09.7 More than 80% of the students gained this multiple-choice mark. 'Add more water' was occasionally seen but 'leave the reaction mixture for 30 minutes' was rarely seen.

09.8 This question was not well done. Students appear not to understand what is happening at equilibrium and responses did not relate to the rate of reaction. Around one-quarter of students gained this mark.

Answer 10 · Examiner comments June 2024 | 8462/2H | Original Q7

Question 7 (standard, standard / high and high demand)

07.1 Around 40% of students scored two marks for this question. However, many students were not able to name the correct reagent for the test. White precipitate was often given as the result of the test, but this answer was not creditworthy unless the correct reagent had been named. Sodium hydroxide and silver nitrate were the most common incorrect reagents. A significant number of students left the answer space blank.

© 2024 AQA and its licensors. All rights reserved.

4.6.2.6 The effect of temperature changes on equilibrium (HT only)

Answer 10 · Examiner comments June 2024 | 8462/2H | Original Q7

07.2 This multiple-choice question was well answered with two-thirds of students gaining the mark.

07.3 Around 30% of students scored both the marks on this question. Clear descriptions about the numbers of moles / molecules on each side of the equation and the resulting shift in the position of equilibrium at higher pressure were seen. A number of students failed to score the first marking point because they did not give a comparison of the number of moles or molecules of gas on each side of the equation. Answers that focused on changes in the rate of reaction or particle collisions were not creditworthy, nor were those which stated that the equilibrium shifted to the side with lower pressure.

07.4 This question was not well answered and only around 2% of students were awarded both marks. The most common creditworthy responses were based on the idea that a higher pressure is not used because the yield is already high or because more energy would be required to achieve a higher pressure. Many answers could not be given credit because they were not comparative. Higher risk of explosion or higher cost of safety precautions were creditworthy responses that focused on the consequences of using higher pressure compared to using a lower pressure.

07.5 This multiple-choice question was answered correctly by around a quarter of students who used their periodic table to locate and identify vanadium as a transition metal.