AQA GCSE Chemistry | 8462

SPECIFICATION POINT 4.6.2.6

The effect of temperature changes on equilibrium (HT only)

Past-paper questions

Tier	**Higher**
Question groups	**10**
Available paper years	**2009–2024**

Using this booklet

1. Answer the questions in order and show your working.
2. Original question numbers and marks are retained.
3. Print at actual size (100%) for measuring questions.
4. Use the companion answer booklet to check your work.

Name: _____ **Date:** _____

Whole questions are retained for context, so some parts assess other specification points. Current and legacy sources are labelled. Continue on extra paper if needed.


4.6.2.6 The effect of temperature changes on equilibrium (HT only)

Question 01

June 2009 | CHY2H | Original Q3 | Legacy

3 Ammonium nitrate is an important chemical. The diagram shows the main stages in the manufacture of ammonium nitrate.

Study the diagram and then answer the question.



3 (a) What is the purpose of the iron in reactor **1**?

.....

.....

(1 mark)

4.6.2.6 The effect of temperature changes on equilibrium (HT only)

Question 01 · continued

for mark

3 (b) Explain why the best yield of ammonia at equilibrium is obtained:

3 (b) (i) at low temperature

.....

.....

(1 mark)

3 (b) (ii) at high pressure.

.....

.....

(1 mark)

3 (c) The temperature used in reactor **1** is 450 °C.

Explain why a much lower temperature is **not** used.

.....

.....

(1 mark)

3 (d) A mixture of ammonia, nitrogen and hydrogen leaves reactor **1**.

In the separator, what is done to the mixture to separate the ammonia from the other gases?

.....

.....

(1 mark)

3 (e) Name the acid that reacts with ammonia in reactor **2** to make ammonium nitrate.

.....

.....

(1 mark)

6


4.6.2.6 The effect of temperature changes on equilibrium (HT only)

Question 02

January 2010 | CHY2H | Original Q6 | Legacy

6 Ammonium sulfate and urea are made from ammonia.
These compounds are used by farmers.

The flow diagram shows the stages to make ammonium sulfate and urea.



6 (a) Give **two** examples from the flow diagram of efficient use of energy or materials.

.....

.....

.....

.....

(2 marks)

4.6.2.6 The effect of temperature changes on equilibrium (HT only)

Question 02 · continued January 2010 | CHY2H | Original Q6 | Legacy

for mark

6 (b) Why do farmers use ammonium compounds?

.....

.....

(1 mark)

6 (c) The equation for a reaction that takes place in **Stage 1** is given below.

Balance this equation by putting the correct number on the dotted line.

$$CH_4 + H_2O \rightarrow CO + \ldots\ldots H_2$$

(1 mark)

6 (d) The equation for the reaction in **Stage 4** is shown below.

$$N_2(g) + 3H_2(g) \rightleftharpoons 2NH_3(g)$$

The forward reaction is exothermic.

6 (d) (i) Explain why, at equilibrium, the yield of ammonia for this reaction is greater at **low** temperatures.

.....

.....

(1 mark)

6 (d) (ii) Explain why a high temperature, 450 °C, is used in **Stage 4**.

.....

.....

(1 mark)

6 (e) Name the acid used in **Stage 6** to make ammonium sulfate.

..... acid

(1 mark)

Question 6 continues on the next page

4.6.2.6 The effect of temperature changes on equilibrium (HT only)

Question 02 · continued January 2010 | CHY2H | Original Q6 | Legacy

for mark

6 (f) **Stage 7** can be represented by this equation.

$$\underset{\text{ammonia}}{2NH_3} + CO_2 \rightarrow \underset{\text{urea}}{NH_2CONH_2} + H_2O$$

The table gives the relative formula masses (M_r) of the reactants and the products for this reaction.

Formula of reactant or product	Relative formula masses (M_r)
NH_3	17
CO_2	44
NH_2CONH_2	60
H_2O	18

Use information from the table to help you answer (f)(i) and (f)(ii).

6 (f) (i) One factory produces 6000 g of urea each second. Calculate the mass of ammonia needed to make 6000 g of urea.

.....

.....

.....

.....

Mass of ammonia needed = ... g

(3 marks)

6 (f) (ii) Percentage atom economy can be calculated using:

$$\text{Percentage atom economy} = \frac{M_r \text{ of useful product}}{\text{total } M_r \text{ of all reactants added together}} \times 100\%$$

Calculate the percentage atom economy for the reaction in **Stage 7**

.....

.....

.....

Percentage atom economy = ... %

(2 marks)

12

4.6.2.6 The effect of temperature changes on equilibrium (HT only)

Question 03

June 2010 | CHY2H | Original Q6 | Legacy

6 The equation for a reaction to produce hydrogen is:

$$CO(g) + H_2O(g) \rightleftharpoons CO_2(g) + H_2(g)$$

6 (a) Explain why changing the pressure does **not** affect the yield of hydrogen at equilibrium.

.....

.....

(1 mark)

6 (b) Suggest why the best yield of hydrogen at equilibrium is obtained at **low** temperatures.

.....

.....

(1 mark)

6 (c) The temperature used in industry needs to be high enough for the reaction to take place quickly. Explain, in terms of particles, why the rate of reaction increases when the temperature is increased.

.....

.....

.....

.....

.....

.....

(3 marks)

6 (d) Scientists have developed catalysts which allow the reaction to take place quickly at lower temperatures. How could this be good for the manufacturer and for the environment?

.....

.....

.....

.....

(2 marks)

7

4.6.2.6 The effect of temperature changes on equilibrium (HT only)

Question 04

January 2011 | CHY2H | Original Q6 | Legacy

6 The picture shows a wooden bowl.
The pieces of wood used for this bowl were dyed different colours.



The artist who made the bowl explained why he dissolved the coloured dyes in methanol.

I use different coloured dyes dissolved in methanol. I use methanol because with dyes dissolved in water the wood needs to be soaked for a longer time. The bowl dries more quickly if I use methanol instead of water.

6 (a) (i) Why is using methanol an advantage to the artist?

.....

.....

(1 mark)

6 (a) (ii) The bonds within a methanol molecule are strong, covalent bonds.

Explain why methanol has a low boiling point.

.....

.....

.....

.....

.....

(2 marks)

4.6.2.6 The effect of temperature changes on equilibrium (HT only)

Question 04 · continued

6 (b) Methanol is made by reacting carbon monoxide with hydrogen.

The equation for this reaction is:

$$CO(g) + 2H_2(g) \rightleftharpoons CH_3OH(g)$$

The forward reaction is exothermic.

The best equilibrium yield of methanol is obtained when the temperature is low and when the pressure is high.

Explain why the best equilibrium yield is obtained:

6 (b) (i) when the temperature is low

.....

.....

(1 mark)

6 (b) (ii) when the pressure is high.

.....

.....

(1 mark)

6 (b) (iii) In industry a high temperature is used for this reaction. This gives a fast rate of reaction. The increase in temperature gives the particles more energy.

Explain, in terms of particles, why this makes the reaction go faster.

.....

.....

.....

.....

.....

.....

(2 marks)

Question 6 continues on the next page

4.6.2.6 The effect of temperature changes on equilibrium (HT only)

Question 04 · continued January 2011 | CHY2H | Original Q6 | Legacy

6 (c) (i) Calculate the maximum mass of methanol that could be made from 14 g of carbon monoxide.

$$CO(g) + 2H_2(g) \rightarrow CH_3OH(g)$$

Relative formula masses (M_r): CO = 28; CH_3OH = 32.

.....

.....

.....

.....

.....

Maximum mass of methanol = ... g
(2 marks)

6 (c) (ii) In an experiment the actual mass of methanol made from 14 g of carbon monoxide was 12 g. Use this information and your answer from part (c)(i) to calculate the percentage yield of methanol in this experiment.

(If you did not get an answer to part (c)(i) then assume that the maximum yield is 18 g. This is **not** the correct answer to part (c)(i).)

.....

.....

Percentage yield of methanol = ...%
(2 marks)

6 (c) (iii) Suggest **one** reason why the yield obtained is less than the maximum yield.

.....

.....
(1 mark)

12

4.6.2.6 The effect of temperature changes on equilibrium (HT only)

Question 05

June 2014 | CH3HP | Original Q5 | Legacy

5 In 1909 Fritz Haber invented a process to produce ammonia from nitrogen and hydrogen.


5 (a) Complete and balance the chemical equation for the production of ammonia from nitrogen and hydrogen.

[2 marks]

$$N_2 \quad + \quad 3H_2 \quad \rightleftharpoons \quad .....$$

5 (b) **Figure 5** shows how the equilibrium yield of ammonia changes with pressure at different temperatures.

Figure 5



5 (b) (i) Use the information in **Figure 5** to complete the sentence.

[1 mark]

The temperature on the graph that gives the highest yield of ammonia is ..... °C.

5 (b) (ii) The temperature used in the Haber process for the production of ammonia is 450 °C.

Why is a temperature much lower than 450 °C **not** used for the Haber process?

[1 mark]

.....

.....

4.6.2.6 The effect of temperature changes on equilibrium (HT only)

Question 05 · continued

5 (b) (iii) Use the information in **Figure 5** to answer this question.

Draw a ring around the pressure that gives the highest yield of ammonia.

[1 mark]

100 **200** **300** **400**

5 (b) (iv) The pressure used in the Haber process for the production of ammonia is 200 atmospheres.

Why is a pressure lower than 200 atmospheres **not** used for the Haber process?

[1 mark]

.....

.....

5 (c) Explain how ammonia is separated from unreacted nitrogen and hydrogen in the Haber process.

[2 marks]

.....

.....

.....

.....

8

4.6.2.6 The effect of temperature changes on equilibrium (HT only)

Question 06

June 2015 | CH3HP | Original Q6 | Legacy

6 This question is about reversible reactions and chemical equilibrium.

6 (a) Reversible reactions can reach equilibrium in a closed system.

6 (a) (i) What is meant by a closed system?

[1 mark]

.....

.....

6 (a) (ii) Explain why, when a reversible reaction reaches equilibrium, the reaction appears to have stopped.

[2 marks]

.....

.....

.....

.....

4.6.2.6 The effect of temperature changes on equilibrium (HT only)

Question 06 · continued

6 (b) In the Haber process, the reaction of nitrogen with hydrogen to produce ammonia is reversible.

$$N_2(g) + 3\,H_2(g) \rightleftharpoons 2\,NH_3(g)$$

6 (b) (i) Name a natural resource from which hydrogen is produced.

[1 mark]

.....

6 (b) (ii) The Haber process uses a catalyst to speed up the reaction.

Explain how a catalyst speeds up a reaction.

[2 marks]

.....

.....

.....

.....

6 (b) (iii) What happens to the amount of ammonia produced at equilibrium if the pressure is increased?

Give a reason for your answer.

[2 marks]

.....

.....

.....

.....

Question 6 continues on the next page

4.6.2.6 The effect of temperature changes on equilibrium (HT only)

Question 06 · continued


6 (c) The decomposition of hydrogen iodide into hydrogen and iodine is reversible.

$$2HI(g) \rightleftharpoons H_2(g) + I_2(g)$$

The forward reaction is endothermic.

The energy level diagram in **Figure 3** is for the forward reaction.

Figure 3



6 (c) (i) Draw an arrow to show the activation energy on the diagram in **Figure 3**.

[1 mark]

4.6.2.6 The effect of temperature changes on equilibrium (HT only)

Question 06 · continued

6 (c) (ii) How does the diagram in **Figure 3** show that the reaction is endothermic?

[1 mark]

.....

.....

6 (c) (iii) Suggest what effect, if any, increasing the temperature will have on the amount of hydrogen iodide at equilibrium.

Give a reason for your answer.

[2 marks]

.....

.....

.....

.....

12

4.6.2.6 The effect of temperature changes on equilibrium (HT only)

Question 07

November 2020 | 8462/2H | Original Q10

1 0 This question is about a reversible reaction.

The reaction between solutions of iron(III) ions (Fe^{3+}) and thiocyanate ions (SCN^-) is reversible.

The ionic equation for the reaction is:

	$Fe^{3+}(aq)$	+	$SCN^-(aq)$	$\rightleftharpoons$	$FeSCN^{2+}(aq)$
Colour of solution:	yellow		colourless		red

The colour of the equilibrium mixture is orange at room temperature.

1 0 . 1 Give the name of the solvent used to dissolve the ions in this reaction.

[1 mark]

1 0 . 2 A few drops of a colourless solution containing a high concentration of thiocyanate ions (SCN^-) are added to the orange equilibrium mixture.

Explain the colour change observed.

[3 marks]

4.6.2.6 The effect of temperature changes on equilibrium (HT only)

Question 07 · continued

10.3 A water bath is set up at a temperature above room temperature.

When a test tube containing the orange equilibrium mixture is placed in the water bath, the mixture becomes more yellow.

Explain what this shows about the energy change for the forward reaction.

[3 marks]

10.4 Explain why a change in pressure does **not** affect the colour of the equilibrium mixture.

[2 marks]

10.5 Other metal ions form coloured equilibrium mixtures with thiocyanate ions.

Which metal ion could form a coloured equilibrium mixture with thiocyanate ions?

[1 mark]

Tick (✓) **one** box.

- Al^{3+} ☐
- Co^{2+} ☐
- Mg^{2+} ☐
- Na^{+} ☐

10

4.6.2.6 The effect of temperature changes on equilibrium (HT only)

Question 08

June 2022 | 8462/2H | Original Q7

0 7 Ammonia is produced in the Haber process.

The raw materials for the Haber process are nitrogen and hydrogen.

The equation for the reaction is:

$$N_2(g) + 3H_2(g) \rightleftharpoons 2NH_3(g)$$

0 7 . 1 Give the sources of the nitrogen and of the hydrogen used in the Haber process.

[2 marks]

Nitrogen _____

Hydrogen _____

0 7 . 2 How does the equation for the reaction show that the atom economy of the forward reaction is 100%?

[1 mark]

_____


_____

4.6.2.6 The effect of temperature changes on equilibrium (HT only)

Question 08 · continued

0 7 . 3 **Figure 4** represents the Haber process.

Figure 4



Explain how the ammonia produced is separated from the unreacted nitrogen and hydrogen in **X**.

[2 marks]

Question 7 continues on the next page

4.6.2.6 The effect of temperature changes on equilibrium (HT only)

Question 08 · continued

The Haber process uses a temperature of 450 °C and a pressure of 200 atmospheres.

Table 6 shows the percentage yield of ammonia produced at 450 °C using different pressures.

Table 6

Pressure in atmospheres	Percentage (%) yield of ammonia
60	9
120	18
180	25
240	31
300	36
360	40
420	43

0 7 . 4 Complete **Figure 5**.


The first two points have been plotted.

You should:

- use a suitable scale for the *x*-axis
- plot the remaining data from **Table 6**
- draw a line of best fit.

[4 marks]

Figure 5



0 7 . 5 Determine the percentage yield of ammonia at 450 °C and 500 atmospheres.

Show your working on **Figure 5**.

[2 marks]

Percentage yield = _____ %

4.6.2.6 The effect of temperature changes on equilibrium (HT only)

Question 08 · continued

0 7 . 6 The equation for the production of ammonia in the Haber process is:

$$N_2(g) + 3H_2(g) \rightleftharpoons 2NH_3(g)$$

The forward reaction is exothermic.

The conditions used are:

- a temperature of 450 °C
- a pressure of 200 atmospheres
- the presence of an iron catalyst.

Explain why these conditions are chosen for economical production of ammonia in the Haber process.

You should include references to the rate of reaction and the position of equilibrium.

[6 marks]

17

4.6.2.6 The effect of temperature changes on equilibrium (HT only)

Question 09

June 2023 | 8462/2H | Original Q9

0 9 This question is about reversible reactions.

When 4.68 g of hydrated copper sulfate changes into anhydrous copper sulfate:

- 2.99 g of anhydrous copper sulfate is produced
- 1.47 kJ of energy is taken in from the surroundings.

The equation for the reversible reaction is:

hydrated copper sulfate ⇌ anhydrous copper sulfate + water

0 9 . 1 Calculate the maximum mass of water that can be produced from 11.7 g of hydrated copper sulfate.

[3 marks]

Mass = _____ g

0 9 . 2 15.0 g of anhydrous copper sulfate completely changes into hydrated copper sulfate when water is added.

Calculate the amount of energy transferred to the surroundings.

[2 marks]

Energy = _____ kJ

4.6.2.6 The effect of temperature changes on equilibrium (HT only)

Question 09 · continued

The gases nitrogen dioxide and dinitrogen tetroxide reach dynamic equilibrium in a sealed container.

The equation for the reaction is:

$$2\ NO_2(g) \rightleftharpoons N_2O_4(g)$$

nitrogen dioxide (brown) — dinitrogen tetroxide (colourless)

The forward reaction is exothermic.

0 9 . 3 What happens to the position of the equilibrium in this reaction if the temperature is increased?

[1 mark]


Tick (✓) **one** box.

- Shifts to the left ☐
- Stays the same ☐
- Shifts to the right ☐

0 9 . 4 A teacher seals a brown-coloured mixture of nitrogen dioxide and dinitrogen tetroxide in a gas syringe.

Figure 8 shows the sealed gas syringe.

Figure 8



The teacher pushes the syringe piston in.

This increases the pressure in the gas syringe.

What is the colour of the mixture when a new equilibrium position is reached?

[1 mark]

Tick (✓) **one** box.

The mixture is a darker shade of brown. ☐

The mixture is the same shade of brown. ☐

The mixture is a lighter shade of brown. ☐

Question 9 continues on the next page

4.6.2.6 The effect of temperature changes on equilibrium (HT only)

Question 09 · continued June 2023 | 8462/2H | Original Q9

Hydrogen iodide gas decomposes into hydrogen gas and iodine gas at high temperatures.

The equation for the reaction is:

$$2\,HI(g) \rightleftharpoons H_2(g) + I_2(g)$$

0 9 . 5 Explain the effect of increasing the pressure on the equilibrium position of this reaction.

[2 marks]

0 9 . 6 Suggest the effect of adding a catalyst on the equilibrium position of this reaction.

[1 mark]

4.6.2.6 The effect of temperature changes on equilibrium (HT only)

Question 09 · continued

Copper forms coloured compounds.

Hydrochloric acid is added to an aqueous solution of copper compound **A**.

The word equation for the reaction is:

copper compound **A** (blue) + hydrochloric acid ⇌ copper compound **B** (yellow) + water

0 9 . 7 The reaction mixture is green when both copper compounds are present in a solution at equilibrium.

How can the equilibrium position be shifted to make the reaction mixture more yellow?

[1 mark]

Tick (✓) **one** box.

- Add more hydrochloric acid ☐
- Add more water ☐
- Leave the reaction mixture for 30 minutes ☐

0 9 . 8 The concentrations of the substances in this reaction do **not** change at dynamic equilibrium.

Explain why.

[2 marks]

13

4.6.2.6 The effect of temperature changes on equilibrium (HT only)

Question 10

June 2024 | 8462/2H | Original Q7

0 7 This question is about sulfuric acid.

0 7 . 1 Sulfuric acid contains sulfate ions.

Describe the test for the presence of sulfate ions in sulfuric acid.

Give the result of the test.

[2 marks]

Test _____

_____

Result _____


_____

One stage in the industrial production of sulfuric acid is the reaction of sulfur dioxide with oxygen to produce sulfur trioxide.

This reversible reaction reaches dynamic equilibrium.

Figure 7 shows the percentage yield of sulfur trioxide in this reaction at different temperatures.

Figure 7



4.6.2.6 The effect of temperature changes on equilibrium (HT only)

Question 10 · continued

0 7 . 2 Which statement about the forward reaction is correct?

Use **Figure 7**.

[1 mark]

Tick (✓) **one** box.

- The yield is greater at higher temperatures because the reaction is exothermic. ☐
- The yield is greater at higher temperatures because the reaction is endothermic. ☐
- The yield is smaller at higher temperatures because the reaction is exothermic. ☐
- The yield is smaller at higher temperatures because the reaction is endothermic. ☐

The equation for the reaction is:

$$2\ SO_2(g) + O_2(g) \rightleftharpoons 2\ SO_3(g)$$

0 7 . 3 Explain why the percentage yield of sulfur trioxide in this reaction is greater if the pressure is higher.

[2 marks]

0 7 . 4 In industry, the reaction is done at 450 °C and atmospheric pressure.

Under these conditions the yield of sulfur trioxide is 86%.

Suggest **two** reasons why a higher pressure is **not** used.

[2 marks]

1

2

4.6.2.6 The effect of temperature changes on equilibrium (HT only)

Question 10 · continued

0 7 . 5 This reaction uses a catalyst to increase the rate of the reaction.

The catalyst is a metal oxide.

Which is the most likely metal in the metal oxide catalyst?

Use the periodic table.

[1 mark]

Tick (✓) **one** box.

Aluminium (Al) ☐

Barium (Ba) ☐

Potassium (K) ☐

Vanadium (V) ☐

8