AQA GCSE Physics | 8463

SPECIFICATION POINT 4.3.2.1

Internal energy

Past-paper questions

Tier	**Foundation**
Question groups	**1**
Available paper years	**2018–2018**

Using this booklet

1. Answer the questions in order and show your working.
2. Original question numbers and marks are retained.
3. Print at actual size (100%) for measuring questions.
4. Use the companion answer booklet to check your work.

Name: _____ **Date:** _____

Whole questions are retained for context, so some parts assess other specification points. Current and legacy sources are labelled. Continue on extra paper if needed.

4.3.2.1 Internal energy

Question 01

June 2018 | 8463/1F | Original Q1

0 1 **Figure 1** shows a cyclist riding along a flat road.

Figure 1



0 1 . 1 Complete the sentence.

Choose answers from the box.

[2 marks]

chemical	**elastic potential**	**gravitational potential**	**kinetic**

As the cyclist accelerates, the _____ energy store in the cyclist's body decreases and the _____ energy of the cyclist increases.

0 1 . 2 The mass of the cyclist is 80 kg. The speed of the cyclist is 12 m/s.

Calculate the kinetic energy of the cyclist.

Use the equation:

$$\text{kinetic energy} = 0.5 \times \text{mass} \times (\text{speed})^2$$

[2 marks]

_____

_____

_____

_____

Kinetic energy = _____ J

4.3.2.1 Internal energy

Question 01 · continued

0 1 . 3 When the cyclist uses the brakes, the bicycle slows down.

This causes the temperature of the brake pads to increase by 50 °C.
The mass of the brake pads is 0.040 kg.
The specific heat capacity of the material of the brake pads is 480 J/kg °C.

Calculate the change in thermal energy of the brake pads.

Use the equation:

change in thermal energy = mass × specific heat capacity × temperature change

[2 marks]

Change in thermal energy = _____ J

0 1 . 4 How is the internal energy of the particles in the brake pads affected by the increase in temperature?

Tick **one** box.

[1 mark]

- Decreased ☐
- Increased ☐
- Not affected ☐

7