AQA GCSE Physics | 8463

SPECIFICATION POINT 4.6.3.1

Emission and absorption of infrared radiation

Mark schemes and examiner comments

Tier	**Foundation**
Question groups	**49**
Available paper years	**2004–2024**

Using this booklet

1. Booklet answer numbers match the question booklet.
2. Use the original question number within marking tables.
3. Examiner comments are included where available.

Name: _____ **Date:** _____

Where a precise marking extract is unavailable, the full source document is included in an appendix. Any missing mark scheme is explicitly identified.

4.6.3.1 Emission and absorption of infrared radiation

Answer 01 · Mark scheme June 2004 | 3451F | Original Q11 | Legacy

The full source mark scheme begins on page 40. Follow original question 11 in that document.

Answer 02 · Mark scheme June 2004 | 3462F3 | Original Q9 | Legacy

The full source mark scheme begins on page 61. Follow original question 9 in that document.

Answer 03 · Mark scheme June 2005 | 3451 | Original Q5 | Legacy

The full source mark scheme begins on page 78. Follow original question 5 in that document.

Answer 04 · Mark scheme June 2005 | 3462 | Original Q5 | Legacy

The full source mark scheme begins on page 96. Follow original question 5 in that document.

Answer 05 · Mark scheme November 2006 | PHY1B | Original Q1 | Legacy

One	**A**	infra red rays	**1**
	B	ultraviolet waves	**3**
	C	visible light	**2**
	D	X-rays	**4**

4.6.3.1 Emission and absorption of infrared radiation

Answer 06 · Mark scheme November 2006 | PHY1B | Original Q2 | Legacy

Two	**A**	gamma rays	**1**
	B	infra red rays	**3**
	C	radio waves	**4**
	D	ultraviolet waves	**2**

Answer 07 · Mark scheme March 2007 | PHY1B | Original Q1 | Legacy

Question		Key	
One	**A**	infra red	**3**
	B	radio waves	**4**
	C	ultraviolet	**2**
	D	visible light	**1**

Answer 08 · Mark scheme March 2007 | PHY1B | Original Q7 | Legacy

Seven	**4**	**1**	**1**	**2**

Answer 09 · Mark scheme June 2007 | PHY1B | Original Q1 | Legacy

Question		Key	
One	**A**	gamma rays	**1**
	B	infra red rays	**3**
	C	ultraviolet rays	**4**
	D	X-rays	**2**

4.6.3.1 Emission and absorption of infrared radiation

Answer 10 · Mark scheme January 2008 | PHY1F | Original Q2 | Legacy

Question 2

question	answers	extra information	mark
(a)(i)	digital	correct answer only	1
(ii)	(visible) light infra red	answer in either order accept IR	1 1
(b)(i)	25 (%)	do **not** accept ¼	1
(ii)	increases		1
(c)	tick (✓) in top and bottom box	both required	1
(d)	SHINY surfaces are good reflectors of infra-red radiation **or** black surfaces are POOR reflectors of infra-red radiation **or** black surfaces are good EMITTERS of infra-red radiation **or** black surfaces are good ABSORBERS of infra red radiation	accept white for shiny accept bad for poor accept insertion of 'not' before 'good' in statement	1
total			7

4.6.3.1 Emission and absorption of infrared radiation

Answer 10 · Mark scheme

January 2008 | PHY1F | Original Q2 | Legacy

PHY1F

4.6.3.1 Emission and absorption of infrared radiation

Answer 11 · Mark scheme

Question 4

question	answers	extra information	mark
(a)	less / no light pollution	accept no / fewer streetlights	1
	less cloud cover / above clouds		1
	less atmospheric pollution	accept air for atmospheric accept idea of thinner atmosphere	1
(b)	microwave	correct answer only	1
(c)	the atmosphere absorbs X-rays		1
total			5

4.6.3.1 Emission and absorption of infrared radiation

Answer 11 · Mark scheme January 2008 | PHY1F | Original Q4 | Legacy

PHY1F

Answer 12 · Mark scheme March 2008 | PHY1BP | Original Q1 | Legacy

Question	Key		
One	**A**	infra red radiation	**3**
	B	gamma radiation	**4**
	C	visible light	**1**
	D	ultraviolet radiation	**2**

Answer 13 · Mark scheme March 2008 | PHY1BP | Original Q3 | Legacy

Three	**A**	SIRTF	**2**
	B	Hubble	**4**
	C	Chandra	**3**
	D	Compton	**1**

Answer 14 · Mark scheme March 2008 | PHY1BP | Original Q8 | Legacy

Eight	**4**	**1**	**1**	**1**

Answer 15 · Mark scheme June 2008 | PHY1BP | Original Q1 | Legacy

Question	Key		
One	**A**	infra red	**3**
	B	ultraviolet	**2**
	C	visible light	**1**
	D	gamma	**4**

Answer 16 · Mark scheme June 2008 | PHY1BP | Original Q4 | Legacy

Four	**A**	gamma	**1**
	B	infra red	**3**
	C	radio waves	**4**
	D	ultraviolet	**2**

4.6.3.1 Emission and absorption of infrared radiation

Answer 17 · Mark scheme

November 2008 | PHY1BP | Original Q2 | Legacy

Two	**A**	gamma rays	**1**
	B	radio waves	**4**
	C	ultraviolet rays	**2**
	D	visible light	**3**

4.6.3.1 Emission and absorption of infrared radiation

Answer 18 · Mark scheme January 2009 | PHY1F | Original Q6 | Legacy

Question 6

question	answers	extra information	mark
6(a)(i)	silvered surfaces	more than the correct number of ticks in a row negates the mark	1
	radiation		1
	plastic cap conduction convection } both required		

	conduction	convection	radiation
vacuum	✓	✓	
silvered surfaces			✓
plastic cap	✓	✓	

(1)

(1)


6(a)(ii)	because there are no particles in a vacuum	any mention of air or any other substance in a vacuum scores zero accept atoms / molecules for particles accept vacuum is empty space accept there is nothing in a vacuum accept there is no air / gas in the vacuum	1
	conduction **and** convection need particles / medium	need reference to both conduction **and** convection accept correct descriptions	1

Question 6 continues on the next page

4.6.3.1 Emission and absorption of infrared radiation

PHY1F

Question 6 continued

question	answers	extra information	mark
6(b)(i)	less heat lost (to air above the heater) light shiny surfaces are poor emitters (of radiation) **or** dull, matt surfaces are good emitters (of radiation)	do **not** accept **no** heat lost accept radiators for emitters references to reflection are neutral do **not** credit answers which infer reflection from the underside of the hood ignore correct reference to absorption	1 1
6(b)(ii)	correct diagram drawn with one output arrow narrower than the other arrows correctly labelled with energy form eg  	flow charts score zero ignore input	1 1
6(b)(iii)	energy cannot be destroyed	accept (principle of) conservation of energy do **not** accept because energy cannot be lost without clarification	1
Total			**9**

4.6.3.1 Emission and absorption of infrared radiation

Answer 18 · Mark scheme January 2009 | PHY1F | Original Q6 | Legacy

PHY1F

Answer 19 · Mark scheme March 2009 | PHY1BP | Original Q6 | Legacy

Six	**2**	**1**	**2**	**1**

Answer 20 · Mark scheme June 2009 | PHY1BP | Original Q5 | Legacy

Five	**A**	microwaves	**3**			
	B	X-rays	**1**			
	C	visible light	**2**			
	D	radio waves	**4**			
	A		**B**	**C**		**D**

Answer 21 · Mark scheme November 2009 | PHY1BP | Original Q1 | Legacy

Question			**Key**
One	**A**	infra red	**2**
	B	microwaves	**1**
	C	ultraviolet	**4**
	D	X-rays	**3**

Answer 22 · Mark scheme November 2009 | PHY1BP | Original Q2 | Legacy

Two	**A**	gamma	**2**
	B	infra red	**3**
	C	radio	**1**
	D	visible light	**4**

4.6.3.1 Emission and absorption of infrared radiation

Answer 23 · Mark scheme January 2010 | PHY1F | Original Q3 | Legacy

Question 3

question	answers	extra information	mark
3(a)	85		1
3(b)(i)	thickness (of glass)	accept how thick the glass is do **not** accept light intensity	1
3(b)(ii)	transmits less infra red infra red has a heating effect **or** infra red warms the room	accept radiation / or heat for infra red accept transmits less energy (at all wavelengths) accept (glass **B**) absorbs more infra red accept infra red is the same as heat ignore reference to visible light ignore references to conservatory keeping cool	1 1
3(c)	**Z**		1
Total			**5**

4.6.3.1 Emission and absorption of infrared radiation

Answer 23 · Mark scheme January 2010 | PHY1F | Original Q3 | Legacy

PHY1F

Answer 24 · Mark scheme March 2010 | PHY1BP | Original Q2 | Legacy

Two	**A**	gamma	**3**
	B	infra red	**4**
	C	radio	**1**
	D	ultraviolet	**2**

Answer 25 · Mark scheme June 2010 | PHY1BP | Original Q1 | Legacy

Question	Key		
One	**A**	gamma rays	**1**
	B	microwaves	**4**
	C	visible light	**3**
	D	X-rays	**2**

Answer 26 · Mark scheme June 2010 | PHY1BP | Original Q6 | Legacy

Six	4	2	2	1

Answer 27 · Mark scheme November 2010 | PHY1AP | Original Q1 | Legacy

Question	Key		
One	**A**	conduction	**2**
	B	insulation	**3**
	C	radiation	**1**
	D	reflection	**4**

Answer 28 · Mark scheme November 2010 | PHY1BP | Original Q1 | Legacy

Question	Key		
One	**A**	infra red	**1**
	B	ultraviolet	**4**
	C	visible light	**3**
	D	X-rays	**2**

4.6.3.1 Emission and absorption of infrared radiation

Answer 29 · Mark scheme November 2010 | PHY1BP | Original Q4 | Legacy

Four	**A**	gamma	**1**
	B	infra red	**3**
	C	radio	**4**
	D	ultraviolet	**2**

Answer 30 · Mark scheme November 2010 | PHY1BP | Original Q7 | Legacy

Seven	**1**	**1**	**2**	**3**

Answer 31 · Mark scheme March 2011 | PHY1BP | Original Q1 | Legacy

Question	Key		
One	**A**	infra red	**3**
	B	microwaves	**2**
	C	radio waves	**1**
	D	visible light	**4**

Answer 32 · Mark scheme March 2011 | PHY1BP | Original Q2 | Legacy

Two	**A**	infra red	**3**
	B	microwaves	**2**
	C	visible light	**1**
	D	X-rays	**4**

Answer 33 · Mark scheme June 2011 | PHY1BP | Original Q1 | Legacy

Question	Key		
One	**A**	infra red	**1**
	B	ultraviolet	**3**
	C	visible light	**2**
	D	X-rays	**4**


Answer 34 · Mark scheme June 2011 | PHY1BP | Original Q9 | Legacy

Nine	**2**	**3**	**4**	**1**

4.6.3.1 Emission and absorption of infrared radiation

Answer 35 · Mark scheme June 2012 | PH1FP | Original Q2 | Legacy

Question 2

question	answers	extra information	mark
2(a)	3 lines drawn linking: camera to visible light television to radio waves remote control to infrared 	if more than one line is drawn from any device all those lines are incorrect	1 1 1
2(b)	300 000 km/s **or** 300 000 000 m/s	unit required accept the same (as light) accept the speed of light	1
2(c)	a longer wavelength than		1
2(d)(i)	refraction	do **not** allow a misspelling that might be reflection	1
2(d)(ii)	travelling along the normal	accept light is at 90° to the surface / block light is not entering at an angle is insufficient	1
Total			**7**

4.6.3.1 Emission and absorption of infrared radiation

Answer 35 · Mark scheme

June 2012 | PH1FP | Original Q2 | Legacy

PH1FP

4.6.3.1 Emission and absorption of infrared radiation

Answer 36 · Mark scheme

June 2012 | PH1FP | Original Q7 | Legacy

Question 7

question	answers	extra information	mark
7(a)	any **two** from: • black is a good emitter of (infrared radiation) • large surface (area) • matt surfaces are better emitters (than shiny surfaces)	accept heat for radiation ignore reference to absorbing radiation accept matt surfaces are good emitters ignore reference to good conductor	2
7(b)	90 % or 0.9(0)	efficiency = useful energy out / total energy in (×100%) allow **1** mark for correct substitution ie 13.5 / 15 provided no subsequent step shown an answer of 90 scores **1** mark an answer of 90 / 0.90 with a unit scores **1** mark	2
7(c)	(producing) light	allow (producing) sound	1

Question 7 continues on the next page

4.6.3.1 Emission and absorption of infrared radiation

PH1FP

Question 7 continued

question	answers	extra information	mark
7(d)	any **two** from: • wood is renewable • (using wood) conserves fossil fuels • wood is carbon neutral	 accept wood grows again / quickly accept wood can be replanted accept doesn't use fossil fuels accept a description cheaper / saves money is insufficient	2
7(e)	 2 550 000 joules /J	$E = m \times c \times \theta$ allow **1** mark for correct substitution ie $100 \times 510 \times 50$ provided no subsequent step shown answers of 1 020 000, 3 570 000 gain **1** mark accept kJ / MJ do **not** accept j for full credit the unit and numerical answer must be consistent	 2 1
Total			**10**

4.6.3.1 Emission and absorption of infrared radiation

Answer 36 · Mark scheme

June 2012 | PH1FP | Original Q7 | Legacy

PH1FP

4.6.3.1 Emission and absorption of infrared radiation

Answer 37 · Mark scheme January 2013 | PH1FP | Original Q5 | Legacy

Question 5

question	answers	extra information	mark
5(a)	to reflect (the infrared)	accept (shiny surfaces) are good reflectors ignore reference to incorrect type of wave	1
5(b)	black best absorber (of infrared)	 answer should be comparative black absorbs (infrared) is insufficient accept good absorber (of infrared) ignore reference to emitter ignore attracts heat ignore reference to conduction	1 1
5(c)	to reduce energy loss **or** so temperature of water increases faster **or** reduces loss of water (by evaporation)	accept to stop energy loss accept heat for energy accept to stop / reduce convection accept to heat water faster accept cooks food faster	1
5(d)	672 000	 allow **1** mark for correct substitution, ie 2 × 4200 × 80 provided no subsequent step shown	2
Total			**6**

4.6.3.1 Emission and absorption of infrared radiation

Answer 37 · Mark scheme

January 2013 | PH1FP | Original Q5 | Legacy

PH1FP

4.6.3.1 Emission and absorption of infrared radiation

Answer 38 · Mark scheme June 2013 | PH1FP | Original Q2 | Legacy

Question 2

question	answers	extra information	mark
2(a)(i)	(visible) light	accept visible	1
2(a)(ii)	microwaves		1
2(b)	J		1
2(c)(i)	B		1
2(c)(ii)	shorter than		1
2(d)(i)	To find out if using a mobile phone is harmful to health		1
2(d)(ii)	any **two** from: • (X has a) low(er) SAR value • (maximum) energy absorbed (by the head) is less • (if mobiles are harmful) less likely to cause harm	"it" refers to mobile phone accept has a low(er) rate accept energy emitted (by phone) is less accept radiation for energy accept will not cause harm accept it is safer	2
Total			**8**

4.6.3.1 Emission and absorption of infrared radiation

Answer 38 · Mark scheme June 2013 | PH1FP | Original Q2 | Legacy

PH1FP

Answer 39 · Mark scheme June 2015 | PH1FP | Original Q4 | Legacy

The full source mark scheme begins on page 110. Follow original question 4 in that document.

Answer 40 · Mark scheme June 2016 | PH1FP | Original Q3 | Legacy

The full source mark scheme begins on page 126. Follow original question 3 in that document.

Answer 41 · Mark scheme June 2016 | PH1FP | Original Q8 | Legacy

The full source mark scheme begins on page 126. Follow original question 8 in that document.

4.6.3.1 Emission and absorption of infrared radiation

Answer 42 · Mark scheme


June 2017 | PH1FP | Original Q3 | Legacy

Question	Answers	Extra information	Mark	AO / Spec. Ref.
3(a)(i)	wavelength = N		1	AO1 1.5.1i
3(a)(ii)	amplitude = L		1	AO1 1.5.1i
3(b)	B		1	AO1 1.5.1e
3(c)(i)	equal to	accept the same as	1	AO1 1.5.2b
3(c)(ii)	the laser light is absorbed (by burglar's clothing) **or** the laser light is reflected (in a different direction)		1	AO2 1.5.1g
Total			**5**	

4.6.3.1 Emission and absorption of infrared radiation

Answer 42 · Mark scheme

June 2017 | PH1FP | Original Q3 | Legacy



4.6.3.1 Emission and absorption of infrared radiation


Answer 43 · Mark scheme June 2018 | 8463/2F | Original Q5

Question	Answers	Extra information	Mark	AO / Spec. Ref.
05.1	glass vase		1	AO2 4.6.2.6
05.2	transmit		1	AO1 4.6.2.6
05.3	the T-shirt reflects all wavelengths / colours of light (equally)	allow T-shirt reflects (white / all) light	1	AO1 4.6.2.6
05.4	changes from red to black as the cap absorbs (all) the (blue) light **or** as the cap does not reflect the (blue) light	it appears black it is darker is insufficient	1 1	AO2 4.6.2.6
05.5	C —— distance D ✕ the I ✕ time	all 3 lines correct allow **1** mark for 1 line correct if more than one line drawn from a variable all of those lines do not score	2	AO2 4.6.2.2
05.6	the (infrared) heater	allow infrared (radiation) do **not** accept answers where burning yourself is given as the hazard	1	AO2 4.6.2.2
05.7	answer must be a comparison, eg the matt / black surface is the better absorber (of infrared radiation)	matt black is a good absorber is insufficient	1	AO3 4.6.2.2
Total			**9**	

4.6.3.1 Emission and absorption of infrared radiation

Answer 43 · Mark scheme

June 2018 | 8463/2F | Original Q5



4.6.3.1 Emission and absorption of infrared radiation

Answer 44 · Mark scheme

June 2019 | 8463/2F | Original Q4

Question 4

Question	Answers	Extra information	Mark	AO / Spec. Ref.
4.1	B		1	AO1/1 4.6.2.1
4.2	electrical heating		1	AO1/1 4.6.2.4
4.3	orange	allow a correct answer indicated in the box provided the answer space is blank	1	AO3/1a 4.6.2.4 WS3.5
4.4	becomes (more) red	allow changes from mainly orange to mainly red	1	AO3/2a 4.6.2.4 WS3.5
4.5	the independent	allow a correct answer indicated in the box provided the answer space is blank	1	AO2/2 4.6.2.2 WS2.2
4.6	pour (hot) water into the (hollow metal) cube point the IR detector at each / a side and take a reading keep the detector the same distance from each surface	 allow point the IR detector at the cube and take a reading allow IR detector touching the surface and take a reading allow take the temperature for take a reading	1 1 1	AO1/2 4.6.2.2 WS2.2
4.7	0.1 °C		1	AO2/2 4.6.2.2 WS2.3
4.8	one bar drawn to 68.0 (°C) one bar drawn to 28.0 (°C) tallest bar labelled Matt black and shortest bar labelled Shiny silver	ignore the position of the bars on the x-axis	1 1 1	AO2/2 4.6.2.2 WS3.1

4.6.3.1 Emission and absorption of infrared radiation

Answer 44 · Mark scheme

June 2019 | 8463/2F | Original Q4

4.9	any **one** from: • (matt) black is the best emitter • shiny silver is the worst emitter	 allow matt white and shiny black are (almost) the same at emitting allow black is a good emitter allow silver is a poor emitter allow an answer in terms of highest / lowest temperature ignore any reference to absorption / reflection	1	AO3/2b 4.6.2.2 WS3.5
Total			**13**	

4.6.3.1 Emission and absorption of infrared radiation

Answer 45 · Mark scheme

November 2021 | 8463/2F | Original Q3

Question 3

Question	Answers	Extra information	Mark	AO / Spec. Ref.
03.1	**B**		1	AO1 4.6.2.1
03.2	a control		1	AO1 4.6.2.2 RPA10
03.3	record the initial temperature of the two thermometers in each flask switch the infrared heater on and start the stop clock (at the same time) after five minutes record the (final) temperature from both flasks see / check if the temperature inside the flasks had increased by different amounts	allow initial temperature is a control variable **or** ensure initial temperature is the same in both flasks allow switch on the power supply for switch on the heater allow calculate the temperature increase / change after five minutes	1 1 1 1	AO1 4.6.2.2 RPA10
03.4	27 (°C)	allow 27 (°C) identified on the table allow test 3	1	AO3 4.6.2.2 RPA10
03.5	ignore (the result)	allow repeat (the result)	1	AO1 4.6.2.2 RPA10
03.6	(33/3 =) 11		1	AO2 4.6.2.2 RPA10

4.6.3.1 Emission and absorption of infrared radiation

Answer 45 · Mark scheme

03.7	the black flask absorbed the most infrared during the five minutes		1	AO3 4.6.2.2 RPA10

Total			**10**

4.6.3.1 Emission and absorption of infrared radiation

Answer 46 · Mark scheme

June 2023 | 8463/2F | Original Q4

Question 4

Question	Answers	Extra information	Mark	AO / Spec. Ref.
04.1	the old model cannot explain new observations		1	AO1 4.8.1.1


Question	Answers	Mark	AO / Spec. Ref.
04.2	**Level 2:** Scientifically relevant features are identified; the way(s) in which they are similar / different is made clear and (where appropriate) the magnitude of the similarity / difference is noted.	3-4	AO1 AO3 4.8.1.1 4.8.1.3
	Level 1: Relevant features are identified and differences noted.	1-2	
	No relevant content.	0	
	Indicative content **Similarities** in both models: • the orbits of the Moon and / or planets are circular / elliptical • the Moon orbits the Earth • there is one star / Sun **Differences** In the current model: • the planets orbit the Sun, whereas in the old model the planets orbit the Earth • there are (two) more planets • there are also dwarf planets, whereas no dwarf planets are shown in the old model • other planets have moons, whereas other planets have no moons shown in the old model		

Question	Answers	Extra information	Mark	AO / Spec. Ref.
04.3	it increases		1	AO3 4.8.1.1

4.6.3.1 Emission and absorption of infrared radiation

Answer 46 · Mark scheme June 2023 | 8463/2F | Original Q4

Question	Answers	Extra information	Mark	AO / Spec. Ref.
04.4	three bars drawn correctly three bars correctly labelled	allow tolerance of half a small square	1 1	AO2 4.8.1.1

Question	Answers	Mark	AO / Spec. Ref.
04.5	 2 marks for all lines correct 1 mark for 2 lines correct additional line from a box on the left negates the mark for that box	2	AO1 4.8.1.2

Question	Answers	Extra information	Mark	AO / Spec. Ref.
04.6	they are the best emitters of radiation		1	AO1 4.6.3.1

Total Question 4	**11**

4.6.3.1 Emission and absorption of infrared radiation

Answer 47 · Mark scheme

June 2023 | 8463/2F | Original Q9

Question 9

Question	Answers	Extra information	Mark	AO / Spec. Ref.
09.1	perpendicular		1	AO1 4.6.1.1

Question	Answers	Mark	AO / Spec. Ref.
09.2	**Level 3:** The method would lead to the production of a valid outcome. The key steps are identified and logically sequenced.	5-6	AO3
	Level 2: The method would not necessarily lead to a valid outcome. Most steps are identified, but the method is not fully logically sequenced.	3-4	AO1
	Level 1: The method would not lead to a valid outcome. Some relevant steps are identified, but links are not made clear.	1-2	AO1
	No relevant content	0	
	Indicative content **Method:** • heat the water / kettle • add an equal volume of (hot) water to each flask • insert a thermometer into each flask • record the initial temperature from both flasks OR • place an IR detector near each flask • the distance between the IR detector and the flask should be the same each time • record initial reading from IR detectors • (and) start a stop clock • record the temperatures / readings after 10 minutes from both flasks • calculate the change in temperatures / readings during the 10 minutes • compare the results to test the hypothesis to access level 3 the method must allow the correct consideration of a temperature decrease for both flasks or the correct comparison of IR detected from both flasks		4.6.2.2

4.6.3.1 Emission and absorption of infrared radiation

Answer 47 · Mark scheme

June 2023 | 8463/2F | Original Q9

Question	Answers	Extra information	Mark	AO / Spec. Ref.
09.3	during the 1st minute there is the greatest temperature difference (between the hot water and the surroundings)	 allow highest temperature or hottest MP 2 dependent on scoring MP1	1 1	AO2 AO1 4.6.3.1

Question	Answers	Extra information	Mark	AO / Spec. Ref.
09.4	the temperature (increase / change after 10 minutes)	allow the final temperature do not allow temperature decrease	1	AO1 4.6.2.2

Question	Answers	Extra information	Mark	AO / Spec. Ref.
09.5	black surfaces absorb more (infrared than white surfaces) matt surfaces absorb more (infrared) than shiny surfaces of the same colour	allow black surfaces have a greater temperature increase (than white surfaces) allow matt surfaces have a greater temperature increase than shiny surfaces of the same colour if no other marks scored, allow 1 mark for matt black surface is the best absorber and shiny white surface is the worst absorber if no other marks scored, allow 1 mark for matt black has the greatest temperature increase and shiny white has the smallest temperature increase	1 1	AO3 4.6.2.2 4.6.3.1

Answer 47 · Mark scheme

Question	Answers	Extra information	Mark	AO / Spec. Ref.
09.6	pressure = $\frac{\text{force}}{\text{area}}$		1	AO1 4.5.5.1.1

Question	Answers	Extra information	Mark	AO / Spec. Ref.
09.7	area of base = 0.0144 (m^2)	do not allow this or subsequent marks unless base area is used	1	AO2 4.5.5.1.1
	$1500 = \frac{F}{0.0144}$	this mark may be awarded if base area is incorrectly calculated	1	
	$F = 1500 \times 0.0144$	this mark may be awarded if base area is incorrectly calculated	1	
	$F = 21.6$ (N)	this mark may be awarded if base area is incorrectly calculated allow 22 (N)	1	

Total Question 9	**17**

4.6.3.1 Emission and absorption of infrared radiation

Answer 48 · Mark scheme June 2024 | 8463/2F | Original Q1

Question 1

Question	Answers	Extra information	Mark	AO / Spec. Ref.
01.1	Milky Way		1	AO1 4.8.1.1

Question	Answers	Extra information	Mark	AO / Spec. Ref.
01.2	dust and gas		1	AO1 4.8.1.1

Question	Answers	Extra information	Mark	AO / Spec. Ref.
01.3	gravitational force		1	AO1 4.8.1.1

Question	Answers	Extra information	Mark	AO / Spec. Ref.
01.4	fusion		1	AO1 4.8.1.1

Question	Answers	Extra information	Mark	AO / Spec. Ref.
01.5	visible light takes the same time as infrared radiation		1	AO1 4.6.2.1

Question	Answers	Extra information	Mark	AO / Spec. Ref.
01.6	greater		1	AO1 4.6.2.1

4.6.3.1 Emission and absorption of infrared radiation

Answer 48 · Mark scheme

Question	Answers	Extra information	Mark	AO / Spec. Ref.
01.7	greater rate than the Earth the Sun is at a higher temperature	 allow the Sun has a greater surface area MP2 is dependent on MP1	1 1	AO3 4.6.3.1

Total Question 1	**8**

Answer 49 · Mark scheme

June 2024 | 8463/2F | Original Q6

Question 6

Question	Answers	Extra information	Mark	AO / Spec. Ref.
06.1	infrared camera	allow thermometer, thermal imaging camera, night vision goggles	1	AO3 4.6.2.4 4.6.3.2 RPA10

Question	Answers	Extra information	Mark	AO / Spec. Ref.
06.2	690 nm		1	AO3 4.6.2.1

Question	Answers	Extra information	Mark	AO / Spec. Ref.
06.3	bees cannot detect all the colours (a human can) bees can detect UV radiation (but humans can't)	allow bees cannot detect red (light but humans can)	1 1	AO3 4.6.2.6

Question	Answers	Extra information	Mark	AO / Spec. Ref.
06.4	reflected absorbed	this order only	1 1	AO1 4.6.2.6

Question	Answers	Extra information	Mark	AO / Spec. Ref.
06.5	black		1	AO1 4.6.2.6

Question	Answers	Extra information	Mark	AO / Spec. Ref.
06.6	diffuse		1	AO1 4.6.2.6

Total Question 6	**8**

GCSE 2004
June Series

ASSESSMENT and QUALIFICATIONS ALLIANCE

Mark Scheme

Physics Specification B
3451/F

Mark schemes are prepared by the Principal Examiner and considered, together with the relevant questions, by a panel of subject teachers. This mark scheme includes any amendments made at the standardisation meeting attended by all examiners and is the scheme which was used by them in this examination. The standardisation meeting ensures that the mark scheme covers the candidates' responses to questions and that every examiner understands and applies it in the same correct way. As preparation for the standardisation meeting each examiner analyses a number of candidates' scripts: alternative answers not already covered by the mark scheme are discussed at the meeting and legislated for. If, after this meeting, examiners encounter unusual answers which have not been discussed at the meeting they are required to refer these to the Principal Examiner.

It must be stressed that a mark scheme is a working document, in many cases further developed and expanded on the basis of candidates' reactions to a particular paper. Assumptions about future mark schemes on the basis of one year's document should be avoided; whilst the guiding principles of assessment remain constant, details will change, depending on the content of a particular examination paper.

Copyright © 2004 AQA and its licensors

4.6.3.1 Emission and absorption of infrared radiation

Further copies of this Mark Scheme are available from:

Publications Department, Aldon House, 39, Heald Grove, Rusholme, Manchester, M14 4NA
Tel: 0161 953 1170

or

download from the AQA website: www.aqa.org.uk

Copyright © 2004 AQA and its licensors

COPYRIGHT
AQA retains the copyright on all its publications. However, registered centres for AQA are permitted to copy material from this booklet for their own internal use, with the following important exception: AQA cannot give permission to centres to photocopy any material that is acknowledged to a third party even for internal use within the centre.

Set and published by the Assessment and Qualifications Alliance.

The Assessment and Qualifications Alliance (AQA) is a company limited by guarantee registered in England and Wales 3644723 and a registered charity number 1073334. Registered address AQA, Devas Street, Manchester. M15 6EX. *Dr Michael Cresswell Director General*

4.6.3.1 Emission and absorption of infrared radiation

GCSE PHYSICS

INFORMATION FOR EXAMINERS

1. General

The mark scheme for each question shows:

- the marks available for each part of the question;
- the total marks available for the question;
- the typical answer or answers which are expected;
- extra information to help the Examiner make his or her judgement and help to delineate what is acceptable or not worthy of credit or, in discursive answers, to give an overview of the area in which a mark or marks may be awarded.

The extra information is aligned to the appropriate answer in the left-hand part of the mark scheme and should only be applied to that item in the mark scheme.

At the beginning of a part of a question a reminder may be given, for example:
where consequential marking needs to be considered in a calculation;
or the answer may be on the diagram or at a different place on the script.

In general the right hand side of the mark scheme is there to provide those extra details which confuse the main part of the mark scheme yet may be helpful in ensuring that marking is straightforward and consistent.

2. Emboldening

2.1 In a list of acceptable answers where more than one mark is available 'any **two** from' is used, with the number of marks emboldened. Each of the following lines is a potential mark.

2.2 A bold **and** is used to indicate that both parts of the answer are required to award the mark.

2.3 Alternative answers acceptable for a mark are indicated by the use of **or**. (Different terms in the mark scheme are shown by a / ; e.g. allow smooth / free movement.)

3. Marking points

3.1 Marking of Quality of Written Communication

Where *Quality of written communication* appears in the mark scheme, one mark is to be awarded for either of the following points:

- Using correct scientific terms
- Correct sequencing or linking of ideas or points

The mark scheme will specify which of the points is to be awarded in a particular question. A QoWC mark can be awarded for a scientific answer, even if it is not accurate. It cannot be awarded for a nonsensical or non-scientific answer.
On the script, the QoWC tick should be identified by a 'q' written next to it.

3.2 Marking of lists

This applies to questions requiring a set number of responses, but for which candidates have provided extra responses. The general principle to be followed in such a situation is that 'right + wrong = wrong'.

Copyright © 2004 AQA and its licensors

Each error/contradiction negates each correct response. So, if the number of error/contradictions equals or exceeds the number of marks available for the question, no marks can be awarded.

However, responses considered to be neutral (indicated as * in example 1) are not penalised.

Example 1: What is the pH of an acidic solution? (1 mark)

Candidate	Response	Marks awarded
1	4,8	0
2	green, 5	0
3	red*, 5	1
4	red*, 8	0

Example 2: Name two planets in the solar system. (2 marks)

Candidate	Response	Marks awarded
1	Pluto, Mars, Moon	1
2	Pluto, Sun, Mars, Moon	0

3.3 Use of chemical symbols/formulae

If a candidate writes a chemical symbol/formula instead of a required chemical name, full credit can be given if the symbol/formula is correct and if, in the context of the question, such action is appropriate.

3.4 The marking of quantitative relationships

Full credit can be given for a correct quantitative relationship expressed in:

- named units;
- physical quantities;
- standard symbols;
- a combination of physical quantities and units.

No credit can be given for any quantitative relationship expressed in terms of:

- a combination of physical quantities, units and symbols;
- a diagram, e.g. the ohm's law triangle, unless the rest of the answer shows clearly that the candidate understands the relationships involved.

3.5 Marking procedure for calculations

3.5.1 Full marks can be given for a correct numerical answer, as shown in the column 'answers', without any working shown.
However:

- if the answer is incorrect, mark(s) can be gained by correct substitution/working and this is shown in the 'extra information' column;
- if the answer is correct, but an incorrect relationship is written in the working, then no marks can be awarded (see 3.5.2).

3.5.2 Where calculations are based on incorrectly recalled relationships, neither the incorrectly recalled relationship, nor the resulting calculation based on the incorrect relationship, will be credited.

3.6 Interpretation of 'it'

Answers using the word 'it' should be given credit only if it is clear that the 'it' refers to the correct subject.

Copyright © 2004 AQA and its licensors

4.6.3.1 Emission and absorption of infrared radiation

3.7 Errors carried forward

There should be no error carried forward from a previous answer which has been based on wrong science. Any error in the answers to a structured question should be penalised once only.

Examples

(a) A candidate who calculates average speed using speed = time/distance **and** then proceeds to use this incorrect answer to calculate an acceleration based on the correct quantitative relationship should be given credit for the use of the correct acceleration relationship but none for either numerical answer.

(b) A candidate who incorrectly calculates average speed using speed = distance/time and then proceeds to use this incorrect value to calculate an acceleration based on the correct quantitative relationship, should be given credit for the use of both correct quantitative relationships **and** for the correct substitution and use of the incorrect value in the calculation of the rate of acceleration.

Papers should be constructed in such a way that the number of times errors can be carried forward are kept to a minimum. Allowances for errors carried forward are most likely to be restricted to calculation questions and should be shown by the abbreviation e.c.f. in the marking scheme.

3.8 Phonetic spelling

The phonetic spelling of correct scientific terminology should be credited **unless** there is a possible confusion with another technical term.

3.9 Brackets

(…..) is used to indicate information which is not essential for the mark to be awarded but is included to help the examiner identify the sense of the answer required.

3.10 Interpretation of marginal points

There will be times when the answer is almost, but not quite, correct. Some examiners would award a mark while others would not. In any one script, an attempt should be made to balance these nearly correct answers by giving the mark on some occasions but not on others. If this is not done, the marking would end up being too lenient or too harsh.

3.11 Unexpected Correct Answers not in the Mark Scheme

The Examiner should use professional judgement to award credit where a candidate has given an unexpected correct answer which is not covered by the mark scheme. The Examiner should consult with the Team Leader to confirm the judgement. The Team Leader should pass this answer on to the Principal Examiner with a view to informing all examiners.

Copyright © 2004 AQA and its licensors

4.6.3.1 Emission and absorption of infrared radiation

GCSE Physics
Foundation Tier 3451/F

3451F Q1

question	answers	extra information	mark
(a)	comet	correct order only	1
	elliptical		1
	Milky Way		1
	Universe		1
(b)(i)	D A C B	allow **2** marks for two letters in the correct place allow **1** mark for one letter in the correct place	3
(ii)	A		1
total			8

Copyright © 2004 AQA and its licensors

4.6.3.1 Emission and absorption of infrared radiation


3451F Q2

question	answers	extra information	mark
(a)	95		1
(b)	alpha	accept correct symbol	1
(c)	any **two** from: • radiation is outside the body • radiation will not reach (living) cells • radiation absorbed by the air	 accept detector is on ceiling or high up the wall accept radiation cannot pass through the body / skin accept cannot pass through the plastic casing do **not** accept because it is alpha radiation – unless qualified do **not** accept does not give off harmful substance do **not** accept cannot pass through building materials etc.	2
(d)	less (than)		1
total			5

Copyright © 2004 AQA and its licensors

4.6.3.1 Emission and absorption of infrared radiation

3451F Q3

question	answers	extra information	mark
(a)	generator	accept dynamo accept alternator	1
(b)(i)	1400	ignore units	1
(ii)	0.3 or 30%	any incorrect unit penalise **1** mark allow **1** mark for the correct use of 600 **or** 0.3% **or** 30	2
(c)	**1** mark for each correct link 	if more than 3 lines are drawn, mark only 3 lines starting with those that are incorrect	3
(d)(i)	110	no tolerance	1
(ii)	12	no tolerance	1
(iii)	wind speed may be too low to operate the generator	accept wind may not always blow accept power depends on wind speed accept does not generate if wind speed is too high accept does not generate if wind speed is above 12 (m/s) accept does not generate if wind speed is below 1.6 (m/s) accept it is unreliable do **not** accept answers referring to cost only	1
total			10

Copyright © 2004 AQA and its licensors

4.6.3.1 Emission and absorption of infrared radiation

3451F Q4

question	answers	extra information	mark
(a)	B E A D	allow **1** mark for each letter in the correct place, to a maximum of **3** marks	3
(b)	(a spark) may cause the (petrol vapour) to explode / ignite connect tanker to earth with a (conducting) wire / chain **or** earth the tanker	accept petrol for (petrol vapour) accept catch fire for explode accept ground for earth	1 1
(c)	**Quality of written communication** any **two** from: • when current greater than fuse rating / value • fuse (becomes hot and) melts / burns out • circuit is broken	for a logical sequence accept when current too great for appliance do **not** accept 'if there is too much current' do **not** accept voltage or electricity accept fuse blows / breaks accept circuit switched off this cannot score credit on its own	1 2
total			8

Copyright © 2004 AQA and its licensors

4.6.3.1 Emission and absorption of infrared radiation

3451F Q5

question	answers	extra information	mark
(a)(i)	crust		1
(ii)	inner core is <u>solid</u> outer core is liquid	do **not** accept just rock inner core is denser / hotter than outer core gets **2** marks accept one is solid and one is liquid for **1** mark accept they are different densities for **1** mark wrong way round = **0** marks	1 1
(b)	seismograph		1
(c)	difficult to measure (slow) movement (1) of plates (1) dependent mark **or** difficult to measure friction / forces (1) between plates (1) dependent mark		1 1
(d)	geothermal		1
(e)(i)	5000		1
(ii)	2500		1
total			9

Copyright © 2004 AQA and its licensors

4.6.3.1 Emission and absorption of infrared radiation


3451F Q6

	answers	extra information	mark
(a)	converging image object image object shorter		1 1 1 1 1 1
(b)(i)	(Earth's) gravity	accept centripetal accept minor misspellings, however, do **not** credit any response which could be 'centrifugal'	1
(ii)	to(wards) (the centre of the) Earth	allow inwards do **not** accept downwards	1
(c)(i)	**either** friction (force) **or** centripetal force between the tyres / wheels and (the surface of) the road	 allow grip allow on the tyres / wheels **or** towards the centre of the bend / arc / circle	 1 1
(ii)	mass **or** speed **or** momentum radius / diameter	allow weight allow velocity do **not** credit 'curvature' or 'circumference'	1 1
(d)	centripetal	accept minor misspellings (see above)	1
total			13

Copyright © 2004 AQA and its licensors

4.6.3.1 Emission and absorption of infrared radiation

3451F Q7

	answers	extra information	mark
(a)(i)	two switches in series **and** circuit complete	ignore small imperfections	1
(ii)	two switches in parallel **and** circuit complete	ignore small imperfections	1
(iii)	one switch in parallel with the cell / lamp (but **not** both)	ignore small imperfections	1
(iv)	(i) AND (ii) OR (iii) NOT	accept 'and' accept 'or' accept 'not'	1 1 1
(b)(i)	when it is light the sensor sends on / high / 1 signal to the gate off / low / 0 sent to the lamp **or** when it is dark the sensor sends off / low / 0 signal to the gate (1) on / high / 1 sent to the lamp (1)		1 1
(ii)	any suitable application	e.g. to switch a security light on (and off) e.g. to switch a light on when it is dark do **not** credit just '… to switch a light on / off'	1
(c)(i)		accept shading-in of either or both parts end connections are not required accept any orientation	1
(ii)	1 0 **or** 0 1 0 1 1 0	all correct	1
(iii)	truth (table)		1
total			12

Copyright © 2004 AQA and its licensors

4.6.3.1 Emission and absorption of infrared radiation


3451F Q8

question	answers	extra information	mark
(a)	60		1
(b)	$5\frac{1}{2}$ hours	must include unit	1
(c)	30		1
(d)	30 minutes or $\frac{1}{2}$ hour	must include unit	1
(e)	D **and** E least steep part of the graph	accept finish for E accept correct numbers from axes with units accept covers smallest distance in a set time accept only moves 5 km in $1\frac{1}{2}$ hours (accept anything between 5 and 6) ignore horse is tired	1 1
total			6

Copyright © 2004 AQA and its licensors

4.6.3.1 Emission and absorption of infrared radiation


3451F Q9

question	answers	extra information	mark
(a)(i)	any **one** from: • (doctors) to see inside a patients body **or** endoscope • telephone cables • optical fibre / fibre optic lamps **or** (artificial) Christmas trees • data transfer **or** internet connection	 accept keyhole surgery do **not** accept flex **or** wires for cable accept decorative / ornamental lighting accept any feasible practical suggestion for taking light to a difficult to access place do **not** accept lighting unqualified do **not** accept lamp unqualified do **not** accept communications unless clarified	1
(ii)	(incident) ray angle greater than critical angle total internal reflection occurs	either order accept (incident) ray greater than 42° accept TIR do **not** accept just description of TIR	1 1
(b)(i)	waves shown diffracting in the correct direction 	ignore wavelength	1
(ii)	diffraction	accept diffract / diffracted	1
total			5

Copyright © 2004 AQA and its licensors

4.6.3.1 Emission and absorption of infrared radiation

3451F Q10

question	answers	extra information	mark
(a)	all symbols correct	 accept push switch symbol switch may be open or closed any lines through symbols = **0** marks	1
	correct circuit drawn voltmeter must be across resistor only	polarity of cells not relevant provided they are joined correctly two cells are required in the diagram ignore the order of the components allow small gaps in circuit omission of any component = **0** marks	1
(b)(i)	potential difference = current × resistance	accept voltage or p.d. for potential difference accept $V = I \times R$ accept  provided subsequent use correct do **not** accept C for current	1
(ii)	2	 allow **1** mark for correct substitution wrong working loses both marks	2
(iii)	straight line drawn <u>through the origin</u> straight line passes through $I = 0.4, V =$ their (b)(ii) / 2 **and** 0.0	judge by eye this mark may be awarded if all points shown including these points are correct even if no line is drawn N.B. a curve scores **0** marks	1 1 dep
(c)	temperature <u>increases</u>	accept filament lamp / it gets <u>hotter</u> allow heat for temperature	1
total			8

Copyright © 2004 AQA and its licensors

4.6.3.1 Emission and absorption of infrared radiation

3451F Q11

question	answers	extra information	mark
(a)(i)	gamma rays	accept gamma accept correct symbol	1
(ii)	infra red	accept IR	1
(b)	ultraviolet <u>absorbed</u> by ink (energy) given out as light	 accept glows / luminous accept for **both** marks the ink is fluorescent do **not** accept answers in terms of uv being reflected	1 1
(c)	any **two** from: • UV can damage / kill / ionise / alter (normal) cells • change DNA structure **or** mutate • (normal) cells may become cancerous	 do **not** accept attacks cells **or** burns skin accept may cause (skin) cancer accept abnormal cell multiplication	2
(d)(i)	microwaves **and** infra red	both answers needed in either order do **not** accept heat for IR	1
(ii)	0.9	allow **1** mark for the <u>correct</u> use of 1.8 (kW) $(1.8 \times \frac{1}{2}$ or $1.8 \times 30)$ i.e. adding the correct 2 power values	2
total			9

Copyright © 2004 AQA and its licensors

4.6.3.1 Emission and absorption of infrared radiation


3451F Q12

question	answers	extra information	mark
(a)(i)	accelerating	accept getting faster accept speed / velocity increasing	1
(ii)	acceleration increases	accept velocity / speed increases more rapidly do **not** accept velocity / speed increases	1
(b)(i)	$\text{acceleration} = \frac{\text{change in velocity}}{\text{time (taken)}}$	accept $a = \frac{v - u}{t}$ **or** $a = \frac{v_1 - v_2}{t}$ do **not** accept velocity for change in velocity do **not** accept change in speed do **not** accept $a = \frac{v}{t}$	1
(ii)	15	allow **1** mark for an answer of 900 **or** for correct use of 540 seconds	2
(iii)	velocity includes direction	accept velocity is a vector (quantity) accept converse answer	1
(c)	force of gravity (between shuttle and Earth) plus correct orbital speed (makes shuttle move in a curve)	accept gravitational pull if used correctly accept forward motion **or** constant speed for orbital speed accept it is travelling fast enough accept for **2** marks the force of gravity provides the centripetal force	1 1
(d)	black is a good emitter of radiation **or** to limit the temperature rise inside the shuttle	accept heat for radiation accept the tiles are good insulation do **not** accept black absorbs heat on its own do **not** accept tiles are heat proof	1
total			9

Copyright © 2004 AQA and its licensors

4.6.3.1 Emission and absorption of infrared radiation

3451F Q13

question	answers	extra information	mark
(a)(i)	work (done) = force (applied) × distance (moved)	accept W = F × s or W = F × d accept  provided subsequent method is correct	1
(ii)	240 000 joules	allow **1** mark for correct substitution **or** correct use of 1200 (N) accept J do **not** accept j / Nm	2 1
(b)	800 (watts)	accept 0.8 kW accept their (a)(ii) ÷ 300 correctly evaluated for **2** marks allow **1** mark for correct substitution (a)(ii) ÷ 5 correctly evaluated for **1** mark	2
(c)(i)	any **one** from: • needs to raise the chair / lift • lifting more than one chair • energy transfer to the surroundings correctly qualified	 allow lifting more than 2 people implication of a heavier weight accept loss for transfer do **not** accept motor inefficient do **not** accept motor gets hot do **not** accept friction unless the location is specified as external to the motor	1
(ii)	electrical potential	accept electric **both** answers required for the mark	1
total			8

Copyright © 2004 AQA and its licensors

4.6.3.1 Emission and absorption of infrared radiation

3451F Q14

	answers	extra information	mark
(a)(i)	current		1
(ii)	resistance decreases	 accept 'the flow of electrons / current (through it) increases' for **1** mark do **not** credit just '… it will get warmer'	1 1
(b)	input sensor → controlled by the processor processor → detects changes in the environment output device → decides what action is needed	all pairs correct one pair correct for **1** mark	2
(c)(i)	potential divider	accept voltage divider	1
(ii)	4 (volts)	$6 \times \frac{30}{45}$ for **1** mark	2
(iii)	across the new resistor…(will) increase across R_2 … (will) decrease	 N.B. independent marks	1 1
total			10

Copyright © 2004 AQA and its licensors

4.6.3.1 Emission and absorption of infrared radiation

3451F Q15

	answers	extra information	mark
(a)	relay (normally open) (switch)	each mark is independent	1
	… switch on a (larger) current (in another circuit) **or** switch on a higher voltage circuit	do **not** accept switch on another circuit **or** smaller / equal current	1
	light emitting diode / LED	do **not** credit LDR	1
	… in one / direct / certain direction **or** from left to right	**or** when the cathode is connected to the negative terminal / side **or** when the left-hand side is connected to the positive terminal / side do **not** credit just '… is big enough' do **not** accept 'positive direction'	1
	AND gate	accept 'and' gate	1
	… (both) inputs are on / high / 1 **or** current flows in both inputs	do **not** accept numerical values unless expanded	1
(b)	**Quality of written communication**	If in a sensible order which clearly indicates advantages or disadvantages, including answers in the form of a table **or** as bullet points Q ✓ Q X	1
	any **three** from: • advantage of mobile phones • drawback of mobile phones • benefit of the Internet • drawback of the Internet	e.g. more convenient for service engineers e.g. calls can be received away from base e.g. privacy can be more easily invaded e.g. drivers can be distracted e.g. microwaves / radio waves can / may cause damage to the brain e.g. access to educational material e.g. some material is salacious e.g. spam (on external e-mail) these are examples candidates may be credited for a variety of responses	3
total			10

Copyright © 2004 AQA and its licensors

4.6.3.1 Emission and absorption of infrared radiation

3451F Q16

question	answers	extra information	mark
(a)	**Y** and **Z**		1
	they have the same number of protons **or** same atomic number	accept they have the same number of electrons **or** same number of protons **and** electrons allow only different in number of neutrons N.B. independent marks	1
(b)	**Quality of written communication**	for correct use of terms underlined in B **or** C Q ✓ Q X	1
	A – alpha particle passes straight through the empty space of the atom **or** it is a long way from the nucleus B – alpha particle deflected / repelled / repulsed by the (positive) nucleus C – alpha particle heading straight for the nucleus is deflected / repelled / repulsed backwards	describes 3 tracks correctly for **2** marks describes 2 or 1 track correctly for **1** mark do **not** accept hits the nucleus do **not** accept answers referring to refraction do **not** accept answers in terms of reflected backwards unless qualified in terms of repulsion mention of difference in charge on nucleus negates that track	max 2
total			5

Copyright © 2004 AQA and its licensors

GCSE 2004
June Series

ASSESSMENT and QUALIFICATIONS ALLIANCE

Mark Scheme

Science: Double Award

Specification B (Co-ordinated)

3462/3F

Mark schemes are prepared by the Principal Examiner and considered, together with the relevant questions, by a panel of subject teachers. This mark scheme includes any amendments made at the standardisation meeting attended by all examiners and is the scheme which was used by them in this examination. The standardisation meeting ensures that the mark scheme covers the candidates' responses to questions and that every examiner understands and applies it in the same correct way. As preparation for the standardisation meeting each examiner analyses a number of candidates' scripts: alternative answers not already covered by the mark scheme are discussed at the meeting and legislated for. If, after this meeting, examiners encounter unusual answers which have not been discussed at the meeting they are required to refer these to the Principal Examiner.

It must be stressed that a mark scheme is a working document, in many cases further developed and expanded on the basis of candidates' reactions to a particular paper. Assumptions about future mark schemes on the basis of one year's document should be avoided; whilst the guiding principles of assessment remain constant, details will change, depending on the content of a particular examination paper.

Copyright © 2004 AQA and its licensors

4.6.3.1 Emission and absorption of infrared radiation

Further copies of this Mark Scheme are available from:

Publications Department, Aldon House, 39, Heald Grove, Rusholme, Manchester, M14 4NA
Tel: 0161 953 1170

or

download from the AQA website: www.aqa.org.uk

Copyright © 2004 AQA and its licensors

COPYRIGHT
AQA retains the copyright on all its publications. However, registered centres for AQA are permitted to copy material from this booklet for their own internal use, with the following important exception: AQA cannot give permission to centres to photocopy any material that is acknowledged to a third party even for internal use within the centre.

Set and published by the Assessment and Qualifications Alliance.

The Assessment and Qualifications Alliance (AQA) is a company limited by guarantee registered in England and Wales 3644723 and a registered charity number 1073334. Registered address AQA, Devas Street, Manchester. M15 6EX. *Dr Michael Cresswell Director General*

4.6.3.1 Emission and absorption of infrared radiation

SCIENCE: DOUBLE AWARD CO-ORDINATED

INFORMATION FOR EXAMINERS

1. General

The mark scheme for each question shows:

- the marks available for each part of the question;
- the total marks available for the question;
- the typical answer or answers which are expected;
- extra information to help the Examiner make his or her judgement and help to delineate what is acceptable or not worthy of credit or, in discursive answers, to give an overview of the area in which a mark or marks may be awarded.

The extra information is aligned to the appropriate answer in the left-hand part of the mark scheme and should only be applied to that item in the mark scheme.

At the beginning of a part of a question a reminder may be given, for example:
where consequential marking needs to be considered in a calculation;
or the answer may be on the diagram or at a different place on the script.

In general the right hand side of the mark scheme is there to provide those extra details which confuse the main part of the mark scheme yet may be helpful in ensuring that marking is straightforward and consistent.

2. Emboldening

2.1 In a list of acceptable answers where more than one mark is available 'any **two** from' is used, with the number of marks emboldened. Each of the following lines is a potential mark.

2.2 A bold **and** is used to indicate that both parts of the answer are required to award the mark.

2.3 Alternative answers acceptable for a mark are indicated by the use of **or**. (Different terms in the mark scheme are shown by a / ; e.g. allow smooth / free movement.)

3. Marking points

3.1 Marking of Quality of Written Communication

Where *Quality of written communication* appears in the mark scheme, one mark is to be awarded for either of the following points:

- Using correct scientific terms
- Correct sequencing or linking of ideas or points

The mark scheme will specify which of the points is to be awarded in a particular question. A QoWC mark can be awarded for a scientific answer, even if it is not accurate. It cannot be awarded for a nonsensical or non-scientific answer.
On the script, the QoWC tick should be identified by a 'q' written next to it.

3.2 Marking of lists

This applies to questions requiring a set number of responses, but for which candidates have provided extra responses. The general principle to be followed in such a situation is that 'right + wrong = wrong'.

Copyright © 2004 AQA and its licensors

Each error/contradiction negates each correct response. So, if the number of error/contradictions equals or exceeds the number of marks available for the question, no marks can be awarded.

However, responses considered to be neutral (indicated as * in example 1) are not penalised.

Example 1: What is the pH of an acidic solution? (1 mark)

Candidate	Response	Marks awarded
1	4,8	0
2	green, 5	0
3	red*, 5	1
4	red*, 8	0

Example 2: Name two planets in the solar system. (2 marks)

Candidate	Response	Marks awarded
1	Pluto, Mars, Moon	1
2	Pluto, Sun, Mars, Moon	0

3.3 Use of chemical symbols/formulae

If a candidate writes a chemical symbol/formula instead of a required chemical name, full credit can be given if the symbol/formula is correct and if, in the context of the question, such action is appropriate.

3.4 The marking of quantitative relationships

Full credit can be given for a correct quantitative relationship expressed in:

- named units;
- physical quantities;
- standard symbols;
- a combination of physical quantities and units.

No credit can be given for any quantitative relationship expressed in terms of:

- a combination of physical quantities, units and symbols;
- a diagram, e.g. the ohm's law triangle, unless the rest of the answer shows clearly that the candidate understands the relationships involved.

3.5 Marking procedure for calculations

3.5.1 Full marks can be given for a correct numerical answer, as shown in the column 'answers', without any working shown.
However:

- if the answer is incorrect, mark(s) can be gained by correct substitution/working and this is shown in the 'extra information' column;
- if the answer is correct, but an incorrect relationship is written in the working, then no marks can be awarded (see 3.5.2).

3.5.2 Where calculations are based on incorrectly recalled relationships, neither the incorrectly recalled relationship, nor the resulting calculation based on the incorrect relationship, will be credited.

3.6 Interpretation of 'it'

Answers using the word 'it' should be given credit only if it is clear that the 'it' refers to the correct subject.

Copyright © 2004 AQA and its licensors

4.6.3.1 Emission and absorption of infrared radiation

3.7 Errors carried forward

There should be no error carried forward from a previous answer which has been based on wrong science. Any error in the answers to a structured question should be penalised once only.

Examples

(a) A candidate who calculates average speed using speed = time/distance **and** then proceeds to use this incorrect answer to calculate an acceleration based on the correct quantitative relationship should be given credit for the use of the correct acceleration relationship but none for either numerical answer.

(b) A candidate who incorrectly calculates average speed using speed = distance/time and then proceeds to use this incorrect value to calculate an acceleration based on the correct quantitative relationship, should be given credit for the use of both correct quantitative relationships **and** for the correct substitution and use of the incorrect value in the calculation of the rate of acceleration.

Papers should be constructed in such a way that the number of times errors can be carried forward are kept to a minimum. Allowances for errors carried forward are most likely to be restricted to calculation questions and should be shown by the abbreviation e.c.f. in the marking scheme.

3.8 Phonetic spelling

The phonetic spelling of correct scientific terminology should be credited **unless** there is a possible confusion with another technical term.

3.9 Brackets

(…..) is used to indicate information which is not essential for the mark to be awarded but is included to help the examiner identify the sense of the answer required.

3.10 Interpretation of marginal points

There will be times when the answer is almost, but not quite, correct. Some examiners would award a mark while others would not. In any one script, an attempt should be made to balance these nearly correct answers by giving the mark on some occasions but not on others. If this is not done, the marking would end up being too lenient or too harsh.

3.11 Unexpected Correct Answers not in the Mark Scheme

The Examiner should use professional judgement to award credit where a candidate has given an unexpected correct answer which is not covered by the mark scheme. The Examiner should consult with the Team Leader to confirm the judgement. The Team Leader should pass this answer on to the Principal Examiner with a view to informing all examiners.

Copyright © 2004 AQA and its licensors

4.6.3.1 Emission and absorption of infrared radiation

Double Award
Foundation Tier 3462/3F

3462/3F Q1

question	answers	extra information	mark
(a)	comet	correct order only	1
	elliptical		1
	Milky Way		1
	Universe		1
(b)(i)	D A C B	allow **2** marks for two letters in the correct place allow **1** mark for one letter in the correct place	3
(ii)	A		1
total			8

Copyright © 2004 AQA and its licensors

4.6.3.1 Emission and absorption of infrared radiation


3462/3F Q2

question	answers	extra information	mark
(a)	95		1
(b)	alpha	accept correct symbol	1
(c)	any **two** from: • radiation is outside the body • radiation will not reach (living) cells • radiation absorbed by the air	 accept detector is on ceiling or high up the wall accept radiation cannot pass through the body / skin accept cannot pass through the plastic casing do **not** accept because it is alpha radiation – unless qualified do **not** accept does not give off harmful substance do **not** accept cannot pass through building materials etc.	2
(d)	less (than)		1
total			5

Copyright © 2004 AQA and its licensors

4.6.3.1 Emission and absorption of infrared radiation

3462/3F Q3

question	answers	extra information	mark
(a)	generator	accept dynamo accept alternator	1
(b)(i)	1400	ignore units	1
(ii)	0.3 or 30%	any incorrect unit penalise **1** mark allow **1** mark for the correct use of 600 **or** 0.3% **or** 30	2
(c)	**1** mark for each correct link 	if more than 3 lines are drawn, mark only 3 lines starting with those that are incorrect	3
(d)(i)	110	no tolerance	1
(ii)	12	no tolerance	1
(iii)	wind speed may be too low to operate the generator	accept wind may not always blow accept power depends on wind speed accept does not generate if wind speed is too high accept does not generate if wind speed is above 12 (m/s) accept does not generate if wind speed is below 1.6 (m/s) accept it is unreliable do **not** accept answers referring to cost only	1
total			10

Copyright © 2004 AQA and its licensors

4.6.3.1 Emission and absorption of infrared radiation

3462/3F Q4

question	answers	extra information	mark
(a)	B E A D	allow **1** mark for each letter in the correct place, to a maximum of **3** marks	3
(b)	(a spark) may cause the (petrol vapour) to explode / ignite	accept petrol for (petrol vapour) accept catch fire for explode	1
	connect tanker to earth with a (conducting) wire / chain **or** earth the tanker	accept ground for earth	1
(c)	**Quality of written communication**	for a logical sequence	1
	any **two** from:		2
	• when current greater than fuse rating / value	accept when current too great for appliance do **not** accept 'if there is too much current' do **not** accept voltage or electricity	
	• fuse (becomes hot and) melts / burns out	accept fuse blows / breaks	
	• circuit is broken	accept circuit switched off this cannot score credit on its own	
total			8

Copyright © 2004 AQA and its licensors

4.6.3.1 Emission and absorption of infrared radiation

3462/3F Q5

question	answers	extra information	mark
(a)(i)	crust		1
(ii)	inner core is <u>solid</u> outer core is liquid	do **not** accept just rock inner core is denser / hotter than outer core gets **2** marks accept one is solid and one is liquid for **1** mark accept they are different densities for **1** mark wrong way round = **0** marks	1 1
(b)	seismograph		1
(c)	difficult to measure (slow) movement (1) of plates (1) dependent mark **or** difficult to measure friction / forces (1) between plates (1) dependent mark		1 1
(d)	geothermal		1
(e)(i)	5000		1
(ii)	2500		1
total			9

Copyright © 2004 AQA and its licensors

4.6.3.1 Emission and absorption of infrared radiation


3462/3F Q6

question	answers	extra information	mark
(a)	60		1
(b)	$5\frac{1}{2}$ hours	must include unit	1
(c)	30		1
(d)	30 minutes or $\frac{1}{2}$ hour	must include unit	1
(e)	D **and** E least steep part of the graph	accept finish for E accept correct numbers from axes with units accept covers smallest distance in a set time accept only moves 5 km in $1\frac{1}{2}$ hours (accept anything between 5 and 6) ignore horse is tired	1 1
total			6

Copyright © 2004 AQA and its licensors

4.6.3.1 Emission and absorption of infrared radiation



3462/3F Q7

question	answers	extra information	mark
(a)(i)	any **one** from: • (doctors) to see inside a patients body **or** endoscope • telephone cables • optical fibre / fibre optic lamps **or** (artificial) Christmas trees • data transfer **or** internet connection	 accept keyhole surgery do **not** accept flex **or** wires for cable accept decorative / ornamental lighting accept any feasible practical suggestion for taking light to a difficult to access place do **not** accept lighting unqualified do **not** accept lamp unqualified do **not** accept communications unless clarified	1
(ii)	(incident) ray angle greater than critical angle total internal reflection occurs	either order accept (incident) ray greater than 42° accept TIR do **not** accept just description of TIR	1 1
(b)(i)	waves shown diffracting in the correct direction 	ignore wavelength	1
(ii)	diffraction	accept diffract / diffracted	1
total			5

Copyright © 2004 AQA and its licensors

4.6.3.1 Emission and absorption of infrared radiation

3462/3F Q8

question	answers	extra information	mark
(a)	all symbols correct	 accept push switch symbol switch may be open or closed any lines through symbols = **0** marks	1
	correct circuit drawn voltmeter must be across resistor only	polarity of cells not relevant provided they are joined correctly two cells are required in the diagram ignore the order of the components allow small gaps in circuit omission of any component = **0** marks	1
(b)(i)	potential difference = current × resistance	accept voltage or p.d. for potential difference accept $V = I \times R$ accept  provided subsequent use correct do **not** accept C for current	1
(ii)	2	 allow **1** mark for correct substitution wrong working loses both marks	2
(iii)	straight line drawn <u>through the origin</u> straight line passes through $I = 0.4, V =$ their (b)(ii) / 2 **and** 0.0	judge by eye this mark may be awarded if all points shown including these points are correct even if no line is drawn N.B. a curve scores **0** marks	1 1 dep
(c)	temperature <u>increases</u>	accept filament lamp / it gets <u>hotter</u> allow heat for temperature	1
total			8

Copyright © 2004 AQA and its licensors

4.6.3.1 Emission and absorption of infrared radiation

3462/3F Q9

question	answers	extra information	mark
(a)(i)	gamma rays	accept gamma accept correct symbol	1
(ii)	infra red	accept IR	1
(b)	ultraviolet <u>absorbed</u> by ink (energy) given out as light	 accept glows / luminous accept for **both** marks the ink is fluorescent do **not** accept answers in terms of uv being reflected	1 1
(c)	any **two** from: • UV can damage / kill / ionise / alter (normal) cells • change DNA structure **or** mutate • (normal) cells may become cancerous	 do **not** accept attacks cells **or** burns skin accept may cause (skin) cancer accept abnormal cell multiplication	2
(d)(i)	microwaves **and** infra red	both answers needed in either order do **not** accept heat for IR	1
(ii)	0.9	 allow **1** mark for the <u>correct</u> use of 1.8 (kW) ($1.8 \times \frac{1}{2}$ or 1.8×30) i.e. adding the correct 2 power values	2
total			9

Copyright © 2004 AQA and its licensors

4.6.3.1 Emission and absorption of infrared radiation


3462/3F Q10

question	answers	extra information	mark
(a)(i)	accelerating	accept getting faster accept speed / velocity increasing	1
(ii)	acceleration increases	accept velocity / speed increases more rapidly do **not** accept velocity / speed increases	1
(b)(i)	$\text{acceleration} = \frac{\text{change in velocity}}{\text{time (taken)}}$	accept $a = \frac{v - u}{t}$ **or** $a = \frac{v_1 - v_2}{t}$ do **not** accept velocity for change in velocity do **not** accept change in speed do **not** accept $a = \frac{v}{t}$	1
(ii)	15	allow **1** mark for an answer of 900 **or** for correct use of 540 seconds	2
(iii)	velocity includes direction	accept velocity is a vector (quantity) accept converse answer	1
(c)	force of gravity (between shuttle and Earth) plus correct orbital speed (makes shuttle move in a curve)	accept gravitational pull if used correctly accept forward motion **or** constant speed for orbital speed accept it is travelling fast enough accept for **2** marks the force of gravity provides the centripetal force	1 1
(d)	black is a good emitter of radiation **or** to limit the temperature rise inside the shuttle	accept heat for radiation accept the tiles are good insulation do **not** accept black absorbs heat on its own do **not** accept tiles are heat proof	1
total			9

Copyright © 2004 AQA and its licensors

4.6.3.1 Emission and absorption of infrared radiation

3462/3F Q11

question	answers	extra information	mark
(a)(i)	work (done) = force (applied) × distance (moved)	accept W = F × s or W = F × d accept  provided subsequent method is correct	1
(ii)	240 000 joules	allow **1** mark for correct substitution **or** correct use of 1200 (N) accept J do **not** accept j / Nm	2 1
(b)	800 (watts)	accept 0.8 kW accept their (a)(ii) ÷ 300 correctly evaluated for **2** marks allow **1** mark for correct substitution (a)(ii) ÷ 5 correctly evaluated for **1** mark	2
(c)(i)	any **one** from: • needs to raise the chair / lift • lifting more than one chair • energy transfer to the surroundings correctly qualified	 allow lifting more than 2 people implication of a heavier weight accept loss for transfer do **not** accept motor inefficient do **not** accept motor gets hot do **not** accept friction unless the location is specified as external to the motor	1
(ii)	electrical potential	accept electric **both** answers required for the mark	1
total			8

Copyright © 2004 AQA and its licensors

4.6.3.1 Emission and absorption of infrared radiation

3462/3F Q12

question	answers	extra information	mark
(a)	**Y** and **Z**		1
	they have the same number of protons **or** same atomic number	accept they have the same number of electrons **or** same number of protons **and** electrons allow only different in number of neutrons N.B. independent marks	1
(b)	**Quality of written communication**	for correct use of terms underlined in B **or** C Q ✓ Q X	1
	A – alpha particle passes straight through the empty space of the atom **or** it is a long way from the nucleus B – alpha particle deflected / repelled / repulsed by the (positive) nucleus C – alpha particle heading straight for the nucleus is deflected / repelled / repulsed backwards	describes 3 tracks correctly for **2** marks describes 2 or 1 track correctly for **1** mark do **not** accept hits the nucleus do **not** accept answers referring to refraction do **not** accept answers in terms of reflected backwards unless qualified in terms of repulsion mention of difference in charge on nucleus negates that track	max 2
total			5

Copyright © 2004 AQA and its licensors

Version 1.0: *27092005*

ASSESSMENT and QUALIFICATIONS ALLIANCE

General Certificate of Secondary Education

Physics 3451/F
Specification B

Mark Scheme

2005 examination – June series

Mark schemes are prepared by the Principal Examiner and considered, together with the relevant questions, by a panel of subject teachers. This mark scheme includes any amendments made at the standardisation meeting attended by all examiners and is the scheme which was used by them in this examination. The standardisation meeting ensures that the mark scheme covers the candidates' responses to questions and that every examiner understands and applies it in the same correct way. As preparation for the standardisation meeting each examiner analyses a number of candidates' scripts: alternative answers not already covered by the mark scheme are discussed at the meeting and legislated for. If, after this meeting, examiners encounter unusual answers which have not been discussed at the meeting they are required to refer these to the Principal Examiner.

It must be stressed that a mark scheme is a working document, in many cases further developed and expanded on the basis of candidates' reactions to a particular paper. Assumptions about future mark schemes on the basis of one year's document should be avoided; whilst the guiding principles of assessment remain constant, details will change, depending on the content of a particular examination paper.

Copyright © 2005 AQA and its licensors. All rights reserved.

Physics (Specification B)
Foundation Tier 3451/F

3451/F Q1

question	answers	extra information	mark
(a)(i)	less than	accept any correct indication	1
(ii)	more than	accept any correct indication	1
(b)	any **two** from: stays above the same place above the equator one orbit takes 24 hours	 do **not** accept stays in the same place do **not** accept goes around equator unless qualified do **not** accept orbit at same speed as Earth do **not** accept orbit at a constant speed accept has same angular speed / velocity as Earth	2
total			4

3451/F Q2

question	answers	extra information	mark
(a)	comet		1
(b)	large group / number / collection of stars	ignore reference to planets accept millions of stars do **not** accept thousands of stars do **not** accept loads of stars	1
(c)	giant supernova neutron		1 1 1
total			5

4.6.3.1 Emission and absorption of infrared radiation

3451/F Q3

question	answers	extra information	mark
(a)(i)	radio		1
(ii)	gamma	accept microwave accept infrared	1
(iii)	ultra violet		1
(iv)	microwaves		1
(b)	the same as		1
(c)	X-rays do not go through lead	references to gamma rays are incorrect accept lead protects them from the X-rays accept not exposed to X-rays	1
	lead stops / reduces risk of X-rays harming / damaging / killing (persons) <u>cells</u>	accept X-rays (may) cause cancer accept organs for cell do **not** accept references to electric shock do **not** accept stops bones of people showing on X-ray answers involving the horse wearing an apron are incorrect	1
	Quality of written communication	award for a sensible sequence of **two** points	1
total			8

4.6.3.1 Emission and absorption of infrared radiation

Physics B – AQA GCSE Mark Scheme, 2005 June series

3451/F Q4

question	answers	extra information	mark
(a)	light electrical		1 1
(b)	15% **or** 0.15	correct substitution gains **1** mark only an answer of 15 with no unit **or** an incorrect unit gains **1** mark an answer of 0.15 given with a unit gains **1** mark	2
(c)	the ticket machine is a long way from other electricity supplies		1
(d)	any figure between 5 and 10 inclusive	unit not required but if given must match numerical answer	1
total			6

3451/F Q5

question	answers	extra information	mark
(a)(i)	radon (gas)	do **not** accept gas	1
(ii)	background		1
(b)	bigger	accept any word which means bigger	1
(c)	**Z** alpha will not pass through aluminium or lead	if Z is not given, the reason does not score accept alpha cannot go through metals / dense material accept there is nothing to stop the radiation accept alpha will not pass through aluminium do **not** accept alpha will not pass through lead do **not** accept alpha stopped by air	1 1
total			5

4.6.3.1 Emission and absorption of infrared radiation

3451/F Q6

question	answers	extra information	mark
(a)	loses negative charge / electrons	do **not** accept positive charge transfers to the comb do **not** accept friction	1
(b)	**A** attract		1
	B repel		1
	C attract		1
(c)	**F A D E**	allow **2** marks for 2 letters in the correct place allow **1** mark for 1 letter in the correct place	3
total			7

4.6.3.1 Emission and absorption of infrared radiation

Physics B – AQA GCSE Mark Scheme, 2005 June series

3451/F Q7

question	answers	extra information	mark
(a)	all points correctly plotted	tolerance ± $\frac{1}{2}$ square on y axis only allow **1** mark for 3 correctly plotted points	2
	attempt made to draw a smooth curve	do **not** accept dot-to-dot line	1
(b)(i)	3 days ± 0.2 **or** any value correctly obtained using their graph line	if no line drawn in (a), answer must be exactly 3	1
(ii)	3 days or their (b)(i)		1
(c)	radon-222	accept radon **or** 222 accept alpha or 3.8 correct isotope required for reason to score	1
	has the shortest half-life	accept the others have longer half-lives	1
total			7

4.6.3.1 Emission and absorption of infrared radiation

3451/F Q8

question	answers	extra information	mark
(a)	fossils of Cynognathus are found in Africa and South America		1
	the shapes ……. almost fit together	only two boxes should be ticked deduct **1** mark for each additional box to a minimum mark of **0**	1
(b)	continental		1
	crust		1
	tectonic		1
total			5

4.6.3.1 Emission and absorption of infrared radiation



3451/F Q9

question	answers	extra information	mark
(a)	capacitor	accept condenser	1
	LDR	**or** light dependent resistor accept 'ldr', 'Ldr' etc.	1
	relay (normally open)	do **not** accept 'relay normally closed'	1
(b)(i)	battery	accept '(battery of) cells' do **not** accept 'battery / cell'	1
(ii)	LED	**or** light emitting diode accept 'led' or 'Led' do **not** accept just 'diode'	1
(iii)	B will light (but C will not)	accept '(only) B will work' accept 'one is on the other is off' do **not** accept 'C is on and B is off'	1
(iv)	any **one** from: B is connected the right way round (and C is not) a (light emitting) diode only allows (a significant) current to flow in one direction B's anode is connected to the positive side of the supply B's cathode is connected to the negative terminal	N.B. the candidate's answer to part (b)(iii) may include this mark but do **not** credit if the response to part (b)(iii) is incorrect or there is any other contradiction if (iv) is completely consistent with (iii) which is wrong, allow **1** mark	1
(c)(i)	first input / second input / output 0 / 0 / **0** 1 / 0 / **0** 0 / 1 / **0** 1 / 1 / **1**	**all** correct allow: OFF NO OFF NO OFF NO ON YES	1
(ii)	truth (table)		1

cont…

4.6.3.1 Emission and absorption of infrared radiation

3451/F Q9 cont…

(iii)		a Roman upper case D in any orientation without contacts is acceptable but if contacts are shown do **not** give the mark if there is any ambiguity or contradiction allow 	1
(d)	light sensor	**or** light dependent resistor **or** LDR accept 'ldr', Ldr' etc allow solar cell, photo cell	1
	NOT gate	accept 'Not gate' **or** 'not gate' if both correct but in the wrong order credit with **1** mark	1
total			12

4.6.3.1 Emission and absorption of infrared radiation



Physics B – AQA GCSE Mark Scheme, 2005 June series

3451/F Q10

question	answers	extra information	mark
(a)(i)	rays continued to meet on the right hand side of the lens and beyond	must be straight lines from the right hand side of the lens ignore details through the lens allow if no arrows	1
	meet exactly on the axis	negate mark if contradictory arrow(s) added do not need to go beyond the focus for this mark	1
(ii)	(principal) focus	**or** focal (point)	1
(iii)	converging	**or** convex	1
(b)(i)	**A**		1
(ii)	rays seem to come from this point	**or** words to this effect **or** shows this on the diagram	1
(iii)	diverging	**or** concave	1
(c)	film	accept any unambiguous method of showing the correct response	1
	smaller than		1
	further away from		1
(d)	any **three** from: • real image can be put on a screen • virtual image cannot be put on a screen / film • virtual image is imaginary • real image is formed where (real) rays cross / converge • virtual image is where virtual / imaginary rays (seem to) come from • virtual image formed where virtual rays intersect / cross	allow film allow real image has light travelling through it **or** virtual image is where rays seem to come from	3
total			13

4.6.3.1 Emission and absorption of infrared radiation

3451/F Q11

question	answers	extra information	mark
(a)(i)	$A_1 = 0.5$	ignore any units	1
	$A_4 = 0.5$	allow **1** mark for $A_1 = A_4 \neq 0.5$	1
(ii)	the resistance of **P** is more than 20 Ω		1
	a smaller current goes through P / A_2 (than 20 Ω)	dependent on getting 1st mark correct accept converse	1
(b)(i)	potential difference = current × resistance	accept pd / voltage for potential difference accept V = I × R, correct symbols and correct case only accept volts = amps × ohms accept  provided subsequent method is correct allow combination of physical quantities and named units allow voltage = I × R	1
(ii)	6	allow **1** mark for correct substitution	2
(iii)	6	accept their (b)(ii)	1
(c)	thermistor or 	accept correct circuit symbol allow phonetic spelling	1
	resistance goes down (as temperature of thermistor goes up)	do **not** accept changes for goes down do **not** accept an answer in terms of current only answers in terms of other components are incorrect	1
total			10

4.6.3.1 Emission and absorption of infrared radiation

Physics B – AQA GCSE Mark Scheme, 2005 June series

3451/F Q12

question	answers	extra information	mark
(a)(i)	larger the distance, greater the time	accept 'they are proportional' accept converse	1
(ii)	any value between 6 and 9 years inclusive		1
(b)(i)	carbon dioxide		1
(ii)	(Venus) has high**er** temperature (than Mercury)	accept has the high**est** temperature accept Venus is hotter / hottest do **not** accept has a high / very high temperature	1
	(Venus) further from the Sun than Mercury	accept 'Venus is not the closest planet to the Sun' answer in terms of greenhouse effect only, scores **0** marks	1
total			5

4.6.3.1 Emission and absorption of infrared radiation

3451/F Q13

question	answers	extra information	mark
(a)(i)	20		1
(ii)	convection		1
(iii)	fit draughtproof strips	accept lay carpet accept fit curtains accept close doors / windows / curtains accept any reasonable suggestion for reducing a draught 'double glazing' alone is insufficient	1
(b)	air is (a good) insulator **or** air is a poor conductor	accept air cavity / 'it' for air	1
	reducing heat transfer by <u>conduction</u>	accept stops for reduces ignore convection do **not** accept radiation do **not** accept answers in terms of heat being trapped	1
(c)(i)	most cost effective	accept it is cheaper or low<u>est</u> cost accept shortest payback time accept in terms of reducing heat loss by the largest amount do **not** accept it is easier ignore most heat is lost through the roof	1
(ii)	4		1
total			7

4.6.3.1 Emission and absorption of infrared radiation

3451/F Q14

question	answers	extra information	mark
(a)(i)	constant speed	do **not** accept normal speed do **not** accept it is stopped / stationary	1
	in a straight line	accept any appropriate reference to a direction constant velocity gains **2** marks 'not accelerating' gains **2** marks terminal velocity alone gets **1** mark	1
(ii)	goes down owtte	accept motorbike (it) slows down	1
(b)(i)	20 (m/s)	ignore incorrect units	1
(ii)	acceleration = change in velocity / time (taken)	do **not** accept velocity for change in velocity accept change in speed accept $a = \frac{v-u}{t}$ **or** $a = \frac{v_1 - v_2}{t}$ **or** $a = \frac{\Delta v}{t}$ do **not** accept $a = \frac{v}{t}$	1
(iii)	4 **or** their (b)(i) ÷ 5	allow **1** mark for correct substitution	2
	m/s^2	m/s/s **or** ms^{-2} **or** metres per second squared **or** metres per second per second	1
(c)	vehicle may skid / slide	loss of control / brakes lock / wheels lock accept greater stopping distance **or** difficult to stop	1
	due to reduced friction (between tyre(s) and road)	accept due to less grip do **not** accept no friction	1

cont…

4.6.3.1 Emission and absorption of infrared radiation

3451/F Q14 cont…

(d)	any **three** from: • <u>increased</u> speed • <u>reduced</u> braking force • <u>slower</u> (driver) reactions • <u>poor</u> vehicle maintenance • <u>increased</u> mass / weight of vehicle • <u>poor</u> road surface • <u>more</u> streamlined	do **not** accept night time / poor vision N.B. specific answers may **each** gain credit eg tiredness (1), drinking alcohol (1), using drugs (1), driver distracted (1) etc specific examples may **each** gain credit eg worn brakes or worn tyres etc accept large mass / weight of vehicle if candidates give three answers that affect stopping distance but not specific to <u>increase</u> award **1** mark only	3
total			13

4.6.3.1 Emission and absorption of infrared radiation

Physics B – AQA GCSE Mark Scheme, 2005 June series

3451/F Q15

question	answers	extra information	mark
(a)(i)	arrow from centre of the ball **and** at right angles to the string **and** in the correct direction	arrow should point to the student's belt accept free-hand 'straight' line do **not** accept curved line	1
(ii)	increase increase increase	accept 'be stronger / bigger' accept 'be stronger / bigger' accept 'be stronger / bigger'	1 1 1
(b)	speed velocity direction	all **three** correct any two correct for **1** mark otherwise **0** marks	2
(c)(i)	centripetal	accept 'centripedal' and other minor misspellings do **not** accept anything which could be 'centrifugal'	1
(ii)	gravity	accept 'weight' accept 'force of attraction due to mass(es) (of the Moon and the Earth)'	1
(iii)	electron(s)		1
(iv)	electrostatic	accept 'electrical' do **not** accept just 'centripetal'	1
total			10


4.6.3.1 Emission and absorption of infrared radiation

3451/F Q16

question	answers	extra information	mark
(a)(i)	**X** at the centre of the lifebelt	measuring from the centre of **X**, allow 2 mm tolerance in any direction	1
(ii)	any **two** from: below the point of suspension at the centre (of the lifebelt) (because) the lifebelt / it is symmetrical	if X is on vertical line below the hanger (but not at centre) can gain the first point only accept '(vertically) below **Y**' accept 'in the middle' **or** (because) the mass / weight is evenly distributed	2
(b)	Nm **or** newton metre(s) 750	accept Newton metre(s) do **not** accept any ambiguity in the symbol ie NM, nM or nm (moment) = force × (perpendicular) distance (between line of action and pivot) **or** (moment) = 500 × 1.5 gains **1** mark	1 2
(c)	**Quality of written communication**: any **three** connected points from: low(er) <u>centre of mass / gravity</u> (more) <u>stable</u> less likely to fall over the <u>turning effect / moment</u> (of the weight of case) is less so the pull on her arm is less	for **2** of the underlined terms used in the correct context **or** <u>centre of mass / gravity</u> will be close(r) to the wheels / axle / ground **or** less <u>unstable</u> accept 'less likely to overturn' do **not** accept 'will not fall over' **or** so less effort is needed to hold the case ignore references to pulling the case	1 3
total			10

4.6.3.1 Emission and absorption of infrared radiation

3451/F Q17

question	answers	extra information	mark
(a)	any **two** from: • **amplitude** decreasing • **wavelength** increasing • **frequency** decreasing **Quality of written communication**	accept siren / sound getting quieter do **not** accept sound decreases accept pitch decreasing ignore reference to transverse wave ignore reference to speed contradictory statements within each point lose the mark all emboldened terms in candidate's answer used correctly	2 1
(b)(i)	ultrasound **or** ultrasonic		1
(ii)	wave speed = frequency × wavelength	accept speed / velocity for wave speed accept $v = f \times \lambda$ do **not** accept w for λ do **not** accept s for v accept  provided subsequent calculation shows a correct method	1
(iii)	339.2 **or** 340 **or** 339	allow **1** mark for using 212 000 allow **1** mark for correct substitution an answer of 0.3392 **or** 0.34 **or** 0.339 gains **1** mark only award full credit for a correct numerical answer with the unit changed to km/s	3
total			8

Version 1.0: *27092005*

ASSESSMENT and QUALIFICATIONS ALLIANCE

General Certificate of Secondary Education

Science: Double Award 3462/3F
Specification B (Co-ordinated)

Mark Scheme

2005 examination - June series

Mark schemes are prepared by the Principal Examiner and considered, together with the relevant questions, by a panel of subject teachers. This mark scheme includes any amendments made at the standardisation meeting attended by all examiners and is the scheme which was used by them in this examination. The standardisation meeting ensures that the mark scheme covers the candidates' responses to questions and that every examiner understands and applies it in the same correct way. As preparation for the standardisation meeting each examiner analyses a number of candidates' scripts: alternative answers not already covered by the mark scheme are discussed at the meeting and legislated for. If, after this meeting, examiners encounter unusual answers which have not been discussed at the meeting they are required to refer these to the Principal Examiner.

It must be stressed that a mark scheme is a working document, in many cases further developed and expanded on the basis of candidates' reactions to a particular paper. Assumptions about future mark schemes on the basis of one year's document should be avoided; whilst the guiding principles of assessment remain constant, details will change, depending on the content of a particular examination paper.

Copyright © 2005 AQA and its licensors. All rights reserved.

Double Award
Foundation Tier 3462/3F

3462/3F Q1

question	answers	extra information	mark
(a)(i)	less than	accept any correct indication	1
(ii)	more than	accept any correct indication	1
(b)	any **two** from: stays above the same place above the equator one orbit takes 24 hours	 do **not** accept stays in the same place do **not** accept goes around equator unless qualified do **not** accept orbit at same speed as Earth do **not** accept orbit at a constant speed accept has same angular speed / velocity as Earth	2
total			4

3462/ 3F Q2

question	answers	extra information	mark
(a)	comet		1
(b)	large group / number / collection of stars	ignore reference to planets accept millions of stars do **not** accept thousands of stars do **not** accept loads of stars	1
(c)	giant supernova neutron		1 1 1
total			5

4.6.3.1 Emission and absorption of infrared radiation

3462/3F Q3

question	answers	extra information	mark
(a)(i)	radio		1
(ii)	gamma	accept microwave accept infrared	1
(iii)	ultra violet		1
(iv)	microwaves		1
(b)	the same as		1
(c)	**Quality of written communication**	award for a sensible sequence of **two** points	1
	X-rays do not go through lead	accept lead protects them from the X-rays accept not exposed to X-rays	1
	lead stops / reduces risk of X-rays harming / damaging / killing (persons) <u>cells</u>	accept X-rays (may) cause cancer accept organs for cell do **not** accept references to electric shock do **not** accept stops bones of people showing on X-ray answers involving the horse wearing an apron are incorrect references to gamma rays are incorrect	1
total			8

4.6.3.1 Emission and absorption of infrared radiation

Science: Double Award (Co-ordinated) – AQA GCSE Mark Scheme, 2005 June series

3462/3F Q4

question	answers	extra information	mark
(a)	light electrical		1 1
(b)	15% **or** 0.15	correct substitution gains **1** mark only an answer of 15 with no unit **or** an incorrect unit gains **1** mark an answer of 0.15 given with a unit gains **1** mark	2
(c)	the ticket machine is a long way from other electricity supplies		1
(d)	any figure between 5 and 10 inclusive	unit not required but if given must match numerical answer	1
total			6

4.6.3.1 Emission and absorption of infrared radiation

3462/3F Q5

question	answers	extra information	mark
(a)(i)	radon (gas)	do **not** accept gas	1
(ii)	background		1
(b)	bigger	accept any word which means bigger	1
(c)	**Z** alpha will not pass through aluminium or lead	if Z is not given, the reason does not score accept alpha cannot go through metals / dense material accept there is nothing to stop the radiation accept alpha will not pass through aluminium do **not** accept alpha will not pass through lead do **not** accept alpha stopped by air	1 1
total			5

4.6.3.1 Emission and absorption of infrared radiation

Science: Double Award (Co-ordinated) – AQA GCSE Mark Scheme, 2005 June series

3462/3F Q6

question	answers	extra information	mark
(a)	loses negative charge / electrons	do **not** accept positive charge transfers to the comb do **not** accept friction	1
(b)	**A** attract		1
	B repel		1
	C attract		1
(c)	**F A D E**	allow **2** marks for 2 letters in the correct place allow **1** mark for 1 letter in the correct place	3
total			7

4.6.3.1 Emission and absorption of infrared radiation

3462/3F Q7

question	answers	extra information	mark
(a)	all points correctly plotted	tolerance ± $\frac{1}{2}$ square on y axis only allow **1** mark for 3 correctly plotted points	2
	attempt made to draw a smooth curve	do **not** accept dot-to-dot line	1
(b)(i)	3 days ± 0.2 **or** any value correctly obtained using their graph line	if no line drawn in (a), answer must be exactly 3	1
(ii)	3 days or their (b)(i)		1
(c)	radon-222	accept radon **or** 222 accept alpha or 3.8 correct isotope required for reason to score	1
	has the shortest <u>half-life</u>	accept the others have longer <u>half-lives</u>	1
total			7

4.6.3.1 Emission and absorption of infrared radiation



Science: Double Award (Co-ordinated) – AQA GCSE Mark Scheme, 2005 June series

3462/3F Q8

question	answers	extra information	mark
(a)	fossils of Cynognathus are found in Africa and South America		1
	the shapes ……. almost fit together	only two boxes should be ticked deduct **1** mark for each additional box to a minimum mark of **0**	1
(b)	continental		1
	crust		1
	tectonic		1
total			5

4.6.3.1 Emission and absorption of infrared radiation

3462/3F Q9

question	answers	extra information	mark
(a)(i)	$A_1 = 0.5$	ignore any units	1
	$A_4 = 0.5$	allow **1** mark for $A_1 = A_4 \neq 0.5$	1
(ii)	the resistance of **P** is more than 20 Ω		1
	a smaller current goes through P / A_2 (than 20 Ω)	dependent on getting 1st mark correct accept converse	1
(b)(i)	potential difference = current × resistance	accept pd / voltage for potential difference accept V = I × R, correct symbols and correct case only accept volts = amps × ohms accept  provided subsequent method is correct allow combination of physical quantities and named units allow voltage = I × R	1
(ii)	6	allow **1** mark for correct substitution	2
(iii)	6	accept their (b)(ii)	1
(c)	thermistor or 	accept correct circuit symbol allow phonetic spelling	1
	resistance goes down (as temperature of thermistor goes up)	do **not** accept changes for goes down do **not** accept an answer in terms of current only answers in terms of other components are incorrect	1
total			10

4.6.3.1 Emission and absorption of infrared radiation

Science: Double Award (Co-ordinated) – AQA GCSE Mark Scheme, 2005 June series

3462/3F Q10

question	answers	extra information	mark
(a)(i)	larger the distance, greater the time	accept 'they are proportional' accept converse	1
(ii)	any value between 6 and 9 years inclusive		1
(b)(i)	carbon dioxide		1
(ii)	(Venus) has high**er** temperature (than Mercury)	accept has the high**est** temperature accept Venus is hotter / hottest do **not** accept has a high / very high temperature	1
	(Venus) further from the Sun than Mercury	accept 'Venus is not the closest planet to the Sun' answer in terms of greenhouse effect only, scores **0** marks	1
total			5

4.6.3.1 Emission and absorption of infrared radiation

3462/3F Q11

question	answers	extra information	mark
(a)(i)	20		1
(ii)	convection		1
(iii)	fit draughtproof strips	accept lay carpet accept fit curtains accept close doors / windows / curtains accept any reasonable suggestion for reducing a draught 'double glazing' alone is insufficient	1
(b)	air is (a good) insulator **or** air is a poor conductor	accept air cavity / 'it' for air	1
	reducing heat transfer by <u>conduction</u>	accept stops for reduces ignore convection do **not** accept radiation do **not** accept answers in terms of heat being trapped	1
(c)(i)	most cost effective	accept it is cheaper or low<u>est</u> cost accept shortest payback time accept in terms of reducing heat loss by the largest amount do **not** accept it is easier ignore most heat is lost through the roof	1
(ii)	4		1
total			7

4.6.3.1 Emission and absorption of infrared radiation

Science: Double Award (Co-ordinated) – AQA GCSE Mark Scheme, 2005 June series

3462/3F Q12

question	answers	extra information	mark
(a)(i)	constant speed	do **not** accept normal speed do **not** accept it is stopped / stationary	1
	in a straight line	accept any appropriate reference to a direction constant velocity gains **2** marks 'not accelerating' gains **2** marks terminal velocity alone gets **1** mark	1
(ii)	goes down owtte	accept motorbike (it) slows down	1
(b)(i)	20 (m/s)	ignore incorrect units	1
(ii)	acceleration = change in velocity / time (taken)	do **not** accept velocity for change in velocity accept change in speed accept $a = \frac{v-u}{t}$ **or** $a = \frac{v_1 - v_2}{t}$ **or** $a = \frac{\Delta v}{t}$ do **not** accept $a = \frac{v}{t}$	1
(iii)	4 **or** their (b)(i) ÷ 5	allow **1** mark for correct substitution	2
	m/s^2	m/s/s **or** ms^{-2} **or** metres per second squared **or** metres per second per second	1
(c)	vehicle may skid / slide	loss of control / brakes lock / wheels lock accept greater stopping distance **or** difficult to stop	1
	due to reduced friction (between tyre(s) and road)	accept due to less grip do **not** accept no friction	1

cont…

4.6.3.1 Emission and absorption of infrared radiation


3462/3F Q12 cont…

(d)	any **three** from: • <u>increased</u> speed • <u>reduced</u> braking force • <u>slower</u> (driver) reactions • <u>poor</u> vehicle maintenance • <u>increased</u> mass / weight of vehicle • <u>poor</u> road surface • <u>more</u> streamlined	do **not** accept night time / poor vision NB specific answers may **each** gain credit eg tiredness (1), drinking alcohol (1), using drugs (1), driver distracted (1) etc specific examples may **each** gain credit eg worn brakes or worn tyres etc accept large mass / weight of vehicle if candidates give three answers that affect stopping distance but not specific to <u>increase</u> award **1** mark only	3
total			13

4.6.3.1 Emission and absorption of infrared radiation

Science: Double Award (Co-ordinated) – AQA GCSE Mark Scheme, 2005 June series

3462/3F Q13

question	answers	extra information	mark
(a)	**Quality of written communication**	all emboldened terms in candidate's answer used correctly	1
	any **two** from: • **amplitude** decreasing • **wavelength** increasing • **frequency** decreasing	accept siren / sound getting quieter do **not** accept sound decreases accept pitch decreasing ignore reference to transverse wave ignore reference to speed contradictory statements within each point lose the mark	2
(b)(i)	ultrasound **or** ultrasonic		1
(ii)	wave speed = frequency × wavelength	accept speed / velocity for wave speed accept $v = f \times \lambda$ do **not** accept w for λ do **not** accept s for v accept  provided subsequent calculation shows a correct method	1
(iii)	339.2 **or** 340 **or** 339	allow **1** mark for using 212 000 allow **1** mark for correct substitution an answer of 0.3392 **or** 0.34 **or** 0.339 gains **1** mark only award full credit for a correct numerical answer with the unit changed to km/s	3
total			8

4.6.3.1 Emission and absorption of infrared radiation

AQA

GCSE

Science A / Physics

PH1FP

Mark scheme

4405/4403
June 2015

Version/Stage: 1.0 Final

4.6.3.1 Emission and absorption of infrared radiation

Mark schemes are prepared by the Lead Assessment Writer and considered, together with the relevant questions, by a panel of subject teachers. This mark scheme includes any amendments made at the standardisation events which all associates participate in and is the scheme which was used by them in this examination. The standardisation process ensures that the mark scheme covers the students' responses to questions and that every associate understands and applies it in the same correct way. As preparation for standardisation each associate analyses a number of students' scripts. Alternative answers not already covered by the mark scheme are discussed and legislated for. If, after the standardisation process, associates encounter unusual answers which have not been raised they are required to refer these to the Lead Assessment Writer.

It must be stressed that a mark scheme is a working document, in many cases further developed and expanded on the basis of students' reactions to a particular paper. Assumptions about future mark schemes on the basis of one year's document should be avoided; whilst the guiding principles of assessment remain constant, details will change, depending on the content of a particular examination paper.

Further copies of this mark scheme are available from aqa.org.uk

Copyright © 2015 AQA and its licensors. All rights reserved.
AQA retains the copyright on all its publications. However, registered schools/colleges for AQA are permitted to copy material from this booklet for their own internal use, with the following important exception: AQA cannot give permission to schools/colleges to photocopy any material that is acknowledged to a third party even for internal use within the centre.

4.6.3.1 Emission and absorption of infrared radiation

MARK SCHEME – GCSE Science A / Physics – PH1FP – June 15

Mark Scheme

Information to Examiners

1. General

The mark scheme for each question shows:

- the marks available for each part of the question
- the total marks available for the question
- the typical answer or answers which are expected
- extra information to help the Examiner make his or her judgement and help to delineate what is acceptable or not worthy of credit or, in discursive answers, to give an overview of the area in which a mark or marks may be awarded
- the Assessment Objectives and specification content that each question is intended to cover.

The extra information is aligned to the appropriate answer in the left-hand part of the mark scheme and should only be applied to that item in the mark scheme.

At the beginning of a part of a question a reminder may be given, for example: where consequential marking needs to be considered in a calculation; or the answer may be on the diagram or at a different place on the script.

In general the right-hand side of the mark scheme is there to provide those extra details which confuse the main part of the mark scheme yet may be helpful in ensuring that marking is straightforward and consistent.

2. Emboldening

2.1 In a list of acceptable answers where more than one mark is available 'any **two** from' is used, with the number of marks emboldened. Each of the following bullet points is a potential mark.

2.2 A bold **and** is used to indicate that both parts of the answer are required to award the mark.

2.3 Alternative answers acceptable for a mark are indicated by the use of **or**. Different terms in the mark scheme are shown by a / ; eg allow smooth / free movement.

2.4 Any wording that is underlined is essential for the marking point to be awarded.

3. Marking points

3.1 Marking of lists

This applies to questions requiring a set number of responses, but for which students have provided extra responses. The general principle to be followed in such a situation is that 'right + wrong = wrong'.

Each error / contradiction negates each correct response. So, if the number of errors / contradictions equals or exceeds the number of marks available for the question, no marks can be awarded.

However, responses considered to be neutral (indicated as * in example 1) are not penalised.

Example 1: What is the pH of an acidic solution? (1 mark)

Student	Response	Marks awarded
1	green, 5	0
2	red*, 5	1
3	red*, 8	0

Example 2: Name two planets in the solar system. (2 marks)

Student	Response	Marks awarded
1	Neptune, Mars, Moon	1
2	Neptune, Sun, Mars, Moon	0

3.1 Use of chemical symbols / formulae

If a student writes a chemical symbol / formula instead of a required chemical name, full credit can be given if the symbol / formula is correct and if, in the context of the question, such action is appropriate.

3.2 Marking procedure for calculations

Full marks can be given for a correct numerical answer, without any working shown.

However, if the answer is incorrect, mark(s) can be gained by correct substitution / working and this is shown in the 'extra information' column or by each stage of a longer calculation.

3.3 Interpretation of 'it'

Answers using the word 'it' should be given credit only if it is clear that the 'it' refers to the correct subject.

3.4 Errors carried forward

Any error in the answers to a structured question should be penalised once only.

Papers should be constructed in such a way that the number of times errors can be carried forward is kept to a minimum. Allowances for errors carried forward are most likely to be restricted to calculation questions and should be shown by the abbreviation e.c.f. in the marking scheme.

3.5 Phonetic spelling

The phonetic spelling of correct scientific terminology should be credited **unless** there is a possible confusion with another technical term.

3.6 Brackets

(.....) are used to indicate information which is not essential for the mark to be awarded but is included to help the examiner identify the sense of the answer required.

3.2 Ignore / Insufficient / Do not allow

Ignore of insufficient is used when the information given is irrelevant to the question or not enough to gain the marking point. Any further correct amplification could gain the marking point.

Do **not** allow means that this is a wrong answer which, even if the correct answer is given, will still mean that the mark is not awarded.

4. Quality of Communication and levels marking

In Question **7a** students are required to produce extended written material in English, and will be assessed on the quality of their communication as well as the standard of the scientific response.

Students will be required to:
- use good English
- organise information clearly
- use specialist vocabulary where appropriate.

The following general criteria should be used to assign marks to a level:


Level 1: basic
- Knowledge of basic information
- Simple understanding
- The answer is poorly organised, with almost no specialist terms and their use demonstrating a general lack of understanding of their meaning, little or no detail
- The spelling, punctuation and grammar are very weak.

Level 2: clear
- Knowledge of accurate information
- Clear understanding
- The answer has some structure and organisation, use of specialist terms has been attempted but not always accurately, some detail is given
- There is reasonable accuracy in spelling, punctuation and grammar, although there may still be some errors.

Level 3: detailed
- Knowledge of accurate information appropriately contextualised
- Detailed understanding, supported by relevant evidence and examples
- Answer is coherent and in an organised, logical sequence, containing a wide range of appropriate or relevant specialist terms used accurately.
- The answer shows almost faultless spelling, punctuation and grammar

4.6.3.1 Emission and absorption of infrared radiation

MARK SCHEME – GCSE SCIENCE A / PHYSICS – PH1FP– JUNE 2015

Question	Answers	Extra information	Mark	AO / Spec. ref.
1(a)(i)	reflection of wave **K** at or within the ionosphere angle i = angle r  	allow dashed lines 'judge by eye' tolerance for the reflected ray is between the first e and last r ignore arrows a reflected ray to the receiver doesn't score 2nd mark additional rays shown doesn't score 2nd mark	1 1	AO2 P1.5.2b
1(a)(ii)	normal		1	AO1 P1.5.2a
1(b)(i)	microwave		1	AO1 P1.5.1k
1(b)(ii)	refraction		1	AO1 P1.5.1g
1(c)	All electromagnetic waves are transverse. All electromagnetic waves have the same speed in a vacuum.		1 1	AO1 P1.5.1b, c, d
Total			7	

4.6.3.1 Emission and absorption of infrared radiation

MARK SCHEME – GCSE SCIENCE A / PHYSICS – PH1FP– JUNE 2015

Question	Answers	Extra information	Mark	AO / Spec. ref.
2(a)	chemical kinetic sound	correct order only	1 1 1	AO1 P1.2.1a
2(b)	48% or 0.48	an answer of 0.48 with a unit gains **1** mark an answer of 0.48% gains **1** mark an answer of 48 with or without a unit gains **1** mark	2	AO2 P1.2.1d
Total			**5**	

4.6.3.1 Emission and absorption of infrared radiation

Question	Answers	Extra information	Mark	AO / Spec. ref.
3(a)(i)	because they contain free electrons		1	AO1 P1.1.3a
3(a)(ii)	because they are good absorbers of infrared radiation		1	AO1 P1.1.1c
3(b)(i)	insulators		1	AO1 P1.1.3a
3(b)(ii)	the rate of energy transfer would be lower.		1	AO1 P1.1.3c
3(c)	power time	allow the temperature (of the oven) watts or wattage is insufficient	1 1	AO1 P1.3.1b
3(d)	it can be switched on / off remotely	accept sensible suggestions about remote operation eg can be turned on / off from work **or** food can be cooked before you get home	1	AO3 P1.1
Total			**7**	

4.6.3.1 Emission and absorption of infrared radiation

Question	Answers	Extra information	Mark	AO / Spec. ref.
4(a)	20 790 (J)	an answer of 21 000 (J) (2 s.f.) gains **2** marks allow **1** mark for correct substitution: ie E = 0.33 x 4200 x 15 provided no subsequent step shown	2	AO2 P1.1.4d
4(b)	temperature		1	AO1 P1.1.4d
4(c)	(top pan) balance	accept scales do **not** accept a scale do **not** accept weighing scales do **not** accept newtonmeter do **not** accept spring balance	1	AO1 P1.1.4d
4(d)	dark / black / (dark) grey convection	 correct order only	1 1	AO1 P1.1.1c P1.1.3c
4(e)(i)	created	accept made	1	AO1 P1.2.1a
4(e)(ii)	increases		1	AO1 P1.2.1c
Total			**8**	

4.6.3.1 Emission and absorption of infrared radiation

Question	Answers	Extra information	Mark	AO/Spec. ref.
5(a)(i)	high levels of infrared radiation (from the Sun)	allow lots of (solar) energy (available) do **not** accept 'heat' for infrared 'it is hot' is insufficient 'lots of sunlight' is insufficient	1	AO2 P1.4.1a
5(a)(ii)	reflected		1	AO1 P1.5.1g
5(a)(iii)	boiler turbine transformer	correct order only	1 1 1	AO1 P1.4.1a
5(b)	2 100 000 (kWh)	allow **1** mark for correct substitution i.e. 140 000 x 15 provided no subsequent step	2	AO2 P1.3.1c
5(c)(i)	only 1 wind turbine was considered **or** other wind turbines may have generated more electricity only 1 week's weather was reported on **or** wind speed varies from one week to another	accept only one location is considered accept insufficient sample size 'wind speed varies' is insufficient	1 1	AO3 P1.4
5(c)(ii)	any **one** from: • wind speed is too high / low • wind is unreliable	allow no wind allow too windy allow wind is variable	1	AO1 P1.4

Question 5 continues on the next page . . .

Question 5 continued . . .

Question	Answers	Extra information	Mark	AO/Spec. ref.
5(c)(iii)	any **one** from: • wind is a renewable energy source • do not use fuel • energy source is free • do not release carbon dioxide • do not release greenhouse gases • do not release sulfur dioxide • do not cause acid rain • do not cause climate change • do not cause global warming • do not cause global dimming	answer must be an advantage of wind, converse answers in terms of fossil fuels are insufficient accept do not release pollutant gases 'no pollution' is insufficient	1	AO1 P1.4.1f
Total			**11**	

4.6.3.1 Emission and absorption of infrared radiation

MARK SCHEME – GCSE SCIENCE A / PHYSICS – PH1FP– JUNE 2015

Question	Answers	Extra information	Mark	AO / Spec. ref.
6(a)(i)	C		1	AO2 P1.5.4a
6(a)(ii)	The speed of star **B** is less than the speed of star **D**.		1	AO3 P1.5.4b
6(b)	300 000 000 m/s	allow **1** mark for correct substitution ie 200 000 x 1500 provided no subsequent step shown allow unit correctly indicated in list if not written in answer space	2 1	AO2 AO1 P1.5.1j
Total			**5**	

4.6.3.1 Emission and absorption of infrared radiation

Question	Answers	Extra information	Mark	AO / Spec. Ref.
7 (a)	Marks awarded for this answer will be determined by the Quality of Written Communication (QWC) as well as the standard of the scientific response. Examiners should also refer to the information on page 4 and apply a 'best-fit' approach to the marking.		6	AO2 AO3 P1.2 HSW

0 marks	Level 1 (1-2 marks)	Level 2 (3-4 marks)	Level 3 (5-6 marks)
No relevant information	There is a relevant statement about an energy saving method	There is at least one clear comparison of energy saving methods and their cost effectiveness with an appropriate calculation	There is a comparison of energy saving methods and their cost effectiveness with appropriate calculations. Comparison to include further detail.

examples of physics points made in the response	extra information
examples of relevant statements • energy efficient boiler saves the most (energy / money) per year • loft insulation costs the least to install • double-glazing costs the most to install **examples of statements that include cost effectiveness** • loft insulation is the most cost effective in the long term • double-glazing is the least cost effective • loft insulation has the shortest payback time • double-glazing has the longest payback time • payback time calculated for any method **examples of further detail** • for cost effectiveness install in the following order: loft, cavity wall, boiler, double-glazing • for reducing energy use install in the following order: boiler, loft, cavity wall, double glazing • don't install double-glazing for insulation purposes • double-glazing won't pay for itself in your lifetime • justified choice of best / worst method	payback times: energy efficient boiler: 6.25 years loft insulation: 2 years double glazing: 100 years cavity wall insulation: 2.86 years

4.6.3.1 Emission and absorption of infrared radiation

Question 7 continued . . .

Question	Answers	Extra information	Mark	AO / Spec. ref.
7(b)(i)	how effective a material is as an insulator	accept 'heat' for energy accept how effective a material is at keeping energy in accept the lower the U-value the better the insulator accept the lower the U-value the lower the rate of energy transfer	1	AO1 P1.1.4a
7(b)(ii)	(the U-value) decreases		1	AO1 P1.1.4b
Total			**8**	

4.6.3.1 Emission and absorption of infrared radiation

Question	Answers	Extra information	Mark	AO / Spec. ref.
8(a)(i)	0.5 °C		1	AO3 P1.1
8(a)(ii)	data is continuous **or** both variables are continuous **or** independent variable is continuous **or** time is continuous	accept results / measurements for data accept data is not categoric one variable is continuous is insufficient air temperature is continuous is insufficient	1	AO3 P1.1
8(b)(i)	20.5 (°C)		1	AO2 P1.1
8(b)(ii)	60 (minutes)	accept 1 hour	1	AO2 P1.1
8(c)(i)	so a comparison can be made **or** outside temperature is a control variable	accept: (outside) temperature would affect energy required (to maintain temperature of the house) **or** (outside) temperature would affect internal temperature (of the house) **or** heat loss will be faster on a cold day outside temperature will affect the results is insufficient fair test is insufficient	1	AO3 P1.1

Question 8 continues on the next page . . .

4.6.3.1 Emission and absorption of infrared radiation

Question	Answers	Extra information	Mark	AO / Spec. ref.
8(c)(ii)	the cost is equal to the number of kWh x the cost per kWh calculation 0.8 / 8.0 = 0.1 or 10%	accept (heating) bill depends on (number of) kWh used accept energy for kWh allow 7.2 / 8.0 = 0.9 or 90%	1 1	AO3 AO2 P1.1
8(c)(iii)	heating is on for more / less time (than anticipated) because some days it is cooler / warmer (than anticipated)	 accept other sensible suggestions an answer giving two sensible situations gains **2** marks possible examples: • some houses have different amounts of insulation • there are different styles of house temperature (inside / outside) is always changing is insufficient	1 1	AO3 P1.1
Total			**9**	

4.6.3.1 Emission and absorption of infrared radiation

AQA

GCSE

Science A / Physics

PH1FP

Mark scheme

4405/4403
June 2016

Version 1.0: Final Mark Scheme

4.6.3.1 Emission and absorption of infrared radiation

Mark schemes are prepared by the Lead Assessment Writer and considered, together with the relevant questions, by a panel of subject teachers. This mark scheme includes any amendments made at the standardisation events which all associates participate in and is the scheme which was used by them in this examination. The standardisation process ensures that the mark scheme covers the students' responses to questions and that every associate understands and applies it in the same correct way. As preparation for standardisation each associate analyses a number of students' scripts. Alternative answers not already covered by the mark scheme are discussed and legislated for. If, after the standardisation process, associates encounter unusual answers which have not been raised they are required to refer these to the Lead Assessment Writer.

It must be stressed that a mark scheme is a working document, in many cases further developed and expanded on the basis of students' reactions to a particular paper. Assumptions about future mark schemes on the basis of one year's document should be avoided; whilst the guiding principles of assessment remain constant, details will change, depending on the content of a particular examination paper.

Further copies of this mark scheme are available from aqa.org.uk

Copyright © 2016 AQA and its licensors. All rights reserved.
AQA retains the copyright on all its publications. However, registered schools/colleges for AQA are permitted to copy material from this booklet for their own internal use, with the following important exception: AQA cannot give permission to schools/colleges to photocopy any material that is acknowledged to a third party even for internal use within the centre.

Mark Scheme

Information to Examiners

1. General

The mark scheme for each question shows:

- the marks available for each part of the question
- the total marks available for the question
- the typical answer or answers which are expected
- extra information to help the Examiner make his or her judgement and help to delineate what is acceptable or not worthy of credit or, in discursive answers, to give an overview of the area in which a mark or marks may be awarded
- the Assessment Objectives and specification content that each question is intended to cover.

The extra information is aligned to the appropriate answer in the left-hand part of the mark scheme and should only be applied to that item in the mark scheme.

At the beginning of a part of a question a reminder may be given, for example: where consequential marking needs to be considered in a calculation; or the answer may be on the diagram or at a different place on the script.

In general the right-hand side of the mark scheme is there to provide those extra details which confuse the main part of the mark scheme yet may be helpful in ensuring that marking is straightforward and consistent.

2. Emboldening

2.1 In a list of acceptable answers where more than one mark is available 'any **two** from' is used, with the number of marks emboldened. Each of the following bullet points is a potential mark.

2.2 A bold **and** is used to indicate that both parts of the answer are required to award the mark.

2.3 Alternative answers acceptable for a mark are indicated by the use of **or**. Different terms in the mark scheme are shown by a / ; eg allow smooth / free movement.

2.4 Any wording that is underlined is essential for the marking point to be awarded.

3. Marking points

3.1 Marking of lists

This applies to questions requiring a set number of responses, but for which students have provided extra responses. The general principle to be followed in such a situation is that 'right + wrong = wrong'.

Each error / contradiction negates each correct response. So, if the number of errors / contradictions equals or exceeds the number of marks available for the question, no marks can be awarded.

However, responses considered to be neutral (indicated as * in example 1) are not penalised.

Example 1: What is the pH of an acidic solution? (1 mark)

Student	Response	Marks awarded
1	green, 5	0
2	red*, 5	1
3	red*, 8	0

Example 2: Name two planets in the solar system. (2 marks)

Student	Response	Marks awarded
1	Neptune, Mars, Moon	1
2	Neptune, Sun, Mars, Moon	0

3.2 Use of chemical symbols / formulae

If a student writes a chemical symbol / formula instead of a required chemical name, full credit can be given if the symbol / formula is correct and if, in the context of the question, such action is appropriate.

3.3 Marking procedure for calculations

Full marks can be given for a correct numerical answer, without any working shown.

However, if the answer is incorrect, mark(s) can be gained by correct substitution / working and this is shown in the 'extra information' column or by each stage of a longer calculation.

3.4 Interpretation of 'it'

Answers using the word 'it' should be given credit only if it is clear that the 'it' refers to the correct subject.

3.5 Errors carried forward

Any error in the answers to a structured question should be penalised once only.

Papers should be constructed in such a way that the number of times errors can be carried forward is kept to a minimum. Allowances for errors carried forward are most likely to be restricted to calculation questions and should be shown by the abbreviation e.c.f. in the marking scheme.

3.6 Phonetic spelling

The phonetic spelling of correct scientific terminology should be credited **unless** there is a possible confusion with another technical term.

3.7 Brackets

(.....) are used to indicate information which is not essential for the mark to be awarded but is included to help the examiner identify the sense of the answer required.

3.8 Accept / allow

Accept is used to indicate an equivalent answer to that given on the left-hand side of the mark scheme. Allow is used to denote lower-level responses that just gain credit.

3.9 Ignore / Insufficient / Do not allow

Ignore of insufficient is used when the information given is irrelevant to the question or not enough to gain the marking point. Any further correct amplification could gain the marking point.

Do **not** allow means that this is a wrong answer which, even if the correct answer is given, will still mean that the mark is not awarded.

4. Quality of Communication and levels marking

In Question **7(b)** students are required to produce extended written material in English, and will be assessed on the quality of their communication as well as the standard of the scientific response.

Students will be required to:
- use good English
- organise information clearly
- use specialist vocabulary where appropriate.

The following general criteria should be used to assign marks to a level:

Level 1: basic
- Knowledge of basic information
- Simple understanding
- The answer is poorly organised, with almost no specialist terms and their use demonstrating a general lack of understanding of their meaning, little or no detail
- The spelling, punctuation and grammar are very weak.

Level 2: clear
- Knowledge of accurate information
- Clear understanding
- The answer has some structure and organisation, use of specialist terms has been attempted but not always accurately, some detail is given
- There is reasonable accuracy in spelling, punctuation and grammar, although there may still be some errors.

Level 3: detailed
- Knowledge of accurate information appropriately contextualised
- Detailed understanding, supported by relevant evidence and examples
- Answer is coherent and in an organised, logical sequence, containing a wide range of appropriate or relevant specialist terms used accurately.
- The answer shows almost faultless spelling, punctuation and grammar.

4.6.3.1 Emission and absorption of infrared radiation

MARK SCHEME – GCSE SCIENCE A / PHYSICS – PH1FP– JUNE 2016

Question	Answers	Extra information	Mark	AO / Spec. Ref.
1(a)	geothermal nuclear biofuel		1 1 1	AO1 1.4.1a 1.4.1d
1(b)	gravitational (potential) kinetic sound		1 1 1	AO1 1.3.1a 1.4.1b
1(c)(i)	90% or 0.9(0)	an answer of 0.9(0) with a unit gains **1** mark an answer of 90 with no unit or an incorrect unit gains **1** mark	2	AO2 1.2.1d
1(c)(ii)	60 (MW)	allow 10%	1	AO2 1.2.1b
1(c)(iii)	increased		1	AO1 1.2.1c
Total			**10**	

4.6.3.1 Emission and absorption of infrared radiation

MARK SCHEME – GCSE SCIENCE A / PHYSICS – PH1FP– JUNE 2016

Question	Answers	Extra information	Mark	AO / Spec. Ref.
2(a)	46 200	accept 46 000 allow **1** mark for correct substitution ie 0.5 x 4200 x 22 provided no subsequent step	2	AO2 1.1.4d
2(b)	Energy is used to heat the kettle.		1	AO2 1.2.1b
2(c)	9 (pence)	allow **1** mark for correct substitution ie 0.6 x 15 provided no subsequent step	2	AO2 1.3.1d
2(d)(i)	conduction and convection		1	AO1 1.1.3a
2(d)(ii)	any **one** from: • water stays hotter for longer (than a 'conventional' kettle) • water boiled less often • less energy transferred to the surroundings • (new design is) more efficient		1	AO2 1.2
Total			**7**	

4.6.3.1 Emission and absorption of infrared radiation

MARK SCHEME – GCSE SCIENCE A / PHYSICS – PH1FP– JUNE 2016

Question	Answers	Extra information	Mark	AO / Spec. Ref.
3(a)(i)	any **one** from: • (visible) light • UV / ultra violet • X-ray • gamma / γ-ray		1	AO1 1.5.1e
3(a)(ii)	less than less than the same as		1 1 1	AO1 1.5.1d 1.5.1e
3(b)(i)	(the) Big Bang (theory)		1	AO1 1.5.4e
3(b)(ii)	the red-shift of light from distant galaxies		1	AO1 1.5.4c
Total			**6**	

4.6.3.1 Emission and absorption of infrared radiation

MARK SCHEME – GCSE SCIENCE A / PHYSICS – PH1FP– JUNE 2016

Question	Answers	Extra information	Mark	AO / Spec. Ref.
4(a)	dependent		1	AO3 1.1.3b
4(b)	The equipment has a better resolution.		1	AO3 1.1.3
4(c)	(probe) C largest difference between reading and actual temperature	allow 103.2 reason only scores if C chosen accept larger it is 3.2 greater is insufficient comparing C with only one other probe is insufficient	1 1	AO3 1.1.3
4(d)(i)	12(°C)	accept a value between 12.0 and 12.2 inclusive	1	AO2 1.1.3d
4(d)(ii)	140 (seconds) <u>temperature</u> starts to rise	accept an answer between 130 and 150 inclusive only scores if time mark awarded accept the <u>temperature</u> was lowest (at this time)	1 1	AO2 AO3 1.1.3b
4(d)(iii)	increase	accept faster (rate)	1	AO1 1.1.3b
Total			**8**	

4.6.3.1 Emission and absorption of infrared radiation

MARK SCHEME – GCSE SCIENCE A / PHYSICS – PH1FP– JUNE 2016

Question	Answers	Extra information	Mark	AO / Spec. Ref.
5(a)	it would decrease the time		1	AO3 1.2.1a
5(b)	720 (J)	allow **1** mark for correct substitution ie 12 x 60 provided no subsequent step	2	AO2 1.3.1c
5(c)	<u>dense</u> rises falls	 accept equivalent words accept equivalent words	1 1 1	AO1 1.1.3a
5(d)	 decreases decreases decreases	more than one tick in any row negates the mark	 1 1 1	AO3 1.1.3c 1.1.3d
Total			**9**	

4.6.3.1 Emission and absorption of infrared radiation

MARK SCHEME – GCSE SCIENCE A / PHYSICS – PH1FP– JUNE 2016

Question	Answers	Extra information	Mark	AO / Spec. Ref.
6(a)	frequency		1	AO1 1.5.3b
6(b)	echo(es)		1	AO1 1.5.3c
6(c)	spreading (out) equal to	changing direction is insufficient moving apart is insufficient bending is insufficient accept: similar to same (order of magnitude) as slightly smaller than slightly larger than	1 1	AO1 1.5.1g
6(d)	340 (m/s)	allow **1** mark for correct substitution ie 25 000 x 0.0136 provided no subsequent step or allow 1 mark for a correct calculation showing an incorrect value from conversion to hertz x 0.0136 an answer of 0.34 gains **1** mark	2	AO2 1.5.1j
6(e)	(a wave where the) oscillations are parallel to the direction of energy transfer causing (areas of) compression and rarefaction	both marking points may appear as labels on a diagram accept vibrations for oscillations accept in same direction as for parallel to allow direction of wave (motion) for direction of energy transfer accept correct description in terms of particles mechanical wave is insufficient needs a medium to travel through is insufficient	1 1	AO1 1.5.1b
Total			**8**	

4.6.3.1 Emission and absorption of infrared radiation

MARK SCHEME – GCSE SCIENCE A / PHYSICS – PH1FP– JUNE 2016

Question	Answers	Extra information	Mark	AO / Spec. Ref.
7(a)	any **one** from: • high cost of installing overhead power lines or underground cables or pylons • high cost as (very) long cables needed • amount of electricity required is too low	allow not enough (surplus) electricity would be generated	1	AO1 1.4.1e

Question 7 continues on the next page . . .

4.6.3.1 Emission and absorption of infrared radiation

MARK SCHEME – GCSE SCIENCE A / PHYSICS – PH1FP– JUNE 2016

Question	Answers	Extra information	Mark	AO / Spec. Ref.
7 (b)	Marks awarded for this answer will be determined by the Quality of Written Communication (QWC) as well as the standard of the scientific response. Examiners should also refer to the information on page 5 and apply a 'best-fit' approach to the marking.		6	3 AO1 2 AO2 1 AO3 1.4.1b

0 marks	Level 1 (1-2 marks)	Level 2 (3-4 marks)	Level 3 (5-6 marks)
No relevant information	at least **one** advantage **or one** disadvantage of either method	at least **one** advantage **and one** disadvantage is stated for **one** method **and** a different advantage **or** disadvantage is stated for the other method	clear comparison of advantages **and** disadvantages of **each** method

examples of physics points made in the response	extra information
Advantages of both methods: • both renewable sources of energy • both have no fuel (cost) • both have very small (allow 'no') running costs • no carbon dioxide produced	 accept carbon neutral accept no greenhouse gases accept doesn't contribute to global warming
Advantages of wind: • higher average power output	 produces more energy is insufficient
Advantages of hydroelectric: • constant / reliable power (output) • lower (installation) cost	
Disadvantages of wind: • higher (installation) cost • variable / unreliable power output • (may) kill birds / bats	
Disadvantages of hydroelectric: • lower power output • (may) kill fish or (may) damage habitats • more difficult to set up (within river)	
Disadvantages of both methods • (may be) noisy • visual pollution	 ignore payback time unless no other relevant points made ignore time to build for both

Total			7

4.6.3.1 Emission and absorption of infrared radiation

MARK SCHEME – GCSE SCIENCE A / PHYSICS – PH1FP– JUNE 2016

Question	Answers	Extra information	Mark	AO / Spec. Ref.
8(a)	a proportion / percentage of the energy is wasted	allow heat for energy allow some energy is wasted	1	AO2 1.2.1b 1.2.1c
	(wasted) energy is transferred to surroundings **or** energy is needed to heat pan (before food is heated)		1	
8(b)	(fins have a) large(r) surface area	accept fins increase the surface area	1	AO1 1.1.1c 1.1.1e 1.1.3c
	(black metal surface is a) good / better absorber of infrared radiation	allow 'heat' or 'energy' for infrared radiation ignore good emitter of infrared radiation not a good reflector is insufficient	1	
8(c)	the higher the temperature (of the saucepan) the greater the rate at which infrared radiation is emitted	accept converse answer allow the higher the temperature the more infrared radiation is emitted allow there is a positive correlation	1	AO2 1.1.1b
Total			**5**	

4.6.3.1 Emission and absorption of infrared radiation

Answer 43 · Examiner comments

June 2018 | 8463/2F | Original Q5

Question 5 (Low demand)

05.1 96% of students scored this mark.

05.2 Answers were split almost equally between the three options.

05.3 Many students seemed confused about the fact that white is not in itself a colour but is made up of the colours of the spectrum. It was common to see answers such as 'the T-shirt absorbs all the colours but reflects white'. The terms reflection, absorption, transmission and emission were often used incorrectly and many students confused their answers with comments such as 'the white light reflected the T-shirt'. Vague answers such as 'It looks white because it is white' were commonly seen.

05.4 About 25% of the students realised that the red cap would absorb the blue light. Of those only 3% said the cap would look black, most of the students suggested that the red and blue would mix to give purple or dark blue.

05.5 46% of students scored both marks, with a further 32% scoring one mark.

Answer 43 · Examiner comments

June 2018 | 8463/2F | Original Q5

05.6 The difficulty in this question was distinguishing between the main hazard in the investigation and the risk that the hazard presented. The acceptable hazards were the heater, the infrared radiation and the hot metal surface. Over half of the students only stated the risk and so scored zero.

05.7 The majority of the students were able to correctly compare the absorption of infra-red radiation by a matt black and a shiny silvered surface. Common misconceptions are that the matt black surface attracted the infra-red radiation better and that it is a better conductor.

4.6.3.1 Emission and absorption of infrared radiation

Answer 44 · Examiner comments

June 2019 | 8463/2F | Original Q4

Question 4 (Low demand)

04.1 Just over 50% of the students scored this mark.

04.2 Only 40% of the students knew that infrared is used for electrical heating. The incorrect answers were equally represented.

04.3 Nearly 90% of the students picked the correct colour.

04.4 About 75% of the students answered this correctly. Common incorrect answers indicated a colour change to yellow with some changes to blue or green.

04.5 Just over half of the students identified the type of surface as the independent variable.

04.6 Nearly 9% of the students did not attempt this question with only 10% of the students scoring three marks. About 60% of the students realised that the first thing to do was pour the hot water into the cube. However beyond this, the procedure was often inaccurately described eg the ruler being used to measure the height of the hot water in the cube or used to measure the area of each side of the cube. Most of the students did not realise that the distance from each side of the cube to the infra-red detector needed to be the same. Many students incorrectly completed their answer by describing the amount of radiation given off from each of the different surfaces, possibly having looked at **04.7**.

04.7 About 50% of the students correctly identified the resolution.

04.8 This question was well answered with nearly 85% of the students scoring full marks. Students not gaining full marks usually did not label one of the bars.

04.9 About half of the students gave an acceptable conclusion. Common errors were to give answers in terms of conduction of heat or absorption of radiation, however, the question needed an explanation of emission.

4.6.3.1 Emission and absorption of infrared radiation

Answer 46 · Examiner comments June 2023 | 8463/2F | Original Q4

04.1

90% of students recognised the reason why a new scientific model would need to be introduced.

04.2

Some students gained all four marks through well-structured comparisons between the models. Those who listed features that were unconnected gained a maximum of 2 marks. Some students did not achieve any marks through a lack of detail in their statements.

04.3

Students were asked to state the time increases, most achieved this, a common alternative was ‘it takes longer’. Many students used the table headings to successfully describe the relationship. Many who did not score made comments about the speed increasing or the distance being greater or simply said the time changes.

04.4

Most students scored 2 marks, with only 3.5% getting no marks. The most common error was not identifying the correct scale of the graph ,resulting in the bars being the incorrect height.

04.5

21% of students were able to identify the order of two stages in the life cycle of the Sun correctly. 19% were able to identify all three stages in the correct order.

04.6

57% of students knew that black bodies are the best emitters of radiation.

Answer 47 · Examiner comments June 2023 | 8463/2F | Original Q9

09.1

12% of students gave the answer perpendicular or a correct description of perpendicular. Common incorrect responses included parallel, opposite, and proportional.

09.2

29% of responses were level 1 and 45% were level 2. Very few students explained the need to calculate the temperature change or to compare the readings on infrared detectors. A number of students suggested using cold water, or even described a different practical. Students were not penalised for using tiny volumes of water, but many students have no concept of how much 50 ml is, for example.

4.6.3.1 Emission and absorption of infrared radiation

Answer 47 · Examiner comments

June 2023 | 8463/2F | Original Q9

09.3

Many students scored zero as they had selected the incorrect box. The reason had to state greatest/highest temperature, or the liquid was the hottest. A higher temperature or hotter liquid was insufficient to gain this mark. 21% of students scored both marks.

09.4

31% of students gained this mark. There seemed to be confusion as to which variable was the dependent variable. The majority of students gave control variables or the independent variable as their answer.

09.5

The most common response related to the matt black surface and the shiny white surface. This was awarded 1 mark. Some students did mention that black was the best absorber but failed to adequately describe the relative absorbance of matt versus shiny surfaces, as they did not explain this only applied for the same colour surface. Some students gave their response in terms of emission or reflection of IR radiation, both of which scored zero. Only 2% of students were able to give two meaningful conclusions.

09.6

90% of students correctly identified the formula for calculating pressure.

09.7

47% of students achieved full marks in this calculation. Many scored zero, as they calculated the total surface area, the volume or used the length of the cube.

4.6.3.1 Emission and absorption of infrared radiation

Answer 48 · Examiner comments June 2024 | 8463/2F | Original Q1

01.1
98% of students could name our galaxy correctly.

01.2
This question was well answered with 80% of students knowing what the Sun was formed from.

01.3
70% of students were able to name a force involved in the formation of the Sun.

01.4
There was some confusion about the process which releases energy in stars, with only 56% choosing fusion. The most common wrong answer was combustion. Very few students did not attempt this question.

01.5
This question proved more challenging, with only 15% of students understanding that all types of electromagnetic radiation travel at the same speed in a vacuum or space.

01.6
53% of students knew that infrared radiation has a greater frequency than visible light.

01.7
This question was well answered with 49 % of students scoring one mark for knowing that the Sun emits infrared radiation at a greater rate than Earth and a further 34% of students scoring both marks because they could give a reason why.

Answer 49 · Examiner comments June 2024 | 8463/2F | Original Q6

06.1
Many responses for this question were too vague. The questions asked for equipment that can be used to detect infrared waves, so responses that involved emitters of IR waves were incorrect. A significant number focussed on the word radiation and gave their response as a Geiger counter.

06.2
23% of students interpreted the information correctly and chose the correct wavelength.

© 2024 AQA and its licensors. All rights reserved.

4.6.3.1 Emission and absorption of infrared radiation

Answer 49 · Examiner comments June 2024 | 8463/2F | Original Q6

06.3
A correct response required the use of the information given to identify differences between the sight of bees and humans. Simply quoting wavelengths that could and could not be detected was not sufficient. A minority of students gained marks.

06.4
This question was about white light shining onto a coloured flower. A significant number of students chose the correct words but not always in the incorrect order.

06.5
60% of students were aware of the affect a filter has on the appearance of a coloured object.

06.6
Less than 2% of students were able to name diffuse reflection.