AQA GCSE Physics | 8463

SPECIFICATION POINT 4.8.1.3

Orbital motion, natural and artificial satellites

Mark schemes and examiner comments

Tier	**Foundation**
Question groups	**56**
Available paper years	**2003–2025**

Using this booklet

1. Booklet answer numbers match the question booklet.
2. Use the original question number within marking tables.
3. Examiner comments are included where available.

Name: _____ **Date:** _____

Where a precise marking extract is unavailable, the full source document is included in an appendix. Any missing mark scheme is explicitly identified.

4.8.1.3 Orbital motion, natural and artificial satellites

Answer 01 · Mark scheme June 2003 | 3451F | Original Q3 | Legacy

The full source mark scheme begins on page 62. Follow original question 3 in that document.

Answer 02 · Mark scheme June 2003 | 3451F | Original Q15 | Legacy

The full source mark scheme begins on page 62. Follow original question 15 in that document.

Answer 03 · Mark scheme June 2003 | 3462F3 | Original Q3 | Legacy

The full source mark scheme begins on page 84. Follow original question 3 in that document.

Answer 04 · Mark scheme June 2003 | 3462F3 | Original Q13 | Legacy

The full source mark scheme begins on page 84. Follow original question 13 in that document.

Answer 05 · Mark scheme June 2004 | 3451F | Original Q1 | Legacy

The full source mark scheme begins on page 101. Follow original question 1 in that document.

4.8.1.3 Orbital motion, natural and artificial satellites

Answer 06 · Mark scheme June 2004 | 3451F | Original Q12 | Legacy

The full source mark scheme begins on page 101. Follow original question 12 in that document.

Answer 07 · Mark scheme June 2004 | 3462F3 | Original Q1 | Legacy

The full source mark scheme begins on page 122. Follow original question 1 in that document.

Answer 08 · Mark scheme June 2004 | 3462F3 | Original Q10 | Legacy

The full source mark scheme begins on page 122. Follow original question 10 in that document.



Answer 09 · Mark scheme June 2005 | 3451 | Original Q1 | Legacy

(c)(i)	first input	second input	output	**all** correct allow: OFF NO OFF NO OFF NO ON YES
	0	0	**0**	
	1	0	**0**	
	0	1	**0**	
	1	1	**1**	
				1
(ii)	truth (table)			1

cont…

4.8.1.3 Orbital motion, natural and artificial satellites

3451/F Q9 cont…

(iii)		a Roman upper case D in any orientation without contacts is acceptable but if contacts are shown do **not** give the mark if there is any ambiguity or contradiction allow 	1
(d)	light sensor	**or** light dependent resistor **or** LDR accept 'ldr', Ldr' etc allow solar cell, photo cell	1
	NOT gate	accept 'Not gate' **or** 'not gate' if both correct but in the wrong order credit with **1** mark	1
total			12

4.8.1.3 Orbital motion, natural and artificial satellites

Answer 09 · Mark scheme June 2005 | 3451 | Original Q1 | Legacy


3451/F Q10

question	answers	extra information	mark
(a)(i)	rays continued to meet on the right hand side of the lens and beyond	must be straight lines from the right hand side of the lens ignore details through the lens allow if no arrows	1
	meet exactly on the axis	negate mark if contradictory arrow(s) added do not need to go beyond the focus for this mark	1
(ii)	(principal) focus	**or** focal (point)	1
(iii)	converging	**or** convex	1
(b)(i)	**A**		1
(ii)	rays seem to come from this point	**or** words to this effect **or** shows this on the diagram	1
(iii)	diverging	**or** concave	1
(c)	film	accept any unambiguous method of showing the correct response	1
	smaller than		1
	further away from		1
(d)	any **three** from: • real image can be put on a screen • virtual image cannot be put on a screen / film • virtual image is imaginary • real image is formed where (real) rays cross / converge • virtual image is where virtual / imaginary rays (seem to) come from • virtual image formed where virtual rays intersect / cross	allow film allow real image has light travelling through it **or** virtual image is where rays seem to come from	3
total			13

4.8.1.3 Orbital motion, natural and artificial satellites

Answer 09 · Mark scheme June 2005 | 3451 | Original Q1 | Legacy

3451/F Q11

question	answers	extra information	mark
(a)(i)	$A_1 = 0.5$	ignore any units	1
	$A_4 = 0.5$	allow **1** mark for $A_1 = A_4 \neq 0.5$	1
(ii)	the resistance of **P** is more than 20 Ω		1
	a smaller current goes through P / A_2 (than 20 Ω)	dependent on getting 1st mark correct accept converse	1
(b)(i)	potential difference = current × resistance	accept pd / voltage for potential difference accept V = I × R, correct symbols and correct case only accept volts = amps × ohms accept  provided subsequent method is correct allow combination of physical quantities and named units allow voltage = I × R	1

Answer 10 · Mark scheme June 2005 | 3451 | Original Q2 | Legacy

The full source mark scheme begins on page 139. Follow original question 2 in that document.

Answer 11 · Mark scheme June 2005 | 3451 | Original Q12 | Legacy

The full source mark scheme begins on page 139. Follow original question 12 in that document.

4.8.1.3 Orbital motion, natural and artificial satellites

Answer 12 · Mark scheme June 2005 | 3451 | Original Q15 | Legacy

The full source mark scheme begins on page 139. Follow original question 15 in that document.

Answer 13 · Mark scheme June 2005 | 3462 | Original Q1 | Legacy

The full source mark scheme begins on page 157. Follow original question 1 in that document.

Answer 14 · Mark scheme June 2005 | 3462 | Original Q2 | Legacy

The full source mark scheme begins on page 157. Follow original question 2 in that document.

Answer 15 · Mark scheme June 2005 | 3462 | Original Q10 | Legacy

The full source mark scheme begins on page 157. Follow original question 10 in that document.

Answer 16 · Mark scheme June 2006 | 3451 | Original Q3 | Legacy

The full source mark scheme begins on page 171. Follow original question 3 in that document.

4.8.1.3 Orbital motion, natural and artificial satellites

Answer 17 · Mark scheme

June 2006 | 3462 | Original Q3 | Legacy

The full source mark scheme begins on page 191. Follow original question 3 in that document.

Answer 18 · Mark scheme

November 2006 | PHY1B | Original Q5 | Legacy

Five	**A**	a distant galaxy	**3**
	B	a satellite	**1**
	C	the Earth	**2**
	D	the Universe	**4**

4.8.1.3 Orbital motion, natural and artificial satellites

Answer 19 · Mark scheme

Question 1

question	answers	extra information	mark
(a)	B		1
(b)	G		1
(c)	D		1
(d)	A		1
total			4

4.8.1.3 Orbital motion, natural and artificial satellites

Answer 20 · Mark scheme

Question 4

question	answers	extra information	mark
(a)(i)	red shift	accept Doppler effect	1
(ii)	the universe is expanding		1
(b)(i)	big bang		1
(ii)	at the moment it is the best way of explaining…….		1
(c)(i)	visible / light		1
(ii)	the atmosphere does not block……..		1
(iii)	difficult to maintain **or** high cost to get into space	accept any feasible reason do not accept expensive on its own	1
total			7

4.8.1.3 Orbital motion, natural and artificial satellites

Answer 21 · Mark scheme

June 2007 | PHY1B | Original Q4 | Legacy

Four	**A**	It can contain large, very heavy components.	**1**
	B	Maintenance is very difficult to carry out.	**4**
	C	The quality of data obtained from it is not affected by atmospheric gases.	**3**
	D	It cannot be used during the day.	**2**

Answer 22 · Mark scheme

November 2007 | PHY1B | Original Q6 | Legacy

Six	**A**	analogue electrical signal	**2**
	B	digital light signal	**3**
	C	microwaves	**4**
	D	sound waves	**1**

	A	**B**	**C**	**D**

4.8.1.3 Orbital motion, natural and artificial satellites

Answer 23 · Mark scheme

Question 4

question	answers	extra information	mark
(a)	less / no light pollution	accept no / fewer streetlights	1
	less cloud cover / above clouds		1
	less atmospheric pollution	accept air for atmospheric	1
		accept idea of thinner atmosphere	
(b)	microwave	correct answer only	1
(c)	the atmosphere absorbs X-rays		1
total			5

4.8.1.3 Orbital motion, natural and artificial satellites

Answer 23 · Mark scheme

January 2008 | PHY1F | Original Q4 | Legacy

PHY1F

4.8.1.3 Orbital motion, natural and artificial satellites

Answer 24 · Mark scheme

Question 4

question	answers	extra information	mark
(a)(i)	more than	accept any clear indication eg the other two lines crossed out	1
(ii)	less than	accept any clear indication eg the other two lines crossed out	1
(b)	any **two** from: • above the equator • takes / period of 24 hours • (remains) above the same point	**or** 'rotates with the Earth' do **not** credit 'stays in the same place' but accept '<u>appears</u> to stay in the same place' do **not** credit just 'one like satellite X's'	2
(c)	<u>low</u> polar		1
total			5

4.8.1.3 Orbital motion, natural and artificial satellites

Answer 24 · Mark scheme

January 2008 | PHY3F | Original Q4 | Legacy

PHY3F

4.8.1.3 Orbital motion, natural and artificial satellites

Answer 25 · Mark scheme

Question 5

question	answers	extra information	mark
(a)	Venus	accept Mercury	1
(b)	any negative number or range in the range –75 to –150 inclusive	do **not** credit any positive number or positive range	1
(c)	**either** … increases … increases **or** … decreases … decreases	**both** required for the mark	1
(d)	Today's …… about Mars.	accept any unambiguous method of indication for the correct answer eg it's underlined or ticked	1
total			4

4.8.1.3 Orbital motion, natural and artificial satellites

Answer 25 · Mark scheme January 2008 | PHY3F | Original Q5 | Legacy

PHY3F

Answer 26 · Mark scheme March 2008 | PHY1BP | Original Q9 | Legacy

Nine	**4**	**1**	**3**	**4**

4.8.1.3 Orbital motion, natural and artificial satellites

Answer 27 · Mark scheme June 2008 | PHY1F | Original Q4 | Legacy

Question 4

question	answers	extra information	mark
(a)	atmosphere distorts / blocks image	accept clouds block light / global dimming accept because of the atmosphere	1
		accept weather conditions	
	or		
	atmosphere scatters light	accept light pollution	
(b)		do **not** accept answers in terms of mirror size	
	Correct statement related to distance		1
	Sensible comment related to access		1
	eg		
	Hubble telescope is close enough (1) for a spacecraft / astronauts to reach (1)		
	or		
	James Webb is too far away (1) for astronauts to travel to (1)		
		do **not** accept easier to service on it's own	
(c)	To test the design ….		1
(d)	gamma rays	answers in any order	1
	X-rays		1
(e)	Big bang		1
total			7

4.8.1.3 Orbital motion, natural and artificial satellites

Answer 27 · Mark scheme June 2008 | PHY1F | Original Q4 | Legacy

PHY1F

4.8.1.3 Orbital motion, natural and artificial satellites

Answer 28 · Mark scheme

Question 7

question	answers	extra information	Mark
(a)(i)	the higher the altitude the longer the period	**or** the converse **or** there is a positive correlation do **not** credit any reference to 'direct proportion' ignore references to speed / size of orbit allow the higher the altitude the longer it takes to orbit do **not** credit if ambiguity between distance and time	1
(a)(ii)	responses must refer to the (quality) of the data rather than comments on satellites any **two** from: • only four pairs (of results / data / evidence) • the data is (all) for low or high altitudes (with nothing in the middle) • conclusion only valid in the range (shown, of 300 ↔ 36 000 or 1.5 ↔ 24) • the Internet is not always a reliable source	**or** 'not enough / insufficient data	2
(b)	there is a centripetal force the force (for this) is provided by gravity / gravitational attraction (between the Moon and the Earth)	accept force towards centre / Earth **or** 'the Moon is accelerating towards the (centre of) Earth' accept 'caused by gravity'	1 1

Question 7 continues on the next page

PHY3F

Question 7 continued

question	answers	extra information	Mark
(c)	there is <u>empty</u> space / a vacuum (between the spaceships)	**or** no medium / particles / air / gas (to carry the sound / vibrations) **or** sound(s) do not travel through a vacuum do **not** accept any named gas	1
(d)	the response may be in agreement or disagreement or may support a 'balanced' argument **either** any general point with appropriate amplification for **2** marks **or** two general points **1** mark each	 eg costs a lot (1) the money could be spent on …(1) eg we may find new resources (1) eg we may contact aliens (1)	2
total			8

4.8.1.3 Orbital motion, natural and artificial satellites

Answer 29 · Mark scheme

November 2008 | PHY1BP | Original Q4 | Legacy

Four	**A**	microwaves	**4**
	B	radio waves	**2**
	C	visible light	**1**
	D	X-rays	**3**

4.8.1.3 Orbital motion, natural and artificial satellites

Answer 30 · Mark scheme

Question 1

question	answers	extra information	mark
1(a)(i)	X-rays infra red (rays) radio (waves)	all three in correct order allow **1** mark for **1** correct	2
1(a)(ii)	to kill cancer cells		1
1(a)(iii)	energy		1
Total			**4**

4.8.1.3 Orbital motion, natural and artificial satellites

Answer 30 · Mark scheme

January 2009 | PHY1F | Original Q1 | Legacy

PHY1F

4.8.1.3 Orbital motion, natural and artificial satellites

Answer 31 · Mark scheme June 2009 | PHY1F | Original Q6 | Legacy

Question 6

question	answers	extra information	mark
6(a)(i)	HESS	accept gamma	1
6(a)(ii)	infra red	accept IR accept answers written in table do **not** accept heat	1
6(b)	clearer / more detailed / sharper / less distorted image any **one** from: • no light pollution • light is not scattered by the atmosphere	do **not** accept image is bigger accept no clouds to prevent observations accept light is scattered by the atmosphere (implies William Herschel) accept light does (not have to) pass through the atmosphere accept air for atmosphere do **not** accept answers in terms of distance	1 1

Question 6 continues on the next page . . .

4.8.1.3 Orbital motion, natural and artificial satellites

PHY1F

Question 6 continued . . .

question	answers	extra information	mark
6(c)	any **two** from: • <u>microwaves absorbed</u> by water (molecules) • signal strength greater (in dry environment) • more sensitive (in dry environment) • detect weaker signals (in dry environment) • more detailed / clearer image (in dry environment)	accept more microwaves reach telescope accept harder to detect signals in a humid environment accept image contains more information do **not** accept better image	2
6(d)	a fourth / extra galaxy / star	accept a planet / another object / source	1
Total			**7**

4.8.1.3 Orbital motion, natural and artificial satellites

Answer 31 · Mark scheme

June 2009 | PHY1F | Original Q6 | Legacy

PHY1F

4.8.1.3 Orbital motion, natural and artificial satellites

Answer 32 · Mark scheme

Question 4

question	answers	extra information	mark
4(a)(i)	**B** **C** **B**	letters must be clear and unambiguous but they may be lower case	1 1 1
4(a)(ii)	24 (hours)		1
4(b)	decreases	accept any unambiguous indication	1
4(c)(i)	money could be (better) used ..... to relieve poverty / reduce taxes / cure cancer etc		1
4(c)(ii)	satellites are used ..... to monitor the weather / for communications / for spying / for satnav(s) etc		1
Total			**7**

4.8.1.3 Orbital motion, natural and artificial satellites

Answer 32 · Mark scheme

June 2009 | PHY3F | Original Q4 | Legacy

PHY3F

Answer 33 · Mark scheme

November 2009 | PHY1BP | Original Q6 | Legacy

Six	**4**	**2**	**3**	**2**

4.8.1.3 Orbital motion, natural and artificial satellites

Answer 34 · Mark scheme

Question 3

question	answers	extra information	mark
3(a)(i)	greater than	accept any unambiguous indication	1
3(a)(ii)	less than	accept any unambiguous indication	1
3(a)(iii)	centripetal	accept any unambiguous indication	1
3(a)(iv)	24 hours	accept any unambiguous indication	1
3(b)(i)	geostationary (orbit)		1
3(b)(ii)	low polar (orbit)	do **not** accept just 'polar (orbit)'	1
Total			**6**

4.8.1.3 Orbital motion, natural and artificial satellites

Answer 34 · Mark scheme

January 2010 | PHY3F | Original Q3 | Legacy

PHY3F

4.8.1.3 Orbital motion, natural and artificial satellites

Answer 35 · Mark scheme January 2010 | PHY3F | Original Q7 | Legacy

Question 7

question	answers	extra information	mark
7(a)	distance (from the Sun in millions of km) and time taken for orbit	both required in either order **not** just 'time taken'	1
7(b)(i)	**either** distance (from the Sun in millions of km) **or** time taken for orbit (and) (average) temperature	 **not** just 'time taken' both required in either order	1
7(b)(ii)	(+) 430 / (+) 470 **or** Mercury / Venus		1
7(c)	25 (hours)	do **not** accept 24 (hours)	1
7(d)	...different positions at different times		1
7(e)	…direction…speed gravitational	both and in the correct order	1 1
Total			**7**

4.8.1.3 Orbital motion, natural and artificial satellites

Answer 35 · Mark scheme

January 2010 | PHY3F | Original Q7 | Legacy

PHY3F

Answer 36 · Mark scheme

March 2010 | PHY1BP | Original Q9 | Legacy

Nine	**2**	**4**	**2**	**1**

4.8.1.3 Orbital motion, natural and artificial satellites

Answer 37 · Mark scheme

June 2010 | PHY1F | Original Q5 | Legacy

Question 5

question	answers	extra information	mark
5(a)	any **one** from: • above the atmosphere • no clouds in the way • no light pollution	 accept no atmospheric pollution answers in terms of being closer to space negate answers in terms of looking at the Earth negate	1
5(b)(i)	red-shift		1
5(b)(ii)	expanding		1
5(c)(i)	as one gets bigger the other gets bigger	accept (directly) proportional accept positive correlation	1
5(c)(ii)	**C** it is furthest from the Earth **or** it is furthest away **or** has the largest red-shift **or** it is moving (away) the fastest	 only scores if **C** is chosen	1 1
Total			**6**

4.8.1.3 Orbital motion, natural and artificial satellites

Answer 37 · Mark scheme June 2010 | PHY1F | Original Q5 | Legacy

PHY1F

4.8.1.3 Orbital motion, natural and artificial satellites

Answer 38 · Mark scheme

Question 6

question	answers	extra information	mark
6(a)(i)	time (for a planet) to orbit / go round the Sun	accept 'planet's year' accept time to rotate the Sun just 'year' is insufficient do **not** accept Earth year / time for Earth to orbit the Sun do **not** accept time for a planet to revolve any reference to distance negates the answer	1
6(a)(ii)	**either** information from the internet is not always reliable / accurate **or** data is (more) reliable (if it has been checked)	 accept to check it is correct / accurate / valid	1
6(a)(iii)	the greater the distance (from the Sun) the greater the (planet's) period	accept positive correlation accept if one increases then the other increases accept as distance increases it's longer do **not** accept they are (directly) proportional do **not** accept quicker period	1
6(a)(iv)	there is no relationship	accept 'none' / 'it is random' / 'no pattern'	1

Question 6 is continued on the next page . . .

4.8.1.3 Orbital motion, natural and artificial satellites

PHY3F

Question 6 continued . . .

6(b)	(Sun's / star's) gravity		1
6(c)	(the) Milky Way	accept 'milky way'	1
6(d)	billions		1
Total			**7**

4.8.1.3 Orbital motion, natural and artificial satellites

Answer 38 · Mark scheme June 2010 | PHY3F | Original Q6 | Legacy

PHY3F

Answer 39 · Mark scheme November 2010 | PHY1BP | Original Q2 | Legacy

Two	**A**	can be used by anyone to view the surface of the moon	**2**
	B	in orbit around the Earth	**3**
	C	built on the top of a mountain and can be used to view planets	**4**
	D	used by scientists to detect radio waves from space	**1**

4.8.1.3 Orbital motion, natural and artificial satellites

Answer 40 · Mark scheme

Question 4

question	answers	extra information	mark
4(a)	all correct **M** **L** **L**	allow **1** mark for 2 correct	2
4(b)	speed	accept 'velocity'	1
4(c)(i)	any **one** from: • it's natural • slowest • furthest (from the centre of the Earth)	accept 'others are artificial / made by humans'	1
4(c)(ii)	as the (average) distance decreases the speed increases	accept 'there is a negative correlation (between them)' do **not** accept 'they are inversely proportional'	1
4(c)(iii)	as the speed increases the time (taken) decreases	accept 'there is a negative correlation (between them)' do **not** accept 'they are inversely proportional'	1
Total			**6**

4.8.1.3 Orbital motion, natural and artificial satellites

Answer 40 · Mark scheme January 2011 | PHY3F | Original Q4 | Legacy

PHY3F

Answer 41 · Mark scheme March 2011 | PHY1BP | Original Q1 | Legacy

Question	Key		
One	**A**	infra red	**3**
	B	microwaves	**2**
	C	radio waves	**1**
	D	visible light	**4**

Answer 42 · Mark scheme June 2011 | PHY1BP | Original Q9 | Legacy

Nine	**2**	**3**	**4**	**1**

4.8.1.3 Orbital motion, natural and artificial satellites

Answer 43 · Mark scheme

June 2011 | PHY1F | Original Q2 | Legacy

Question 2

question	answers	extra information	mark
2(a)(i)	microwave		1
2(a)(ii)	**C**		1
2(a)(iii)	Digital signals are less affected by interference.		1
2(b)(i)	infra red		1
2(b)(ii)	2 or 3 reflections shown	lines are straight and most angles look correct by eye four or more reflections gains **1** mark only ray must touch side of the fibre to qualify as a reflection ray must reach end of the fibre	2
Total			**6**

4.8.1.3 Orbital motion, natural and artificial satellites

Answer 43 · Mark scheme June 2011 | PHY1F | Original Q2 | Legacy

PHY1F

4.8.1.3 Orbital motion, natural and artificial satellites

Answer 44 · Mark scheme

June 2011 | PHY1F | Original Q4 | Legacy

Question 4

question	answers	extra information	mark
4(a)	any **two** from: • light pollution • cloud cover • atmospheric pollution • telescope not powerful enough • distant stars are not bright enough	 accept street lights the weather is insufficient do **not** accept very general statements eg 'the weather' or 'the atmosphere' accept a description of atmospheric pollution accept sensible comment regarding zoom of telescope accept lens is not strong enough accept diameter of lens is too small do **not** accept lens is not big enough	2
4(b)	any **one** from: • difficult / expensive / to maintain / repair • expensive to put into space	 accept have to go into space to fix it ignore answers in terms of collision with other objects in space	1

Question 4 continues on the next page

4.8.1.3 Orbital motion, natural and artificial satellites

PHY1F

Question 4 continued

question	answers	extra information	mark
4(c)(i)	The atmosphere absorbs gamma rays.		1
4(c)(ii)	support the theories that predict WIMPs exist		1
Total			**5**

4.8.1.3 Orbital motion, natural and artificial satellites

Answer 44 · Mark scheme June 2011 | PHY1F | Original Q4 | Legacy

PHY1F

4.8.1.3 Orbital motion, natural and artificial satellites

Answer 45 · Mark scheme

June 2011 | PHY3F | Original Q4 | Legacy

Question 4

question	answers	extra information	mark
4(a)	24 (hours)		1
4(b)	… orbits the Earth at the same rate at which the Earth revolves.		1
4(c)	any **two** from: • in contact for 24 hours • (always in) same direction • same distance (apart) • signal (always) takes same time • receiving dish does not have to move	accept always in contact do **not** accept examples in terms of monitoring	2
4(d)	communication	do **not** accept any response using observation accept a specific example satellite TV accept TV signals / mobile phones do **not** accept global positioning system (GPS)	1
Total			**5**

4.8.1.3 Orbital motion, natural and artificial satellites

Answer 45 · Mark scheme June 2011 | PHY3F | Original Q4 | Legacy

PHY3F

Answer 46 · Mark scheme November 2011 | PHY1BP | Original Q3 | Legacy

Three	**A**	a distant galaxy	**3**
	B	a satellite	**1**
	C	the Earth	**2**
	D	the Universe	**4**

4.8.1.3 Orbital motion, natural and artificial satellites

Answer 47 · Mark scheme

June 2013 | PH1FP | Original Q2 | Legacy

Question 2

question	answers	extra information	mark
2(a)(i)	(visible) light	accept visible	1
2(a)(ii)	microwaves		1
2(b)	J		1
2(c)(i)	B		1
2(c)(ii)	shorter than		1
2(d)(i)	To find out if using a mobile phone is harmful to health		1
2(d)(ii)	any **two** from: • (X has a) low(er) SAR value • (maximum) energy absorbed (by the head) is less • (if mobiles are harmful) less likely to cause harm	"it" refers to mobile phone accept has a low(er) rate accept energy emitted (by phone) is less accept radiation for energy accept will not cause harm accept it is safer	2
Total			**8**

4.8.1.3 Orbital motion, natural and artificial satellites

Answer 47 · Mark scheme June 2013 | PH1FP | Original Q2 | Legacy

PH1FP

Answer 48 · Mark scheme June 2014 | PH3FP | Original Q8 | Legacy

The full source mark scheme begins on page 205. Follow original question 8 in that document.

Answer 49 · Mark scheme June 2015 | PH1FP | Original Q1 | Legacy

The full source mark scheme begins on page 222. Follow original question 1 in that document.

4.8.1.3 Orbital motion, natural and artificial satellites


Answer 50 · Mark scheme June 2018 | 8463/2F | Original Q1

Question	Answers	Extra information	Mark	AO / Spec. Ref.
01.1	Milky Way		1	AO1 4.8.1.1
01.2	distance = 300 000 × 500 d = 150 000 000 (km)	an answer of 150 000 000 scores **2** marks	1 1	AO2 4.5.6.1.2
01.3	3		1	AO1 4.8.1.1
01.4	accept any number greater than 1.0 and less than 12.0		1	AO3 4.8.1.1
01.5	$\frac{9}{0.6}$ 15	an answer of 15 scores **2** marks	1 1	AO2 4.8.1.3
Total			**7**	

4.8.1.3 Orbital motion, natural and artificial satellites

Answer 50 · Mark scheme

June 2018 | 8463/2F | Original Q1



4.8.1.3 Orbital motion, natural and artificial satellites

Answer 51 · Mark scheme

June 2019 | 8463/1F | Original Q4

Question 4

Question	Answers	Extra information	Mark	AO / Spec. Ref.
4.1	A		1	4.4.1.3 AO1
4.2	C		1	4.4.1.3 AO1
4.3	repels increases increases	in this order only	1 1 1	4.4.1.3 4.2.5.2 AO1
4.4	another scientist repeats the experiment and gets the same results		1	WS3.7 4.4.1.3 AO1
Total			**6**	

4.8.1.3 Orbital motion, natural and artificial satellites

Answer 52 · Mark scheme

November 2020 | 8463/2F | Original Q2

Question 2

Question	Answers	Extra information	Mark	AO / Spec. Ref.
02.1	Milky Way		1	AO1 4.8.1.1
02.2	gravitational (force)	allow gravity	1	AO1 4.8.1.3
02.3	it decreases		1	AO3 4.8.1.1
02.4	answer between -60 and -160 (degrees Celsius)		1	AO3 4.8.1.1
02.5	Three		1	AO1 4.8.1.1
02.6	It orbits a planet.		1	AO1 4.8.1.3
02.7	Their orbits are circular. They do not emit visible light.		1 1	AO1 4.8.1.3
02.8	d = 13 000 × 110 d = 1 430 000 (km)	 allow $1.4(3) \times 10^6$ allow a rounded answer (eg 1 400 000)	1 1	AO2 4.8.1.1
Total			**10**	

4.8.1.3 Orbital motion, natural and artificial satellites

Answer 53 · Mark scheme

June 2022 | 8463/2F | Original Q3

Question 3

Question	Answers	Extra information	Mark	AO / Spec. Ref.
03.1	a star		1	AO1 4.8.1.1

Question	Answers	Extra information	Mark	AO / Spec. Ref.
03.2	Milky Way		1	AO1 4.8.1.1

Question	Answers	Extra information	Mark	AO / Spec. Ref.
03.3	natural satellite (that orbits a planet)		1	AO1 4.8.1.1

Question	Answers	Extra information	Mark	AO / Spec. Ref.
03.4	Charon is smaller than the (largest) dwarf planet Ganymede / Titan is larger than the (smallest) planet	allow **1** mark for some are bigger than the smallest planet **or** some are smaller than dwarf planets	1 1	AO3 4.8.1.1

4.8.1.3 Orbital motion, natural and artificial satellites

Answer 53 · Mark scheme

Question	Answers	Extra information	Mark	AO / Spec. Ref.
03.5	similarity: circular (orbit) difference: (orbital) period **or** (orbital) height	 allow (orbital) speed	 1 1	AO1 4.8.1.3

Question	Answers	Extra information	Mark	AO / Spec. Ref.
03.6	expensive **or** dangerous	 allow difficult to get to allow few opportunities allow only trained astronauts can go	1	AO3 4.8.1.3

Total Question 3		8

4.8.1.3 Orbital motion, natural and artificial satellites

Answer 54 · Mark scheme

June 2023 | 8463/2F | Original Q4

Question 4

Question	Answers	Extra information	Mark	AO / Spec. Ref.
04.1	the old model cannot explain new observations		1	AO1 4.8.1.1


Question	Answers	Mark	AO / Spec. Ref.
04.2	**Level 2:** Scientifically relevant features are identified; the way(s) in which they are similar / different is made clear and (where appropriate) the magnitude of the similarity / difference is noted.	3-4	AO1 AO3 4.8.1.1 4.8.1.3
	Level 1: Relevant features are identified and differences noted.	1-2	
	No relevant content.	0	
	Indicative content **Similarities** in both models: • the orbits of the Moon and / or planets are circular / elliptical • the Moon orbits the Earth • there is one star / Sun **Differences** In the current model: • the planets orbit the Sun, whereas in the old model the planets orbit the Earth • there are (two) more planets • there are also dwarf planets, whereas no dwarf planets are shown in the old model • other planets have moons, whereas other planets have no moons shown in the old model		

Question	Answers	Extra information	Mark	AO / Spec. Ref.
04.3	it increases		1	AO3 4.8.1.1

4.8.1.3 Orbital motion, natural and artificial satellites

Answer 54 · Mark scheme June 2023 | 8463/2F | Original Q4

Question	Answers	Extra information	Mark	AO / Spec. Ref.
04.4	three bars drawn correctly three bars correctly labelled	allow tolerance of half a small square	1 1	AO2 4.8.1.1

Question	Answers	Mark	AO / Spec. Ref.
04.5	 2 marks for all lines correct 1 mark for 2 lines correct additional line from a box on the left negates the mark for that box	2	AO1 4.8.1.2

Question	Answers	Extra information	Mark	AO / Spec. Ref.
04.6	they are the best emitters of radiation		1	AO1 4.6.3.1

Total Question 4	**11**

Question 7

Question	Answers	Extra information	Mark	AO / Spec. Ref.
07.1	a satellite		1	AO1 4.8.1.3

Question	Answers	Extra information	Mark	AO / Spec. Ref.
07.2	arrow drawn towards the centre of the Earth from the Hubble Space Telescope		1	AO1 4.8.1.3

Question	Answers	Extra information	Mark	AO / Spec. Ref.
07.3	any correct change in distance with the correct change in time a correct substitution of a correct pair of values a correctly calculated answer	e.g. 38 (km) and 5 (s) e.g. $v = \frac{38}{5}$ e.g. v = 7.6 (km/s)	1 1 1	AO2 4.5.6.1.4

Question	Answers	Extra information	Mark	AO / Spec. Ref.
07.4	galaxy **C**		1	AO3 4.8.2

Question	Answers	Extra information	Mark	AO / Spec. Ref.
07.5	galaxy **C**		1	AO3 4.8.2

4.8.1.3 Orbital motion, natural and artificial satellites

Answer 55 · Mark scheme

June 2023 | 8463/2F | Original Q7

Question	Answers	Extra information	Mark	AO / Spec. Ref.
07.6	to check the observations are correct		1	AO1 4.8.2

Total Question 7	**8**

4.8.1.3 Orbital motion, natural and artificial satellites

Answer 56 · Mark scheme

June 2025 | 8463/2F | Original Q3

Question 3

Question	Answers	Extra information	Mark	AO / Spec. Ref.
03.1	moon star	this order only	1 1	AO1 4.8.1.1

Question	Answers	Extra information	Mark	AO / Spec. Ref.
03.2	Milky Way		1	AO1 4.8.1.1

Question	Answers	Extra information	Mark	AO / Spec. Ref.
03.3	it will become a black dwarf		1	AO1 4.8.1.2

Question	Answers	Extra information	Mark	AO / Spec. Ref.
03.4	a very distant galaxy moves faster		1	AO1 4.8.2

Question	Answers	Extra information	Mark	AO / Spec. Ref.
03.5	red-shift		1	AO1 4.8.2

Question	Answers	Extra information	Mark	AO / Spec. Ref.
03.6	hot		1	AO1 4.8.2

4.8.1.3 Orbital motion, natural and artificial satellites

Question	Answers	Extra information	Mark	AO / Spec. Ref.
03.7	the universe is getting bigger		1	AO1 4.8.2

Total Question 3	**8**

4.8.1.3 Orbital motion, natural and artificial satellites

ASSESSMENT and QUALIFICATIONS ALLIANCE

Mark scheme June 2003

GCSE

Physics

3451

Foundation

Copyright © 2003 AQA and its licensors. All rights reserved.

The Assessment and Qualifications Alliance (AQA) is a company limited by guarantee registered in England and Wales 3644723 and a registered charity number 1073334
Registered address: Addleshaw Booth & Co., Sovereign House, PO Box 8, Sovereign Street, Leeds LS1 1HQ
Kathleen Tattersall: *Director General*

4.8.1.3 Orbital motion, natural and artificial satellites

INFORMATION FOR EXAMINERS

1. General

The mark scheme for each question shows:

- the marks available for each part of the question;
- the total marks available for the question;
- the typical answer or answers which are expected;
- extra information to help the Examiner make his or her judgement and help to delineate what is acceptable or not worthy of credit or, in discursive answers, to give an overview of the area in which a mark or marks may be awarded.

The extra information is aligned to the appropriate answer in the left-hand part of the mark scheme and should only be applied to that item in the mark scheme.

At the beginning of a part of a question a reminder may be given, for example:
where consequential marking needs to be considered in a calculation;
or the answer may be on the diagram or at a different place on the script.

In general the right hand side of the mark scheme is there to provide those extra details which confuse the main part of the mark scheme yet may be helpful in ensuring that marking is straightforward and consistent.

2. Emboldening

2.1 In a list of acceptable answers where more than one mark is available 'any **two** from' is used, with the number of marks emboldened. Each of the following lines is a potential mark.

2.2 A bold **and** is used to indicate that both parts of the answer are required to award the mark.

2.3 Alternative answers acceptable for a mark are indicated by the use of **or**. (Different terms in the mark scheme are shown by a / ; e.g. allow smooth / free movement.)

3. Marking points

3.1 Marking of Quality of Written Communication

Examiners are reminded of the need to assess QoWC by the following statement appearing in the appropriate parts of the mark scheme:

The answer to this question requires ideas in good English in a sensible order with correct use of scientific terms. Quality of written communication should be considered in crediting points in the mark scheme.

The maximum marks available to a candidate whose answer is not well expressed will be (the number of marks available –1).

3.2 Marking of lists

This applies to questions requiring a set number of responses, but for which candidates have provided extra responses. The general principle to be followed in such a situation is that 'right + wrong = wrong'.

Each error/contradiction negates each correct response. So, if the number of error/contradictions equals or exceeds the number of marks available for the question, no marks can be awarded.

However, responses considered to be neutral (indicated as * in example 1) are not penalised.

Example 1: What is the pH of an acidic solution? (1 mark)

Candidate	Response	Marks awarded
1	4,8	0
2	green, 5	0
3	red*, 5	1
4	red*, 8	0

Example 2: Name two planets in the solar system. (2 marks)

Candidate	Response	Marks awarded
1	Pluto, Mars, Moon	1
2	Pluto, Sun, Mars, Moon	0

3.3 Use of chemical symbols/formulae

If a candidate writes a chemical symbol/formula instead of a required chemical name, full credit can be given if the symbol/formula is correct and if, in the context of the question, such action is appropriate.

3.4 The marking of quantitative relationships

Full credit can be given for a correct quantitative relationship expressed in:

- named units;
- physical quantities;
- standard symbols;
- a combination of physical quantities and units.

No credit can be given for any quantitative relationship expressed in terms of:

- a combination of physical quantities, units and symbols;
- a diagram, e.g. the ohm's law triangle, unless the rest of the answer shows clearly that the candidate understands the relationships involved.

3.5 Marking procedure for calculations

3.5.1 Full marks can be given for a correct numerical answer, as shown in the column 'answers', without any working shown. However, if the answer is incorrect, mark(s) can be gained by correct substitution/working and this is shown in the 'extra information' column.

3.5.2 Where calculations are based on incorrectly recalled relationships, neither the incorrectly recalled relationship, nor the resulting calculation based on the incorrect relationship, will be credited.

3.6 Interpretation of 'it'

Answers using the word 'it' should be given credit only if it is clear that the 'it' refers to the correct subject.

3.7 Errors carried forward

There should be no error carried forward from a previous answer which has been based on wrong science. Any error in the answers to a structured question should be penalised once only.

Examples

(a) A candidate who calculates average speed using speed = time/distance **and** then proceeds to use this incorrect answer to calculate an acceleration based on the correct quantitative relationship should be given credit for the use of the correct acceleration relationship but none for either numerical answer.

(b) A candidate who incorrectly calculates average speed using speed = distance/time and then proceeds to use this incorrect value to calculate an acceleration based on the correct quantitative relationship, should be given credit for the use of both correct quantitative relationships **and** for the correct substitution and use of the incorrect value in the calculation of the rate of acceleration.

Papers should be constructed in such a way that the number of times errors can be carried forward are kept to a minimum. Allowances for errors carried forward are most likely to be restricted to calculation questions and should be shown by the abbreviation e.c.f. in the marking scheme.

3.8 Phonetic spelling

The phonetic spelling of correct scientific terminology should be credited **unless** there is a possible confusion with another technical term.

3.9 Brackets




(…..) is used to indicate information which is not essential for the mark to be awarded but is included to help the examiner identify the sense of the answer required.

3.10 Unexpected Correct Answers not in the Mark Scheme

The Examiner should use professional judgement to award credit where a candidate has given an unexpected correct answer which is not covered by the mark scheme. The Examiner should consult with the Team Leader to confirm the judgement. The Team Leader should pass this answer on to the Principal Examiner with a view to informing all examiners.

4.8.1.3 Orbital motion, natural and artificial satellites

3451/F Q1

question	answers	extra information	mark
(a)	circuit symbol for a lamp correct 	accept  accept any standard of drawing providing circuit would work	1
	 circuit symbol for a cell correct		1
	2 lamps drawn in parallel with 3 cells	polarity of cells must be correct (+ to –) but cells may be either way around	1
(b)	4.5		1
(c)	the same as	accept any clear indication of the correct answer	1
total			5

4.8.1.3 Orbital motion, natural and artificial satellites

3451/F Q2

question	answers	extra information	mark
(a)	gas		1
(b)	fuel burning stations produce electricity at any time / all the time wind generator can only produce when the wind is strong enough	accept fuel available all the time accept it's not always windy	1 1
(c)	no fuel is burnt **or** no fuel is used **or** uses only energy from wind **or** does not emit harmful gases / soot / smoke	do **not** accept wind is natural / environmentally friendly / renewable answer must be in terms of wind, **not** negative of fuel burning specific examples of gases CO_2, SO_2, acid rain and greenhouse gases can be accepted ozone negates credit	1
total			4

4.8.1.3 Orbital motion, natural and artificial satellites

3451/F Q3

question	answers	extra information	mark
(a)(i)	microwaves		1
(ii)	infra red		1
(iii)	ultrasonic		1
(b)(i)	B		1
(ii)	A		1
(c)	disturbance / vibration / movement direction	accept motion / force do **not** accept energy	1 1
(d)	sound wave	accept any clear indication of the correct answer	1
total			8

4.8.1.3 Orbital motion, natural and artificial satellites

3451/F Q4

question	answers	extra information	mark
(a)(i)	heat		1
(ii)	temperature increases **or** (cause) convection (currents)	accept gets warmer accept gets hotter	1
(iii)	60% **or** 0.6	60 without % scores **1** mark 0.6 with a unit scores **1** mark 60 with incorrect unit scores **1** mark **or** correct substitution $\frac{120}{200}$ for **1** mark	2
(b)	street more (energy transferred as) light **or** less (energy transferred as) heat **or** useful energy output the highest	 can only score this mark if first mark scored all efficiencies calculated correctly score 2nd mark point	1 1
total			6


4.8.1.3 Orbital motion, natural and artificial satellites

3451/F Q5

question	answers	extra information	mark
(a)	MN	accept 5.8, 8 seconds must include unit	1
(b)	LM	accept 0.8, 5.8 seconds must include unit	1
(c)(i)	0.8		1
(ii)	drinking alcohol		1
(d)	straight (by eye) line starting at 0.8 seconds line drawn steeper than LM starting before L	 ignore lines going beyond 2 seconds but line must exceed 2.5 metres per second before terminating	1 1
total			6


4.8.1.3 Orbital motion, natural and artificial satellites

3451/F Q6

question	answers	extra information	mark
(a)(i)	each correct label scores 1 mark  		3
(ii)	neutron		1
(iii)	7 number of protons and neutrons **or** number of nucleons **or** number of particles in the nucleus	 accept number of particles in the centre only if first answer = 7	1 1
(b)(i)	50 ± 5		1
(ii)	50 ± 5	accept their (b)(i)	1
(iii)	less	accept any way of indicating the correct answer	1
total			9

4.8.1.3 Orbital motion, natural and artificial satellites

3451/F Q7

question	answers	extra information	mark
(a)	each correct line scores 1 mark  	if more than 3 lines are drawn mark incorrect ones first, to a maximum of 3 lines	3
(b)	toaster	accept 1.2 kW	1
(c)(i)	400		1
(ii)	£24 **or** 2400p	full credit for their (c)(i) × 6p for full credit the correct numerical answer must have the correct unit an answer of 24 or 2400 with no unit or the incorrect unit scores **1** mark (c)(i) × 6 incorrectly evaluated scores **1** mark	2
(d)	6	allow 6000 for **1** mark allow 3 × 2 for **1** mark	2
total			9


4.8.1.3 Orbital motion, natural and artificial satellites

3451/F Q8

question	answers	extra information	mark
(a)(i)	point where the rays cross	do not credit if ambiguous	1
(ii)	converging (lens)	do **not** accept convex	1
(b)(i)	point where the rays appear to diverge from	this should appear to be within 10mm in front of the back of the arrows on the approximate centre line need not be accurately constructed using a ruler	1
(ii)	diverging (lens)	do **not** accept concave	1
(c)	converging film smaller than nearer to	accept any clear indication of the correct response e.g. ticking, ringing, writing in after a mistake	1 1 1 1
(d)(i)	(image) bigger than object / enlarge	accept just 'made bigger'	1
(ii)	it / real image can be put on a screen **or** real image on the opposite side of the lens to the object	accept 'not an imaginary or virtual image' assume 'it' refers to a real image do **not** credit 'it can be seen'	1
(e)	**either** (the converging lens is) thick in the middle thin(ner) at the edge **or** (both) sides bend outwards (1) in the middle (1) **or** one side bends in the middle (1) more than the other side bends inwards (in the middle) (1)	thickest in the middle gains **2** marks convex gains **2** marks suitable diagrams gains **2** marks	1 1
total			12




4.8.1.3 Orbital motion, natural and artificial satellites

3451/F Q9

question	answers	extra information	mark
(a)(i)	off off on	all correct	1
(ii)	AND (gate)	accept and (gate)	1
(iii)	on on on	all correct	1
(iv)	OR (gate)	accept or (gate)	1
(b)(i)	1 0 **or** 0 1 0 1 1 0	do **not** credit on / off responses	1
(ii)		accept mirror image accept  accept with either or both parts shaded accept line through as shading	1
(c)		accept off for 0 and on for 1 throughout	
	0 0	both correct	1
	0 1	both correct	1
	1 1	both correct	1
	1 1	both correct	1

4.8.1.3 Orbital motion, natural and artificial satellites

3451/F Q9 continued

(d)(i)		accept mirror image **or** inverted do **not** credit  **or**  or similar	1
(ii)	resistance decreases / increases / changes current (through it) increases / decreases / changes **or** temperature changes / increases / decreases (1) resistance changes / decreases / increases (1) (NTC thermistor) both marks independent but must be compatible to score **2** marks	accept 'voltage across it decreases' for **2** marks but only if it is made clear that this refers to a thermistor in series	1 1
total			13

4.8.1.3 Orbital motion, natural and artificial satellites

3451/F Q10

question	answers	extra information	mark
(a)(i)	friction	accept any way of indicating the correct answer	1
(ii)	gravity	accept any way of indicating the correct answer	1
(b)(i)	accelerates **or** speed / velocity increases	accept faster and faster (**1** mark) do **not** accept faster pace / falls faster or suggestions of a greater but constant speed	1
	downwards / falls	accept towards the Earth / ground this may score in part (b)(ii) if it does not score here and there is no contradiction between the two parts	1
(ii)	constant speed / velocity **or** terminal velocity / speed **or** zero acceleration	stays in the same place negates credit	1
total			5

4.8.1.3 Orbital motion, natural and artificial satellites

3451/F Q11

question	answers	extra information	mark
(a)(i)	X – mantle		1
	Y – inner core	do **not** accept solid core	1
(ii)	different to the crust **or** contains a lot of (heavy) metals	accept iron and nickel for metals	1
	higher (average) density **or** denser	density higher than 5500 (kg/m^3) gets **2** marks	1
(b)	animals were able to move from one continent to the other		1
	(when bridge broke) animals evolved differently	accept animals adapted differently	1
(c)(i)	earthquakes occur at the boundary between plates **or** earthquakes occur where plates push against each other		1
	there are no plate boundaries running through Britain	accept Britain is not near the edge of a plate	1
(ii)	convection currents (in the mantle) **or** heat released by (natural) radioactive processes		1
total			9

4.8.1.3 Orbital motion, natural and artificial satellites

3451/F Q12

question	answers	extra information	mark
(a)(i)	outside the Earth **or** not from the Earth	accept alien accept life from / on another planet / space accept our planet for Earth	1
(ii)	radio telescope(s)	do **not** accept telescopes do **not** accept satellite dishes do **not** accept radio receivers **or** transmitters	1
(b)(i)	galaxies	do **not** accept stars	1
(ii)	any **one** from: the pulses were regular pulses from space are usually random (scientists) thought technology had been used to produce the pulses neutron stars were unknown signals from a single point	 accept signals / beats for pulses accept noise for random pulses idea of regular but not continuous	1
(iii)	neutron star is (the matter / mass) left behind after a star / red giant explodes (as a super nova)	 accept after a super nova (explosion) neutron star causing super nova gets no credit	1 1
(c)(i)	carried on the balloon / equipment	accept carried by a rocket / aircraft / satellite birds negates credit	1
(ii)	on comets or meteors	accept meteorites / shooting stars accept returning space craft accept solar wind ignore asteroids accept ufo do **not** accept solar flares do **not** accept satellites	1
total			8

4.8.1.3 Orbital motion, natural and artificial satellites

3451/F Q13

question	answers	extra information	mark
(a)	silver is a (good) reflector of <u>heat</u> (radiation) **or** silver reflects the heat (radiation)	fact heat = infra red ignore references to light accept shiny for silver good radiator negates the mark ignore references to good conductor do **not** accept bounce back	1
	less heat is lost through the board **or** more heat is retained by the shirt	explanation accept both sides of shirt heated reflects heat back up gets **1** mark only ignore mention of friction	1
(b)	metal soleplate	accept soleplate / bottom / metal do **not** accept outside / case	1
(c)	plastic **or** rubber	accept any named plastic do **not** accept wood	1
	it is a (good) insulator **or** it is a poor conductor	ignore mention of heat if in conjunction with electricity	1
(d)	**Quality of written communication** *The answer to this question requires ideas in good English in a sensible order with correct use of scientific terms. Quality of written communication should be considered in crediting points in the mark scheme.*	*Maximum of **2** marks if ideas not well expressed.*	
	pulls iron bolt down **or** attracts the iron bolt **or** moves bolt out of plunger	answers in terms of charges attracting or repelling gain no credit	1
	plunger pushed / moved to the right (by spring) **or** plunger released		1
	push switch opens / goes to off / goes to right	accept circuit is broken for maximum credit the points must follow a logical sequence 3 correct points but incorrect sequence scores **2** marks only ignore reset action	1
total			8


4.8.1.3 Orbital motion, natural and artificial satellites

3451/F Q14

question	answers	extra information	mark
(a)(i)	any **one** from:		1
	the ground	do **not** accept mobile phones	
	the air		
	radon (gas)		
	building materials		
	buildings		
	rocks / granite		
	food		
	cosmic rays **or** solar rays	accept from outer space accept sun but **not** sunlight	
	X-rays	accept medical uses	
	nuclear weapons testing		
	nuclear power stations / accidents		
(ii)	2	allow $\frac{1200}{60\times10}$ **or** $\frac{1200}{600}$ **or** 120 for **1** mark	2
(b)		answers must be comparative accept converse answers throughout	
	alpha: the count rate is (greatly) reduced by the card **or** the card absorbs alphas but not betas	accept paper for the card	1
	beta: the count rate is (greatly) reduced by the metal **or** the thin metal absorbs alphas and betas **or** the thin metal absorbs all of the radiation (from the source)	accept aluminium for the metal	1
	gamma: would pass through the thin metal but count rate is background **or** no radiation passing through **or** a higher reading would be recorded **or** to reduce the count to 2 would require much more than 3 mm of metal	accept aluminium for the metal accept lead / aluminium for the metal	1
total			6

4.8.1.3 Orbital motion, natural and artificial satellites

3451/F Q15

question	answers	extra information	mark
(a)(i)	weight = mass × g.f.s.	accept w = m × g accept gravity for gfs accept  provided subsequent use of Δ correct do **not** accept N = kg × N/kg	1
(ii)	675	75 × 9 for **1** mark	2
(iii)	g.(f.s.) is higher (on Earth than Venus)	accept gravity for g.f.s. do **not** accept g.f.s. is lower unless answer states on Venus	1
(iv)	orbit time for Jupiter is <u>longer</u> / longest (than for the other planets)	do **not** give any credit for an answer that includes a comparison of diameter **or** a comparison of g.f.s.	1
(b)	**Quality of written communication** *The answer to this question requires ideas in good English in a sensible order with correct use of scientific terms. Quality of written communication should be considered in crediting points in the mark scheme.* any **two** from: dust <u>and</u> gas **or** remnants of a super nova pulled together by (force of) <u>gravity</u> nuclear fusion starts	*Maximum of **1** mark if ideas not well expressed.* accept hydrogen for dust and gas do **not** accept hydrogen burns although candidates may include more detail these points are essential to score the credit	2
total			7

4.8.1.3 Orbital motion, natural and artificial satellites

3451/F Q16

question	answers	extra information	mark
(a)(i)	upright with the contacts at the bottom and still in place and unbent	no need for labels but incorrect label(s) cancel the mark accept a freehand drawing no need for details such as correct dimensions	1
	one blob of mercury touching <u>both</u> contacts	do **not** award mark if contacts bent to touch	1
(b)(i)	(X is a) battery	do **not** credit cell accept (set of) cells accept power supply do **not** accept power pack	1
	(Y is a) LED	**or** light emitting diode	1
(ii)	longer (time)	do **not** accept 'slower time'	1
(iii)	any **two** from: current less (so) rate of flow of charge less **or** less coulombs per second (so) discharge is slower	 do **not** accept current slower accept capacitor has charge for longer **or** charge lasts longer **or** (so total of) electrons take longer to travel round circuit	2
(c)	4200	translation correct (= 4000) but percentage addition incorrect gains **1** mark translation incorrect but 5% addition is correct gains **1** mark accept 422.1 **or** 42.2 **or** 6.3 for **1** mark	2
	ohms **or** Ω	4.2 kilohms **or** 4.2 kΩ gains all **3** marks	1
total			10

4.8.1.3 Orbital motion, natural and artificial satellites

3451/F Q17

question	answers	extra information	mark
(a)	point at which its mass (seems to) act **or** point at which gravity (seems to) act	accept …its weight acts accept correct statements if the intent is clear e.g. … if suspended, the centre of gravity will be directly under the point of suspension e.g. … (if the object is symmetrical), the centre of gravity is on the **or** an axis (of symmetry) do **not** credit just 'it is a point'	1
(b)	**Quality of written communication** *The answer to this question requires good English in a sensible order with correct use of scientific terms. Quality of written communication should be considered in crediting points in the mark scheme.* any **five** from: clamp (steel) rod (horizontally) hang plastic / sheet by rod through (one) hole hang plumb line from rod mark ends of plumb line on the sheet and use the ruler to draw a straight line repeat with other hole centre of mass is where the lines cross check by balancing at this point	*maximum of **4** marks if ideas not well expressed* **no** marks if method quite unworkable maximum of **3** marks if no 'repeat with other hole'	5
(c)(i)	(turning) effect **or** moment force distance	all three correct accept weight accept length	1
(ii)	17.6 Nm **or** newton metre(s)	allow 44 × 0.4 **or** 0.4 × 44 for **1** mark do **not** accept N/m **or** N/cm 1760 Ncm gains all **3** marks	2 1
total			10

4.8.1.3 Orbital motion, natural and artificial satellites

ASSESSMENT and QUALIFICATIONS ALLIANCE

Mark scheme June 2003

GCSE

Science: Double Award Co-ordinated

3462

Paper 3F

Copyright © 2003 AQA and its licensors. All rights reserved.

The Assessment and Qualifications Alliance (AQA) is a company limited by guarantee registered in England and Wales 3644723 and a registered charity number 1073334
Registered address: Addleshaw Booth & Co., Sovereign House, PO Box 8, Sovereign Street, Leeds LS1 1HQ
Kathleen Tattersall: *Director General*

4.8.1.3 Orbital motion, natural and artificial satellites

INFORMATION FOR EXAMINERS

1. General

The mark scheme for each question shows:

- the marks available for each part of the question;
- the total marks available for the question;
- the typical answer or answers which are expected;
- extra information to help the Examiner make his or her judgement and help to delineate what is acceptable or not worthy of credit or, in discursive answers, to give an overview of the area in which a mark or marks may be awarded.

The extra information is aligned to the appropriate answer in the left-hand part of the mark scheme and should only be applied to that item in the mark scheme.

At the beginning of a part of a question a reminder may be given, for example:
where consequential marking needs to be considered in a calculation;
or the answer may be on the diagram or at a different place on the script.

In general the right hand side of the mark scheme is there to provide those extra details which confuse the main part of the mark scheme yet may be helpful in ensuring that marking is straightforward and consistent.

2. Emboldening

2.1 In a list of acceptable answers where more than one mark is available 'any **two** from' is used, with the number of marks emboldened. Each of the following lines is a potential mark.

2.2 A bold **and** is used to indicate that both parts of the answer are required to award the mark.

2.3 Alternative answers acceptable for a mark are indicated by the use of **or**. (Different terms in the mark scheme are shown by a / ; e.g. allow smooth / free movement.)

3. Marking points

3.1 Marking of Quality of Written Communication

Examiners are reminded of the need to assess QoWC by the following statement appearing in the appropriate parts of the mark scheme:

The answer to this question requires ideas in good English in a sensible order with correct use of scientific terms. Quality of written communication should be considered in crediting points in the mark scheme.

The maximum marks available to a candidate whose answer is not well expressed will be (the number of marks available –1).

4.8.1.3 Orbital motion, natural and artificial satellites

3.2 Marking of lists

This applies to questions requiring a set number of responses, but for which candidates have provided extra responses. The general principle to be followed in such a situation is that 'right + wrong = wrong'.

Each error/contradiction negates each correct response. So, if the number of error/contradictions equals or exceeds the number of marks available for the question, no marks can be awarded.

However, responses considered to be neutral (indicated as * in example 1) are not penalised.

Example 1: What is the pH of an acidic solution? (1 mark)

Candidate	Response	Marks awarded
1	4,8	0
2	green, 5	0
3	red*, 5	1
4	red*, 8	0

Example 2: Name two planets in the solar system. (2 marks)

Candidate	Response	Marks awarded
1	Pluto, Mars, Moon	1
2	Pluto, Sun, Mars, Moon	0

3.3 Use of chemical symbols/formulae

If a candidate writes a chemical symbol/formula instead of a required chemical name, full credit can be given if the symbol/formula is correct and if, in the context of the question, such action is appropriate.

3.4 The marking of quantitative relationships

Full credit can be given for a correct quantitative relationship expressed in:

- named units;
- physical quantities;
- standard symbols;
- a combination of physical quantities and units.

No credit can be given for any quantitative relationship expressed in terms of:

- a combination of physical quantities, units and symbols;
- a diagram, e.g. the ohm's law triangle, unless the rest of the answer shows clearly that the candidate understands the relationships involved.

3.5 Marking procedure for calculations

3.5.1 Full marks can be given for a correct numerical answer, as shown in the column 'answers', without any working shown. However, if the answer is incorrect, mark(s) can be gained by correct substitution/working and this is shown in the 'extra information' column.

4.8.1.3 Orbital motion, natural and artificial satellites

3.5.2 Where calculations are based on incorrectly recalled relationships, neither the incorrectly recalled relationship, nor the resulting calculation based on the incorrect relationship, will be credited.

3.6 Interpretation of 'it'

Answers using the word 'it' should be given credit only if it is clear that the 'it' refers to the correct subject.

3.7 Errors carried forward

There should be no error carried forward from a previous answer which has been based on wrong science. Any error in the answers to a structured question should be penalised once only.

Examples

(a) A candidate who calculates average speed using speed = time/distance **and** then proceeds to use this incorrect answer to calculate an acceleration based on the correct quantitative relationship should be given credit for the use of the correct acceleration relationship but none for either numerical answer.

(b) A candidate who incorrectly calculates average speed using speed = distance/time and then proceeds to use this incorrect value to calculate an acceleration based on the correct quantitative relationship, should be given credit for the use of both correct quantitative relationships **and** for the correct substitution and use of the incorrect value in the calculation of the rate of acceleration.

Papers should be constructed in such a way that the number of times errors can be carried forward are kept to a minimum. Allowances for errors carried forward are most likely to be restricted to calculation questions and should be shown by the abbreviation e.c.f. in the marking scheme.

3.8 Phonetic spelling

The phonetic spelling of correct scientific terminology should be credited **unless** there is a possible confusion with another technical term.

3.9 Brackets

(…..) is used to indicate information which is not essential for the mark to be awarded but is included to help the examiner identify the sense of the answer required.




3.10 Unexpected Correct Answers not in the Mark Scheme

The Examiner should use professional judgement to award credit where a candidate has given an unexpected correct answer which is not covered by the mark scheme. The Examiner should consult with the Team Leader to confirm the judgement. The Team Leader should pass this answer on to the Principal Examiner with a view to informing all examiners.

4.8.1.3 Orbital motion, natural and artificial satellites

Double Award
Foundation Tier 3462/3F

3462/3F Q1

question	answers	extra information	mark
(a)	circuit symbol for a lamp correct 	accept  accept any standard of drawing providing circuit would work	1
	circuit symbol for a cell correct 		1
	2 lamps drawn in parallel with 3 cells	polarity of cells must be correct (+ to –) but cells may be either way around	1
(b)	4.5		1
(c)	the same as	accept any clear indication of the correct answer	1
total			5

4.8.1.3 Orbital motion, natural and artificial satellites

3462/3F Q2

question	answers	extra information	mark
(a)	gas		1
(b)	fuel burning stations produce electricity at any time / all the time	accept fuel available all the time	1
	wind generator can only produce when the wind is strong enough	accept it's not always windy	1
(c)	no fuel is burnt **or** no fuel is used **or** uses only energy from wind **or** does not emit harmful gases / soot / smoke	do **not** accept wind is natural / environmentally friendly / renewable answer must be in terms of wind, **not** negative of fuel burning specific examples of gases CO_2, SO_2, acid rain and greenhouse gases can be accepted ozone negates credit	1
total			4

4.8.1.3 Orbital motion, natural and artificial satellites

3462/3F Q3

question	answers	extra information	mark
(a)(i)	microwaves		1
(ii)	infra red		1
(iii)	ultrasonic		1
(b)(i)	B		1
(ii)	A		1
(c)	disturbance / vibration / movement direction	accept motion / force do **not** accept energy	1 1
(d)	sound wave	accept any clear indication of the correct answer	1
total			8

4.8.1.3 Orbital motion, natural and artificial satellites

3462/3F Q4

question	answers	extra information	mark
(a)(i)	heat		1
(ii)	temperature increases **or** (cause) convection (currents)	accept gets warmer accept gets hotter	1
(iii)	60% **or** 0.6	60 without % scores **1** mark 0.6 with a unit scores **1** mark 60 with incorrect unit scores **1** mark **or** correct substitution $\frac{120}{200}$ for **1** mark	2
(b)	street more (energy transferred as) light **or** less (energy transferred as) heat **or** useful energy output the highest	 can only score this mark if first mark scored all efficiencies calculated correctly score 2nd mark point	1 1
total			6


4.8.1.3 Orbital motion, natural and artificial satellites

3462/3F Q5

question	answers	extra information	mark
(a)	MN	accept 5.8, 8 seconds must include unit	1
(b)	LM	accept 0.8, 5.8 seconds must include unit	1
(c)(i)	0.8		1
(ii)	drinking alcohol		1
(d)	straight (by eye) line starting at 0.8 seconds line drawn steeper than LM starting before L	 ignore lines going beyond 2 seconds but line must exceed 2.5 metres per second before terminating	1 1
total			6


4.8.1.3 Orbital motion, natural and artificial satellites

3462/3F Q6

question	answers	extra information	mark
(a)(i)	each correct label scores 1 mark  		3
(ii)	neutron		1
(iii)	7 number of protons and neutrons **or** number of nucleons **or** number of particles in the nucleus	 accept number of particles in the centre only if first answer = 7	1 1
(b)(i)	50 ± 5		1
(ii)	50 ± 5	accept their (b)(i)	1
(iii)	less	accept any way of indicating the correct answer	1
total			9

4.8.1.3 Orbital motion, natural and artificial satellites

3462/3F Q7

question	answers	extra information	mark
(a)	each correct line scores 1 mark  	if more than 3 lines are drawn mark incorrect ones first, to a maximum of 3 lines	3
(b)	toaster	accept 1.2 kW	1
(c)(i)	400		1
(ii)	£24 **or** 2400p	full credit for their (c)(i) × 6p for full credit the correct numerical answer must have the correct unit an answer of 24 or 2400 with no unit or the incorrect unit scores **1** mark (c)(i) × 6 incorrectly evaluated scores **1** mark	2
(d)	6	allow 6000 for **1** mark allow 3 × 2 for **1** mark	2
total			9

4.8.1.3 Orbital motion, natural and artificial satellites

3462/3F Q8

question	answers	extra information	mark
(a)(i)	friction	accept any way of indicating the correct answer	1
(ii)	gravity	accept any way of indicating the correct answer	1
(b)(i)	accelerates **or** speed / velocity increases	accept faster and faster (**1** mark) do **not** accept faster pace / falls faster or suggestions of a greater but constant speed	1
	downwards / falls	accept towards the Earth / ground this may score in part (b)(ii) if it does not score here and there is no contradiction between the two parts	1
(ii)	constant speed / velocity **or** terminal velocity / speed **or** zero acceleration	stays in the same place negates credit	1
total			5

4.8.1.3 Orbital motion, natural and artificial satellites

3462/3F Q9

question	answers	extra information	mark
(a)(i)	X – mantle		1
	Y – inner core	do **not** accept solid core	1
(ii)	different to the crust **or** contains a lot of (heavy) metals	accept iron and nickel for metals	1
	higher (average) density **or** denser	density higher than 5500 (kg/m^3) gets **2** marks	1
(b)	animals were able to move from one continent to the other		1
	(when bridge broke) animals evolved differently	accept animals adapted differently	1
(c)(i)	earthquakes occur at the boundary between plates **or** earthquakes occur where plates push against each other		1
	there are no plate boundaries running through Britain	accept Britain is not near the edge of a plate	1
(ii)	convection currents (in the mantle) **or** heat released by (natural) radioactive processes		1
total			9

4.8.1.3 Orbital motion, natural and artificial satellites

3462/3F Q10

question	answers	extra information	mark
(a)(i)	outside the Earth **or** not from the Earth	accept alien accept life from / on another planet / space accept our planet for Earth	1
(ii)	radio telescope(s)	do **not** accept telescopes do **not** accept satellite dishes do **not** accept radio receivers **or** transmitters	1
(b)(i)	galaxies	do **not** accept stars	1
(ii)	any **one** from: the pulses were regular pulses from space are usually random (scientists) thought technology had been used to produce the pulses neutron stars were unknown signals from a single point	 accept signals / beats for pulses accept noise for random pulses idea of regular but not continuous	1
(iii)	neutron star is (the matter / mass) left behind after a star / red giant explodes (as a super nova)	 accept after a super nova (explosion) neutron star causing super nova gets no credit	1 1
(c)(i)	carried on the balloon / equipment	accept carried by a rocket / aircraft / satellite birds negates credit	1
(ii)	on comets or meteors	accept meteorites / shooting stars accept returning space craft accept solar wind ignore asteroids accept ufo do **not** accept solar flares do **not** accept satellites	1
total			8

4.8.1.3 Orbital motion, natural and artificial satellites

3462/3F Q11

question	answers	extra information	mark
(a)	silver is a (good) reflector of heat (radiation) **or** silver reflects the heat (radiation)	fact heat = infra red ignore references to light accept shiny for silver good radiator negates the mark ignore references to good conductor do **not** accept bounce back	1
	less heat is lost through the board **or** more heat is retained by the shirt	explanation accept both sides of shirt heated reflects heat back up gets **1** mark only ignore mention of friction	1
(b)	metal soleplate	accept soleplate / bottom / metal do **not** accept outside / case	1
(c)	plastic **or** rubber	accept any named plastic do **not** accept wood	1
	it is a (good) insulator **or** it is a poor conductor	ignore mention of heat if in conjunction with electricity	1
(d)	**Quality of written communication** *The answer to this question requires ideas in good English in a sensible order with correct use of scientific terms. Quality of written communication should be considered in crediting points in the mark scheme.*	*Maximum of **2** marks if ideas not well expressed.*	
	pulls iron bolt down **or** attracts the iron bolt **or** moves bolt out of plunger	answers in terms of charges attracting or repelling gain no credit	1
	plunger pushed / moved to the right (by spring) **or** plunger released		1
	push switch opens / goes to off / goes to right	accept circuit is broken for maximum credit the points must follow a logical sequence 3 correct points but incorrect sequence scores **2** marks only ignore reset action	1
total			8


4.8.1.3 Orbital motion, natural and artificial satellites

3462/3F Q12

question	answers	extra information	mark
(a)(i)	any **one** from:		1
	the ground	do **not** accept mobile phones	
	the air		
	radon (gas)		
	building materials		
	buildings		
	rocks / granite		
	food		
	cosmic rays **or** solar rays	accept from outer space accept sun but **not** sunlight	
	X-rays	accept medical uses	
	nuclear weapons testing		
	nuclear power stations / accidents		
(ii)	2	allow $\frac{1200}{60\times10}$ **or** $\frac{1200}{600}$ **or** 120 for **1** mark	2
(b)		answers must be comparative accept converse answers throughout	
	alpha: the count rate is (greatly) reduced by the card **or** the card absorbs alphas but not betas	accept paper for the card	1
	beta: the count rate is (greatly) reduced by the metal **or** the thin metal absorbs alphas and betas **or** the thin metal absorbs all of the radiation (from the source)	accept aluminium for the metal	1
	gamma: would pass through the thin metal but count rate is background **or** no radiation passing through **or** a higher reading would be recorded **or** to reduce the count to 2 would require much more than 3 mm of metal	accept aluminium for the metal accept lead / aluminium for the metal	1
total			6

4.8.1.3 Orbital motion, natural and artificial satellites

3462/3F Q13

question	answers	extra information	mark
(a)(i)	weight = mass × g.f.s.	accept w = m × g accept gravity for gfs accept  provided subsequent use of Δ correct do **not** accept N = kg × N/kg	1
(ii)	675	75 × 9 for **1** mark	2
(iii)	g.(f.s.) is higher (on Earth than Venus)	accept gravity for g.f.s. do **not** accept g.f.s. is lower unless answer states on Venus	1
(iv)	orbit time for Jupiter is <u>longer</u> / longest (than for the other planets)	do **not** give any credit for an answer that includes a comparison of diameter **or** a comparison of g.f.s.	1
(b)	**Quality of written communication** *The answer to this question requires ideas in good English in a sensible order with correct use of scientific terms. Quality of written communication should be considered in crediting points in the mark scheme.* any **two** from: dust <u>and</u> gas **or** remnants of a super nova pulled together by (force of) <u>gravity</u> nuclear fusion starts	*Maximum of **1** mark if ideas not well expressed.* accept hydrogen for dust and gas do **not** accept hydrogen burns although candidates may include more detail these points are essential to score the credit	2
total			7

GCSE 2004
June Series

ASSESSMENT and QUALIFICATIONS ALLIANCE

Mark Scheme

Physics Specification B
3451/F

Mark schemes are prepared by the Principal Examiner and considered, together with the relevant questions, by a panel of subject teachers. This mark scheme includes any amendments made at the standardisation meeting attended by all examiners and is the scheme which was used by them in this examination. The standardisation meeting ensures that the mark scheme covers the candidates' responses to questions and that every examiner understands and applies it in the same correct way. As preparation for the standardisation meeting each examiner analyses a number of candidates' scripts: alternative answers not already covered by the mark scheme are discussed at the meeting and legislated for. If, after this meeting, examiners encounter unusual answers which have not been discussed at the meeting they are required to refer these to the Principal Examiner.

It must be stressed that a mark scheme is a working document, in many cases further developed and expanded on the basis of candidates' reactions to a particular paper. Assumptions about future mark schemes on the basis of one year's document should be avoided; whilst the guiding principles of assessment remain constant, details will change, depending on the content of a particular examination paper.

Copyright © 2004 AQA and its licensors

4.8.1.3 Orbital motion, natural and artificial satellites

Further copies of this Mark Scheme are available from:

Publications Department, Aldon House, 39, Heald Grove, Rusholme, Manchester, M14 4NA
Tel: 0161 953 1170

or

download from the AQA website: www.aqa.org.uk

Copyright © 2004 AQA and its licensors

COPYRIGHT
AQA retains the copyright on all its publications. However, registered centres for AQA are permitted to copy material from this booklet for their own internal use, with the following important exception: AQA cannot give permission to centres to photocopy any material that is acknowledged to a third party even for internal use within the centre.

Set and published by the Assessment and Qualifications Alliance.

The Assessment and Qualifications Alliance (AQA) is a company limited by guarantee registered in England and Wales 3644723 and a registered charity number 1073334. Registered address AQA, Devas Street, Manchester. M15 6EX. *Dr Michael Cresswell Director General*

4.8.1.3 Orbital motion, natural and artificial satellites

GCSE PHYSICS

INFORMATION FOR EXAMINERS

1. General

The mark scheme for each question shows:

- the marks available for each part of the question;
- the total marks available for the question;
- the typical answer or answers which are expected;
- extra information to help the Examiner make his or her judgement and help to delineate what is acceptable or not worthy of credit or, in discursive answers, to give an overview of the area in which a mark or marks may be awarded.

The extra information is aligned to the appropriate answer in the left-hand part of the mark scheme and should only be applied to that item in the mark scheme.

At the beginning of a part of a question a reminder may be given, for example:
where consequential marking needs to be considered in a calculation;
or the answer may be on the diagram or at a different place on the script.

In general the right hand side of the mark scheme is there to provide those extra details which confuse the main part of the mark scheme yet may be helpful in ensuring that marking is straightforward and consistent.

2. Emboldening

2.1 In a list of acceptable answers where more than one mark is available 'any **two** from' is used, with the number of marks emboldened. Each of the following lines is a potential mark.

2.2 A bold **and** is used to indicate that both parts of the answer are required to award the mark.

2.3 Alternative answers acceptable for a mark are indicated by the use of **or**. (Different terms in the mark scheme are shown by a / ; e.g. allow smooth / free movement.)

3. Marking points

3.1 Marking of Quality of Written Communication

Where *Quality of written communication* appears in the mark scheme, one mark is to be awarded for either of the following points:

- Using correct scientific terms
- Correct sequencing or linking of ideas or points

The mark scheme will specify which of the points is to be awarded in a particular question. A QoWC mark can be awarded for a scientific answer, even if it is not accurate. It cannot be awarded for a nonsensical or non-scientific answer.
On the script, the QoWC tick should be identified by a 'q' written next to it.

3.2 Marking of lists

This applies to questions requiring a set number of responses, but for which candidates have provided extra responses. The general principle to be followed in such a situation is that 'right + wrong = wrong'.

Copyright © 2004 AQA and its licensors

Each error/contradiction negates each correct response. So, if the number of error/contradictions equals or exceeds the number of marks available for the question, no marks can be awarded.

However, responses considered to be neutral (indicated as * in example 1) are not penalised.

Example 1: What is the pH of an acidic solution? (1 mark)

Candidate	Response	Marks awarded
1	4,8	0
2	green, 5	0
3	red*, 5	1
4	red*, 8	0

Example 2: Name two planets in the solar system. (2 marks)

Candidate	Response	Marks awarded
1	Pluto, Mars, Moon	1
2	Pluto, Sun, Mars, Moon	0

3.3 Use of chemical symbols/formulae

If a candidate writes a chemical symbol/formula instead of a required chemical name, full credit can be given if the symbol/formula is correct and if, in the context of the question, such action is appropriate.

3.4 The marking of quantitative relationships

Full credit can be given for a correct quantitative relationship expressed in:

- named units;
- physical quantities;
- standard symbols;
- a combination of physical quantities and units.

No credit can be given for any quantitative relationship expressed in terms of:

- a combination of physical quantities, units and symbols;
- a diagram, e.g. the ohm's law triangle, unless the rest of the answer shows clearly that the candidate understands the relationships involved.

3.5 Marking procedure for calculations

3.5.1 Full marks can be given for a correct numerical answer, as shown in the column 'answers', without any working shown.
However:

- if the answer is incorrect, mark(s) can be gained by correct substitution/working and this is shown in the 'extra information' column;
- if the answer is correct, but an incorrect relationship is written in the working, then no marks can be awarded (see 3.5.2).

3.5.2 Where calculations are based on incorrectly recalled relationships, neither the incorrectly recalled relationship, nor the resulting calculation based on the incorrect relationship, will be credited.

3.6 Interpretation of 'it'

Answers using the word 'it' should be given credit only if it is clear that the 'it' refers to the correct subject.

Copyright © 2004 AQA and its licensors

4.8.1.3 Orbital motion, natural and artificial satellites

3.7 Errors carried forward

There should be no error carried forward from a previous answer which has been based on wrong science. Any error in the answers to a structured question should be penalised once only.

Examples

(a) A candidate who calculates average speed using speed = time/distance **and** then proceeds to use this incorrect answer to calculate an acceleration based on the correct quantitative relationship should be given credit for the use of the correct acceleration relationship but none for either numerical answer.

(b) A candidate who incorrectly calculates average speed using speed = distance/time and then proceeds to use this incorrect value to calculate an acceleration based on the correct quantitative relationship, should be given credit for the use of both correct quantitative relationships **and** for the correct substitution and use of the incorrect value in the calculation of the rate of acceleration.

Papers should be constructed in such a way that the number of times errors can be carried forward are kept to a minimum. Allowances for errors carried forward are most likely to be restricted to calculation questions and should be shown by the abbreviation e.c.f. in the marking scheme.

3.8 Phonetic spelling

The phonetic spelling of correct scientific terminology should be credited **unless** there is a possible confusion with another technical term.

3.9 Brackets

(…..) is used to indicate information which is not essential for the mark to be awarded but is included to help the examiner identify the sense of the answer required.

3.10 Interpretation of marginal points

There will be times when the answer is almost, but not quite, correct. Some examiners would award a mark while others would not. In any one script, an attempt should be made to balance these nearly correct answers by giving the mark on some occasions but not on others. If this is not done, the marking would end up being too lenient or too harsh.

3.11 Unexpected Correct Answers not in the Mark Scheme

The Examiner should use professional judgement to award credit where a candidate has given an unexpected correct answer which is not covered by the mark scheme. The Examiner should consult with the Team Leader to confirm the judgement. The Team Leader should pass this answer on to the Principal Examiner with a view to informing all examiners.

Copyright © 2004 AQA and its licensors

4.8.1.3 Orbital motion, natural and artificial satellites

GCSE Physics
Foundation Tier 3451/F

3451F Q1

question	answers	extra information	mark
(a)	comet	correct order only	1
	elliptical		1
	Milky Way		1
	Universe		1
(b)(i)	D A C B	allow **2** marks for two letters in the correct place allow **1** mark for one letter in the correct place	3
(ii)	A		1
total			8

Copyright © 2004 AQA and its licensors

4.8.1.3 Orbital motion, natural and artificial satellites


3451F Q2

question	answers	extra information	mark
(a)	95		1
(b)	alpha	accept correct symbol	1
(c)	any **two** from: • radiation is outside the body • radiation will not reach (living) cells • radiation absorbed by the air	 accept detector is on ceiling or high up the wall accept radiation cannot pass through the body / skin accept cannot pass through the plastic casing do **not** accept because it is alpha radiation – unless qualified do **not** accept does not give off harmful substance do **not** accept cannot pass through building materials etc.	2
(d)	less (than)		1
total			5

Copyright © 2004 AQA and its licensors

4.8.1.3 Orbital motion, natural and artificial satellites

3451F Q3

question	answers	extra information	mark
(a)	generator	accept dynamo accept alternator	1
(b)(i)	1400	ignore units	1
(ii)	0.3 or 30%	any incorrect unit penalise **1** mark allow **1** mark for the correct use of 600 **or** 0.3% **or** 30	2
(c)	**1** mark for each correct link 	if more than 3 lines are drawn, mark only 3 lines starting with those that are incorrect	3
(d)(i)	110	no tolerance	1
(ii)	12	no tolerance	1
(iii)	wind speed may be too low to operate the generator	accept wind may not always blow accept power depends on wind speed accept does not generate if wind speed is too high accept does not generate if wind speed is above 12 (m/s) accept does not generate if wind speed is below 1.6 (m/s) accept it is unreliable do **not** accept answers referring to cost only	1
total			10

Copyright © 2004 AQA and its licensors

4.8.1.3 Orbital motion, natural and artificial satellites

3451F Q4

question	answers	extra information	mark
(a)	B E A D	allow **1** mark for each letter in the correct place, to a maximum of **3** marks	3
(b)	(a spark) may cause the (petrol vapour) to explode / ignite	accept petrol for (petrol vapour) accept catch fire for explode	1
	connect tanker to earth with a (conducting) wire / chain **or** earth the tanker	accept ground for earth	1
(c)	**Quality of written communication**	for a logical sequence	1
	any **two** from:		2
	• when current greater than fuse rating / value	accept when current too great for appliance do **not** accept 'if there is too much current' do **not** accept voltage or electricity	
	• fuse (becomes hot and) melts / burns out	accept fuse blows / breaks	
	• circuit is broken	accept circuit switched off this cannot score credit on its own	
total			8

Copyright © 2004 AQA and its licensors

4.8.1.3 Orbital motion, natural and artificial satellites

3451F Q5

question	answers	extra information	mark
(a)(i)	crust		1
(ii)	inner core is <u>solid</u> outer core is liquid	do **not** accept just rock inner core is denser / hotter than outer core gets **2** marks accept one is solid and one is liquid for **1** mark accept they are different densities for **1** mark wrong way round = **0** marks	1 1
(b)	seismograph		1
(c)	difficult to measure (slow) movement (1) of plates (1) dependent mark **or** difficult to measure friction / forces (1) between plates (1) dependent mark		1 1
(d)	geothermal		1
(e)(i)	5000		1
(ii)	2500		1
total			9

Copyright © 2004 AQA and its licensors

4.8.1.3 Orbital motion, natural and artificial satellites


3451F Q6

	answers	extra information	mark
(a)	converging image object image object shorter		1 1 1 1 1 1
(b)(i)	(Earth's) gravity	accept centripetal accept minor misspellings, however, do **not** credit any response which could be 'centrifugal'	1
(ii)	to(wards) (the centre of the) Earth	allow inwards do **not** accept downwards	1
(c)(i)	**either** friction (force) **or** centripetal force between the tyres / wheels and (the surface of) the road	 allow grip allow on the tyres / wheels **or** towards the centre of the bend / arc / circle	 1 1
(ii)	mass **or** speed **or** momentum radius / diameter	allow weight allow velocity do **not** credit 'curvature' or 'circumference'	1 1
(d)	centripetal	accept minor misspellings (see above)	1
total			13

Copyright © 2004 AQA and its licensors

4.8.1.3 Orbital motion, natural and artificial satellites

3451F Q7

	answers	extra information	mark
(a)(i)	two switches in series **and** circuit complete	ignore small imperfections	1
(ii)	two switches in parallel **and** circuit complete	ignore small imperfections	1
(iii)	one switch in parallel with the cell / lamp (but **not** both)	ignore small imperfections	1
(iv)	(i) AND (ii) OR (iii) NOT	accept 'and' accept 'or' accept 'not'	1 1 1
(b)(i)	when it is light the sensor sends on / high / 1 signal to the gate off / low / 0 sent to the lamp **or** when it is dark the sensor sends off / low / 0 signal to the gate (1) on / high / 1 sent to the lamp (1)		1 1
(ii)	any suitable application	e.g. to switch a security light on (and off) e.g. to switch a light on when it is dark do **not** credit just '… to switch a light on / off'	1
(c)(i)		accept shading-in of either or both parts end connections are not required accept any orientation	1
(ii)	1 0 **or** 0 1 0 1 1 0	all correct	1
(iii)	truth (table)		1
total			12

Copyright © 2004 AQA and its licensors

4.8.1.3 Orbital motion, natural and artificial satellites


3451F Q8

question	answers	extra information	mark
(a)	60		1
(b)	$5\frac{1}{2}$ hours	must include unit	1
(c)	30		1
(d)	30 minutes or $\frac{1}{2}$ hour	must include unit	1
(e)	D **and** E least steep part of the graph	accept finish for E accept correct numbers from axes with units accept covers smallest distance in a set time accept only moves 5 km in $1\frac{1}{2}$ hours (accept anything between 5 and 6) ignore horse is tired	1 1
total			6

Copyright © 2004 AQA and its licensors

4.8.1.3 Orbital motion, natural and artificial satellites


3451F Q9

question	answers	extra information	mark
(a)(i)	any **one** from: • (doctors) to see inside a patients body **or** endoscope • telephone cables • optical fibre / fibre optic lamps **or** (artificial) Christmas trees • data transfer **or** internet connection	 accept keyhole surgery do **not** accept flex **or** wires for cable accept decorative / ornamental lighting accept any feasible practical suggestion for taking light to a difficult to access place do **not** accept lighting unqualified do **not** accept lamp unqualified do **not** accept communications unless clarified	1
(ii)	(incident) ray angle greater than critical angle total internal reflection occurs	either order accept (incident) ray greater than 42° accept TIR do **not** accept just description of TIR	1 1
(b)(i)	waves shown diffracting in the correct direction 	ignore wavelength	1
(ii)	diffraction	accept diffract / diffracted	1
total			5

Copyright © 2004 AQA and its licensors

4.8.1.3 Orbital motion, natural and artificial satellites

3451F Q10

question	answers	extra information	mark
(a)	all symbols correct	 accept push switch symbol switch may be open or closed any lines through symbols = **0** marks	1
	correct circuit drawn voltmeter must be across resistor only	polarity of cells not relevant provided they are joined correctly two cells are required in the diagram ignore the order of the components allow small gaps in circuit omission of any component = **0** marks	1
(b)(i)	potential difference = current × resistance	accept voltage or p.d. for potential difference accept $V = I \times R$ accept  provided subsequent use correct do **not** accept C for current	1
(ii)	2	 allow **1** mark for correct substitution wrong working loses both marks	2
(iii)	straight line drawn <u>through the origin</u> straight line passes through $I = 0.4, V =$ their (b)(ii) / 2 **and** 0.0	judge by eye this mark may be awarded if all points shown including these points are correct even if no line is drawn N.B. a curve scores **0** marks	1 1 dep
(c)	temperature <u>increases</u>	accept filament lamp / it gets <u>hotter</u> allow heat for temperature	1
total			8

Copyright © 2004 AQA and its licensors

4.8.1.3 Orbital motion, natural and artificial satellites

3451F Q11

question	answers	extra information	mark
(a)(i)	gamma rays	accept gamma accept correct symbol	1
(ii)	infra red	accept IR	1
(b)	ultraviolet <u>absorbed</u> by ink (energy) given out as light	 accept glows / luminous accept for **both** marks the ink is fluorescent do **not** accept answers in terms of uv being reflected	1 1
(c)	any **two** from: • UV can damage / kill / ionise / alter (normal) cells • change DNA structure **or** mutate • (normal) cells may become cancerous	 do **not** accept attacks cells **or** burns skin accept may cause (skin) cancer accept abnormal cell multiplication	2
(d)(i)	microwaves **and** infra red	both answers needed in either order do **not** accept heat for IR	1
(ii)	0.9	 allow **1** mark for the <u>correct</u> use of 1.8 (kW) ($1.8 \times \frac{1}{2}$ or 1.8×30) i.e. adding the correct 2 power values	2
total			9

Copyright © 2004 AQA and its licensors

4.8.1.3 Orbital motion, natural and artificial satellites


3451F Q12

question	answers	extra information	mark
(a)(i)	accelerating	accept getting faster accept speed / velocity increasing	1
(ii)	acceleration increases	accept velocity / speed increases more rapidly do **not** accept velocity / speed increases	1
(b)(i)	$\text{acceleration} = \frac{\text{change in velocity}}{\text{time (taken)}}$	accept $a = \frac{v - u}{t}$ **or** $a = \frac{v_1 - v_2}{t}$ do **not** accept velocity for change in velocity do **not** accept change in speed do **not** accept $a = \frac{v}{t}$	1
(ii)	15	allow **1** mark for an answer of 900 **or** for correct use of 540 seconds	2
(iii)	velocity includes direction	accept velocity is a vector (quantity) accept converse answer	1
(c)	force of gravity (between shuttle and Earth) plus correct orbital speed (makes shuttle move in a curve)	accept gravitational pull if used correctly accept forward motion **or** constant speed for orbital speed accept it is travelling fast enough accept for **2** marks the force of gravity provides the centripetal force	1 1
(d)	black is a good emitter of radiation **or** to limit the temperature rise inside the shuttle	accept heat for radiation accept the tiles are good insulation do **not** accept black absorbs heat on its own do **not** accept tiles are heat proof	1
total			9

Copyright © 2004 AQA and its licensors

4.8.1.3 Orbital motion, natural and artificial satellites

3451F Q13

question	answers	extra information	mark
(a)(i)	work (done) = force (applied) × distance (moved)	accept W = F × s or W = F × d accept  provided subsequent method is correct	1
(ii)	240 000 joules	allow **1** mark for correct substitution **or** correct use of 1200 (N) accept J do **not** accept j / Nm	2 1
(b)	800 (watts)	accept 0.8 kW accept their (a)(ii) ÷ 300 correctly evaluated for **2** marks allow **1** mark for correct substitution (a)(ii) ÷ 5 correctly evaluated for **1** mark	2
(c)(i)	any **one** from: • needs to raise the chair / lift • lifting more than one chair • energy transfer to the surroundings correctly qualified	 allow lifting more than 2 people implication of a heavier weight accept loss for transfer do **not** accept motor inefficient do **not** accept motor gets hot do **not** accept friction unless the location is specified as external to the motor	1
(ii)	electrical potential	accept electric **both** answers required for the mark	1
total			8

Copyright © 2004 AQA and its licensors

4.8.1.3 Orbital motion, natural and artificial satellites

3451F Q14

	answers	extra information	mark
(a)(i)	current		1
(ii)	resistance decreases	 accept 'the flow of electrons / current (through it) increases' for **1** mark do **not** credit just '… it will get warmer'	1 1
(b)	input sensor → controlled by the processor processor → detects changes in the environment output device → decides what action is needed	all pairs correct one pair correct for **1** mark	2
(c)(i)	potential divider	accept voltage divider	1
(ii)	4 (volts)	$6 \times \frac{30}{45}$ for **1** mark	2
(iii)	across the new resistor…(will) increase across R_2 … (will) decrease	 N.B. independent marks	1 1
total			10

Copyright © 2004 AQA and its licensors

4.8.1.3 Orbital motion, natural and artificial satellites

3451F Q15

	answers	extra information	mark
(a)	relay (normally open) (switch)	each mark is independent	1
	… switch on a (larger) current (in another circuit) **or** switch on a higher voltage circuit	do **not** accept switch on another circuit **or** smaller / equal current	1
	light emitting diode / LED	do **not** credit LDR	1
	… in one / direct / certain direction **or** from left to right	**or** when the cathode is connected to the negative terminal / side **or** when the left-hand side is connected to the positive terminal / side do **not** credit just '… is big enough' do **not** accept 'positive direction'	1
	AND gate	accept 'and' gate do **not** accept numerical values unless expanded	1
	… (both) inputs are on / high / 1 **or** current flows in both inputs		1
(b)	**Quality of written communication**	If in a sensible order which clearly indicates advantages or disadvantages, including answers in the form of a table **or** as bullet points Q ✓ Q X	1
	any **three** from: • advantage of mobile phones • drawback of mobile phones • benefit of the Internet • drawback of the Internet	 e.g. more convenient for service engineers e.g. calls can be received away from base e.g. privacy can be more easily invaded e.g. drivers can be distracted e.g. microwaves / radio waves can / may cause damage to the brain e.g. access to educational material e.g. some material is salacious e.g. spam (on external e-mail) these are examples candidates may be credited for a variety of responses	3
total			10

Copyright © 2004 AQA and its licensors

4.8.1.3 Orbital motion, natural and artificial satellites

3451F Q16

question	answers	extra information	mark
(a)	**Y** and **Z**		1
	they have the same number of protons **or** same atomic number	accept they have the same number of electrons **or** same number of protons **and** electrons allow only different in number of neutrons N.B. independent marks	1
(b)	**Quality of written communication**	for correct use of terms underlined in B **or** C Q ✓ Q X	1
	A – alpha particle passes straight through the empty space of the atom **or** it is a long way from the nucleus B – alpha particle <u>deflected</u> / <u>repelled</u> / <u>repulsed</u> by the (positive) <u>nucleus</u> C – alpha particle heading straight for the <u>nucleus</u> is <u>deflected</u> / <u>repelled</u> / <u>repulsed</u> backwards	describes 3 tracks correctly for **2** marks describes 2 or 1 track correctly for **1** mark do **not** accept hits the nucleus do **not** accept answers referring to refraction do **not** accept answers in terms of reflected backwards unless qualified in terms of repulsion mention of difference in charge on nucleus negates that track	max 2
total			5

Copyright © 2004 AQA and its licensors

GCSE 2004
June Series

ASSESSMENT and QUALIFICATIONS ALLIANCE

Mark Scheme

Science: Double Award
Specification B (Co-ordinated)
3462/3F

Mark schemes are prepared by the Principal Examiner and considered, together with the relevant questions, by a panel of subject teachers. This mark scheme includes any amendments made at the standardisation meeting attended by all examiners and is the scheme which was used by them in this examination. The standardisation meeting ensures that the mark scheme covers the candidates' responses to questions and that every examiner understands and applies it in the same correct way. As preparation for the standardisation meeting each examiner analyses a number of candidates' scripts: alternative answers not already covered by the mark scheme are discussed at the meeting and legislated for. If, after this meeting, examiners encounter unusual answers which have not been discussed at the meeting they are required to refer these to the Principal Examiner.

It must be stressed that a mark scheme is a working document, in many cases further developed and expanded on the basis of candidates' reactions to a particular paper. Assumptions about future mark schemes on the basis of one year's document should be avoided; whilst the guiding principles of assessment remain constant, details will change, depending on the content of a particular examination paper.

Copyright © 2004 AQA and its licensors

4.8.1.3 Orbital motion, natural and artificial satellites

Further copies of this Mark Scheme are available from:

Publications Department, Aldon House, 39, Heald Grove, Rusholme, Manchester, M14 4NA
Tel: 0161 953 1170

or

download from the AQA website: www.aqa.org.uk

Copyright © 2004 AQA and its licensors

COPYRIGHT
AQA retains the copyright on all its publications. However, registered centres for AQA are permitted to copy material from this booklet for their own internal use, with the following important exception: AQA cannot give permission to centres to photocopy any material that is acknowledged to a third party even for internal use within the centre.

Set and published by the Assessment and Qualifications Alliance.

The Assessment and Qualifications Alliance (AQA) is a company limited by guarantee registered in England and Wales 3644723 and a registered charity number 1073334. Registered address AQA, Devas Street, Manchester. M15 6EX. *Dr Michael Cresswell Director General*

4.8.1.3 Orbital motion, natural and artificial satellites

SCIENCE: DOUBLE AWARD CO-ORDINATED

INFORMATION FOR EXAMINERS

1. General

The mark scheme for each question shows:

- the marks available for each part of the question;
- the total marks available for the question;
- the typical answer or answers which are expected;
- extra information to help the Examiner make his or her judgement and help to delineate what is acceptable or not worthy of credit or, in discursive answers, to give an overview of the area in which a mark or marks may be awarded.

The extra information is aligned to the appropriate answer in the left-hand part of the mark scheme and should only be applied to that item in the mark scheme.

At the beginning of a part of a question a reminder may be given, for example:
where consequential marking needs to be considered in a calculation;
or the answer may be on the diagram or at a different place on the script.

In general the right hand side of the mark scheme is there to provide those extra details which confuse the main part of the mark scheme yet may be helpful in ensuring that marking is straightforward and consistent.

2. Emboldening

2.1 In a list of acceptable answers where more than one mark is available 'any **two** from' is used, with the number of marks emboldened. Each of the following lines is a potential mark.

2.2 A bold **and** is used to indicate that both parts of the answer are required to award the mark.

2.3 Alternative answers acceptable for a mark are indicated by the use of **or**. (Different terms in the mark scheme are shown by a / ; e.g. allow smooth / free movement.)

3. Marking points

3.1 Marking of Quality of Written Communication

Where *Quality of written communication* appears in the mark scheme, one mark is to be awarded for either of the following points:

- Using correct scientific terms
- Correct sequencing or linking of ideas or points

The mark scheme will specify which of the points is to be awarded in a particular question. A QoWC mark can be awarded for a scientific answer, even if it is not accurate. It cannot be awarded for a nonsensical or non-scientific answer.
On the script, the QoWC tick should be identified by a 'q' written next to it.

3.2 Marking of lists

This applies to questions requiring a set number of responses, but for which candidates have provided extra responses. The general principle to be followed in such a situation is that 'right + wrong = wrong'.

Copyright © 2004 AQA and its licensors

4.8.1.3 Orbital motion, natural and artificial satellites

Each error/contradiction negates each correct response. So, if the number of error/contradictions equals or exceeds the number of marks available for the question, no marks can be awarded.

However, responses considered to be neutral (indicated as * in example 1) are not penalised.

Example 1: What is the pH of an acidic solution? (1 mark)

Candidate	Response	Marks awarded
1	4,8	0
2	green, 5	0
3	red*, 5	1
4	red*, 8	0

Example 2: Name two planets in the solar system. (2 marks)

Candidate	Response	Marks awarded
1	Pluto, Mars, Moon	1
2	Pluto, Sun, Mars, Moon	0

3.3 Use of chemical symbols/formulae

If a candidate writes a chemical symbol/formula instead of a required chemical name, full credit can be given if the symbol/formula is correct and if, in the context of the question, such action is appropriate.

3.4 The marking of quantitative relationships

Full credit can be given for a correct quantitative relationship expressed in:

- named units;
- physical quantities;
- standard symbols;
- a combination of physical quantities and units.

No credit can be given for any quantitative relationship expressed in terms of:

- a combination of physical quantities, units and symbols;
- a diagram, e.g. the ohm's law triangle, unless the rest of the answer shows clearly that the candidate understands the relationships involved.

3.5 Marking procedure for calculations

3.5.1 Full marks can be given for a correct numerical answer, as shown in the column 'answers', without any working shown.
However:

- if the answer is incorrect, mark(s) can be gained by correct substitution/working and this is shown in the 'extra information' column;
- if the answer is correct, but an incorrect relationship is written in the working, then no marks can be awarded (see 3.5.2).

3.5.2 Where calculations are based on incorrectly recalled relationships, neither the incorrectly recalled relationship, nor the resulting calculation based on the incorrect relationship, will be credited.

3.6 Interpretation of 'it'

Answers using the word 'it' should be given credit only if it is clear that the 'it' refers to the correct subject.

Copyright © 2004 AQA and its licensors

4.8.1.3 Orbital motion, natural and artificial satellites

3.7 Errors carried forward

There should be no error carried forward from a previous answer which has been based on wrong science. Any error in the answers to a structured question should be penalised once only.

Examples

(a) A candidate who calculates average speed using speed = time/distance **and** then proceeds to use this incorrect answer to calculate an acceleration based on the correct quantitative relationship should be given credit for the use of the correct acceleration relationship but none for either numerical answer.

(b) A candidate who incorrectly calculates average speed using speed = distance/time and then proceeds to use this incorrect value to calculate an acceleration based on the correct quantitative relationship, should be given credit for the use of both correct quantitative relationships **and** for the correct substitution and use of the incorrect value in the calculation of the rate of acceleration.

Papers should be constructed in such a way that the number of times errors can be carried forward are kept to a minimum. Allowances for errors carried forward are most likely to be restricted to calculation questions and should be shown by the abbreviation e.c.f. in the marking scheme.

3.8 Phonetic spelling

The phonetic spelling of correct scientific terminology should be credited **unless** there is a possible confusion with another technical term.

3.9 Brackets

(…..) is used to indicate information which is not essential for the mark to be awarded but is included to help the examiner identify the sense of the answer required.

3.10 Interpretation of marginal points

There will be times when the answer is almost, but not quite, correct. Some examiners would award a mark while others would not. In any one script, an attempt should be made to balance these nearly correct answers by giving the mark on some occasions but not on others. If this is not done, the marking would end up being too lenient or too harsh.

3.11 Unexpected Correct Answers not in the Mark Scheme

The Examiner should use professional judgement to award credit where a candidate has given an unexpected correct answer which is not covered by the mark scheme. The Examiner should consult with the Team Leader to confirm the judgement. The Team Leader should pass this answer on to the Principal Examiner with a view to informing all examiners.

Copyright © 2004 AQA and its licensors

4.8.1.3 Orbital motion, natural and artificial satellites

Double Award
Foundation Tier 3462/3F

3462/3F Q1

question	answers	extra information	mark
(a)	comet	correct order only	1
	elliptical		1
	Milky Way		1
	Universe		1
(b)(i)	D A C B	allow **2** marks for two letters in the correct place allow **1** mark for one letter in the correct place	3
(ii)	A		1
total			8

Copyright © 2004 AQA and its licensors

4.8.1.3 Orbital motion, natural and artificial satellites


3462/3F Q2

question	answers	extra information	mark
(a)	95		1
(b)	alpha	accept correct symbol	1
(c)	any **two** from: • radiation is outside the body • radiation will not reach (living) cells • radiation absorbed by the air	 accept detector is on ceiling or high up the wall accept radiation cannot pass through the body / skin accept cannot pass through the plastic casing do **not** accept because it is alpha radiation – unless qualified do **not** accept does not give off harmful substance do **not** accept cannot pass through building materials etc.	2
(d)	less (than)		1
total			5

Copyright © 2004 AQA and its licensors

4.8.1.3 Orbital motion, natural and artificial satellites

3462/3F Q3

question	answers	extra information	mark
(a)	generator	accept dynamo accept alternator	1
(b)(i)	1400	ignore units	1
(ii)	0.3 or 30%	any incorrect unit penalise **1** mark allow **1** mark for the correct use of 600 **or** 0.3% **or** 30	2
(c)	**1** mark for each correct link 	if more than 3 lines are drawn, mark only 3 lines starting with those that are incorrect	3
(d)(i)	110	no tolerance	1
(ii)	12	no tolerance	1
(iii)	wind speed may be too low to operate the generator	accept wind may not always blow accept power depends on wind speed accept does not generate if wind speed is too high accept does not generate if wind speed is above 12 (m/s) accept does not generate if wind speed is below 1.6 (m/s) accept it is unreliable do **not** accept answers referring to cost only	1
total			10

Copyright © 2004 AQA and its licensors

4.8.1.3 Orbital motion, natural and artificial satellites

3462/3F Q4

question	answers	extra information	mark
(a)	B E A D	allow **1** mark for each letter in the correct place, to a maximum of **3** marks	3
(b)	(a spark) may cause the (petrol vapour) to explode / ignite	accept petrol for (petrol vapour) accept catch fire for explode	1
	connect tanker to earth with a (conducting) wire / chain **or** earth the tanker	accept ground for earth	1
(c)	**Quality of written communication**	for a logical sequence	1
	any **two** from:		2
	• when current greater than fuse rating / value	accept when current too great for appliance do **not** accept 'if there is too much current' do **not** accept voltage or electricity	
	• fuse (becomes hot and) melts / burns out	accept fuse blows / breaks	
	• circuit is broken	accept circuit switched off this cannot score credit on its own	
total			8

Copyright © 2004 AQA and its licensors

4.8.1.3 Orbital motion, natural and artificial satellites

3462/3F Q5

question	answers	extra information	mark
(a)(i)	crust		1
(ii)	inner core is <u>solid</u> outer core is liquid	do **not** accept just rock inner core is denser / hotter than outer core gets **2** marks accept one is solid and one is liquid for **1** mark accept they are different densities for **1** mark wrong way round = **0** marks	1 1
(b)	seismograph		1
(c)	difficult to measure (slow) movement (1) of plates (1) dependent mark **or** difficult to measure friction / forces (1) between plates (1) dependent mark		1 1
(d)	geothermal		1
(e)(i)	5000		1
(ii)	2500		1
total			9

Copyright © 2004 AQA and its licensors

4.8.1.3 Orbital motion, natural and artificial satellites


3462/3F Q6

question	answers	extra information	mark
(a)	60		1
(b)	$5\frac{1}{2}$ hours	must include unit	1
(c)	30		1
(d)	30 minutes or $\frac{1}{2}$ hour	must include unit	1
(e)	D **and** E least steep part of the graph	accept finish for E accept correct numbers from axes with units accept covers smallest distance in a set time accept only moves 5 km in $1\frac{1}{2}$ hours (accept anything between 5 and 6) ignore horse is tired	1 1
total			6

Copyright © 2004 AQA and its licensors

4.8.1.3 Orbital motion, natural and artificial satellites



3462/3F Q7

question	answers	extra information	mark
(a)(i)	any **one** from: • (doctors) to see inside a patients body **or** endoscope • telephone cables • optical fibre / fibre optic lamps **or** (artificial) Christmas trees • data transfer **or** internet connection	 accept keyhole surgery do **not** accept flex **or** wires for cable accept decorative / ornamental lighting accept any feasible practical suggestion for taking light to a difficult to access place do **not** accept lighting unqualified do **not** accept lamp unqualified do **not** accept communications unless clarified	1
(ii)	(incident) ray angle greater than critical angle total internal reflection occurs	either order accept (incident) ray greater than 42° accept TIR do **not** accept just description of TIR	1 1
(b)(i)	waves shown diffracting in the correct direction 	ignore wavelength	1
(ii)	diffraction	accept diffract / diffracted	1
total			5

Copyright © 2004 AQA and its licensors

4.8.1.3 Orbital motion, natural and artificial satellites

3462/3F Q8

question	answers	extra information	mark
(a)	all symbols correct	 accept push switch symbol switch may be open or closed any lines through symbols = **0** marks	1
	correct circuit drawn voltmeter must be across resistor only	polarity of cells not relevant provided they are joined correctly two cells are required in the diagram ignore the order of the components allow small gaps in circuit omission of any component = **0** marks	1
(b)(i)	potential difference = current × resistance	accept voltage or p.d. for potential difference accept $V = I \times R$ accept  provided subsequent use correct do **not** accept C for current	1
(ii)	2	 allow **1** mark for correct substitution wrong working loses both marks	2
(iii)	straight line drawn <u>through the origin</u> straight line passes through $I = 0.4, V =$ their (b)(ii) / 2 **and** 0.0	judge by eye this mark may be awarded if all points shown including these points are correct even if no line is drawn N.B. a curve scores **0** marks	1 1 dep
(c)	temperature <u>increases</u>	accept filament lamp / it gets <u>hotter</u> allow heat for temperature	1
total			8

Copyright © 2004 AQA and its licensors

4.8.1.3 Orbital motion, natural and artificial satellites

3462/3F Q9

question	answers	extra information	mark
(a)(i)	gamma rays	accept gamma accept correct symbol	1
(ii)	infra red	accept IR	1
(b)	ultraviolet <u>absorbed</u> by ink (energy) given out as light	 accept glows / luminous accept for **both** marks the ink is fluorescent do **not** accept answers in terms of uv being reflected	1 1
(c)	any **two** from: • UV can damage / kill / ionise / alter (normal) cells • change DNA structure **or** mutate • (normal) cells may become cancerous	 do **not** accept attacks cells **or** burns skin accept may cause (skin) cancer accept abnormal cell multiplication	2
(d)(i)	microwaves **and** infra red	both answers needed in either order do **not** accept heat for IR	1
(ii)	0.9	allow **1** mark for the <u>correct</u> use of 1.8 (kW) $(1.8 \times \frac{1}{2}$ or $1.8 \times 30)$ i.e. adding the correct 2 power values	2
total			9

Copyright © 2004 AQA and its licensors

4.8.1.3 Orbital motion, natural and artificial satellites


3462/3F Q10

question	answers	extra information	mark
(a)(i)	accelerating	accept getting faster accept speed / velocity increasing	1
(ii)	acceleration increases	accept velocity / speed increases more rapidly do **not** accept velocity / speed increases	1
(b)(i)	$\text{acceleration} = \frac{\text{change in velocity}}{\text{time (taken)}}$	accept $a = \frac{v - u}{t}$ **or** $a = \frac{v_1 - v_2}{t}$ do **not** accept velocity for change in velocity do **not** accept change in speed do **not** accept $a = \frac{v}{t}$	1
(ii)	15	allow **1** mark for an answer of 900 **or** for correct use of 540 seconds	2
(iii)	velocity includes direction	accept velocity is a vector (quantity) accept converse answer	1
(c)	force of gravity (between shuttle and Earth) plus correct orbital speed (makes shuttle move in a curve)	accept gravitational pull if used correctly accept forward motion **or** constant speed for orbital speed accept it is travelling fast enough accept for **2** marks the force of gravity provides the centripetal force	1 1
(d)	black is a good emitter of radiation **or** to limit the temperature rise inside the shuttle	accept heat for radiation accept the tiles are good insulation do **not** accept black absorbs heat on its own do **not** accept tiles are heat proof	1
total			9

Copyright © 2004 AQA and its licensors

4.8.1.3 Orbital motion, natural and artificial satellites

3462/3F Q11

question	answers	extra information	mark
(a)(i)	work (done) = force (applied) × distance (moved)	accept W = F × s or W = F × d accept  provided subsequent method is correct	1
(ii)	240 000 joules	allow **1** mark for correct substitution **or** correct use of 1200 (N) accept J do **not** accept j / Nm	2 1
(b)	800 (watts)	accept 0.8 kW accept their (a)(ii) ÷ 300 correctly evaluated for **2** marks allow **1** mark for correct substitution (a)(ii) ÷ 5 correctly evaluated for **1** mark	2
(c)(i)	any **one** from: • needs to raise the chair / lift • lifting more than one chair • energy transfer to the surroundings correctly qualified	 allow lifting more than 2 people implication of a heavier weight accept loss for transfer do **not** accept motor inefficient do **not** accept motor gets hot do **not** accept friction unless the location is specified as external to the motor	1
(ii)	electrical potential	accept electric **both** answers required for the mark	1
total			8

Copyright © 2004 AQA and its licensors

4.8.1.3 Orbital motion, natural and artificial satellites

3462/3F Q12

question	answers	extra information	mark
(a)	**Y** and **Z**		1
	they have the same number of protons **or** same atomic number	accept they have the same number of electrons **or** same number of protons **and** electrons allow only different in number of neutrons N.B. independent marks	1
(b)	**Quality of written communication**	for correct use of terms underlined in B **or** C Q ✓ Q X	1
	A – alpha particle passes straight through the empty space of the atom **or** it is a long way from the nucleus B – alpha particle deflected / repelled / repulsed by the (positive) nucleus C – alpha particle heading straight for the nucleus is deflected / repelled / repulsed backwards	describes 3 tracks correctly for **2** marks describes 2 or 1 track correctly for **1** mark do **not** accept hits the nucleus do **not** accept answers referring to refraction do **not** accept answers in terms of reflected backwards unless qualified in terms of repulsion mention of difference in charge on nucleus negates that track	max 2
total			5

Copyright © 2004 AQA and its licensors

Version 1.0: *27092005*

ASSESSMENT and QUALIFICATIONS ALLIANCE

General Certificate of Secondary Education

Physics 3451/F
Specification B

Mark Scheme

2005 examination – June series

Mark schemes are prepared by the Principal Examiner and considered, together with the relevant questions, by a panel of subject teachers. This mark scheme includes any amendments made at the standardisation meeting attended by all examiners and is the scheme which was used by them in this examination. The standardisation meeting ensures that the mark scheme covers the candidates' responses to questions and that every examiner understands and applies it in the same correct way. As preparation for the standardisation meeting each examiner analyses a number of candidates' scripts: alternative answers not already covered by the mark scheme are discussed at the meeting and legislated for. If, after this meeting, examiners encounter unusual answers which have not been discussed at the meeting they are required to refer these to the Principal Examiner.

It must be stressed that a mark scheme is a working document, in many cases further developed and expanded on the basis of candidates' reactions to a particular paper. Assumptions about future mark schemes on the basis of one year's document should be avoided; whilst the guiding principles of assessment remain constant, details will change, depending on the content of a particular examination paper.

Copyright © 2005 AQA and its licensors. All rights reserved.

Physics (Specification B)
Foundation Tier 3451/F

3451/F Q1

question	answers	extra information	mark
(a)(i)	less than	accept any correct indication	1
(ii)	more than	accept any correct indication	1
(b)	any **two** from: stays above the same place above the equator one orbit takes 24 hours	 do **not** accept stays in the same place do **not** accept goes around equator unless qualified do **not** accept orbit at same speed as Earth do **not** accept orbit at a constant speed accept has same angular speed / velocity as Earth	2
total			4

3451/F Q2

question	answers	extra information	mark
(a)	comet		1
(b)	large group / number / collection of stars	ignore reference to planets accept millions of stars do **not** accept thousands of stars do **not** accept loads of stars	1
(c)	giant supernova neutron		1 1 1
total			5

4.8.1.3 Orbital motion, natural and artificial satellites

3451/F Q3

question	answers	extra information	mark
(a)(i)	radio		1
(ii)	gamma	accept microwave accept infrared	1
(iii)	ultra violet		1
(iv)	microwaves		1
(b)	the same as		1
(c)	X-rays do not go through lead	references to gamma rays are incorrect accept lead protects them from the X-rays accept not exposed to X-rays	1
	lead stops / reduces risk of X-rays harming / damaging / killing (persons) <u>cells</u>	accept X-rays (may) cause cancer accept organs for cell do **not** accept references to electric shock do **not** accept stops bones of people showing on X-ray answers involving the horse wearing an apron are incorrect	1
	Quality of written communication	award for a sensible sequence of **two** points	1
total			8

Physics B – AQA GCSE Mark Scheme, 2005 June series

3451/F Q4

question	answers	extra information	mark
(a)	light electrical		1 1
(b)	15% **or** 0.15	correct substitution gains **1** mark only an answer of 15 with no unit **or** an incorrect unit gains **1** mark an answer of 0.15 given with a unit gains **1** mark	2
(c)	the ticket machine is a long way from other electricity supplies		1
(d)	any figure between 5 and 10 inclusive	unit not required but if given must match numerical answer	1
total			6

3451/F Q5

question	answers	extra information	mark
(a)(i)	radon (gas)	do **not** accept gas	1
(ii)	background		1
(b)	bigger	accept any word which means bigger	1
(c)	**Z** alpha will not pass through aluminium or lead	if Z is not given, the reason does not score accept alpha cannot go through metals / dense material accept there is nothing to stop the radiation accept alpha will not pass through aluminium do **not** accept alpha will not pass through lead do **not** accept alpha stopped by air	1 1
total			5

4.8.1.3 Orbital motion, natural and artificial satellites

3451/F Q6

question	answers	extra information	mark
(a)	loses negative charge / electrons	do **not** accept positive charge transfers to the comb do **not** accept friction	1
(b)	**A** attract		1
	B repel		1
	C attract		1
(c)	**F A D E**	allow **2** marks for 2 letters in the correct place allow **1** mark for 1 letter in the correct place	3
total			7

4.8.1.3 Orbital motion, natural and artificial satellites

Physics B – AQA GCSE Mark Scheme, 2005 June series

3451/F Q7

question	answers	extra information	mark
(a)	all points correctly plotted	tolerance ± $\frac{1}{2}$ square on y axis only allow **1** mark for 3 correctly plotted points	2
	attempt made to draw a smooth curve	do **not** accept dot-to-dot line	1
(b)(i)	3 days ± 0.2 **or** any value correctly obtained using their graph line	if no line drawn in (a), answer must be exactly 3	1
(ii)	3 days or their (b)(i)		1
(c)	radon-222	accept radon **or** 222 accept alpha or 3.8 correct isotope required for reason to score	1
	has the shortest half-life	accept the others have longer half-lives	1
total			7

4.8.1.3 Orbital motion, natural and artificial satellites

3451/F Q8

question	answers	extra information	mark
(a)	fossils of Cynognathus are found in Africa and South America		1
	the shapes ……. almost fit together	only two boxes should be ticked deduct **1** mark for each additional box to a minimum mark of **0**	1
(b)	continental		1
	crust		1
	tectonic		1
total			5

4.8.1.3 Orbital motion, natural and artificial satellites




3451/F Q9

question	answers	extra information	mark
(a)	capacitor	accept condenser	1
	LDR	**or** light dependent resistor accept 'ldr', 'Ldr' etc.	1
	relay (normally open)	do **not** accept 'relay normally closed'	1
(b)(i)	battery	accept '(battery of) cells' do **not** accept 'battery / cell'	1
(ii)	LED	**or** light emitting diode accept 'led' or 'Led' do **not** accept just 'diode'	1
(iii)	B will light (but C will not)	accept '(only) B will work' accept 'one is on the other is off' do **not** accept 'C is on and B is off'	1
(iv)	any **one** from: B is connected the right way round (and C is not) a (light emitting) diode only allows (a significant) current to flow in one direction B's anode is connected to the positive side of the supply B's cathode is connected to the negative terminal	N.B. the candidate's answer to part (b)(iii) may include this mark but do **not** credit if the response to part (b)(iii) is incorrect or there is any other contradiction if (iv) is completely consistent with (iii) which is wrong, allow **1** mark	1
(c)(i)	first input / second input / output 0 / 0 / **0** 1 / 0 / **0** 0 / 1 / **0** 1 / 1 / **1**	**all** correct allow: OFF NO OFF NO OFF NO ON YES	1
(ii)	truth (table)		1

cont…

4.8.1.3 Orbital motion, natural and artificial satellites

3451/F Q9 cont…

(iii)		a Roman upper case D in any orientation without contacts is acceptable but if contacts are shown do **not** give the mark if there is any ambiguity or contradiction allow  	1
(d)	light sensor	**or** light dependent resistor **or** LDR accept 'ldr', Ldr' etc allow solar cell, photo cell	1
	NOT gate	accept 'Not gate' **or** 'not gate' if both correct but in the wrong order credit with **1** mark	1
total			12



4.8.1.3 Orbital motion, natural and artificial satellites

3451/F Q10

question	answers	extra information	mark
(a)(i)	rays continued to meet on the right hand side of the lens and beyond	must be straight lines from the right hand side of the lens ignore details through the lens allow if no arrows	1
	meet exactly on the axis	negate mark if contradictory arrow(s) added do not need to go beyond the focus for this mark	1
(ii)	(principal) focus	**or** focal (point)	1
(iii)	converging	**or** convex	1
(b)(i)	**A**		1
(ii)	rays seem to come from this point	**or** words to this effect **or** shows this on the diagram	1
(iii)	diverging	**or** concave	1
(c)	film	accept any unambiguous method of showing the correct response	1
	smaller than		1
	further away from		1
(d)	any **three** from: • real image can be put on a screen • virtual image cannot be put on a screen / film • virtual image is imaginary • real image is formed where (real) rays cross / converge • virtual image is where virtual / imaginary rays (seem to) come from • virtual image formed where virtual rays intersect / cross	allow film allow real image has light travelling through it **or** virtual image is where rays seem to come from	3
total			13

4.8.1.3 Orbital motion, natural and artificial satellites

3451/F Q11

question	answers	extra information	mark
(a)(i)	$A_1 = 0.5$	ignore any units	1
	$A_4 = 0.5$	allow **1** mark for $A_1 = A_4 \neq 0.5$	1
(ii)	the resistance of **P** is more than 20 Ω		1
	a smaller current goes through P / A_2 (than 20 Ω)	dependent on getting 1st mark correct accept converse	1
(b)(i)	potential difference = current × resistance	accept pd / voltage for potential difference accept V = I × R, correct symbols and correct case only accept volts = amps × ohms accept  provided subsequent method is correct allow combination of physical quantities and named units allow voltage = I × R	1
(ii)	6	allow **1** mark for correct substitution	2
(iii)	6	accept their (b)(ii)	1
(c)	thermistor or 	accept correct circuit symbol allow phonetic spelling	1
	resistance goes down (as temperature of thermistor goes up)	do **not** accept changes for goes down do **not** accept an answer in terms of current only answers in terms of other components are incorrect	1
total			10

4.8.1.3 Orbital motion, natural and artificial satellites

Physics B – AQA GCSE Mark Scheme, 2005 June series

3451/F Q12

question	answers	extra information	mark
(a)(i)	larger the distance, greater the time	accept 'they are proportional' accept converse	1
(ii)	any value between 6 and 9 years inclusive		1
(b)(i)	carbon dioxide		1
(ii)	(Venus) has high**er** temperature (than Mercury)	accept has the high**est** temperature accept Venus is hotter / hottest do **not** accept has a high / very high temperature	1
	(Venus) further from the Sun than Mercury	accept 'Venus is not the closest planet to the Sun' answer in terms of greenhouse effect only, scores **0** marks	1
total			5

4.8.1.3 Orbital motion, natural and artificial satellites

3451/F Q13

question	answers	extra information	mark
(a)(i)	20		1
(ii)	convection		1
(iii)	fit draughtproof strips	accept lay carpet accept fit curtains accept close doors / windows / curtains accept any reasonable suggestion for reducing a draught 'double glazing' alone is insufficient	1
(b)	air is (a good) insulator **or** air is a poor conductor	accept air cavity / 'it' for air	1
	reducing heat transfer by <u>conduction</u>	accept stops for reduces ignore convection do **not** accept radiation do **not** accept answers in terms of heat being trapped	1
(c)(i)	most cost effective	accept it is cheaper or low<u>est</u> cost accept shortest payback time accept in terms of reducing heat loss by the largest amount do **not** accept it is easier ignore most heat is lost through the roof	1
(ii)	4		1
total			7

4.8.1.3 Orbital motion, natural and artificial satellites

3451/F Q14

question	answers	extra information	mark
(a)(i)	constant speed	do **not** accept normal speed do **not** accept it is stopped / stationary	1
	in a straight line	accept any appropriate reference to a direction constant velocity gains **2** marks 'not accelerating' gains **2** marks terminal velocity alone gets **1** mark	1
(ii)	goes down owtte	accept motorbike (it) slows down	1
(b)(i)	20 (m/s)	ignore incorrect units	1
(ii)	acceleration = change in velocity / time (taken)	do **not** accept velocity for change in velocity accept change in speed accept $a = \frac{v-u}{t}$ **or** $a = \frac{v_1 - v_2}{t}$ **or** $a = \frac{\Delta v}{t}$ do **not** accept $a = \frac{v}{t}$	1
(iii)	4 **or** their (b)(i) ÷ 5	allow **1** mark for correct substitution	2
	m/s^2	m/s/s **or** ms^{-2} **or** metres per second squared **or** metres per second per second	1
(c)	vehicle may skid / slide	loss of control / brakes lock / wheels lock accept greater stopping distance **or** difficult to stop	1
	due to reduced friction (between tyre(s) and road)	accept due to less grip do **not** accept no friction	1

cont…

3451/F Q14 cont…

(d)	any **three** from: • <u>increased</u> speed • <u>reduced</u> braking force • <u>slower</u> (driver) reactions • <u>poor</u> vehicle maintenance • <u>increased</u> mass / weight of vehicle • <u>poor</u> road surface • <u>more</u> streamlined	do **not** accept night time / poor vision N.B. specific answers may **each** gain credit eg tiredness (1), drinking alcohol (1), using drugs (1), driver distracted (1) etc specific examples may **each** gain credit eg worn brakes or worn tyres etc accept large mass / weight of vehicle if candidates give three answers that affect stopping distance but not specific to <u>increase</u> award **1** mark only	3
total			13

4.8.1.3 Orbital motion, natural and artificial satellites

3451/F Q15

question	answers	extra information	mark
(a)(i)	arrow from centre of the ball **and** at right angles to the string **and** in the correct direction	arrow should point to the student's belt accept free-hand 'straight' line do **not** accept curved line	1
(ii)	increase increase increase	accept 'be stronger / bigger' accept 'be stronger / bigger' accept 'be stronger / bigger'	1 1 1
(b)	speed velocity direction	all **three** correct any two correct for **1** mark otherwise **0** marks	2
(c)(i)	centripetal	accept 'centripedal' and other minor misspellings do **not** accept anything which could be 'centrifugal'	1
(ii)	gravity	accept 'weight' accept 'force of attraction due to mass(es) (of the Moon and the Earth)'	1
(iii)	electron(s)		1
(iv)	electrostatic	accept 'electrical' do **not** accept just 'centripetal'	1
total			10


4.8.1.3 Orbital motion, natural and artificial satellites

3451/F Q16

question	answers	extra information	mark
(a)(i)	**X** at the centre of the lifebelt	measuring from the centre of **X**, allow 2 mm tolerance in any direction	1
(ii)	any **two** from: below the point of suspension at the centre (of the lifebelt) (because) the lifebelt / it is symmetrical	if X is on vertical line below the hanger (but not at centre) can gain the first point only accept '(vertically) below **Y**' accept 'in the middle' **or** (because) the mass / weight is evenly distributed	2
(b)	Nm **or** newton metre(s) 750	accept Newton metre(s) do **not** accept any ambiguity in the symbol ie NM, nM or nm (moment) = force × (perpendicular) distance (between line of action and pivot) **or** (moment) = 500 × 1.5 gains **1** mark	1 2
(c)	**Quality of written communication**: any **three** connected points from: low(er) <u>centre of mass / gravity</u> (more) <u>stable</u> less likely to fall over the <u>turning effect / moment</u> (of the weight of case) is less so the pull on her arm is less	for **2** of the underlined terms used in the correct context **or** <u>centre of mass / gravity</u> will be close(r) to the wheels / axle / ground **or** less <u>unstable</u> accept 'less likely to overturn' do **not** accept 'will not fall over' **or** so less effort is needed to hold the case ignore references to pulling the case	1 3
total			10

4.8.1.3 Orbital motion, natural and artificial satellites

3451/F Q17

question	answers	extra information	mark
(a)	any **two** from: • **amplitude** decreasing • **wavelength** increasing • **frequency** decreasing **Quality of written communication**	accept siren / sound getting quieter do **not** accept sound decreases accept pitch decreasing ignore reference to transverse wave ignore reference to speed contradictory statements within each point lose the mark all emboldened terms in candidate's answer used correctly	2 1
(b)(i)	ultrasound **or** ultrasonic		1
(ii)	wave speed = frequency × wavelength	accept speed / velocity for wave speed accept $v = f \times \lambda$ do **not** accept w for λ do **not** accept s for v accept  provided subsequent calculation shows a correct method	1
(iii)	339.2 **or** 340 **or** 339	allow **1** mark for using 212 000 allow **1** mark for correct substitution an answer of 0.3392 **or** 0.34 **or** 0.339 gains **1** mark only award full credit for a correct numerical answer with the unit changed to km/s	3
total			8

Version 1.0: *27092005*

ASSESSMENT and QUALIFICATIONS ALLIANCE

General Certificate of Secondary Education

Science: Double Award 3462/3F
Specification B (Co-ordinated)

Mark Scheme

2005 examination - June series

Mark schemes are prepared by the Principal Examiner and considered, together with the relevant questions, by a panel of subject teachers. This mark scheme includes any amendments made at the standardisation meeting attended by all examiners and is the scheme which was used by them in this examination. The standardisation meeting ensures that the mark scheme covers the candidates' responses to questions and that every examiner understands and applies it in the same correct way. As preparation for the standardisation meeting each examiner analyses a number of candidates' scripts: alternative answers not already covered by the mark scheme are discussed at the meeting and legislated for. If, after this meeting, examiners encounter unusual answers which have not been discussed at the meeting they are required to refer these to the Principal Examiner.

It must be stressed that a mark scheme is a working document, in many cases further developed and expanded on the basis of candidates' reactions to a particular paper. Assumptions about future mark schemes on the basis of one year's document should be avoided; whilst the guiding principles of assessment remain constant, details will change, depending on the content of a particular examination paper.

Copyright © 2005 AQA and its licensors. All rights reserved.

Double Award
Foundation Tier 3462/3F

3462/3F Q1

question	answers	extra information	mark
(a)(i)	less than	accept any correct indication	1
(ii)	more than	accept any correct indication	1
(b)	any **two** from: stays above the same place above the equator one orbit takes 24 hours	 do **not** accept stays in the same place do **not** accept goes around equator unless qualified do **not** accept orbit at same speed as Earth do **not** accept orbit at a constant speed accept has same angular speed / velocity as Earth	2
total			4

3462/ 3F Q2

question	answers	extra information	mark
(a)	comet		1
(b)	large group / number / collection of stars	ignore reference to planets accept millions of stars do **not** accept thousands of stars do **not** accept loads of stars	1
(c)	giant supernova neutron		1 1 1
total			5

4.8.1.3 Orbital motion, natural and artificial satellites

3462/3F Q3

question	answers	extra information	mark
(a)(i)	radio		1
(ii)	gamma	accept microwave accept infrared	1
(iii)	ultra violet		1
(iv)	microwaves		1
(b)	the same as		1
(c)	**Quality of written communication**	award for a sensible sequence of **two** points	1
	X-rays do not go through lead	accept lead protects them from the X-rays accept not exposed to X-rays	1
	lead stops / reduces risk of X-rays harming / damaging / killing (persons) <u>cells</u>	accept X-rays (may) cause cancer accept organs for cell do **not** accept references to electric shock do **not** accept stops bones of people showing on X-ray answers involving the horse wearing an apron are incorrect references to gamma rays are incorrect	1
total			8

4.8.1.3 Orbital motion, natural and artificial satellites

Science: Double Award (Co-ordinated) – AQA GCSE Mark Scheme, 2005 June series

3462/3F Q4

question	answers	extra information	mark
(a)	light electrical		1 1
(b)	15% **or** 0.15	correct substitution gains **1** mark only an answer of 15 with no unit **or** an incorrect unit gains **1** mark an answer of 0.15 given with a unit gains **1** mark	2
(c)	the ticket machine is a long way from other electricity supplies		1
(d)	any figure between 5 and 10 inclusive	unit not required but if given must match numerical answer	1
total			6

4.8.1.3 Orbital motion, natural and artificial satellites

3462/3F Q5

question	answers	extra information	mark
(a)(i)	radon (gas)	do **not** accept gas	1
(ii)	background		1
(b)	bigger	accept any word which means bigger	1
(c)	**Z** alpha will not pass through aluminium or lead	if Z is not given, the reason does not score accept alpha cannot go through metals / dense material accept there is nothing to stop the radiation accept alpha will not pass through aluminium do **not** accept alpha will not pass through lead do **not** accept alpha stopped by air	1 1
total			5

4.8.1.3 Orbital motion, natural and artificial satellites

Science: Double Award (Co-ordinated) – AQA GCSE Mark Scheme, 2005 June series

3462/3F Q6

question	answers	extra information	mark
(a)	loses negative charge / electrons	do **not** accept positive charge transfers to the comb do **not** accept friction	1
(b)	**A** attract		1
	B repel		1
	C attract		1
(c)	**F A D E**	allow **2** marks for 2 letters in the correct place allow **1** mark for 1 letter in the correct place	3
total			7

4.8.1.3 Orbital motion, natural and artificial satellites

3462/3F Q7

question	answers	extra information	mark
(a)	all points correctly plotted	tolerance ± $\frac{1}{2}$ square on y axis only allow **1** mark for 3 correctly plotted points	2
	attempt made to draw a smooth curve	do **not** accept dot-to-dot line	1
(b)(i)	3 days ± 0.2 **or** any value correctly obtained using their graph line	if no line drawn in (a), answer must be exactly 3	1
(ii)	3 days or their (b)(i)		1
(c)	radon-222	accept radon **or** 222 accept alpha or 3.8 correct isotope required for reason to score	1
	has the shortest <u>half-life</u>	accept the others have longer <u>half-lives</u>	1
total			7

4.8.1.3 Orbital motion, natural and artificial satellites



Science: Double Award (Co-ordinated) – AQA GCSE Mark Scheme, 2005 June series

3462/3F Q8

question	answers	extra information	mark
(a)	fossils of Cynognathus are found in Africa and South America		1
	the shapes ……. almost fit together	only two boxes should be ticked deduct **1** mark for each additional box to a minimum mark of **0**	1
(b)	continental		1
	crust		1
	tectonic		1
total			5

4.8.1.3 Orbital motion, natural and artificial satellites

3462/3F Q9

question	answers	extra information	mark
(a)(i)	$A_1 = 0.5$	ignore any units	1
	$A_4 = 0.5$	allow **1** mark for $A_1 = A_4 \neq 0.5$	1
(ii)	the resistance of **P** is more than 20 Ω		1
	a smaller current goes through P / A_2 (than 20 Ω)	dependent on getting 1st mark correct accept converse	1
(b)(i)	potential difference = current × resistance	accept pd / voltage for potential difference accept V = I × R, correct symbols and correct case only accept volts = amps × ohms accept  provided subsequent method is correct allow combination of physical quantities and named units allow voltage = I × R	1
(ii)	6	allow **1** mark for correct substitution	2
(iii)	6	accept their (b)(ii)	1
(c)	<u>thermistor</u> or 	accept correct circuit symbol allow phonetic spelling	1
	<u>resistance</u> goes down (as temperature of thermistor goes up)	do **not** accept changes for goes down do **not** accept an answer in terms of current only answers in terms of other components are incorrect	1
total			10

4.8.1.3 Orbital motion, natural and artificial satellites

Science: Double Award (Co-ordinated) – AQA GCSE Mark Scheme, 2005 June series

3462/3F Q10

question	answers	extra information	mark
(a)(i)	larger the distance, greater the time	accept 'they are proportional' accept converse	1
(ii)	any value between 6 and 9 years inclusive		1
(b)(i)	carbon dioxide		1
(ii)	(Venus) has high**er** temperature (than Mercury)	accept has the high**est** temperature accept Venus is hotter / hottest do **not** accept has a high / very high temperature	1
	(Venus) further from the Sun than Mercury	accept 'Venus is not the closest planet to the Sun' answer in terms of greenhouse effect only, scores **0** marks	1
total			5

4.8.1.3 Orbital motion, natural and artificial satellites

3462/3F Q11

question	answers	extra information	mark
(a)(i)	20		1
(ii)	convection		1
(iii)	fit draughtproof strips	accept lay carpet accept fit curtains accept close doors / windows / curtains accept any reasonable suggestion for reducing a draught 'double glazing' alone is insufficient	1
(b)	air is (a good) insulator **or** air is a poor conductor	accept air cavity / 'it' for air	1
	reducing heat transfer by <u>conduction</u>	accept stops for reduces ignore convection do **not** accept radiation do **not** accept answers in terms of heat being trapped	1
(c)(i)	most cost effective	accept it is cheaper or low<u>est</u> cost accept shortest payback time accept in terms of reducing heat loss by the largest amount do **not** accept it is easier ignore most heat is lost through the roof	1
(ii)	4		1
total			7

Science: Double Award (Co-ordinated) – AQA GCSE Mark Scheme, 2005 June series

3462/3F Q12

question	answers	extra information	mark
(a)(i)	constant speed	do **not** accept normal speed do **not** accept it is stopped / stationary	1
	in a straight line	accept any appropriate reference to a direction constant velocity gains **2** marks 'not accelerating' gains **2** marks terminal velocity alone gets **1** mark	1
(ii)	goes down owtte	accept motorbike (it) slows down	1
(b)(i)	20 (m/s)	ignore incorrect units	1
(ii)	acceleration = change in velocity / time (taken)	do **not** accept velocity for change in velocity accept change in speed accept $a = \frac{v-u}{t}$ **or** $a = \frac{v_1 - v_2}{t}$ **or** $a = \frac{\Delta v}{t}$ do **not** accept $a = \frac{v}{t}$	1
(iii)	4 **or** their (b)(i) ÷ 5	allow **1** mark for correct substitution	2
	m/s^2	m/s/s **or** ms^{-2} **or** metres per second squared **or** metres per second per second	1
(c)	vehicle may skid / slide	loss of control / brakes lock / wheels lock accept greater stopping distance **or** difficult to stop	1
	due to reduced friction (between tyre(s) and road)	accept due to less grip do **not** accept no friction	1

cont…


3462/3F Q12 cont…

(d)	any **three** from: • <u>increased</u> speed • <u>reduced</u> braking force • <u>slower</u> (driver) reactions • <u>poor</u> vehicle maintenance • <u>increased</u> mass / weight of vehicle • <u>poor</u> road surface • <u>more</u> streamlined	do **not** accept night time / poor vision NB specific answers may **each** gain credit eg tiredness (1), drinking alcohol (1), using drugs (1), driver distracted (1) etc specific examples may **each** gain credit eg worn brakes or worn tyres etc accept large mass / weight of vehicle if candidates give three answers that affect stopping distance but not specific to <u>increase</u> award **1** mark only	3
total			13

4.8.1.3 Orbital motion, natural and artificial satellites

Science: Double Award (Co-ordinated) – AQA GCSE Mark Scheme, 2005 June series

3462/3F Q13

question	answers	extra information	mark
(a)	**Quality of written communication**	all emboldened terms in candidate's answer used correctly	1
	any **two** from: • **amplitude** decreasing • **wavelength** increasing • **frequency** decreasing	accept siren / sound getting quieter do **not** accept sound decreases accept pitch decreasing ignore reference to transverse wave ignore reference to speed contradictory statements within each point lose the mark	2
(b)(i)	ultrasound **or** ultrasonic		1
(ii)	wave speed = frequency × wavelength	accept speed / velocity for wave speed accept $v = f \times \lambda$ do **not** accept w for λ do **not** accept s for v accept  provided subsequent calculation shows a correct method	1
(iii)	339.2 **or** 340 **or** 339	allow **1** mark for using 212 000 allow **1** mark for correct substitution an answer of 0.3392 **or** 0.34 **or** 0.339 gains **1** mark only award full credit for a correct numerical answer with the unit changed to km/s	3
total			8

Version 1.0: 0906

ASSESSMENT and QUALIFICATIONS ALLIANCE

General Certificate of Secondary Education

Physics 3451/F
Specification B

Mark Scheme

2006 examination - June series

Mark schemes are prepared by the Principal Examiner and considered, together with the relevant questions, by a panel of subject teachers. This mark scheme includes any amendments made at the standardisation meeting attended by all examiners and is the scheme which was used by them in this examination. The standardisation meeting ensures that the mark scheme covers the candidates' responses to questions and that every examiner understands and applies it in the same correct way. As preparation for the standardisation meeting each examiner analyses a number of candidates' scripts: alternative answers not already covered by the mark scheme are discussed at the meeting and legislated for. If, after this meeting, examiners encounter unusual answers which have not been discussed at the meeting they are required to refer these to the Principal Examiner.


It must be stressed that a mark scheme is a working document, in many cases further developed and expanded on the basis of candidates' reactions to a particular paper. Assumptions about future mark schemes on the basis of one year's document should be avoided; whilst the guiding principles of assessment remain constant, details will change, depending on the content of a particular examination paper.

Copyright © 2006 AQA and its licensors. All rights reserved.

4.8.1.3 Orbital motion, natural and artificial satellites

Physics (Specification B)
Foundation Tier 3451/F

3451/F Q1

question	answers	extra information	mark
(a)	4 correct lines drawn  	**1** mark for each correct line if more than 4 lines are drawn mark incorrect ones first. Mark only 4 lines	4
(b)	4		1
(c)(i)	nuclear		1
(ii)	(natural) gas	do **not** accept natural	1
total			7

4.8.1.3 Orbital motion, natural and artificial satellites

3451/F Q2

question	answers	extra information	mark
(a)(i)	ultra violet		1
(ii)	kill the cells	accept destroys the cells accept makes cells cancerous accept damage cells accept harms cells accept changes DNA accept cause cells to mutate accept skin cells for cells accept cause cancer do **not** accept skin for cells do **not** accept burns the cells	1
(b)(i)	the sunbed uses an alternating current (a.c.) supply		1
(ii)	10.8	accept **1** mark for correct substitution of power in W or kW and time in hours or seconds	2
total			5

4.8.1.3 Orbital motion, natural and artificial satellites

3451/F Q3

question	answers	extra information	mark
(a)(i)	M		1
(ii)	K		1
(iii)	J		1
(iv)	O		1
(b)(i)	billions of years		1
(ii)	red giant	any answer in terms of explosion or supernova is **incorrect**	1
	contracts / shrinks to	incorrect reference to black hole negates **1** mark	1
	white dwarf		1
total			8

4.8.1.3 Orbital motion, natural and artificial satellites

3451/F Q4

question	answers	extra information	mark
(a)(i)	A and C	**both** answers must be correct in either order	1
(ii)	A and B	**both** answers must be correct in either order	1
(iii)	same number of protons plus neutrons **or** same number of nucleons	accept number of particles in nucleus the same do **not** accept they add up to 6 unless qualified	1
(b)(i)	any **two** from: • boron - 12 • carbon - 14 • oxygen - 15 • lead - 209	**both** required both name **and** number must be given	1
(ii)	any **two** from: • boron - 11 • carbon - 12 • oxygen - 16 • lead - 207	**both** required both name **and** number must be given	1
(c)	alpha		1
total			6

4.8.1.3 Orbital motion, natural and artificial satellites

Physics B – AQA GCSE Mark Scheme, 2006 June series

3451/F Q5

question	answers	extra information	mark
(a)	(good) insulator	accept does not conduct (electricity) accept does not conduct heat or electricity do **not** accept does not conduct heat outside is tough is insufficient	1
(b)	fuse		1
(c)	connect the green and yellow / earth wire	accept wires must be connected to screws	1
	swap the brown and blue wires round		1
total			4

3451/F Q6

question	answers	extra information	mark
(a)	fossils	answers can be in either order	1
	water		1
(b)	increased		1
(c)	radio telescope		1
total			4

3451/F Q7

question	answers	extra information	mark
(a)(i)	electrical		1
	kinetic	accept movement	1
(ii)	heat	answers can be in either order	1
	sound		1
(b)(i)	360	accept **1** mark for correct substitution	2
(ii)	watt		1
(c)	the stairlift is not moving the stairlift is moving at constant speed	**both** answers are required for the mark	1
total			8

3451/F Q8

question	answers	extra information	mark
(a)(i)	(up) further **or** (up) faster	any reference to downwards movement loses credit accept <u>with</u> more force accept motion would increase	1
(ii)	down	accept the opposite way accept drop	1
(b)(i)	direct current		1
(ii)	Z		1
total			4

4.8.1.3 Orbital motion, natural and artificial satellites

3451/F Q9

question	answers	extra information	mark
(a)	level of radiation (detected) will not change	ignore reference to particles	1
	if thickness of aluminium changes	accept for **both** marks a specific example eg if the aluminium gets thicker the level of radiation detected stays the same. accept for **1** mark gamma will pass through aluminium	1
	QoWC for 2 points in a sensible sequence		1
(b)	S W T V	all in correct order accept **2** marks for 2 correct accept **1** mark for 1 correct	3
total			6

3451/F Q10

question	answers	extra information	mark
(a)	thermistor(s) LDR(s) switch(es) LED(s) buzzer(s) motor(s)	**1** mark each or light dependent resistor(s) or light emitting diode(s)	6
(b)(i)	1st input / 2nd input / Output 0 / 0 / **0** 1 / 0 / **0** 0 / 1 / **0** 1 / 1 / 1	all correct	1
(ii)	Input / Output 0 / **1** 1 / **0**	**both** correct	1
(iii)	1st input / 2nd input / Output 0 / 0 / 0 1 / 0 / **1** 0 / 1 / **1** 1 / 1 / **1**	all correct	1
(c)(i)		do **not** credit any attempt which could equally well be a poorly drawn attempt at the symbol for a cell	1
(ii)	charge increases	accept 'electrons' accept 'energy **or** gets bigger/larger	1 1
total			12

4.8.1.3 Orbital motion, natural and artificial satellites

3451/F Q11

question	answers	extra information	mark
(a)(i)	A		1
(ii)	B		1
(iii)	mass is larger	credit if the response is clear by some other means e.g. it is ringed	1
	wire is shorter	credit if the response is clear by some other means e.g. it is ringed	1
(b)	moment		1
	distance		1
(c)(i)	1		1
(ii)	5		1
(iii)	any **two** from • remove slotted mass(es) • slide (slotted) masses / weights nearer pivot • slide forcemeter away from the pivot • slide rod to the left	 **or** ….. to the left **or** ….. to the right **or** …. so that the slotted masses side is shorter **or** …. so that the forcemeter side is longer	2
(d)	centre of the rectangle	accept *2*mm tolerance any direction	1
	centre of the circle	accept *2*mm tolerance any direction	1
	on centre line and 10mm above base	accept *2*mm tolerance any direction	1
total			13

3451/F Q12

question	answers	extra information	mark
(a)	0.05 (A)	ignore incorrect units if given accept 'the same' / 'the same as K' / 'the same as the other ammeter' do **not** accept 'same as the other meter'	1
(b)(i)	any **two** from: • two cells are joined + to +	answers in terms of current gain no marks accept one cell in the wrong way accept two cells are joined back-to-back accept two cells are joined – to – accept battery for cell do **not** accept answers in terms of all the cells or in terms of energy only	2
	• some of the cells potential difference is across the diode / ammeters / wires **or** the pd of the cells is shared by all components	accept voltage for pd do **not** accept using up pd	
	• the other components have a resistance	accept a named component / components / wire has a resistance	
	• cells not fully charged **or** cells partially run down	do **not** accept voltage of cells is less than 1.5 unless explained do **not** accept cells are not as powerful unless explained	
	• cells have an internal resistance		
(ii)	the diode has a (very) high resistance (in the reverse direction)		1
	a diode only conducts / allows current to flow in one direction	accept little / no current flows do **not** accept blocks / cuts flow	1

Continued

4.8.1.3 Orbital motion, natural and artificial satellites

Physics B – AQA GCSE Mark Scheme, 2006 June series

3451/F Q12

question	answers	extra information	mark
(c)	**QoWC** for the use of the word resistance	annotate Q✓ Q✗ accept resistant	1
	accept increase / change / decrease throughout question but a contradiction loses **one** mark with change as neutral		
	as the pd / current increases / changes	accept voltage for pd must be correctly linked to at least one of the following points accept	1
	the temperature of the filament increases / changes	lamp / bulb for filament accept filament becomes hotter	1
	increasing / changing the **resistance** of the lamp		1
		accept for **1** mark only the filament lamp does not obey Ohm's law	
total			9

4.8.1.3 Orbital motion, natural and artificial satellites

3451/F Q13

question	answers	extra information	mark
(a)	0.5		1
	hertz	accept Hz but **not** HZ / hz / hZ accept (waves) per second **or** / sec **or** / s **or** s^{-1} **or** sec^{-1}	1
(b)	any **one** from: • any named part of the electromagnetic spectrum • S – waves / secondary waves • wave on a rope	 do **not** accept seismic waves / earthquake do **not** accept slinky unless clearly described	1
(c)	transverse – disturbance / vibration is perpendicular to the direction of energy transfer / wave travel	accept a correctly labelled diagram	1
	longitudinal – disturbance / vibration is parallel to the direction of energy transfer / wave travel	accept a correctly labelled diagram part explanation of the difference between transverse **and** longitudinal gains **1** mark	1
(d)(i)	TIR shown	needs to stay inside water jet ignore number of reflections **or** arrow heads lines straight by eye	1
(ii)	bigger than	any indication of correct answer	1
total			7


4.8.1.3 Orbital motion, natural and artificial satellites

3451/F Q14

question	answers	extra information	mark
(a)	W		1
	has only two states **or** is either on or off	accept discrete values only do **not** credit answer purely in terms of shape	1
(b)	any **one** from:		1
	• higher quality	accept clearer do **not** accept easier to read ignore faster accept <u>less</u> distortion **or** <u>less</u> weakening of signal strength do **not** accept no distortion / weakening on its own	
	• increased carrying capacity	accept more information can be sent **or** more channels	
	• errors can be rectified		
total			3

4.8.1.3 Orbital motion, natural and artificial satellites

3451/F Q15

question	answers	extra information	mark
(a)(i)	all points plotted accurately	accept **1** mark for 5 correct plots ± ½ small square on stopping distance	2
	line of best fit must be continuous	accept attempt at a reasonable curve does not need to go through 0 0 do **not** accept a straight line do **not** accept dot-to-dot	1
(ii)	4 to 6 (metres)	accept ecf from (a)(i) accept **1** mark for value taken correctly from graph at 25mph **or** correct method shown	2
(b)(i)	0.7 (s)	incorrect unit = 0 marks	1
(ii)	constant speed / velocity	accept (continued as) 30mph accept did not change / stayed the same accept no acceleration	1
(iii)	3.3(s)	penalise incorrect unit once only	1
(iv)	reaction time <u>increases</u> / is <u>longer</u> **or** thinking distance <u>increases</u>	do **not** accept reaction time slower **or** reactions are slower	1
	stopping distance / it <u>increases</u>	do **not** accept travels at constant speed for longer	1
(c)(i)	work done = force (applied) × distance (moved)	accept W = F × s or W = F × d accept  provided subsequent method is correct	1

Continued

4.8.1.3 Orbital motion, natural and artificial satellites

3451/F Q15

question	answers	extra information	mark
(ii) **E**	2100	accept 2.1 kilo accept **1** mark for using 7000 N	2
(iii)	2100 (joules)	accept their (c)(ii)	1
total			14

4.8.1.3 Orbital motion, natural and artificial satellites

3451/F Q16

question	answers	extra information	mark
(a)(i)	refraction		1
(ii)	it changes speed **or** change in density	accept it speeds up do **not** accept it slows down do **not** accept air is more dense than glass	1
(b)(i)	sound / waves <u>diffract</u> through the gap (in the wall) **or** over the wall **or** because the gate is open	do **not** accept reflection this only scores if first marking point is given accept for **1** mark only sound / waves go through the gap and <u>spread out</u> **or** diagram showing wave fronts spreading out from open gates if diagram is labelled as diffraction both marks can be scored	1 1
(ii)	less diffraction	accept no diffraction accept gates <u>absorb</u> sound / noise / waves accept gates <u>reflect</u> sound / noise / waves do **not** accept rebounds / stops / blocks out	1
total			5

4.8.1.3 Orbital motion, natural and artificial satellites

3451/F Q17

question	answers	extra information	mark
(a)	both rays brought to a focus at F on the right	do **not** have to be continued beyond F	1
	lines have been drawn **accurately** with a ruler	only credit if 1st mark credited do **not** credit if contradictory arrow(s) added	1
(b)	rays seem to come from a focus at G on the left and continued to the right of the lens	this mark is for the current idea of divergence	1
	lines have been drawn **accurately** with a ruler	only credit if 1st mark credited do **not** credit if contradictory arrow(s) added	1
(c)	…lens… …image… …object… …image… ...object… …lens…	lens as 1st and 6th words (1) image and object in the correct order 2nd and 3rd words (1) image and object in correct order 4th and 5th words (1)	max 3
(d)(i)	correct statement about real image real rays intersect / cross to form a real image **or** a real image can be formed on a screen **or** real image is (always) on the opposite side (of the lens) **or** real image is (always) upside down (to the object)	may be credited from a correct diagram	1
	correct statement about virtual / imaginary image virtual / imaginary rays intersect / cross to form a virtual image **or** a virtual / imaginary image cannot **or** virtual / imaginary image is (always) on the same side (of the lens) **or** virtual / imaginary image is (always) same way up (as the object)	may be credited from a correct diagram	1

Continued

4.8.1.3 Orbital motion, natural and artificial satellites

3451/F Q17

question	answers	extra information	mark
(ii)	**either** image needs to fall on / affect the film **or** image needs to fall on / affect the light sensors / charged coupled devices (CCDs) (in a digital camera / mobile phone) **or** image needs to cause a chemical reaction (in / on the film)		1
total			10

4.8.1.3 Orbital motion, natural and artificial satellites

3451/F Q18

<table>
<tr><th>question</th><th>answers</th><th>extra information</th><th>mark</th></tr>
<tr><td>(a)</td><td>AND (gate)

OR (gate)

NOT (gate)

LED or light emitting diode</td><td>accept ‘and’

accept ‘or’

accept ‘not’ or invert gate

accept ‘led’</td><td>1

1

1

1</td></tr>
<tr><td>(b)(i)</td><td>NOT (gate) and AND (gate)</td><td>both in either order or ‘(the) gates’

any additions lose the mark</td><td>1</td></tr>
<tr><td>(ii)</td><td><table><tr><th>Switch for fire</th><th>Tilt switch</th><th>Signal to relay</th></tr><tr><td>0</td><td>0</td><td>…0…</td></tr><tr><td>0</td><td>1</td><td>…0…</td></tr><tr><td>1</td><td>0</td><td>…1…</td></tr><tr><td>1</td><td>1</td><td>…0…</td></tr></table></td><td>all correct

allow off or no
off no
on yes
off no</td><td>1</td></tr>
<tr><td>(iii)</td><td>(relay) acts as / is a switch

either
small current from the electronic / control circuit / system (1)

large current through the output / (electric) fire (1)

or

full current through electronic control system (1)

may damage components / lead to overheating / electric shock (1)

QoWC for correct use of the scientific term ‘current’</td><td>accept implication that it works as a switch e.g. ‘turns on fire’

or ‘small current through the coil (of the relay)’

do not accept small current is turned into a large current

annotate Q✓ Q×

if answer in terms of voltage isolation / voltage/ p.d. accept QoWC mark for correct use</td><td>1

1

1

1</td></tr>
<tr><td>total</td><td></td><td></td><td>10</td></tr>
</table>

Version 1.0: 0906

ASSESSMENT and QUALIFICATIONS ALLIANCE

General Certificate of Secondary Education

Science: Double Award 3462/3F
Specification B

Mark Scheme

2006 examination - June series

Mark schemes are prepared by the Principal Examiner and considered, together with the relevant questions, by a panel of subject teachers. This mark scheme includes any amendments made at the standardisation meeting attended by all examiners and is the scheme which was used by them in this examination. The standardisation meeting ensures that the mark scheme covers the candidates' responses to questions and that every examiner understands and applies it in the same correct way. As preparation for the standardisation meeting each examiner analyses a number of candidates' scripts: alternative answers not already covered by the mark scheme are discussed at the meeting and legislated for. If, after this meeting, examiners encounter unusual answers which have not been discussed at the meeting they are required to refer these to the Principal Examiner.


It must be stressed that a mark scheme is a working document, in many cases further developed and expanded on the basis of candidates' reactions to a particular paper. Assumptions about future mark schemes on the basis of one year's document should be avoided; whilst the guiding principles of assessment remain constant, details will change, depending on the content of a particular examination paper.

Copyright © 2006 AQA and its licensors. All rights reserved.

Science: Double Award (Co-ordinated) – AQA GCSE Mark Scheme, 2006 June series

Double Award (Co-ordinated)
Foundation Tier 3462/3F

3462/3F Q1

question	answers	extra information	mark
(a)	4 correct lines drawn  	**1** mark for each correct line if more than 4 lines are drawn mark incorrect ones first. Mark only 4 lines	4
(b)	4		1
(c)(i)	nuclear		1
(ii)	(natural) gas	do **not** accept natural	1
total			7

4.8.1.3 Orbital motion, natural and artificial satellites

3462/3F Q2

question	answers	extra information	mark
(a)(i)	ultra violet		1
(ii)	kill the cells	accept destroys the cells accept makes cells cancerous accept damage cells accept harms cells accept changes DNA accept cause cells to mutate accept skin cells for cells accept cause cancer do **not** accept skin for cells do **not** accept burns the cells	1
(b)(i)	the sunbed uses an alternating current (a.c.) supply		1
(ii)	10.8	accept **1** mark for correct substitution of power in W or kW <u>and</u> time in hours or seconds	2
total			5

4.8.1.3 Orbital motion, natural and artificial satellites

Science: Double Award (Co-ordinated) – AQA GCSE Mark Scheme, 2006 June series

3462/3F Q3

question	answers	extra information	mark
(a)(i)	M		1
(ii)	K		1
(iii)	J		1
(iv)	O		1
(b)(i)	billions of years		1
(ii)	red giant	any answer in terms of explosion or supernova is **incorrect**	1
	contracts / shrinks to	incorrect reference to black hole negates **1** mark	1
	white dwarf		1
total			8

4.8.1.3 Orbital motion, natural and artificial satellites

3462/3F Q4

question	answers	extra information	mark
(a)(i)	A and C	**both** answers must be correct in either order	1
(ii)	A and B	**both** answers must be correct in either order	1
(iii)	same number of protons plus neutrons **or** same number of nucleons	accept number of particles in nucleus the same do **not** accept they add up to 6 unless qualified	1
(b)(i)	any **two** from: • boron - 12 • carbon - 14 • oxygen - 15 • lead - 209	**both** required both name **and** number must be given	1
(ii)	any **two** from: • boron - 11 • carbon - 12 • oxygen - 16 • lead - 207	**both** required both name **and** number must be given	1
(c)	alpha		1
total			6

4.8.1.3 Orbital motion, natural and artificial satellites

Science: Double Award (Co-ordinated) – AQA GCSE Mark Scheme, 2006 June series

3462/3F Q5

question	answers	extra information	mark
(a)	(good) insulator	accept does not conduct (electricity) accept does not conduct heat or electricity do **not** accept does not conduct heat outside is tough is insufficient	1
(b)	fuse		1
(c)	connect the green and yellow / earth wire	accept wires must be connected to screws	1
	swap the brown and blue wires round		1
total			4

3462/3F Q6

question	answers	extra information	mark
(a)	fossils	answers can be in either order	1
	water		1
(b)	increased		1
(c)	radio telescope		1
total			4

4.8.1.3 Orbital motion, natural and artificial satellites

3462/3F Q7

question	answers	extra information	mark
(a)(i)	electrical		1
	kinetic	accept movement	1
(ii)	heat	answers can be in either order	1
	sound		1
(b)(i)	360	accept **1** mark for correct substitution	2
(ii)	watt		1
(c)	the stairlift is not moving the stairlift is moving at constant speed	**both** answers are required for the mark	1
total			8

3462/3F Q8

question	answers	extra information	mark
(a)(i)	(up) further **or** (up) faster	any reference to downwards movement loses credit accept <u>with</u> more force accept motion would increase	1
(ii)	down	accept the opposite way accept drop	1
(b)(i)	direct current		1
(ii)	Z		1
total			4

4.8.1.3 Orbital motion, natural and artificial satellites

Science: Double Award (Co-ordinated) – AQA GCSE Mark Scheme, 2006 June series

3462/3F Q9

question	answers	extra information	mark
(a)	level of radiation (detected) will not change	ignore reference to particles	1
	if thickness of aluminium changes	accept for **both** marks a specific example eg if the aluminium gets thicker the level of radiation detected stays the same. accept for **1** mark gamma will pass through aluminium	1
	QoWC for 2 points in a sensible sequence		1
(b)	S W T V	all in correct order accept **2** marks for 2 correct accept **1** mark for 1 correct	3
total			6

4.8.1.3 Orbital motion, natural and artificial satellites

3462/3F Q10

question	answers	extra information	mark
(a)	0.05 (A)	ignore incorrect units if given accept 'the same' / 'the same as K' / 'the same as the other ammeter' do **not** accept 'same as the other meter'	1
(b)(i)	any **two** from: • two cells are joined + to +	answers in terms of current gain no marks accept one cell in the wrong way accept two cells are joined back-to-back accept two cells are joined – to – accept battery for cell do **not** accept answers in terms of all the cells or in terms of energy only	2
	• some of the cells potential difference is across the diode / ammeters / wires **or** the pd of the cells is shared by all components	accept voltage for pd do **not** accept using up pd	
	• the other components have a resistance	accept a named component / components / wire has a resistance	
	• cells not fully charged **or** cells partially run down	do **not** accept voltage of cells is less than 1.5 unless explained do **not** accept cells are not as powerful unless explained	
	• cells have an internal resistance		
(ii)	the diode has a (very) high resistance (in the reverse direction)		1
	a diode only conducts / allows current to flow in one direction	accept little / no current flows do **not** accept blocks / cuts flow	1

Continued

4.8.1.3 Orbital motion, natural and artificial satellites

Science: Double Award (Co-ordinated) – AQA GCSE Mark Scheme, 2006 June series

3462/3F Q10

question	answers	extra information	mark
(c)	**QoWC** for the use of the word resistance	annotate Q✓ Q✗ accept resistant	1
	accept increase / change / decrease throughout question but a contradiction loses **one** mark with change as neutral		
	as the pd / current increases / changes	accept voltage for pd must be correctly linked to at least one of the following points accept	1
	the temperature of the filament increases / changes	lamp / bulb for filament accept filament becomes hotter	1
	increasing / changing the **resistance** of the lamp	accept for **1** mark only the filament lamp does not obey Ohm's law	1
total			9

4.8.1.3 Orbital motion, natural and artificial satellites

3462/3F Q11

question	answers	extra information	mark
(a)	0.5		1
	hertz	accept Hz but **not** HZ / hz / hZ accept (waves) per second **or** / sec **or** / s **or** s^{-1} **or** sec^{-1}	1
(b)	any **one** from: • any named part of the electromagnetic spectrum • S – waves / secondary waves • wave on a rope	 do **not** accept seismic waves / earthquake do **not** accept slinky unless clearly described	1
(c)	transverse – disturbance / vibration is perpendicular to the direction of energy transfer / wave travel	accept a correctly labelled diagram	1
	longitudinal – disturbance / vibration is parallel to the direction of energy transfer / wave travel	accept a correctly labelled diagram part explanation of the difference between transverse **and** longitudinal gains **1** mark	1
(d)(i)	TIR shown	needs to stay inside water jet ignore number of reflections **or** arrow heads lines straight by eye	1
(ii)	bigger than	any indication of correct answer	1
total			7

4.8.1.3 Orbital motion, natural and artificial satellites


Science: Double Award (Co-ordinated) – AQA GCSE Mark Scheme, 2006 June series

3462/3F Q12

question	answers	extra information	mark
(a)	W		1
	has only two states **or** is either on or off	accept discrete values only do **not** credit answer purely in terms of shape	1
(b)	any **one** from:		1
	• higher quality	accept clearer do **not** accept easier to read ignore faster accept <u>less</u> distortion **or** <u>less</u> weakening of signal strength do **not** accept no distortion / weakening on its own	
	• increased carrying capacity	accept more information can be sent **or** more channels	
	• errors can be rectified		
total			3

4.8.1.3 Orbital motion, natural and artificial satellites

3462/3F Q13

question	answers	extra information	mark
(a)(i)	all points plotted accurately	accept **1** mark for 5 correct plots ± ½ small square on stopping distance	2
	line of best fit must be continuous	accept attempt at a reasonable curve does not need to go through 0 0 do **not** accept a straight line do **not** accept dot-to-dot	1
(ii)	4 to 6 (metres)	accept ecf from (a)(i) accept **1** mark for value taken correctly from graph at 25mph **or** correct method shown	2
(b)(i)	0.7 (s)	incorrect unit = 0 marks	1
(ii)	constant speed / velocity	accept (continued as) 30mph accept did not change / stayed the same accept no acceleration	1
(iii)	3.3(s)	penalise incorrect unit once only	1
(iv)	reaction time increases / is longer **or** thinking distance increases	do **not** accept reaction time slower **or** reactions are slower	1
	stopping distance / it increases	do **not** accept travels at constant speed for longer	1
(c)(i)	work done = force (applied) × distance (moved)	accept W = F × s or W = F × d accept  provided subsequent method is correct	1
(ii)	2100	accept 2.1 kilo accept **1** mark for using 7000 N	2
(iii)	2100 (joules)	accept their (c)(ii)	1
total			14

4.8.1.3 Orbital motion, natural and artificial satellites

Science: Double Award (Co-ordinated) – AQA GCSE Mark Scheme, 2006 June series

3462/3F Q14

question	answers	extra information	mark
(a)(i)	refraction		1
(ii)	it changes speed **or** change in density	accept it speeds up do **not** accept it slows down do **not** accept air is more dense than glass	1
(b)(i)	sound / waves <u>diffract</u> through the gap (in the wall) **or** over the wall **or** because the gate is open	do **not** accept reflection this only scores if first marking point is given accept for **1** mark only sound / waves go through the gap and <u>spread out</u> **or** diagram showing wave fronts spreading out from open gates if diagram is labelled as diffraction both marks can be scored	1 1
(ii)	less diffraction	accept no diffraction accept gates <u>absorb</u> sound / noise / waves accept gates <u>reflect</u> sound / noise / waves do **not** accept rebounds / stops / blocks out	1
total			5

4.8.1.3 Orbital motion, natural and artificial satellites

AQA

GCSE
PHYSICS

PH3FP
Mark scheme

4403
June 2014

Version: 1.0 Final

4.8.1.3 Orbital motion, natural and artificial satellites

Mark schemes are prepared by the Lead Assessment Writer and considered, together with the relevant questions, by a panel of subject teachers. This mark scheme includes any amendments made at the standardisation events which all associates participate in and is the scheme which was used by them in this examination. The standardisation process ensures that the mark scheme covers the students' responses to questions and that every associate understands and applies it in the same correct way. As preparation for standardisation each associate analyses a number of students' scripts: alternative answers not already covered by the mark scheme are discussed and legislated for. If, after the standardisation process, associates encounter unusual answers which have not been raised they are required to refer these to the Lead Assessment Writer.

It must be stressed that a mark scheme is a working document, in many cases further developed and expanded on the basis of students' reactions to a particular paper. Assumptions about future mark schemes on the basis of one year's document should be avoided; whilst the guiding principles of assessment remain constant, details will change, depending on the content of a particular examination paper.

Further copies of this Mark Scheme are available from aqa.org.uk

Copyright © 2014 AQA and its licensors. All rights reserved.
AQA retains the copyright on all its publications. However, registered schools/colleges for AQA are permitted to copy material from this booklet for their own internal use, with the following important exception: AQA cannot give permission to schools/colleges to photocopy any material that is acknowledged to a third party even for internal use within the centre.

Information to Examiners

1. General

The mark scheme for each question shows:

- the marks available for each part of the question
- the total marks available for the question
- the typical answer or answers which are expected
- extra information to help the Examiner make his or her judgement and help to delineate what is acceptable or not worthy of credit or, in discursive answers, to give an overview of the area in which a mark or marks may be awarded
- the Assessment Objectives and specification content that each question is intended to cover.

The extra information is aligned to the appropriate answer in the left-hand part of the mark scheme and should only be applied to that item in the mark scheme.

At the beginning of a part of a question a reminder may be given, for example: where consequential marking needs to be considered in a calculation; or the answer may be on the diagram or at a different place on the script.

In general the right-hand side of the mark scheme is there to provide those extra details which confuse the main part of the mark scheme yet may be helpful in ensuring that marking is straightforward and consistent.

2. Emboldening

2.1 In a list of acceptable answers where more than one mark is available 'any **two** from' is used, with the number of marks emboldened. Each of the following bullet points is a potential mark.

2.2 A bold **and** is used to indicate that both parts of the answer are required to award the mark.

2.3 Alternative answers acceptable for a mark are indicated by the use of **or**. Different terms in the mark scheme are shown by a / ; e.g. allow smooth / free movement.

3. Marking points

3.1 Marking of lists

This applies to questions requiring a set number of responses, but for which candidates have provided extra responses. The general principle to be followed in such a situation is that 'right + wrong = wrong'.

Each error / contradiction negates each correct response. So, if the number of error / contradictions equals or exceeds the number of marks available for the question, no marks can be awarded.

However, responses considered to be neutral (indicated as * in example 1) are not penalised.

Example 1: What is the pH of an acidic solution? (1 mark)

Candidate	Response	Marks awarded
1	green, 5	0
2	red*, 5	1
3	red*, 8	0

Example 2: Name two planets in the solar system. (2 marks)

Candidate	Response	Marks awarded
1	Neptune, Mars, Moon	1
2	Neptune, Sun, Mars, Moon	0

3.2 Use of chemical symbols / formulae

If a candidate writes a chemical symbol / formula instead of a required chemical name, full credit can be given if the symbol / formula is correct and if, in the context of the question, such action is appropriate.

3.3 Marking procedure for calculations

Full marks can be given for a correct numerical answer, without any working shown.

However, if the answer is incorrect, mark(s) can be gained by correct substitution / working and this is shown in the 'extra information' column or by each stage of a longer calculation.

3.4 Interpretation of 'it'

Answers using the word 'it' should be given credit only if it is clear that the 'it' refers to the correct subject.

3.5 Errors carried forward

Any error in the answers to a structured question should be penalised once only.

Papers should be constructed in such a way that the number of times errors can be carried forward are kept to a minimum. Allowances for errors carried forward are most likely to be restricted to calculation questions and should be shown by the abbreviation e.c.f. in the marking scheme.

3.6 Phonetic spelling

The phonetic spelling of correct scientific terminology should be credited **unless** there is a possible confusion with another technical term.

3.7 Brackets

(…..) are used to indicate information which is not essential for the mark to be awarded but is included to help the examiner identify the sense of the answer required.

3.8 Ignore / Insufficient / Do <u>not</u> allow

Ignore or insufficient is used when the information given is irrelevant to the question or not enough to gain the marking point. Any further correct amplification could gain the marking point.

Do **not** allow means that this is a wrong answer which, even if the correct answer is given, will still mean that the mark is not awarded.

Quality of Written Communication and levels marking

In Question 9(a) candidates are required to produce extended written material in English, and will be assessed on the quality of their written communication as well as the standard of the scientific response.

Candidates will be required to:

- use good English
- organise information clearly
- use specialist vocabulary where appropriate.

The following general criteria should be used to assign marks to a level:

Level 1: basic

- Knowledge of basic information
- Simple understanding
- The answer is poorly organised, with almost no specialist terms and their use demonstrating a general lack of understanding of their meaning, little or no detail
- The spelling, punctuation and grammar are very weak.

Level 2: clear

- Knowledge of accurate information
- Clear understanding
- The answer has some structure and organisation, use of specialist terms has been attempted but not always accurately, some detail is given
- There is reasonable accuracy in spelling, punctuation and grammar, although there may still be some errors.

Level 3: detailed

- Knowledge of accurate information appropriately contextualised
- Detailed understanding, supported by relevant evidence and examples
- Answer is coherent and in an organised, logical sequence, containing a wide range of appropriate or relevant specialist terms used accurately.
- The answer shows almost faultless spelling, punctuation and grammar.

4.8.1.3 Orbital motion, natural and artificial satellites

Question	Answers	Extra information	Mark	AO spec ref
1(a)	transmits absorbs	correct order	1 1	AO1 3.1.1b
1(b)	light	allow ultra violet **or** UV **or** infrared **or** IR **or** gamma	1	AO1 3.1.1b
1(c)	20	allow **1** mark for correct working, ie $\frac{60}{3}$ provided no subsequent step	2	AO2 3.1.1b
1(d)	Killing cancer cells		1	AO1 3.1.1b
Total			**6**	

4.8.1.3 Orbital motion, natural and artificial satellites

Question	Answers	Extra information	Mark	AO spec ref
2(a)	3000	allow **1** mark for correct substitution, ie 600 × 5 provided no subsequent step	2	AO2 3.2.2b
2(b)	anticlockwise moment	must be both words	1	AO1 3.2.2c
2(c)(i)	3400	allow 3.4 kilo (newtons)	1	AO2 3.2.2c
2(c)(ii)	as the distance (of the girl from point A) increases, force F increases	allow gets bigger for increases force is (directly) proportional to distance will negate any correct response	1	AO3 4.5.3
Total			**5**	

Question	Answers	Extra information	Mark	AO spec ref
3(a)	<table><tr><th></th><th>Digital Camera</th><th>Eye</th></tr><tr><td>Cornea</td><td></td><td>✓</td></tr><tr><td>Lens</td><td>✓</td><td>✓</td></tr><tr><td>Pupil</td><td></td><td>✓</td></tr><tr><td>CCD</td><td>✓</td><td></td></tr></table>	ignore shaded row each correct row = **1** mark	3	AO1 3.1.4a, d
3(b)	long		1	AO1 3.1.4b
3(c)	lens A it is a concave / diverging lens	 this mark is only gained if lens A is stated any reference to lens material or mass of lens negates this mark allow it will focus light onto the retina	1 1	AO1 3.1, 3.1.4b
3(d)	The refractive index of the lens material		1	AO1 3.1.4f
3(e)	4	ignore any signs allow **1** mark for correct substitution, ie $\frac{1}{0.25}$ provided no subsequent step	2	AO2 3.1.4e


Question 3 continues on the next page . . .

4.8.1.3 Orbital motion, natural and artificial satellites

Question 3 continued . . .

Question	Answers	Extra information	Mark	AO spec ref
3(f)	Cauterising open blood vessels		1	AO1 3.1.5f
3(g)	5	allow **1** mark for correct substitution, ie $\frac{70}{14}$ provided no subsequent step	2	AO2 3.1.3i
Total			**12**	

4.8.1.3 Orbital motion, natural and artificial satellites

Question	Answers	Extra information	Mark	AO spec ref
4(a)	concentrated		1	AO1 3.2.1a
4(b)		judge by eye	1	AO2 3.2.1c
4(c)	C A D	3 correct = **2** marks 1 or 2 correct = **1** mark	2	AO1 3.2.1a
4(d)	Lower the athlete's seating position Move the wheels further apart		1 1	AO2 3.2
Total			**6**	

4.8.1.3 Orbital motion, natural and artificial satellites

Question	Answers	Extra information	Mark	AO spec ref
5(a)	hydraulic		1	AO1 3.2.3
5(b)	9	allow **1** mark for a correct substitution, ie $\frac{1800}{200}$ provided no subsequent step	2	AO2 3.2.3c
5(c)	an environmental		1	AO3 SALoSE
Total			**4**	

4.8.1.3 Orbital motion, natural and artificial satellites

Question	Answers	Extra information	Mark	AO spec ref
6(a)(i)	increase		1	AO3 3.3.1a, 4.5.4
6(a)(ii)	A and B and B and C	both required for the mark either order	1	AO3 3.3.1a, 4.5.4
6(a)(iii)	any **two** from: • size of nail **or** nail material • current • (size of) paper clip • length of wire	 allow (same) nail allow (same) cell allow p.d. same amount of electricity is insufficient accept type/thickness of wire	2	AO3 4.1b
6(b)	4 B picks up the same number as C, so this electromagnet would pick up the same number as A **or** direction of current does not affect the strength of the electromagnet	 allow it has got the same number of turns as A	1 1	AO3 3.3.1a, 4.5.4
6(c)	2	allow 1 or 3	1	AO3 3.3.1a, 4.5.4
Total			**7**	

Question	Answers	Extra information	Mark	AO spec ref
7(a)	(sound waves) which have a frequency higher than the upper limit of hearing for humans **or** a (sound) wave (of frequency) above 20 000 Hz	sound waves that cannot be heard is insufficient a wave of frequency 20 000 Hz is insufficient	1	AO1 3.1.2a
7(b)	640	an answer of 1280 gains **2** marks allow **2** marks for the correct substitution ie 1600 × 0.40 provided no subsequent step allow **2** marks for the substitution $\frac{1600 \times 0.80}{2}$ provided no subsequent step allow **1** mark for the substitution 1600 × 0.80 provided no subsequent step allow **1** mark for the identification that time (boat to bed) is 0.4	3	AO2 3.1.2c
7(c)	any **one** from: • pre-natal scanning / imaging • imaging of a named organ (that is not surrounded by bone), eg stomach, bladder, testicles • Doppler scanning blood flow	accept heart do **not** allow brain **or** lungs (either of these negates a correct answer)	1	AO1 3.1.2d

Question 7 continues on the next page . . .

Question 7 continued . . .

Question	Answers	Extra information	Mark	AO spec ref
7(d)	advantage any **one** from: • (images are) high quality or detailed or high resolution • (scan) produces a slice through the body • image can be viewed from any direction • an image can be made of <u>any</u> part (inside the body) • easier to diagnose **or** see a problem (on the image) disadvantage any **one** from: • (the X-rays used **or** scans) are <u>ionising</u> • mutate cells **or** cause mutations **or** increase chances of mutations • turn cells cancerous **or** produce abnormal growths **or** produce rapidly growing cells • kill cells • shielding is needed	clearer / better image is sufficient allow images are (always) 3D / 360° allow whole body can be scanned allow a description of what ionising is allow for cells: DNA / genes / chromosomes / nucleus / tissue damage cells is insufficient can be dangerous (to human health) unqualified, is insufficient	1 1	AO1 3.1
Total			**7**	

4.8.1.3 Orbital motion, natural and artificial satellites

Question	Answers	Extra information	Mark	AO spec ref
8(a)	gravitational attraction (between the satellite and the Earth)	allow gravity allow weight of the satellite	1	AO1 3.2.4b
8(b)	any **two** from: • mass of satellite • speed / velocity (of satellite) • radius of orbit / circle	allow height above the Earth radius / height alone is insufficient	2	AO1 3.2.4c
8(c)(i)	increasing the height (above the Earth's surface) increases the time (for one orbit)	allow a positive correlation allow as one gets bigger, the other gets bigger, or vice versa ignore they are directly proportional	1	AO3 4.5.3
8(c)(ii)	there is no relationship / correlation		1	AO3 4.5.3
8(d)	Isaac Newton was a respected scientist who had made new discoveries before		1	AO3 3.2.4, SALoSE
Total			**6**	

Question	Marks awarded for this answer will be determined by the Quality of Written Communication (QWC) as well as the standard of the scientific response. Examiners should also refer to the information on page 5, and apply a 'best-fit' approach to the marking.			Mark	AO spec ref
9(a)				6	
0 marks	**Level 1 (1–2 marks)**	**Level 2 (3–4 marks)**	**Level 3 (5–6 marks)**		AO1 3.3.2
No relevant / correct content.	**Either** there is an attempt at a description of the construction of a transformer **or** a correct statement of the effect of one type of transformer on the input p.d.	There is a description of the construction of a transformer **and** a correct statement of the effect of one type of transformer on the input p.d.	There is a clear description of the construction of a transformer **and** there is a correct description of how transformers affect the input p.d.		

details of construction:	extra information
a (laminated) core	
core is made from a magnetic material / iron	
2 coils	
the coils are made from an electrical conductor / copper	
the coils are covered in plastic / insulation	
the coils are (usually) on opposite sides	
step-up transformer has more turns on secondary coil than (its) primary (or vice versa)	
step-down transformer has less turns on secondary coil than (its) primary (or vice versa)	
effect on input p.d. :	
step-up transformer, the output p.d. is greater (than the input p.d.)	accept voltage for p.d.
step-down transformer, the output p.d. is lower (than the input p.d.)	

Question 9 continues on the next page . . .

4.8.1.3 Orbital motion, natural and artificial satellites

Question 9 continued . . .

Question	Answers	Extra information	Mark	AO spec ref
9(b)	switch mode (transformer)		1	AO1 3.3.2j
Total			7	

AQA

GCSE

Science A / Physics

PH1FP

Mark scheme

4405/4403
June 2015

Version/Stage: 1.0 Final

4.8.1.3 Orbital motion, natural and artificial satellites

Mark schemes are prepared by the Lead Assessment Writer and considered, together with the relevant questions, by a panel of subject teachers. This mark scheme includes any amendments made at the standardisation events which all associates participate in and is the scheme which was used by them in this examination. The standardisation process ensures that the mark scheme covers the students' responses to questions and that every associate understands and applies it in the same correct way. As preparation for standardisation each associate analyses a number of students' scripts. Alternative answers not already covered by the mark scheme are discussed and legislated for. If, after the standardisation process, associates encounter unusual answers which have not been raised they are required to refer these to the Lead Assessment Writer.

It must be stressed that a mark scheme is a working document, in many cases further developed and expanded on the basis of students' reactions to a particular paper. Assumptions about future mark schemes on the basis of one year's document should be avoided; whilst the guiding principles of assessment remain constant, details will change, depending on the content of a particular examination paper.

Further copies of this mark scheme are available from aqa.org.uk

Copyright © 2015 AQA and its licensors. All rights reserved.
AQA retains the copyright on all its publications. However, registered schools/colleges for AQA are permitted to copy material from this booklet for their own internal use, with the following important exception: AQA cannot give permission to schools/colleges to photocopy any material that is acknowledged to a third party even for internal use within the centre.

Mark Scheme

Information to Examiners

1. General

The mark scheme for each question shows:

- the marks available for each part of the question
- the total marks available for the question
- the typical answer or answers which are expected
- extra information to help the Examiner make his or her judgement and help to delineate what is acceptable or not worthy of credit or, in discursive answers, to give an overview of the area in which a mark or marks may be awarded
- the Assessment Objectives and specification content that each question is intended to cover.

The extra information is aligned to the appropriate answer in the left-hand part of the mark scheme and should only be applied to that item in the mark scheme.

At the beginning of a part of a question a reminder may be given, for example: where consequential marking needs to be considered in a calculation; or the answer may be on the diagram or at a different place on the script.

In general the right-hand side of the mark scheme is there to provide those extra details which confuse the main part of the mark scheme yet may be helpful in ensuring that marking is straightforward and consistent.

2. Emboldening

2.1 In a list of acceptable answers where more than one mark is available 'any **two** from' is used, with the number of marks emboldened. Each of the following bullet points is a potential mark.

2.2 A bold **and** is used to indicate that both parts of the answer are required to award the mark.

2.3 Alternative answers acceptable for a mark are indicated by the use of **or**. Different terms in the mark scheme are shown by a / ; eg allow smooth / free movement.

2.4 Any wording that is underlined is essential for the marking point to be awarded.

3. Marking points

3.1 Marking of lists

This applies to questions requiring a set number of responses, but for which students have provided extra responses. The general principle to be followed in such a situation is that 'right + wrong = wrong'.

Each error / contradiction negates each correct response. So, if the number of errors / contradictions equals or exceeds the number of marks available for the question, no marks can be awarded.

However, responses considered to be neutral (indicated as * in example 1) are not penalised.

Example 1: What is the pH of an acidic solution? (1 mark)

Student	Response	Marks awarded
1	green, 5	0
2	red*, 5	1
3	red*, 8	0

Example 2: Name two planets in the solar system. (2 marks)

Student	Response	Marks awarded
1	Neptune, Mars, Moon	1
2	Neptune, Sun, Mars, Moon	0

3.1 Use of chemical symbols / formulae

If a student writes a chemical symbol / formula instead of a required chemical name, full credit can be given if the symbol / formula is correct and if, in the context of the question, such action is appropriate.

3.2 Marking procedure for calculations

Full marks can be given for a correct numerical answer, without any working shown.

However, if the answer is incorrect, mark(s) can be gained by correct substitution / working and this is shown in the 'extra information' column or by each stage of a longer calculation.

3.3 Interpretation of 'it'

Answers using the word 'it' should be given credit only if it is clear that the 'it' refers to the correct subject.

3.4 Errors carried forward

Any error in the answers to a structured question should be penalised once only.

Papers should be constructed in such a way that the number of times errors can be carried forward is kept to a minimum. Allowances for errors carried forward are most likely to be restricted to calculation questions and should be shown by the abbreviation e.c.f. in the marking scheme.

3.5 Phonetic spelling

The phonetic spelling of correct scientific terminology should be credited **unless** there is a possible confusion with another technical term.

3.6 Brackets

(.....) are used to indicate information which is not essential for the mark to be awarded but is included to help the examiner identify the sense of the answer required.

3.2 Ignore / Insufficient / Do not allow

Ignore of insufficient is used when the information given is irrelevant to the question or not enough to gain the marking point. Any further correct amplification could gain the marking point.

Do **not** allow means that this is a wrong answer which, even if the correct answer is given, will still mean that the mark is not awarded.

4. Quality of Communication and levels marking

In Question **7a** students are required to produce extended written material in English, and will be assessed on the quality of their communication as well as the standard of the scientific response.


Students will be required to:
- use good English
- organise information clearly
- use specialist vocabulary where appropriate.

The following general criteria should be used to assign marks to a level:

Level 1: basic
- Knowledge of basic information
- Simple understanding
- The answer is poorly organised, with almost no specialist terms and their use demonstrating a general lack of understanding of their meaning, little or no detail
- The spelling, punctuation and grammar are very weak.

Level 2: clear
- Knowledge of accurate information
- Clear understanding
- The answer has some structure and organisation, use of specialist terms has been attempted but not always accurately, some detail is given
- There is reasonable accuracy in spelling, punctuation and grammar, although there may still be some errors.

Level 3: detailed
- Knowledge of accurate information appropriately contextualised
- Detailed understanding, supported by relevant evidence and examples
- Answer is coherent and in an organised, logical sequence, containing a wide range of appropriate or relevant specialist terms used accurately.
- The answer shows almost faultless spelling, punctuation and grammar

Question	Answers	Extra information	Mark	AO / Spec. ref.
1(a)(i)	reflection of wave **K** at or within the ionosphere angle i = angle r 	allow dashed lines 'judge by eye' tolerance for the reflected ray is between the first e and last r ignore arrows a reflected ray to the receiver doesn't score 2nd mark additional rays shown doesn't score 2nd mark	1 1	AO2 P1.5.2b
1(a)(ii)	normal		1	AO1 P1.5.2a
1(b)(i)	microwave		1	AO1 P1.5.1k
1(b)(ii)	refraction		1	AO1 P1.5.1g
1(c)	All electromagnetic waves are transverse. All electromagnetic waves have the same speed in a vacuum.		1 1	AO1 P1.5.1b, c, d
Total			7	

4.8.1.3 Orbital motion, natural and artificial satellites

Question	Answers	Extra information	Mark	AO / Spec. ref.
2(a)	chemical kinetic sound	correct order only	1 1 1	AO1 P1.2.1a
2(b)	48% or 0.48	an answer of 0.48 with a unit gains **1** mark an answer of 0.48% gains **1** mark an answer of 48 with or without a unit gains **1** mark	2	AO2 P1.2.1d
Total			**5**	

4.8.1.3 Orbital motion, natural and artificial satellites

Question	Answers	Extra information	Mark	AO / Spec. ref.
3(a)(i)	because they contain free electrons		1	AO1 P1.1.3a
3(a)(ii)	because they are good absorbers of infrared radiation		1	AO1 P1.1.1c
3(b)(i)	insulators		1	AO1 P1.1.3a
3(b)(ii)	the rate of energy transfer would be lower.		1	AO1 P1.1.3c
3(c)	power time	allow the temperature (of the oven) watts or wattage is insufficient	1 1	AO1 P1.3.1b
3(d)	it can be switched on / off remotely	accept sensible suggestions about remote operation eg can be turned on / off from work **or** food can be cooked before you get home	1	AO3 P1.1
Total			**7**	

Question	Answers	Extra information	Mark	AO / Spec. ref.
4(a)	20 790 (J)	an answer of 21 000 (J) (2 s.f.) gains **2** marks allow **1** mark for correct substitution: ie E = 0.33 x 4200 x 15 provided no subsequent step shown	2	AO2 P1.1.4d
4(b)	temperature		1	AO1 P1.1.4d
4(c)	(top pan) balance	accept scales do **not** accept a scale do **not** accept weighing scales do **not** accept newtonmeter do **not** accept spring balance	1	AO1 P1.1.4d
4(d)	dark / black / (dark) grey convection	 correct order only	1 1	AO1 P1.1.1c P1.1.3c
4(e)(i)	created	accept made	1	AO1 P1.2.1a
4(e)(ii)	increases		1	AO1 P1.2.1c
Total			**8**	

Question	Answers	Extra information	Mark	AO/Spec. ref.
5(a)(i)	high levels of infrared radiation (from the Sun)	allow lots of (solar) energy (available) do **not** accept 'heat' for infrared 'it is hot' is insufficient 'lots of sunlight' is insufficient	1	AO2 P1.4.1a
5(a)(ii)	reflected		1	AO1 P1.5.1g
5(a)(iii)	boiler turbine transformer	correct order only	1 1 1	AO1 P1.4.1a
5(b)	2 100 000 (kWh)	allow **1** mark for correct substitution i.e. 140 000 x 15 provided no subsequent step	2	AO2 P1.3.1c
5(c)(i)	only 1 wind turbine was considered **or** other wind turbines may have generated more electricity only 1 week's weather was reported on **or** wind speed varies from one week to another	accept only one location is considered accept insufficient sample size 'wind speed varies' is insufficient	1 1	AO3 P1.4
5(c)(ii)	any **one** from: • wind speed is too high / low • wind is unreliable	allow no wind allow too windy allow wind is variable	1	AO1 P1.4

Question 5 continues on the next page . . .

Question 5 continued . . .

Question	Answers	Extra information	Mark	AO/Spec. ref.
5(c)(iii)	any **one** from: • wind is a renewable energy source • do not use fuel • energy source is free • do not release carbon dioxide • do not release greenhouse gases • do not release sulfur dioxide • do not cause acid rain • do not cause climate change • do not cause global warming • do not cause global dimming	answer must be an advantage of wind, converse answers in terms of fossil fuels are insufficient accept do not release pollutant gases 'no pollution' is insufficient	1	AO1 P1.4.1f
Total			**11**	

4.8.1.3 Orbital motion, natural and artificial satellites

Question	Answers	Extra information	Mark	AO / Spec. ref.
6(a)(i)	C		1	AO2 P1.5.4a
6(a)(ii)	The speed of star **B** is less than the speed of star **D**.		1	AO3 P1.5.4b
6(b)	300 000 000 m/s	allow **1** mark for correct substitution ie 200 000 x 1500 provided no subsequent step shown allow unit correctly indicated in list if not written in answer space	2 1	AO2 AO1 P1.5.1j
Total			**5**	

4.8.1.3 Orbital motion, natural and artificial satellites

Question	Answers	Extra information	Mark	AO / Spec. Ref.
7 (a)	Marks awarded for this answer will be determined by the Quality of Written Communication (QWC) as well as the standard of the scientific response. Examiners should also refer to the information on page 4 and apply a 'best-fit' approach to the marking.		6	AO2 AO3 P1.2 HSW

0 marks	Level 1 (1-2 marks)	Level 2 (3-4 marks)	Level 3 (5-6 marks)
No relevant information	There is a relevant statement about an energy saving method	There is at least one clear comparison of energy saving methods and their cost effectiveness with an appropriate calculation	There is a comparison of energy saving methods and their cost effectiveness with appropriate calculations. Comparison to include further detail.

examples of physics points made in the response	extra information
examples of relevant statements • energy efficient boiler saves the most (energy / money) per year • loft insulation costs the least to install • double-glazing costs the most to install **examples of statements that include cost effectiveness** • loft insulation is the most cost effective in the long term • double-glazing is the least cost effective • loft insulation has the shortest payback time • double-glazing has the longest payback time • payback time calculated for any method **examples of further detail** • for cost effectiveness install in the following order: loft, cavity wall, boiler, double-glazing • for reducing energy use install in the following order: boiler, loft, cavity wall, double glazing • don't install double-glazing for insulation purposes • double-glazing won't pay for itself in your lifetime • justified choice of best / worst method	payback times: energy efficient boiler: 6.25 years loft insulation: 2 years double glazing: 100 years cavity wall insulation: 2.86 years

Question 7 continued . . .

Question	Answers	Extra information	Mark	AO / Spec. ref.
7(b)(i)	how effective a material is as an insulator	accept 'heat' for energy accept how effective a material is at keeping energy in accept the lower the U-value the better the insulator accept the lower the U-value the lower the rate of energy transfer	1	AO1 P1.1.4a
7(b)(ii)	(the U-value) decreases		1	AO1 P1.1.4b
Total			**8**	

Question	Answers	Extra information	Mark	AO / Spec. ref.
8(a)(i)	0.5 °C		1	AO3 P1.1
8(a)(ii)	data is continuous **or** both variables are continuous **or** independent variable is continuous **or** time is continuous	accept results / measurements for data accept data is not categoric one variable is continuous is insufficient air temperature is continuous is insufficient	1	AO3 P1.1
8(b)(i)	20.5 (°C)		1	AO2 P1.1
8(b)(ii)	60 (minutes)	accept 1 hour	1	AO2 P1.1
8(c)(i)	so a comparison can be made **or** outside temperature is a control variable	accept: (outside) temperature would affect energy required (to maintain temperature of the house) **or** (outside) temperature would affect internal temperature (of the house) **or** heat loss will be faster on a cold day outside temperature will affect the results is insufficient fair test is insufficient	1	AO3 P1.1

Question 8 continues on the next page . . .

4.8.1.3 Orbital motion, natural and artificial satellites

Question	Answers	Extra information	Mark	AO / Spec. ref.
8(c)(ii)	the cost is equal to the number of kWh x the cost per kWh calculation 0.8 / 8.0 = 0.1 or 10%	accept (heating) bill depends on (number of) kWh used accept energy for kWh allow 7.2 / 8.0 = 0.9 or 90%	1 1	AO3 AO2 P1.1
8(c)(iii)	heating is on for more / less time (than anticipated) because some days it is cooler / warmer (than anticipated)	 accept other sensible suggestions an answer giving two sensible situations gains **2** marks possible examples: • some houses have different amounts of insulation • there are different styles of house temperature (inside / outside) is always changing is insufficient	1 1	AO3 P1.1
Total			**9**	

4.8.1.3 Orbital motion, natural and artificial satellites

Answer 50 · Examiner comments June 2018 | 8463/2F | Original Q1

Question 1 (Low demand)

01.1 Nearly all students identified the correct galaxy.

01.2 Most students completed this calculation correctly. A small minority scored one mark by showing a correct substitution followed by an incorrect numerical answer.

01.3 Just under half of the students gave the correct answer. Many of those students giving an incorrect answer of 4 were including Pluto as a planet.

01.4 Over 90% of students gave a value within the correct range.

01.5 The majority of students multiplied the given numbers, rather than dividing 9 by 0.6.

Answer 53 · Examiner comments June 2022 | 8463/2F | Original Q3

Question 3 (Low demand)

03.1 About three quarters of the students knew that the Sun is a star. Common incorrect answers were usually a simple description of its shape or its high temperature.

03.2 Nearly all the students knew that our solar system is called the Milky Way.

03.3 Whilst many of the students knew that a moon orbits a planet, less than 20% were able to correctly give the term ‘natural satellite’. The weakest answers simply described the moon in terms of a ‘round object’ or a ‘rock/planet’.

03.4 Less than half of the students were able to give two correct statements based on the data in Table 2. Many of the students failed to score a mark due to making vague or incorrect statements not related to the given data. The radius of Europa was often misread with Europa stated as being smaller than the dwarf planet.

03.5 Almost none of the students scored 2 marks, with only about a quarter scoring 1 mark. A significant number of students did not attempt the question. Most of the answers scoring 1 mark were for a suitable difference, usually given in terms of time taken to orbit or distance from the Earth.

03.6 The most common correct answers were given in terms of the cost of space travel or the training / skills required.

4.8.1.3 Orbital motion, natural and artificial satellites

Answer 54 · Examiner comments June 2023 | 8463/2F | Original Q4

04.1

90% of students recognised the reason why a new scientific model would need to be introduced.

04.2

Some students gained all four marks through well-structured comparisons between the models. Those who listed features that were unconnected gained a maximum of 2 marks. Some students did not achieve any marks through a lack of detail in their statements.

04.3

Students were asked to state the time increases, most achieved this, a common alternative was ‘it takes longer’. Many students used the table headings to successfully describe the relationship. Many who did not score made comments about the speed increasing or the distance being greater or simply said the time changes.

04.4

Most students scored 2 marks, with only 3.5% getting no marks. The most common error was not identifying the correct scale of the graph ,resulting in the bars being the incorrect height.

04.5

21% of students were able to identify the order of two stages in the life cycle of the Sun correctly. 19% were able to identify all three stages in the correct order.

04.6

57% of students knew that black bodies are the best emitters of radiation.

Answer 55 · Examiner comments June 2023 | 8463/2F | Original Q7

07.1

75% of students knew that satellite is the name given to an object that orbits a planet.

07.2

A significant number of students did not attempt this question. This is common when students are asked to complete a diagram. Many did show an arrow from the Hubble Space Telescope to Earth. Some drew multiple arrows. A lack of precision from where the arrow started prevented some students from scoring the mark.

07.3

53% of students scored full marks on this calculation of speed from a distance–time graph. The most obvious way of doing this was to use the full gradient which gives 38km in 5 seconds, which was the most common method used by the students. However, many students took different intervals along the line and provided they used the correct numbers the calculation was accepted. This meant a range of velocities could be derived. Common ones were 15km in 2s, 4km in 0.5s,

Answer 55 · Examiner comments

June 2023 | 8463/2F | Original Q7

23km in 3s. 8% scored one mark for correctly identifying a change in distance with the corresponding change in time.

07.4

65% of students could identify the galaxy moving away from Earth the fastest from the light spectra.

07.5

77% of students could identify the galaxy furthest away from Earth from the light spectra.

07.6

74% of students understood why it is important that scientific observations are peer reviewed.

4.8.1.3 Orbital motion, natural and artificial satellites

AQA

GCSE
PHYSICS

8463/1F: Paper 1
Report on the Examination

8463
June 2019

Version: 1.0

4.8.1.3 Orbital motion, natural and artificial satellites

Further copies of this Report are available from aqa.org.uk

Copyright © 2019 AQA and its licensors. All rights reserved.
AQA retains the copyright on all its publications. However, registered schools/colleges for AQA are permitted to copy material from this booklet for their own internal use, with the following important exception: AQA cannot give permission to schools/colleges to photocopy any material that is acknowledged to a third party even for internal use within the centre.

REPORT ON THE EXAMINATION – GCSE PHYSICS – 8461/1F – JUNE 2019

General

Grade 1-3 calculation questions were well answered, where the equation is always given and students will not be required to rearrange the equation. Grade 4-5 calculation questions involving equation recall were answered better this year than in 2018 and students are scoring many of their marks on the paper by answering the subsequent calculation questions correctly. At grade 4-5 students are expected to be able to either rearrange an equation or convert a unit, so it is beneficial for students to be able to quickly identify if the units given in a question are correct for the use in the equation. Question 10.1 was generally well attempted and students who had carried out Required Practical Activity 2 would have had a material advantage over those who hadn't.

Handwriting sometimes makes it very difficult for examiners to read what has been written. Students who have handwriting that is difficult to read may benefit from a scribe or from word processing their answers in exams.

Levels of demand

Questions are set at two levels of demand on this paper:

- low demand questions are targeted at students working at grades 1–3
- standard demand questions are targeted at students working at grades 4–5.

A student's final grade, however, is based on their attainment across the qualification as a whole, not just on questions that may have been targeted at the level at which they are working.

Question 1 (Low demand)

01.1 Around 77% of students scored 2 marks. Around 16% of students scored 1 mark.

01.2 Only around 8% of students scored 2 marks. Both evaporation and change of state were common, insufficient answers for the first marking point. Less than half of the students scored 1 mark. The marking points were independent, so if the change of state was incorrect eg melting, the student could still score the second marking point.

01.3 Around 91% of students scored 2 marks. In calculations where students are provided with the equation (grades 1-3) students are not expected to rearrange the equation. Some students incorrectly tried to convert the kg into g and scored 0 marks.

01.4 Approximately 82% of students scored 3 marks. In calculations where students are provided with the equation (grades 1-3) students are not expected to rearrange the equation. Some students incorrectly tried to convert the kg into g and scored 0 marks for the calculation. Some students set out their calculation, but then multiplied the two values rather than dividing.

Question 2 (Low demand)

02.1 About 67% of students identified the correct decay equation.

02.2 More than three quarters of the students identified why alpha radiation is dangerous inside the human body.

02.3 Just below three quarters of students scored 2 marks. Most correct answers read the values from the graph as intended (460, 280) and students didn't need the tolerance given in the mark scheme.

02.4 About 60% of students correctly estimated the mass remaining.

02.5 Students found this question difficult, with around 55% of students scoring 2 marks and around 27% of students scoring 1 mark.

Question 3 (Low demand)

03.1 Approximately 45% of students scored 1 mark for identifying a measuring instrument that could be used. About 9% of students scored 2 marks for describing an appropriate way to use it. Pythagoras was insufficient as the triangle described would not give the height of the zip wire.

03.2 Students were often very successful in calculation, with around 91% scoring 2 marks.

03.3 This question gave a good spread of marks. Over a fifth scored 3 marks, almost two fifths scored 2 marks and slightly below a quarter scored 1 mark. Gravitational potential energy or gravitational field strength were insufficient to score a mark.

Question 4 (Low demand)

04.1 Over a third of students answered this question correctly.

04.2 About 14% of students answered this question correctly.

04.3 This question about the alpha particle scattering experiment discriminated well between students. Around 16% of students scored 3 marks, around 45% of students scored 2 marks and around 30% of students scored 1 mark.

04.4 About 77% of students correctly identified what reproducible means. .

Question 5 (Low demand)

05.1 The most common correct answers linked CO_2 to global warming. Around 38% of students scored 2 marks and around 35% scored 1 mark. Common incorrect answers were usually vague and mentioned air pollution without being specific. There were many students who incorrectly linked CO_2 with the ozone layer.

05.2 Over half of the students scored 2 marks and over a third scored 1 mark. Insufficient answers included hydro and water. Answers using specification wording eg the tides were acceptable, as were terms like tidal, etc. Oil was insufficient as this was assumed to be non-renewable oil as opposed to palm oil or other biofuel oils.

05.3 Around 83% of students scored 2 marks for this percentage calculation. An answer of 78 scored 1 mark even if spurious calculations followed.

05.4 About 67% of students scored 2 marks. Quite a large number of misreads from the graph resulting in 0 marks and around 29% of students scored 0 marks.

4.8.1.3 Orbital motion, natural and artificial satellites

05.5 Only around 5% of students scored 2 marks whilst half of the students scored 1 mark. Some students failed to make the connection between the time of day and sunrise. Some students talked vaguely about the energy stored by solar panels, confusing them with solar heating panels rather than solar photovoltaic panels.

Question 6 (Low and Standard demand)

06.1 More than half of the students scored 2 marks. To score a mark a comparative statement was needed eg lower, not low mass of power source. A statement using the word 'better' would be insufficient.

06.2 Around 64% of students scored 2 marks. Many students scored 1 mark for truncating and not rounding their answers, an answer of 26.08 would score only 1 mark for the substitution.

06.3 This question discriminated well, with about 16% scoring 2 marks and more than half scoring 1 mark. 'Increases the battery's power output' was insufficient to score a mark. 'Battery lasts longer' was insufficient to score a mark.

06.4 The quantities in the question are given in alphabetical order; there is no need for students to recall the equation in this order. Any correct rearrangement of the equation or use of the correct symbols for quantities was allowed. A mixture of symbols and words would also score the mark. Approximately 70% of students answered this question correctly.

06.5 It was encouraging to see many Foundation tier students successfully rearranging the equation. Around 77% of students scored 3 marks.

Question 7 (Low and Standard demand)

07.1 About 86% of students answered this question correctly.

07.2 Approximately 83% of students answered this question correctly. Students should refer to the Physics specification for the accepted symbols for circuit components. Textbooks and revision guides do not necessarily use the specification symbols. The circles in the component symbol scored a mark even if shown as blobs rather than circles.

07.3 Around 93% of students scored 2 marks. At grade 1-3, the equation is given and no rearrangement of the equation is needed. Students need to simply substitute and calculate the answer.

07.4 Around 93% of students scored 2 marks. At grade 1-3, the equation is given and no rearrangement of the equation is needed. Students need to simply substitute and calculate the answer.

07.5 About 23% of students answered this question correctly.

07.6 About 38% of students answered this question correctly.

07.7 Students can recall the equation in any correct rearrangement. The stem of the question lists the quantities in alphabetical order, so that there is no suggestion of the correct order.

Correct letters for quantities are acceptable in place of the quantity names. Voltage or p.d. were acceptable for potential difference. Approximately 57% of students answered this question correctly.

07.8 The first mark is for the substitution into the correct equation. The second mark is for the correct rearrangement of the correct equation. The third mark is for the correct final answer. About 58% of students scored 3 marks for this question. Grade 4-5 calculation questions require either a unit change or a rearrangement of the equation.

Question 8 (Low and Standard demand)

08.1 Around 63% of students answered this question correctly.

08.2 Around 86% of students answered this question correctly. Some students gave a precaution instead of a risk, which was insufficient.

08.3 Around 62% of students answered this question correctly, demonstrating that students still confuse the terms resolution and range.

08.4 Around 96% of students answered this question correctly.

08.5 Many students failed to substitute correctly into the equation that was printed on the Physics Equations Sheet. Many students multiplied the 3 values given in the question, which scored zero marks. The unit mark was independent, but a large number of students failed to recognise the correct unit from the box. More than a third of students scored 4 marks and around 16% of students scored 3 marks. A quarter of students scored 1 mark for either the correct unit or the correct substitution.

Question 9 (Standard demand)

09.1 About 45% of students correctly identified the meaning of power input.

09.2 Only a quarter of students scored this mark. Students can recall the equation in any correct rearrangement. The stem of the question lists the quantities in alphabetical order, so that there is no suggestion of the correct order. Correct letters for quantities are acceptable in place of the quantity names. Voltage or p.d. were acceptable for potential difference.

09.3 Around 13% of students scored 3 marks and about 81% scored zero. Students found this question difficult to answer, presumably due to their inability to recall the correct equation in the preceding question.

09.4 More than half of students answered this correctly. Some students failed to score the mark by writing input for both the denominator and the numerator.

09.5 Students who successfully recalled the equation in **09.4** were likely to score all 3 marks for this question. Only around 15% of students scored zero.

09.6 Many students restated the stem, rather than going the extra stage in the reasoning and linking to efficiency because thermal energy is also transferred by the light bulb. A number of students believed that knowing the rate at which the bulbs emitted visible light was a

safety concern related to the household electrics. Only around 1% of students scored 2 marks, about 16% of students scored 1 mark and around 73% of students scored zero marks.

Question 10 (Standard demand)

10.1 This question produced a good spread of marks. A mean score of 2.1 was achieved by students on the Foundation tier. Students who had experience of a similar practical benefitted from this as they were able to describe a method in sufficient detail to achieve Level 2. To achieve Level 3, a student needed to indicate that several values of number of layers were used, referring to the interval of 8 layers (as the graph showed) or that the experiment should be done with no layers. A control variable was also needed, either the initial temperature of the water, or the volume of water in each experiment. Some students gained no credit by describing different required practical methods. Around 2% of students scored 6 marks, around 15% of students scored 4 marks and about a fifth of students scored 2 marks. Around 10% of students didn't attempt the question.

10.2 Many students stated that it wasn't necessary to use both as it would be confusing. The datalogger would produce too much data was a common insufficient answer. A number of students stated that using a normal thermometer would be more appropriate, scoring zero marks. Less than 1% of students scored 2 marks and less than a fifth of students scored 1 mark.

Question 11 (Standard demand)

11.1 Over two-fifths of students scored 3 marks for this question. It wasn't necessary to give the answer to an appropriate number of significant figures, so answers of 0.502, 0.50 and 0.5 were all creditworthy. Some students calculated the jump height to be unlikely values; students should be encouraged to consider whether it is likely that someone can jump a height of 4.92 m, a commonly seen answer achieved by multiplying the 2 values given (41 × 0.12). Less than half of the students scored zero marks.

11.2 A common incorrect answer was E_k = mass × speed, since these were the quantities given in the question. A number of students also left out the 0.5 value even if they remembered that speed should be squared. Velocity was allowed instead of speed in the equation. Correct symbols were acceptable for the quantities in the equation. About 30% of students answered this question correctly.

11.3 Despite being asked to recall the equation in 11.2, most students simply multiplied or divided the 2 values given in the question (3.0 and 270), scoring 0 marks. Only around 19% of students scored 3 marks.

11.4 Some students commented on muscle mass and strength which were insufficient to score marks. Clear comparisons, including at least one difference and one similarity, were needed to score 4 marks. This question discriminated well between students; around 6% of students scored 4 marks, around 29% of students scored 2 marks and around 13% of students scored zero.

4.8.1.3 Orbital motion, natural and artificial satellites

11.5 Some students failed to score a mark because they simply restated the question, 'the scientist wanted the highest muscle power reading' without adding any value. The answer either needed to refer to the effect of repetition on performance (improvement or worsening) or that it was the maximum (or peak) muscle power that the scientist was investigating. A fifth of students answered this question correctly.

4.8.1.3 Orbital motion, natural and artificial satellites

Use of statistics

Statistics used in this report may be taken from incomplete processing data. However, this data still gives a true account on how students have performed for each question.

Mark Ranges and Award of Grades

Grade boundaries and cumulative percentage grades are available on the Results Statistics page of the AQA Website.

4.8.1.3 Orbital motion, natural and artificial satellites

Questions matter

GCSE
Physics
8463/2F

Report on the examination

Version: 1.0
June 2025

© 2025 AQA

4.8.1.3 Orbital motion, natural and artificial satellites

Further copies of this report are available from aqa.org.uk

AQA retains the copyright on all its publications. However, registered centres for AQA are permitted to copy material from this booklet for their own internal use, with the following important exception: AQA cannot give permission to centres to photocopy any material that is acknowledged to a third party even for internal use within the centre.

Report on the examination – GCSE - Physics – 8463/2H – June 2025

General comments

Students should pay attention to the number of options that need to be ticked when doing multiple choice questions. They should make sure they cross out wrong options when they change their minds, as marks cannot be awarded where there are multiple ticks instead of one.

Many students demonstrated good maths skills, although there are always issues with rearrangements. Formula triangles are not always helpful. Students who had correctly written down an equation in a previous question and then tried to use a formula triangle often scored no marks, because they don't understand how to use them. If they had substituted into the equation from the equations sheet they would have scored the 1st mark.

Students had access to the equations sheet for this examination series. A minority of the students however did not use them to find the appropriate equation.

Levels of demand

Questions are set at two levels of demand on this paper:

- Low demand questions are targeted at students working at grades 1–3.
- Standard demand questions are targeted at students working at grades 4–5.

A student's final grade, however, is based on their attainment across the qualification, not just on questions that may have been targeted at the level at which they are working.

01.1

Over 90 % of the students knew that a protractor is used to measure angles. The phonetic spelling of protractor was allowed.

01.2

Almost 70% of the students scored all four marks for completing the graph. Despite a clear instruction a significant number did not label the y-axis. A number of the students did not use a ruler to draw the line of best fit.

01.3

Most of the students correctly identified the relationship between the angle of incidence and the angle of reflection.

01.4

Half of the students knew which measurement was the amplitude of a wave. Most of the others thought the vertical distance between a peak and a trough was the amplitude.

01.5

About 80 % of the students knew which line showed the wavelength of the wave. The most common incorrect answer was the distance showing half the wavelength.

© 2025 AQA and its licensors. All rights reserved.

4.8.1.3 Orbital motion, natural and artificial satellites

Report on the examination – GCSE - Physics – 8463/2H – June 2025

01.6

Over 90 % of the students correctly calculated the wavelength. Those who did not achieve full marks mainly did so by not choosing the correct unit for wavelength, with Pa being a popular incorrect choice.

01.7

This was well answered, with most of the students scoring both marks. A few inverted the equation and thus calculated the period incorrectly.

02.1

Most of the students correctly calculated the weight of coal.

02.2

Just over 90% of the students were able to use the work done equation correctly. Those that did not get full marks tended to put an additional step into the calculation by dividing the answer 68 000 000 by 4; the number of engines in total.
Occasionally a student would attempt to convert the number calculated into standard form. Whilst not being penalised, this was not required.

02.3

Well answered by most students. As with part 02.2, occasionally a student would attempt to convert the number calculated into standard form.

02.4

Nearly 90% of the students could identify that friction was a contact force.

02.5

Most of the students identified the correct distance-time graph for constant speed.

02.6

This was the 1st calculation that was more challenging for many students. A common error was to use only one of the quoted velocities to calculate the acceleration rather than using the difference between the velocities. However just over 80 % did score full marks, with 10 % scoring zero or not attempting the question.

03.1

Approximately 60% of the students scored both marks. Often students did not know the correct word for a natural satellite. However, many correctly identified ‘star’ for the second word.

03.2

Most of the students knew that we are part of the Milky Way galaxy.

03.3

© 2025 AQA

Only about 40 % of the students knew that the Sun will eventually become a black dwarf. The most popular wrong answer was that it would become a black hole.

03.4

Just fewer than 40 % of the students knew that a very distant galaxy moves faster than a nearer galaxy.

03.5

About 70 % of the students knew that an increase in the wavelength of light from a distant galaxy is called red-shift.

03.6

About 60 % of the students selected the correct word to describe the beginning of the universe.

03.7

Almost 80 % of the students knew that the universe is expanding.

04.1

Just over 70 % of the students were able to make the connection between the mass of a vehicle and how it would affect the maximum acceleration.

04.2

Over 90 % of the students scored full marks for calculating the resultant force using F = ma. However, some of the students thought that the value of acceleration needed to be squared and then multiplied by mass.

04.3

This level of response question proved too challenging for many. Only just over 1 % of the students scored full marks. Most identified that the driving force would increase, but fewer recognised that as this happened the air resistance would also increase, with many stating that the air resistance would decrease as the cars speed increased.

04.4

Most of the students knew that the thinking distance is affected by the driver's reaction time.

04.5

Just fewer than 70 % of the students were aware that the braking distance is the distance travelled under the braking force.

04.6

Only just over 20 % of the students scored full marks for using the graph of distance against speed to find the stopping distance. The correct distances were often identified from the graph. However, these were then either subtracted from each other, divided or multiplied rather than added.

© 2025 AQA

Report on the examination – GCSE - Physics – 8463/2H – June 2025

04.7
Nearly 80 % of the students identified factors that would increase the stopping distance of a car. Despite two being emboldened twice in the question, some students only ticked one box.

05.1
The principal focus was correctly identified by just over 60 % of the students.

05.2
About 80 % of the students knew that the change in direction of light as it enters a lens is called refraction.

05.3
Nearly 70 % the students recognised the shape of a convex lens.

05.4
Under a half of the students managed to correctly measure the object height and image height. This may have been due to a lack of skill or a lack of equipment.

05.5
This was much more successfully answered than part 05.4 with nearly 90 % of the students scoring both marks. These students used their values from part 05.4 to calculate magnification.

05.6
Just fewer than 50 % of the students knew that magnification is a ratio, but almost the same number thought it is a power.

05.7
This was a challenging question. Most of the students that did score a mark were awarded only the first mark point. This was for explaining that white light is transmitted through colourless glass. A lot of the students think of white light as an entity in itself rather than the result of the colours of the visible light combined. Few used the word transmitted but rather described it as passing through or goes through.
For the 2nd and 3rd mark points many of the students decided that white light was reflected or refracted, reinforcing the misconception that white light is a single entity rather than being made up of a combination of wavelengths. The idea that filters would absorb different wavelengths of light seemed to be difficult for the students to express, with very few achieving the third mark.

06.1
Only just over 30 % of the students could identify two magnetic materials from the list, with about 60 % being able to identify one. Again, a number of students ticked just one box or more than two boxes.

© 2025 AQA

4.8.1.3 Orbital motion, natural and artificial satellites

Report on the examination – GCSE - Physics – 8463/2H – June 2025

06.2

Just over 70 % of the students correctly named the iron nails as induced magnets.

06.3

Just fewer than 40 % of the students knew the direction of the magnetic field.

06.4

Nearly 80 % of the students recognised the shape of the magnetic field around a current carrying wire.

06.5

Very few of the students could give two changes that would increase the magnetic field strength. 'Increasing the current' was a common correct response. Many of the students answered 'increasing the number of coils' as such they were implying the wire was already coiled and not answering the question asked, which was about the straight wire shown in Figure 10.

07.1

Nearly 60 % of the students understood what is meant by the moment of a force. The most common incorrect option was 'The direction of the force.'

07.2

The correct resultant moment was selected by just over 80 % of the students.

07.3

Students generally answered this well, identifying position 7 and on which side of the balance the tag should be placed. Some indicated this on the diagram which was an accepted alternative response, provided what was written did not contradict it.

07.4

Some students wrote the equation for the moment of a force in words and then in symbols. This risks not gaining the mark if either is incorrect. Also, correct use of symbols should be stressed, especially when they are given in the question. It was surprising that some of the students scored zero or did not attempt to write down an equation despite having the equations sheet.

07.5

Almost three quarters of the students were able to rearrange the equation and then calculate the distance between the pivot and the tag on the balance.

08.1

Most of the students found this level of response question difficult to answer. Only just over 1 % gave a level 2 answer. Many of the students scored 2, 1 or 0 marks. Of those that scored a mark the most common response was light travels faster than sound. Many also tried to describe light and sound as transverse and longitudinal waves, with the majority getting this

© 2025 AQA

confused. Very few identified acceptable similarities. Common answers that did not gain credit included light travels at the speed of light, sound travels at the speed of sound, light can be seen and sound cannot be seen.

08.2

Just fewer than 80 % of the students choose the correct equation for calculating speed.

08.3

This question required students to rearrange the equation. About three quarters of the students scored all three marks.

09.1

About 65 % of the students correctly stated the independent variable in this investigation.

09.2

Just over 40 % of the students scored both marks for identifying a risk of harm and a suitable safety precaution to reduce the risk. Too few students connected a hazard, such as a falling weight, becoming a risk of harm when it hit or hurt the student.

09.3

Students were expected to clearly describe two improvements to the arrangement shown that would improve the accuracy of the results. Many had difficulty describing their ideas clearly and answers were often too vague to gain credit.

09.4

Almost 40 % of the students scored this mark usually by explaining that the spring length was not 0 cm rather than describing the relationship between spring length and force.

09.5

This was not successfully answered, with only about 2 % of the students scoring both marks and a further 13 % scoring one mark. The 1st mark point was for stating or giving a clear description of inelastic deformation. Of those who were awarded marks most of them described how the spring had reached or passed its limit of proportionality.

09.6

Over 90 % of the students selected the correct equation.

09.7

Nearly 80 % of the students scored all three marks. Those that did not often rearranged the equation incorrectly.

10.1

Only about 5% of the students correctly calculated the uncertainty correctly from either the range or the mean.

© 2025 AQA

4.8.1.3 Orbital motion, natural and artificial satellites

10.2

Just over 40 % of the students identified that a random error had caused the variation in this investigation. A greater proportion of the students thought there was a systematic error but this would not have accounted for the variation in the results.

10.3

This mark was awarded for a clear description of variation in the way the ball was dropped. For example, through different heights, at different speeds, or a different delay each time. Common answers giving reaction time or human error were too vague, to be awarded marks unless qualified.

10.4

Just fewer than 30 % of the students scored all three marks. Many of the students took only one value from the graph rather than a corresponding pair of values and so scored 0. Those that used a pair of correct values often then used them the wrong way round when calculating the gradient.

© 2025 AQA

4.8.1.3 Orbital motion, natural and artificial satellites

Report on the examination – GCSE - Physics – 8463/2H – June 2025

Mark Ranges and Award of Grades

Grade boundaries and cumulative percentage grades are available on the Results Statistics page of the AQA Website.

© 2025 AQA and its licensors. All rights reserved.