AQA GCSE Physics | 8463

SPECIFICATION POINT 4.1.1.2

Changes in energy

Mark schemes and examiner comments

Tier	**Higher**
Question groups	**46**
Available paper years	**2003–2025**

Using this booklet

1. Booklet answer numbers match the question booklet.
2. Use the original question number within marking tables.
3. Examiner comments are included where available.

Name: _____ **Date:** _____

Where a precise marking extract is unavailable, the full source document is included in an appendix. Any missing mark scheme is explicitly identified.

4.1.1.2 Changes in energy

Answer 01 · Mark scheme June 2003 | 3451H | Original Q13 | Legacy

The full source mark scheme begins on page 58. Follow original question 13 in that document.

Answer 02 · Mark scheme June 2003 | 3462H3 | Original Q11 | Legacy

The full source mark scheme begins on page 80. Follow original question 11 in that document.

Answer 03 · Mark scheme June 2005 | 3451 | Original Q13 | Legacy

The full source mark scheme begins on page 97. Follow original question 13 in that document.

Answer 04 · Mark scheme June 2005 | 3451 | Original Q15 | Legacy

The full source mark scheme begins on page 97. Follow original question 15 in that document.

Answer 05 · Mark scheme June 2005 | 3462 | Original Q10 | Legacy

The full source mark scheme begins on page 115. Follow original question 10 in that document.

4.1.1.2 Changes in energy

Answer 06 · Mark scheme June 2005 | 3462 | Original Q11 | Legacy

The full source mark scheme begins on page 115. Follow original question 11 in that document.

Answer 07 · Mark scheme June 2006 | 3451 | Original Q14 | Legacy

The full source mark scheme begins on page 129. Follow original question 14 in that document.

Answer 08 · Mark scheme June 2006 | 3462 | Original Q12 | Legacy

The full source mark scheme begins on page 149. Follow original question 12 in that document.

Answer 09 · Mark scheme March 2007 | PHY1A | Original Q2 | Legacy

Two	**A**	coal-fired power stations	**4**
	B	geothermal power stations	**1**
	C	nuclear power stations	**3**
	D	tidal power stations	**2**

Answer 10 · Mark scheme June 2007 | PHY1A | Original Q2 | Legacy

Two	**A**	electrical energy	**1**
	B	gravitational potential energy	**2**
	C	sound energy	**4**
	D	thermal energy	**3**

	A	**B**	**C**	**D**

Answer 11 · Mark scheme June 2007 | PHY1A | Original Q5 | Legacy

Five	**1**	**3**	**3**	**3**

4.1.1.2 Changes in energy

Answer 12 · Mark scheme

November 2007 | PHY1A | Original Q1 | Legacy

One	**A**	gravitational potential energy	**1**
	B	kinetic energy	**2**
	C	light energy	**4**
	D	thermal energy	**3**

4.1.1.2 Changes in energy

Answer 13 · Mark scheme

Question 3

question	answers	extra information	mark
(a)(i)	24(V)		1
(ii)	current always flows in the same direction **or** current only flows one way		1
(b)(i)	more power / force needed work done to lift the scooter uphill **or** work done against gravity	accept energy transformed faster accept it moves against gravity accept energy is transformed to gravitational potential energy	1 1
(ii)	reduces it		1
(c)	375	**1** mark for correct substitution **1** mark for an answer = 250 **1** mark for an answer = 125	2
(d)	86400 coulomb	**1** mark for correct substitution **1** mark for an answer = 43200 answer 24 gains **1** mark answer 24 Ah gains **2** marks answer 12 Ah gains **1** mark only accept C	2 1
total			10

4.1.1.2 Changes in energy

Answer 13 · Mark scheme

January 2008 | PHY2H | Original Q3 | Legacy

PHY2H

Answer 14 · Mark scheme

June 2008 | PHY1AP | Original Q2 | Legacy

No matching mark scheme was available in the supplied archive for this question.

Answer 15 · Mark scheme

June 2008 | PHY1AP | Original Q5 | Legacy

No matching mark scheme was available in the supplied archive for this question.

Answer 16 · Mark scheme

November 2008 | PHY1AP | Original Q1 | Legacy

Question	Key		
One	**A**	0.6	**4**
	B	5	**3**
	C	15	**2**
	D	30	**1**

4.1.1.2 Changes in energy

Answer 17 · Mark scheme

January 2009 | PHY2H | Original Q1 | Legacy

Question 1

question	answers	extra information	mark
1(a)	correct box ticked 		1
1(b)	each passenger has a different mass	accept weight for mass ignore other irrelevant factors about the person e.g. mass and height do **not** accept a list with incorrect factors e.g. mass and position accept passengers started with different (gravitational) potential energy	1
1(c)(i)	30	ignore added units	1
1(c)(ii)	2400	accept their (c)(i) × 80 correctly calculated for both marks allow **1** mark for correct substitution of their (c)(i) and 80 an answer of 800 gains **1** mark only if answer to (c)(i) is not 10	2
Total			**5**

4.1.1.2 Changes in energy

Answer 17 · Mark scheme

January 2009 | PHY2H | Original Q1 | Legacy

PHY2H

4.1.1.2 Changes in energy

Answer 18 · Mark scheme

June 2009 | PHY2H | Original Q5 | Legacy

Question 5

question	answers	extra information	mark
5(a)	47250	answers of 1350/ 33750/ 48600 gain **1** mark allow **1** mark for correct substitution using both 18 and 3	2
5(b)(i)	47250 or their (a)	accept statement 'same as the KE (lost)' ignore any units	1
5(b)(ii)	transformed into heat/ thermal energy	sound on its own is insufficient accept transferred/ lost/ for transformed do **not** accept any other form of energy included as a list	1
Total			**4**

4.1.1.2 Changes in energy

Answer 18 · Mark scheme June 2009 | PHY2H | Original Q5 | Legacy

PHY2H

Answer 19 · Mark scheme November 2009 | PHY1AP | Original Q1 | Legacy

Question	Key		
One	**A**	0.6	**4**
	B	140	**2**
	C	200	**3**
	D	300	**1**

Answer 20 · Mark scheme March 2010 | PHY1AP | Original Q1 | Legacy

Question	Key		
One	**A**	conduction	**4**
	B	convection	**3**
	C	insulation	**2**
	D	radiation	**1**

4.1.1.2 Changes in energy

Answer 21 · Mark scheme

June 2019 | PHY2H | Original Q1 | Legacy

Question 1

question	answers	extra information	mark
1(a)(i)	75 000 newtons / N	accept correct substitution for **1** mark ie 7500 × 10 do **not** accept n full credit for using g = 9.8 **or** 9.81	2 1
1(a)(ii)	60 000 000	accept for both marks their (a)(i) × 800 correctly calculated accept correct substitution for **1** mark ie their (a)(i) × 800	2
1(b)(i)	arrow drawn parallel (to) **and** down (the) slope	accept arrow drawn anywhere on the diagram	1
1(b)(ii)	increases GPE transformed to KE **or** speed increasing	 accept is accelerating however 'speed increasing' only scores if correctly linked to increasing kinetic energy	1 1
1(c)	so more likely to wear one **or** they know wearing a helmet is likely to / will reduce (risk) head injury **or** so can make an (informed) choice (about wearing one)		1
Total			**9**

4.1.1.2 Changes in energy

Answer 21 · Mark scheme June 2010 | PHY2H | Original Q1 | Legacy

PHY2H

Answer 22 · Mark scheme November 2010 | PHY1AP | Original Q1 | Legacy

Question	Key		
One	**A**	electric drill	**1**
	B	desk lamp	**3**
	C	hair dryer	**2**
	D	television	**4**

Answer 23 · Mark scheme

Question 4

question	answers	extra information	mark
4(a)(i)	kinetic	accept KE do **not** accept movement	1
4(a)(ii)	0.75 **or** 75 %	allow **1** mark for correct substitution ie $\frac{60\,000}{80\,000}$ an answer 0.75 % **or** 0.75 with a unit gains **1** mark only an answer 75 with or without a unit gains **1** mark only	2
4(b)	any **one** from: • large areas of land are flooded • peoples homes may be destroyed • habitat (of animals and plants) lost / damaged	 uses large areas of land / takes up large areas of land is insufficient construct is neutral very noisy is neutral	1

Question 4 continues on the next page . . .

PHY1H

Question 4 continued . . .

question	answers	extra information	mark
4(c)(i)	system of cables <u>and</u> transformers	both required for the mark accept power lines / wires for cables ignore reference to pylons inclusions of power stations / consumers negates answer	1
4(c)(ii)	less energy loss / wasted (in the cables) as the cables are shorter	accept heat for energy do **not** accept no energy loss do **not** accept electricity for energy	1 1
Total			**7**

4.1.1.2 Changes in energy

Answer 23 · Mark scheme January 2011 | PHY1H | Original Q4 | Legacy

PHY1H

4.1.1.2 Changes in energy

Answer 24 · Mark scheme

Question 4

question	answers	extra information	mark
4(a)	1 080 000	allow **1** mark for correct substitution ie ½ × 15 000 × 12 × 12	2
4(b)	any **one** from: • KE (of wind) more than doubles • mass of air (hitting blades) more than doubles • area swept out by blades more than doubles • area swept out by blades increases × 4	do **not** accept blades are larger / have a bigger area	1
Total			**3**

4.1.1.2 Changes in energy

Answer 24 · Mark scheme January 2011 | PHY2H | Original Q4 | Legacy

PHY2H

Answer 25 · Mark scheme June 2011 | PHY1AP | Original Q1 | Legacy

Question	Key		
One	**A**	10%	**2**
	B	20%	**3**
	C	40%	**4**
	D	50%	**1**

4.1.1.2 Changes in energy

Answer 26 · Mark scheme

June 2012 | PH2HP | Original Q1 | Legacy

Question 1

question	answers	extra information	mark
1(a)(i)	**B C**	either order	1
1(a)(ii)	elastic <u>potential</u> (energy)	accept strain for elastic	1
1(b)(i)	measured / recorded the length of the spring (and not extension) extension does not equal zero when force = 0	mark both parts together accept measured **A**–**C** (and not **B**–**C**) accept did not work out/measure the extension accept line should pass through the origin	1 1
1(b)(ii)	point marked at 5.5 (N) up to that point force and extension are (directly) proportional	accept anywhere between 5.0 and 5.6 inclusive accept at the end of the straight part (of the graph line) accept past that point force and extension are no longer (directly) proportional accept the line starts to curve	1 1
1(c)	1.8	allow **1** mark for correct substitution, ie 25 x 0.072 provided no subsequent step shown an answer 1800 gains **1** mark an incorrect conversion from mm to m with a subsequent correct calculation gains **1** mark	2
Total			**8**

4.1.1.2 Changes in energy

Answer 26 · Mark scheme

June 2012 | PH2HP | Original Q1 | Legacy

PH2HP

4.1.1.2 Changes in energy

Answer 27 · Mark scheme

Question 4

question	answers	extra information	mark
4(a)	13 500 (J)	allow **1** mark for correct substitution, ie 90 x 10 x 15 provided no subsequent step shown	2
4(b)	17 **or** $\sqrt{\frac{their\ (a)}{45}}$ correctly calculated and answer given to 2 or 3 significant figures	accept 17.3 allow **2** marks for an answer with 4 or more significant figures, ie 17.32 **or** allow **2** marks for correct substitution, ie 13 500/ their (a) = ½ x 90 x v^2 **or** allow **1** mark for a statement or figures showing KE = GPE	3
4(c)	work is done (against) friction (between the miner and slide) (due to the) slide not (being perfectly) smooth **or** causing (kinetic) energy to be transferred as heat/internal energy of surroundings	 accept 'air resistance' **or** 'drag' for friction accept miners clothing is rough accept lost/transformed for transferred accept air for internal energy of surroundings	1 1 1
Total			**8**

4.1.1.2 Changes in energy

Answer 27 · Mark scheme June 2012 | PH2HP | Original Q4 | Legacy

PH2HP

Answer 28 · Mark scheme

June 2013 | PH2HP | Original Q4 | Legacy

Question 4

question	answers	extra information	mark
4(a)(i)	distance vehicle travels during driver's reaction time	accept distance vehicle travels while driver reacts	1
4(a)(ii)	any **two** from: • tiredness • (drinking) alcohol • (taking) drugs • speed • age	accept as an alternative factor distractions, eg using a mobile phone	2
4(b)(i)	320 000	allow **1** mark for correct substitution, ie $\frac{1}{2} \times 1600 \times 20^2$ provided no subsequent step shown	2
4(b)(ii)	320 000 **or** their (b)(i)		1
4(b)(iii)	40 **or** $\frac{\text{their (b)(ii)}}{8000}$ correctly calculated	allow **1** mark for statement work done = KE lost **or** allow **1** mark for correct substitution, ie 8000 × distance = 320 000 **or** their (b)(ii)	2
4(b)(iv)	any **one** from: • icy / wet roads • (worn) tyres • road surface • mass (of car and passengers) • (efficiency / condition of the) brakes	accept weather conditions accept number of passengers	1

Question 4 continues on the next page . . .

PH2HP

Question 4 continued . . .

question	answers	extra information	mark
4(b)(v)	(work done by) friction (between brakes and wheel)	do **not** accept friction between road and tyres / wheels	1
	(causes) decrease in KE and increase in thermal energy	accept heat for thermal energy accept KE transferred to thermal energy	1
4(c)	the battery needs recharging less often **or** increases the range of the car	accept car for battery accept less demand for other fuels **or** lower emissions **or** lower fuel costs environmentally friendly is insufficient	1
	as the efficiency of the car is increased	accept it is energy efficient	1
	the decrease in (kinetic) energy / work done charges the battery (up)	accept because not all work done / (kinetic) energy is wasted	1
Total			**14**

4.1.1.2 Changes in energy

Answer 28 · Mark scheme

June 2013 | PH2HP | Original Q4 | Legacy

PH2HP

4.1.1.2 Changes in energy

Answer 29 · Mark scheme June 2014 | PH2HP | Original Q1 | Legacy

1(a)	450	allow **1** mark for correct substitution, ie 18 × 10 × 2.5 provided no subsequent step	2	AO2 2.2.1f
1(b)(i)	friction between child ('s clothing) and slide	accept friction between two insulators accept child rubs against the slide accept when two insulators rub (together)	1	AO1 2.3.1a
	causes electron / charge transfer (between child and slide)	accept specific reference, eg electrons move onto / off the child / slide reference to positive electrons / protons / positive charge / atoms transfer negates this mark answers in terms of the slide being initially charged score zero	1	
1(b)(ii)	all the charges (on the hair) are the same (polarity)	accept (all) the charge/hair is negative / positive accept it is positive/negative	1	AO3 2.3.1d
	charges / hairs are repelling	both parts should be marked together	1	
1(b)(iii)	charge would pass through the metal (to earth)	accept metal is a conductor accept metal is not an insulator accept there is no charge / electron transfer accept the slide is earthed accept metals contain free electrons	1	AO1 2.3.1e
Total			**7**	

4.1.1.2 Changes in energy

Answer 29 · Mark scheme

June 2014 | PH2HP | Original Q1 | Legacy

Question	Answers	Extra information	Mark	AO spec ref

4.1.1.2 Changes in energy

Answer 30 · Mark scheme

June 2014 | PH2HP | Original Q3 | Legacy

3(a)(i)	friction		1	AO1 2.1.3a

3(a)(ii)	air resistance	accept drag friction is insufficient	1	AO1 2.1.3a

3(a)(iii)	Marks awarded for this answer will be determined by the Quality of Written Communication (QWC) as well as the standard of the scientific response. Examiners should also refer to the information on page 5, and apply a 'best-fit' approach to the marking.		**Mark** **6**	**AO spec ref**
0 marks	**Level 1 (1–2 marks)**	**Level 2 (3–4 marks)**	**Level 3 (5–6 marks)**	AO2 AO3 2.1.4c
No relevant content.	There is an attempt to explain in terms of forces A and B why the velocity of the cyclist changes between any two points **or** a description of how the velocity changes between any two points.	There is an explanation in terms of forces A and B of how the velocity changes between X and Y and between Y and Z **or** a complete description of how the velocity changes from X to Z. **or** an explanation and description of velocity change for either X to Y or Y to Z	There is a clear explanation in terms of forces A and B of how the velocity changes between X and Z **and** a description of the change in velocity between X and Z.	

4.1.1.2 Changes in energy

Answer 30 · Mark scheme

examples of the points made in the response	extra information
X to Y • at X force A is greater than force B • cyclist accelerates • and velocity increases • as cyclist moves toward Y, force B (air resistance) increases (with increasing velocity) • resultant force decreases • cyclist continues to accelerate but at a smaller value • so velocity continues to increase but at a lower rate **Y to Z** • from Y to Z force B (air resistance) increases • acceleration decreases • force B becomes equal to force A • resultant force is now zero • acceleration becomes zero • velocity increases until… • cyclist travels at constant / terminal velocity	accept speed for velocity throughout

4.1.1.2 Changes in energy

Answer 30 · Mark scheme

Question	Answers	Extra information	Mark	AO spec ref
3(b)(i)	3360	allow **1** mark for correct substitution, ie 140 × 24 provided no subsequent step accept 3400 for **2** marks if correct substitution is shown	2	AO1 AO2 2.2.1b
	joule / J	do **not** accept j do **not** accept Nm	1	
3(b)(ii)	decreases	accept an alternative word / description for decrease do not accept slows down	1	AO1 2.1.3e
	temperature	accept thermal energy accept heat	1	
Total			**13**	

4.1.1.2 Changes in energy

Answer 30 · Mark scheme

June 2014 | PH2HP | Original Q3 | Legacy

Question	Answers	Extra information	Mark	AO spec ref

4.1.1.2 Changes in energy

Answer 31 · Mark scheme

June 2015 | PH2HP | Original Q6 | Legacy

Question	Answers	Extra information	Mark	AO / Spec. ref.	ID
6(a)(i)	decreases (to zero) resultant force acts in opposite direction to motion	 accept air resistance and weight for resultant force accept resultant force acts downwards do **not** accept air resistance increases	1 1	AO1 2.1.1c/e	E
6(a)(ii)	velocity includes direction **or** velocity is a vector (quantity)		1	AO1 2.1.2d	E
6(b)(i) mark with 6bii 6biii	3.6	allow **1** mark for correct substitution i.e. ½ x 0.05 x 12^2 provided no subsequent step	2	AO2 2.2.1g	E
6(b)(ii) mark with 6bi, 6biii	3.6 **or** their (b)(i)		1	AO1 2.2	E
6(b)(iii) mark with 6bi, 6bii	7.2 **or** their (b)(ii) ÷ 0.5 correctly calculated	allow **1** mark for correct substitution i.e. 3.6 or their (b)(ii) = 0.05 x 10 x h	2	AO2 2.2.1f	E
6(b)(iv)	**B**		1	AO3 2.1	A
6(c)	range increases up to 45° range decreases from 45°	 the range is a maximum at 45° gains both marks for any two angles that add up	1 1	AO3 2.1	E

4.1.1.2 Changes in energy

Answer 31 · Mark scheme

		to 90° the range is the same gains both marks the range increases then decreases gains **1** mark			
Total			**11**		

4.1.1.2 Changes in energy

Answer 32 · Mark scheme

June 2016 | PH2HP | Original Q5 | Legacy

Question	Answers	Extra information	Mark	AO / Spec. Ref.
5(a)	elastic potential		1	AO1 2.1.5b 2.2.1c
5(b)(i)	line is straight	accept line does not curve	1	AO1 2.1.5c
5(b)(ii)	400 newtons per metre **or** N/m	allow **1** mark for correct substitution of any pair of numbers correctly taken from the graph e.g.160 = k × 0.40 if symbols are used they must be correct	2 1	AO2 2.1.5d AO1 2.1.5d
5(b)(iii)	300	allow **1** mark for correctly obtaining force on 1 spring = 100N	2	AO3 2.3.2l
5(c)	52	allow **2** marks for calculating change in gpe for 1 chin-up as 260 (J) or for 12 chin-ups as 3120 (J) an answer 4.3 gains **2** marks allow **1** mark for correct substitution into gpe equation ie gpe = 65 × 10 × 0.4 (×12) **or** correct use of power equation with an incorrect value for energy transferred	3	AO2 2.2.1e
Total			**10**	

4.1.1.2 Changes in energy

Answer 32 · Mark scheme

June 2016 | PH2HP | Original Q5 | Legacy



4.1.1.2 Changes in energy

Answer 33 · Mark scheme

June 2018 | 8463/1H | Original Q10

Question	Answers	Extra information	Mark	AO/ Spec. Ref
10.1		an answer of 27 600 (kg) scores **3** marks		AO2 4.3.1.1
	$1.2 = \frac{m}{2.3 \times 10^4}$		1	
	$m = 1.2 \times 2.3 \times 10^4$		1	
	m = 27 600 (kg) **or** $m = 2.76 \times 10^4$ (kg)	allow an answer of 28 000 (kg) or 2.8×10^4 (kg)	1	
10.2		allow power output for kinetic energy throughout		AO3 4.1.1.2
	mass of air passing the turbine blades is halved which decreases kinetic energy by a factor of two		1	
	(wind speed is halved) decreasing kinetic energy by a factor of four		1	
	so kinetic energy decreases by a factor of eight		1	
10.3		an answer that rounds to 7.50 (m/s) scores **3** marks		AO2 4.1.1.2
	$388\,000 = 0.5 \times 13\,800 \times v^2$	this mark may be awarded if P is incorrectly / not converted	1	
	$v^2 = \frac{(2 \times 388\,000)}{13\,800}$ **or** $v^2 = \frac{388\,000}{(0.5 \times 13\,800)}$ **or** $v^2 = 56.2$	this mark may be awarded if P is incorrectly / not converted	1	
	v = 7.50 (m/s)	an answer that rounds to 7.50 (m/s) only	1	
Total			**9**	

4.1.1.2 Changes in energy

Answer 34 · Mark scheme

June 2019 | 8463/1H | Original Q3

Question 3

Question	Answers	Extra information	Mark	AO / Spec. Ref.
3.1	$41 = \frac{9.8 \times h}{0.12}$ $h = \frac{41 \times 0.12}{9.8}$ h = 0.50 (m)	an answer of 0.50 scores **3** marks allow a correct answer that rounds to 0.50 for **3** marks	1 1 1	4.1.1.2 AO2
3.2	kinetic energy = 0.5 × mass × (speed)^2 ***or*** $E_k = ½ mv^2$		1	4.1.1.2 AO1
3.3	$270 = ½ \times m \times 3^2$ $m = \frac{270}{(½ \times 3^2)}$ **or** $m = \frac{270}{4.5}$ m = 60 (kg)	an answer of 60 (kg) scores **3** marks	1 1 1	4.1.1.2 AO2

3.4	**Level 2:** Scientifically relevant features are identified; the way(s) in which they are similar / different is made clear.		3–4	WS3.5 4.1.1.2 AO3
	Level 1: Relevant features are identified and differences noted.		1–2	
	No relevant content		0	
	Indicative content • males have a greater muscle power than females for most of their lives • males have a greater muscle power than females above 9/10 years old • males have a lower muscle power than females below 9/10 years old • there is a similar pattern for males and females as age increases • males have a peak muscle power at 25 years old whereas females have a peak muscle power at 20/21 years old • at 9/10 years old males have the same muscle power as females • peak muscle power for males (47 W/kg) is greater than peak muscle power for females (37 W/kg) • the rate of increase of muscle power is greater for males than females (between 5 and 25 years old) • the rate of decrease of muscle power is greater for males than females. Ignore comments relating to strength			
3.5	any **1** from: • maximum height reached is a better indicator of maximum muscle power • maximum / peak muscle power was being investigated, not mean / average muscle power • volunteer may not use maximum effort on the first try • performance may improve with practise • performance may get worse with tiredness	allow maximum time in the air for maximum height reached / jumped	1	WS3.7 4.1.1.4 AO3
Total			**12**	

4.1.1.2 Changes in energy

Answer 35 · Mark scheme

June 2019 | 8463/1H | Original Q7

Question 7

Question	Answers	Extra information	Mark	AO / Spec. Ref.
7.1		an answer of 2.5 (m) scores **3** marks		4.1.1.2 AO2
	1470 = 60 × 9.8 × h	this mark may be awarded if E_p is incorrectly/not converted	1	
	$h = \frac{1470}{60 \times 9.8}$ **or** $h = \frac{1470}{588}$	this mark may be awarded if E_p is incorrectly/not converted	1	
	h = 2.5 (m)	this answer only	1	
7.2	(work done against) air resistance **or** (work done against) friction (between zip line and pulley)		1	4.1.1.1 AO1
	causes thermal energy to be transferred to surroundings	ignore sound energy	1	
7.3	different people have different surface areas	allow streamlining allow body position body size is insufficient	1	4.1.1.1 4.1.1.2 AO1
	so would be affected by air resistance differently **OR** initial speed may not be zero (1) which would add to the total energy (of the system) (1)	allow people have different masses / weights (1) so people have different terminal velocities (1) reference to mass changing the kinetic energy or gravitational potential energy negates both these marks	1	
Total			**7**	

4.1.1.2 Changes in energy

Answer 36 · Mark scheme

June 2019 | 8463/2H | Original Q10

Question 10

Question	Answers	Extra information	Mark	AO / Spec. Ref.
10.1	the (perpendicular) distance from the pivot / hinge to (the line of action of) the force is greater	allow distance from the rope to the pivot / hinge is greater (than distance between handle and pivot / hinge)	1	AO2/1 4.5.4
	so a smaller force is required	this mark is dependent on scoring the 1st mark an answer a smaller force is required at the rope to produce the same moment scores **2** marks	1	
10.2		an answer of 770 scores **6** marks		AO2/1 4.5.4 4.5.3
	$924 = F \times 0.15$		1	
	$F = 6160$ (N)	allow use of $E = ½ F e$ instead of $k = F \div e$ and $E = ½ \times k \times e^2$	1	
	$6160 = k \times 0.25$	allow their calculated $F = k \times 0.25$	1	
	$k = \frac{6160}{0.25}$ **or** $k = 24640$ (N/m)	allow a value for k calculated using their calculated F	1	
	$E = \frac{½ \times 6160 \times 0.25 \times 0.25}{0.25}$	allow $E = ½ \times$ their calc. $k \times 0.25^2$	1	
	$E = 770$ (J)	allow an answer consistent with their calculated k	1	
Total			**8**	

Answer 37 · Mark scheme

November 2020 | 8463/1H | Original Q6

Question 6

Question	Answers	Extra information	Mark	AO / Spec. Ref.
06.1	Length of sled Time for sled to pass light gate		1 1	AO2 4.1.1.2
06.2	E_p = 8330 (J) 8330 = m × 9.8 × 17.0 $m = \frac{8330}{9.8 \times 17.0}$ m = 50.0 (kg)	 allow a correct substitution using an incorrectly/not converted value of E_p allow a correct rearrangement using an incorrectly/not converted value of E_p allow a correct calculation using an incorrectly/not converted value of E_p	1 1 1 1	AO2 4.1.1.2
06.3	½ mv^2 = mgh **or** decrease in E_p = increase in E_k masses cancel on both sides of the equation **or** v^2 = 2gh (final) speed only depends on vertical height (and gravitational field strength) variations will be due to air resistance/friction **or** different initial speed		1 1 1 1	AO1 4.1.1.2
Total			**10**	

4.1.1.2 Changes in energy

Answer 38 · Mark scheme

November 2021 | 8463/1H | Original Q8

Question 8

Question	Answers	Extra information	Mark	AO / Spec. Ref.
08.1	the total energy of the racing track and the car is constant.		1	AO1 4.1.2.1
08.2	$E_p = 0.040 \times 9.8 \times 0.90$	allow a correct substitution of an incorrectly/not converted value of h	1	AO2 4.1.1.1 4.1.1.2
	$E_p = 0.3528$ (J)	this answer only	1	
	$0.3528 = 0.5 \times 0.040 \times v^2$	allow a correct substitution of a calculated E_p	1	
	$v^2 = \frac{0.3528}{0.5 \times 0.040}$	allow a correct rearrangement using a calculated E_p	1	
	$v = 4.2$ (m/s)	allow an answer consistent with their calculated E_p	1	
08.3	more than 0.20 J		1	AO3 4.1.1.1
	(because) the car needs to be moving at the top of the loop **or** (because) the car needs to be moving to complete the loop **or** not all E_k at **B** will be transferred to E_p at **C**	this mark is dependent on scoring the first mark allow energy dissipated to the surroundings	1	
Total			**8**	

Answer 39 · Mark scheme

November 2021 | 8463/2H | Original Q2

Question 2

Question	Answers	Extra information	Mark	AO/ Spec. Ref
02.1	will return to its original shape/length when the force is removed	 allow (when) the child gets off the second mark is dependent on scoring the first mark	1 1	AO2 4.5.3

02.2	**Level 3:** The method would lead to the production of a valid outcome. The key steps are identified and logically sequenced.	5–6	AO1 4.5.3
	Level 2: The method would not necessarily lead to a valid outcome. Most steps are identified, but the method is not fully logically sequenced.	3–4	
	Level 1: The method would not lead to a valid outcome. Some relevant steps are identified, but links are not made clear.	1–2	
	No relevant content	0	
	Indicative content • set up a clamp stand with a clamp • hang the spring from the clamp • use a second clamp and boss to fix a (half) metre rule alongside the spring • record the ruler reading that is level with the bottom of the spring • hang a 1 N / a known weight from the bottom of the spring • record the new position of the bottom of the spring • calculate the extension of the spring • measure the extension of the spring • add further weights to the spring so the force increases 1 N at a time up to 5 N • for each new force record the position of the bottom of the spring and calculate / measure the extension Indicative content continues on the next page…		

Answer 39 · Mark scheme

November 2021 | 8463/2H | Original Q2

	Risk Assessment Hazard: Clamp (stand, boss and masses) might fall off desk Risk: injury to feet Precaution: Use clamp to fix apparatus to the bench **or** Ensure that the slotted masses hang over the base/foot of the stand **or** Ensure that the boss is screwed tightly into the stand and clamp **or** Put (heavy) masses on the base/foot of the stand **or** Stand up so that you can move out of the way Hazard: Spring could break / come loose Risk: damage eye Precaution: Wear safety goggles If a risk assessment / hazard is not given, the answer can still reach level 3, but not full marks. Full marks may be awarded for alternative feasible methods.			

02.3	force = spring constant × extension		1	AO1 4.5.3

02.4	5.00 0.125 $k = \frac{5.00}{0.125}$ k = 40 (N/m)	allow any correct pair of values from the graph allow a misread value(s) from the graph allow a correct calculation using their incorrect value(s)	1 1 1	AO2 4.5.3

02.5	the line is straight and passes through the origin	allow the line does not curve allow a constant gradient	1 1	AO3 4.5.3

4.1.1.2 Changes in energy

Answer 39 · Mark scheme

November 2021 | 8463/2H | Original Q2

02.6	e = 0.20 m $E_e = 0.5 \times 13 \times 0.20^2$ E_e = 0.26 (J)	 allow an incorrectly / not converted value of e use of two incorrectly/not converted values scores a maximum of 1 mark	1 1 1	AO2 4.5.3

Total			**17**

4.1.1.2 Changes in energy

Answer 40 · Mark scheme

June 2022 | 8463/1H | Original Q10

Question 10

Question	Answers	Extra information	Mark	AO / Spec. Ref.
10.1	$E_e = 0.5 \times 50 \times 0.12^2$		1	AO2 4.1.1.2
	$E_e = 0.36$ (J)		1	
	$0.36 = 0.5 \times 0.020 \times v^2$	allow a correct substitution of their calculated value of E_e	1	
	$v^2 = \frac{0.36}{0.5 \times 0.020}$ **or** $v^2 = 36$	allow a correct rearrangement of their calculated value of E_e	1	
	speed = 6.0	allow an answer consistent with their calculated value of E_e	1	
	m/s **or** metres/second		1	
		Alternative approach: ($F = ke$) ($F = 50 \times 0.12$) (maximum) $F = 6.0$ (N) (1)		
		($F = ma$) ($6.0 = 0.020 \times a$) (maximum) $a = 300$ (m/s^2) (1)		
		mean $a = 150$ (m/s^2) (1)		
		($v^2 - u^2 = 2as$) $v^2 = 2 \times 150 \times 0.12$ (1) **or** $v^2 = 36$		
		$v = 6.0$ (1)		
		m/s (1) **or** metres/second		

4.1.1.2 Changes in energy

Answer 40 · Mark scheme

June 2022 | 8463/1H | Original Q10

Question	Answers	Extra information	Mark	AO / Spec. Ref.
10.2	kinetic		1	AO1 4.1.1.1

Question	Answers	Extra information	Mark	AO / Spec. Ref.
10.3	increasing the extension of the spring **or** more elastic potential energy **or** increase the angle of release (to the horizontal by a small amount)	allow other factors that would increase the horizontal distance travelled eg a tail-wind ignore factors without a change specified e.g. extension unqualified would not score ignore changing the spring or changes to the toy aeroplane	1	AO2 4.1.1.1

Total Question 10		**8**

4.1.1.2 Changes in energy

Answer 41 · Mark scheme

June 2022 | 8463/2HR | Original Q4

Question 4

Question	Answers	Extra information	Mark	AO / Spec. Ref.
04.1	there is a resultant force acting	allow weight/gravity is greater than air resistance allow (initially) weight/gravity is the only force acting	1	AO1 4.5.6.1.5

Question	Answers	Extra information	Mark	AO / Spec. Ref.
04.2	as the velocity of the hailstone increases air resistance increases until air resistance becomes equal to the weight of the hailstone so the resultant force is (equal to) zero	allow speed for velocity	1 1 1	AO1 4.5.6.1.5

Question	Answers	Extra information	Mark	AO / Spec. Ref.
04.3	as mass increases the weight of a hailstone increases		1	AO3 4.5.6.1.5

4.1.1.2 Changes in energy

Answer 41 · Mark scheme

June 2022 | 8463/2HR | Original Q4

Question	Answers	Extra information	Mark	AO / Spec. Ref.
04.4	kinetic energy depends on both mass and velocity	allow $E_k = ½ mv^2$	1	AO1
	as mass increases so does terminal / maximum velocity	a statement is required	1	AO1
	kinetic energy ∝ m and kinetic energy ∝ v^2 so as mass doubles kinetic energy more than doubles	this mark can be scored by relevant calculations	1	AO3 4.1.1.2

Question	Answers	Extra information	Mark	AO / Spec. Ref.
04.5	1 N m		1	AO3 4.5.2

4.1.1.2 Changes in energy

Answer 41 · Mark scheme

June 2022 | 8463/2HR | Original Q4

Question	Answers	Extra information	Mark	AO / Spec. Ref.
04.6	mass = 0.0185 (kg)	allow 0.018 to 0.019 inclusive	1	AO2 4.5.7.3
	$F = \frac{0.0185 \times 25}{0.060}$	allow a correct substitution using an incorrectly / not converted value of *m*	1	
	F = 7.708 (N)	allow 7.7 (N) allow correct calculation using an incorrectly / not converted value of *m* **if no other marks are awarded** a misreading of the scale giving a value between 15.6 and 15.7 inclusive that is then correctly converted giving an answer between 6.50 and 6.54 scores 2 marks a misreading of the scale giving a value between 15.6 and 15.7 inclusive that is then not converted giving an answer between 6500 and 6542 scores 1 mark	1	

Total Question 4		**12**

Answer 42 · Mark scheme

Question 4

Question	Answers	Extra information	Mark	AO / Spec. Ref.
04.1	E_p = 367 500 000 (J)		1	AO2 4.1.1.2
	367 500 000 = 2 500 000 × 9.8 × h	allow a correct substitution using an incorrectly/not converted value of E_p	1	
	$h = \frac{367\,500\,000}{2\,500\,000 \times 9.8}$	allow a correct rearrangement using an incorrectly/not converted value of E_p	1	
	h = 15 (m)	allow an answer consistent with their value of E_p	1	

Question	Answers	Extra information	Mark	AO / Spec. Ref.
04.2	3 kW = 3000 W		1	AO2 4.1.1.4
	$3000 = \frac{2.16 \times 10^7}{t}$	all subsequent marks can score using an incorrectly / not converted value of P	1	
	$t = \frac{2.16 \times 10^7}{3000}$		1	
	t = 7200 (s)		1	
	$t = 7.2 \times 10^3$ (s)	allow an answer given in standard form from a calculation using data given in the question	1	

4.1.1.2 Changes in energy

Answer 42 · Mark scheme

June 2023 | 8463/1H | Original Q4

Question	Answers	Extra information	Mark	AO / Spec. Ref.
04.3		allow reference to specific months eg April to September		AO3 4.1.3
	in the summer the power output from the hydroelectric generator is lower but the solar power output would be greater	allow power output of hydroelectric generator depends on rainfall **and** power output of solar power system depends on light intensity	1	
	so less variation in total power output (which improves the reliability of the supply)	allow electricity supply for total power output	1	

Total Question 4	11

4.1.1.2 Changes in energy

Answer 43 · Mark scheme

June 2023 | 8463/1H | Original Q7

Question 7

Question	Answers	Extra information	Mark	AO / Spec. Ref.
07.1	spring may become permanently extended **or** extension of the spring may be too great (so the baby's feet are always on the floor)	ignore reference to limit of proportionality allow the harness / spring / chain may break ignore baby may be injured / harmed / may hit doorframe	1	AO3 4.1.1.2

Question	Answers	Extra information	Mark	AO / Spec. Ref.
07.2	(in position **A**) the baby has gravitational potential energy (as the baby moves down this) is transferred to kinetic energy (of the baby) and / then elastic potential energy (of the spring) (in position **B**) all the energy is elastic potential energy	allow E_p for gravitational potential energy allow E_k for kinetic energy allow E_e for elastic potential energy ignore energy dissipated to the surroundings	1 1 1	AO1 4.1.1.1

4.1.1.2 Changes in energy

Answer 43 · Mark scheme

June 2023 | 8463/1H | Original Q7

Question	Answers	Extra information	Mark	AO / Spec. Ref.
07.3	e = 0.080 (m)		1	AO2 4.1.1.2
	$4.0 = ½ \times k \times 0.080^2$	allow a correct substitution using an incorrectly / not converted value of e	1	
	$k = \frac{4.0}{(0.5 \times 0.080^2)}$	allow a correct rearrangement using an incorrectly / not converted value of e	1	
	k = 1250 (N/m)	allow an answer consistent with their value of e	1	

Total Question 7	8

Answer 44 · Mark scheme

June 2024 | 8463/1H | Original Q6

Question 6

Question	Answers	Extra information	Mark	AO / Spec. Ref.
06.1	elastic potential (energy)	*allow E_e / EPE*	1	AO1 4.1.1.2

Question	Answers	Extra information	Mark	AO / Spec. Ref.
06.2	$E_e = 0.5 \times 735 \times 8.0^2$	allow a correct substitution using k = 1470 (N/m) and e = 8 (m) **or** k = 1470 (N/m) and e = 16 (m) **or** k = 735 (N/m) and e = 16 (m)	1	AO2 4.1.1.2
	E_e = 23 520 (J)	this answer only	1	
	total E_e = 47 040 (J)	this answer only	1	
	47 040 = 240 × 9.8 × *h*	allow a correct substitution of their calculated value of E_e (using $E_e = 0.5ke^2$)	1	
	$h = \frac{47\,040}{(240 \times 9.8)}$	allow a correct rearrangement using their calculated value of E_e (using $E_e = 0.5ke^2$)	1	
	h = 20 (m)	allow an answer consistent with their value of E_e (using $E_e = 0.5ke^2$)	1	

Question	Answers	Extra information	Mark	AO / Spec. Ref.
06.3	air resistance (opposes the motion of the pod upwards)		1	AO3
	(so) not all of the elastic potential energy will be transferred to gravitational potential energy	allow the energy transfer is not 100% efficient allow some energy is transferred to the surroundings allow some energy is dissipated ignore energy is wasted ignore reference to mass of person in pod	1	AO1 4.1.2.1 4.1.2.2

Total Question 6	**9**

Answer 45 · Mark scheme

June 2025 | 8463/1H | Original Q9

Question 9

Question	Answers	Extra information	Mark	AO / Spec. Ref.
09.1	h = 0.70 (m)	all subsequent marks can score using an incorrectly / not converted value of h	1	AO2 4.1.1.2
	0.343 = m × 9.8 × 0.70		1	
	$m = \frac{0.343}{9.8 \times 0.70}$		1	
	m = 0.050 (kg)		1	

Question	Answers	Extra information	Mark	AO / Spec. Ref.
09.2	4.86 = I^2 × 6.0		1	AO2 4.2.1.3
	$I^2 = \frac{4.86}{6.0}$		1	4.2.4.1
	I = 0.90 (A)		1	
	t = 1800 (s)	all subsequent marks can score using an incorrectly / not converted value of t	1	
	Q = 0.90 × 1800	allow a correct substitution using their value of current	1	
	Q = 1620 (C)	allow a correct calculation using their value of current allow an answer of 1600 (C)	1	

Question	Answers	Extra information	Mark	AO / Spec. Ref.
09.3	greater mass / volume of water each second	allow water flow will increase ignore increased water speed	1	AO3
	(because) smaller proportion / percentage of energy is wasted	allow greater (useful) power output allow less energy / power wasted	1	AO1 4.1.2.2

Total Question 9	12

Answer 46 · Mark scheme

Question 10

Question	Answers	Extra information	Mark	AO / Spec. Ref.
10.1	$E_e = 0.5 \times 64 \times 0.075^2$		1	AO2 4.1.1.1
	$E_e = 0.18$ (J)	the equation $E_e = 0.5ke^2$ must have been used to score subsequent calculation marks	1	4.1.1.2
	$0.18 = 0.5 \times 0.052 \times v^2$	allow a correct substitution using their value of E_e	1	
	$v^2 = \frac{0.18}{0.5 \times 0.052}$	allow a correct rearrangement using their value of E_e	1	
	$v = 2.631\ldots$ (m/s)	allow a correct calculation using their value of E_e	1	
	$v = 2.6$ (m/s)	allow an answer given to 2 sf using **all** the data in the question alternative approach: ($F = ke$) ($F = 64 \times 0.075$) (maximum) $F = 4.8$ (N) (1) ($F = ma$) ($4.8 = 0.052 \times a$) (maximum) $a = 92.3$ (m/s^2) (1) (mean) $a = 46.2$ (m/s^2) (1) ($v^2 - u^2 = 2as$) $v^2 = 2 \times 46.2 \times 0.075$ (1) **or** $v^2 = 6.923$ $v = 2.631\ldots$ (1) $v = 2.6$ (m/s) (1)	1	

Question	Answers	Extra information	Mark	AO / Spec. Ref.
10.2		ignore comments about energy dissipation allow E_k for kinetic energy allow E_p for gravitational potential energy		AO1 4.1.1.1
	kinetic energy decreases moving from **A** to **B**	allow kinetic energy is transferred to gravitational potential energy while moving from **A** to **B** for MP1 and MP2	1	
	(and) gravitational potential energy increases moving from **A** to **B**		1	
	(then) gravitational potential energy decreases from **B** to **C** and kinetic energy increases	allow gravitational potential energy is transferred to kinetic energy while moving from **B** to **C**	1	

Question	Answers	Extra information	Mark	AO / Spec. Ref.
10.3	length of the toy car		1	AO2 4.1.1.2
	time for toy car to pass the light gate		1	

Total Question 10	**11**

4.1.1.2 Changes in energy

ASSESSMENT and QUALIFICATIONS ALLIANCE

Mark scheme June 2003

GCSE

Physics

3451

Foundation

Copyright © 2003 AQA and its licensors. All rights reserved.

The Assessment and Qualifications Alliance (AQA) is a company limited by guarantee registered in England and Wales 3644723 and a registered charity number 1073334
Registered address: Addleshaw Booth & Co., Sovereign House, PO Box 8, Sovereign Street, Leeds LS1 1HQ
Kathleen Tattersall: *Director General*

4.1.1.2 Changes in energy

INFORMATION FOR EXAMINERS

1. General

The mark scheme for each question shows:

- the marks available for each part of the question;
- the total marks available for the question;
- the typical answer or answers which are expected;
- extra information to help the Examiner make his or her judgement and help to delineate what is acceptable or not worthy of credit or, in discursive answers, to give an overview of the area in which a mark or marks may be awarded.

The extra information is aligned to the appropriate answer in the left-hand part of the mark scheme and should only be applied to that item in the mark scheme.

At the beginning of a part of a question a reminder may be given, for example:
where consequential marking needs to be considered in a calculation;
or the answer may be on the diagram or at a different place on the script.

In general the right hand side of the mark scheme is there to provide those extra details which confuse the main part of the mark scheme yet may be helpful in ensuring that marking is straightforward and consistent.

2. Emboldening

2.1 In a list of acceptable answers where more than one mark is available 'any **two** from' is used, with the number of marks emboldened. Each of the following lines is a potential mark.

2.2 A bold **and** is used to indicate that both parts of the answer are required to award the mark.

2.3 Alternative answers acceptable for a mark are indicated by the use of **or**. (Different terms in the mark scheme are shown by a / ; e.g. allow smooth / free movement.)

3. Marking points

3.1 Marking of Quality of Written Communication

Examiners are reminded of the need to assess QoWC by the following statement appearing in the appropriate parts of the mark scheme:

The answer to this question requires ideas in good English in a sensible order with correct use of scientific terms. Quality of written communication should be considered in crediting points in the mark scheme.

The maximum marks available to a candidate whose answer is not well expressed will be (the number of marks available –1).

3.2 Marking of lists

This applies to questions requiring a set number of responses, but for which candidates have provided extra responses. The general principle to be followed in such a situation is that 'right + wrong = wrong'.

Each error/contradiction negates each correct response. So, if the number of error/contradictions equals or exceeds the number of marks available for the question, no marks can be awarded.

However, responses considered to be neutral (indicated as * in example 1) are not penalised.

Example 1: What is the pH of an acidic solution? (1 mark)

Candidate	Response	Marks awarded
1	4,8	0
2	green, 5	0
3	red*, 5	1
4	red*, 8	0

Example 2: Name two planets in the solar system. (2 marks)

Candidate	Response	Marks awarded
1	Pluto, Mars, Moon	1
2	Pluto, Sun, Mars, Moon	0

3.3 Use of chemical symbols/formulae

If a candidate writes a chemical symbol/formula instead of a required chemical name, full credit can be given if the symbol/formula is correct and if, in the context of the question, such action is appropriate.

3.4 The marking of quantitative relationships

Full credit can be given for a correct quantitative relationship expressed in:

- named units;
- physical quantities;
- standard symbols;
- a combination of physical quantities and units.

No credit can be given for any quantitative relationship expressed in terms of:

- a combination of physical quantities, units and symbols;
- a diagram, e.g. the ohm's law triangle, unless the rest of the answer shows clearly that the candidate understands the relationships involved.

3.5 Marking procedure for calculations

3.5.1 Full marks can be given for a correct numerical answer, as shown in the column 'answers', without any working shown. However, if the answer is incorrect, mark(s) can be gained by correct substitution/working and this is shown in the 'extra information' column.

3.5.2 Where calculations are based on incorrectly recalled relationships, neither the incorrectly recalled relationship, nor the resulting calculation based on the incorrect relationship, will be credited.

3.6 Interpretation of 'it'

Answers using the word 'it' should be given credit only if it is clear that the 'it' refers to the correct subject.

3.7 Errors carried forward

There should be no error carried forward from a previous answer which has been based on wrong science. Any error in the answers to a structured question should be penalised once only.

Examples

(a) A candidate who calculates average speed using speed = time/distance **and** then proceeds to use this incorrect answer to calculate an acceleration based on the correct quantitative relationship should be given credit for the use of the correct acceleration relationship but none for either numerical answer.

(b) A candidate who incorrectly calculates average speed using speed = distance/time and then proceeds to use this incorrect value to calculate an acceleration based on the correct quantitative relationship, should be given credit for the use of both correct quantitative relationships **and** for the correct substitution and use of the incorrect value in the calculation of the rate of acceleration.

Papers should be constructed in such a way that the number of times errors can be carried forward are kept to a minimum. Allowances for errors carried forward are most likely to be restricted to calculation questions and should be shown by the abbreviation e.c.f. in the marking scheme.

3.8 Phonetic spelling

The phonetic spelling of correct scientific terminology should be credited **unless** there is a possible confusion with another technical term.

3.9 Brackets

(…..) is used to indicate information which is not essential for the mark to be awarded but is included to help the examiner identify the sense of the answer required.

3.10 Unexpected Correct Answers not in the Mark Scheme

The Examiner should use professional judgement to award credit where a candidate has given an unexpected correct answer which is not covered by the mark scheme. The Examiner should consult with the Team Leader to confirm the judgement. The Team Leader should pass this answer on to the Principal Examiner with a view to informing all examiners.

4.1.1.2 Changes in energy

3451/F Q1

question	answers	extra information	mark
(a)	circuit symbol for a lamp correct 	accept  accept any standard of drawing providing circuit would work	1
	circuit symbol for a cell correct 		1
	2 lamps drawn in parallel with 3 cells	polarity of cells must be correct (+ to –) but cells may be either way around	1
(b)	4.5		1
(c)	the same as	accept any clear indication of the correct answer	1
total			5

4.1.1.2 Changes in energy

3451/F Q2

question	answers	extra information	mark
(a)	gas		1
(b)	fuel burning stations produce electricity at any time / all the time wind generator can only produce when the wind is strong enough	accept fuel available all the time accept it's not always windy	1 1
(c)	no fuel is burnt **or** no fuel is used **or** uses only energy from wind **or** does not emit harmful gases / soot / smoke	do **not** accept wind is natural / environmentally friendly / renewable answer must be in terms of wind, **not** negative of fuel burning specific examples of gases CO_2, SO_2, acid rain and greenhouse gases can be accepted ozone negates credit	1
total			4

4.1.1.2 Changes in energy

3451/F Q3

question	answers	extra information	mark
(a)(i)	microwaves		1
(ii)	infra red		1
(iii)	ultrasonic		1
(b)(i)	B		1
(ii)	A		1
(c)	disturbance / vibration / movement direction	accept motion / force do **not** accept energy	1 1
(d)	sound wave	accept any clear indication of the correct answer	1
total			8

4.1.1.2 Changes in energy

3451/F Q4

question	answers	extra information	mark
(a)(i)	heat		1
(ii)	temperature increases **or** (cause) convection (currents)	accept gets warmer accept gets hotter	1
(iii)	60% **or** 0.6	60 without % scores **1** mark 0.6 with a unit scores **1** mark 60 with incorrect unit scores **1** mark **or** correct substitution $\frac{120}{200}$ for **1** mark	2
(b)	street more (energy transferred as) light **or** less (energy transferred as) heat **or** useful energy output the highest	 can only score this mark if first mark scored all efficiencies calculated correctly score 2nd mark point	1 1
total			6

4.1.1.2 Changes in energy

3451/F Q5

question	answers	extra information	mark
(a)	MN	accept 5.8, 8 seconds must include unit	1
(b)	LM	accept 0.8, 5.8 seconds must include unit	1
(c)(i)	0.8		1
(ii)	drinking alcohol		1
(d)	straight (by eye) line starting at 0.8 seconds line drawn steeper than LM starting before L	 ignore lines going beyond 2 seconds but line must exceed 2.5 metres per second before terminating	1 1
total			6

4.1.1.2 Changes in energy

3451/F Q6

question	answers	extra information	mark
(a)(i)	each correct label scores 1 mark  		3
(ii)	neutron		1
(iii)	7 number of protons and neutrons **or** number of nucleons **or** number of particles in the nucleus	 accept number of particles in the centre only if first answer = 7	1 1
(b)(i)	50 ± 5		1
(ii)	50 ± 5	accept their (b)(i)	1
(iii)	less	accept any way of indicating the correct answer	1
total			9

4.1.1.2 Changes in energy

3451/F Q7

question	answers	extra information	mark
(a)	each correct line scores 1 mark  	if more than 3 lines are drawn mark incorrect ones first, to a maximum of 3 lines	3
(b)	toaster	accept 1.2 kW	1
(c)(i)	400		1
(ii)	£24 **or** 2400p	full credit for their (c)(i) × 6p for full credit the correct numerical answer must have the correct unit an answer of 24 or 2400 with no unit or the incorrect unit scores **1** mark (c)(i) × 6 incorrectly evaluated scores **1** mark	2
(d)	6	allow 6000 for **1** mark allow 3 × 2 for **1** mark	2
total			9

4.1.1.2 Changes in energy

3451/F Q8

question	answers	extra information	mark
(a)(i)	point where the rays cross	do not credit if ambiguous	1
(ii)	converging (lens)	do **not** accept convex	1
(b)(i)	point where the rays appear to diverge from	this should appear to be within 10mm in front of the back of the arrows on the approximate centre line need not be accurately constructed using a ruler	1
(ii)	diverging (lens)	do **not** accept concave	1
(c)	converging film smaller than nearer to	accept any clear indication of the correct response e.g. ticking, ringing, writing in after a mistake	1 1 1 1
(d)(i)	(image) bigger than object / enlarge	accept just 'made bigger'	1
(ii)	it / real image can be put on a screen **or** real image on the opposite side of the lens to the object	accept 'not an imaginary or virtual image' assume 'it' refers to a real image do **not** credit 'it can be seen'	1
(e)	**either** (the converging lens is) thick in the middle thin(ner) at the edge **or** (both) sides bend outwards (1) in the middle (1) **or** one side bends in the middle (1) more than the other side bends inwards (in the middle) (1)	thickest in the middle gains **2** marks convex gains **2** marks suitable diagrams gains **2** marks	1 1
total			12

4.1.1.2 Changes in energy

3451/F Q9

question	answers	extra information	mark
(a)(i)	off off on	all correct	1
(ii)	AND (gate)	accept and (gate)	1
(iii)	on on on	all correct	1
(iv)	OR (gate)	accept or (gate)	1
(b)(i)	1 0 **or** 0 1 0 1 1 0	do **not** credit on / off responses	1
(ii)		accept mirror image accept  accept with either or both parts shaded accept line through as shading	1
(c)		accept off for 0 and on for 1 throughout	
	0 0	both correct	1
	0 1	both correct	1
	1 1	both correct	1
	1 1	both correct	1

4.1.1.2 Changes in energy

3451/F Q9 continued

(d)(i)		accept mirror image **or** inverted do **not** credit  **or**  or similar	1
(ii)	resistance decreases / increases / changes current (through it) increases / decreases / changes **or** temperature changes / increases / decreases (1) resistance changes / decreases / increases (1) (NTC thermistor) both marks independent but must be compatible to score **2** marks	accept 'voltage across it decreases' for **2** marks but only if it is made clear that this refers to a thermistor in series	1 1
total			13

4.1.1.2 Changes in energy

3451/F Q10

question	answers	extra information	mark
(a)(i)	friction	accept any way of indicating the correct answer	1
(ii)	gravity	accept any way of indicating the correct answer	1
(b)(i)	accelerates **or** speed / velocity increases	accept faster and faster (**1** mark) do **not** accept faster pace / falls faster or suggestions of a greater but constant speed	1
	downwards / falls	accept towards the Earth / ground this may score in part (b)(ii) if it does not score here and there is no contradiction between the two parts	1
(ii)	constant speed / velocity **or** terminal velocity / speed **or** zero acceleration	stays in the same place negates credit	1
total			5

4.1.1.2 Changes in energy

3451/F Q11

question	answers	extra information	mark
(a)(i)	X – mantle		1
	Y – inner core	do **not** accept solid core	1
(ii)	different to the crust **or** contains a lot of (heavy) metals	accept iron and nickel for metals	1
	higher (average) density **or** denser	density higher than 5500 (kg/m^3) gets **2** marks	1
(b)	animals were able to move from one continent to the other		1
	(when bridge broke) animals evolved differently	accept animals adapted differently	1
(c)(i)	earthquakes occur at the boundary between plates **or** earthquakes occur where plates push against each other		1
	there are no plate boundaries running through Britain	accept Britain is not near the edge of a plate	1
(ii)	convection currents (in the mantle) **or** heat released by (natural) radioactive processes		1
total			9

4.1.1.2 Changes in energy

3451/F Q12

question	answers	extra information	mark
(a)(i)	outside the Earth **or** not from the Earth	accept alien accept life from / on another planet / space accept our planet for Earth	1
(ii)	radio telescope(s)	do **not** accept telescopes do **not** accept satellite dishes do **not** accept radio receivers **or** transmitters	1
(b)(i)	galaxies	do **not** accept stars	1
(ii)	any **one** from: the pulses were regular pulses from space are usually random (scientists) thought technology had been used to produce the pulses neutron stars were unknown signals from a single point	 accept signals / beats for pulses accept noise for random pulses idea of regular but not continuous	1
(iii)	neutron star is (the matter / mass) left behind after a star / red giant explodes (as a super nova)	 accept after a super nova (explosion) neutron star causing super nova gets no credit	1 1
(c)(i)	carried on the balloon / equipment	accept carried by a rocket / aircraft / satellite birds negates credit	1
(ii)	on comets or meteors	accept meteorites / shooting stars accept returning space craft accept solar wind ignore asteroids accept ufo do **not** accept solar flares do **not** accept satellites	1
total			8

4.1.1.2 Changes in energy

3451/F Q13

question	answers	extra information	mark
(a)	silver is a (good) reflector of <u>heat</u> (radiation) **or** silver reflects the heat (radiation)	fact heat = infra red ignore references to light accept shiny for silver good radiator negates the mark ignore references to good conductor do **not** accept bounce back	1
	less heat is lost through the board **or** more heat is retained by the shirt	explanation accept both sides of shirt heated reflects heat back up gets **1** mark only ignore mention of friction	1
(b)	metal soleplate	accept soleplate / bottom / metal do **not** accept outside / case	1
(c)	plastic **or** rubber	accept any named plastic do **not** accept wood	1
	it is a (good) insulator **or** it is a poor conductor	ignore mention of heat if in conjunction with electricity	1
(d)	**Quality of written communication** *The answer to this question requires ideas in good English in a sensible order with correct use of scientific terms. Quality of written communication should be considered in crediting points in the mark scheme.*	*Maximum of **2** marks if ideas not well expressed.*	
	pulls iron bolt down **or** attracts the iron bolt **or** moves bolt out of plunger	answers in terms of charges attracting or repelling gain no credit	1
	plunger pushed / moved to the right (by spring) **or** plunger released		1
	push switch opens / goes to off / goes to right	accept circuit is broken for maximum credit the points must follow a logical sequence 3 correct points but incorrect sequence scores **2** marks only ignore reset action	1
total			8

4.1.1.2 Changes in energy

3451/F Q14

question	answers	extra information	mark
(a)(i)	any **one** from: the ground the air radon (gas) building materials buildings rocks / granite food cosmic rays **or** solar rays X-rays nuclear weapons testing nuclear power stations / accidents	 do **not** accept mobile phones accept from outer space accept sun but **not** sunlight accept medical uses	1
(ii)	2	allow $\frac{1200}{60\times10}$ **or** $\frac{1200}{600}$ **or** 120 for **1** mark	2
(b)	 alpha: the count rate is (greatly) reduced by the card **or** the card absorbs alphas but not betas beta: the count rate is (greatly) reduced by the metal **or** the thin metal absorbs alphas and betas **or** the thin metal absorbs all of the radiation (from the source) gamma: would pass through the thin metal but count rate is background **or** no radiation passing through **or** a higher reading would be recorded **or** to reduce the count to 2 would require much more than 3 mm of metal	answers must be comparative accept converse answers throughout accept paper for the card accept aluminium for the metal accept aluminium for the metal accept lead / aluminium for the metal	 1 1 1
total			6

4.1.1.2 Changes in energy

3451/F Q15

question	answers	extra information	mark
(a)(i)	weight = mass × g.f.s.	accept w = m × g accept gravity for gfs accept  provided subsequent use of Δ correct do **not** accept N = kg × N/kg	1
(ii)	675	75 × 9 for **1** mark	2
(iii)	g.(f.s.) is higher (on Earth than Venus)	accept gravity for g.f.s. do **not** accept g.f.s. is lower unless answer states on Venus	1
(iv)	orbit time for Jupiter is <u>longer</u> / longest (than for the other planets)	do **not** give any credit for an answer that includes a comparison of diameter **or** a comparison of g.f.s.	1
(b)	**Quality of written communication** *The answer to this question requires ideas in good English in a sensible order with correct use of scientific terms. Quality of written communication should be considered in crediting points in the mark scheme.* any **two** from: dust <u>and</u> gas **or** remnants of a super nova pulled together by (force of) <u>gravity</u> nuclear fusion starts	*Maximum of **1** mark if ideas not well expressed.* accept hydrogen for dust and gas do **not** accept hydrogen burns although candidates may include more detail these points are essential to score the credit	2
total			7

4.1.1.2 Changes in energy

3451/F Q16

question	answers	extra information	mark
(a)(i)	upright with the contacts at the bottom and still in place and unbent	no need for labels but incorrect label(s) cancel the mark accept a freehand drawing no need for details such as correct dimensions	1
	one blob of mercury touching <u>both</u> contacts	do **not** award mark if contacts bent to touch	1
(b)(i)	(X is a) battery	do **not** credit cell accept (set of) cells accept power supply do **not** accept power pack	1
	(Y is a) LED	**or** light emitting diode	1
(ii)	longer (time)	do **not** accept 'slower time'	1
(iii)	any **two** from: current less (so) rate of flow of charge less **or** less coulombs per second (so) discharge is slower	 do **not** accept current slower accept capacitor has charge for longer **or** charge lasts longer **or** (so total of) electrons take longer to travel round circuit	2
(c)	4200	 translation correct (= 4000) but percentage addition incorrect gains **1** mark translation incorrect but 5% addition is correct gains **1** mark accept 422.1 **or** 42.2 **or** 6.3 for **1** mark	2
	ohms **or** Ω	 4.2 kilohms **or** 4.2 kΩ gains all **3** marks	1
total			10

4.1.1.2 Changes in energy

3451/F Q17

question	answers	extra information	mark
(a)	point at which its mass (seems to) act **or** point at which gravity (seems to) act	accept …its weight acts accept correct statements if the intent is clear e.g. … if suspended, the centre of gravity will be directly under the point of suspension e.g. … (if the object is symmetrical), the centre of gravity is on the **or** an axis (of symmetry) do **not** credit just 'it is a point'	1
(b)	**Quality of written communication** *The answer to this question requires good English in a sensible order with correct use of scientific terms. Quality of written communication should be considered in crediting points in the mark scheme.* any **five** from: clamp (steel) rod (horizontally) hang plastic / sheet by rod through (one) hole hang plumb line from rod mark ends of plumb line on the sheet and use the ruler to draw a straight line repeat with other hole centre of mass is where the lines cross check by balancing at this point	*maximum of **4** marks if ideas not well expressed* **no** marks if method quite unworkable maximum of **3** marks if no 'repeat with other hole'	5
(c)(i)	(turning) effect **or** moment force distance	all three correct accept weight accept length	1
(ii)	17.6 Nm **or** newton metre(s)	allow 44 × 0.4 **or** 0.4 × 44 for **1** mark do **not** accept N/m **or** N/cm 1760 Ncm gains all **3** marks	2 1
total			10

ASSESSMENT and QUALIFICATIONS ALLIANCE

Mark scheme June 2003

GCSE

Science: Double Award Co-ordinated

3462

Paper 3F

Copyright © 2003 AQA and its licensors. All rights reserved.

The Assessment and Qualifications Alliance (AQA) is a company limited by guarantee registered in England and Wales 3644723 and a registered charity number 1073334
Registered address: Addleshaw Booth & Co., Sovereign House, PO Box 8, Sovereign Street, Leeds LS1 1HQ
Kathleen Tattersall: *Director General*

4.1.1.2 Changes in energy

INFORMATION FOR EXAMINERS

1. General

The mark scheme for each question shows:

- the marks available for each part of the question;
- the total marks available for the question;
- the typical answer or answers which are expected;
- extra information to help the Examiner make his or her judgement and help to delineate what is acceptable or not worthy of credit or, in discursive answers, to give an overview of the area in which a mark or marks may be awarded.

The extra information is aligned to the appropriate answer in the left-hand part of the mark scheme and should only be applied to that item in the mark scheme.

At the beginning of a part of a question a reminder may be given, for example:
where consequential marking needs to be considered in a calculation;
or the answer may be on the diagram or at a different place on the script.

In general the right hand side of the mark scheme is there to provide those extra details which confuse the main part of the mark scheme yet may be helpful in ensuring that marking is straightforward and consistent.

2. Emboldening

2.1 In a list of acceptable answers where more than one mark is available 'any **two** from' is used, with the number of marks emboldened. Each of the following lines is a potential mark.

2.2 A bold **and** is used to indicate that both parts of the answer are required to award the mark.

2.3 Alternative answers acceptable for a mark are indicated by the use of **or**. (Different terms in the mark scheme are shown by a / ; e.g. allow smooth / free movement.)

3. Marking points

3.1 Marking of Quality of Written Communication

Examiners are reminded of the need to assess QoWC by the following statement appearing in the appropriate parts of the mark scheme:

The answer to this question requires ideas in good English in a sensible order with correct use of scientific terms. Quality of written communication should be considered in crediting points in the mark scheme.

The maximum marks available to a candidate whose answer is not well expressed will be (the number of marks available –1).

4.1.1.2 Changes in energy

3.2 Marking of lists

This applies to questions requiring a set number of responses, but for which candidates have provided extra responses. The general principle to be followed in such a situation is that 'right + wrong = wrong'.

Each error/contradiction negates each correct response. So, if the number of error/contradictions equals or exceeds the number of marks available for the question, no marks can be awarded.

However, responses considered to be neutral (indicated as * in example 1) are not penalised.

Example 1: What is the pH of an acidic solution? (1 mark)

Candidate	Response	Marks awarded
1	4,8	0
2	green, 5	0
3	red*, 5	1
4	red*, 8	0

Example 2: Name two planets in the solar system. (2 marks)

Candidate	Response	Marks awarded
1	Pluto, Mars, Moon	1
2	Pluto, Sun, Mars, Moon	0

3.3 Use of chemical symbols/formulae

If a candidate writes a chemical symbol/formula instead of a required chemical name, full credit can be given if the symbol/formula is correct and if, in the context of the question, such action is appropriate.

3.4 The marking of quantitative relationships

Full credit can be given for a correct quantitative relationship expressed in:

- named units;
- physical quantities;
- standard symbols;
- a combination of physical quantities and units.

No credit can be given for any quantitative relationship expressed in terms of:

- a combination of physical quantities, units and symbols;
- a diagram, e.g. the ohm's law triangle, unless the rest of the answer shows clearly that the candidate understands the relationships involved.

3.5 Marking procedure for calculations

3.5.1 Full marks can be given for a correct numerical answer, as shown in the column 'answers', without any working shown. However, if the answer is incorrect, mark(s) can be gained by correct substitution/working and this is shown in the 'extra information' column.

3.5.2 Where calculations are based on incorrectly recalled relationships, neither the incorrectly recalled relationship, nor the resulting calculation based on the incorrect relationship, will be credited.

3.6 Interpretation of 'it'

Answers using the word 'it' should be given credit only if it is clear that the 'it' refers to the correct subject.

3.7 Errors carried forward

There should be no error carried forward from a previous answer which has been based on wrong science. Any error in the answers to a structured question should be penalised once only.

Examples

(a) A candidate who calculates average speed using speed = time/distance **and** then proceeds to use this incorrect answer to calculate an acceleration based on the correct quantitative relationship should be given credit for the use of the correct acceleration relationship but none for either numerical answer.

(b) A candidate who incorrectly calculates average speed using speed = distance/time and then proceeds to use this incorrect value to calculate an acceleration based on the correct quantitative relationship, should be given credit for the use of both correct quantitative relationships **and** for the correct substitution and use of the incorrect value in the calculation of the rate of acceleration.

Papers should be constructed in such a way that the number of times errors can be carried forward are kept to a minimum. Allowances for errors carried forward are most likely to be restricted to calculation questions and should be shown by the abbreviation e.c.f. in the marking scheme.

3.8 Phonetic spelling

The phonetic spelling of correct scientific terminology should be credited **unless** there is a possible confusion with another technical term.

3.9 Brackets

(…..) is used to indicate information which is not essential for the mark to be awarded but is included to help the examiner identify the sense of the answer required.

3.10 Unexpected Correct Answers not in the Mark Scheme

The Examiner should use professional judgement to award credit where a candidate has given an unexpected correct answer which is not covered by the mark scheme. The Examiner should consult with the Team Leader to confirm the judgement. The Team Leader should pass this answer on to the Principal Examiner with a view to informing all examiners.

4.1.1.2 Changes in energy

Double Award
Foundation Tier 3462/3F

3462/3F Q1

question	answers	extra information	mark
(a)	circuit symbol for a lamp correct 	accept  accept any standard of drawing providing circuit would work	1
	circuit symbol for a cell correct 		1
	2 lamps drawn in parallel with 3 cells	polarity of cells must be correct (+ to –) but cells may be either way around	1
(b)	4.5		1
(c)	the same as	accept any clear indication of the correct answer	1
total			5

4.1.1.2 Changes in energy

3462/3F Q2

question	answers	extra information	mark
(a)	gas		1
(b)	fuel burning stations produce electricity at any time / all the time	accept fuel available all the time	1
	wind generator can only produce when the wind is strong enough	accept it's not always windy	1
(c)	no fuel is burnt **or** no fuel is used **or** uses only energy from wind **or** does not emit harmful gases / soot / smoke	do **not** accept wind is natural / environmentally friendly / renewable answer must be in terms of wind, **not** negative of fuel burning specific examples of gases CO_2, SO_2, acid rain and greenhouse gases can be accepted ozone negates credit	1
total			4

4.1.1.2 Changes in energy

3462/3F Q3

question	answers	extra information	mark
(a)(i)	microwaves		1
(ii)	infra red		1
(iii)	ultrasonic		1
(b)(i)	B		1
(ii)	A		1
(c)	disturbance / vibration / movement direction	accept motion / force do **not** accept energy	1 1
(d)	sound wave	accept any clear indication of the correct answer	1
total			8

4.1.1.2 Changes in energy

3462/3F Q4

question	answers	extra information	mark
(a)(i)	heat		1
(ii)	temperature increases **or** (cause) convection (currents)	accept gets warmer accept gets hotter	1
(iii)	60% **or** 0.6	60 without % scores **1** mark 0.6 with a unit scores **1** mark 60 with incorrect unit scores **1** mark **or** correct substitution $\frac{120}{200}$ for **1** mark	2
(b)	street more (energy transferred as) light **or** less (energy transferred as) heat **or** useful energy output the highest	 can only score this mark if first mark scored all efficiencies calculated correctly score 2nd mark point	1 1
total			6

4.1.1.2 Changes in energy

3462/3F Q5

question	answers	extra information	mark
(a)	MN	accept 5.8, 8 seconds must include unit	1
(b)	LM	accept 0.8, 5.8 seconds must include unit	1
(c)(i)	0.8		1
(ii)	drinking alcohol		1
(d)	straight (by eye) line starting at 0.8 seconds line drawn steeper than LM starting before L	 ignore lines going beyond 2 seconds but line must exceed 2.5 metres per second before terminating	1 1
total			6

4.1.1.2 Changes in energy

3462/3F Q6

question	answers	extra information	mark
(a)(i)	each correct label scores 1 mark  		3
(ii)	neutron		1
(iii)	7 number of protons and neutrons **or** number of nucleons **or** number of particles in the nucleus	 accept number of particles in the centre only if first answer = 7	1 1
(b)(i)	50 ± 5		1
(ii)	50 ± 5	accept their (b)(i)	1
(iii)	less	accept any way of indicating the correct answer	1
total			9

4.1.1.2 Changes in energy

3462/3F Q7

question	answers	extra information	mark
(a)	each correct line scores 1 mark  	if more than 3 lines are drawn mark incorrect ones first, to a maximum of 3 lines	3
(b)	toaster	accept 1.2 kW	1
(c)(i)	400		1
(ii)	£24 **or** 2400p	full credit for their (c)(i) × 6p for full credit the correct numerical answer must have the correct unit an answer of 24 or 2400 with no unit or the incorrect unit scores **1** mark (c)(i) × 6 incorrectly evaluated scores **1** mark	2
(d)	6	allow 6000 for **1** mark allow 3 × 2 for **1** mark	2
total			9

4.1.1.2 Changes in energy

3462/3F Q8

question	answers	extra information	mark
(a)(i)	friction	accept any way of indicating the correct answer	1
(ii)	gravity	accept any way of indicating the correct answer	1
(b)(i)	accelerates **or** speed / velocity increases	accept faster and faster (**1** mark) do **not** accept faster pace / falls faster or suggestions of a greater but constant speed	1
	downwards / falls	accept towards the Earth / ground this may score in part (b)(ii) if it does not score here and there is no contradiction between the two parts	1
(ii)	constant speed / velocity **or** terminal velocity / speed **or** zero acceleration	stays in the same place negates credit	1
total			5

4.1.1.2 Changes in energy

3462/3F Q9

question	answers	extra information	mark
(a)(i)	X – mantle		1
	Y – inner core	do **not** accept solid core	1
(ii)	different to the crust **or** contains a lot of (heavy) metals	accept iron and nickel for metals	1
	higher (average) density **or** denser	density higher than 5500 (kg/m^3) gets **2** marks	1
(b)	animals were able to move from one continent to the other		1
	(when bridge broke) animals evolved differently	accept animals adapted differently	1
(c)(i)	earthquakes occur at the boundary between plates **or** earthquakes occur where plates push against each other		1
	there are no plate boundaries running through Britain	accept Britain is not near the edge of a plate	1
(ii)	convection currents (in the mantle) **or** heat released by (natural) radioactive processes		1
total			9

4.1.1.2 Changes in energy

3462/3F Q10

question	answers	extra information	mark
(a)(i)	outside the Earth **or** not from the Earth	accept alien accept life from / on another planet / space accept our planet for Earth	1
(ii)	radio telescope(s)	do **not** accept telescopes do **not** accept satellite dishes do **not** accept radio receivers **or** transmitters	1
(b)(i)	galaxies	do **not** accept stars	1
(ii)	any **one** from: the pulses were regular pulses from space are usually random (scientists) thought technology had been used to produce the pulses neutron stars were unknown signals from a single point	 accept signals / beats for pulses accept noise for random pulses idea of regular but not continuous	1
(iii)	neutron star is (the matter / mass) left behind after a star / red giant explodes (as a super nova)	 accept after a super nova (explosion) neutron star causing super nova gets no credit	1 1
(c)(i)	carried on the balloon / equipment	accept carried by a rocket / aircraft / satellite birds negates credit	1
(ii)	on comets or meteors	accept meteorites / shooting stars accept returning space craft accept solar wind ignore asteroids accept ufo do **not** accept solar flares do **not** accept satellites	1
total			8

4.1.1.2 Changes in energy

3462/3F Q11

question	answers	extra information	mark
(a)	silver is a (good) reflector of heat (radiation) **or** silver reflects the heat (radiation)	fact heat = infra red ignore references to light accept shiny for silver good radiator negates the mark ignore references to good conductor do **not** accept bounce back	1
	less heat is lost through the board **or** more heat is retained by the shirt	explanation accept both sides of shirt heated reflects heat back up gets **1** mark only ignore mention of friction	1
(b)	metal soleplate	accept soleplate / bottom / metal do **not** accept outside / case	1
(c)	plastic **or** rubber	accept any named plastic do **not** accept wood	1
	it is a (good) insulator **or** it is a poor conductor	ignore mention of heat if in conjunction with electricity	1
(d)	**Quality of written communication** *The answer to this question requires ideas in good English in a sensible order with correct use of scientific terms. Quality of written communication should be considered in crediting points in the mark scheme.*	*Maximum of **2** marks if ideas not well expressed.*	
	pulls iron bolt down **or** attracts the iron bolt **or** moves bolt out of plunger	answers in terms of charges attracting or repelling gain no credit	1
	plunger pushed / moved to the right (by spring) **or** plunger released		1
	push switch opens / goes to off / goes to right	accept circuit is broken for maximum credit the points must follow a logical sequence 3 correct points but incorrect sequence scores **2** marks only ignore reset action	1
total			8

4.1.1.2 Changes in energy

3462/3F Q12

question	answers	extra information	mark
(a)(i)	any **one** from:		1
	the ground	do **not** accept mobile phones	
	the air		
	radon (gas)		
	building materials		
	buildings		
	rocks / granite		
	food		
	cosmic rays **or** solar rays	accept from outer space accept sun but **not** sunlight	
	X-rays	accept medical uses	
	nuclear weapons testing		
	nuclear power stations / accidents		
(ii)	2	allow $\frac{1200}{60\times10}$ **or** $\frac{1200}{600}$ **or** 120 for **1** mark	2
(b)		answers must be comparative accept converse answers throughout	
	alpha: the count rate is (greatly) reduced by the card **or** the card absorbs alphas but not betas	accept paper for the card	1
	beta: the count rate is (greatly) reduced by the metal **or** the thin metal absorbs alphas and betas **or** the thin metal absorbs all of the radiation (from the source)	accept aluminium for the metal	1
	gamma: would pass through the thin metal but count rate is background **or** no radiation passing through **or** a higher reading would be recorded **or** to reduce the count to 2 would require much more than 3 mm of metal	accept aluminium for the metal accept lead / aluminium for the metal	1
total			6

4.1.1.2 Changes in energy

3462/3F Q13

question	answers	extra information	mark
(a)(i)	weight = mass × g.f.s.	accept w = m × g accept gravity for gfs accept  provided subsequent use of Δ correct do **not** accept N = kg × N/kg	1
(ii)	675	75 × 9 for **1** mark	2
(iii)	g.(f.s.) is higher (on Earth than Venus)	accept gravity for g.f.s. do **not** accept g.f.s. is lower unless answer states on Venus	1
(iv)	orbit time for Jupiter is <u>longer</u> / longest (than for the other planets)	do **not** give any credit for an answer that includes a comparison of diameter **or** a comparison of g.f.s.	1
(b)	**Quality of written communication** *The answer to this question requires ideas in good English in a sensible order with correct use of scientific terms. Quality of written communication should be considered in crediting points in the mark scheme.* any **two** from: dust <u>and</u> gas **or** remnants of a super nova pulled together by (force of) <u>gravity</u> nuclear fusion starts	*Maximum of **1** mark if ideas not well expressed.* accept hydrogen for dust and gas do **not** accept hydrogen burns although candidates may include more detail these points are essential to score the credit	2
total			7

Version 1.0: *27092005*

ASSESSMENT and QUALIFICATIONS ALLIANCE

General Certificate of Secondary Education

Physics 3451/F
Specification B

Mark Scheme

2005 examination – June series

Mark schemes are prepared by the Principal Examiner and considered, together with the relevant questions, by a panel of subject teachers. This mark scheme includes any amendments made at the standardisation meeting attended by all examiners and is the scheme which was used by them in this examination. The standardisation meeting ensures that the mark scheme covers the candidates' responses to questions and that every examiner understands and applies it in the same correct way. As preparation for the standardisation meeting each examiner analyses a number of candidates' scripts: alternative answers not already covered by the mark scheme are discussed at the meeting and legislated for. If, after this meeting, examiners encounter unusual answers which have not been discussed at the meeting they are required to refer these to the Principal Examiner.

It must be stressed that a mark scheme is a working document, in many cases further developed and expanded on the basis of candidates' reactions to a particular paper. Assumptions about future mark schemes on the basis of one year's document should be avoided; whilst the guiding principles of assessment remain constant, details will change, depending on the content of a particular examination paper.

Copyright © 2005 AQA and its licensors. All rights reserved.

Physics (Specification B)
Foundation Tier 3451/F

3451/F Q1

question	answers	extra information	mark
(a)(i)	less than	accept any correct indication	1
(ii)	more than	accept any correct indication	1
(b)	any **two** from: stays above the same place above the equator one orbit takes 24 hours	 do **not** accept stays in the same place do **not** accept goes around equator unless qualified do **not** accept orbit at same speed as Earth do **not** accept orbit at a constant speed accept has same angular speed / velocity as Earth	2
total			4

3451/F Q2

question	answers	extra information	mark
(a)	comet		1
(b)	large group / number / collection of stars	ignore reference to planets accept millions of stars do **not** accept thousands of stars do **not** accept loads of stars	1
(c)	giant supernova neutron		1 1 1
total			5

4.1.1.2 Changes in energy

3451/F Q3

question	answers	extra information	mark
(a)(i)	radio		1
(ii)	gamma	accept microwave accept infrared	1
(iii)	ultra violet		1
(iv)	microwaves		1
(b)	the same as		1
(c)	X-rays do not go through lead	references to gamma rays are incorrect accept lead protects them from the X-rays accept not exposed to X-rays	1
	lead stops / reduces risk of X-rays harming / damaging / killing (persons) <u>cells</u>	accept X-rays (may) cause cancer accept organs for cell do **not** accept references to electric shock do **not** accept stops bones of people showing on X-ray answers involving the horse wearing an apron are incorrect	1
	Quality of written communication	award for a sensible sequence of **two** points	1
total			8

4.1.1.2 Changes in energy

3451/F Q4

question	answers	extra information	mark
(a)	light electrical		1 1
(b)	15% **or** 0.15	correct substitution gains **1** mark only an answer of 15 with no unit **or** an incorrect unit gains **1** mark an answer of 0.15 given with a unit gains **1** mark	2
(c)	the ticket machine is a long way from other electricity supplies		1
(d)	any figure between 5 and 10 inclusive	unit not required but if given must match numerical answer	1
total			6

3451/F Q5

question	answers	extra information	mark
(a)(i)	radon (gas)	do **not** accept gas	1
(ii)	background		1
(b)	bigger	accept any word which means bigger	1
(c)	**Z** alpha will not pass through aluminium or lead	if Z is not given, the reason does not score accept alpha cannot go through metals / dense material accept there is nothing to stop the radiation accept alpha will not pass through aluminium do **not** accept alpha will not pass through lead do **not** accept alpha stopped by air	1 1
total			5

4.1.1.2 Changes in energy

3451/F Q6

question	answers	extra information	mark
(a)	loses negative charge / electrons	do **not** accept positive charge transfers to the comb do **not** accept friction	1
(b)	**A** attract		1
	B repel		1
	C attract		1
(c)	**F A D E**	allow **2** marks for 2 letters in the correct place allow **1** mark for 1 letter in the correct place	3
total			7

4.1.1.2 Changes in energy

Physics B – AQA GCSE Mark Scheme, 2005 June series

3451/F Q7

question	answers	extra information	mark
(a)	all points correctly plotted	tolerance ± $\frac{1}{2}$ square on y axis only allow **1** mark for 3 correctly plotted points	2
	attempt made to draw a smooth curve	do **not** accept dot-to-dot line	1
(b)(i)	3 days ± 0.2 **or** any value correctly obtained using their graph line	if no line drawn in (a), answer must be exactly 3	1
(ii)	3 days or their (b)(i)		1
(c)	radon-222	accept radon **or** 222 accept alpha or 3.8 correct isotope required for reason to score	1
	has the shortest half-life	accept the others have longer half-lives	1
total			7

4.1.1.2 Changes in energy

3451/F Q8

question	answers	extra information	mark
(a)	fossils of Cynognathus are found in Africa and South America		1
	the shapes ……. almost fit together	only two boxes should be ticked deduct **1** mark for each additional box to a minimum mark of **0**	1
(b)	continental		1
	crust		1
	tectonic		1
total			5

4.1.1.2 Changes in energy

Physics B – AQA GCSE Mark Scheme, 2005 June series

3451/F Q9

question	answers	extra information	mark
(a)	capacitor LDR relay (normally open)	accept condenser **or** light dependent resistor accept 'ldr', 'Ldr' etc. do **not** accept 'relay normally closed'	1 1 1
(b)(i)	battery	accept '(battery of) cells' do **not** accept 'battery / cell'	1
(ii)	LED	**or** light emitting diode accept 'led' or 'Led' do **not** accept just 'diode'	1
(iii)	B will light (but C will not)	accept '(only) B will work' accept 'one is on the other is off' do **not** accept 'C is on and B is off'	1
(iv)	any **one** from: B is connected the right way round (and C is not) a (light emitting) diode only allows (a significant) current to flow in one direction B's anode is connected to the positive side of the supply B's cathode is connected to the negative terminal	N.B. the candidate's answer to part (b)(iii) may include this mark but do **not** credit if the response to part (b)(iii) is incorrect or there is any other contradiction if (iv) is completely consistent with (iii) which is wrong, allow **1** mark	1
(c)(i)	first input / second input / output 0 / 0 / **0** 1 / 0 / **0** 0 / 1 / **0** 1 / 1 / **1**	**all** correct allow: OFF NO OFF NO OFF NO ON YES	1
(ii)	truth (table)		1

cont…

3451/F Q9 cont…

(iii)		a Roman upper case D in any orientation without contacts is acceptable but if contacts are shown do **not** give the mark if there is any ambiguity or contradiction allow 	1
(d)	light sensor	**or** light dependent resistor **or** LDR accept 'ldr', Ldr' etc allow solar cell, photo cell	1
	NOT gate	accept 'Not gate' **or** 'not gate' if both correct but in the wrong order credit with **1** mark	1
total			12

4.1.1.2 Changes in energy

Physics B – AQA GCSE Mark Scheme, 2005 June series

3451/F Q10

question	answers	extra information	mark
(a)(i)	rays continued to meet on the right hand side of the lens and beyond	must be straight lines from the right hand side of the lens ignore details through the lens allow if no arrows	1
	meet exactly on the axis	negate mark if contradictory arrow(s) added do not need to go beyond the focus for this mark	1
(ii)	(principal) focus	**or** focal (point)	1
(iii)	converging	**or** convex	1
(b)(i)	**A**		1
(ii)	rays seem to come from this point	**or** words to this effect **or** shows this on the diagram	1
(iii)	diverging	**or** concave	1
(c)	film	accept any unambiguous method of showing the correct response	1
	smaller than		1
	further away from		1
(d)	any **three** from: • real image can be put on a screen • virtual image cannot be put on a screen / film • virtual image is imaginary • real image is formed where (real) rays cross / converge • virtual image is where virtual / imaginary rays (seem to) come from • virtual image formed where virtual rays intersect / cross	allow film allow real image has light travelling through it **or** virtual image is where rays seem to come from	3
total			13

4.1.1.2 Changes in energy

3451/F Q11

question	answers	extra information	mark
(a)(i)	$A_1 = 0.5$	ignore any units	1
	$A_4 = 0.5$	allow **1** mark for $A_1 = A_4 \neq 0.5$	1
(ii)	the resistance of **P** is more than 20 Ω		1
	a smaller current goes through P / A_2 (than 20 Ω)	dependent on getting 1st mark correct accept converse	1
(b)(i)	potential difference = current × resistance	accept pd / voltage for potential difference accept V = I × R, correct symbols and correct case only accept volts = amps × ohms accept  provided subsequent method is correct allow combination of physical quantities and named units allow voltage = I × R	1
(ii)	6	allow **1** mark for correct substitution	2
(iii)	6	accept their (b)(ii)	1
(c)	thermistor or 	accept correct circuit symbol allow phonetic spelling	1
	resistance goes down (as temperature of thermistor goes up)	do **not** accept changes for goes down do **not** accept an answer in terms of current only answers in terms of other components are incorrect	1
total			10

Physics B – AQA GCSE Mark Scheme, 2005 June series

3451/F Q12

question	answers	extra information	mark
(a)(i)	larger the distance, greater the time	accept 'they are proportional' accept converse	1
(ii)	any value between 6 and 9 years inclusive		1
(b)(i)	carbon dioxide		1
(ii)	(Venus) has high**er** temperature (than Mercury)	accept has the high**est** temperature accept Venus is hotter / hottest do **not** accept has a high / very high temperature	1
	(Venus) further from the Sun than Mercury	accept 'Venus is not the closest planet to the Sun' answer in terms of greenhouse effect only, scores **0** marks	1
total			5

4.1.1.2 Changes in energy

3451/F Q13

question	answers	extra information	mark
(a)(i)	20		1
(ii)	convection		1
(iii)	fit draughtproof strips	accept lay carpet accept fit curtains accept close doors / windows / curtains accept any reasonable suggestion for reducing a draught 'double glazing' alone is insufficient	1
(b)	air is (a good) insulator **or** air is a poor conductor	accept air cavity / 'it' for air	1
	reducing heat transfer by <u>conduction</u>	accept stops for reduces ignore convection do **not** accept radiation do **not** accept answers in terms of heat being trapped	1
(c)(i)	most cost effective	accept it is cheaper or low<u>est</u> cost accept shortest payback time accept in terms of reducing heat loss by the largest amount do **not** accept it is easier ignore most heat is lost through the roof	1
(ii)	4		1
total			7

4.1.1.2 Changes in energy

3451/F Q14

question	answers	extra information	mark
(a)(i)	constant speed	do **not** accept normal speed do **not** accept it is stopped / stationary	1
	in a straight line	accept any appropriate reference to a direction constant velocity gains **2** marks 'not accelerating' gains **2** marks terminal velocity alone gets **1** mark	1
(ii)	goes down owtte	accept motorbike (it) slows down	1
(b)(i)	20 (m/s)	ignore incorrect units	1
(ii)	acceleration = change in velocity / time (taken)	do **not** accept velocity for change in velocity accept change in speed accept $a = \frac{v-u}{t}$ **or** $a = \frac{v_1 - v_2}{t}$ **or** $a = \frac{\Delta v}{t}$ do **not** accept $a = \frac{v}{t}$	1
(iii)	4 **or** their (b)(i) ÷ 5	allow **1** mark for correct substitution	2
	m/s^2	m/s/s **or** ms^{-2} **or** metres per second squared **or** metres per second per second	1
(c)	vehicle may skid / slide	loss of control / brakes lock / wheels lock accept greater stopping distance **or** difficult to stop	1
	due to reduced friction (between tyre(s) and road)	accept due to less grip do **not** accept no friction	1

cont…

3451/F Q14 cont…

(d)	any **three** from: • increased speed • reduced braking force • slower (driver) reactions • poor vehicle maintenance • increased mass / weight of vehicle • poor road surface • more streamlined	do **not** accept night time / poor vision N.B. specific answers may **each** gain credit eg tiredness (1), drinking alcohol (1), using drugs (1), driver distracted (1) etc specific examples may **each** gain credit eg worn brakes or worn tyres etc accept large mass / weight of vehicle if candidates give three answers that affect stopping distance but not specific to increase award **1** mark only	3
total			13

4.1.1.2 Changes in energy

Physics B – AQA GCSE Mark Scheme, 2005 June series

3451/F Q15

question	answers	extra information	mark
(a)(i)	arrow from centre of the ball **and** at right angles to the string **and** in the correct direction	arrow should point to the student's belt accept free-hand 'straight' line do **not** accept curved line	1
(ii)	increase increase increase	accept 'be stronger / bigger' accept 'be stronger / bigger' accept 'be stronger / bigger'	1 1 1
(b)	speed velocity direction	all **three** correct any two correct for **1** mark otherwise **0** marks	2
(c)(i)	centripetal	accept 'centripedal' and other minor misspellings do **not** accept anything which could be 'centrifugal'	1
(ii)	gravity	accept 'weight' accept 'force of attraction due to mass(es) (of the Moon and the Earth)'	1
(iii)	electron(s)		1
(iv)	electrostatic	accept 'electrical' do **not** accept just 'centripetal'	1
total			10

4.1.1.2 Changes in energy

3451/F Q16

question	answers	extra information	mark
(a)(i)	**X** at the centre of the lifebelt	measuring from the centre of **X**, allow 2 mm tolerance in any direction	1
(ii)	any **two** from: below the point of suspension at the centre (of the lifebelt) (because) the lifebelt / it is symmetrical	if X is on vertical line below the hanger (but not at centre) can gain the first point only accept '(vertically) below **Y**' accept 'in the middle' **or** (because) the mass / weight is evenly distributed	2
(b)	Nm **or** newton metre(s) 750	accept Newton metre(s) do **not** accept any ambiguity in the symbol ie NM, nM or nm (moment) = force × (perpendicular) distance (between line of action and pivot) **or** (moment) = 500 × 1.5 gains **1** mark	1 2
(c)	**Quality of written communication**: any **three** connected points from: low(er) <u>centre of mass / gravity</u> (more) <u>stable</u> less likely to fall over the <u>turning effect / moment</u> (of the weight of case) is less so the pull on her arm is less	for **2** of the underlined terms used in the correct context **or** <u>centre of mass / gravity</u> will be close(r) to the wheels / axle / ground **or** less <u>unstable</u> accept 'less likely to overturn' do **not** accept 'will not fall over' **or** so less effort is needed to hold the case ignore references to pulling the case	1 3
total			10

4.1.1.2 Changes in energy

3451/F Q17

question	answers	extra information	mark
(a)	any **two** from: • **amplitude** decreasing • **wavelength** increasing • **frequency** decreasing **Quality of written communication**	accept siren / sound getting quieter do **not** accept sound decreases accept pitch decreasing ignore reference to transverse wave ignore reference to speed contradictory statements within each point lose the mark all emboldened terms in candidate's answer used correctly	2 1
(b)(i)	ultrasound **or** ultrasonic		1
(ii)	wave speed = frequency × wavelength	accept speed / velocity for wave speed accept $v = f \times \lambda$ do **not** accept w for λ do **not** accept s for v accept  provided subsequent calculation shows a correct method	1
(iii)	339.2 **or** 340 **or** 339	allow **1** mark for using 212 000 allow **1** mark for correct substitution an answer of 0.3392 **or** 0.34 **or** 0.339 gains **1** mark only award full credit for a correct numerical answer with the unit changed to km/s	3
total			8

Version 1.0: *27092005*

ASSESSMENT and QUALIFICATIONS ALLIANCE

General Certificate of Secondary Education

Science: Double Award 3462/3F
Specification B (Co-ordinated)

Mark Scheme

2005 examination - June series

Mark schemes are prepared by the Principal Examiner and considered, together with the relevant questions, by a panel of subject teachers. This mark scheme includes any amendments made at the standardisation meeting attended by all examiners and is the scheme which was used by them in this examination. The standardisation meeting ensures that the mark scheme covers the candidates' responses to questions and that every examiner understands and applies it in the same correct way. As preparation for the standardisation meeting each examiner analyses a number of candidates' scripts: alternative answers not already covered by the mark scheme are discussed at the meeting and legislated for. If, after this meeting, examiners encounter unusual answers which have not been discussed at the meeting they are required to refer these to the Principal Examiner.

It must be stressed that a mark scheme is a working document, in many cases further developed and expanded on the basis of candidates' reactions to a particular paper. Assumptions about future mark schemes on the basis of one year's document should be avoided; whilst the guiding principles of assessment remain constant, details will change, depending on the content of a particular examination paper.

Copyright © 2005 AQA and its licensors. All rights reserved.

Science: Double Award (Co-ordinated) – AQA GCSE Mark Scheme, 2005 June series

Double Award
Foundation Tier 3462/3F

3462/3F Q1

question	answers	extra information	mark
(a)(i)	less than	accept any correct indication	1
(ii)	more than	accept any correct indication	1
(b)	any **two** from: stays above the same place above the equator one orbit takes 24 hours	 do **not** accept stays in the same place do **not** accept goes around equator unless qualified do **not** accept orbit at same speed as Earth do **not** accept orbit at a constant speed accept has same angular speed / velocity as Earth	2
total			4

3462/ 3F Q2

question	answers	extra information	mark
(a)	comet		1
(b)	large group / number / collection of stars	ignore reference to planets accept millions of stars do **not** accept thousands of stars do **not** accept loads of stars	1
(c)	giant supernova neutron		1 1 1
total			5

4.1.1.2 Changes in energy

3462/3F Q3

question	answers	extra information	mark
(a)(i)	radio		1
(ii)	gamma	accept microwave accept infrared	1
(iii)	ultra violet		1
(iv)	microwaves		1
(b)	the same as		1
(c)	**Quality of written communication**	award for a sensible sequence of **two** points	1
	X-rays do not go through lead	accept lead protects them from the X-rays accept not exposed to X-rays	1
	lead stops / reduces risk of X-rays harming / damaging / killing (persons) <u>cells</u>	accept X-rays (may) cause cancer accept organs for cell do **not** accept references to electric shock do **not** accept stops bones of people showing on X-ray answers involving the horse wearing an apron are incorrect references to gamma rays are incorrect	1
total			8

4.1.1.2 Changes in energy

Science: Double Award (Co-ordinated) – AQA GCSE Mark Scheme, 2005 June series

3462/3F Q4

question	answers	extra information	mark
(a)	light electrical		1 1
(b)	15% **or** 0.15	correct substitution gains **1** mark only an answer of 15 with no unit **or** an incorrect unit gains **1** mark an answer of 0.15 given with a unit gains **1** mark	2
(c)	the ticket machine is a long way from other electricity supplies		1
(d)	any figure between 5 and 10 inclusive	unit not required but if given must match numerical answer	1
total			6

4.1.1.2 Changes in energy

3462/3F Q5

question	answers	extra information	mark
(a)(i)	radon (gas)	do **not** accept gas	1
(ii)	background		1
(b)	bigger	accept any word which means bigger	1
(c)	**Z** alpha will not pass through aluminium or lead	if Z is not given, the reason does not score accept alpha cannot go through metals / dense material accept there is nothing to stop the radiation accept alpha will not pass through aluminium do **not** accept alpha will not pass through lead do **not** accept alpha stopped by air	1 1
total			5

4.1.1.2 Changes in energy

Science: Double Award (Co-ordinated) – AQA GCSE Mark Scheme, 2005 June series

3462/3F Q6

question	answers	extra information	mark
(a)	loses negative charge / electrons	do **not** accept positive charge transfers to the comb do **not** accept friction	1
(b)	**A** attract		1
	B repel		1
	C attract		1
(c)	**F A D E**	allow **2** marks for 2 letters in the correct place allow **1** mark for 1 letter in the correct place	3
total			7

4.1.1.2 Changes in energy

3462/3F Q7

question	answers	extra information	mark
(a)	all points correctly plotted	tolerance ± $\frac{1}{2}$ square on y axis only allow **1** mark for 3 correctly plotted points	2
	attempt made to draw a smooth curve	do **not** accept dot-to-dot line	1
(b)(i)	3 days ± 0.2 **or** any value correctly obtained using their graph line	if no line drawn in (a), answer must be exactly 3	1
(ii)	3 days or their (b)(i)		1
(c)	radon-222	accept radon **or** 222 accept alpha or 3.8 correct isotope required for reason to score	1
	has the shortest <u>half-life</u>	accept the others have longer <u>half-lives</u>	1
total			7

4.1.1.2 Changes in energy

Science: Double Award (Co-ordinated) – AQA GCSE Mark Scheme, 2005 June series

3462/3F Q8

question	answers	extra information	mark
(a)	fossils of Cynognathus are found in Africa and South America		1
	the shapes ……. almost fit together	only two boxes should be ticked deduct **1** mark for each additional box to a minimum mark of **0**	1
(b)	continental		1
	crust		1
	tectonic		1
total			5

4.1.1.2 Changes in energy

3462/3F Q9

question	answers	extra information	mark
(a)(i)	$A_1 = 0.5$ $A_4 = 0.5$	ignore any units allow **1** mark for $A_1 = A_4 \neq 0.5$	1 1
(ii)	the resistance of **P** is more than 20 Ω a smaller current goes through P / A_2 (than 20 Ω)	 dependent on getting 1st mark correct accept converse	1 1
(b)(i)	potential difference = current × resistance	accept pd / voltage for potential difference accept V = I × R, correct symbols and correct case only accept volts = amps × ohms accept  provided subsequent method is correct allow combination of physical quantities and named units allow voltage = I × R	1
(ii)	6	allow **1** mark for correct substitution	2
(iii)	6	accept their (b)(ii)	1
(c)	thermistor or  resistance goes down (as temperature of thermistor goes up)	accept correct circuit symbol allow phonetic spelling do **not** accept changes for goes down do **not** accept an answer in terms of current only answers in terms of other components are incorrect	1 1
total			10

4.1.1.2 Changes in energy

Science: Double Award (Co-ordinated) – AQA GCSE Mark Scheme, 2005 June series

3462/3F Q10

question	answers	extra information	mark
(a)(i)	larger the distance, greater the time	accept 'they are proportional' accept converse	1
(ii)	any value between 6 and 9 years inclusive		1
(b)(i)	carbon dioxide		1
(ii)	(Venus) has high**er** temperature (than Mercury)	accept has the high**est** temperature accept Venus is hotter / hottest do **not** accept has a high / very high temperature	1
	(Venus) further from the Sun than Mercury	accept 'Venus is not the closest planet to the Sun' answer in terms of greenhouse effect only, scores **0** marks	1
total			5

4.1.1.2 Changes in energy

3462/3F Q11

question	answers	extra information	mark
(a)(i)	20		1
(ii)	convection		1
(iii)	fit draughtproof strips	accept lay carpet accept fit curtains accept close doors / windows / curtains accept any reasonable suggestion for reducing a draught 'double glazing' alone is insufficient	1
(b)	air is (a good) insulator **or** air is a poor conductor	accept air cavity / 'it' for air	1
	reducing heat transfer by <u>conduction</u>	accept stops for reduces ignore convection do **not** accept radiation do **not** accept answers in terms of heat being trapped	1
(c)(i)	most cost effective	accept it is cheaper or low<u>est</u> cost accept shortest payback time accept in terms of reducing heat loss by the largest amount do **not** accept it is easier ignore most heat is lost through the roof	1
(ii)	4		1
total			7

4.1.1.2 Changes in energy

Science: Double Award (Co-ordinated) – AQA GCSE Mark Scheme, 2005 June series

3462/3F Q12

question	answers	extra information	mark
(a)(i)	<u>constant</u> speed	do **not** accept normal speed do **not** accept it is stopped / stationary	1
	in a straight line	accept any appropriate reference to a direction constant velocity gains **2** marks 'not accelerating' gains **2** marks terminal velocity alone gets **1** mark	1
(ii)	goes down owtte	accept motorbike (it) slows down	1
(b)(i)	20 (m/s)	ignore incorrect units	1
(ii)	acceleration = <u>change in velocity</u> time (taken)	do **not** accept velocity for change in velocity accept change in speed accept $a = \frac{v-u}{t}$ **or** $a = \frac{v_1 - v_2}{t}$ **or** a = $\frac{\Delta v}{t}$ do **not** accept $a = \frac{v}{t}$	1
(iii)	4 **or** their (b)(i) ÷ 5	allow **1** mark for correct substitution	2
	m/s^2	m/s/s **or** ms^{-2} **or** metres per second squared **or** metres per second per second	1
(c)	vehicle may skid / slide	loss of control / brakes lock / wheels lock accept greater stopping distance **or** difficult to stop	1
	due to reduced friction (between tyre(s) and road)	accept due to less grip do **not** accept <u>no</u> friction	1

cont…

3462/3F Q12 cont…

(d)	any **three** from: • <u>increased</u> speed • <u>reduced</u> braking force • <u>slower</u> (driver) reactions • <u>poor</u> vehicle maintenance • <u>increased</u> mass / weight of vehicle • <u>poor</u> road surface • <u>more</u> streamlined	do **not** accept night time / poor vision NB specific answers may **each** gain credit eg tiredness (1), drinking alcohol (1), using drugs (1), driver distracted (1) etc specific examples may **each** gain credit eg worn brakes or worn tyres etc accept large mass / weight of vehicle if candidates give three answers that affect stopping distance but not specific to <u>increase</u> award **1** mark only	3
total			13

4.1.1.2 Changes in energy

Science: Double Award (Co-ordinated) – AQA GCSE Mark Scheme, 2005 June series

3462/3F Q13

question	answers	extra information	mark
(a)	**Quality of written communication**	all emboldened terms in candidate's answer used correctly	1
	any **two** from: • **amplitude** decreasing • **wavelength** increasing • **frequency** decreasing	accept siren / sound getting quieter do **not** accept sound decreases accept pitch decreasing ignore reference to transverse wave ignore reference to speed contradictory statements within each point lose the mark	2
(b)(i)	ultrasound **or** ultrasonic		1
(ii)	wave speed = frequency × wavelength	accept speed / velocity for wave speed accept $v = f \times \lambda$ do **not** accept w for λ do **not** accept s for v accept  provided subsequent calculation shows a correct method	1
(iii)	339.2 **or** 340 **or** 339	allow **1** mark for using 212 000 allow **1** mark for correct substitution an answer of 0.3392 **or** 0.34 **or** 0.339 gains **1** mark only award full credit for a correct numerical answer with the unit changed to km/s	3
total			8

Version 1.0: 0906

ASSESSMENT and QUALIFICATIONS ALLIANCE

General Certificate of Secondary Education

Physics 3451/F
Specification B

Mark Scheme

2006 examination - June series

Mark schemes are prepared by the Principal Examiner and considered, together with the relevant questions, by a panel of subject teachers. This mark scheme includes any amendments made at the standardisation meeting attended by all examiners and is the scheme which was used by them in this examination. The standardisation meeting ensures that the mark scheme covers the candidates' responses to questions and that every examiner understands and applies it in the same correct way. As preparation for the standardisation meeting each examiner analyses a number of candidates' scripts: alternative answers not already covered by the mark scheme are discussed at the meeting and legislated for. If, after this meeting, examiners encounter unusual answers which have not been discussed at the meeting they are required to refer these to the Principal Examiner.

It must be stressed that a mark scheme is a working document, in many cases further developed and expanded on the basis of candidates' reactions to a particular paper. Assumptions about future mark schemes on the basis of one year's document should be avoided; whilst the guiding principles of assessment remain constant, details will change, depending on the content of a particular examination paper.

Copyright © 2006 AQA and its licensors. All rights reserved.

Physics (Specification B)
Foundation Tier 3451/F

3451/F Q1

question	answers	extra information	mark
(a)	4 correct lines drawn  	**1** mark for each correct line if more than 4 lines are drawn mark incorrect ones first. Mark only 4 lines	4
(b)	4		1
(c)(i)	nuclear		1
(ii)	(natural) gas	do **not** accept natural	1
total			7

4.1.1.2 Changes in energy

3451/F Q2

question	answers	extra information	mark
(a)(i)	ultra violet		1
(ii)	kill the cells	accept destroys the cells accept makes cells cancerous accept damage cells accept harms cells accept changes DNA accept cause cells to mutate accept skin cells for cells accept cause cancer do **not** accept skin for cells do **not** accept burns the cells	1
(b)(i)	the sunbed uses an alternating current (a.c.) supply		1
(ii)	10.8	accept **1** mark for correct substitution of power in W or kW and time in hours or seconds	2
total			5

4.1.1.2 Changes in energy

3451/F Q3

question	answers	extra information	mark
(a)(i)	M		1
(ii)	K		1
(iii)	J		1
(iv)	O		1
(b)(i)	billions of years		1
(ii)	red giant	any answer in terms of explosion or supernova is **incorrect**	1
	contracts / shrinks to	incorrect reference to black hole negates **1** mark	1
	white dwarf		1
total			8

4.1.1.2 Changes in energy

3451/F Q4

question	answers	extra information	mark
(a)(i)	A and C	**both** answers must be correct in either order	1
(ii)	A and B	**both** answers must be correct in either order	1
(iii)	same number of protons plus neutrons **or** same number of nucleons	accept number of particles in nucleus the same do **not** accept they add up to 6 unless qualified	1
(b)(i)	any **two** from: • boron - 12 • carbon - 14 • oxygen - 15 • lead - 209	**both** required both name **and** number must be given	1
(ii)	any **two** from: • boron - 11 • carbon - 12 • oxygen - 16 • lead - 207	**both** required both name **and** number must be given	1
(c)	alpha		1
total			6

4.1.1.2 Changes in energy

Physics B – AQA GCSE Mark Scheme, 2006 June series

3451/F Q5

question	answers	extra information	mark
(a)	(good) insulator	accept does not conduct (electricity) accept does not conduct heat or electricity do **not** accept does not conduct heat outside is tough is insufficient	1
(b)	fuse		1
(c)	connect the green and yellow / earth wire	accept wires must be connected to screws	1
	swap the brown and blue wires round		1
total			4

3451/F Q6

question	answers	extra information	mark
(a)	fossils	answers can be in either order	1
	water		1
(b)	increased		1
(c)	radio telescope		1
total			4

4.1.1.2 Changes in energy

3451/F Q7

question	answers	extra information	mark
(a)(i)	electrical		1
	kinetic	accept movement	1
(ii)	heat	answers can be in either order	1
	sound		1
(b)(i)	360	accept **1** mark for correct substitution	2
(ii)	watt		1
(c)	the stairlift is not moving the stairlift is moving at constant speed	**both** answers are required for the mark	1
total			8

3451/F Q8

question	answers	extra information	mark
(a)(i)	(up) further **or** (up) faster	any reference to downwards movement loses credit accept <u>with</u> more force accept motion would increase	1
(ii)	down	accept the opposite way accept drop	1
(b)(i)	direct current		1
(ii)	Z		1
total			4

4.1.1.2 Changes in energy

3451/F Q9

question	answers	extra information	mark
(a)	level of radiation (detected) will not change	ignore reference to particles	1
	if thickness of aluminium changes	accept for **both** marks a specific example eg if the aluminium gets thicker the level of radiation detected stays the same. accept for **1** mark gamma will pass through aluminium	1
	QoWC for 2 points in a sensible sequence		1
(b)	S W T V	all in correct order accept **2** marks for 2 correct accept **1** mark for 1 correct	3
total			6

4.1.1.2 Changes in energy

3451/F Q10

<table>
<tr><th>question</th><th>answers</th><th>extra information</th><th>mark</th></tr>
<tr><td>(a)</td><td>thermistor(s)
LDR(s)
switch(es)
LED(s)
buzzer(s)
motor(s)</td><td>1 mark each
or light dependent resistor(s)
or light emitting diode(s)</td><td>6</td></tr>
<tr><td>(b)(i)</td><td><table><tr><th>1st input</th><th>2nd input</th><th>Output</th></tr><tr><td>0</td><td>0</td><td>0</td></tr><tr><td>1</td><td>0</td><td>0</td></tr><tr><td>0</td><td>1</td><td>0</td></tr><tr><td>1</td><td>1</td><td>1</td></tr></table></td><td>all correct</td><td>1</td></tr>
<tr><td>(ii)</td><td><table><tr><th>Input</th><th>Output</th></tr><tr><td>0</td><td>1</td></tr><tr><td>1</td><td>0</td></tr></table></td><td>both correct</td><td>1</td></tr>
<tr><td>(iii)</td><td><table><tr><th>1st input</th><th>2nd input</th><th>Output</th></tr><tr><td>0</td><td>0</td><td>0</td></tr><tr><td>1</td><td>0</td><td>1</td></tr><tr><td>0</td><td>1</td><td>1</td></tr><tr><td>1</td><td>1</td><td>1</td></tr></table></td><td>all correct</td><td>1</td></tr>
<tr><td>(c)(i)</td><td></td><td>do not credit any attempt which could equally well be a poorly drawn attempt at the symbol for a cell</td><td>1</td></tr>
<tr><td>(ii)</td><td>charge

increases</td><td>accept ‘electrons’
accept ‘energy
or gets bigger/larger</td><td>1

1</td></tr>
<tr><td>total</td><td></td><td></td><td>12</td></tr>
</table>

4.1.1.2 Changes in energy

3451/F Q11

question	answers	extra information	mark
(a)(i)	A		1
(ii)	B		1
(iii)	mass is larger	credit if the response is clear by some other means e.g. it is ringed	1
	wire is shorter	credit if the response is clear by some other means e.g. it is ringed	1
(b)	moment		1
	distance		1
(c)(i)	1		1
(ii)	5		1
(iii)	any **two** from • remove slotted mass(es) • slide (slotted) masses / weights nearer pivot • slide forcemeter away from the pivot • slide rod to the left	 **or** ….. to the left **or** ….. to the right **or** …. so that the slotted masses side is shorter **or** …. so that the forcemeter side is longer	2
(d)	centre of the rectangle	accept *2*mm tolerance any direction	1
	centre of the circle	accept *2*mm tolerance any direction	1
	on centre line and 10mm above base	accept *2*mm tolerance any direction	1
total			13

4.1.1.2 Changes in energy

3451/F Q12

question	answers	extra information	mark
(a)	0.05 (A)	ignore incorrect units if given accept 'the same' / 'the same as K' / 'the same as the other ammeter' do **not** accept 'same as the other meter'	1
(b)(i)	any **two** from: • two cells are joined + to +	answers in terms of current gain no marks accept one cell in the wrong way accept two cells are joined back-to-back accept two cells are joined – to – accept battery for cell do **not** accept answers in terms of all the cells or in terms of energy only	2
	• some of the cells potential difference is across the diode / ammeters / wires **or** the pd of the cells is shared by all components	accept voltage for pd do **not** accept using up pd	
	• the other components have a resistance	accept a named component / components / wire has a resistance	
	• cells not fully charged **or** cells partially run down	do **not** accept voltage of cells is less than 1.5 unless explained do **not** accept cells are not as powerful unless explained	
	• cells have an internal resistance		
(ii)	the diode has a (very) high resistance (in the reverse direction)		1
	a diode only conducts / allows current to flow in one direction	accept little / no current flows do **not** accept blocks / cuts flow	1

Continued

4.1.1.2 Changes in energy

3451/F Q12

question	answers	extra information	mark
(c)	**QoWC** for the use of the word resistance	annotate Q✓ Q✗ accept resistant	1
	accept increase / change / decrease throughout question but a contradiction loses **one** mark with change as neutral		
	as the pd / current increases / changes	accept voltage for pd must be correctly linked to at least one of the following points accept	1
	the temperature of the filament increases / changes	lamp / bulb for filament accept filament becomes hotter	1
	increasing / changing the **resistance** of the lamp		1
		accept for **1** mark only the filament lamp does not obey Ohm's law	
total			9

4.1.1.2 Changes in energy

3451/F Q13

question	answers	extra information	mark
(a)	0.5		1
	hertz	accept Hz but **not** HZ / hz / hZ accept (waves) per second **or** / sec **or** / s **or** s^{-1} **or** sec^{-1}	1
(b)	any **one** from: • any named part of the electromagnetic spectrum • S – waves / secondary waves • wave on a rope	 do **not** accept seismic waves / earthquake do **not** accept slinky unless clearly described	1
(c)	transverse – disturbance / vibration is perpendicular to the direction of energy transfer / wave travel	accept a correctly labelled diagram	1
	longitudinal – disturbance / vibration is parallel to the direction of energy transfer / wave travel	accept a correctly labelled diagram part explanation of the difference between transverse **and** longitudinal gains **1** mark	1
(d)(i)	TIR shown	needs to stay inside water jet ignore number of reflections **or** arrow heads lines straight by eye	1
(ii)	bigger than	any indication of correct answer	1
total			7

4.1.1.2 Changes in energy

3451/F Q14

question	answers	extra information	mark
(a)	W		1
	has only two states **or** is either on or off	accept discrete values only do **not** credit answer purely in terms of shape	1
(b)	any **one** from:		1
	• higher quality	accept clearer do **not** accept easier to read ignore faster accept <u>less</u> distortion **or** <u>less</u> weakening of signal strength do **not** accept no distortion / weakening on its own	
	• increased carrying capacity	accept more information can be sent **or** more channels	
	• errors can be rectified		
total			3

4.1.1.2 Changes in energy

3451/F Q15

question	answers	extra information	mark
(a)(i)	all points plotted accurately	accept **1** mark for 5 correct plots ± ½ small square on stopping distance	2
	line of best fit must be continuous	accept attempt at a reasonable curve does not need to go through 0 0 do **not** accept a straight line do **not** accept dot-to-dot	1
(ii)	4 to 6 (metres)	accept ecf from (a)(i) accept **1** mark for value taken correctly from graph at 25mph **or** correct method shown	2
(b)(i)	0.7 (s)	incorrect unit = 0 marks	1
(ii)	constant speed / velocity	accept (continued as) 30mph accept did not change / stayed the same accept no acceleration	1
(iii)	3.3(s)	penalise incorrect unit once only	1
(iv)	reaction time <u>increases</u> / is <u>longer</u> **or** thinking distance <u>increases</u>	do **not** accept reaction time slower **or** reactions are slower	1
	stopping distance / it <u>increases</u>	do **not** accept travels at constant speed for longer	1
(c)(i)	work done = force (applied) × distance (moved)	accept W = F × s or W = F × d accept  provided subsequent method is correct	1

Continued

4.1.1.2 Changes in energy

3451/F Q15

question	answers	extra information	mark
(ii) **E**	2100	accept 2.1 kilo accept **1** mark for using 7000 N	2
(iii)	2100 (joules)	accept their (c)(ii)	1
total			14

4.1.1.2 Changes in energy

3451/F Q16

question	answers	extra information	mark
(a)(i)	refraction		1
(ii)	it changes speed **or** change in density	accept it speeds up do **not** accept it slows down do **not** accept air is more dense than glass	1
(b)(i)	sound / waves <u>diffract</u> through the gap (in the wall) **or** over the wall **or** because the gate is open	do **not** accept reflection this only scores if first marking point is given accept for **1** mark only sound / waves go through the gap and <u>spread out</u> **or** diagram showing wave fronts spreading out from open gates if diagram is labelled as diffraction both marks can be scored	1 1
(ii)	less diffraction	accept no diffraction accept gates <u>absorb</u> sound / noise / waves accept gates <u>reflect</u> sound / noise / waves do **not** accept rebounds / stops / blocks out	1
total			5

3451/F Q17

question	answers	extra information	mark
(a)	both rays brought to a focus at F on the right	do **not** have to be continued beyond F	1
	lines have been drawn **accurately** with a ruler	only credit if 1st mark credited do **not** credit if contradictory arrow(s) added	1
(b)	rays seem to come from a focus at G on the left and continued to the right of the lens	this mark is for the current idea of divergence	1
	lines have been drawn **accurately** with a ruler	only credit if 1st mark credited do **not** credit if contradictory arrow(s) added	1
(c)	…lens… …image… …object… …image… ...object… …lens…	lens as 1st and 6th words (1) image and object in the correct order 2nd and 3rd words (1) image and object in correct order 4th and 5th words (1)	max 3
(d)(i)	correct statement about real image real rays intersect / cross to form a real image **or** a real image can be formed on a screen **or** real image is (always) on the opposite side (of the lens) **or** real image is (always) upside down (to the object)	may be credited from a correct diagram	1
	correct statement about virtual / imaginary image virtual / imaginary rays intersect / cross to form a virtual image **or** a virtual / imaginary image cannot **or** virtual / imaginary image is (always) on the same side (of the lens) **or** virtual / imaginary image is (always) same way up (as the object)	may be credited from a correct diagram	1

Continued

4.1.1.2 Changes in energy

3451/F Q17

question	answers	extra information	mark
(ii)	**either** image needs to fall on / affect the film **or** image needs to fall on / affect the light sensors / charged coupled devices (CCDs) (in a digital camera / mobile phone) **or** image needs to cause a chemical reaction (in / on the film)		1
total			10

4.1.1.2 Changes in energy

3451/F Q18

<table>
<tr><th>question</th><th>answers</th><th>extra information</th><th>mark</th></tr>
<tr><td>(a)</td><td>AND (gate)

OR (gate)

NOT (gate)

LED or light emitting diode</td><td>accept ‘and’

accept ‘or’

accept ‘not’ or invert gate

accept ‘led’</td><td>1

1

1

1</td></tr>
<tr><td>(b)(i)</td><td>NOT (gate) and AND (gate)</td><td>both in either order or ‘(the) gates’

any additions lose the mark</td><td>1</td></tr>
<tr><td>(ii)</td><td><table><tr><th>Switch for fire</th><th>Tilt switch</th><th>Signal to relay</th></tr><tr><td>0</td><td>0</td><td>…0…</td></tr><tr><td>0</td><td>1</td><td>…0…</td></tr><tr><td>1</td><td>0</td><td>…1…</td></tr><tr><td>1</td><td>1</td><td>…0…</td></tr></table></td><td>all correct

allow off or no
off no
on yes
off no</td><td>1</td></tr>
<tr><td>(iii)</td><td>(relay) acts as / is a switch

either
small current from the electronic / control circuit / system (1)

large current through the output / (electric) fire (1)

or

full current through electronic control system (1)

may damage components / lead to overheating / electric shock (1)

QoWC for correct use of the scientific term ‘current’</td><td>accept implication that it works as a switch e.g. ‘turns on fire’

or ‘small current through the coil (of the relay)’

do not accept small current is turned into a large current

annotate Q✓ Q×

if answer in terms of voltage isolation / voltage/ p.d. accept QoWC mark for correct use</td><td>1

1

1

1</td></tr>
<tr><td>total</td><td></td><td></td><td>10</td></tr>
</table>

Version 1.0: 0906

ASSESSMENT and QUALIFICATIONS ALLIANCE

General Certificate of Secondary Education

Science: Double Award 3462/3F
Specification B

Mark Scheme

2006 examination - June series

Mark schemes are prepared by the Principal Examiner and considered, together with the relevant questions, by a panel of subject teachers. This mark scheme includes any amendments made at the standardisation meeting attended by all examiners and is the scheme which was used by them in this examination. The standardisation meeting ensures that the mark scheme covers the candidates' responses to questions and that every examiner understands and applies it in the same correct way. As preparation for the standardisation meeting each examiner analyses a number of candidates' scripts: alternative answers not already covered by the mark scheme are discussed at the meeting and legislated for. If, after this meeting, examiners encounter unusual answers which have not been discussed at the meeting they are required to refer these to the Principal Examiner.

It must be stressed that a mark scheme is a working document, in many cases further developed and expanded on the basis of candidates' reactions to a particular paper. Assumptions about future mark schemes on the basis of one year's document should be avoided; whilst the guiding principles of assessment remain constant, details will change, depending on the content of a particular examination paper.

Copyright © 2006 AQA and its licensors. All rights reserved.

Double Award (Co-ordinated)
Foundation Tier 3462/3F

3462/3F Q1

question	answers	extra information	mark
(a)	4 correct lines drawn  	**1** mark for each correct line if more than 4 lines are drawn mark incorrect ones first. Mark only 4 lines	4
(b)	4		1
(c)(i)	nuclear		1
(ii)	(natural) gas	do **not** accept natural	1
total			7

4.1.1.2 Changes in energy

3462/3F Q2

question	answers	extra information	mark
(a)(i)	ultra violet		1
(ii)	kill the cells	accept destroys the cells accept makes cells cancerous accept damage cells accept harms cells accept changes DNA accept cause cells to mutate accept skin cells for cells accept cause cancer do **not** accept skin for cells do **not** accept burns the cells	1
(b)(i)	the sunbed uses an alternating current (a.c.) supply		1
(ii)	10.8	accept **1** mark for correct substitution of power in W or kW <u>and</u> time in hours or seconds	2
total			5

4.1.1.2 Changes in energy

Science: Double Award (Co-ordinated) – AQA GCSE Mark Scheme, 2006 June series

3462/3F Q3

question	answers	extra information	mark
(a)(i)	M		1
(ii)	K		1
(iii)	J		1
(iv)	O		1
(b)(i)	billions of years		1
(ii)	red giant	any answer in terms of explosion or supernova is **incorrect**	1
	contracts / shrinks to	incorrect reference to black hole negates **1** mark	1
	white dwarf		1
total			8

4.1.1.2 Changes in energy

3462/3F Q4

question	answers	extra information	mark
(a)(i)	A and C	**both** answers must be correct in either order	1
(ii)	A and B	**both** answers must be correct in either order	1
(iii)	same number of protons plus neutrons **or** same number of nucleons	accept number of particles in nucleus the same do **not** accept they add up to 6 unless qualified	1
(b)(i)	any **two** from: • boron - 12 • carbon - 14 • oxygen - 15 • lead - 209	**both** required both name **and** number must be given	1
(ii)	any **two** from: • boron - 11 • carbon - 12 • oxygen - 16 • lead - 207	**both** required both name **and** number must be given	1
(c)	alpha		1
total			6

4.1.1.2 Changes in energy

Science: Double Award (Co-ordinated) – AQA GCSE Mark Scheme, 2006 June series

3462/3F Q5

question	answers	extra information	mark
(a)	(good) insulator	accept does not conduct (electricity) accept does not conduct heat or electricity do **not** accept does not conduct heat outside is tough is insufficient	1
(b)	fuse		1
(c)	connect the green and yellow / earth wire	accept wires must be connected to screws	1
	swap the brown and blue wires round		1
total			4

3462/3F Q6

question	answers	extra information	mark
(a)	fossils	answers can be in either order	1
	water		1
(b)	increased		1
(c)	radio telescope		1
total			4

4.1.1.2 Changes in energy

3462/3F Q7

question	answers	extra information	mark
(a)(i)	electrical		1
	kinetic	accept movement	1
(ii)	heat	answers can be in either order	1
	sound		1
(b)(i)	360	accept **1** mark for correct substitution	2
(ii)	watt		1
(c)	the stairlift is not moving the stairlift is moving at constant speed	**both** answers are required for the mark	1
total			8

3462/3F Q8

question	answers	extra information	mark
(a)(i)	(up) further **or** (up) faster	any reference to downwards movement loses credit accept <u>with</u> more force accept motion would increase	1
(ii)	down	accept the opposite way accept drop	1
(b)(i)	direct current		1
(ii)	Z		1
total			4

4.1.1.2 Changes in energy

Science: Double Award (Co-ordinated) – AQA GCSE Mark Scheme, 2006 June series

3462/3F Q9

question	answers	extra information	mark
(a)	level of radiation (detected) will not change	ignore reference to particles	1
	if thickness of aluminium changes	accept for **both** marks a specific example eg if the aluminium gets thicker the level of radiation detected stays the same. accept for **1** mark gamma will pass through aluminium	1
	QoWC for 2 points in a sensible sequence		1
(b)	S W T V	all in correct order accept **2** marks for 2 correct accept **1** mark for 1 correct	3
total			6

4.1.1.2 Changes in energy

3462/3F Q10

question	answers	extra information	mark
(a)	0.05 (A)	ignore incorrect units if given accept 'the same' / 'the same as K' / 'the same as the other ammeter' do **not** accept 'same as the other meter'	1
(b)(i)	any **two** from: • two cells are joined + to +	answers in terms of current gain no marks accept one cell in the wrong way accept two cells are joined back-to-back accept two cells are joined – to – accept battery for cell do **not** accept answers in terms of all the cells or in terms of energy only	2
	• some of the cells potential difference is across the diode / ammeters / wires **or** the pd of the cells is shared by all components	accept voltage for pd do **not** accept using up pd	
	• the other components have a resistance	accept a named component / components / wire has a resistance	
	• cells not fully charged **or** cells partially run down	do **not** accept voltage of cells is less than 1.5 unless explained do **not** accept cells are not as powerful unless explained	
	• cells have an internal resistance		
(ii)	the diode has a (very) high resistance (in the reverse direction)		1
	a diode only conducts / allows current to flow in one direction	accept little / no current flows do **not** accept blocks / cuts flow	1

Continued

4.1.1.2 Changes in energy

Science: Double Award (Co-ordinated) – AQA GCSE Mark Scheme, 2006 June series

3462/3F Q10

question	answers	extra information	mark
(c)	**QoWC** for the use of the word resistance	annotate Q✓ Q✗ accept resistant	1
	accept increase / change / decrease throughout question but a contradiction loses **one** mark with change as neutral		
	as the pd / current increases / changes	accept voltage for pd must be correctly linked to at least one of the following points accept	1
	the temperature of the filament increases / changes	lamp / bulb for filament accept filament becomes hotter	1
	increasing / changing the **resistance** of the lamp	accept for **1** mark only the filament lamp does not obey Ohm's law	1
total			9

4.1.1.2 Changes in energy

3462/3F Q11

question	answers	extra information	mark
(a)	0.5		1
	hertz	accept Hz but **not** HZ / hz / hZ accept (waves) per second **or** / sec **or** / s **or** s^{-1} **or** sec^{-1}	1
(b)	any **one** from: • any named part of the electromagnetic spectrum • S – waves / secondary waves • wave on a rope	 do **not** accept seismic waves / earthquake do **not** accept slinky unless clearly described	1
(c)	transverse – disturbance / vibration is perpendicular to the direction of energy transfer / wave travel	accept a correctly labelled diagram	1
	longitudinal – disturbance / vibration is parallel to the direction of energy transfer / wave travel	accept a correctly labelled diagram part explanation of the difference between transverse **and** longitudinal gains **1** mark	1
(d)(i)	TIR shown	needs to stay inside water jet ignore number of reflections **or** arrow heads lines straight by eye	1
(ii)	bigger than	any indication of correct answer	1
total			7

4.1.1.2 Changes in energy

Science: Double Award (Co-ordinated) – AQA GCSE Mark Scheme, 2006 June series

3462/3F Q12

question	answers	extra information	mark
(a)	W		1
	has only two states **or** is either on or off	accept discrete values only do **not** credit answer purely in terms of shape	1
(b)	any **one** from:		1
	• higher quality	accept clearer do **not** accept easier to read ignore faster accept <u>less</u> distortion **or** <u>less</u> weakening of signal strength do **not** accept no distortion / weakening on its own	
	• increased carrying capacity	accept more information can be sent **or** more channels	
	• errors can be rectified		
total			3

4.1.1.2 Changes in energy

3462/3F Q13

question	answers	extra information	mark
(a)(i)	all points plotted accurately	accept **1** mark for 5 correct plots ± ½ small square on stopping distance	2
	line of best fit must be continuous	accept attempt at a reasonable curve does not need to go through 0 0 do **not** accept a straight line do **not** accept dot-to-dot	1
(ii)	4 to 6 (metres)	accept ecf from (a)(i) accept **1** mark for value taken correctly from graph at 25mph **or** correct method shown	2
(b)(i)	0.7 (s)	incorrect unit = 0 marks	1
(ii)	constant speed / velocity	accept (continued as) 30mph accept did not change / stayed the same accept no acceleration	1
(iii)	3.3(s)	penalise incorrect unit once only	1
(iv)	reaction time increases / is longer **or** thinking distance increases	do **not** accept reaction time slower **or** reactions are slower	1
	stopping distance / it increases	do **not** accept travels at constant speed for longer	1
(c)(i)	work done = force (applied) × distance (moved)	accept W = F × s or W = F × d accept  provided subsequent method is correct	1
(ii)	2100	accept 2.1 kilo accept **1** mark for using 7000 N	2
(iii)	2100 (joules)	accept their (c)(ii)	1
total			14

4.1.1.2 Changes in energy

Science: Double Award (Co-ordinated) – AQA GCSE Mark Scheme, 2006 June series

3462/3F Q14

question	answers	extra information	mark
(a)(i)	refraction		1
(ii)	it changes speed **or** change in density	accept it speeds up do **not** accept it slows down do **not** accept air is more dense than glass	1
(b)(i)	sound / waves <u>diffract</u> through the gap (in the wall) **or** over the wall **or** because the gate is open	do **not** accept reflection this only scores if first marking point is given accept for **1** mark only sound / waves go through the gap and <u>spread out</u> **or** diagram showing wave fronts spreading out from open gates if diagram is labelled as diffraction both marks can be scored	1 1
(ii)	less diffraction	accept no diffraction accept gates <u>absorb</u> sound / noise / waves accept gates <u>reflect</u> sound / noise / waves do **not** accept rebounds / stops / blocks out	1
total			5

4.1.1.2 Changes in energy

Answer 36 · Examiner comments

June 2019 | 8463/2H | Original Q10

Question 10 (Standard/high and high demand)

10.1 There were a number of good answers here, though some students referred to momentum instead of moment, or work done = force × distance. A few students wrote about the distance between the rope and the spring (or the ramp) instead of the pivot.

10.2 Almost a third of the students scored all 6 marks and showed their working in a clear and logical sequence. Where students did not score all 6 marks, the equation for elastic potential energy was often correctly selected, but they did not appear to know how to use the other quantities given to find the spring constant correctly. Most students were able to use the moment and distance to calculate the force.

4.1.1.2 Changes in energy

Answer 36 · Examiner comments

June 2019 | 8463/2H | Original Q10

Use of statistics

Statistics used in this report may be taken from incomplete processing data. However, this data still gives a true account on how students have performed for each question.

Mark Ranges and Award of Grades

Grade boundaries and cumulative percentage grades are available on the Results Statistics page of the AQA Website.

4.1.1.2 Changes in energy

Answer 37 · Examiner comments

November 2020 | 8463/1H | Original Q6

Question 6 (Standard/High demand)

06.1 This question proved more challenging than expected with only 30% of students identifying two measurements and 51% of students identifying one.

06.2 73% of students scored all 4 marks for this question. A common mistake was not to convert the energy into J. This meant that the mass of the boy was much lower than the expected value (0.05 kg). Weaker students then rearranged the equation incorrectly to get a more believable answer, a common response was 20 kg ((17 x 9.8) / 8.33). Another common calculation error was to divide 8330 by 9.8 then multiply by 17.0 resulting in a mass of 1445 kg, which apparently didn't strike students as being a high value for the mass of a boy.

06.3 Very few students scored 3 or 4 marks for this question. Since the acceleration down the slide is unlikely to be uniform due to the changing gradient this question could not be answered by consideration of equations of uniform acceleration, therefore an approach using energy transfers was the only appropriate answer. A discussion involving terminal velocity didn't score as the slide height is not sufficiently high for terminal velocity to be reached. The first marking point was the most likely to be scored by students. 25% of students scored 1 mark, while 67% of students scored zero.

4.1.1.2 Changes in energy

Answer 38 · Examiner comments — November 2021 | 8463/1H | Original Q8

Question 8
This question was well attempted, with the multistep calculation in **08.2** discriminating well between students. Many students calculated the change in gravitational potential energy but couldn't take the next step in the calculation, so scored 2 marks only.

Answer 39 · Examiner comments — November 2021 | 8463/2H | Original Q2

Question 2 (Common Question)
Students seemed unfamiliar with the term 'elastically deformed' and in **02.1** described an object that was 'inelastically deformed'. When describing a method to obtain given results, students must include what measuring instruments are used, how each quantity is obtained and the interval and range of the given results. Most of the students understood the term 'risk assessment'. Answers to part **02.5** that simply stated 'positive correlation' or 'extension increases with force' were insufficient to gain credit. A minority of the students gave a very succinct answer worth two marks. In part **02.6** the most common errors were a failure to convert 20 cm to metres or failing to square the extension.

Answer 42 · Examiner comments — June 2023 | 8463/1H | Original Q4

Question 4 (Standard/high Demand)

04.1 In this exam series students were provided with all the equations on an Equations Sheet. 57% of students scored 4 marks, while 32 % of students scored 3 marks, usually for incorrectly or not converting the gravitational potential energy. Changing the mass to grams was counted as a Physics error on Higher Tier questions so scored zero for subsequent calculations. A student could still score the mark for the unit conversion of E_p, however.

04.2 In this exam series students were provided with all the equations on an Equations Sheet. 67% of students scored 5 marks, while 18 % of students scored 4 marks, for either not converting or incorrectly converting the power, or failing to put their answer in standard form. The standard form mark scored independently as long as the student had given a calculated value using data from the question in standard form.

04.3 6% of students scored 2 marks, while 33% of students scored 1 mark. Many students did not use technical vocabulary to express themselves, giving responses which were insufficient. Students needed to make comparison statements about both solar power and

Answer 42 · Examiner comments — June 2023 | 8463/1H | Original Q4

hydroelectric, using the graph to score the first marking point. Statements repeating the questions stem 'meaning the electricity supply is more reliable' were insufficient to score the second mark.

4.1.1.2 Changes in energy

Answer 43 · Examiner comments — June 2023 | 8463/1H | Original Q7

Question 7 (Standard/high Demand)

07.1 64% of students scored the mark. 'Over extend was insufficient', but 'exceed elastic limit' was allowed as it is correct but not on the specification.

07.2 The second marking point was for the idea that the baby had kinetic energy at some point in the movement and the spring had some elastic potential energy. So, the following ways of wording this would be creditworthy:
The baby's kinetic energy is transferred to the spring's elastic potential energy.
As the baby's kinetic energy decreases, the spring's elastic potential energy increases.
For the third marking point, the mark was given for saying that at position B all the energy is elastic potential energy as the baby is stationary. But if a student said that all the energy is elastic potential energy, apart from some energy dissipated / transferred to the surroundings, this would still score the mark. An answer indicating that the final elastic potential energy is equal to the initial gravitational potential energy would be acceptable for this marking point. 'Gravitational potential energy is transferred to kinetic energy then

Answer 43 · Examiner comments — June 2023 | 8463/1H | Original Q7

elastic potential energy' would score 2 marks, as the student hasn't stated that all the energy was elastic potential. 'Gravitational potential energy in position **A** is transferred to elastic potential energy in position **B**' would score 1 mark.
Abbreviations like KE, GPE and EPE were creditworthy. If types of energy were written in words, 'potential' must be included, i.e. not just 'gravitational energy' or 'elastic energy'.
3% of students scored 3 marks, while 32 % scored 2 marks and 39 % scored 1 mark.

07.3 45% of students scored 4 marks, while 36% of students scored 3 marks. Most students either mis-converted or did not convert the extension into metres.

Answer 44 · Examiner comments — June 2024 | 8463/1H | Original Q6

Question 6 (High Demand)

06.1 90% of students scored this mark, for identifying that the elastic potential energy store increases as the bungee cords are stretched.

06.2 A challenging grade 8-9 calculation question. A common incorrect answer was '10' which scored 5 marks because the only mistake the student made was not doubling the elastic potential energy calculated for one bungee cord. Due to the various ways students approached the question it discriminated well between different abilities. 14% of students scored 6 marks, while 34% scored 5 marks and 28% scored 4 marks. As long as a student had used the elastic potential energy equation calculating a value of E_e using a value of k and e^2 they could score the marks for using the E_p equation.

06.3 12% of students scored 2 marks, while 46% of students scored 1 mark, in this question for identifying the ways in which energy was dissipated.

4.1.1.2 Changes in energy

Answer 45 · Examiner comments June 2025 | 8463/1H | Original Q9

09.1

Many of the students did not convert the 70 cm into metres and some students converted the energy unnecessarily. Not converting the height stopped marking point 1 from scoring and converting the energy unnecessarily stopped 1 marking point from being scored too. Some students, despite setting out their calculations correctly, did not use brackets around the denominator and arrived at an answer of 0.0245 or 2.45. Nearly 80 % of the students scored full marks on this question.

09.2

Many students found it easy to score full marks on this multi-step calculation. The most common mistake was not to convert the time which resulted in an answer of 27 and scored 5 marks. Converting the time incorrectly e.g. converting time into 0.5 hours also scored 5 marks. About 90% of the students scored either 5 or 6 marks.

Answer 45 · Examiner comments June 2025 | 8463/1H | Original Q9

09.3

Many students understood that the flow rate would increase. This was often correctly linked to either more useful energy transferred or less wasted energy. Some students expressed their ideas in terms of power. Just over 40 % of the students scored 2 marks, while just over 40 % scored 1 mark.

4.1.1.2 Changes in energy

Answer 46 · Examiner comments June 2025 | 8463/1H | Original Q10

10.1

Many students were successful with this multi-step calculation question. Nearly 60% of the students scored 6 marks, while almost 10 % scored 5 marks. A significant number of students tried to answer the question using equations from paper 2, which was creditworthy, but virtually no students arrived at the correct answer using this method. Some students scored the significant figures mark by completing an incorrect calculation using all the data provided in the question. The most common mistake was not squaring the extension in the elastic potential energy equation. Ensuring that students substitute first before rearranging is a good way of scoring method marks in calculations, even if the final answer is incorrect.

10.2

Students who stated the names of energy stores didn't score any marks unless they stated how the amount of energy changed or stated that kinetic energy was transferred to gravitational potential energy, for example. Mention of elastic potential energy from the spring in Q10.1 was ignored for this question. E_k and *KE* were acceptable abbreviations for kinetic energy; E_p and *GPE* were acceptable abbreviations for gravitational potential energy. Just over 60 % of the students scored 3 marks, while just over 10% scored 2 marks and just fewer than 10 % scored 1 mark.

10.3

Only about 25 % of the students scored 2 marks for identifying the correct measurements needed to determine the speed of the car at the end of the track. Nearly 75% of the students scored 1 mark. The most common incorrect choice was the length of the track.

4.1.1.2 Changes in energy

Answer 46 · Examiner comments

Mark Ranges and Award of Grades

Grade boundaries and cumulative percentage grades are available on the Results Statistics page of the AQA Website.

4.1.1.2 Changes in energy

AQA

GCSE
PHYSICS

8463/1H: Paper 1 (Higher tier)
Report on the Examination

8463
June 2022

Version: 1.0

4.1.1.2 Changes in energy

Further copies of this Report are available from aqa.org.uk

Copyright © 2022 AQA and its licensors. All rights reserved.
AQA retains the copyright on all its publications. However, registered schools/colleges for AQA are permitted to copy material from this booklet for their own internal use, with the following important exception: AQA cannot give permission to schools/colleges to photocopy any material that is acknowledged to a third party even for internal use within the centre.

General

Grade 4-5 calculation questions ask for students to recall an equation, before using it in a subsequent calculation. In the 2022 series, students were given an Equations Sheet which had all the equations printed on it. Subsequently, the performance on the more straightforward calculations has improved on previous years.

The multistep calculations targeted at candidates working at grades 8-9, questions **09.1** and **10.1**, were well attempted with many students answering correctly. Of these two questions, students were slightly more successful on question **09.1** with about 55% of students scoring full marks, whereas for question **10.1** approximately 45% of students scored full marks.

Question **02.1** was generally well attempted and students who had carried out the density required practical had an advantage over those who hadn't. For this question, about 35% of students scored 6 marks and approximately 25% of students scored 5 marks.

Handwriting continues to be a problem for a number of students, making it very difficult for examiners to read what has been written. Students who have handwriting that is difficult to read may benefit from a scribe or from word processing their answers in exams.

Question 11

Due to incorrect Advance Information guidance being issued for this question, and to avoid students being disadvantaged, Question 11 was discounted and all students were awarded full (9) marks.

Levels of demand

Questions are set at three levels of demand for this paper:

- **Standard demand** questions are designed to broadly target grades 4–5.
- **Standard/high demand** questions are designed to broadly target grades 6–7.
- **High demand** questions are designed to broadly target grades 8–9.

A student's final grade, however, is based on their attainment across the qualification as a whole, not just on questions that may have been targeted at the level at which they are working.

4.1.1.2 Changes in energy

Question 1 (Standard demand)

01.1 About 55% of students scored 2 marks. The unit conversion caused a problem for many students and powers of 10 errors were frequently seen. A correct calculation using an incorrectly or not converted value for power would score 1 mark.

01.2 Students were generally successful at answering this question with approximately 40% scoring 2 marks and about 50% scoring 1 mark. Most students wrote variations of the first and third bullet points in the markscheme. A number of students wrote that the turbines may be broken, which was enough to score a mark for the idea of maintenance.

01.3 'Turbine will rotate faster' was insufficient to score a mark. 'Rotate more smoothly' was not enough to score the 'less friction' mark. Students who stated that 'no energy was wasted' did not score the second marking point. Approximately 35% of students scored 3 marks, 35% of students scored 2 marks and 20% of students scored 1 mark.

01.4 About 30% of students scored 2 marks, while approximately 50% of students scored 1 mark. Many students answered in terms of 'saving energy' which was insufficient. Other students answered in terms of absolute statements which did not score, 'energy efficient appliances waste no energy' for example.

Question 2 (Standard demand)

02.1 Generally very well answered with about 35% of students gaining 6 marks and 25% scoring 5 marks. Students were told that this required practical would appear in the 2022 series via the Advance Information. A number of students quoted the density equation incorrectly, although this was given on the Equations Sheet for the 2022 series. There were extremely few students who didn't attempt the question and less than 1% of students who attempted the question scored zero.

02.2 Approximately 85% of students answered this question correctly. Of the incorrect answers seen, a significant proportion gave the maximum and minimum values the wrong way round. Another common mistake was to write maximum: 2.55 and minimum 0.10, which showed a clear misunderstanding of expressing an uncertainty.

02.3 About 95% of students answered this question correctly.

02.4 Approximately 45% of students scored 2 marks and 40% scored 1 mark. 'In case an error / mistake was made the first time' was insufficient. 'To check the repeatability of the data' was ignored, as this wouldn't improve the accuracy of the data. 'Get rid of anomalies' was assumed to mean 'remove anomalies', but 'stops anomalies from occurring' did not score. Likewise 'stops random errors' did not score.

Question 3 (Standard demand)

03.1 Over 99% of students answered this question correctly as they had all the Physics equations on the Equations Sheet for the 2022 series.

03.2 Nearly 95% of students answered this question correctly. In this series all students were given all the equations on the Equations Sheet. The first mark is for the substitution into the equation as it appears on the equations sheet. Some students failed to score any marks by incorrectly rearranging the equation, then substituting into the incorrectly rearranged equation.

03.3 Over 99% of students answered this question correctly as they had all the Physics equations on the Equations Sheet for the 2022 series.

03.4 95% of students answered this question correctly. In this series all students were given all the equations on the Equations Sheet. The first mark is for the substitution into the equation as it appears on the Equations Sheet. Some students failed to score any marks by incorrectly rearranging the equation, then substituting into the incorrectly rearranged equation.

Question 4 (Standard/High demand)

04.1 A large number of students found it difficult to identify the independent and dependent variables in the investigation that was described. Control variables appeared often in students' answers. 'Temperature change' seemed to be the most common incorrect answer for the dependent variable. About 50% of students scored 2 marks and approximately 35% of students scored 1 mark.

04.2 65% of students answered correctly. The most common incorrect answer was 87.4 °C.

04.3 About 35% of students answered this question correctly. Common incorrect answers referred to the resolution, or just repeated the question and said 'difficult to read' which was insufficient.

04.4 Approximately 75% of students scored 3 marks and about 10% of students scored 2 marks. Power of 10 errors were common and usually resulted in 2 marks being scored for an incorrectly or not converted value of energy.

04.5 Many students found relating the time for the temperature to decrease to thermal conductivity difficult. About 15% of students scored 2 marks, while 40% scored 1 mark. Answers in terms of good / bad insulators were insufficient to score a mark.

Question 5 (Standard/High demand)

05.1 Approximately 45% of students scored 1 mark, with about 5% of students scored 3 marks. Around 30% of students scored no marks. The first marking point of this explanation was most likely to score, the third marking point was least likely to score.

05.2 About 30% of students scored all 3 marks for this explanation. 10% of students scored 2 marks and 10% scored 1 mark. A lot of student answers were not creditworthy, with mixed up descriptions of ion transfer, electron transfer, proton transfer, protons weighing more than electrons and transfer of electrons increasing the mass of the rod on the balance. As a result about 50% of students scored zero.

05.3 Approximately 60% of students scored the mark. Some students evidently did not know what a zero error was. Answers like 'it means there is no error' being a good example of this. Some answers were insufficient, 'the actual mass of the rod is not required' being not enough to score the mark. 'Weight' was allowed for 'mass' when used correctly as the reading on the balance does depend on the weight of the object. An answer of 'only the change in weight was needed' would have scored the mark.

05.4 Some very good explanations were seen and about 10% of students scored all 3 marks. The first marking point was least likely to score. The third marking point needed to be linked to the second marking point before it could be scored.

Question 6 (Standard/High demand)

06.1 This question discriminated well between students. About 15% scored 4 marks with 20% gaining 3 marks. The first two marking points were most commonly scored. Students who said that 'no energy was lost' as a consequence of the step-up transformer's effect did not score the third marking point.

06.2 Approximately 55% of students scored 2 marks, while 15% of students scored 1 mark. Students who scored no marks usually confused the quantity that was decreased (pd) with the quantity that increased (current). Some student answers lacked technical accuracy referring to energy, power or charge incorrectly.

06.3 Two thirds of students scored 4 marks for this calculation, whereas about 20% of students scored 3 marks. A common mistake was to try to multiply the answer by the number of seconds in a day, which would probably only score the significant figure mark if correct, as the Physics equations were applied incorrectly.
Common mistakes were to round the answer to 1 400 000 000 C, which would score 3 marks if the full s.f. answer was seen, or round the answer to 141, which would score 3 marks for the supporting calculations if seen. A common error was to miscount the number of zeroes, so would only score 3 marks.

Question 7 (Standard/High demand)

07.1 54% of students could state what an alpha particle consists of. The list principle was applied when students wrote '2 protons and 2 neutrons – a helium atom', which did not score.

07.2 65% of students completed the nuclear equation correctly, scoring 2 marks, whereas 24% scored just 1 mark.

07.3 Students generally made good attempts to answer this question and marking points 1, 2 and 4 were seen most often. To score the 5th marking point students need to make a comparative statement, internal versus external damage. The third marking point was least likely to score, as students rarely referred to dose or the living cells / tissues / organs inside the body. Some students incorrectly thought that ionisation was a process that happened to cells, rather than atoms, so often didn't score the fifth marking point for this reason. Very few students scored 5 marks and the question discriminated well between students of differing ability.

Question 8 (Standard/High demand)

08.1 About 90% of students gave the correct measuring instrument. While it wasn't seen often, an answer of a 'volumetric pipette' was also creditworthy. 'Pipette' was insufficient.

08.2 Around 90% of students correctly identified the hazard in the investigation.

08.3 For this calculation, about 45% of students scored 5 marks and 20% of students scored 4 marks. A common mistake was to calculate *L* using one of the masses given in the question, rather than the change in mass. The resulting numerical answer would score zero as the equation was not being used correctly.

08.4 About 15% of students scored 2 marks for this explanation and 10% of students scored 1 mark. Many students reached incorrect conclusions and many students simply reworded the information given in the question.

08.5 7% of students scored 2 marks and 3% of students scored 1 mark. Many students reached incorrect conclusions and many students reworded the information given in the question without adding to it.

Question 9 (High demand)

09.1 Approximately 55% of students scored 5 marks, but in the 2022 series students were provided with an Equations Sheet with all the equations. A commonly seen answer was 73 500, which scored 4 marks for not converting the height into metres.

09.2 5% scored 2 marks and about 30% scored 1 mark. Many students failed to score a mark by pointing to the 'inaccuracy of the measured mass / height / gravitational field strength', or referring to the measurements as being 'low resolution'. 'Mass may have been greater than 60 kg' or 'time may have been longer / shorter than 1.40 seconds' were other common incorrect answers.

09.3 About 75% of students identified the correct conclusion.

Question 10 (High demand)

10.1 About 45% of students scored 6 marks for this extended calculation, but in the 2022 series students were provided with an Equations Sheet with all the equations. Therefore, students were supported when it came to attempting this question. With an alternative approach using equations from paper 2, students' answers were marked on whichever approach brought them closest to the correct final answer. An answer of 6 m/s with no supporting working did not score full marks as students could achieve this answer by multiplying the spring constant and the extension together, which would give them the maximum force acting on the toy aeroplane.

10.2 About 65% of students scored the mark. The most common incorrect answers seen were gravitational potential or elastic potential.

10.3 Approximately 20% of students scored a mark. Many students failed to score a mark because they gave a factor without a specific change e.g. 'extension of spring', rather than 'increase the extension of the spring'.

Question 11 (High demand)

Due to incorrect Advance Information guidance being issued for this question, and to avoid students being disadvantaged, Question 11 was discounted and all students were awarded full (9) marks.

4.1.1.2 Changes in energy

Use of statistics

Statistics used in this report may be taken from incomplete processing data. However, this data still gives a true account of how students have performed for each question.

Mark Ranges and Award of Grades

Grade boundaries and cumulative percentage grades are available on the Results Statistics page of the AQA Website.