AQA GCSE Physics | 8463

SPECIFICATION POINT 4.4.2.2

Nuclear equations

Mark schemes and examiner comments

Tier	**Higher**
Question groups	**10**
Available paper years	**2008–2025**

Using this booklet

1. Booklet answer numbers match the question booklet.
2. Use the original question number within marking tables.
3. Examiner comments are included where available.

Name: _____ **Date:** _____

Where a precise marking extract is unavailable, the full source document is included in an appendix. Any missing mark scheme is explicitly identified.

4.4.2.2 Nuclear equations

Answer 01 · Mark scheme June 2008 | PHY2H | Original Q2 | Legacy

Question 2

	answers	extra information	mark
(a)(i)	protons neutrons	answers may be in either order	1 1
(ii)	86		1
(iii)	two **fewer** protons and two **fewer** neutrons **or** 84 protons 134 neutrons	do **not** accept two fewer protons and neutrons do **not** accept 218 protons and neutrons	1
(b)(i)	0.4	accept $\frac{2}{5}$ / accept 40 % for 2 marks allow **1** mark for correct totalling = 1.8 allow **1** mark for a clearly correct method with a clearly incorrect total	2
(ii)	any **one** from: • nuclear weapon testing • nuclear power (stations) • nuclear accidents • medical	 do **not** accept nuclear accept nuclear/ radioactive waste accept X-rays	1
(c)(i)	2	accept 2:1 accept twice as big ignore units	1

Question 2 continues on the next page

4.4.2.2 Nuclear equations

PHY2H

Question 2 continued

	answers	extra information	mark
(ii)	No with a reasonable reason explained only going for two weeks so **or** even staying for a year		1
	total exposure well under lowest limit for causing cancer **or**	**1** mark is for a time frame **1** mark is for correctly relating to a dose	1
	Yes with a reasonable reason explained all levels of radiation are (potentially) hazardous (1) harm caused by lower doses may not have been recorded (1) **or** evidence may not be complete **or** insufficient research into effect of small doses	accept low doses could still cause cancer accept all levels affect you do **not** accept radiation dose is high(er) do **not** accept level of background radiation is higher in Germany	
total			10

4.4.2.2 Nuclear equations

Answer 01 · Mark scheme June 2008 | PHY2H | Original Q2 | Legacy

PHY2H

4.4.2.2 Nuclear equations

Answer 02 · Mark scheme

Question 6

question	answers	extra information	mark
6(a)	146		1
6(b)	atomic number		1
6(c)(i)	alpha		1
6(c)(ii)	number of protons changes	accept atomic number changes accept loses or gains protons do **not** accept protons with any other particle e.g. number of protons and neutrons changes incorrect do **not** accept any reference to mass number	1
Total			**4**

4.4.2.2 Nuclear equations

Answer 02 · Mark scheme January 2009 | PHY2H | Original Q6 | Legacy

PHY2H

4.4.2.2 Nuclear equations

Answer 03 · Mark scheme January 2010 | PHY2H | Original Q3 | Legacy

Question 3

question	answers	extra information	mark
3(a)(i)	**K** and **L**	both answers required either order	1
3(a)(ii)	(1) same number of protons (2) different numbers of neutrons	accept same number of electrons accept same atomic number	1 1
3(b)(i)	90		1
3(b)(ii)	140		1
3(c)	alpha (particle) mass number goes down by 4 **or** number of protons and neutrons goes down by 4 **or** number of neutrons goes down by 2 atomic / proton number goes down by 2 **or** number of protons goes down by 2	reason may score even if beta or gamma is chosen candidates that answer correctly in terms of why gamma **and** beta decay are not possible gain full credit accept an alpha particle consists of 2 neutrons and 2 protons for **1** mark accept alpha equals $^{4}_{2}He$ or $^{4}_{2}\alpha$ for **1** mark an alpha particle is a helium nucleus is insufficient for this mark	1 1 1
Total			**8**

4.4.2.2 Nuclear equations

Answer 03 · Mark scheme

January 2010 | PHY2H | Original Q3 | Legacy

PHY2H

4.4.2.2 Nuclear equations

Answer 04 · Mark scheme

Question 3

question	answers	extra information	mark
3(a)(i)	any **one** from: • food / drink • rocks / building materials • cosmic rays / rays from space	accept correctly named example	1
3(a)(ii)	any **one** from: • nuclear power / coal power (stations) • nuclear accidents • nuclear weapons testing	accept nuclear waste accept named accident eg Chernobyl accept named medical procedure which involves a radioactive source accept radiotherapy nuclear activity / radiation is insufficient do **not** accept CT scans	1
3(a)(iii)	different number of / fewer protons **or** different atomic number	accept does not have 86 protons accept only has 84 protons do **not** accept bottom number different reference to mass number negates this mark	1

Question 3 continues on the next page . . .

PHY2H

Question 3 continued . . .

question	answers	extra information	mark
3(b)	168	accept 169 if clear, correct method is shown allow **1** mark for a correct dose ratio involving the spine eg 2:140 etc **or** ratio of days to dose is 1.2 **or** ratio of dose to days is 0.83	2
3(c)(i)	**Group A**: **J M O**; **Group B**: **K L N**	all correct any order within each group	1
3(c)(ii)	similar (number) / same (number) / large (number)	accept the same specific number in each group eg three reference to other factors such as age is neutral	1
3(c)(iii)	how many people in each group developed cancer	a clear comparison is required	1

Question 3 continues on the next page . . .

4.4.2.2 Nuclear equations

PHY2H

Question 3 continued . . .

question	answers	extra information	mark
3(c)(iv)	**Yes** the benefit of having the scan is greater than the risk **or** the risk is (very) small (compared to the chance from natural causes) **No** no additional risk is acceptable	there are no marks for **Yes** or **No** the mark is for the reason accept the risk is much greater from natural causes	1
Total			**9**

4.4.2.2 Nuclear equations

Answer 04 · Mark scheme January 2011 | PHY2H | Original Q3 | Legacy

PHY2H

4.4.2.2 Nuclear equations

Answer 05 · Mark scheme

January 2013 | PH2HP | Original Q2 | Legacy

Question 2

question	answers	extra information	mark
2(a)(i)	any **one** from: • nuclear power (stations) • nuclear weapons (testing) • nuclear accidents	accept nuclear waste accept coal power stations accept nuclear bombs / fallout accept named accident, eg Chernobyl or Fukushima accept named medical procedure which involves a radioactive source accept radiotherapy accept X-rays accept specific industrial examples that involve a radioactive source nuclear activity / radiation is insufficient smoke detectors is insufficient	1
2(a)(ii)	(radioactive decay) is a random process	accept an answer in terms of background / radiation varies (from one point in time to another)	1
2(b)	any **one** from: • (maybe) other factors involved • evidence may not be valid • may not have (a complete) understanding of the process (involved)	accept a named 'sensible' factor, eg smoking accept not enough data	1

Question 2 continues on the next page . . .

4.4.2.2 Nuclear equations

PH2HP

Question 2 continued . . .

question	answers	extra information	mark
2(c)(i)	2 2		1 1
2(c)(ii)	218 84	correct order only	1 1
2(d)	3.8 (days)	allow **1** mark for showing correct method using the graph provided no subsequent steps correct answers obtained using numbers other than 800 and 400 gain **2** marks provided the method is shown	2
Total			**9**

4.4.2.2 Nuclear equations

Answer 05 · Mark scheme

January 2013 | PH2HP | Original Q2 | Legacy

PH2HP

4.4.2.2 Nuclear equations

Answer 06 · Mark scheme

June 2013 | PH2HP | Original Q5 | Legacy

Question 5

question	answers	extra information	mark
5(a)	78		1
5(b)	atomic		1
5(c)(i)	131 54	correct order only	1 1
5(c)(ii)	32 (days)	allow **1** mark for showing 4 half-lives provided no subsequent step	2
5(c)(iii)	limits amount of iodine-131 / radioactive iodine that can be absorbed so reducing risk of cancer (of the thyroid)	accept increases level of non-radioactive iodine in thyroid do **not** accept cancels out iodine-131 accept stops risk of cancer (of the thyroid)	1 1
Total			**8**

4.4.2.2 Nuclear equations

Answer 06 · Mark scheme June 2013 | PH2HP | Original Q5 | Legacy

PH2HP

4.4.2.2 Nuclear equations

Answer 07 · Mark scheme

June 2019 | 8463/1H | Original Q5

Question 5

Question	Answers	Extra information	Mark	AO / Spec. Ref.
5.1	$^{206}_{82}Pb$		1 1	4.4.2.2 AO1
5.2	alpha radiation is highly ionising causing an increased risk of cancer **or** organ failure **or** radiation sickness / poisoning **or** mutation of genes / DNA **or** damage to cells / tissues / organs until the radioactive material is removed / excreted **or** activity of radioactive material reaches / approaches background radiation levels	 allow kill cells allow all the alpha radiation is absorbed by the body ignore references to half-life	1 1 1	4.4.2.4 AO1
5.3	$\frac{414}{138} = 3$ (half-lives) $1.45 \times 10^{-4} \times 2 \times 2 \times 2$ $= 1.16 \times 10^{-3}$ (g) **or** = 0.00116 (g)	an answer of 1.16×10^{-3} (g) scores **3** marks	1 1 1	4.4.2.3 AO2
Total			**8**	

4.4.2.2 Nuclear equations

Answer 08 · Mark scheme

November 2021 | 8463/1H | Original Q6

Question 6

Question	Answers	Extra information	Mark	AO / Spec. Ref.
06.1	148		1	AO1 4.4.1.2
06.2	D and E		1	AO1 4.4.1.2
06.3	line between B and 86 protons same line between B and 222 mass number		1 1	AO2 4.4.2.2
06.4	can't predict which nucleus will decay next **or** can't predict when a (particular) nucleus will decay		1	AO1 4.4.2.3
06.5	one alpha decay would decrease proton number by 2 two beta decays would increase proton number by 2 so the proton / atomic number of the final nucleus is the same as the proton / atomic number of the original nucleus	 this mark is dependent on scoring the first two marks	1 1 1	AO1 4.4.2.2
Total			**8**	

4.4.2.2 Nuclear equations

Answer 09 · Mark scheme

June 2022 | 8463/1H | Original Q7

Question 7

Question	Answers	Extra information	Mark	AO / Spec. Ref.
07.1	two protons and two neutrons	allow helium nucleus ignore symbols	1	AO1 4.4.2.1

Question	Answers	Extra information	Mark	AO / Spec. Ref.
07.2	85 37	this order only	1 1	AO1 4.4.2.2

Question	Answers	Extra information	Mark	AO / Spec. Ref.
07.3	alpha radiation has a low penetrating ability		1	AO1 4.4.2.4
	(so externally) alpha radiation is stopped by skin (so is low risk)	allow absorbed for stopped ignore reference to range of alpha particles through other materials	1	
	internally, alpha radiation is absorbed by living tissue / organs	allow (internal) contamination will increase the radiation dose	1	
	(as) alpha radiation is highly ionising		1	
	(internal) contamination will cause greater (risk of) harm to cells / tissues / organs / DNA / genes	allow contamination causes greater chance of developing cancer allow greater chance of mutations	1	

Total Question 7		**8**

Answer 10 · Mark scheme

June 2025 | 8463/1H | Original Q7

Question 7

Question	Answers	Extra information	Mark	AO / Spec. Ref.
07.1	new evidence is discovered that existing models cannot explain		1	AO1 4.4.1.3

Question	Answers	Extra information	Mark	AO / Spec. Ref.
07.2	irradiation is the exposure to radiation (radioactive) contamination is the (unwanted) presence of radioactive material on / inside a person	 allow an object for a person	1 1	AO1 4.4.2.4

Question	Answers	Extra information	Mark	AO / Spec. Ref.
07.3	(Po) 84 (Pb) 206		1 1	AO1 4.4.2.2

Question	Answers	Extra information	Mark	AO / Spec. Ref.
07.4	number of half-lives = 4 time = 4 × 138 time = 552 (days)		1 1 1	AO2 4.4.2.3

Question	Answers	Extra information	Mark	AO / Spec. Ref.
07.5	polonium-209 has a lower <u>activity</u> than polonium-210 (because polonium-209) has a longer half-life	ignore description of rate of decay MP2 dependent on MP1	1 1	AO3 4.4.2.1

Total Question 7	**10**

4.4.2.2 Nuclear equations

Answer 08 · Examiner comments November 2021 | 8463/1H | Original Q6

Question 6
Questions **06.1** and **06.2** were well answered, but few students scored any marks on the remainder of the question. In question **06.5** students often failed to give sufficient technical accuracy when describing radioactive decays.

Answer 10 · Examiner comments June 2025 | 8463/1H | Original Q7

07.1
Nearly all of the students chose the correct reason for why scientists change the model used to describe the structure of an atom.

07.2
Many students were confused about the distinction between irradiation and radioactive contamination. Many thought that it had to do with being exposed to radiation inside or outside the body, or one causing harm the other not causing harm. Exposure to a radioactive source was insufficient to score the irradiation mark. Without using the word 'exposed' students often did not express their ideas clearly enough. 'Absorbing radiation from a source' would have been another way of gaining credit for this idea. Students were more secure explaining what radioactive contamination meant and often gave examples like 'radioactive dust' or radioactive atoms' being present on or in people / objects. Almost a quarter of the students scored 2 marks, while just over 40 % of the students scored 1 mark.

07.3
About 90 % of the students scored 2 marks for this nuclear equation, while about 5 % of the students scored 1 mark.

Answer 10 · Examiner comments June 2025 | 8463/1H | Original Q7

07.4
'4 half-lives' needed to be seen to score the first mark, the number '4' was not sufficient by itself for a mark. The most common mistake was to divide 256 000 by 16 000 to give an answer of 16, which scored no marks. Just over 70 % of the students scored 3 marks.

07.5
More / less active was insufficient as was a description of activity in terms of rate of decay.
Just over 20 % of the students scored 2 marks, while a further 12 % of the students scored 1 mark.

4.4.2.2 Nuclear equations

AQA

GCSE
PHYSICS

8463/1H: Paper 1 (Higher tier)
Report on the Examination

8463
June 2022

Version: 1.0

4.4.2.2 Nuclear equations

Further copies of this Report are available from aqa.org.uk

Copyright © 2022 AQA and its licensors. All rights reserved.
AQA retains the copyright on all its publications. However, registered schools/colleges for AQA are permitted to copy material from this booklet for their own internal use, with the following important exception: AQA cannot give permission to schools/colleges to photocopy any material that is acknowledged to a third party even for internal use within the centre.

4.4.2.2 Nuclear equations

General

Grade 4-5 calculation questions ask for students to recall an equation, before using it in a subsequent calculation. In the 2022 series, students were given an Equations Sheet which had all the equations printed on it. Subsequently, the performance on the more straightforward calculations has improved on previous years.

The multistep calculations targeted at candidates working at grades 8-9, questions **09.1** and **10.1**, were well attempted with many students answering correctly. Of these two questions, students were slightly more successful on question **09.1** with about 55% of students scoring full marks, whereas for question **10.1** approximately 45% of students scored full marks.

Question **02.1** was generally well attempted and students who had carried out the density required practical had an advantage over those who hadn't. For this question, about 35% of students scored 6 marks and approximately 25% of students scored 5 marks.

Handwriting continues to be a problem for a number of students, making it very difficult for examiners to read what has been written. Students who have handwriting that is difficult to read may benefit from a scribe or from word processing their answers in exams.

Question 11

Due to incorrect Advance Information guidance being issued for this question, and to avoid students being disadvantaged, Question 11 was discounted and all students were awarded full (9) marks.

Levels of demand

Questions are set at three levels of demand for this paper:

- **Standard demand** questions are designed to broadly target grades 4–5.
- **Standard/high demand** questions are designed to broadly target grades 6–7.
- **High demand** questions are designed to broadly target grades 8–9.

A student's final grade, however, is based on their attainment across the qualification as a whole, not just on questions that may have been targeted at the level at which they are working.

4.4.2.2 Nuclear equations

Question 1 (Standard demand)

01.1 About 55% of students scored 2 marks. The unit conversion caused a problem for many students and powers of 10 errors were frequently seen. A correct calculation using an incorrectly or not converted value for power would score 1 mark.

01.2 Students were generally successful at answering this question with approximately 40% scoring 2 marks and about 50% scoring 1 mark. Most students wrote variations of the first and third bullet points in the markscheme. A number of students wrote that the turbines may be broken, which was enough to score a mark for the idea of maintenance.

01.3 'Turbine will rotate faster' was insufficient to score a mark. 'Rotate more smoothly' was not enough to score the 'less friction' mark. Students who stated that 'no energy was wasted' did not score the second marking point. Approximately 35% of students scored 3 marks, 35% of students scored 2 marks and 20% of students scored 1 mark.

01.4 About 30% of students scored 2 marks, while approximately 50% of students scored 1 mark. Many students answered in terms of 'saving energy' which was insufficient. Other students answered in terms of absolute statements which did not score, 'energy efficient appliances waste no energy' for example.

Question 2 (Standard demand)

02.1 Generally very well answered with about 35% of students gaining 6 marks and 25% scoring 5 marks. Students were told that this required practical would appear in the 2022 series via the Advance Information. A number of students quoted the density equation incorrectly, although this was given on the Equations Sheet for the 2022 series. There were extremely few students who didn't attempt the question and less than 1% of students who attempted the question scored zero.

02.2 Approximately 85% of students answered this question correctly. Of the incorrect answers seen, a significant proportion gave the maximum and minimum values the wrong way round. Another common mistake was to write maximum: 2.55 and minimum 0.10, which showed a clear misunderstanding of expressing an uncertainty.

02.3 About 95% of students answered this question correctly.

02.4 Approximately 45% of students scored 2 marks and 40% scored 1 mark. 'In case an error / mistake was made the first time' was insufficient. 'To check the repeatability of the data' was ignored, as this wouldn't improve the accuracy of the data. 'Get rid of anomalies' was assumed to mean 'remove anomalies', but 'stops anomalies from occurring' did not score. Likewise 'stops random errors' did not score.

4.4.2.2 Nuclear equations

Question 3 (Standard demand)

03.1 Over 99% of students answered this question correctly as they had all the Physics equations on the Equations Sheet for the 2022 series.

03.2 Nearly 95% of students answered this question correctly. In this series all students were given all the equations on the Equations Sheet. The first mark is for the substitution into the equation as it appears on the equations sheet. Some students failed to score any marks by incorrectly rearranging the equation, then substituting into the incorrectly rearranged equation.

03.3 Over 99% of students answered this question correctly as they had all the Physics equations on the Equations Sheet for the 2022 series.

03.4 95% of students answered this question correctly. In this series all students were given all the equations on the Equations Sheet. The first mark is for the substitution into the equation as it appears on the Equations Sheet. Some students failed to score any marks by incorrectly rearranging the equation, then substituting into the incorrectly rearranged equation.

Question 4 (Standard/High demand)

04.1 A large number of students found it difficult to identify the independent and dependent variables in the investigation that was described. Control variables appeared often in students' answers. 'Temperature change' seemed to be the most common incorrect answer for the dependent variable. About 50% of students scored 2 marks and approximately 35% of students scored 1 mark.

04.2 65% of students answered correctly. The most common incorrect answer was 87.4 °C.

04.3 About 35% of students answered this question correctly. Common incorrect answers referred to the resolution, or just repeated the question and said 'difficult to read' which was insufficient.

04.4 Approximately 75% of students scored 3 marks and about 10% of students scored 2 marks. Power of 10 errors were common and usually resulted in 2 marks being scored for an incorrectly or not converted value of energy.

04.5 Many students found relating the time for the temperature to decrease to thermal conductivity difficult. About 15% of students scored 2 marks, while 40% scored 1 mark. Answers in terms of good / bad insulators were insufficient to score a mark.

4.4.2.2 Nuclear equations

Question 5 (Standard/High demand)

05.1 Approximately 45% of students scored 1 mark, with about 5% of students scored 3 marks. Around 30% of students scored no marks. The first marking point of this explanation was most likely to score, the third marking point was least likely to score.

05.2 About 30% of students scored all 3 marks for this explanation. 10% of students scored 2 marks and 10% scored 1 mark. A lot of student answers were not creditworthy, with mixed up descriptions of ion transfer, electron transfer, proton transfer, protons weighing more than electrons and transfer of electrons increasing the mass of the rod on the balance. As a result about 50% of students scored zero.

05.3 Approximately 60% of students scored the mark. Some students evidently did not know what a zero error was. Answers like 'it means there is no error' being a good example of this. Some answers were insufficient, 'the actual mass of the rod is not required' being not enough to score the mark. 'Weight' was allowed for 'mass' when used correctly as the reading on the balance does depend on the weight of the object. An answer of 'only the change in weight was needed' would have scored the mark.

05.4 Some very good explanations were seen and about 10% of students scored all 3 marks. The first marking point was least likely to score. The third marking point needed to be linked to the second marking point before it could be scored.

Question 6 (Standard/High demand)

06.1 This question discriminated well between students. About 15% scored 4 marks with 20% gaining 3 marks. The first two marking points were most commonly scored. Students who said that 'no energy was lost' as a consequence of the step-up transformer's effect did not score the third marking point.

06.2 Approximately 55% of students scored 2 marks, while 15% of students scored 1 mark. Students who scored no marks usually confused the quantity that was decreased (pd) with the quantity that increased (current). Some student answers lacked technical accuracy referring to energy, power or charge incorrectly.

06.3 Two thirds of students scored 4 marks for this calculation, whereas about 20% of students scored 3 marks. A common mistake was to try to multiply the answer by the number of seconds in a day, which would probably only score the significant figure mark if correct, as the Physics equations were applied incorrectly.
Common mistakes were to round the answer to 1 400 000 000 C, which would score 3 marks if the full s.f. answer was seen, or round the answer to 141, which would score 3 marks for the supporting calculations if seen. A common error was to miscount the number of zeroes, so would only score 3 marks.

4.4.2.2 Nuclear equations

Question 7 (Standard/High demand)

07.1 54% of students could state what an alpha particle consists of. The list principle was applied when students wrote '2 protons and 2 neutrons – a helium atom', which did not score.

07.2 65% of students completed the nuclear equation correctly, scoring 2 marks, whereas 24% scored just 1 mark.

07.3 Students generally made good attempts to answer this question and marking points 1, 2 and 4 were seen most often. To score the 5th marking point students need to make a comparative statement, internal versus external damage. The third marking point was least likely to score, as students rarely referred to dose or the living cells / tissues / organs inside the body. Some students incorrectly thought that ionisation was a process that happened to cells, rather than atoms, so often didn't score the fifth marking point for this reason. Very few students scored 5 marks and the question discriminated well between students of differing ability.

Question 8 (Standard/High demand)

08.1 About 90% of students gave the correct measuring instrument. While it wasn't seen often, an answer of a 'volumetric pipette' was also creditworthy. 'Pipette' was insufficient.

08.2 Around 90% of students correctly identified the hazard in the investigation.

08.3 For this calculation, about 45% of students scored 5 marks and 20% of students scored 4 marks. A common mistake was to calculate *L* using one of the masses given in the question, rather than the change in mass. The resulting numerical answer would score zero as the equation was not being used correctly.

08.4 About 15% of students scored 2 marks for this explanation and 10% of students scored 1 mark. Many students reached incorrect conclusions and many students simply reworded the information given in the question.

08.5 7% of students scored 2 marks and 3% of students scored 1 mark. Many students reached incorrect conclusions and many students reworded the information given in the question without adding to it.

4.4.2.2 Nuclear equations

Question 9 (High demand)

09.1 Approximately 55% of students scored 5 marks, but in the 2022 series students were provided with an Equations Sheet with all the equations. A commonly seen answer was 73 500, which scored 4 marks for not converting the height into metres.

09.2 5% scored 2 marks and about 30% scored 1 mark. Many students failed to score a mark by pointing to the 'inaccuracy of the measured mass / height / gravitational field strength', or referring to the measurements as being 'low resolution'. 'Mass may have been greater than 60 kg' or 'time may have been longer / shorter than 1.40 seconds' were other common incorrect answers.

09.3 About 75% of students identified the correct conclusion.

Question 10 (High demand)

10.1 About 45% of students scored 6 marks for this extended calculation, but in the 2022 series students were provided with an Equations Sheet with all the equations. Therefore, students were supported when it came to attempting this question. With an alternative approach using equations from paper 2, students' answers were marked on whichever approach brought them closest to the correct final answer. An answer of 6 m/s with no supporting working did not score full marks as students could achieve this answer by multiplying the spring constant and the extension together, which would give them the maximum force acting on the toy aeroplane.

10.2 About 65% of students scored the mark. The most common incorrect answers seen were gravitational potential or elastic potential.

10.3 Approximately 20% of students scored a mark. Many students failed to score a mark because they gave a factor without a specific change e.g. 'extension of spring', rather than 'increase the extension of the spring'.

Question 11 (High demand)

Due to incorrect Advance Information guidance being issued for this question, and to avoid students being disadvantaged, Question 11 was discounted and all students were awarded full (9) marks.

4.4.2.2 Nuclear equations

Use of statistics

Statistics used in this report may be taken from incomplete processing data. However, this data still gives a true account of how students have performed for each question.

Mark Ranges and Award of Grades

Grade boundaries and cumulative percentage grades are available on the Results Statistics page of the AQA Website.