AQA GCSE Physics | 8463

SPECIFICATION POINT 4.5.2

Work done and energy transfer

Mark schemes and examiner comments

Tier	**Higher**
Question groups	**22**
Available paper years	**2003–2024**

Using this booklet

1. Booklet answer numbers match the question booklet.
2. Use the original question number within marking tables.
3. Examiner comments are included where available.

Name: _____ **Date:** _____

Where a precise marking extract is unavailable, the full source document is included in an appendix. Any missing mark scheme is explicitly identified.

4.5.2 Work done and energy transfer

Answer 01 · Mark scheme June 2003 | 3451H | Original Q10 | Legacy

The full source mark scheme begins on page 43. Follow original question 10 in that document.

Answer 02 · Mark scheme June 2003 | 3462H3 | Original Q8 | Legacy

The full source mark scheme begins on page 65. Follow original question 8 in that document.

Answer 03 · Mark scheme June 2004 | 3451H | Original Q6 | Legacy

The full source mark scheme begins on page 82. Follow original question 6 in that document.

Answer 04 · Mark scheme June 2004 | 3462H3 | Original Q6 | Legacy

The full source mark scheme begins on page 103. Follow original question 6 in that document.

Answer 05 · Mark scheme June 2006 | 3451 | Original Q4 | Legacy

The full source mark scheme begins on page 120. Follow original question 4 in that document.

4.5.2 Work done and energy transfer

Answer 06 · Mark scheme

June 2006 | 3462 | Original Q4 | Legacy

The full source mark scheme begins on page 140. Follow original question 4 in that document.

4.5.2 Work done and energy transfer

Answer 07 · Mark scheme January 2008 | PHY3H | Original Q1 | Legacy

Question 1

question	answers	extra information	mark
(a)	moment	**or** torque do **not** credit 'leverage'	1
(b)	4 (2)	**either** 0.20 × 20 (1) **or** allow '400' (1)	2
(c)	use a longer spanner **or** 'fit a pipe over the (end of the) spanner (to lengthen it)'	or increases the perpendicular distance / length note 'lever' refers to 'spanner' note change the . . . (0) ignore references to wider / larger nut	1
	use a greater force / pull	**either order**	1
total			5

4.5.2 Work done and energy transfer

Answer 07 · Mark scheme

January 2008 | PHY3H | Original Q1 | Legacy

PHY3H

4.5.2 Work done and energy transfer

Answer 08 · Mark scheme June 2008 | PHY3H | Original Q3 | Legacy

Question 3

question	answers	extra information	mark
(a)	810 000 newton-metres / Nm	allow 45 000 × 18 for **1** mark	2 1
(b)	any **three** from: • their weight / mass can be altered / adjusted • so that the crane remains stable • so that the (total) clockwise moment equals the (total) anticlockwise moment • because not all containers are the same weight / mass • because not all containers will be / need to move the same distance (from the crane) • to keep the centre of mass (of the upper crane and container) in/above the base of the tower • so that the crane remains in equilibrium/balanced	ignore references to force throughout allow does not topple do **not** allow just 'moments are equal' do **not** allow 'not all containers are the same size / volume'	3
total			6

4.5.2 Work done and energy transfer

Answer 08 · Mark scheme June 2008 | PHY3H | Original Q3 | Legacy

PHY3H

4.5.2 Work done and energy transfer

Answer 09 · Mark scheme

June 2019 | PHY2H | Original Q1 | Legacy

Question 1

question	answers	extra information	mark
1(a)(i)	75 000 newtons / N	accept correct substitution for **1** mark ie 7500 × 10 do **not** accept n full credit for using g = 9.8 **or** 9.81	2 1
1(a)(ii)	60 000 000	accept for both marks their (a)(i) × 800 correctly calculated accept correct substitution for **1** mark ie their (a)(i) × 800	2
1(b)(i)	arrow drawn parallel (to) **and** down (the) slope	accept arrow drawn anywhere on the diagram	1
1(b)(ii)	increases GPE transformed to KE **or** speed increasing	 accept is accelerating however 'speed increasing' only scores if correctly linked to increasing kinetic energy	1 1
1(c)	so more likely to wear one **or** they know wearing a helmet is likely to / will reduce (risk) head injury **or** so can make an (informed) choice (about wearing one)		1
Total			**9**

4.5.2 Work done and energy transfer

Answer 09 · Mark scheme June 2010 | PHY2H | Original Q1 | Legacy

PHY2H

4.5.2 Work done and energy transfer

Answer 10 · Mark scheme

Question 5

question	answers	extra information	mark
5(a)	1.2 metre(s)/m	allow **1** mark for conversion of 2.4 kN to 2400 N or for correct transformation without conversion ie d = 2880 ÷ 2.4	2 1
5(b)	any **two** from: • as the load increases the (total) clockwise moment increases • danger is that the fork lift truck / the load will topple / tip forward • (this will happen) when the total clockwise moment is equal to (or greater than) the anticlockwise moment • (load above 10.0 kN) moves line of action (from C of M) outside base (area)	accept moments will not be balanced	2
Total			**5**

4.5.2 Work done and energy transfer

Answer 10 · Mark scheme January 2011 | PHY3H | Original Q5 | Legacy

PHY3H

4.5.2 Work done and energy transfer

Answer 11 · Mark scheme

Question 2

question	answers	extra information	mark
2(a)	572	allow **1** mark for correct substitution, ie 220 × 2.6 allow **1** mark for 220 x 260 = 57 200 **or** 220 x 2600 = 572 000 but to score this mark the entire calculation must be shown	2
2(b)(i)	smooth curve drawn	accept a line that is extrapolated back to 0 degrees, but not through the origin accept a straight line of best fit (point at 40 degrees can be treated as anomalous and line may stop at 30 degrees) do **not** accept straight lines drawn 'dot to dot' or directly from first to last point or a line going through the origin	1
2(b)(ii)	increases	accept a positive correlation do **not** accept proportional	1

Question 2 continues on the next page

PHY2H

Question 2 continued

question	answers	extra information	mark
2(b)(iii)	long plank	no mark for this, the marks are for the explanation	
	makes the angle small(er) (than a short plank)	accept increases the distance accept small(er) slope	1
	a small(er) force is needed		1
	or		
	short plank	no mark for this, the marks are for the explanation	
	a large(r) force is used over a short(er) distance (1)		
	less work done (1)	accept less energy transfer	
Total			**6**

4.5.2 Work done and energy transfer

Answer 11 · Mark scheme June 2011 | PHY2H | Original Q2 | Legacy

PHY2H

4.5.2 Work done and energy transfer

Answer 12 · Mark scheme

June 2011 | PHY3H | Original Q2 | Legacy

Question 2

question	answers	extra information	mark
2(a)(i)	turning effect	accept turning force accept force x distance (accept symbols only if correctly defined) do **not** accept newtons x metres	1
2(a)(ii)	stop apparatus falling over	accept holds the stand in place accept make it safer / stable references to balanced / equilibrium are insufficient	1
2(a)(iii)	as x increases y increases in same proportion / ratios	 allow both marks for they are directly proportional **or** a specific example eg doubling y, doubles x allow both marks for a correct answer giving figures eg they increase in the ratio of 1 to 7 allow for **1** mark positive correlation	1 1
2(a)(iv)	the centre of mass of the ruler is at the axis of rotation		1
2(b)	108 newton metres / Nm	allow **1** mark for correct substitution ie 240 x 0.45 symbols must be correct for full credit the unit must be consistent with the numerical answer	2 1
Total			**8**

4.5.2 Work done and energy transfer

Answer 12 · Mark scheme June 2011 | PHY3H | Original Q2 | Legacy

PHY3H

4.5.2 Work done and energy transfer

Answer 13 · Mark scheme

Question 1

question	answers	extra information	mark
1(a)	gravitational / gravity / weight	do **not** accept gravitational potential	1
1(b)	accelerating	accept speed / velocity increases	1
	the distance between the drops increases		1
	but the time between the drops is the same	accept the time between drops is (always) 5 seconds accept the drops fall at the same rate	1
1(c)(i)	any **one** from: • speed / velocity • (condition of) brakes / road surface / tyres • weather (conditions)	accept specific examples, eg wet / icy roads accept mass / weight of car friction is insufficient reference to any factor affecting thinking distance negates this answer	1

Question 1 continues on the next page . . .

PH2HP

Question 1 continued . . .

question	answers	extra information	mark
1(c)(ii)	75 000	allow **1** mark for correct substitution, ie 3000 × 25 provided no subsequent step shown **or** allow **1** mark for an answer 75 **or** allow **2** marks for 75 k(+ incorrect unit), eg 75 kN	2
	joules / J	do **not** accept j an answer 75 kJ gains **3** marks for full marks the unit and numerical answer must be consistent	1
Total			**8**

4.5.2 Work done and energy transfer

Answer 13 · Mark scheme

January 2013 | PH2HP | Original Q1 | Legacy

PH2HP

Answer 14 · Mark scheme

June 2013 | PH2HP | Original Q4 | Legacy

Question 4

question	answers	extra information	mark
4(a)(i)	distance vehicle travels during driver's reaction time	accept distance vehicle travels while driver reacts	1
4(a)(ii)	any **two** from: • tiredness • (drinking) alcohol • (taking) drugs • speed • age	accept as an alternative factor distractions, eg using a mobile phone	2
4(b)(i)	320 000	allow **1** mark for correct substitution, ie $\frac{1}{2} \times 1600 \times 20^2$ provided no subsequent step shown	2
4(b)(ii)	320 000 **or** their (b)(i)		1
4(b)(iii)	40 **or** $\frac{\text{their (b)(ii)}}{8000}$ correctly calculated	allow **1** mark for statement work done = KE lost **or** allow **1** mark for correct substitution, ie 8000 × distance = 320 000 **or** their (b)(ii)	2
4(b)(iv)	any **one** from: • icy / wet roads • (worn) tyres • road surface • mass (of car and passengers) • (efficiency / condition of the) brakes	accept weather conditions accept number of passengers	1

Question 4 continues on the next page . . .

PH2HP

Question 4 continued . . .

question	answers	extra information	mark
4(b)(v)	(work done by) friction (between brakes and wheel)	do **not** accept friction between road and tyres / wheels	1
	(causes) decrease in KE and increase in thermal energy	accept heat for thermal energy accept KE transferred to thermal energy	1
4(c)	the battery needs recharging less often **or** increases the range of the car	accept car for battery accept less demand for other fuels **or** lower emissions **or** lower fuel costs environmentally friendly is insufficient	1
	as the efficiency of the car is increased	accept it is energy efficient	1
	the decrease in (kinetic) energy / work done charges the battery (up)	accept because not all work done / (kinetic) energy is wasted	1
Total			**14**

4.5.2 Work done and energy transfer

Answer 14 · Mark scheme

June 2013 | PH2HP | Original Q4 | Legacy

PH2HP

4.5.2 Work done and energy transfer

Answer 15 · Mark scheme June 2014 | PH1HP | Original Q7 | Legacy

Question	Answers	Extra information	Mark	AO spec ref
7(a)	conduction		1	AO1 1.1.3
7(b)	35 000		1	AO2 1.1.4a
7(c)	500 J/kg°C	their 7(b) = 2 x c x 35 correctly calculated scores **2** marks allow **1** mark for correct substitution, ie 35000 = 2 x c x 35 **or** their 7(b) = 2 x c x 35	2 1	AO1 AO2
7(d)	energy lost to surroundings **or** energy needed to warm heater	accept there is no insulation (on the copper block) do **not** accept answers in terms of human error or poor results or defective equipment	1	AO3 1.1.3d
Total			**6**	

4.5.2 Work done and energy transfer

Answer 16 · Mark scheme June 2014 | PH2HP | Original Q3 | Legacy

3(a)(i)	friction		1	AO1 2.1.3a

3(a)(ii)	air resistance	accept drag friction is insufficient	1	AO1 2.1.3a

3(a)(iii)	Marks awarded for this answer will be determined by the Quality of Written Communication (QWC) as well as the standard of the scientific response. Examiners should also refer to the information on page 5, and apply a 'best-fit' approach to the marking.		**Mark** **6**	**AO spec ref**
0 marks	**Level 1 (1–2 marks)**	**Level 2 (3–4 marks)**	**Level 3 (5–6 marks)**	AO2 AO3 2.1.4c
No relevant content.	There is an attempt to explain in terms of forces A and B why the velocity of the cyclist changes between any two points **or** a description of how the velocity changes between any two points.	There is an explanation in terms of forces A and B of how the velocity changes between X and Y and between Y and Z **or** a complete description of how the velocity changes from X to Z. **or** an explanation and description of velocity change for either X to Y or Y to Z	There is a clear explanation in terms of forces A and B of how the velocity changes between X and Z **and** a description of the change in velocity between X and Z.	

4.5.2 Work done and energy transfer

Answer 16 · Mark scheme June 2014 | PH2HP | Original Q3 | Legacy

examples of the points made in the response	extra information
X to Y • at X force A is greater than force B • cyclist accelerates • and velocity increases • as cyclist moves toward Y, force B (air resistance) increases (with increasing velocity) • resultant force decreases • cyclist continues to accelerate but at a smaller value • so velocity continues to increase but at a lower rate **Y to Z** • from Y to Z force B (air resistance) increases • acceleration decreases • force B becomes equal to force A • resultant force is now zero • acceleration becomes zero • velocity increases until… • cyclist travels at constant / terminal velocity	accept speed for velocity throughout

4.5.2 Work done and energy transfer

Answer 16 · Mark scheme

June 2014 | PH2HP | Original Q3 | Legacy

Question	Answers	Extra information	Mark	AO spec ref
3(b)(i)	3360	allow **1** mark for correct substitution, ie 140 × 24 provided no subsequent step accept 3400 for **2** marks if correct substitution is shown	2	AO1 AO2 2.2.1b
	joule / J	do **not** accept j do **not** accept Nm	1	
3(b)(ii)	decreases	accept an alternative word / description for decrease do not accept slows down	1	AO1 2.1.3e
	temperature	accept thermal energy accept heat	1	
Total			**13**	

4.5.2 Work done and energy transfer

Answer 16 · Mark scheme

June 2014 | PH2HP | Original Q3 | Legacy

Question	Answers	Extra information	Mark	AO spec ref

4.5.2 Work done and energy transfer

Answer 17 · Mark scheme June 2017 | PH2HP | Original Q4 | Legacy

Question	Answers	Extra information	Mark	AO / Spec. Ref.
4(a)(i)	The distance the lorry travels during the driver's reaction time.		1	AO1 2.1.3c
4(a)(ii)	the greater the speed (of the lorry) the greater the (thinking) distance **or** they are directly proportional		1	AO1 2.1.3b
4(b)(i)	24 (m)	allow **1** mark for ½ x 12 x 4 an answer of 30 gains **1** mark	2	AO2 2.1.2h
4(b)(ii)	15000 (N) **or** 360 000÷ their **(b)(i)** correctly calculated	allow **1** mark for correct substitution ie 360 (000) = F x 24 or their **(b)(i)** an answer 15 with the unit changed to kN gains **2** marks an answer 15 gains **1** mark 360 ÷ their **b(i)** correctly calculated gains **1** mark	2	AO2 2.2.1b
4(c)(i)	any one from: • height (of the ramp) • speed of the trolley at the bottom (of the ramp) • angle (of the ramp) • start point (on the ramp)	the following are insufficient length of ramp or string same trolley or same ramp	1	AO2 HSW
4(c)(ii)	(measure maximum) distance the weight is lifted from the floor		1	AO3 HSW

4.5.2 Work done and energy transfer


Answer 17 · Mark scheme

Question	Answers	Extra information	Mark	AO / Spec. Ref.
4(c)(iii)	increase accuracy (in measurement of braking distance)	accept results would be more reliable ignore reference to validity	1	AO3 HSW
	by allowing a mean/average to be calculated **or** by allowing anomalous results to be discarded	accept by allowing anomalous results to be identified accept shows results are repeatable reproducible is insufficient	1	
4(c)(iv)	As (braking) force increases (braking) distance decreases	accept weight (lifted) for braking force	1	AO3 HSW
	justification by correct numerical example eg increasing the force from 2 to 8 you can decrease the braking distance from 80 to 20 cm	An answer of (braking) distance is inversely proportional to (braking) force gains **2** marks	1	
Total			**12**	

4.5.2 Work done and energy transfer

Answer 17 · Mark scheme

June 2017 | PH2HP | Original Q4 | Legacy



4.5.2 Work done and energy transfer

Answer 18 · Mark scheme

June 2018 | 8463/1H | Original Q4

Question	Answers	Extra information	Mark	AO/ Spec. Ref
04.1	chemical	in this order only	1	AO1 4.1.1.1
	equal to	allow the same as	1	
04.2	power = $\frac{\text{work done}}{\text{time}}$	allow P = $\frac{W}{t}$	1	AO1 4.1.1.4
04.3		an answer of 360 000 (J) scores **3** marks		AO2 4.1.1.4
	200 = $\frac{W}{1800}$		1	
	W = 200 × 1800		1	
	W = 360 000 (J)		1	
04.4		an answer that rounds to 15.8 (%) scores **2** marks		AO2 4.1.1.1
	11 – 9.5 = 1.5 (m/s)	allow a change in speed between 1.2 and 1.5 (m/s)	1	
	$\left(\frac{1.5}{9.5}\right)$ × 100 = 15.8 (%)	allow an answer consistent with their change in speed	1	
		an answer of 16 (%) scores **2** marks		
04.5	maximum speed is lower		1	AO1 4.1.1.4
	because maximum power output of cyclist is constant	allow maximum force on pedals is constant	1	
	(but) additional work is done (against gravity) **or** gravitational potential energy (of cyclist) is increased	do **not** accept additional work done against friction or air resistance	1	
Total			**11**	

4.5.2 Work done and energy transfer

Answer 19 · Mark scheme

June 2019 | 8463/2H | Original Q3

Question 3

Question	Answers	Mark	AO/ Spec. Ref
3.1	**Level 3**: Relevant points (reasons / causes) are identified, given in detail and logically linked to form a clear account.	5–6	AO1/1 AO2/1 4.5.6.3.2 4.5.6.3.3
	Level 2: Relevant points (reasons / causes) are identified, and there are attempts at logical linking. The resulting account is not fully clear.	3–4	
	Level 1: Points are identified and stated simply, but their relevance is not clear and there is no attempt at logical linking.	1–2	
	No relevant content	0	
	Indicative content • reaction time explained in terms of longer reaction times increase thinking distance (from a given speed) • taking drugs • drinking alcohol • tiredness • age • distractions explained in terms of the effect on driver's reaction time • speed explained in terms of the faster the vehicle the greater the distance travelled in the driver's reaction time (or converse) **OR** explained in terms of increased speed increases KE so increases work done to stop the vehicle • condition of the tyres • condition of road surface • wet/icy roads explained in terms of condition of tyres and road surface (including weather considerations) affecting <u>friction</u> (between tyres and road) • condition of brakes explained in terms of effect on braking force (applied to the wheels) or reduced <u>friction</u>		

	• mass / weight of vehicle explained in terms of deceleration force or kinetic energy or change in momentum answers do not need to reference thinking / braking distance a Level 1 answer would list factors only **or** one factor with one linked explanation a Level 2 answer lists at least three factors with one linked explanation **or** two factors with two linked but different explanations a Level 3 answer lists at least three factors with at least two linked but different explanations			
3.2	work (done) = force x distance	allow W = F s	1	AO1/1 4.5.2
3.3	900 000 = 60 000 × distance distance = $\frac{900\ 000}{60\ 000}$ distance = 15 (m)	an answer 15 (m) scores **3** marks	1 1 1	AO2/1 4.5.2
3.4	brakes overheating **or** brakes locking (causing) loss of control **or** (causing) a skid	allow brake fade allow wheels locking allow increasing the stopping / braking distance **ONLY** if the first marking point is scored ignore any effects on passengers or possible accidents	1 1	AO1/1 4.5.6.3.4
Total			**12**	

Answer 20 · Mark scheme

November 2020 | 8463/2H | Original Q6

Question 6

Question	Answers	Extra information	Mark	AO / Spec. Ref.
06.1	320 MHz = 3.2×10^8 Hz	allow 320 000 000	1	AO2
	$3.0 \times 10^8 = 3.2 \times 10^8 \times \lambda$	this mark may be awarded if frequency is incorrectly/not converted	1	AO2
	$\lambda = \frac{3.0 \times 10^8}{3.2 \times 10^8}$	this mark may be awarded if frequency is incorrectly/not converted	1	AO2
	wavelength = 0.9375	allow correct calculation using an incorrectly/not converted frequency allow an answer that rounds to 0.94	1	AO2
	metres **or** m		1	AO1 4.6.1.2
06.2	(alternating) current <u>induced</u> (in the electrical circuit)	allow <u>electrons</u> vibrate / oscillate (in the electrical circuit)	1	AO1 4.6.2.3
	with the same frequency as the radio wave		1	
06.3	Any **two** from: • (radio waves are) transverse	allow sound waves are longitudinal allow a description of transverse/longitudinal waves	2	AO1 4.6.1.1 4.6.1.2
	• (radio waves) travel at a higher speed • (radio waves) don't need a medium • (radio waves are) electromagnetic	allow (only) radio waves travel through a vacuum allow sound waves are mechanical		
06.4	accelerating	allow speeding up	1	AO3 4.5.6.1.4

Answer 20 · Mark scheme

06.5	appropriate tangent drawn correct reading from graph for change in distance and change in time (eg 5.6 (m) and 20 (s)) gradient of tangent shown (eg 5.6/20) 0.28 (m/s)	 allow correct reading from their tangent for change in distance and change in time allow correct gradient from their tangent this answer only allow 0.25 to 0.30 (m/s) if the tangent is appropriate allow 2.8 / 20 = 0.14 (m/s) for **1** mark	1 1 1 1	AO2 4.5.6.1.4
06.6	$0.52^2 - 0.12^2 = 2 \times 0.04 \times s$ $s = \frac{0.52^2 - 0.12^2}{2 \times 0.04}$ s = 3.2 (m) 0.48 = F x 3.2 $F = \frac{0.48}{3.2}$ F = 0.15 (N) **OR**	 this mark may be awarded if the displacement is incorrectly calculated this mark may be awarded if the displacement is incorrectly calculated allow a correctly calculated F using an incorrectly calculated displacement	1 1 1 1 1 1	AO2 4.5.2 4.5.6.1.5

	Alternative method 1 $t = \frac{0.52 - 0.12}{0.04}$ (1) t = 10 (s) (1) s = 0.32 × 10 = 3.2 (m) (1) 0.48 = F x 3.2 (1) $F = \frac{0.48}{3.2}$ (1) F = 0.15 (N) (1) **OR** Alternative method 2 0.48 = (0.5 x m x 0.52^2) – (0.5 x m x 0.12^2) (1) 0.48 = 0.1352m – 0.0072m (1) 0.48 = 0.128m (1) m = 3.75 (1) F = 3.75 x 0.040 (1) F = 0.15 (N) (1)	allow a correctly calculated displacement from an incorrectly calculated t this mark may be awarded if the displacement is incorrectly calculated this mark may be awarded if the displacement is incorrectly calculated allow a correctly calculated F from incorrectly calculated values for displacement and / or t allow their calculated m allow correctly calculated F using an incorrectly calculated m		

Answer 20 · Mark scheme

06.7	there is a maximum forward force (provided by the motor) as the speed of the car increases air resistance increases until air resistance is equal in size to forward force so the car can no longer accelerate	allow driving force for forward force - throughout the car has a maximum acceleration is insufficient allow friction / drag for air resistance - throughout allow (until) the resultant force is zero allow forces are in equilibrium / balanced allow the car travels at terminal velocity	1 1 1 1	AO1 4.5.6.1.5
Total			**24**	

Answer 21 · Mark scheme

June 2022 | 8463/2HR | Original Q1

Question 1

Question	Answers	Extra information	Mark	AO / Spec. Ref.
01.1	any **two** from: • capacity of the battery • speed • mass / weight • uphill / downhill • stopping at traffic lights • condition of the road • (air) temperature • (incorrect) tyre pressure • streamlining of the car	allow energy/charge stored in battery allow efficiency of battery ignore size of battery allow terrain ignore 'the road' only ignore 'weather' only allow efficiency of engine allow anything that would use charge from the battery **or** anything that will reduce the energy stored	2	AO3 4.5.2

Question	Answers	Extra information	Mark	AO / Spec. Ref.
01.2	acceleration = change in velocity/time (taken) **or** $a = \frac{\Delta v}{t}$	allow any correct rearrangement allow $a = \frac{v - u}{t}$ do **not** accept $a = \frac{v}{t}$	1	AO1 4.5.6.1.5

Answer 21 · Mark scheme

June 2022 | 8463/2HR | Original Q1

Question	Answers	Extra information	Mark	AO / Spec. Ref.
01.3	$20 = \frac{28}{t}$ $t = \frac{28}{20}$ 1.4 (s)		1 1 1	AO2 4.5.6.1.5

Question	Answers	Extra information	Mark	AO / Spec. Ref.
01.4	v^2 (- 0^2) = 2 × 10 × 605 v^2 = 12 100 v = 110 (m/s)		1 1 1	AO2 4.5.6.1.5

Question	Answers	Extra information	Mark	AO / Spec. Ref.
01.5	work done = force × distance **or** $W = Fs$	allow any correct rearrangement	1	AO1 4.5.2

4.5.2 Work done and energy transfer

Answer 21 · Mark scheme

Question	Answers	Extra information	Mark	AO / Spec. Ref.
01.6	*s* = 7500 (m)		1	AO2 4.5.2
	W = 4000 × 7500	allow correct substitution using incorrectly / not converted value of s	1	
	W = 30 000 000 (J)	allow correct calculation using incorrectly / not converted value of s	1	

Total Question 1		13

Answer 22 · Mark scheme

June 2024 | 8463/2H | Original Q2

Question 2

Question	Answers	Extra information	Mark	AO / Spec. Ref.
02.1	0 (N) the child isn't accelerating (vertically) **or** upwards forces are equal to the downwards forces	 MP2 dependent on MP1 allow forces are balanced	1 1	AO2 4.5.6.2.1

Question	Answers	Extra information	Mark	AO / Spec. Ref.
02.2	work done = force × distance **or** $W = F \times s$		1	AO1 4.5.2

Question	Answers	Extra information	Mark	AO / Spec. Ref.
02.3	$35 = F \times 2.8$ $F = \frac{35}{2.8}$ $F = 12.5$ (N)	 allow 13 (N)	1 1 1	AO2 4.5.2

Question	Answers	Extra information	Mark	AO / Spec. Ref.
02.4	the resistive force has decreased so the resultant force increases	allow friction (between the wheels and the floor) has decreased	1 1	AO3 4.5.1.4 4.5.6.2.1 4.5.6.2.2

Question	Answers	Extra information	Mark	AO / Spec. Ref.
02.5	moment = force × distance **or** $M = F \times d$		1	AO1 4.5.4

Question	Answers	Extra information	Mark	AO / Spec. Ref.
02.6	7.5 cm = 0.075 m $M = 2.0 \times 0.075$ $M = 0.15$ (Nm)	 allow a correct substitution of an incorrectly / not converted value of d allow an answer consistent with an incorrectly / not converted value of d	1 1 1	AO2 4.5.4

Question	Answers	Extra information	Mark	AO / Spec. Ref.
02.7	gear B rotates in the opposite direction (to gear A) **or** gear B rotates clockwise **or** gear B rotates faster than gear A (because) gear A exerts a force on gear B **or** (because) gear A causes a moment about the pivot of gear B		1 1	AO2 4.5.4

Total Question 2	**14**

ASSESSMENT and QUALIFICATIONS ALLIANCE

Mark scheme June 2003

GCSE

Physics

3451

Foundation

Copyright © 2003 AQA and its licensors. All rights reserved.

The Assessment and Qualifications Alliance (AQA) is a company limited by guarantee registered in England and Wales 3644723 and a registered charity number 1073334
Registered address: Addleshaw Booth & Co., Sovereign House, PO Box 8, Sovereign Street, Leeds LS1 1HQ
Kathleen Tattersall: *Director General*

4.5.2 Work done and energy transfer

INFORMATION FOR EXAMINERS

1. General

The mark scheme for each question shows:

- the marks available for each part of the question;
- the total marks available for the question;
- the typical answer or answers which are expected;
- extra information to help the Examiner make his or her judgement and help to delineate what is acceptable or not worthy of credit or, in discursive answers, to give an overview of the area in which a mark or marks may be awarded.

The extra information is aligned to the appropriate answer in the left-hand part of the mark scheme and should only be applied to that item in the mark scheme.

At the beginning of a part of a question a reminder may be given, for example:
where consequential marking needs to be considered in a calculation;
or the answer may be on the diagram or at a different place on the script.

In general the right hand side of the mark scheme is there to provide those extra details which confuse the main part of the mark scheme yet may be helpful in ensuring that marking is straightforward and consistent.

2. Emboldening

2.1 In a list of acceptable answers where more than one mark is available 'any **two** from' is used, with the number of marks emboldened. Each of the following lines is a potential mark.

2.2 A bold **and** is used to indicate that both parts of the answer are required to award the mark.

2.3 Alternative answers acceptable for a mark are indicated by the use of **or**. (Different terms in the mark scheme are shown by a / ; e.g. allow smooth / free movement.)

3. Marking points

3.1 Marking of Quality of Written Communication

Examiners are reminded of the need to assess QoWC by the following statement appearing in the appropriate parts of the mark scheme:

The answer to this question requires ideas in good English in a sensible order with correct use of scientific terms. Quality of written communication should be considered in crediting points in the mark scheme.

The maximum marks available to a candidate whose answer is not well expressed will be (the number of marks available –1).

4.5.2 Work done and energy transfer

3.2 Marking of lists

This applies to questions requiring a set number of responses, but for which candidates have provided extra responses. The general principle to be followed in such a situation is that 'right + wrong = wrong'.

Each error/contradiction negates each correct response. So, if the number of error/contradictions equals or exceeds the number of marks available for the question, no marks can be awarded.

However, responses considered to be neutral (indicated as * in example 1) are not penalised.

Example 1: What is the pH of an acidic solution? (1 mark)

Candidate	Response	Marks awarded
1	4,8	0
2	green, 5	0
3	red*, 5	1
4	red*, 8	0

Example 2: Name two planets in the solar system. (2 marks)

Candidate	Response	Marks awarded
1	Pluto, Mars, Moon	1
2	Pluto, Sun, Mars, Moon	0

3.3 Use of chemical symbols/formulae

If a candidate writes a chemical symbol/formula instead of a required chemical name, full credit can be given if the symbol/formula is correct and if, in the context of the question, such action is appropriate.

3.4 The marking of quantitative relationships

Full credit can be given for a correct quantitative relationship expressed in:

- named units;
- physical quantities;
- standard symbols;
- a combination of physical quantities and units.

No credit can be given for any quantitative relationship expressed in terms of:

- a combination of physical quantities, units and symbols;
- a diagram, e.g. the ohm's law triangle, unless the rest of the answer shows clearly that the candidate understands the relationships involved.

3.5 Marking procedure for calculations

3.5.1 Full marks can be given for a correct numerical answer, as shown in the column 'answers', without any working shown. However, if the answer is incorrect, mark(s) can be gained by correct substitution/working and this is shown in the 'extra information' column.

3.5.2 Where calculations are based on incorrectly recalled relationships, neither the incorrectly recalled relationship, nor the resulting calculation based on the incorrect relationship, will be credited.

3.6 Interpretation of 'it'

Answers using the word 'it' should be given credit only if it is clear that the 'it' refers to the correct subject.

3.7 Errors carried forward

There should be no error carried forward from a previous answer which has been based on wrong science. Any error in the answers to a structured question should be penalised once only.

Examples

(a) A candidate who calculates average speed using speed = time/distance **and** then proceeds to use this incorrect answer to calculate an acceleration based on the correct quantitative relationship should be given credit for the use of the correct acceleration relationship but none for either numerical answer.

(b) A candidate who incorrectly calculates average speed using speed = distance/time and then proceeds to use this incorrect value to calculate an acceleration based on the correct quantitative relationship, should be given credit for the use of both correct quantitative relationships **and** for the correct substitution and use of the incorrect value in the calculation of the rate of acceleration.

Papers should be constructed in such a way that the number of times errors can be carried forward are kept to a minimum. Allowances for errors carried forward are most likely to be restricted to calculation questions and should be shown by the abbreviation e.c.f. in the marking scheme.

3.8 Phonetic spelling

The phonetic spelling of correct scientific terminology should be credited **unless** there is a possible confusion with another technical term.

3.9 Brackets




(…..) is used to indicate information which is not essential for the mark to be awarded but is included to help the examiner identify the sense of the answer required.

3.10 Unexpected Correct Answers not in the Mark Scheme

The Examiner should use professional judgement to award credit where a candidate has given an unexpected correct answer which is not covered by the mark scheme. The Examiner should consult with the Team Leader to confirm the judgement. The Team Leader should pass this answer on to the Principal Examiner with a view to informing all examiners.

4.5.2 Work done and energy transfer

3451/F Q1

question	answers	extra information	mark
(a)	circuit symbol for a lamp correct   circuit symbol for a cell correct	accept  accept any standard of drawing providing circuit would work	1 1
	2 lamps drawn in parallel with 3 cells	polarity of cells must be correct (+ to –) but cells may be either way around	1
(b)	4.5		1
(c)	the same as	accept any clear indication of the correct answer	1
total			5

4.5.2 Work done and energy transfer

3451/F Q2

question	answers	extra information	mark
(a)	gas		1
(b)	fuel burning stations produce electricity at any time / all the time wind generator can only produce when the wind is strong enough	accept fuel available all the time accept it's not always windy	1 1
(c)	no fuel is burnt **or** no fuel is used **or** uses only energy from wind **or** does not emit harmful gases / soot / smoke	do **not** accept wind is natural / environmentally friendly / renewable answer must be in terms of wind, **not** negative of fuel burning specific examples of gases CO_2, SO_2, acid rain and greenhouse gases can be accepted ozone negates credit	1
total			4

4.5.2 Work done and energy transfer

3451/F Q3

question	answers	extra information	mark
(a)(i)	microwaves		1
(ii)	infra red		1
(iii)	ultrasonic		1
(b)(i)	B		1
(ii)	A		1
(c)	disturbance / vibration / movement direction	accept motion / force do **not** accept energy	1 1
(d)	sound wave	accept any clear indication of the correct answer	1
total			8

4.5.2 Work done and energy transfer

3451/F Q4

question	answers	extra information	mark
(a)(i)	heat		1
(ii)	temperature increases **or** (cause) convection (currents)	accept gets warmer accept gets hotter	1
(iii)	60% **or** 0.6	60 without % scores **1** mark 0.6 with a unit scores **1** mark 60 with incorrect unit scores **1** mark **or** correct substitution $\frac{120}{200}$ for **1** mark	2
(b)	street more (energy transferred as) light **or** less (energy transferred as) heat **or** useful energy output the highest	 can only score this mark if first mark scored all efficiencies calculated correctly score 2nd mark point	1 1
total			6


4.5.2 Work done and energy transfer

3451/F Q5

question	answers	extra information	mark
(a)	MN	accept 5.8, 8 seconds must include unit	1
(b)	LM	accept 0.8, 5.8 seconds must include unit	1
(c)(i)	0.8		1
(ii)	drinking alcohol		1
(d)	straight (by eye) line starting at 0.8 seconds line drawn steeper than LM starting before L	 ignore lines going beyond 2 seconds but line must exceed 2.5 metres per second before terminating	1 1
total			6


4.5.2 Work done and energy transfer

3451/F Q6

question	answers	extra information	mark
(a)(i)	each correct label scores 1 mark  		3
(ii)	neutron		1
(iii)	7 number of protons and neutrons **or** number of nucleons **or** number of particles in the nucleus	 accept number of particles in the centre only if first answer = 7	1 1
(b)(i)	50 ± 5		1
(ii)	50 ± 5	accept their (b)(i)	1
(iii)	less	accept any way of indicating the correct answer	1
total			9

4.5.2 Work done and energy transfer

3451/F Q7

question	answers	extra information	mark
(a)	each correct line scores 1 mark  	if more than 3 lines are drawn mark incorrect ones first, to a maximum of 3 lines	3
(b)	toaster	accept 1.2 kW	1
(c)(i)	400		1
(ii)	£24 **or** 2400p	full credit for their (c)(i) × 6p for full credit the correct numerical answer must have the correct unit an answer of 24 or 2400 with no unit or the incorrect unit scores **1** mark (c)(i) × 6 incorrectly evaluated scores **1** mark	2
(d)	6	allow 6000 for **1** mark allow 3 × 2 for **1** mark	2
total			9


4.5.2 Work done and energy transfer

3451/F Q8




question	answers	extra information	mark
(a)(i)	point where the rays cross	do not credit if ambiguous	1
(ii)	converging (lens)	do **not** accept convex	1
(b)(i)	point where the rays appear to diverge from	this should appear to be within 10mm in front of the back of the arrows on the approximate centre line need not be accurately constructed using a ruler	1
(ii)	diverging (lens)	do **not** accept concave	1
(c)	converging film smaller than nearer to	accept any clear indication of the correct response e.g. ticking, ringing, writing in after a mistake	1 1 1 1
(d)(i)	(image) bigger than object / enlarge	accept just 'made bigger'	1
(ii)	it / real image can be put on a screen **or** real image on the opposite side of the lens to the object	accept 'not an imaginary or virtual image' assume 'it' refers to a real image do **not** credit 'it can be seen'	1
(e)	**either** (the converging lens is) thick in the middle thin(ner) at the edge **or** (both) sides bend outwards (1) in the middle (1) **or** one side bends in the middle (1) more than the other side bends inwards (in the middle) (1)	thickest in the middle gains **2** marks convex gains **2** marks suitable diagrams gains **2** marks	1 1
total			12

4.5.2 Work done and energy transfer

3451/F Q9

question	answers	extra information	mark
(a)(i)	off off on	all correct	1
(ii)	AND (gate)	accept and (gate)	1
(iii)	on on on	all correct	1
(iv)	OR (gate)	accept or (gate)	1
(b)(i)	1 0 **or** 0 1 0 1 1 0	do **not** credit on / off responses	1
(ii)		accept mirror image accept  accept with either or both parts shaded accept line through as shading	1
(c)		accept off for 0 and on for 1 throughout	
	0 0	both correct	1
	0 1	both correct	1
	1 1	both correct	1
	1 1	both correct	1

3451/F Q9 continued

(d)(i)		accept mirror image **or** inverted do **not** credit  **or**  or similar	1
(ii)	resistance decreases / increases / changes current (through it) increases / decreases / changes **or** temperature changes / increases / decreases (1) resistance changes / decreases / increases (1) (NTC thermistor) both marks independent but must be compatible to score **2** marks	accept 'voltage across it decreases' for **2** marks but only if it is made clear that this refers to a thermistor in series	1 1
total			13

4.5.2 Work done and energy transfer

3451/F Q10

question	answers	extra information	mark
(a)(i)	friction	accept any way of indicating the correct answer	1
(ii)	gravity	accept any way of indicating the correct answer	1
(b)(i)	accelerates **or** speed / velocity increases	accept faster and faster (**1** mark) do **not** accept faster pace / falls faster or suggestions of a greater but constant speed	1
	downwards / falls	accept towards the Earth / ground this may score in part (b)(ii) if it does not score here and there is no contradiction between the two parts	1
(ii)	constant speed / velocity **or** terminal velocity / speed **or** zero acceleration	stays in the same place negates credit	1
total			5

3451/F Q11

question	answers	extra information	mark
(a)(i)	X – mantle		1
	Y – inner core	do **not** accept solid core	1
(ii)	different to the crust **or** contains a lot of (heavy) metals	accept iron and nickel for metals	1
	higher (average) density **or** denser	density higher than 5500 (kg/m^3) gets **2** marks	1
(b)	animals were able to move from one continent to the other		1
	(when bridge broke) animals evolved differently	accept animals adapted differently	1
(c)(i)	earthquakes occur at the boundary between plates **or** earthquakes occur where plates push against each other		1
	there are no plate boundaries running through Britain	accept Britain is not near the edge of a plate	1
(ii)	convection currents (in the mantle) **or** heat released by (natural) radioactive processes		1
total			9

4.5.2 Work done and energy transfer

3451/F Q12

question	answers	extra information	mark
(a)(i)	outside the Earth **or** not from the Earth	accept alien accept life from / on another planet / space accept our planet for Earth	1
(ii)	radio telescope(s)	do **not** accept telescopes do **not** accept satellite dishes do **not** accept radio receivers **or** transmitters	1
(b)(i)	galaxies	do **not** accept stars	1
(ii)	any **one** from: the pulses were regular pulses from space are usually random (scientists) thought technology had been used to produce the pulses neutron stars were unknown signals from a single point	 accept signals / beats for pulses accept noise for random pulses idea of regular but not continuous	1
(iii)	neutron star is (the matter / mass) left behind after a star / red giant explodes (as a super nova)	 accept after a super nova (explosion) neutron star causing super nova gets no credit	1 1
(c)(i)	carried on the balloon / equipment	accept carried by a rocket / aircraft / satellite birds negates credit	1
(ii)	on comets or meteors	accept meteorites / shooting stars accept returning space craft accept solar wind ignore asteroids accept ufo do **not** accept solar flares do **not** accept satellites	1
total			8

4.5.2 Work done and energy transfer

3451/F Q13

question	answers	extra information	mark
(a)	silver is a (good) reflector of <u>heat</u> (radiation) **or** silver reflects the heat (radiation)	fact heat = infra red ignore references to light accept shiny for silver good radiator negates the mark ignore references to good conductor do **not** accept bounce back	1
	less heat is lost through the board **or** more heat is retained by the shirt	explanation accept both sides of shirt heated reflects heat back up gets **1** mark only ignore mention of friction	1
(b)	metal soleplate	accept soleplate / bottom / metal do **not** accept outside / case	1
(c)	plastic **or** rubber	accept any named plastic do **not** accept wood	1
	it is a (good) insulator **or** it is a poor conductor	ignore mention of heat if in conjunction with electricity	1
(d)	**Quality of written communication** *The answer to this question requires ideas in good English in a sensible order with correct use of scientific terms. Quality of written communication should be considered in crediting points in the mark scheme.*	*Maximum of **2** marks if ideas not well expressed.*	
	pulls iron bolt down **or** attracts the iron bolt **or** moves bolt out of plunger	answers in terms of charges attracting or repelling gain no credit	1
	plunger pushed / moved to the right (by spring) **or** plunger released		1
	push switch opens / goes to off / goes to right	accept circuit is broken for maximum credit the points must follow a logical sequence 3 correct points but incorrect sequence scores **2** marks only ignore reset action	1
total			8


4.5.2 Work done and energy transfer

3451/F Q14

question	answers	extra information	mark
(a)(i)	any **one** from: the ground the air radon (gas) building materials buildings rocks / granite food cosmic rays **or** solar rays X-rays nuclear weapons testing nuclear power stations / accidents	 do **not** accept mobile phones accept from outer space accept sun but **not** sunlight accept medical uses	1
(ii)	2	allow $\frac{1200}{60\times10}$ **or** $\frac{1200}{600}$ **or** 120 for **1** mark	2
(b)	 alpha: the count rate is (greatly) reduced by the card **or** the card absorbs alphas but not betas beta: the count rate is (greatly) reduced by the metal **or** the thin metal absorbs alphas and betas **or** the thin metal absorbs all of the radiation (from the source) gamma: would pass through the thin metal but count rate is background **or** no radiation passing through **or** a higher reading would be recorded **or** to reduce the count to 2 would require much more than 3 mm of metal	answers must be comparative accept converse answers throughout accept paper for the card accept aluminium for the metal accept aluminium for the metal accept lead / aluminium for the metal	 1 1 1
total			6

4.5.2 Work done and energy transfer

3451/F Q15

question	answers	extra information	mark
(a)(i)	weight = mass × g.f.s.	accept w = m × g accept gravity for gfs accept  provided subsequent use of Δ correct do **not** accept N = kg × N/kg	1
(ii)	675	75 × 9 for **1** mark	2
(iii)	g.(f.s.) is higher (on Earth than Venus)	accept gravity for g.f.s. do **not** accept g.f.s. is lower unless answer states on Venus	1
(iv)	orbit time for Jupiter is <u>longer</u> / longest (than for the other planets)	do **not** give any credit for an answer that includes a comparison of diameter **or** a comparison of g.f.s.	1
(b)	**Quality of written communication** *The answer to this question requires ideas in good English in a sensible order with correct use of scientific terms. Quality of written communication should be considered in crediting points in the mark scheme.* any **two** from: dust <u>and</u> gas **or** remnants of a super nova pulled together by (force of) <u>gravity</u> nuclear fusion starts	*Maximum of **1** mark if ideas not well expressed.* accept hydrogen for dust and gas do **not** accept hydrogen burns although candidates may include more detail these points are essential to score the credit	2
total			7

4.5.2 Work done and energy transfer

3451/F Q16

question	answers	extra information	mark
(a)(i)	upright with the contacts at the bottom and still in place and unbent	no need for labels but incorrect label(s) cancel the mark accept a freehand drawing no need for details such as correct dimensions	1
	one blob of mercury touching <u>both</u> contacts	do **not** award mark if contacts bent to touch	1
(b)(i)	(X is a) battery	do **not** credit cell accept (set of) cells accept power supply do **not** accept power pack	1
	(Y is a) LED	**or** light emitting diode	1
(ii)	longer (time)	do **not** accept 'slower time'	1
(iii)	any **two** from: current less (so) rate of flow of charge less **or** less coulombs per second (so) discharge is slower	 do **not** accept current slower accept capacitor has charge for longer **or** charge lasts longer **or** (so total of) electrons take longer to travel round circuit	2
(c)	4200	 translation correct (= 4000) but percentage addition incorrect gains **1** mark translation incorrect but 5% addition is correct gains **1** mark accept 422.1 **or** 42.2 **or** 6.3 for **1** mark	2
	ohms **or** Ω	 4.2 kilohms **or** 4.2 kΩ gains all **3** marks	1
total			10

4.5.2 Work done and energy transfer

3451/F Q17

question	answers	extra information	mark
(a)	point at which its mass (seems to) act **or** point at which gravity (seems to) act	accept …its weight acts accept correct statements if the intent is clear e.g. … if suspended, the centre of gravity will be directly under the point of suspension e.g. … (if the object is symmetrical), the centre of gravity is on the **or** an axis (of symmetry) do **not** credit just 'it is a point'	1
(b)	**Quality of written communication** *The answer to this question requires good English in a sensible order with correct use of scientific terms. Quality of written communication should be considered in crediting points in the mark scheme.* any **five** from: clamp (steel) rod (horizontally) hang plastic / sheet by rod through (one) hole hang plumb line from rod mark ends of plumb line on the sheet and use the ruler to draw a straight line repeat with other hole centre of mass is where the lines cross check by balancing at this point	*maximum of **4** marks if ideas not well expressed* **no** marks if method quite unworkable maximum of **3** marks if no 'repeat with other hole'	5
(c)(i)	(turning) effect **or** moment force distance	all three correct accept weight accept length	1
(ii)	17.6 Nm **or** newton metre(s)	allow 44 × 0.4 **or** 0.4 × 44 for **1** mark do **not** accept N/m **or** N/cm 1760 Ncm gains all **3** marks	2 1
total			10

ASSESSMENT and QUALIFICATIONS ALLIANCE

Mark scheme June 2003

GCSE

Science: Double Award Co-ordinated

3462

Paper 3F

Copyright © 2003 AQA and its licensors. All rights reserved.

The Assessment and Qualifications Alliance (AQA) is a company limited by guarantee registered in England and Wales 3644723 and a registered charity number 1073334
Registered address: Addleshaw Booth & Co., Sovereign House, PO Box 8, Sovereign Street, Leeds LS1 1HQ
Kathleen Tattersall: *Director General*

4.5.2 Work done and energy transfer

INFORMATION FOR EXAMINERS

1. General

The mark scheme for each question shows:

- the marks available for each part of the question;
- the total marks available for the question;
- the typical answer or answers which are expected;
- extra information to help the Examiner make his or her judgement and help to delineate what is acceptable or not worthy of credit or, in discursive answers, to give an overview of the area in which a mark or marks may be awarded.

The extra information is aligned to the appropriate answer in the left-hand part of the mark scheme and should only be applied to that item in the mark scheme.

At the beginning of a part of a question a reminder may be given, for example:
where consequential marking needs to be considered in a calculation;
or the answer may be on the diagram or at a different place on the script.

In general the right hand side of the mark scheme is there to provide those extra details which confuse the main part of the mark scheme yet may be helpful in ensuring that marking is straightforward and consistent.

2. Emboldening

2.1 In a list of acceptable answers where more than one mark is available 'any **two** from' is used, with the number of marks emboldened. Each of the following lines is a potential mark.

2.2 A bold **and** is used to indicate that both parts of the answer are required to award the mark.

2.3 Alternative answers acceptable for a mark are indicated by the use of **or**. (Different terms in the mark scheme are shown by a / ; e.g. allow smooth / free movement.)

3. Marking points

3.1 Marking of Quality of Written Communication

Examiners are reminded of the need to assess QoWC by the following statement appearing in the appropriate parts of the mark scheme:

The answer to this question requires ideas in good English in a sensible order with correct use of scientific terms. Quality of written communication should be considered in crediting points in the mark scheme.

The maximum marks available to a candidate whose answer is not well expressed will be (the number of marks available –1).

3.2 Marking of lists

This applies to questions requiring a set number of responses, but for which candidates have provided extra responses. The general principle to be followed in such a situation is that 'right + wrong = wrong'.

Each error/contradiction negates each correct response. So, if the number of error/contradictions equals or exceeds the number of marks available for the question, no marks can be awarded.

However, responses considered to be neutral (indicated as * in example 1) are not penalised.

Example 1: What is the pH of an acidic solution? (1 mark)

Candidate	Response	Marks awarded
1	4,8	0
2	green, 5	0
3	red*, 5	1
4	red*, 8	0

Example 2: Name two planets in the solar system. (2 marks)

Candidate	Response	Marks awarded
1	Pluto, Mars, Moon	1
2	Pluto, Sun, Mars, Moon	0

3.3 Use of chemical symbols/formulae

If a candidate writes a chemical symbol/formula instead of a required chemical name, full credit can be given if the symbol/formula is correct and if, in the context of the question, such action is appropriate.

3.4 The marking of quantitative relationships

Full credit can be given for a correct quantitative relationship expressed in:

- named units;
- physical quantities;
- standard symbols;
- a combination of physical quantities and units.

No credit can be given for any quantitative relationship expressed in terms of:

- a combination of physical quantities, units and symbols;
- a diagram, e.g. the ohm's law triangle, unless the rest of the answer shows clearly that the candidate understands the relationships involved.

3.5 Marking procedure for calculations

3.5.1 Full marks can be given for a correct numerical answer, as shown in the column 'answers', without any working shown. However, if the answer is incorrect, mark(s) can be gained by correct substitution/working and this is shown in the 'extra information' column.

3.5.2 Where calculations are based on incorrectly recalled relationships, neither the incorrectly recalled relationship, nor the resulting calculation based on the incorrect relationship, will be credited.

3.6 Interpretation of 'it'

Answers using the word 'it' should be given credit only if it is clear that the 'it' refers to the correct subject.

3.7 Errors carried forward

There should be no error carried forward from a previous answer which has been based on wrong science. Any error in the answers to a structured question should be penalised once only.

Examples

(a) A candidate who calculates average speed using speed = time/distance **and** then proceeds to use this incorrect answer to calculate an acceleration based on the correct quantitative relationship should be given credit for the use of the correct acceleration relationship but none for either numerical answer.

(b) A candidate who incorrectly calculates average speed using speed = distance/time and then proceeds to use this incorrect value to calculate an acceleration based on the correct quantitative relationship, should be given credit for the use of both correct quantitative relationships **and** for the correct substitution and use of the incorrect value in the calculation of the rate of acceleration.

Papers should be constructed in such a way that the number of times errors can be carried forward are kept to a minimum. Allowances for errors carried forward are most likely to be restricted to calculation questions and should be shown by the abbreviation e.c.f. in the marking scheme.

3.8 Phonetic spelling

The phonetic spelling of correct scientific terminology should be credited **unless** there is a possible confusion with another technical term.

3.9 Brackets

(…..) is used to indicate information which is not essential for the mark to be awarded but is included to help the examiner identify the sense of the answer required.




3.10 Unexpected Correct Answers not in the Mark Scheme

The Examiner should use professional judgement to award credit where a candidate has given an unexpected correct answer which is not covered by the mark scheme. The Examiner should consult with the Team Leader to confirm the judgement. The Team Leader should pass this answer on to the Principal Examiner with a view to informing all examiners.

4.5.2 Work done and energy transfer

Double Award
Foundation Tier 3462/3F

3462/3F Q1

question	answers	extra information	mark
(a)	circuit symbol for a lamp correct 	accept  accept any standard of drawing providing circuit would work	1
	circuit symbol for a cell correct 		1
	2 lamps drawn in parallel with 3 cells	polarity of cells must be correct (+ to –) but cells may be either way around	1
(b)	4.5		1
(c)	the same as	accept any clear indication of the correct answer	1
total			5

4.5.2 Work done and energy transfer

3462/3F Q2

question	answers	extra information	mark
(a)	gas		1
(b)	fuel burning stations produce electricity at any time / all the time	accept fuel available all the time	1
	wind generator can only produce when the wind is strong enough	accept it's not always windy	1
(c)	no fuel is burnt **or** no fuel is used **or** uses only energy from wind **or** does not emit harmful gases / soot / smoke	do **not** accept wind is natural / environmentally friendly / renewable answer must be in terms of wind, **not** negative of fuel burning specific examples of gases CO_2, SO_2, acid rain and greenhouse gases can be accepted ozone negates credit	1
total			4

4.5.2 Work done and energy transfer

3462/3F Q3

question	answers	extra information	mark
(a)(i)	microwaves		1
(ii)	infra red		1
(iii)	ultrasonic		1
(b)(i)	B		1
(ii)	A		1
(c)	disturbance / vibration / movement direction	accept motion / force do **not** accept energy	1 1
(d)	sound wave	accept any clear indication of the correct answer	1
total			8

4.5.2 Work done and energy transfer

3462/3F Q4

question	answers	extra information	mark
(a)(i)	heat		1
(ii)	temperature increases **or** (cause) convection (currents)	accept gets warmer accept gets hotter	1
(iii)	60% **or** 0.6	60 without % scores **1** mark 0.6 with a unit scores **1** mark 60 with incorrect unit scores **1** mark **or** correct substitution $\frac{120}{200}$ for **1** mark	2
(b)	street more (energy transferred as) light **or** less (energy transferred as) heat **or** useful energy output the highest	 can only score this mark if first mark scored all efficiencies calculated correctly score 2nd mark point	1 1
total			6


4.5.2 Work done and energy transfer

3462/3F Q5

question	answers	extra information	mark
(a)	MN	accept 5.8, 8 seconds must include unit	1
(b)	LM	accept 0.8, 5.8 seconds must include unit	1
(c)(i)	0.8		1
(ii)	drinking alcohol		1
(d)	straight (by eye) line starting at 0.8 seconds		1
	line drawn steeper than LM starting before L	ignore lines going beyond 2 seconds but line must exceed 2.5 metres per second before terminating	1
total			6


4.5.2 Work done and energy transfer

3462/3F Q6

question	answers	extra information	mark
(a)(i)	each correct label scores 1 mark  		3
(ii)	neutron		1
(iii)	7 number of protons and neutrons **or** number of nucleons **or** number of particles in the nucleus	 accept number of particles in the centre only if first answer = 7	1 1
(b)(i)	50 ± 5		1
(ii)	50 ± 5	accept their (b)(i)	1
(iii)	less	accept any way of indicating the correct answer	1
total			9

4.5.2 Work done and energy transfer

3462/3F Q7

question	answers	extra information	mark
(a)	each correct line scores 1 mark  	if more than 3 lines are drawn mark incorrect ones first, to a maximum of 3 lines	3
(b)	toaster	accept 1.2 kW	1
(c)(i)	400		1
(ii)	£24 **or** 2400p	full credit for their (c)(i) × 6p for full credit the correct numerical answer must have the correct unit an answer of 24 or 2400 with no unit or the incorrect unit scores **1** mark (c)(i) × 6 incorrectly evaluated scores **1** mark	2
(d)	6	allow 6000 for **1** mark allow 3 × 2 for **1** mark	2
total			9

4.5.2 Work done and energy transfer

3462/3F Q8

question	answers	extra information	mark
(a)(i)	friction	accept any way of indicating the correct answer	1
(ii)	gravity	accept any way of indicating the correct answer	1
(b)(i)	accelerates **or** speed / velocity increases	accept faster and faster (**1** mark) do **not** accept faster pace / falls faster or suggestions of a greater but constant speed	1
	downwards / falls	accept towards the Earth / ground this may score in part (b)(ii) if it does not score here and there is no contradiction between the two parts	1
(ii)	constant speed / velocity **or** terminal velocity / speed **or** zero acceleration	stays in the same place negates credit	1
total			5

4.5.2 Work done and energy transfer

3462/3F Q9

question	answers	extra information	mark
(a)(i)	X – mantle		1
	Y – inner core	do **not** accept solid core	1
(ii)	different to the crust **or** contains a lot of (heavy) metals	accept iron and nickel for metals	1
	higher (average) density **or** denser	density higher than 5500 (kg/m^3) gets **2** marks	1
(b)	animals were able to move from one continent to the other		1
	(when bridge broke) animals evolved differently	accept animals adapted differently	1
(c)(i)	earthquakes occur at the boundary between plates **or** earthquakes occur where plates push against each other		1
	there are no plate boundaries running through Britain	accept Britain is not near the edge of a plate	1
(ii)	convection currents (in the mantle) **or** heat released by (natural) radioactive processes		1
total			9

4.5.2 Work done and energy transfer

3462/3F Q10

question	answers	extra information	mark
(a)(i)	outside the Earth **or** not from the Earth	accept alien accept life from / on another planet / space accept our planet for Earth	1
(ii)	radio telescope(s)	do **not** accept telescopes do **not** accept satellite dishes do **not** accept radio receivers **or** transmitters	1
(b)(i)	galaxies	do **not** accept stars	1
(ii)	any **one** from: the pulses were regular pulses from space are usually random (scientists) thought technology had been used to produce the pulses neutron stars were unknown signals from a single point	 accept signals / beats for pulses accept noise for random pulses idea of regular but not continuous	1
(iii)	neutron star is (the matter / mass) left behind after a star / red giant explodes (as a super nova)	 accept after a super nova (explosion) neutron star causing super nova gets no credit	1 1
(c)(i)	carried on the balloon / equipment	accept carried by a rocket / aircraft / satellite birds negates credit	1
(ii)	on comets or meteors	accept meteorites / shooting stars accept returning space craft accept solar wind ignore asteroids accept ufo do **not** accept solar flares do **not** accept satellites	1
total			8

4.5.2 Work done and energy transfer

3462/3F Q11

question	answers	extra information	mark
(a)	silver is a (good) reflector of heat (radiation) **or** silver reflects the heat (radiation)	fact heat = infra red ignore references to light accept shiny for silver good radiator negates the mark ignore references to good conductor do **not** accept bounce back	1
	less heat is lost through the board **or** more heat is retained by the shirt	explanation accept both sides of shirt heated reflects heat back up gets **1** mark only ignore mention of friction	1
(b)	metal soleplate	accept soleplate / bottom / metal do **not** accept outside / case	1
(c)	plastic **or** rubber	accept any named plastic do **not** accept wood	1
	it is a (good) insulator **or** it is a poor conductor	ignore mention of heat if in conjunction with electricity	1
(d)	**Quality of written communication** *The answer to this question requires ideas in good English in a sensible order with correct use of scientific terms. Quality of written communication should be considered in crediting points in the mark scheme.*	*Maximum of **2** marks if ideas not well expressed.*	
	pulls iron bolt down **or** attracts the iron bolt **or** moves bolt out of plunger	answers in terms of charges attracting or repelling gain no credit	1
	plunger pushed / moved to the right (by spring) **or** plunger released		1
	push switch opens / goes to off / goes to right	accept circuit is broken for maximum credit the points must follow a logical sequence 3 correct points but incorrect sequence scores **2** marks only ignore reset action	1
total			8


4.5.2 Work done and energy transfer

3462/3F Q12

question	answers	extra information	mark
(a)(i)	any **one** from: the ground the air radon (gas) building materials buildings rocks / granite food cosmic rays **or** solar rays X-rays nuclear weapons testing nuclear power stations / accidents	 do **not** accept mobile phones accept from outer space accept sun but **not** sunlight accept medical uses	1
(ii)	2	allow $\frac{1200}{60\times10}$ **or** $\frac{1200}{600}$ **or** 120 for **1** mark	2
(b)	 alpha: the count rate is (greatly) reduced by the card **or** the card absorbs alphas but not betas beta: the count rate is (greatly) reduced by the metal **or** the thin metal absorbs alphas and betas **or** the thin metal absorbs all of the radiation (from the source) gamma: would pass through the thin metal but count rate is background **or** no radiation passing through **or** a higher reading would be recorded **or** to reduce the count to 2 would require much more than 3 mm of metal	answers must be comparative accept converse answers throughout accept paper for the card accept aluminium for the metal accept aluminium for the metal accept lead / aluminium for the metal	 1 1 1
total			6

4.5.2 Work done and energy transfer

3462/3F Q13

question	answers	extra information	mark
(a)(i)	weight = mass × g.f.s.	accept w = m × g accept gravity for gfs accept  provided subsequent use of Δ correct do **not** accept N = kg × N/kg	1
(ii)	675	75 × 9 for **1** mark	2
(iii)	g.(f.s.) is higher (on Earth than Venus)	accept gravity for g.f.s. do **not** accept g.f.s. is lower unless answer states on Venus	1
(iv)	orbit time for Jupiter is <u>longer</u> / longest (than for the other planets)	do **not** give any credit for an answer that includes a comparison of diameter **or** a comparison of g.f.s.	1
(b)	**Quality of written communication** *The answer to this question requires ideas in good English in a sensible order with correct use of scientific terms. Quality of written communication should be considered in crediting points in the mark scheme.* any **two** from: dust <u>and</u> gas **or** remnants of a super nova pulled together by (force of) <u>gravity</u> nuclear fusion starts	*Maximum of **1** mark if ideas not well expressed.* accept hydrogen for dust and gas do **not** accept hydrogen burns although candidates may include more detail these points are essential to score the credit	2
total			7

GCSE 2004
June Series

ASSESSMENT and QUALIFICATIONS ALLIANCE

Mark Scheme

Physics Specification B
3451/F

Mark schemes are prepared by the Principal Examiner and considered, together with the relevant questions, by a panel of subject teachers. This mark scheme includes any amendments made at the standardisation meeting attended by all examiners and is the scheme which was used by them in this examination. The standardisation meeting ensures that the mark scheme covers the candidates' responses to questions and that every examiner understands and applies it in the same correct way. As preparation for the standardisation meeting each examiner analyses a number of candidates' scripts: alternative answers not already covered by the mark scheme are discussed at the meeting and legislated for. If, after this meeting, examiners encounter unusual answers which have not been discussed at the meeting they are required to refer these to the Principal Examiner.

It must be stressed that a mark scheme is a working document, in many cases further developed and expanded on the basis of candidates' reactions to a particular paper. Assumptions about future mark schemes on the basis of one year's document should be avoided; whilst the guiding principles of assessment remain constant, details will change, depending on the content of a particular examination paper.

Copyright © 2004 AQA and its licensors

4.5.2 Work done and energy transfer

Further copies of this Mark Scheme are available from:

Publications Department, Aldon House, 39, Heald Grove, Rusholme, Manchester, M14 4NA
Tel: 0161 953 1170

or

download from the AQA website: www.aqa.org.uk

Copyright © 2004 AQA and its licensors

COPYRIGHT
AQA retains the copyright on all its publications. However, registered centres for AQA are permitted to copy material from this booklet for their own internal use, with the following important exception: AQA cannot give permission to centres to photocopy any material that is acknowledged to a third party even for internal use within the centre.

Set and published by the Assessment and Qualifications Alliance.

The Assessment and Qualifications Alliance (AQA) is a company limited by guarantee registered in England and Wales 3644723 and a registered charity number 1073334. Registered address AQA, Devas Street, Manchester. M15 6EX. *Dr Michael Cresswell Director General*

GCSE PHYSICS

INFORMATION FOR EXAMINERS

1. General

The mark scheme for each question shows:

- the marks available for each part of the question;
- the total marks available for the question;
- the typical answer or answers which are expected;
- extra information to help the Examiner make his or her judgement and help to delineate what is acceptable or not worthy of credit or, in discursive answers, to give an overview of the area in which a mark or marks may be awarded.

The extra information is aligned to the appropriate answer in the left-hand part of the mark scheme and should only be applied to that item in the mark scheme.

At the beginning of a part of a question a reminder may be given, for example:
where consequential marking needs to be considered in a calculation;
or the answer may be on the diagram or at a different place on the script.

In general the right hand side of the mark scheme is there to provide those extra details which confuse the main part of the mark scheme yet may be helpful in ensuring that marking is straightforward and consistent.

2. Emboldening

2.1 In a list of acceptable answers where more than one mark is available 'any **two** from' is used, with the number of marks emboldened. Each of the following lines is a potential mark.

2.2 A bold **and** is used to indicate that both parts of the answer are required to award the mark.

2.3 Alternative answers acceptable for a mark are indicated by the use of **or**. (Different terms in the mark scheme are shown by a / ; e.g. allow smooth / free movement.)

3. Marking points

3.1 Marking of Quality of Written Communication

Where *Quality of written communication* appears in the mark scheme, one mark is to be awarded for either of the following points:

- Using correct scientific terms
- Correct sequencing or linking of ideas or points

The mark scheme will specify which of the points is to be awarded in a particular question. A QoWC mark can be awarded for a scientific answer, even if it is not accurate. It cannot be awarded for a nonsensical or non-scientific answer.
On the script, the QoWC tick should be identified by a 'q' written next to it.

3.2 Marking of lists

This applies to questions requiring a set number of responses, but for which candidates have provided extra responses. The general principle to be followed in such a situation is that 'right + wrong = wrong'.

Copyright © 2004 AQA and its licensors

Each error/contradiction negates each correct response. So, if the number of error/contradictions equals or exceeds the number of marks available for the question, no marks can be awarded.

However, responses considered to be neutral (indicated as * in example 1) are not penalised.

Example 1: What is the pH of an acidic solution? (1 mark)

Candidate	Response	Marks awarded
1	4,8	0
2	green, 5	0
3	red*, 5	1
4	red*, 8	0

Example 2: Name two planets in the solar system. (2 marks)

Candidate	Response	Marks awarded
1	Pluto, Mars, Moon	1
2	Pluto, Sun, Mars, Moon	0

3.3 Use of chemical symbols/formulae

If a candidate writes a chemical symbol/formula instead of a required chemical name, full credit can be given if the symbol/formula is correct and if, in the context of the question, such action is appropriate.

3.4 The marking of quantitative relationships

Full credit can be given for a correct quantitative relationship expressed in:

- named units;
- physical quantities;
- standard symbols;
- a combination of physical quantities and units.

No credit can be given for any quantitative relationship expressed in terms of:

- a combination of physical quantities, units and symbols;
- a diagram, e.g. the ohm's law triangle, unless the rest of the answer shows clearly that the candidate understands the relationships involved.

3.5 Marking procedure for calculations

3.5.1 Full marks can be given for a correct numerical answer, as shown in the column 'answers', without any working shown.
However:

- if the answer is incorrect, mark(s) can be gained by correct substitution/working and this is shown in the 'extra information' column;
- if the answer is correct, but an incorrect relationship is written in the working, then no marks can be awarded (see 3.5.2).

3.5.2 Where calculations are based on incorrectly recalled relationships, neither the incorrectly recalled relationship, nor the resulting calculation based on the incorrect relationship, will be credited.

3.6 Interpretation of 'it'

Answers using the word 'it' should be given credit only if it is clear that the 'it' refers to the correct subject.

Copyright © 2004 AQA and its licensors

3.7 Errors carried forward

There should be no error carried forward from a previous answer which has been based on wrong science. Any error in the answers to a structured question should be penalised once only.

Examples

(a) A candidate who calculates average speed using speed = time/distance **and** then proceeds to use this incorrect answer to calculate an acceleration based on the correct quantitative relationship should be given credit for the use of the correct acceleration relationship but none for either numerical answer.

(b) A candidate who incorrectly calculates average speed using speed = distance/time and then proceeds to use this incorrect value to calculate an acceleration based on the correct quantitative relationship, should be given credit for the use of both correct quantitative relationships **and** for the correct substitution and use of the incorrect value in the calculation of the rate of acceleration.

Papers should be constructed in such a way that the number of times errors can be carried forward are kept to a minimum. Allowances for errors carried forward are most likely to be restricted to calculation questions and should be shown by the abbreviation e.c.f. in the marking scheme.

3.8 Phonetic spelling

The phonetic spelling of correct scientific terminology should be credited **unless** there is a possible confusion with another technical term.

3.9 Brackets

(…..) is used to indicate information which is not essential for the mark to be awarded but is included to help the examiner identify the sense of the answer required.

3.10 Interpretation of marginal points

There will be times when the answer is almost, but not quite, correct. Some examiners would award a mark while others would not. In any one script, an attempt should be made to balance these nearly correct answers by giving the mark on some occasions but not on others. If this is not done, the marking would end up being too lenient or too harsh.

3.11 Unexpected Correct Answers not in the Mark Scheme

The Examiner should use professional judgement to award credit where a candidate has given an unexpected correct answer which is not covered by the mark scheme. The Examiner should consult with the Team Leader to confirm the judgement. The Team Leader should pass this answer on to the Principal Examiner with a view to informing all examiners.

Copyright © 2004 AQA and its licensors

4.5.2 Work done and energy transfer

GCSE Physics
Foundation Tier 3451/F

3451F Q1

question	answers	extra information	mark
(a)	comet	correct order only	1
	elliptical		1
	Milky Way		1
	Universe		1
(b)(i)	D A C B	allow **2** marks for two letters in the correct place allow **1** mark for one letter in the correct place	3
(ii)	A		1
total			8

Copyright © 2004 AQA and its licensors

4.5.2 Work done and energy transfer


3451F Q2

question	answers	extra information	mark
(a)	95		1
(b)	alpha	accept correct symbol	1
(c)	any **two** from: • radiation is outside the body • radiation will not reach (living) cells • radiation absorbed by the air	 accept detector is on ceiling or high up the wall accept radiation cannot pass through the body / skin accept cannot pass through the plastic casing do **not** accept because it is alpha radiation – unless qualified do **not** accept does not give off harmful substance do **not** accept cannot pass through building materials etc.	2
(d)	less (than)		1
total			5

Copyright © 2004 AQA and its licensors

4.5.2 Work done and energy transfer

3451F Q3

question	answers	extra information	mark
(a)	generator	accept dynamo accept alternator	1
(b)(i)	1400	ignore units	1
(ii)	0.3 or 30%	any incorrect unit penalise **1** mark allow **1** mark for the correct use of 600 **or** 0.3% **or** 30	2
(c)	**1** mark for each correct link 	if more than 3 lines are drawn, mark only 3 lines starting with those that are incorrect	3
(d)(i)	110	no tolerance	1
(ii)	12	no tolerance	1
(iii)	wind speed may be too low to operate the generator	accept wind may not always blow accept power depends on wind speed accept does not generate if wind speed is too high accept does not generate if wind speed is above 12 (m/s) accept does not generate if wind speed is below 1.6 (m/s) accept it is unreliable do **not** accept answers referring to cost only	1
total			10

Copyright © 2004 AQA and its licensors

4.5.2 Work done and energy transfer

3451F Q4

question	answers	extra information	mark
(a)	B E A D	allow **1** mark for each letter in the correct place, to a maximum of **3** marks	3
(b)	(a spark) may cause the (petrol vapour) to explode / ignite	accept petrol for (petrol vapour) accept catch fire for explode	1
	connect tanker to earth with a (conducting) wire / chain **or** earth the tanker	accept ground for earth	1
(c)	**Quality of written communication**	for a logical sequence	1
	any **two** from:		2
	• when current greater than fuse rating / value	accept when current too great for appliance do **not** accept 'if there is too much current' do **not** accept voltage or electricity	
	• fuse (becomes hot and) melts / burns out	accept fuse blows / breaks	
	• circuit is broken	accept circuit switched off this cannot score credit on its own	
total			8

Copyright © 2004 AQA and its licensors

4.5.2 Work done and energy transfer

3451F Q5

question	answers	extra information	mark
(a)(i)	crust		1
(ii)	inner core is <u>solid</u> outer core is liquid	do **not** accept just rock inner core is denser / hotter than outer core gets **2** marks accept one is solid and one is liquid for **1** mark accept they are different densities for **1** mark wrong way round = **0** marks	1 1
(b)	seismograph		1
(c)	difficult to measure (slow) movement (1) of plates (1) dependent mark **or** difficult to measure friction / forces (1) between plates (1) dependent mark		1 1
(d)	geothermal		1
(e)(i)	5000		1
(ii)	2500		1
total			9

Copyright © 2004 AQA and its licensors

4.5.2 Work done and energy transfer


3451F Q6

	answers	extra information	mark
(a)	converging image object image object shorter		1 1 1 1 1 1
(b)(i)	(Earth's) gravity	accept centripetal accept minor misspellings, however, do **not** credit any response which could be 'centrifugal'	1
(ii)	to(wards) (the centre of the) Earth	allow inwards do **not** accept downwards	1
(c)(i)	**either** friction (force) **or** centripetal force between the tyres / wheels and (the surface of) the road	 allow grip allow on the tyres / wheels **or** towards the centre of the bend / arc / circle	 1 1
(ii)	mass **or** speed **or** momentum radius / diameter	allow weight allow velocity do **not** credit 'curvature' or 'circumference'	1 1
(d)	centripetal	accept minor misspellings (see above)	1
total			13

Copyright © 2004 AQA and its licensors

4.5.2 Work done and energy transfer

3451F Q7

	answers	extra information	mark
(a)(i)	two switches in series **and** circuit complete	ignore small imperfections	1
(ii)	two switches in parallel **and** circuit complete	ignore small imperfections	1
(iii)	one switch in parallel with the cell / lamp (but **not** both)	ignore small imperfections	1
(iv)	(i) AND (ii) OR (iii) NOT	accept 'and' accept 'or' accept 'not'	1 1 1
(b)(i)	when it is light the sensor sends on / high / 1 signal to the gate off / low / 0 sent to the lamp **or** when it is dark the sensor sends off / low / 0 signal to the gate (1) on / high / 1 sent to the lamp (1)		1 1
(ii)	any suitable application	e.g. to switch a security light on (and off) e.g. to switch a light on when it is dark do **not** credit just '… to switch a light on / off'	1
(c)(i)		accept shading-in of either or both parts end connections are not required accept any orientation	1
(ii)	1 0 **or** 0 1 0 1 1 0	all correct	1
(iii)	truth (table)		1
total			12

Copyright © 2004 AQA and its licensors

4.5.2 Work done and energy transfer


3451F Q8

question	answers	extra information	mark
(a)	60		1
(b)	$5\frac{1}{2}$ hours	must include unit	1
(c)	30		1
(d)	30 minutes or $\frac{1}{2}$ hour	must include unit	1
(e)	D **and** E least steep part of the graph	accept finish for E accept correct numbers from axes with units accept covers smallest distance in a set time accept only moves 5 km in $1\frac{1}{2}$ hours (accept anything between 5 and 6) ignore horse is tired	1 1
total			6

Copyright © 2004 AQA and its licensors

4.5.2 Work done and energy transfer


3451F Q9

question	answers	extra information	mark
(a)(i)	any **one** from: • (doctors) to see inside a patients body **or** endoscope • telephone cables • optical fibre / fibre optic lamps **or** (artificial) Christmas trees • data transfer **or** internet connection	 accept keyhole surgery do **not** accept flex **or** wires for cable accept decorative / ornamental lighting accept any feasible practical suggestion for taking light to a difficult to access place do **not** accept lighting unqualified do **not** accept lamp unqualified do **not** accept communications unless clarified	1
(ii)	(incident) ray angle greater than critical angle total internal reflection occurs	either order accept (incident) ray greater than 42° accept TIR do **not** accept just description of TIR	1 1
(b)(i)	waves shown diffracting in the correct direction 	ignore wavelength	1
(ii)	diffraction	accept diffract / diffracted	1
total			5

Copyright © 2004 AQA and its licensors

4.5.2 Work done and energy transfer

3451F Q10

question	answers	extra information	mark
(a)	all symbols correct	 accept push switch symbol switch may be open or closed any lines through symbols = **0** marks	1
	correct circuit drawn voltmeter must be across resistor only	polarity of cells not relevant provided they are joined correctly two cells are required in the diagram ignore the order of the components allow small gaps in circuit omission of any component = **0** marks	1
(b)(i)	potential difference = current × resistance	accept voltage or p.d. for potential difference accept $V = I \times R$ accept  provided subsequent use correct do **not** accept C for current	1
(ii)	2	 allow **1** mark for correct substitution wrong working loses both marks	2
(iii)	straight line drawn <u>through the origin</u> straight line passes through $I = 0.4, V =$ their (b)(ii) / 2 **and** 0.0	judge by eye this mark may be awarded if all points shown including these points are correct even if no line is drawn N.B. a curve scores **0** marks	1 1 dep
(c)	temperature <u>increases</u>	accept filament lamp / it gets <u>hotter</u> allow heat for temperature	1
total			8

Copyright © 2004 AQA and its licensors

4.5.2 Work done and energy transfer

3451F Q11

question	answers	extra information	mark
(a)(i)	gamma rays	accept gamma accept correct symbol	1
(ii)	infra red	accept IR	1
(b)	ultraviolet <u>absorbed</u> by ink (energy) given out as light	 accept glows / luminous accept for **both** marks the ink is fluorescent do **not** accept answers in terms of uv being reflected	1 1
(c)	any **two** from: • UV can damage / kill / ionise / alter (normal) cells • change DNA structure **or** mutate • (normal) cells may become cancerous	 do **not** accept attacks cells **or** burns skin accept may cause (skin) cancer accept abnormal cell multiplication	2
(d)(i)	microwaves **and** infra red	both answers needed in either order do **not** accept heat for IR	1
(ii)	0.9	 allow **1** mark for the <u>correct</u> use of 1.8 (kW) ($1.8 \times \frac{1}{2}$ or 1.8×30) i.e. adding the correct 2 power values	2
total			9

Copyright © 2004 AQA and its licensors

4.5.2 Work done and energy transfer


3451F Q12

question	answers	extra information	mark
(a)(i)	accelerating	accept getting faster accept speed / velocity increasing	1
(ii)	acceleration increases	accept velocity / speed increases more rapidly do **not** accept velocity / speed increases	1
(b)(i)	$\text{acceleration} = \frac{\text{change in velocity}}{\text{time (taken)}}$	accept $a = \frac{v - u}{t}$ **or** $a = \frac{v_1 - v_2}{t}$ do **not** accept velocity for change in velocity do **not** accept change in speed do **not** accept $a = \frac{v}{t}$	1
(ii)	15	allow **1** mark for an answer of 900 **or** for correct use of 540 seconds	2
(iii)	velocity includes direction	accept velocity is a vector (quantity) accept converse answer	1
(c)	force of gravity (between shuttle and Earth) plus correct orbital speed (makes shuttle move in a curve)	accept gravitational pull if used correctly accept forward motion **or** constant speed for orbital speed accept it is travelling fast enough accept for **2** marks the force of gravity provides the centripetal force	1 1
(d)	black is a good emitter of radiation **or** to limit the temperature rise inside the shuttle	accept heat for radiation accept the tiles are good insulation do **not** accept black absorbs heat on its own do **not** accept tiles are heat proof	1
total			9

Copyright © 2004 AQA and its licensors

4.5.2 Work done and energy transfer

3451F Q13

question	answers	extra information	mark
(a)(i)	work (done) = force (applied) × distance (moved)	accept W = F × s or W = F × d accept  provided subsequent method is correct	1
(ii)	240 000 joules	allow **1** mark for correct substitution **or** correct use of 1200 (N) accept J do **not** accept j / Nm	2 1
(b)	800 (watts)	accept 0.8 kW accept their (a)(ii) ÷ 300 correctly evaluated for **2** marks allow **1** mark for correct substitution (a)(ii) ÷ 5 correctly evaluated for **1** mark	2
(c)(i)	any **one** from: • needs to raise the chair / lift • lifting more than one chair • energy transfer to the surroundings correctly qualified	 allow lifting more than 2 people implication of a heavier weight accept loss for transfer do **not** accept motor inefficient do **not** accept motor gets hot do **not** accept friction unless the location is specified as external to the motor	1
(ii)	electrical potential	accept electric **both** answers required for the mark	1
total			8

Copyright © 2004 AQA and its licensors

4.5.2 Work done and energy transfer

3451F Q14

	answers	extra information	mark
(a)(i)	current		1
(ii)	resistance decreases	 accept 'the flow of electrons / current (through it) increases' for **1** mark do **not** credit just '… it will get warmer'	1 1
(b)	input sensor → controlled by the processor processor → detects changes in the environment output device → decides what action is needed	all pairs correct one pair correct for **1** mark	2
(c)(i)	potential divider	accept voltage divider	1
(ii)	4 (volts)	$6 \times \frac{30}{45}$ for **1** mark	2
(iii)	across the new resistor…(will) increase across R_2 … (will) decrease	 N.B. independent marks	1 1
total			10

Copyright © 2004 AQA and its licensors

4.5.2 Work done and energy transfer

3451F Q15

	answers	extra information	mark
(a)	relay (normally open) (switch)	each mark is independent	1
	… switch on a (larger) current (in another circuit) **or** switch on a higher voltage circuit	do **not** accept switch on another circuit **or** smaller / equal current	1
	light emitting diode / LED	do **not** credit LDR	1
	… in one / direct / certain direction **or** from left to right	**or** when the cathode is connected to the negative terminal / side **or** when the left-hand side is connected to the positive terminal / side do **not** credit just '… is big enough' do **not** accept 'positive direction'	1
	AND gate	accept 'and' gate	1
	… (both) inputs are on / high / 1 **or** current flows in both inputs	do **not** accept numerical values unless expanded	1
(b)	**Quality of written communication**	If in a sensible order which clearly indicates advantages or disadvantages, including answers in the form of a table **or** as bullet points Q ✓ Q X	1
	any **three** from: • advantage of mobile phones • drawback of mobile phones • benefit of the Internet • drawback of the Internet	 e.g. more convenient for service engineers e.g. calls can be received away from base e.g. privacy can be more easily invaded e.g. drivers can be distracted e.g. microwaves / radio waves can / may cause damage to the brain e.g. access to educational material e.g. some material is salacious e.g. spam (on external e-mail) these are examples candidates may be credited for a variety of responses	3
total			10

Copyright © 2004 AQA and its licensors

4.5.2 Work done and energy transfer

3451F Q16

question	answers	extra information	mark
(a)	**Y** and **Z** they have the same number of protons **or** same atomic number	 accept they have the same number of electrons **or** same number of protons **and** electrons allow only different in number of neutrons N.B. independent marks	1 1
(b)	**Quality of written communication** A – alpha particle passes straight through the empty space of the atom **or** it is a long way from the nucleus B – alpha particle <u>deflected</u> / <u>repelled</u> / <u>repulsed</u> by the (positive) <u>nucleus</u> C – alpha particle heading straight for the <u>nucleus</u> is <u>deflected</u> / <u>repelled</u> / <u>repulsed</u> backwards	for correct use of terms underlined in B **or** C Q ✓ Q X describes 3 tracks correctly for **2** marks describes 2 or 1 track correctly for **1** mark do **not** accept hits the nucleus do **not** accept answers referring to refraction do **not** accept answers in terms of reflected backwards unless qualified in terms of repulsion mention of difference in charge on nucleus negates that track	1 max 2
total			5

Copyright © 2004 AQA and its licensors

GCSE 2004
June Series

ASSESSMENT and QUALIFICATIONS ALLIANCE

Mark Scheme

Science: Double Award

Specification B (Co-ordinated)

3462/3F

Mark schemes are prepared by the Principal Examiner and considered, together with the relevant questions, by a panel of subject teachers. This mark scheme includes any amendments made at the standardisation meeting attended by all examiners and is the scheme which was used by them in this examination. The standardisation meeting ensures that the mark scheme covers the candidates' responses to questions and that every examiner understands and applies it in the same correct way. As preparation for the standardisation meeting each examiner analyses a number of candidates' scripts: alternative answers not already covered by the mark scheme are discussed at the meeting and legislated for. If, after this meeting, examiners encounter unusual answers which have not been discussed at the meeting they are required to refer these to the Principal Examiner.

It must be stressed that a mark scheme is a working document, in many cases further developed and expanded on the basis of candidates' reactions to a particular paper. Assumptions about future mark schemes on the basis of one year's document should be avoided; whilst the guiding principles of assessment remain constant, details will change, depending on the content of a particular examination paper.

Copyright © 2004 AQA and its licensors

4.5.2 Work done and energy transfer

Further copies of this Mark Scheme are available from:

Publications Department, Aldon House, 39, Heald Grove, Rusholme, Manchester, M14 4NA
Tel: 0161 953 1170

or

download from the AQA website: www.aqa.org.uk

Copyright © 2004 AQA and its licensors

COPYRIGHT
AQA retains the copyright on all its publications. However, registered centres for AQA are permitted to copy material from this booklet for their own internal use, with the following important exception: AQA cannot give permission to centres to photocopy any material that is acknowledged to a third party even for internal use within the centre.

Set and published by the Assessment and Qualifications Alliance.

The Assessment and Qualifications Alliance (AQA) is a company limited by guarantee registered in England and Wales 3644723 and a registered charity number 1073334. Registered address AQA, Devas Street, Manchester. M15 6EX. *Dr Michael Cresswell Director General*

4.5.2 Work done and energy transfer

SCIENCE: DOUBLE AWARD CO-ORDINATED

INFORMATION FOR EXAMINERS

1. General

The mark scheme for each question shows:

- the marks available for each part of the question;
- the total marks available for the question;
- the typical answer or answers which are expected;
- extra information to help the Examiner make his or her judgement and help to delineate what is acceptable or not worthy of credit or, in discursive answers, to give an overview of the area in which a mark or marks may be awarded.

The extra information is aligned to the appropriate answer in the left-hand part of the mark scheme and should only be applied to that item in the mark scheme.

At the beginning of a part of a question a reminder may be given, for example:
where consequential marking needs to be considered in a calculation;
or the answer may be on the diagram or at a different place on the script.

In general the right hand side of the mark scheme is there to provide those extra details which confuse the main part of the mark scheme yet may be helpful in ensuring that marking is straightforward and consistent.

2. Emboldening

2.1 In a list of acceptable answers where more than one mark is available 'any **two** from' is used, with the number of marks emboldened. Each of the following lines is a potential mark.

2.2 A bold **and** is used to indicate that both parts of the answer are required to award the mark.

2.3 Alternative answers acceptable for a mark are indicated by the use of **or**. (Different terms in the mark scheme are shown by a / ; e.g. allow smooth / free movement.)

3. Marking points

3.1 Marking of Quality of Written Communication

Where *Quality of written communication* appears in the mark scheme, one mark is to be awarded for either of the following points:

- Using correct scientific terms
- Correct sequencing or linking of ideas or points

The mark scheme will specify which of the points is to be awarded in a particular question. A QoWC mark can be awarded for a scientific answer, even if it is not accurate. It cannot be awarded for a nonsensical or non-scientific answer.
On the script, the QoWC tick should be identified by a 'q' written next to it.

3.2 Marking of lists

This applies to questions requiring a set number of responses, but for which candidates have provided extra responses. The general principle to be followed in such a situation is that 'right + wrong = wrong'.

Copyright © 2004 AQA and its licensors

Each error/contradiction negates each correct response. So, if the number of error/contradictions equals or exceeds the number of marks available for the question, no marks can be awarded.

However, responses considered to be neutral (indicated as * in example 1) are not penalised.

Example 1: What is the pH of an acidic solution? (1 mark)

Candidate	Response	Marks awarded
1	4,8	0
2	green, 5	0
3	red*, 5	1
4	red*, 8	0

Example 2: Name two planets in the solar system. (2 marks)

Candidate	Response	Marks awarded
1	Pluto, Mars, Moon	1
2	Pluto, Sun, Mars, Moon	0

3.3 Use of chemical symbols/formulae

If a candidate writes a chemical symbol/formula instead of a required chemical name, full credit can be given if the symbol/formula is correct and if, in the context of the question, such action is appropriate.

3.4 The marking of quantitative relationships

Full credit can be given for a correct quantitative relationship expressed in:

- named units;
- physical quantities;
- standard symbols;
- a combination of physical quantities and units.

No credit can be given for any quantitative relationship expressed in terms of:

- a combination of physical quantities, units and symbols;
- a diagram, e.g. the ohm's law triangle, unless the rest of the answer shows clearly that the candidate understands the relationships involved.

3.5 Marking procedure for calculations

3.5.1 Full marks can be given for a correct numerical answer, as shown in the column 'answers', without any working shown.
However:

- if the answer is incorrect, mark(s) can be gained by correct substitution/working and this is shown in the 'extra information' column;
- if the answer is correct, but an incorrect relationship is written in the working, then no marks can be awarded (see 3.5.2).

3.5.2 Where calculations are based on incorrectly recalled relationships, neither the incorrectly recalled relationship, nor the resulting calculation based on the incorrect relationship, will be credited.

3.6 Interpretation of 'it'

Answers using the word 'it' should be given credit only if it is clear that the 'it' refers to the correct subject.

Copyright © 2004 AQA and its licensors

3.7 Errors carried forward

There should be no error carried forward from a previous answer which has been based on wrong science. Any error in the answers to a structured question should be penalised once only.

Examples

(a) A candidate who calculates average speed using speed = time/distance **and** then proceeds to use this incorrect answer to calculate an acceleration based on the correct quantitative relationship should be given credit for the use of the correct acceleration relationship but none for either numerical answer.

(b) A candidate who incorrectly calculates average speed using speed = distance/time and then proceeds to use this incorrect value to calculate an acceleration based on the correct quantitative relationship, should be given credit for the use of both correct quantitative relationships **and** for the correct substitution and use of the incorrect value in the calculation of the rate of acceleration.

Papers should be constructed in such a way that the number of times errors can be carried forward are kept to a minimum. Allowances for errors carried forward are most likely to be restricted to calculation questions and should be shown by the abbreviation e.c.f. in the marking scheme.

3.8 Phonetic spelling

The phonetic spelling of correct scientific terminology should be credited **unless** there is a possible confusion with another technical term.

3.9 Brackets

(…..) is used to indicate information which is not essential for the mark to be awarded but is included to help the examiner identify the sense of the answer required.

3.10 Interpretation of marginal points

There will be times when the answer is almost, but not quite, correct. Some examiners would award a mark while others would not. In any one script, an attempt should be made to balance these nearly correct answers by giving the mark on some occasions but not on others. If this is not done, the marking would end up being too lenient or too harsh.

3.11 Unexpected Correct Answers not in the Mark Scheme

The Examiner should use professional judgement to award credit where a candidate has given an unexpected correct answer which is not covered by the mark scheme. The Examiner should consult with the Team Leader to confirm the judgement. The Team Leader should pass this answer on to the Principal Examiner with a view to informing all examiners.

Copyright © 2004 AQA and its licensors

4.5.2 Work done and energy transfer

Double Award
Foundation Tier 3462/3F

3462/3F Q1

question	answers	extra information	mark
(a)	comet	correct order only	1
	elliptical		1
	Milky Way		1
	Universe		1
(b)(i)	D A C B	allow **2** marks for two letters in the correct place allow **1** mark for one letter in the correct place	3
(ii)	A		1
total			8

Copyright © 2004 AQA and its licensors

4.5.2 Work done and energy transfer


3462/3F Q2

question	answers	extra information	mark
(a)	95		1
(b)	alpha	accept correct symbol	1
(c)	any **two** from: • radiation is outside the body • radiation will not reach (living) cells • radiation absorbed by the air	 accept detector is on ceiling or high up the wall accept radiation cannot pass through the body / skin accept cannot pass through the plastic casing do **not** accept because it is alpha radiation – unless qualified do **not** accept does not give off harmful substance do **not** accept cannot pass through building materials etc.	2
(d)	less (than)		1
total			5

Copyright © 2004 AQA and its licensors

4.5.2 Work done and energy transfer

3462/3F Q3

question	answers	extra information	mark
(a)	generator	accept dynamo accept alternator	1
(b)(i)	1400	ignore units	1
(ii)	0.3 or 30%	any incorrect unit penalise **1** mark allow **1** mark for the correct use of 600 **or** 0.3% **or** 30	2
(c)	**1** mark for each correct link 	if more than 3 lines are drawn, mark only 3 lines starting with those that are incorrect	3
(d)(i)	110	no tolerance	1
(ii)	12	no tolerance	1
(iii)	wind speed may be too low to operate the generator	accept wind may not always blow accept power depends on wind speed accept does not generate if wind speed is too high accept does not generate if wind speed is above 12 (m/s) accept does not generate if wind speed is below 1.6 (m/s) accept it is unreliable do **not** accept answers referring to cost only	1
total			10

Copyright © 2004 AQA and its licensors

4.5.2 Work done and energy transfer

3462/3F Q4

question	answers	extra information	mark
(a)	B E A D	allow **1** mark for each letter in the correct place, to a maximum of **3** marks	3
(b)	(a spark) may cause the (petrol vapour) to explode / ignite	accept petrol for (petrol vapour) accept catch fire for explode	1
	connect tanker to earth with a (conducting) wire / chain **or** earth the tanker	accept ground for earth	1
(c)	**Quality of written communication**	for a logical sequence	1
	any **two** from:		2
	• when current greater than fuse rating / value	accept when current too great for appliance do **not** accept 'if there is too much current' do **not** accept voltage or electricity	
	• fuse (becomes hot and) melts / burns out	accept fuse blows / breaks	
	• circuit is broken	accept circuit switched off this cannot score credit on its own	
total			8

Copyright © 2004 AQA and its licensors

4.5.2 Work done and energy transfer

3462/3F Q5

question	answers	extra information	mark
(a)(i)	crust		1
(ii)	inner core is <u>solid</u> outer core is liquid	do **not** accept just rock inner core is denser / hotter than outer core gets **2** marks accept one is solid and one is liquid for **1** mark accept they are different densities for **1** mark wrong way round = **0** marks	1 1
(b)	seismograph		1
(c)	difficult to measure (slow) movement (1) of plates (1) dependent mark **or** difficult to measure friction / forces (1) between plates (1) dependent mark		1 1
(d)	geothermal		1
(e)(i)	5000		1
(ii)	2500		1
total			9

Copyright © 2004 AQA and its licensors

4.5.2 Work done and energy transfer


3462/3F Q6

question	answers	extra information	mark
(a)	60		1
(b)	$5\frac{1}{2}$ hours	must include unit	1
(c)	30		1
(d)	30 minutes or $\frac{1}{2}$ hour	must include unit	1
(e)	D **and** E least steep part of the graph	accept finish for E accept correct numbers from axes with units accept covers smallest distance in a set time accept only moves 5 km in $1\frac{1}{2}$ hours (accept anything between 5 and 6) ignore horse is tired	1 1
total			6

Copyright © 2004 AQA and its licensors

4.5.2 Work done and energy transfer



3462/3F Q7

question	answers	extra information	mark
(a)(i)	any **one** from: • (doctors) to see inside a patients body **or** endoscope • telephone cables • optical fibre / fibre optic lamps **or** (artificial) Christmas trees • data transfer **or** internet connection	 accept keyhole surgery do **not** accept flex **or** wires for cable accept decorative / ornamental lighting accept any feasible practical suggestion for taking light to a difficult to access place do **not** accept lighting unqualified do **not** accept lamp unqualified do **not** accept communications unless clarified	1
(ii)	(incident) ray angle greater than critical angle total internal reflection occurs	either order accept (incident) ray greater than 42° accept TIR do **not** accept just description of TIR	1 1
(b)(i)	waves shown diffracting in the correct direction 	ignore wavelength	1
(ii)	diffraction	accept diffract / diffracted	1
total			5

Copyright © 2004 AQA and its licensors

4.5.2 Work done and energy transfer

3462/3F Q8

question	answers	extra information	mark
(a)	all symbols correct	 accept push switch symbol switch may be open or closed any lines through symbols = **0** marks	1
	correct circuit drawn voltmeter must be across resistor only	polarity of cells not relevant provided they are joined correctly two cells are required in the diagram ignore the order of the components allow small gaps in circuit omission of any component = **0** marks	1
(b)(i)	potential difference = current × resistance	accept voltage or p.d. for potential difference accept $V = I \times R$ accept  provided subsequent use correct do **not** accept C for current	1
(ii)	2	 allow **1** mark for correct substitution wrong working loses both marks	2
(iii)	straight line drawn <u>through the origin</u> straight line passes through $I = 0.4, V =$ their (b)(ii) / 2 **and** 0.0	judge by eye this mark may be awarded if all points shown including these points are correct even if no line is drawn N.B. a curve scores **0** marks	1 1 dep
(c)	temperature <u>increases</u>	accept filament lamp / it gets <u>hotter</u> allow heat for temperature	1
total			8

Copyright © 2004 AQA and its licensors

4.5.2 Work done and energy transfer

3462/3F Q9

question	answers	extra information	mark
(a)(i)	gamma rays	accept gamma accept correct symbol	1
(ii)	infra red	accept IR	1
(b)	ultraviolet <u>absorbed</u> by ink (energy) given out as light	 accept glows / luminous accept for **both** marks the ink is fluorescent do **not** accept answers in terms of uv being reflected	1 1
(c)	any **two** from: • UV can damage / kill / ionise / alter (normal) cells • change DNA structure **or** mutate • (normal) cells may become cancerous	 do **not** accept attacks cells **or** burns skin accept may cause (skin) cancer accept abnormal cell multiplication	2
(d)(i)	microwaves **and** infra red	both answers needed in either order do **not** accept heat for IR	1
(ii)	0.9	allow **1** mark for the <u>correct</u> use of 1.8 (kW) $(1.8 \times \frac{1}{2}$ or $1.8 \times 30)$ i.e. adding the correct 2 power values	2
total			9

Copyright © 2004 AQA and its licensors

4.5.2 Work done and energy transfer


3462/3F Q10

question	answers	extra information	mark
(a)(i)	accelerating	accept getting faster accept speed / velocity increasing	1
(ii)	acceleration increases	accept velocity / speed increases more rapidly do **not** accept velocity / speed increases	1
(b)(i)	$\text{acceleration} = \frac{\text{change in velocity}}{\text{time (taken)}}$	accept $a = \frac{v - u}{t}$ **or** $a = \frac{v_1 - v_2}{t}$ do **not** accept velocity for change in velocity do **not** accept change in speed do **not** accept $a = \frac{v}{t}$	1
(ii)	15	allow **1** mark for an answer of 900 **or** for correct use of 540 seconds	2
(iii)	velocity includes direction	accept velocity is a vector (quantity) accept converse answer	1
(c)	force of gravity (between shuttle and Earth) plus correct orbital speed (makes shuttle move in a curve)	accept gravitational pull if used correctly accept forward motion **or** constant speed for orbital speed accept it is travelling fast enough accept for **2** marks the force of gravity provides the centripetal force	1 1
(d)	black is a good emitter of radiation **or** to limit the temperature rise inside the shuttle	accept heat for radiation accept the tiles are good insulation do **not** accept black absorbs heat on its own do **not** accept tiles are heat proof	1
total			9

Copyright © 2004 AQA and its licensors

4.5.2 Work done and energy transfer

3462/3F Q11

question	answers	extra information	mark
(a)(i)	work (done) = force (applied) × distance (moved)	accept W = F × s or W = F × d accept  provided subsequent method is correct	1
(ii)	240 000 joules	allow **1** mark for correct substitution **or** correct use of 1200 (N) accept J do **not** accept j / Nm	2 1
(b)	800 (watts)	accept 0.8 kW accept their (a)(ii) ÷ 300 correctly evaluated for **2** marks allow **1** mark for correct substitution (a)(ii) ÷ 5 correctly evaluated for **1** mark	2
(c)(i)	any **one** from: • needs to raise the chair / lift • lifting more than one chair • energy transfer to the surroundings correctly qualified	 allow lifting more than 2 people implication of a heavier weight accept loss for transfer do **not** accept motor inefficient do **not** accept motor gets hot do **not** accept friction unless the location is specified as external to the motor	1
(ii)	electrical potential	accept electric **both** answers required for the mark	1
total			8

Copyright © 2004 AQA and its licensors

4.5.2 Work done and energy transfer

3462/3F Q12

question	answers	extra information	mark
(a)	**Y** and **Z**		1
	they have the same number of protons **or** same atomic number	accept they have the same number of electrons **or** same number of protons **and** electrons allow only different in number of neutrons N.B. independent marks	1
(b)	**Quality of written communication**	for correct use of terms underlined in B **or** C Q ✓ Q X	1
	A – alpha particle passes straight through the empty space of the atom **or** it is a long way from the nucleus B – alpha particle deflected / repelled / repulsed by the (positive) nucleus C – alpha particle heading straight for the nucleus is deflected / repelled / repulsed backwards	describes 3 tracks correctly for **2** marks describes 2 or 1 track correctly for **1** mark do **not** accept hits the nucleus do **not** accept answers referring to refraction do **not** accept answers in terms of reflected backwards unless qualified in terms of repulsion mention of difference in charge on nucleus negates that track	max 2
total			5

Copyright © 2004 AQA and its licensors

Version 1.0: 0906

ASSESSMENT and QUALIFICATIONS ALLIANCE

General Certificate of Secondary Education

Physics 3451/F
Specification B

Mark Scheme

2006 examination - June series


Mark schemes are prepared by the Principal Examiner and considered, together with the relevant questions, by a panel of subject teachers. This mark scheme includes any amendments made at the standardisation meeting attended by all examiners and is the scheme which was used by them in this examination. The standardisation meeting ensures that the mark scheme covers the candidates' responses to questions and that every examiner understands and applies it in the same correct way. As preparation for the standardisation meeting each examiner analyses a number of candidates' scripts: alternative answers not already covered by the mark scheme are discussed at the meeting and legislated for. If, after this meeting, examiners encounter unusual answers which have not been discussed at the meeting they are required to refer these to the Principal Examiner.

It must be stressed that a mark scheme is a working document, in many cases further developed and expanded on the basis of candidates' reactions to a particular paper. Assumptions about future mark schemes on the basis of one year's document should be avoided; whilst the guiding principles of assessment remain constant, details will change, depending on the content of a particular examination paper.

Copyright © 2006 AQA and its licensors. All rights reserved.

Physics (Specification B)
Foundation Tier 3451/F

3451/F Q1

question	answers	extra information	mark
(a)	4 correct lines drawn  	**1** mark for each correct line if more than 4 lines are drawn mark incorrect ones first. Mark only 4 lines	4
(b)	4		1
(c)(i)	nuclear		1
(ii)	(natural) gas	do **not** accept natural	1
total			7

4.5.2 Work done and energy transfer

3451/F Q2

question	answers	extra information	mark
(a)(i)	ultra violet		1
(ii)	kill the cells	accept destroys the cells accept makes cells cancerous accept damage cells accept harms cells accept changes DNA accept cause cells to mutate accept skin cells for cells accept cause cancer do **not** accept skin for cells do **not** accept burns the cells	1
(b)(i)	the sunbed uses an alternating current (a.c.) supply		1
(ii)	10.8	accept **1** mark for correct substitution of power in W or kW and time in hours or seconds	2
total			5

4.5.2 Work done and energy transfer

3451/F Q3

question	answers	extra information	mark
(a)(i)	M		1
(ii)	K		1
(iii)	J		1
(iv)	O		1
(b)(i)	billions of years		1
(ii)	red giant	any answer in terms of explosion or supernova is **incorrect**	1
	contracts / shrinks to	incorrect reference to black hole negates **1** mark	1
	white dwarf		1
total			8

4.5.2 Work done and energy transfer

3451/F Q4

question	answers	extra information	mark
(a)(i)	A and C	**both** answers must be correct in either order	1
(ii)	A and B	**both** answers must be correct in either order	1
(iii)	same number of protons plus neutrons **or** same number of nucleons	accept number of particles in nucleus the same do **not** accept they add up to 6 unless qualified	1
(b)(i)	any **two** from: • boron - 12 • carbon - 14 • oxygen - 15 • lead - 209	**both** required both name **and** number must be given	1
(ii)	any **two** from: • boron - 11 • carbon - 12 • oxygen - 16 • lead - 207	**both** required both name **and** number must be given	1
(c)	alpha		1
total			6

4.5.2 Work done and energy transfer

3451/F Q5

question	answers	extra information	mark
(a)	(good) insulator	accept does not conduct (electricity) accept does not conduct heat or electricity do **not** accept does not conduct heat outside is tough is insufficient	1
(b)	fuse		1
(c)	connect the green and yellow / earth wire swap the brown and blue wires round	accept wires must be connected to screws	1 1
total			4

3451/F Q6

question	answers	extra information	mark
(a)	fossils water	answers can be in either order	1 1
(b)	increased		1
(c)	radio telescope		1
total			4

4.5.2 Work done and energy transfer

3451/F Q7

question	answers	extra information	mark
(a)(i)	electrical		1
	kinetic	accept movement	1
(ii)	heat	answers can be in either order	1
	sound		1
(b)(i)	360	accept **1** mark for correct substitution	2
(ii)	watt		1
(c)	the stairlift is not moving the stairlift is moving at constant speed	**both** answers are required for the mark	1
total			8

3451/F Q8

question	answers	extra information	mark
(a)(i)	(up) further **or** (up) faster	any reference to downwards movement loses credit accept <u>with</u> more force accept motion would increase	1
(ii)	down	accept the opposite way accept drop	1
(b)(i)	direct current		1
(ii)	Z		1
total			4

4.5.2 Work done and energy transfer

3451/F Q9

question	answers	extra information	mark
(a)	level of radiation (detected) will not change	ignore reference to particles	1
	if thickness of aluminium changes	accept for **both** marks a specific example eg if the aluminium gets thicker the level of radiation detected stays the same. accept for **1** mark gamma will pass through aluminium	1
	QoWC for 2 points in a sensible sequence		1
(b)	S W T V	all in correct order accept **2** marks for 2 correct accept **1** mark for 1 correct	3
total			6

4.5.2 Work done and energy transfer

3451/F Q10

<table>
<tr><th>question</th><th>answers</th><th>extra information</th><th>mark</th></tr>
<tr><td>(a)</td><td>thermistor(s)
LDR(s)
switch(es)
LED(s)
buzzer(s)
motor(s)</td><td>1 mark each
or light dependent resistor(s)
or light emitting diode(s)</td><td>6</td></tr>
<tr><td>(b)(i)</td><td><table><tr><th>1st input</th><th>2nd input</th><th>Output</th></tr><tr><td>0</td><td>0</td><td>0</td></tr><tr><td>1</td><td>0</td><td>0</td></tr><tr><td>0</td><td>1</td><td>0</td></tr><tr><td>1</td><td>1</td><td>1</td></tr></table></td><td>all correct</td><td>1</td></tr>
<tr><td>(ii)</td><td><table><tr><th>Input</th><th>Output</th></tr><tr><td>0</td><td>1</td></tr><tr><td>1</td><td>0</td></tr></table></td><td>both correct</td><td>1</td></tr>
<tr><td>(iii)</td><td><table><tr><th>1st input</th><th>2nd input</th><th>Output</th></tr><tr><td>0</td><td>0</td><td>0</td></tr><tr><td>1</td><td>0</td><td>1</td></tr><tr><td>0</td><td>1</td><td>1</td></tr><tr><td>1</td><td>1</td><td>1</td></tr></table></td><td>all correct</td><td>1</td></tr>
<tr><td>(c)(i)</td><td></td><td>do not credit any attempt which could equally well be a poorly drawn attempt at the symbol for a cell</td><td>1</td></tr>
<tr><td>(ii)</td><td>charge

increases</td><td>accept ‘electrons’
accept ‘energy
or gets bigger/larger</td><td>1

1</td></tr>
<tr><td>total</td><td></td><td></td><td>12</td></tr>
</table>

4.5.2 Work done and energy transfer

3451/F Q11

question	answers	extra information	mark
(a)(i)	A		1
(ii)	B		1
(iii)	mass is larger	credit if the response is clear by some other means e.g. it is ringed	1
	wire is shorter	credit if the response is clear by some other means e.g. it is ringed	1
(b)	moment		1
	distance		1
(c)(i)	1		1
(ii)	5		1
(iii)	any **two** from • remove slotted mass(es) • slide (slotted) masses / weights nearer pivot • slide forcemeter away from the pivot • slide rod to the left	 **or** ….. to the left **or** ….. to the right **or** …. so that the slotted masses side is shorter **or** …. so that the forcemeter side is longer	2
(d)	centre of the rectangle	accept *2*mm tolerance any direction	1
	centre of the circle	accept *2*mm tolerance any direction	1
	on centre line and 10mm above base	accept *2*mm tolerance any direction	1
total			13

4.5.2 Work done and energy transfer

3451/F Q12

question	answers	extra information	mark
(a)	0.05 (A)	ignore incorrect units if given accept 'the same' / 'the same as K' / 'the same as the other ammeter' do **not** accept 'same as the other meter'	1
(b)(i)	any **two** from: • two cells are joined + to + • some of the cells potential difference is across the diode / ammeters / wires **or** the pd of the cells is shared by all components • the other components have a resistance • cells not fully charged **or** cells partially run down • cells have an internal resistance	answers in terms of current gain no marks accept one cell in the wrong way accept two cells are joined back-to-back accept two cells are joined – to – accept battery for cell do **not** accept answers in terms of all the cells or in terms of energy only accept voltage for pd do **not** accept using up pd accept a named component / components / wire has a resistance do **not** accept voltage of cells is less than 1.5 unless explained do **not** accept cells are not as powerful unless explained	2
(ii)	the diode has a (very) high resistance (in the reverse direction) a diode only conducts / allows current to flow in one direction	accept little / no current flows do **not** accept blocks / cuts flow	1 1

Continued

4.5.2 Work done and energy transfer

Physics B – AQA GCSE Mark Scheme, 2006 June series

3451/F Q12

question	answers	extra information	mark
(c)	**QoWC** for the use of the word resistance	annotate Q✓ Q✗ accept resistant	1
	accept increase / change / decrease throughout question but a contradiction loses **one** mark with change as neutral		
	as the pd / current increases / changes	accept voltage for pd must be correctly linked to at least one of the following points accept	1
	the temperature of the filament increases / changes	lamp / bulb for filament accept filament becomes hotter	1
	increasing / changing the **resistance** of the lamp		1
		accept for **1** mark only the filament lamp does not obey Ohm's law	
total			9

4.5.2 Work done and energy transfer

3451/F Q13

question	answers	extra information	mark
(a)	0.5		1
	hertz	accept Hz but **not** HZ / hz / hZ accept (waves) per second **or** / sec **or** / s **or** s^{-1} **or** sec^{-1}	1
(b)	any **one** from: • any named part of the electromagnetic spectrum • S – waves / secondary waves • wave on a rope	 do **not** accept seismic waves / earthquake do **not** accept slinky unless clearly described	1
(c)	transverse – disturbance / vibration is perpendicular to the direction of energy transfer / wave travel	accept a correctly labelled diagram	1
	longitudinal – disturbance / vibration is parallel to the direction of energy transfer / wave travel	accept a correctly labelled diagram part explanation of the difference between transverse **and** longitudinal gains **1** mark	1
(d)(i)	TIR shown	needs to stay inside water jet ignore number of reflections **or** arrow heads lines straight by eye	1
(ii)	bigger than	any indication of correct answer	1
total			7


4.5.2 Work done and energy transfer

3451/F Q14

question	answers	extra information	mark
(a)	W		1
	has only two states **or** is either on or off	accept discrete values only do **not** credit answer purely in terms of shape	1
(b)	any **one** from:		1
	• higher quality	accept clearer do **not** accept easier to read ignore faster accept <u>less</u> distortion **or** <u>less</u> weakening of signal strength do **not** accept no distortion / weakening on its own	
	• increased carrying capacity	accept more information can be sent **or** more channels	
	• errors can be rectified		
total			3

4.5.2 Work done and energy transfer

3451/F Q15

question	answers	extra information	mark
(a)(i)	all points plotted accurately	accept **1** mark for 5 correct plots ± ½ small square on stopping distance	2
	line of best fit must be continuous	accept attempt at a reasonable curve does not need to go through 0 0 do **not** accept a straight line do **not** accept dot-to-dot	1
(ii)	4 to 6 (metres)	accept ecf from (a)(i) accept **1** mark for value taken correctly from graph at 25mph **or** correct method shown	2
(b)(i)	0.7 (s)	incorrect unit = 0 marks	1
(ii)	constant speed / velocity	accept (continued as) 30mph accept did not change / stayed the same accept no acceleration	1
(iii)	3.3(s)	penalise incorrect unit once only	1
(iv)	reaction time <u>increases</u> / is <u>longer</u> **or** thinking distance <u>increases</u>	do **not** accept reaction time slower **or** reactions are slower	1
	stopping distance / it <u>increases</u>	do **not** accept travels at constant speed for longer	1
(c)(i)	work done = force (applied) × distance (moved)	accept W = F × s or W = F × d accept  provided subsequent method is correct	1

Continued

4.5.2 Work done and energy transfer

3451/F Q15

question	answers	extra information	mark
(ii) **E**	2100	accept 2.1 kilo accept **1** mark for using 7000 N	2
(iii)	2100 (joules)	accept their (c)(ii)	1
total			14

3451/F Q16

question	answers	extra information	mark
(a)(i)	refraction		1
(ii)	it changes speed **or** change in density	accept it speeds up do **not** accept it slows down do **not** accept air is more dense than glass	1
(b)(i)	sound / waves <u>diffract</u> through the gap (in the wall) **or** over the wall **or** because the gate is open	do **not** accept reflection this only scores if first marking point is given accept for **1** mark only sound / waves go through the gap and <u>spread out</u> **or** diagram showing wave fronts spreading out from open gates if diagram is labelled as diffraction both marks can be scored	1 1
(ii)	less diffraction	accept no diffraction accept gates <u>absorb</u> sound / noise / waves accept gates <u>reflect</u> sound / noise / waves do **not** accept rebounds / stops / blocks out	1
total			5

Physics B – AQA GCSE Mark Scheme, 2006 June series

3451/F Q17

question	answers	extra information	mark
(a)	both rays brought to a focus at F on the right	do **not** have to be continued beyond F	1
	lines have been drawn **accurately** with a ruler	only credit if 1st mark credited do **not** credit if contradictory arrow(s) added	1
(b)	rays seem to come from a focus at G on the left and continued to the right of the lens	this mark is for the current idea of divergence	1
	lines have been drawn **accurately** with a ruler	only credit if 1st mark credited do **not** credit if contradictory arrow(s) added	1
(c)	…lens… …image… …object… …image… ...object… …lens…	lens as 1st and 6th words (1) image and object in the correct order 2nd and 3rd words (1) image and object in correct order 4th and 5th words (1)	max 3
(d)(i)	correct statement about real image real rays intersect / cross to form a real image **or** a real image can be formed on a screen **or** real image is (always) on the opposite side (of the lens) **or** real image is (always) upside down (to the object)	may be credited from a correct diagram	1
	correct statement about virtual / imaginary image virtual / imaginary rays intersect / cross to form a virtual image **or** a virtual / imaginary image cannot **or** virtual / imaginary image is (always) on the same side (of the lens) **or** virtual / imaginary image is (always) same way up (as the object)	may be credited from a correct diagram	1

Continued

4.5.2 Work done and energy transfer

3451/F Q17

question	answers	extra information	mark
(ii)	**either** image needs to fall on / affect the film **or** image needs to fall on / affect the light sensors / charged coupled devices (CCDs) (in a digital camera / mobile phone) **or** image needs to cause a chemical reaction (in / on the film)		1
total			10

4.5.2 Work done and energy transfer

3451/F Q18

<table>
<tr><th>question</th><th>answers</th><th>extra information</th><th>mark</th></tr>
<tr><td>(a)</td><td>AND (gate)

OR (gate)

NOT (gate)

LED or light emitting diode</td><td>accept ‘and’

accept ‘or’

accept ‘not’ or invert gate

accept ‘led’</td><td>1

1

1

1</td></tr>
<tr><td>(b)(i)</td><td>NOT (gate) and AND (gate)</td><td>both in either order or ‘(the) gates’

any additions lose the mark</td><td>1</td></tr>
<tr><td>(ii)</td><td><table><tr><th>Switch for fire</th><th>Tilt switch</th><th>Signal to relay</th></tr><tr><td>0</td><td>0</td><td>…0…</td></tr><tr><td>0</td><td>1</td><td>…0…</td></tr><tr><td>1</td><td>0</td><td>…1…</td></tr><tr><td>1</td><td>1</td><td>…0…</td></tr></table></td><td>all correct

allow off or no
off no
on yes
off no</td><td>1</td></tr>
<tr><td>(iii)</td><td>(relay) acts as / is a switch

either
small current from the electronic / control circuit / system (1)

large current through the output / (electric) fire (1)

or

full current through electronic control system (1)

may damage components / lead to overheating / electric shock (1)

QoWC for correct use of the scientific term ‘current’</td><td>accept implication that it works as a switch e.g. ‘turns on fire’

or ‘small current through the coil (of the relay)’

do not accept small current is turned into a large current

annotate Q✓ Q×

if answer in terms of voltage isolation / voltage/ p.d. accept QoWC mark for correct use</td><td>1

1

1

1</td></tr>
<tr><td>total</td><td></td><td></td><td>10</td></tr>
</table>

Version 1.0: 0906

ASSESSMENT and QUALIFICATIONS ALLIANCE

General Certificate of Secondary Education

Science: Double Award 3462/3F
Specification B

Mark Scheme

2006 examination - June series

Mark schemes are prepared by the Principal Examiner and considered, together with the relevant questions, by a panel of subject teachers. This mark scheme includes any amendments made at the standardisation meeting attended by all examiners and is the scheme which was used by them in this examination. The standardisation meeting ensures that the mark scheme covers the candidates' responses to questions and that every examiner understands and applies it in the same correct way. As preparation for the standardisation meeting each examiner analyses a number of candidates' scripts: alternative answers not already covered by the mark scheme are discussed at the meeting and legislated for. If, after this meeting, examiners encounter unusual answers which have not been discussed at the meeting they are required to refer these to the Principal Examiner.


It must be stressed that a mark scheme is a working document, in many cases further developed and expanded on the basis of candidates' reactions to a particular paper. Assumptions about future mark schemes on the basis of one year's document should be avoided; whilst the guiding principles of assessment remain constant, details will change, depending on the content of a particular examination paper.

Copyright © 2006 AQA and its licensors. All rights reserved.

Science: Double Award (Co-ordinated) – AQA GCSE Mark Scheme, 2006 June series

Double Award (Co-ordinated)
Foundation Tier 3462/3F

3462/3F Q1

question	answers	extra information	mark
(a)	4 correct lines drawn  	**1** mark for each correct line if more than 4 lines are drawn mark incorrect ones first. Mark only 4 lines	4
(b)	4		1
(c)(i)	nuclear		1
(ii)	(natural) gas	do **not** accept natural	1
total			7

4.5.2 Work done and energy transfer

3462/3F Q2

question	answers	extra information	mark
(a)(i)	ultra violet		1
(ii)	kill the cells	accept destroys the cells accept makes cells cancerous accept damage cells accept harms cells accept changes DNA accept cause cells to mutate accept skin cells for cells accept cause cancer do **not** accept skin for cells do **not** accept burns the cells	1
(b)(i)	the sunbed uses an alternating current (a.c.) supply		1
(ii)	10.8	accept **1** mark for correct substitution of power in W or kW and time in hours or seconds	2
total			5

4.5.2 Work done and energy transfer

Science: Double Award (Co-ordinated) – AQA GCSE Mark Scheme, 2006 June series

3462/3F Q3

question	answers	extra information	mark
(a)(i)	M		1
(ii)	K		1
(iii)	J		1
(iv)	O		1
(b)(i)	billions of years		1
(ii)	red giant	any answer in terms of explosion or supernova is **incorrect**	1
	contracts / shrinks to	incorrect reference to black hole negates **1** mark	1
	white dwarf		1
total			8

4.5.2 Work done and energy transfer

3462/3F Q4

question	answers	extra information	mark
(a)(i)	A and C	**both** answers must be correct in either order	1
(ii)	A and B	**both** answers must be correct in either order	1
(iii)	same number of protons plus neutrons **or** same number of nucleons	accept number of particles in nucleus the same do **not** accept they add up to 6 unless qualified	1
(b)(i)	any **two** from: • boron - 12 • carbon - 14 • oxygen - 15 • lead - 209	**both** required both name **and** number must be given	1
(ii)	any **two** from: • boron - 11 • carbon - 12 • oxygen - 16 • lead - 207	**both** required both name **and** number must be given	1
(c)	alpha		1
total			6

Science: Double Award (Co-ordinated) – AQA GCSE Mark Scheme, 2006 June series

3462/3F Q5

question	answers	extra information	mark
(a)	(good) insulator	accept does not conduct (electricity) accept does not conduct heat or electricity do **not** accept does not conduct heat outside is tough is insufficient	1
(b)	fuse		1
(c)	connect the green and yellow / earth wire	accept wires must be connected to screws	1
	swap the brown and blue wires round		1
total			4

3462/3F Q6

question	answers	extra information	mark
(a)	fossils	answers can be in either order	1
	water		1
(b)	increased		1
(c)	radio telescope		1
total			4

3462/3F Q7

question	answers	extra information	mark
(a)(i)	electrical		1
	kinetic	accept movement	1
(ii)	heat	answers can be in either order	1
	sound		1
(b)(i)	360	accept **1** mark for correct substitution	2
(ii)	watt		1
(c)	the stairlift is not moving the stairlift is moving at constant speed	**both** answers are required for the mark	1
total			8

3462/3F Q8

question	answers	extra information	mark
(a)(i)	(up) further **or** (up) faster	any reference to downwards movement loses credit accept <u>with</u> more force accept motion would increase	1
(ii)	down	accept the opposite way accept drop	1
(b)(i)	direct current		1
(ii)	Z		1
total			4

4.5.2 Work done and energy transfer

Science: Double Award (Co-ordinated) – AQA GCSE Mark Scheme, 2006 June series

3462/3F Q9

question	answers	extra information	mark
(a)	level of radiation (detected) will not change	ignore reference to particles	1
	if thickness of aluminium changes	accept for **both** marks a specific example eg if the aluminium gets thicker the level of radiation detected stays the same. accept for **1** mark gamma will pass through aluminium	1
	QoWC for 2 points in a sensible sequence		1
(b)	S W T V	all in correct order accept **2** marks for 2 correct accept **1** mark for 1 correct	3
total			6

3462/3F Q10

question	answers	extra information	mark
(a)	0.05 (A)	ignore incorrect units if given accept 'the same' / 'the same as K' / 'the same as the other ammeter' do **not** accept 'same as the other meter'	1
(b)(i)	any **two** from: • two cells are joined + to +	answers in terms of current gain no marks accept one cell in the wrong way accept two cells are joined back-to-back accept two cells are joined – to – accept battery for cell do **not** accept answers in terms of all the cells or in terms of energy only	2
	• some of the cells potential difference is across the diode / ammeters / wires **or** the pd of the cells is shared by all components	accept voltage for pd do **not** accept using up pd	
	• the other components have a resistance	accept a named component / components / wire has a resistance	
	• cells not fully charged **or** cells partially run down	do **not** accept voltage of cells is less than 1.5 unless explained do **not** accept cells are not as powerful unless explained	
	• cells have an internal resistance		
(ii)	the diode has a (very) high resistance (in the reverse direction)		1
	a diode only conducts / allows current to flow in one direction	accept little / no current flows do **not** accept blocks / cuts flow	1

Continued

Science: Double Award (Co-ordinated) – AQA GCSE Mark Scheme, 2006 June series

3462/3F Q10

question	answers	extra information	mark
(c)	**QoWC** for the use of the word resistance	annotate Q✓ Q✗ accept resistant	1
	accept increase / change / decrease throughout question but a contradiction loses **one** mark with change as neutral		
	as the pd / current increases / changes	accept voltage for pd must be correctly linked to at least one of the following points accept	1
	the temperature of the filament increases / changes	lamp / bulb for filament accept filament becomes hotter	1
	increasing / changing the **resistance** of the lamp	accept for **1** mark only the filament lamp does not obey Ohm's law	1
total			9

4.5.2 Work done and energy transfer

3462/3F Q11

question	answers	extra information	mark
(a)	0.5		1
	hertz	accept Hz but **not** HZ / hz / hZ accept (waves) per second **or** / sec **or** / s **or** s^{-1} **or** sec^{-1}	1
(b)	any **one** from: • any named part of the electromagnetic spectrum • S – waves / secondary waves • wave on a rope	 do **not** accept seismic waves / earthquake do **not** accept slinky unless clearly described	1
(c)	transverse – disturbance / vibration is perpendicular to the direction of energy transfer / wave travel	accept a correctly labelled diagram	1
	longitudinal – disturbance / vibration is parallel to the direction of energy transfer / wave travel	accept a correctly labelled diagram part explanation of the difference between transverse **and** longitudinal gains **1** mark	1
(d)(i)	TIR shown	needs to stay inside water jet ignore number of reflections **or** arrow heads lines straight by eye	1
(ii)	bigger than	any indication of correct answer	1
total			7

4.5.2 Work done and energy transfer


Science: Double Award (Co-ordinated) – AQA GCSE Mark Scheme, 2006 June series

3462/3F Q12

question	answers	extra information	mark
(a)	W		1
	has only two states **or** is either on or off	accept discrete values only do **not** credit answer purely in terms of shape	1
(b)	any **one** from:		1
	• higher quality	accept clearer do **not** accept easier to read ignore faster accept <u>less</u> distortion **or** <u>less</u> weakening of signal strength do **not** accept no distortion / weakening on its own	
	• increased carrying capacity	accept more information can be sent **or** more channels	
	• errors can be rectified		
total			3

4.5.2 Work done and energy transfer

3462/3F Q13

question	answers	extra information	mark
(a)(i)	all points plotted accurately	accept **1** mark for 5 correct plots ± ½ small square on stopping distance	2
	line of best fit must be continuous	accept attempt at a reasonable curve does not need to go through 0 0 do **not** accept a straight line do **not** accept dot-to-dot	1
(ii)	4 to 6 (metres)	accept ecf from (a)(i) accept **1** mark for value taken correctly from graph at 25mph **or** correct method shown	2
(b)(i)	0.7 (s)	incorrect unit = 0 marks	1
(ii)	constant speed / velocity	accept (continued as) 30mph accept did not change / stayed the same accept no acceleration	1
(iii)	3.3(s)	penalise incorrect unit once only	1
(iv)	reaction time increases / is longer **or** thinking distance increases	do **not** accept reaction time slower **or** reactions are slower	1
	stopping distance / it increases	do **not** accept travels at constant speed for longer	1
(c)(i)	work done = force (applied) × distance (moved)	accept W = F × s or W = F × d accept  provided subsequent method is correct	1
(ii)	2100	accept 2.1 kilo accept **1** mark for using 7000 N	2
(iii)	2100 (joules)	accept their (c)(ii)	1
total			14

4.5.2 Work done and energy transfer

Science: Double Award (Co-ordinated) – AQA GCSE Mark Scheme, 2006 June series

3462/3F Q14

question	answers	extra information	mark
(a)(i)	refraction		1
(ii)	it changes speed **or** change in density	accept it speeds up do **not** accept it slows down do **not** accept air is more dense than glass	1
(b)(i)	sound / waves <u>diffract</u> through the gap (in the wall) **or** over the wall **or** because the gate is open	do **not** accept reflection this only scores if first marking point is given accept for **1** mark only sound / waves go through the gap and <u>spread out</u> **or** diagram showing wave fronts spreading out from open gates if diagram is labelled as diffraction both marks can be scored	1 1
(ii)	less diffraction	accept no diffraction accept gates <u>absorb</u> sound / noise / waves accept gates <u>reflect</u> sound / noise / waves do **not** accept rebounds / stops / blocks out	1
total			5

Answer 19 · Examiner comments — June 2019 | 8463/2H | Original Q3

Question 3 (Standard demand)

03.1 Just over 32% of the students gave a level 3 answer with 20% of those scoring full marks. Most of the students were able to give a good number of factors, and then tried to give at least one linked explanation. Many of the students used half a page to describe the meaning of Thinking Distance, Braking Distance and Stopping Distance, which was not required. There was a great deal of confusion about how to explain and link reaction time to a factor or group of factors. Many of the students confused reaction time and thinking distance. A significant number of students seemed to think that slower reactions meant a shorter reaction time and that the thinking distance was consequently shorter. When giving condition of tyres/road surface/wet/icy as a factor the explanation was often written in terms of grip/traction/sliding rather than using friction as a scientific term. Where speed was a factor, an explanation in terms of 'greater distance travelled in the reaction time' was seen a few times, but mainly the 'in the reaction time part' was missing. A greater distance to stop was the common explanation. Very few students linked kinetic energy and work done, most getting the idea of increased kinetic energy but then not linking it to work done. Even students that had an idea about work done being force × distance seemed to think that a larger force would be required from the brakes to stop in a certain distance, rather than the idea that the distance for a fixed braking force would be longer.

03.2 Nearly all of the students were able to recall this equation. Those students who did not score the mark just seemed to put an equal and a multiply sign in the quantity order of the stem or rearranged incorrectly.

03.3 Nearly all of the students scored all three marks. Where marks were not scored it was usually for putting the numbers into a calculator incorrectly or by missing powers of 10.

03.4 This was poorly answered with just below here quarters of the students scoring zero. There were lots of answers in terms of the effect on passengers, their momentum, possible crashes into the back because of braking too quickly, whiplash injury, what would happen if a seatbelt was not worn and the idea that the car would flip over. Few students wrote about

Answer 19 · Examiner comments — June 2019 | 8463/2H | Original Q3

the brakes overheating and of those that did only around 6% then linked this to possible loss of control.

Answer 20 · Examiner comments November 2020 | 8463/2H | Original Q6

Question 6 (Standard and standard/high and high demand)

06.1 The majority of the students were able to convert MHz to Hz correctly. A large number of the students did not know the unit of wavelength with the symbol 'λ' being a common incorrect answer.

06.2 Only 3% of students were able to write a complete answer to this question. Many of the students described the final movement of the car rather than what happens in the electrical circuit. A significant number of the students thought that absorbing radio waves would result in sound being produced. Some of the students realised that there would be a current in the aerial but used terms such as 'produce a current' and 'produce an electrical signal' which were insufficient for credit to be awarded.

06.3 The most frequent correct answer was to state that radio waves are transverse and sound waves are longitudinal. Another popular correct answer was the idea of radio waves being able to travel through a vacuum / space. Comparisons of wavelength / frequency did not gain any marks due to the overlapping range of wavelength and frequency of radio waves and sound waves.

06.4 83% of students correctly described the motion of the car during the first 30 seconds.

06.5 The majority of the students knew how to calculate velocity from a straight line graph but failed to realise the significance of the curved line. Those few students that drew an appropriate tangent to the line at 20s generally went on to score all four marks.

06.6 Whilst 25% of the students gained all six marks for this calculation, a significant number of the remaining students gained partial credit for clearly showing the working out, part of which was correct.

06.7 There were very few complete and correct answers to this question. A significant number of the students correctly referred to air resistance increasing with speed but then went on to state that air resistance becomes equal to speed. It was common for answers to be in terms of real cars, the effect of speed on braking distances or the likely increase in accidents.

Answer 22 · Examiner comments June 2024 | 8463/2H | Original Q2

02.1

79% of students scored the first mark, with a minority citing 9.8 N / gravity for the resultant vertical force. Many quoted Newton's laws as an explanation; very few students said, 'the child isn't accelerating' and a number stated that the forces were equal but failed to explain that the forces were in opposite directions.

© 2024 AQA and its licensors. All rights reserved.

4.5.2 Work done and energy transfer

Answer 22 · Examiner comments June 2024 | 8463/2H | Original Q2

02.2
99.6% of students wrote down the correct equation for work done.

02.3
95% of students scored all 3 marks for this calculation of force. There were some errors rearranging.

02.4
84% of students gained the first mark point for explaining why the speed of the baby walker increased as the baby moved onto the hard floor, but few referred to the resultant force. A significant number of students thought there was no friction on the hard floor. Some responses were in terms of energy rather than forces.

02.5
99.7% of students wrote down the correct equation for the moment of a force.

02.6
75% of students scored all 3 marks for the calculation of the moment; 24% did not convert 7.5cm to 0.075m or converted incorrectly.

02.7
This question related to interaction of two gears. When marks were gained, this was primarily for the first mark point. Some expressed ideas for the second mark point and but rarely in the correct terms, sometimes referring to momentum, rather than moments. There were a number of responses in terms of energy transfers. 10% of students scored both marks, 73% scored 1 mark.