AQA GCSE Physics | 8463

SPECIFICATION POINT 4.5.6.3.1

Stopping distance

Mark schemes and examiner comments

Tier	**Higher**
Question groups	**19**
Available paper years	**2003–2025**

Using this booklet

1. Booklet answer numbers match the question booklet.
2. Use the original question number within marking tables.
3. Examiner comments are included where available.

Name: _____ **Date:** _____

Where a precise marking extract is unavailable, the full source document is included in an appendix. Any missing mark scheme is explicitly identified.

4.5.6.3.1 Stopping distance

Answer 01 · Mark scheme June 2003 | 3451H | Original Q10 | Legacy

The full source mark scheme begins on page 39. Follow original question 10 in that document.

Answer 02 · Mark scheme June 2003 | 3462H3 | Original Q8 | Legacy

The full source mark scheme begins on page 61. Follow original question 8 in that document.

Answer 03 · Mark scheme June 2005 | 3451 | Original Q4 | Legacy

The full source mark scheme begins on page 78. Follow original question 4 in that document.

Answer 04 · Mark scheme June 2005 | 3462 | Original Q4 | Legacy

The full source mark scheme begins on page 96. Follow original question 4 in that document.

Answer 05 · Mark scheme June 2006 | 3451 | Original Q4 | Legacy

The full source mark scheme begins on page 110. Follow original question 4 in that document.

4.5.6.3.1 Stopping distance

Answer 06 · Mark scheme

June 2006 | 3462 | Original Q4 | Legacy

The full source mark scheme begins on page 130. Follow original question 4 in that document.

4.5.6.3.1 Stopping distance

Answer 07 · Mark scheme June 2008 | PHY2H | Original Q3 | Legacy

Question 3

	answers	extra information	mark
(a)(i)	as one goes up so does the other **or** (directly) proportional	 accept change by the same ratio	1
(ii)	steeper straight line through the origin	judge by eye	1
(iii)	Yes with reason eg data would have been checked / repeated **or** No with reason eg does not apply to all conditions / cars / drivers **or** are only average values **or** Maybe with a suitable reason eg cannot tell due to insufficient information	 accept produced by a reliable/ official/ government source do **not** accept it needs to be reliable	1
(b)(i)	stopping distance = thinking distance + braking distance		1

4.5.6.3.1 Stopping distance

Answer 07 · Mark scheme June 2008 | PHY2H | Original Q3 | Legacy

(ii)	any **two** from: • smooth road / loose surface • rain / snow / ice • badly maintained brakes • worn tyres • downhill slope/gradient • heavily loaded car	factors must be to do with increasing braking distance accept wet road/ petrol spills do **not** accept condition of road unless suitably qualified accept worn brakes accept bad/ worn/ rusty brakes do **not** accept old brakes accept bald tyres accept lack of grip on tyres do **not** accept old tyres	2
total			6

4.5.6.3.1 Stopping distance

Answer 07 · Mark scheme June 2008 | PHY2H | Original Q3 | Legacy

PHY2H

4.5.6.3.1 Stopping distance

Answer 08 · Mark scheme

June 2010 | PHY2H | Original Q5 | Legacy

Question 5

question	answers	extra information	mark
5(a)(i)	longer reaction time **or** greater thinking distance **or** greater stopping distance	accept slower reactions do **not** accept slower reaction time unless qualified accept greater thinking time accept greater stopping time greater braking distance negates answer	1
5(a)(ii)	lines / slopes have the same gradient **or** velocity decreases to zero in same time / in 2.6 seconds	accept slopes are the same accept any time between 2.3 and 2.8 accept braking distances are the same	1
5(a)(iii)	12	accept extracting both reaction times correctly for **1** mark (0.6 and 1.4) **or** time = 0.8(s) for **1** mark accept 0.8 × 15 for **2** marks accept calculating the distance travelled by car **A** as 28.5 m **or** the distance travelled by car **B** as 40.5 m for **2** marks	3

Question 5 continues on next page…

4.5.6.3.1 Stopping distance

PHY2H

Question 5 continued…

question	answers	extra information	mark
5(b)	**Z** different force values give a unique / different resistance	only scores if **Z** chosen do **not** accept force and resistance are (directly) proportional accept answers in terms of why either **X or Y** would not be the best eg **X** – same resistance value is obtained for 2 different force values **Y** – all force values give the same resistance	1 1
Total			**7**

4.5.6.3.1 Stopping distance

Answer 08 · Mark scheme June 2010 | PHY2H | Original Q5 | Legacy

PHY2H

4.5.6.3.1 Stopping distance

Answer 09 · Mark scheme

Question 1

question	answers	extra information	mark
1(a)	gravitational / gravity / weight	do **not** accept gravitational potential	1
1(b)	accelerating	accept speed / velocity increases	1
	the distance between the drops increases		1
	but the time between the drops is the same	accept the time between drops is (always) 5 seconds accept the drops fall at the same rate	1
1(c)(i)	any **one** from: • speed / velocity • (condition of) brakes / road surface / tyres • weather (conditions)	accept specific examples, eg wet / icy roads accept mass / weight of car friction is insufficient reference to any factor affecting thinking distance negates this answer	1

Question 1 continues on the next page . . .

4.5.6.3.1 Stopping distance

PH2HP

Question 1 continued . . .

question	answers	extra information	mark
1(c)(ii)	75 000	allow **1** mark for correct substitution, ie 3000 × 25 provided no subsequent step shown **or** allow **1** mark for an answer 75 **or** allow **2** marks for 75 k(+ incorrect unit), eg 75 kN	2
	joules / J	do **not** accept j an answer 75 kJ gains **3** marks for full marks the unit and numerical answer must be consistent	1
Total			**8**

4.5.6.3.1 Stopping distance

Answer 09 · Mark scheme

January 2013 | PH2HP | Original Q1 | Legacy

PH2HP

4.5.6.3.1 Stopping distance

Answer 10 · Mark scheme

June 2013 | PH2HP | Original Q4 | Legacy

Question 4

question	answers	extra information	mark
4(a)(i)	distance vehicle travels during driver's reaction time	accept distance vehicle travels while driver reacts	1
4(a)(ii)	any **two** from: • tiredness • (drinking) alcohol • (taking) drugs • speed • age	accept as an alternative factor distractions, eg using a mobile phone	2
4(b)(i)	320 000	allow **1** mark for correct substitution, ie $\frac{1}{2} \times 1600 \times 20^2$ provided no subsequent step shown	2
4(b)(ii)	320 000 **or** their (b)(i)		1
4(b)(iii)	40 **or** $\frac{\text{their (b)(ii)}}{8000}$ correctly calculated	allow **1** mark for statement work done = KE lost **or** allow **1** mark for correct substitution, ie 8000 × distance = 320 000 **or** their (b)(ii)	2
4(b)(iv)	any **one** from: • icy / wet roads • (worn) tyres • road surface • mass (of car and passengers) • (efficiency / condition of the) brakes	accept weather conditions accept number of passengers	1

Question 4 continues on the next page . . .

4.5.6.3.1 Stopping distance

PH2HP

Question 4 continued . . .

question	answers	extra information	mark
4(b)(v)	(work done by) friction (between brakes and wheel)	do **not** accept friction between road and tyres / wheels	1
	(causes) decrease in KE and increase in thermal energy	accept heat for thermal energy accept KE transferred to thermal energy	1
4(c)	the battery needs recharging less often **or** increases the range of the car	accept car for battery accept less demand for other fuels **or** lower emissions **or** lower fuel costs environmentally friendly is insufficient	1
	as the efficiency of the car is increased	accept it is energy efficient	1
	the decrease in (kinetic) energy / work done charges the battery (up)	accept because not all work done / (kinetic) energy is wasted	1
Total			**14**

4.5.6.3.1 Stopping distance

Answer 10 · Mark scheme June 2013 | PH2HP | Original Q4 | Legacy

PH2HP

Answer 11 · Mark scheme June 2014 | PH2HP | Original Q3 | Legacy

3(a)(i)	friction		1	AO1 2.1.3a

3(a)(ii)	air resistance	accept drag friction is insufficient	1	AO1 2.1.3a

3(a)(iii)	Marks awarded for this answer will be determined by the Quality of Written Communication (QWC) as well as the standard of the scientific response. Examiners should also refer to the information on page 5, and apply a 'best-fit' approach to the marking.		**Mark** **6**	**AO spec ref**
0 marks	**Level 1 (1–2 marks)**	**Level 2 (3–4 marks)**	**Level 3 (5–6 marks)**	AO2 AO3 2.1.4c
No relevant content.	There is an attempt to explain in terms of forces A and B why the velocity of the cyclist changes between any two points **or** a description of how the velocity changes between any two points.	There is an explanation in terms of forces A and B of how the velocity changes between X and Y and between Y and Z **or** a complete description of how the velocity changes from X to Z. **or** an explanation and description of velocity change for either X to Y or Y to Z	There is a clear explanation in terms of forces A and B of how the velocity changes between X and Z **and** a description of the change in velocity between X and Z.	

4.5.6.3.1 Stopping distance

Answer 11 · Mark scheme

June 2014 | PH2HP | Original Q3 | Legacy

examples of the points made in the response	extra information
X to Y • at X force A is greater than force B • cyclist accelerates • and velocity increases • as cyclist moves toward Y, force B (air resistance) increases (with increasing velocity) • resultant force decreases • cyclist continues to accelerate but at a smaller value • so velocity continues to increase but at a lower rate **Y to Z** • from Y to Z force B (air resistance) increases • acceleration decreases • force B becomes equal to force A • resultant force is now zero • acceleration becomes zero • velocity increases until… • cyclist travels at constant / terminal velocity	accept speed for velocity throughout

4.5.6.3.1 Stopping distance

Answer 11 · Mark scheme

Question	Answers	Extra information	Mark	AO spec ref
3(b)(i)	3360	allow **1** mark for correct substitution, ie 140 × 24 provided no subsequent step accept 3400 for **2** marks if correct substitution is shown	2	AO1 AO2 2.2.1b
	joule / J	do **not** accept j do **not** accept Nm	1	
3(b)(ii)	decreases	accept an alternative word / description for decrease do not accept slows down	1	AO1 2.1.3e
	temperature	accept thermal energy accept heat	1	
Total			**13**	

4.5.6.3.1 Stopping distance

Answer 11 · Mark scheme

June 2014 | PH2HP | Original Q3 | Legacy

Question	Answers	Extra information	Mark	AO spec ref

4.5.6.3.1 Stopping distance

Answer 12 · Mark scheme

June 2015 | PH2HP | Original Q4 | Legacy

Question	Answers	Extra information	Mark	AO / Spec. ref.	ID
4(a)(i)	distance travelled under the braking force	accept distance travelled between applying the brakes and stopping	1	AO1 2.1.3c	E
4(a)(ii)	any **one** from: • icy/wet roads • (worn) tyres • road surface • mass (of car and passengers) • (efficiency/condition of the) brakes	accept weather (conditions) accept gradient of road accept number of passengers friction/traction is insufficient	1	AO1 2.1.3f	E
4(a)(iii)	greater the speed the greater the braking force (required)	must mention both speed and force	1	AO1 2.1.3b	E
4(b)	22.5	allow **1** mark for showing correct use of the graph with misread figures **or** for showing e.g. 90÷4 an answer 17 gains **1** mark any answer such as 17.4 or 17.5 scores 0	2	AO2 2.1.2b/c	E
4(c)(i)	momentum before = momentum after **or** (total) momentum stays the same	accept no momentum is lost accept no momentum is gained ignore statements referring to energy	1	AO1 2.2.2b	E

Question 4 continues on the next page . . .

4.5.6.3.1 Stopping distance

Question 4 continued . . .

Question	Answers	Extra information	Mark	AO / Spec. ref.	ID
4(c)(ii)	5	allow **2** marks for correctly obtaining momentum before as 12 000 **or** allow **2** marks for 1500 x 8 = 2400 x v **or** allow **1** mark for a relevant statement re conservation of momentum **or** allow **1** mark for momentum before = 1500 x 8	3	AO2 2.2.2a/b	**E**
4(d)	the seat belt stretches driver takes a longer *(impact)* time to slow down and stop (than a driver hitting a hard surface/windscreen/ steering wheel) for the (same) change of momentum a smaller force is exerted (so driver less likely to have serious injury than driver without seat belt) **or** the seat belt stretches ***(1)*** driver travels a greater distance while slowing down and stopping (than a driver hitting a hard surface/windscreen/ steering wheel) ***(1)*** for (same) amount of work done (**1**) a smaller force is exerted (so driver less likely to have serious injury than driver without seat belt) ***(1)***	 accept so smaller deceleration/negative acceleration do not accept impact for force accept for (same) change of KE do not accept impact for force	1 1 1 1	AO1/3 2.2	**E**

4.5.6.3.1 Stopping distance

Answer 12 · Mark scheme

June 2015 | PH2HP | Original Q4 | Legacy

Total			**13**

4.5.6.3.1 Stopping distance

Answer 13 · Mark scheme June 2017 | PH2HP | Original Q4 | Legacy

Question	Answers	Extra information	Mark	AO / Spec. Ref.
4(a)(i)	The distance the lorry travels during the driver's reaction time.		1	AO1 2.1.3c
4(a)(ii)	the greater the speed (of the lorry) the greater the (thinking) distance **or** they are directly proportional		1	AO1 2.1.3b
4(b)(i)	24 (m)	allow **1** mark for ½ x 12 x 4 an answer of 30 gains **1** mark	2	AO2 2.1.2h
4(b)(ii)	15000 (N) **or** 360 000÷ their **(b)(i)** correctly calculated	allow **1** mark for correct substitution ie 360 (000) = F x 24 or their **(b)(i)** an answer 15 with the unit changed to kN gains **2** marks an answer 15 gains **1** mark 360 ÷ their **b(i)** correctly calculated gains **1** mark	2	AO2 2.2.1b
4(c)(i)	any one from: • height (of the ramp) • speed of the trolley at the bottom (of the ramp) • angle (of the ramp) • start point (on the ramp)	the following are insufficient length of ramp or string same trolley or same ramp	1	AO2 HSW
4(c)(ii)	(measure maximum) distance the weight is lifted from the floor		1	AO3 HSW

4.5.6.3.1 Stopping distance


Answer 13 · Mark scheme

Question	Answers	Extra information	Mark	AO / Spec. Ref.
4(c)(iii)	increase accuracy (in measurement of braking distance)	accept results would be more reliable ignore reference to validity	1	AO3 HSW
	by allowing a mean/average to be calculated **or** by allowing anomalous results to be discarded	accept by allowing anomalous results to be identified accept shows results are repeatable reproducible is insufficient	1	
4(c)(iv)	As (braking) force increases (braking) distance decreases	accept weight (lifted) for braking force	1	AO3 HSW
	justification by correct numerical example eg increasing the force from 2 to 8 you can decrease the braking distance from 80 to 20 cm	An answer of (braking) distance is inversely proportional to (braking) force gains **2** marks	1	
Total			**12**	

4.5.6.3.1 Stopping distance

Answer 13 · Mark scheme

June 2017 | PH2HP | Original Q4 | Legacy



4.5.6.3.1 Stopping distance

Answer 14 · Mark scheme

June 2019 | 8463/2H | Original Q3

Question 3

Question	Answers	Mark	AO/ Spec. Ref
3.1	**Level 3**: Relevant points (reasons / causes) are identified, given in detail and logically linked to form a clear account.	5–6	AO1/1 AO2/1 4.5.6.3.2 4.5.6.3.3
	Level 2: Relevant points (reasons / causes) are identified, and there are attempts at logical linking. The resulting account is not fully clear.	3–4	
	Level 1: Points are identified and stated simply, but their relevance is not clear and there is no attempt at logical linking.	1–2	
	No relevant content	0	
	Indicative content • reaction time explained in terms of longer reaction times increase thinking distance (from a given speed) • taking drugs • drinking alcohol • tiredness • age • distractions explained in terms of the effect on driver's reaction time • speed explained in terms of the faster the vehicle the greater the distance travelled in the driver's reaction time (or converse) **OR** explained in terms of increased speed increases KE so increases work done to stop the vehicle • condition of the tyres • condition of road surface • wet/icy roads explained in terms of condition of tyres and road surface (including weather considerations) affecting <u>friction</u> (between tyres and road) • condition of brakes explained in terms of effect on braking force (applied to the wheels) or reduced <u>friction</u>		

4.5.6.3.1 Stopping distance

Answer 14 · Mark scheme

June 2019 | 8463/2H | Original Q3

	• mass / weight of vehicle explained in terms of deceleration force or kinetic energy or change in momentum answers do not need to reference thinking / braking distance a Level 1 answer would list factors only **or** one factor with one linked explanation a Level 2 answer lists at least three factors with one linked explanation **or** two factors with two linked but different explanations a Level 3 answer lists at least three factors with at least two linked but different explanations			
3.2	work (done) = force x distance	allow W = F s	1	AO1/1 4.5.2
3.3	900 000 = 60 000 × distance distance = $\frac{900\ 000}{60\ 000}$ distance = 15 (m)	an answer 15 (m) scores **3** marks	1 1 1	AO2/1 4.5.2
3.4	brakes overheating **or** brakes locking (causing) loss of control **or** (causing) a skid	allow brake fade allow wheels locking allow increasing the stopping / braking distance **ONLY** if the first marking point is scored ignore any effects on passengers or possible accidents	1 1	AO1/1 4.5.6.3.4
Total			**12**	

4.5.6.3.1 Stopping distance

Answer 15 · Mark scheme

November 2021 | 8463/2H | Original Q1

Question 1

Question	Answers	Extra information	Mark	AO/ Spec. Ref
01.1	**Level 2:** Relevant points (reasons / causes) are identified, given in detail and logically linked to form a clear account.		3–4	AO1 4.5.6.3.3 4.5.6.3.4 4.1.1.2
	Level 1: Point are identified and stated simply, but their relevance is not clear and there is no attempt at logical linking.		1–2	
	No relevant content		0	
	Indicative content Factors • poor condition of tyres • poor road surface • wet or icy road • poor/worn brakes Explanation • because of decreased friction Factors • increased mass of car/passengers Explanation • increases kinetic energy of car • more work needs to be done to stop car • increases momentum of the car Factor • road slopes downhill Explanation • (a component of) gravity opposes the braking force • resultant (braking) force is reduced allow answers in terms of reducing braking distance throughout A single factor with no related explanation is insufficient to score a mark			

4.5.6.3.1 Stopping distance

Answer 15 · Mark scheme

01.2	resultant force = mass × acceleration		1	AO1 4.5.6.2.2
01.3	7200 = 1600 × *a* $a = \frac{7200}{1600}$ *a* = 4.5 (m/s^2)	ignore negatives throughout	1 1 1	AO2 4.5.6.2.2
01.4	15 (m) 38 (m) = 53 (m)	two correct values identified allow the correct addition of a misread braking distance and /or a misread thinking distance taken from the graph	1 1	AO3 4.5.6.3.1
01.5	$p = \frac{F}{A}$		1	AO1 4.5.5.1.1
01.6	120 000 = $\frac{60}{A}$ $A = \frac{60}{120\,000}$ *A* = 0.0005 *A* = 5 (.0) × 10^{-4} m^2	allow an answer given to 2 sig figs from an incorrect calculation using the given data	1 1 1 1 1	AO2 AO2 AO2 AO2 AO1 4.5.5.1.1
Total			**16**	

4.5.6.3.1 Stopping distance

Answer 16 · Mark scheme

June 2022 | 8463/2HR | Original Q3

Question 3

Question	Answers	Extra information	Mark	AO / Spec. Ref.
03.1	any **two** from: • wet / icy road conditions • poor condition of brakes • poor condition of tyres • increased mass of car • negative gradient of the road	ignore weather allow weight for mass allow going downhill	2	AO1 4.5.6.3.3

Question	Answers	Extra information	Mark	AO / Spec. Ref.
03.2	distance = speed × time (so) longer reaction time = longer distance		1 1	AO1 4.5.6.3.2

Question	Answers	Extra information	Mark	AO / Spec. Ref.
03.3	mean reaction time increases after drinking alcohol the change in reaction time is not the same for all people after drinking alcohol		1 1	AO3 4.5.6.3.3

4.5.6.3.1 Stopping distance

Answer 16 · Mark scheme

June 2022 | 8463/2HR | Original Q3

Question	Answers	Extra information	Mark	AO / Spec. Ref.
03.4	distance = 1500 (m)		1	AO2 4.5.6.1.2
	$1500 = 20 \times t$	allow a correct substitution using an incorrectly / not converted value of distance	1	
	$t = \frac{1500}{20}$	allow a correct rearrangement using an incorrectly / not converted value of distance	1	
	75 (s)	allow a correctly calculated value using an incorrectly / not converted value of distance	1	

Question	Answers	Extra information	Mark	AO / Spec. Ref.
03.5	velocity is a vector and speed is a scalar	allow velocity includes direction (speed does not)	1	AO3 4.5.6.1.2
	road is not straight	allow driver may change lanes	1	
	therefore direction changes so the velocity changes		1	

Total Question 3		**13**

4.5.6.3.1 Stopping distance

Answer 17 · Mark scheme

June 2023 | 8463/2H | Original Q3

Question 3

Question	Answers	Extra information	Mark	AO / Spec. Ref.
03.1	apply the force further away from the pivot	do not allow increase the length of the lever	1	AO2 4.5.4

Question	Answers	Extra information	Mark	AO / Spec. Ref.
03.2	v = 15 (m/s)		1	AO2 4.5.7.1
	24 000 = m × 15	allow a value of v = 14.5 (m/s)	1	
	$m = \frac{24\,000}{15}$		1	
	m = 1600 (kg)		1	

Question	Answers	Extra information	Mark	AO / Spec. Ref.
03.3	distance travelled during first 3 seconds = 22.5 (m)		1	AO2 4.5.6.1.5
	distance travelled during last 2 seconds = 30 (m)		1	
	total distance = 52.5 (m)	allow 53 (m) allow 1 mark for the correct addition of their calculated distances allow a maximum of 2 marks for total distance = 50.75 (m) if velocity used = 14.5 (m/s)	1	

4.5.6.3.1 Stopping distance

Answer 17 · Mark scheme

June 2023 | 8463/2H | Original Q3

Question	Answers	Extra information	Mark	AO / Spec. Ref.
03.4	stopping distance includes thinking distance	allow stopping distance = braking distance + thinking distance	1	AO1
	there is an additional time before the driver applies the brakes.	allow the driver's reaction time will increase (due to the distraction)	1	AO2
	(so) the thinking distance will increase		1	AO2
				4.5.6.1.1 4.5.6.3.1 4.5.6.3.2

Question	Answers	Extra information	Mark	AO / Spec. Ref.
03.5	work is done due to friction (in the brakes)	ignore friction alone	1	AO1 4.5.6.3.4
	(causing) an increase in the internal / thermal energy (of the brakes)		1	

Total Question 3	13

4.5.6.3.1 Stopping distance

Answer 18 · Mark scheme

June 2024 | 8463/2H | Original Q7

Question 7

Question	Answers	Extra information	Mark	AO / Spec. Ref.
07.1	$(\frac{1}{2} \times 56 \times 220) = 6160$ $(56 \times 380) = 21280$ $(6160 + 21280) = 27\,440$ (m)	 allow a correctly calculated total distance from an incorrectly calculated area of the rectangle and / or the triangle	1 1 1	AO2 4.5.6.1.5

Question	Answers	Extra information	Mark	AO / Spec. Ref.
07.2	the gradient is less after 720 s so the deceleration is smaller so the braking force is smaller	allow the gradient is less after (velocity decreases to) 20 m/s	1 1 1	AO3 4.5.6.1.5 4.5.6.2.2

Question	Answers	Extra information	Mark	AO / Spec. Ref.
07.3	correct section of line identified attempt to calculate a gradient using values from the correct section of the graph eg gradient $= \frac{(-)36}{120}$ correct calculation using their correct values eg $a = (-)0.3$ (m/s^2)	judge by values used allow use of correct values obtained from the section of the graph after 720 s allow a correct calculation using correct values obtained from the section of the graph after 720 s if no other marks scored, an answer that rounds to 0.16 (m/s^2) scores 1 mark	1 1 1	AO2 4.5.6.1.5

4.5.6.3.1 Stopping distance

Answer 18 · Mark scheme

June 2024 | 8463/2H | Original Q7

Question	Answers	Extra information	Mark	AO / Spec. Ref.
07.4	(–)270 000 = 240 000 × a		1	AO2 4.5.6.1.5
	$a = \frac{(-)270\,000}{240\,000}$		1	
	a = (–) 1.125 (m/s^2)	the equation $F = ma$ must have been used to score subsequent marks	1	
	0 = 60^2 + (2 × (–1.125) × s)	allow a correct substitution using their value of deceleration	1	
	$s = \frac{3600}{2.25}$	allow a correct re-arrangement using their value of deceleration	1	
	s = 1600 (m)	allow a correct calculation using their value of deceleration	1	
	OR			
	$E_k = \frac{1}{2} \times 240\,000 \times 60^2$ (1)			
	= 432 000 000 (1)			
	Δ E_k = work done (1)			
		the equation $E_k = \frac{1}{2}mv^2$ must have been used to score subsequent marks		
	432 000 000 = 270 000 × s (1)	allow a correct substitution using their value of E_k		
	$s = \frac{432\,000\,000}{270\,000}$ (1)	allow a correct re-arrangement using their value of E_k		
	s = 1600 (m) (1)	allow a correct calculation using their value of E_k		

4.5.6.3.1 Stopping distance

Answer 18 · Mark scheme

June 2024 | 8463/2H | Original Q7

07.4 cont.	**OR** $p = 240\,000 \times 60$ (= 14 400 000) (1) $270\,000 = \frac{14\,400\,000}{t}$ (1) $t = 53.333\ldots$(s) (1) mean speed $= \frac{60}{2} = 30$ (1) $s = 30 \times 53.333\ldots$ (1) $s = 1600$ (m) (1)	allow $t = 53$ (s) the equation $F = \frac{\text{change in momentum}}{\text{time taken}}$ must have been used to score subsequent marks allow a correct substitution using their value of t allow a correct calculation using their value of t		

Question	Answers	Extra information	Mark	AO / Spec. Ref.
07.5	stopping distance includes both braking distance and thinking distance alcohol increases driver's reaction time which will increase the thinking distance so stopping distance increases		1 1 1	AO1 4.5.6.3.1 4.5.6.3.2

Total Question 7	**18**

4.5.6.3.1 Stopping distance

Answer 19 · Mark scheme

June 2025 | 8463/2H | Original Q6

Question 6

Question	Answers	Extra information	Mark	AO / Spec. Ref.
06.1	car **X** has a smaller maximum acceleration (than car **Y)**		1	AO3 4.5.6.2.2

Question	Answers	Extra information	Mark	AO / Spec. Ref.
06.2	increases the time taken (for the driver to come to a stop) (so) the rate of change of momentum decreases **or** the deceleration / acceleration of the driver is less (so) the force (on the driver) is reduced	allow for MP1 **and** MP2 the change of momentum is the same but over a greater time	1 1 1	AO1 4.5.6.2.2 4.5.7.3

4.5.6.3.1 Stopping distance

Answer 19 · Mark scheme

Question	Answers	Extra information	Mark	AO / Spec. Ref.
06.3	$0 - 18^2 = 2 \times a \times 24$		1	AO2 4.5.2
	$a = -\frac{324}{48}$		1	4.1.1.2 4.5.6.2.2 4.5.6.1.5
	$a = -6.75$	the equation $v^2 - u^2 = 2as$ must have been used to score subsequent marks	1	4.5.7.3
	$F = 1400 \times (-) 6.75$		1	
	9450 (N)		1	
	OR			
	$E_k = \frac{1}{2} \times 1400 \times 18^2$ (1)			
	$=226\ 800$ (1)	the equation $E_k = \frac{1}{2} m v^2$ must have been used to score subsequent marks		
	$226\ 800 = F \times 24$ (1)			
	$F = \frac{226\ 800}{24}$ (1)			
	9450 (N) (1)			
	OR			
	average velocity = (18 + 0) / 2 (1)			
	$24 = 9 \times t$ (1)			
	$t = \frac{24}{9}$ (1)	subsequent marks may be awarded if t has been calculated using initial velocity rather than average velocity		
	$F = \frac{1400 \times 18}{\frac{24}{9}}$ (1)			
	9450 (N) (1)			

4.5.6.3.1 Stopping distance

Answer 19 · Mark scheme

Question	Answers	Extra information	Mark	AO / Spec. Ref.
06.4	work is done by friction (in the brakes) (some of the kinetic) energy (of the vehicle) is transferred as thermal energy (in the brakes)	ignore friction alone	1 1	AO1 4.5.6.3.4

Question	Answers	Extra information	Mark	AO / Spec. Ref.
06.5	the brakes will overheat the driver will lose control of the car		1 1	AO1 4.5.6.3.4

Total Question 6	13

4.5.6.3.1 Stopping distance

AQA
ASSESSMENT and QUALIFICATIONS ALLIANCE

Mark scheme June 2003

GCSE

Physics

3451

Foundation

Copyright © 2003 AQA and its licensors. All rights reserved.

The Assessment and Qualifications Alliance (AQA) is a company limited by guarantee registered in England and Wales 3644723 and a registered charity number 1073334
Registered address: Addleshaw Booth & Co., Sovereign House, PO Box 8, Sovereign Street, Leeds LS1 1HQ
Kathleen Tattersall: *Director General*

4.5.6.3.1 Stopping distance

INFORMATION FOR EXAMINERS

1. General

The mark scheme for each question shows:

- the marks available for each part of the question;
- the total marks available for the question;
- the typical answer or answers which are expected;
- extra information to help the Examiner make his or her judgement and help to delineate what is acceptable or not worthy of credit or, in discursive answers, to give an overview of the area in which a mark or marks may be awarded.

The extra information is aligned to the appropriate answer in the left-hand part of the mark scheme and should only be applied to that item in the mark scheme.

At the beginning of a part of a question a reminder may be given, for example:
where consequential marking needs to be considered in a calculation;
or the answer may be on the diagram or at a different place on the script.

In general the right hand side of the mark scheme is there to provide those extra details which confuse the main part of the mark scheme yet may be helpful in ensuring that marking is straightforward and consistent.

2. Emboldening

2.1 In a list of acceptable answers where more than one mark is available 'any **two** from' is used, with the number of marks emboldened. Each of the following lines is a potential mark.

2.2 A bold **and** is used to indicate that both parts of the answer are required to award the mark.

2.3 Alternative answers acceptable for a mark are indicated by the use of **or**. (Different terms in the mark scheme are shown by a / ; e.g. allow smooth / free movement.)

3. Marking points

3.1 Marking of Quality of Written Communication

Examiners are reminded of the need to assess QoWC by the following statement appearing in the appropriate parts of the mark scheme:

The answer to this question requires ideas in good English in a sensible order with correct use of scientific terms. Quality of written communication should be considered in crediting points in the mark scheme.

The maximum marks available to a candidate whose answer is not well expressed will be (the number of marks available –1).

4.5.6.3.1 Stopping distance

3.2 Marking of lists

This applies to questions requiring a set number of responses, but for which candidates have provided extra responses. The general principle to be followed in such a situation is that 'right + wrong = wrong'.

Each error/contradiction negates each correct response. So, if the number of error/contradictions equals or exceeds the number of marks available for the question, no marks can be awarded.

However, responses considered to be neutral (indicated as * in example 1) are not penalised.

Example 1: What is the pH of an acidic solution? (1 mark)

Candidate	Response	Marks awarded
1	4,8	0
2	green, 5	0
3	red*, 5	1
4	red*, 8	0

Example 2: Name two planets in the solar system. (2 marks)

Candidate	Response	Marks awarded
1	Pluto, Mars, Moon	1
2	Pluto, Sun, Mars, Moon	0

3.3 Use of chemical symbols/formulae

If a candidate writes a chemical symbol/formula instead of a required chemical name, full credit can be given if the symbol/formula is correct and if, in the context of the question, such action is appropriate.

3.4 The marking of quantitative relationships

Full credit can be given for a correct quantitative relationship expressed in:

- named units;
- physical quantities;
- standard symbols;
- a combination of physical quantities and units.

No credit can be given for any quantitative relationship expressed in terms of:

- a combination of physical quantities, units and symbols;
- a diagram, e.g. the ohm's law triangle, unless the rest of the answer shows clearly that the candidate understands the relationships involved.

3.5 Marking procedure for calculations

3.5.1 Full marks can be given for a correct numerical answer, as shown in the column 'answers', without any working shown. However, if the answer is incorrect, mark(s) can be gained by correct substitution/working and this is shown in the 'extra information' column.

4.5.6.3.1 Stopping distance

3.5.2 Where calculations are based on incorrectly recalled relationships, neither the incorrectly recalled relationship, nor the resulting calculation based on the incorrect relationship, will be credited.

3.6 Interpretation of 'it'

Answers using the word 'it' should be given credit only if it is clear that the 'it' refers to the correct subject.

3.7 Errors carried forward

There should be no error carried forward from a previous answer which has been based on wrong science. Any error in the answers to a structured question should be penalised once only.

Examples

(a) A candidate who calculates average speed using speed = time/distance **and** then proceeds to use this incorrect answer to calculate an acceleration based on the correct quantitative relationship should be given credit for the use of the correct acceleration relationship but none for either numerical answer.

(b) A candidate who incorrectly calculates average speed using speed = distance/time and then proceeds to use this incorrect value to calculate an acceleration based on the correct quantitative relationship, should be given credit for the use of both correct quantitative relationships **and** for the correct substitution and use of the incorrect value in the calculation of the rate of acceleration.

Papers should be constructed in such a way that the number of times errors can be carried forward are kept to a minimum. Allowances for errors carried forward are most likely to be restricted to calculation questions and should be shown by the abbreviation e.c.f. in the marking scheme.

3.8 Phonetic spelling

The phonetic spelling of correct scientific terminology should be credited **unless** there is a possible confusion with another technical term.

3.9 Brackets




(…..) is used to indicate information which is not essential for the mark to be awarded but is included to help the examiner identify the sense of the answer required.

3.10 Unexpected Correct Answers not in the Mark Scheme

The Examiner should use professional judgement to award credit where a candidate has given an unexpected correct answer which is not covered by the mark scheme. The Examiner should consult with the Team Leader to confirm the judgement. The Team Leader should pass this answer on to the Principal Examiner with a view to informing all examiners.

4.5.6.3.1 Stopping distance

3451/F Q1

question	answers	extra information	mark
(a)	circuit symbol for a lamp correct 	accept  accept any standard of drawing providing circuit would work	1
	circuit symbol for a cell correct 		1
	2 lamps drawn in parallel with 3 cells	polarity of cells must be correct (+ to –) but cells may be either way around	1
(b)	4.5		1
(c)	the same as	accept any clear indication of the correct answer	1
total			5

4.5.6.3.1 Stopping distance

3451/F Q2

question	answers	extra information	mark
(a)	gas		1
(b)	fuel burning stations produce electricity at any time / all the time	accept fuel available all the time	1
	wind generator can only produce when the wind is strong enough	accept it's not always windy	1
(c)	no fuel is burnt **or** no fuel is used **or** uses only energy from wind **or** does not emit harmful gases / soot / smoke	do **not** accept wind is natural / environmentally friendly / renewable answer must be in terms of wind, **not** negative of fuel burning specific examples of gases CO_2, SO_2, acid rain and greenhouse gases can be accepted ozone negates credit	1
total			4

4.5.6.3.1 Stopping distance

3451/F Q3

question	answers	extra information	mark
(a)(i)	microwaves		1
(ii)	infra red		1
(iii)	ultrasonic		1
(b)(i)	B		1
(ii)	A		1
(c)	disturbance / vibration / movement direction	accept motion / force do **not** accept energy	1 1
(d)	sound wave	accept any clear indication of the correct answer	1
total			8

4.5.6.3.1 Stopping distance

3451/F Q4

question	answers	extra information	mark
(a)(i)	heat		1
(ii)	temperature increases **or** (cause) convection (currents)	accept gets warmer accept gets hotter	1
(iii)	60% **or** 0.6	60 without % scores **1** mark 0.6 with a unit scores **1** mark 60 with incorrect unit scores **1** mark **or** correct substitution $\frac{120}{200}$ for **1** mark	2
(b)	street more (energy transferred as) light **or** less (energy transferred as) heat **or** useful energy output the highest	 can only score this mark if first mark scored all efficiencies calculated correctly score 2nd mark point	1 1
total			6


4.5.6.3.1 Stopping distance

3451/F Q5

question	answers	extra information	mark
(a)	MN	accept 5.8, 8 seconds must include unit	1
(b)	LM	accept 0.8, 5.8 seconds must include unit	1
(c)(i)	0.8		1
(ii)	drinking alcohol		1
(d)	straight (by eye) line starting at 0.8 seconds line drawn steeper than LM starting before L	 ignore lines going beyond 2 seconds but line must exceed 2.5 metres per second before terminating	1 1
total			6


4.5.6.3.1 Stopping distance

3451/F Q6

question	answers	extra information	mark
(a)(i)	each correct label scores 1 mark  		3
(ii)	neutron		1
(iii)	7 number of protons and neutrons **or** number of nucleons **or** number of particles in the nucleus	 accept number of particles in the centre only if first answer = 7	1 1
(b)(i)	50 ± 5		1
(ii)	50 ± 5	accept their (b)(i)	1
(iii)	less	accept any way of indicating the correct answer	1
total			9

4.5.6.3.1 Stopping distance

3451/F Q7

question	answers	extra information	mark
(a)	each correct line scores 1 mark  	if more than 3 lines are drawn mark incorrect ones first, to a maximum of 3 lines	3
(b)	toaster	accept 1.2 kW	1
(c)(i)	400		1
(ii)	£24 **or** 2400p	full credit for their (c)(i) × 6p for full credit the correct numerical answer must have the correct unit an answer of 24 or 2400 with no unit or the incorrect unit scores **1** mark (c)(i) × 6 incorrectly evaluated scores **1** mark	2
(d)	6	allow 6000 for **1** mark allow 3 × 2 for **1** mark	2
total			9


4.5.6.3.1 Stopping distance

3451/F Q8

question	answers	extra information	mark
(a)(i)	point where the rays cross	do not credit if ambiguous	1
(ii)	converging (lens)	do **not** accept convex	1
(b)(i)	point where the rays appear to diverge from	this should appear to be within 10mm in front of the back of the arrows on the approximate centre line need not be accurately constructed using a ruler	1
(ii)	diverging (lens)	do **not** accept concave	1
(c)	converging film smaller than nearer to	accept any clear indication of the correct response e.g. ticking, ringing, writing in after a mistake	1 1 1 1
(d)(i)	(image) bigger than object / enlarge	accept just 'made bigger'	1
(ii)	it / real image can be put on a screen **or** real image on the opposite side of the lens to the object	accept 'not an imaginary or virtual image' assume 'it' refers to a real image do **not** credit 'it can be seen'	1
(e)	**either** (the converging lens is) thick in the middle thin(ner) at the edge **or** (both) sides bend outwards (1) in the middle (1) **or** one side bends in the middle (1) more than the other side bends inwards (in the middle) (1)	thickest in the middle gains **2** marks convex gains **2** marks suitable diagrams gains **2** marks	1 1
total			12




4.5.6.3.1 Stopping distance

3451/F Q9

question	answers	extra information	mark
(a)(i)	off off on	all correct	1
(ii)	AND (gate)	accept and (gate)	1
(iii)	on on on	all correct	1
(iv)	OR (gate)	accept or (gate)	1
(b)(i)	1 0 **or** 0 1 0 1 1 0	do **not** credit on / off responses	1
(ii)		accept mirror image accept  accept with either or both parts shaded accept line through as shading	1
(c)		accept off for 0 and on for 1 throughout	
	0 0	both correct	1
	0 1	both correct	1
	1 1	both correct	1
	1 1	both correct	1

4.5.6.3.1 Stopping distance

3451/F Q9 continued

(d)(i)		accept mirror image **or** inverted do **not** credit  **or**  or similar	1
(ii)	resistance decreases / increases / changes current (through it) increases / decreases / changes **or** temperature changes / increases / decreases (1) resistance changes / decreases / increases (1) (NTC thermistor) both marks independent but must be compatible to score **2** marks	accept 'voltage across it decreases' for **2** marks but only if it is made clear that this refers to a thermistor in series	1 1
total			13

4.5.6.3.1 Stopping distance

3451/F Q10

question	answers	extra information	mark
(a)(i)	friction	accept any way of indicating the correct answer	1
(ii)	gravity	accept any way of indicating the correct answer	1
(b)(i)	accelerates **or** speed / velocity increases	accept faster and faster (**1** mark) do **not** accept faster pace / falls faster or suggestions of a greater but constant speed	1
	downwards / falls	accept towards the Earth / ground this may score in part (b)(ii) if it does not score here and there is no contradiction between the two parts	1
(ii)	constant speed / velocity **or** terminal velocity / speed **or** zero acceleration	stays in the same place negates credit	1
total			5

4.5.6.3.1 Stopping distance

3451/F Q11

question	answers	extra information	mark
(a)(i)	X – mantle		1
	Y – inner core	do **not** accept solid core	1
(ii)	different to the crust **or** contains a lot of (heavy) metals	accept iron and nickel for metals	1
	higher (average) density **or** denser	density higher than 5500 (kg/m^3) gets **2** marks	1
(b)	animals were able to move from one continent to the other		1
	(when bridge broke) animals evolved differently	accept animals adapted differently	1
(c)(i)	earthquakes occur at the boundary between plates **or** earthquakes occur where plates push against each other		1
	there are no plate boundaries running through Britain	accept Britain is not near the edge of a plate	1
(ii)	convection currents (in the mantle) **or** heat released by (natural) radioactive processes		1
total			9

4.5.6.3.1 Stopping distance

3451/F Q12

question	answers	extra information	mark
(a)(i)	outside the Earth **or** not from the Earth	accept alien accept life from / on another planet / space accept our planet for Earth	1
(ii)	radio telescope(s)	do **not** accept telescopes do **not** accept satellite dishes do **not** accept radio receivers **or** transmitters	1
(b)(i)	galaxies	do **not** accept stars	1
(ii)	any **one** from: the pulses were regular pulses from space are usually random (scientists) thought technology had been used to produce the pulses neutron stars were unknown signals from a single point	 accept signals / beats for pulses accept noise for random pulses idea of regular but not continuous	1
(iii)	neutron star is (the matter / mass) left behind after a star / red giant explodes (as a super nova)	 accept after a super nova (explosion) neutron star causing super nova gets no credit	1 1
(c)(i)	carried on the balloon / equipment	accept carried by a rocket / aircraft / satellite birds negates credit	1
(ii)	on comets or meteors	accept meteorites / shooting stars accept returning space craft accept solar wind ignore asteroids accept ufo do **not** accept solar flares do **not** accept satellites	1
total			8

4.5.6.3.1 Stopping distance

3451/F Q13

question	answers	extra information	mark
(a)	silver is a (good) reflector of <u>heat</u> (radiation) **or** silver reflects the heat (radiation)	fact heat = infra red ignore references to light accept shiny for silver good radiator negates the mark ignore references to good conductor do **not** accept bounce back	1
	less heat is lost through the board **or** more heat is retained by the shirt	explanation accept both sides of shirt heated reflects heat back up gets **1** mark only ignore mention of friction	1
(b)	metal soleplate	accept soleplate / bottom / metal do **not** accept outside / case	1
(c)	plastic **or** rubber	accept any named plastic do **not** accept wood	1
	it is a (good) insulator **or** it is a poor conductor	ignore mention of heat if in conjunction with electricity	1
(d)	**Quality of written communication** *The answer to this question requires ideas in good English in a sensible order with correct use of scientific terms. Quality of written communication should be considered in crediting points in the mark scheme.*	*Maximum of **2** marks if ideas not well expressed.*	
	pulls iron bolt down **or** attracts the iron bolt **or** moves bolt out of plunger	answers in terms of charges attracting or repelling gain no credit	1
	plunger pushed / moved to the right (by spring) **or** plunger released		1
	push switch opens / goes to off / goes to right	accept circuit is broken for maximum credit the points must follow a logical sequence 3 correct points but incorrect sequence scores **2** marks only ignore reset action	1
total			8


4.5.6.3.1 Stopping distance

3451/F Q14

question	answers	extra information	mark
(a)(i)	any **one** from: the ground the air radon (gas) building materials buildings rocks / granite food cosmic rays **or** solar rays X-rays nuclear weapons testing nuclear power stations / accidents	 do **not** accept mobile phones accept from outer space accept sun but **not** sunlight accept medical uses	1
(ii)	2	allow $\frac{1200}{60\times10}$ **or** $\frac{1200}{600}$ **or** 120 for **1** mark	2
(b)	 alpha: the count rate is (greatly) reduced by the card **or** the card absorbs alphas but not betas beta: the count rate is (greatly) reduced by the metal **or** the thin metal absorbs alphas and betas **or** the thin metal absorbs all of the radiation (from the source) gamma: would pass through the thin metal but count rate is background **or** no radiation passing through **or** a higher reading would be recorded **or** to reduce the count to 2 would require much more than 3 mm of metal	answers must be comparative accept converse answers throughout accept paper for the card accept aluminium for the metal accept aluminium for the metal accept lead / aluminium for the metal	 1 1 1
total			6

4.5.6.3.1 Stopping distance

3451/F Q15

question	answers	extra information	mark
(a)(i)	weight = mass × g.f.s.	accept w = m × g accept gravity for gfs accept  provided subsequent use of Δ correct do **not** accept N = kg × N/kg	1
(ii)	675	75 × 9 for **1** mark	2
(iii)	g.(f.s.) is higher (on Earth than Venus)	accept gravity for g.f.s. do **not** accept g.f.s. is lower unless answer states on Venus	1
(iv)	orbit time for Jupiter is <u>longer</u> / longest (than for the other planets)	do **not** give any credit for an answer that includes a comparison of diameter **or** a comparison of g.f.s.	1
(b)	**Quality of written communication** *The answer to this question requires ideas in good English in a sensible order with correct use of scientific terms. Quality of written communication should be considered in crediting points in the mark scheme.* any **two** from: dust <u>and</u> gas **or** remnants of a super nova pulled together by (force of) <u>gravity</u> nuclear fusion starts	*Maximum of **1** mark if ideas not well expressed.* accept hydrogen for dust and gas do **not** accept hydrogen burns although candidates may include more detail these points are essential to score the credit	2
total			7

4.5.6.3.1 Stopping distance

3451/F Q16

question	answers	extra information	mark
(a)(i)	upright with the contacts at the bottom and still in place and unbent	no need for labels but incorrect label(s) cancel the mark accept a freehand drawing no need for details such as correct dimensions	1
	one blob of mercury touching <u>both</u> contacts	do **not** award mark if contacts bent to touch	1
(b)(i)	(X is a) battery	do **not** credit cell accept (set of) cells accept power supply do **not** accept power pack	1
	(Y is a) LED	**or** light emitting diode	1
(ii)	longer (time)	do **not** accept 'slower time'	1
(iii)	any **two** from: current less (so) rate of flow of charge less **or** less coulombs per second (so) discharge is slower	 do **not** accept current slower accept capacitor has charge for longer **or** charge lasts longer **or** (so total of) electrons take longer to travel round circuit	2
(c)	4200	 translation correct (= 4000) but percentage addition incorrect gains **1** mark translation incorrect but 5% addition is correct gains **1** mark accept 422.1 **or** 42.2 **or** 6.3 for **1** mark	2
	ohms **or** Ω	 4.2 kilohms **or** 4.2 kΩ gains all **3** marks	1
total			10

4.5.6.3.1 Stopping distance

3451/F Q17

question	answers	extra information	mark
(a)	point at which its mass (seems to) act **or** point at which gravity (seems to) act	accept …its weight acts accept correct statements if the intent is clear e.g. … if suspended, the centre of gravity will be directly under the point of suspension e.g. … (if the object is symmetrical), the centre of gravity is on the **or** an axis (of symmetry) do **not** credit just 'it is a point'	1
(b)	**Quality of written communication** *The answer to this question requires good English in a sensible order with correct use of scientific terms. Quality of written communication should be considered in crediting points in the mark scheme.* any **five** from: clamp (steel) rod (horizontally) hang plastic / sheet by rod through (one) hole hang plumb line from rod mark ends of plumb line on the sheet and use the ruler to draw a straight line repeat with other hole centre of mass is where the lines cross check by balancing at this point	*maximum of **4** marks if ideas not well expressed* **no** marks if method quite unworkable maximum of **3** marks if no 'repeat with other hole'	5
(c)(i)	(turning) effect **or** moment force distance	all three correct accept weight accept length	1
(ii)	17.6 Nm **or** newton metre(s)	allow 44 × 0.4 **or** 0.4 × 44 for **1** mark do **not** accept N/m **or** N/cm 1760 Ncm gains all **3** marks	2 1
total			10

4.5.6.3.1 Stopping distance

ASSESSMENT and QUALIFICATIONS ALLIANCE

Mark scheme June 2003

GCSE

Science: Double Award Co-ordinated

3462

Paper 3F

Copyright © 2003 AQA and its licensors. All rights reserved.

The Assessment and Qualifications Alliance (AQA) is a company limited by guarantee registered in England and Wales 3644723 and a registered charity number 1073334
Registered address: Addleshaw Booth & Co., Sovereign House, PO Box 8, Sovereign Street, Leeds LS1 1HQ
Kathleen Tattersall: *Director General*

4.5.6.3.1 Stopping distance

INFORMATION FOR EXAMINERS

1. General

The mark scheme for each question shows:

- the marks available for each part of the question;
- the total marks available for the question;
- the typical answer or answers which are expected;
- extra information to help the Examiner make his or her judgement and help to delineate what is acceptable or not worthy of credit or, in discursive answers, to give an overview of the area in which a mark or marks may be awarded.

The extra information is aligned to the appropriate answer in the left-hand part of the mark scheme and should only be applied to that item in the mark scheme.

At the beginning of a part of a question a reminder may be given, for example:
where consequential marking needs to be considered in a calculation;
or the answer may be on the diagram or at a different place on the script.

In general the right hand side of the mark scheme is there to provide those extra details which confuse the main part of the mark scheme yet may be helpful in ensuring that marking is straightforward and consistent.

2. Emboldening

2.1 In a list of acceptable answers where more than one mark is available 'any **two** from' is used, with the number of marks emboldened. Each of the following lines is a potential mark.

2.2 A bold **and** is used to indicate that both parts of the answer are required to award the mark.

2.3 Alternative answers acceptable for a mark are indicated by the use of **or**. (Different terms in the mark scheme are shown by a / ; e.g. allow smooth / free movement.)

3. Marking points

3.1 Marking of Quality of Written Communication

Examiners are reminded of the need to assess QoWC by the following statement appearing in the appropriate parts of the mark scheme:

The answer to this question requires ideas in good English in a sensible order with correct use of scientific terms. Quality of written communication should be considered in crediting points in the mark scheme.

The maximum marks available to a candidate whose answer is not well expressed will be (the number of marks available –1).

4.5.6.3.1 Stopping distance

3.2 Marking of lists

This applies to questions requiring a set number of responses, but for which candidates have provided extra responses. The general principle to be followed in such a situation is that 'right + wrong = wrong'.

Each error/contradiction negates each correct response. So, if the number of error/contradictions equals or exceeds the number of marks available for the question, no marks can be awarded.

However, responses considered to be neutral (indicated as * in example 1) are not penalised.

Example 1: What is the pH of an acidic solution? (1 mark)

Candidate	Response	Marks awarded
1	4,8	0
2	green, 5	0
3	red*, 5	1
4	red*, 8	0

Example 2: Name two planets in the solar system. (2 marks)

Candidate	Response	Marks awarded
1	Pluto, Mars, Moon	1
2	Pluto, Sun, Mars, Moon	0

3.3 Use of chemical symbols/formulae

If a candidate writes a chemical symbol/formula instead of a required chemical name, full credit can be given if the symbol/formula is correct and if, in the context of the question, such action is appropriate.

3.4 The marking of quantitative relationships

Full credit can be given for a correct quantitative relationship expressed in:

- named units;
- physical quantities;
- standard symbols;
- a combination of physical quantities and units.

No credit can be given for any quantitative relationship expressed in terms of:

- a combination of physical quantities, units and symbols;
- a diagram, e.g. the ohm's law triangle, unless the rest of the answer shows clearly that the candidate understands the relationships involved.

3.5 Marking procedure for calculations

3.5.1 Full marks can be given for a correct numerical answer, as shown in the column 'answers', without any working shown. However, if the answer is incorrect, mark(s) can be gained by correct substitution/working and this is shown in the 'extra information' column.

4.5.6.3.1 Stopping distance

3.5.2 Where calculations are based on incorrectly recalled relationships, neither the incorrectly recalled relationship, nor the resulting calculation based on the incorrect relationship, will be credited.

3.6 Interpretation of 'it'

Answers using the word 'it' should be given credit only if it is clear that the 'it' refers to the correct subject.

3.7 Errors carried forward

There should be no error carried forward from a previous answer which has been based on wrong science. Any error in the answers to a structured question should be penalised once only.

Examples

(a) A candidate who calculates average speed using speed = time/distance **and** then proceeds to use this incorrect answer to calculate an acceleration based on the correct quantitative relationship should be given credit for the use of the correct acceleration relationship but none for either numerical answer.

(b) A candidate who incorrectly calculates average speed using speed = distance/time and then proceeds to use this incorrect value to calculate an acceleration based on the correct quantitative relationship, should be given credit for the use of both correct quantitative relationships **and** for the correct substitution and use of the incorrect value in the calculation of the rate of acceleration.

Papers should be constructed in such a way that the number of times errors can be carried forward are kept to a minimum. Allowances for errors carried forward are most likely to be restricted to calculation questions and should be shown by the abbreviation e.c.f. in the marking scheme.

3.8 Phonetic spelling

The phonetic spelling of correct scientific terminology should be credited **unless** there is a possible confusion with another technical term.

3.9 Brackets

(…..) is used to indicate information which is not essential for the mark to be awarded but is included to help the examiner identify the sense of the answer required.




3.10 Unexpected Correct Answers not in the Mark Scheme

The Examiner should use professional judgement to award credit where a candidate has given an unexpected correct answer which is not covered by the mark scheme. The Examiner should consult with the Team Leader to confirm the judgement. The Team Leader should pass this answer on to the Principal Examiner with a view to informing all examiners.

4.5.6.3.1 Stopping distance

Double Award
Foundation Tier 3462/3F

3462/3F Q1

question	answers	extra information	mark
(a)	circuit symbol for a lamp correct 	accept  accept any standard of drawing providing circuit would work	1
	circuit symbol for a cell correct 		1
	2 lamps drawn in parallel with 3 cells	polarity of cells must be correct (+ to –) but cells may be either way around	1
(b)	4.5		1
(c)	the same as	accept any clear indication of the correct answer	1
total			5

4.5.6.3.1 Stopping distance

3462/3F Q2

question	answers	extra information	mark
(a)	gas		1
(b)	fuel burning stations produce electricity at any time / all the time	accept fuel available all the time	1
	wind generator can only produce when the wind is strong enough	accept it's not always windy	1
(c)	no fuel is burnt **or** no fuel is used **or** uses only energy from wind **or** does not emit harmful gases / soot / smoke	do **not** accept wind is natural / environmentally friendly / renewable answer must be in terms of wind, **not** negative of fuel burning specific examples of gases CO_2, SO_2, acid rain and greenhouse gases can be accepted ozone negates credit	1
total			4

4.5.6.3.1 Stopping distance

3462/3F Q3

question	answers	extra information	mark
(a)(i)	microwaves		1
(ii)	infra red		1
(iii)	ultrasonic		1
(b)(i)	B		1
(ii)	A		1
(c)	disturbance / vibration / movement direction	accept motion / force do **not** accept energy	1 1
(d)	sound wave	accept any clear indication of the correct answer	1
total			8

4.5.6.3.1 Stopping distance

3462/3F Q4

question	answers	extra information	mark
(a)(i)	heat		1
(ii)	temperature increases **or** (cause) convection (currents)	accept gets warmer accept gets hotter	1
(iii)	60% **or** 0.6	60 without % scores **1** mark 0.6 with a unit scores **1** mark 60 with incorrect unit scores **1** mark **or** correct substitution $\frac{120}{200}$ for **1** mark	2
(b)	street more (energy transferred as) light **or** less (energy transferred as) heat **or** useful energy output the highest	 can only score this mark if first mark scored all efficiencies calculated correctly score 2nd mark point	1 1
total			6


4.5.6.3.1 Stopping distance

3462/3F Q5

question	answers	extra information	mark
(a)	MN	accept 5.8, 8 seconds must include unit	1
(b)	LM	accept 0.8, 5.8 seconds must include unit	1
(c)(i)	0.8		1
(ii)	drinking alcohol		1
(d)	straight (by eye) line starting at 0.8 seconds line drawn steeper than LM starting before L	 ignore lines going beyond 2 seconds but line must exceed 2.5 metres per second before terminating	1 1
total			6


4.5.6.3.1 Stopping distance

3462/3F Q6

question	answers	extra information	mark
(a)(i)	each correct label scores 1 mark  		3
(ii)	neutron		1
(iii)	7 number of protons and neutrons **or** number of nucleons **or** number of particles in the nucleus	 accept number of particles in the centre only if first answer = 7	1 1
(b)(i)	50 ± 5		1
(ii)	50 ± 5	accept their (b)(i)	1
(iii)	less	accept any way of indicating the correct answer	1
total			9

4.5.6.3.1 Stopping distance

3462/3F Q7

question	answers	extra information	mark
(a)	each correct line scores 1 mark  	if more than 3 lines are drawn mark incorrect ones first, to a maximum of 3 lines	3
(b)	toaster	accept 1.2 kW	1
(c)(i)	400		1
(ii)	£24 **or** 2400p	full credit for their (c)(i) × 6p for full credit the correct numerical answer must have the correct unit an answer of 24 or 2400 with no unit or the incorrect unit scores **1** mark (c)(i) × 6 incorrectly evaluated scores **1** mark	2
(d)	6	allow 6000 for **1** mark allow 3 × 2 for **1** mark	2
total			9

4.5.6.3.1 Stopping distance

3462/3F Q8

question	answers	extra information	mark
(a)(i)	friction	accept any way of indicating the correct answer	1
(ii)	gravity	accept any way of indicating the correct answer	1
(b)(i)	accelerates **or** speed / velocity increases	accept faster and faster (**1** mark) do **not** accept faster pace / falls faster or suggestions of a greater but constant speed	1
	downwards / falls	accept towards the Earth / ground this may score in part (b)(ii) if it does not score here and there is no contradiction between the two parts	1
(ii)	constant speed / velocity **or** terminal velocity / speed **or** zero acceleration	stays in the same place negates credit	1
total			5

4.5.6.3.1 Stopping distance

3462/3F Q9

question	answers	extra information	mark
(a)(i)	X – mantle		1
	Y – inner core	do **not** accept solid core	1
(ii)	different to the crust **or** contains a lot of (heavy) metals	accept iron and nickel for metals	1
	higher (average) density **or** denser	density higher than 5500 (kg/m^3) gets **2** marks	1
(b)	animals were able to move from one continent to the other		1
	(when bridge broke) animals evolved differently	accept animals adapted differently	1
(c)(i)	earthquakes occur at the boundary between plates **or** earthquakes occur where plates push against each other		1
	there are no plate boundaries running through Britain	accept Britain is not near the edge of a plate	1
(ii)	convection currents (in the mantle) **or** heat released by (natural) radioactive processes		1
total			9

4.5.6.3.1 Stopping distance

3462/3F Q10

question	answers	extra information	mark
(a)(i)	outside the Earth **or** not from the Earth	accept alien accept life from / on another planet / space accept our planet for Earth	1
(ii)	radio telescope(s)	do **not** accept telescopes do **not** accept satellite dishes do **not** accept radio receivers **or** transmitters	1
(b)(i)	galaxies	do **not** accept stars	1
(ii)	any **one** from: the pulses were regular pulses from space are usually random (scientists) thought technology had been used to produce the pulses neutron stars were unknown signals from a single point	 accept signals / beats for pulses accept noise for random pulses idea of regular but not continuous	1
(iii)	neutron star is (the matter / mass) left behind after a star / red giant explodes (as a super nova)	 accept after a super nova (explosion) neutron star causing super nova gets no credit	1 1
(c)(i)	carried on the balloon / equipment	accept carried by a rocket / aircraft / satellite birds negates credit	1
(ii)	on comets or meteors	accept meteorites / shooting stars accept returning space craft accept solar wind ignore asteroids accept ufo do **not** accept solar flares do **not** accept satellites	1
total			8

4.5.6.3.1 Stopping distance

3462/3F Q11

question	answers	extra information	mark
(a)	silver is a (good) reflector of heat (radiation) **or** silver reflects the heat (radiation)	fact heat = infra red ignore references to light accept shiny for silver good radiator negates the mark ignore references to good conductor do **not** accept bounce back	1
	less heat is lost through the board **or** more heat is retained by the shirt	explanation accept both sides of shirt heated reflects heat back up gets **1** mark only ignore mention of friction	1
(b)	metal soleplate	accept soleplate / bottom / metal do **not** accept outside / case	1
(c)	plastic **or** rubber	accept any named plastic do **not** accept wood	1
	it is a (good) insulator **or** it is a poor conductor	ignore mention of heat if in conjunction with electricity	1
(d)	**Quality of written communication** *The answer to this question requires ideas in good English in a sensible order with correct use of scientific terms. Quality of written communication should be considered in crediting points in the mark scheme.*	*Maximum of **2** marks if ideas not well expressed.*	
	pulls iron bolt down **or** attracts the iron bolt **or** moves bolt out of plunger	answers in terms of charges attracting or repelling gain no credit	1
	plunger pushed / moved to the right (by spring) **or** plunger released		1
	push switch opens / goes to off / goes to right	accept circuit is broken for maximum credit the points must follow a logical sequence 3 correct points but incorrect sequence scores **2** marks only ignore reset action	1
total			8


4.5.6.3.1 Stopping distance

3462/3F Q12

question	answers	extra information	mark
(a)(i)	any **one** from: the ground the air radon (gas) building materials buildings rocks / granite food cosmic rays **or** solar rays X-rays nuclear weapons testing nuclear power stations / accidents	 do **not** accept mobile phones accept from outer space accept sun but **not** sunlight accept medical uses	1
(ii)	2	allow $\frac{1200}{60\times10}$ **or** $\frac{1200}{600}$ **or** 120 for **1** mark	2
(b)	 alpha: the count rate is (greatly) reduced by the card **or** the card absorbs alphas but not betas beta: the count rate is (greatly) reduced by the metal **or** the thin metal absorbs alphas and betas **or** the thin metal absorbs all of the radiation (from the source) gamma: would pass through the thin metal but count rate is background **or** no radiation passing through **or** a higher reading would be recorded **or** to reduce the count to 2 would require much more than 3 mm of metal	answers must be comparative accept converse answers throughout accept paper for the card accept aluminium for the metal accept aluminium for the metal accept lead / aluminium for the metal	 1 1 1
total			6

4.5.6.3.1 Stopping distance

3462/3F Q13

question	answers	extra information	mark
(a)(i)	weight = mass × g.f.s.	accept w = m × g accept gravity for gfs accept  provided subsequent use of Δ correct do **not** accept N = kg × N/kg	1
(ii)	675	75 × 9 for **1** mark	2
(iii)	g.(f.s.) is higher (on Earth than Venus)	accept gravity for g.f.s. do **not** accept g.f.s. is lower unless answer states on Venus	1
(iv)	orbit time for Jupiter is <u>longer</u> / longest (than for the other planets)	do **not** give any credit for an answer that includes a comparison of diameter **or** a comparison of g.f.s.	1
(b)	**Quality of written communication** *The answer to this question requires ideas in good English in a sensible order with correct use of scientific terms. Quality of written communication should be considered in crediting points in the mark scheme.* any **two** from: dust <u>and</u> gas **or** remnants of a super nova pulled together by (force of) <u>gravity</u> nuclear fusion starts	*Maximum of **1** mark if ideas not well expressed.* accept hydrogen for dust and gas do **not** accept hydrogen burns although candidates may include more detail these points are essential to score the credit	2
total			7

4.5.6.3.1 Stopping distance

Version 1.0: *27092005*

ASSESSMENT and QUALIFICATIONS ALLIANCE

General Certificate of Secondary Education

Physics 3451/F
Specification B

Mark Scheme

2005 examination – June series

Mark schemes are prepared by the Principal Examiner and considered, together with the relevant questions, by a panel of subject teachers. This mark scheme includes any amendments made at the standardisation meeting attended by all examiners and is the scheme which was used by them in this examination. The standardisation meeting ensures that the mark scheme covers the candidates' responses to questions and that every examiner understands and applies it in the same correct way. As preparation for the standardisation meeting each examiner analyses a number of candidates' scripts: alternative answers not already covered by the mark scheme are discussed at the meeting and legislated for. If, after this meeting, examiners encounter unusual answers which have not been discussed at the meeting they are required to refer these to the Principal Examiner.

It must be stressed that a mark scheme is a working document, in many cases further developed and expanded on the basis of candidates' reactions to a particular paper. Assumptions about future mark schemes on the basis of one year's document should be avoided; whilst the guiding principles of assessment remain constant, details will change, depending on the content of a particular examination paper.

Copyright © 2005 AQA and its licensors. All rights reserved.

4.5.6.3.1 Stopping distance

Physics (Specification B)
Foundation Tier 3451/F

3451/F Q1

question	answers	extra information	mark
(a)(i)	less than	accept any correct indication	1
(ii)	more than	accept any correct indication	1
(b)	any **two** from: stays above the same place above the equator one orbit takes 24 hours	 do **not** accept stays in the same place do **not** accept goes around equator unless qualified do **not** accept orbit at same speed as Earth do **not** accept orbit at a constant speed accept has same angular speed / velocity as Earth	2
total			4

3451/F Q2

question	answers	extra information	mark
(a)	comet		1
(b)	large group / number / collection of stars	ignore reference to planets accept millions of stars do **not** accept thousands of stars do **not** accept loads of stars	1
(c)	giant supernova neutron		1 1 1
total			5

4.5.6.3.1 Stopping distance

3451/F Q3

question	answers	extra information	mark
(a)(i)	radio		1
(ii)	gamma	accept microwave accept infrared	1
(iii)	ultra violet		1
(iv)	microwaves		1
(b)	the same as		1
(c)	X-rays do not go through lead	references to gamma rays are incorrect accept lead protects them from the X-rays accept not exposed to X-rays	1
	lead stops / reduces risk of X-rays harming / damaging / killing (persons) <u>cells</u>	accept X-rays (may) cause cancer accept organs for cell do **not** accept references to electric shock do **not** accept stops bones of people showing on X-ray answers involving the horse wearing an apron are incorrect	1
	Quality of written communication	award for a sensible sequence of **two** points	1
total			8

4.5.6.3.1 Stopping distance

3451/F Q4

question	answers	extra information	mark
(a)	light electrical		1 1
(b)	15% **or** 0.15	correct substitution gains **1** mark only an answer of 15 with no unit **or** an incorrect unit gains **1** mark an answer of 0.15 given with a unit gains **1** mark	2
(c)	the ticket machine is a long way from other electricity supplies		1
(d)	any figure between 5 and 10 inclusive	unit not required but if given must match numerical answer	1
total			6

3451/F Q5

question	answers	extra information	mark
(a)(i)	radon (gas)	do **not** accept gas	1
(ii)	background		1
(b)	bigger	accept any word which means bigger	1
(c)	**Z** alpha will not pass through aluminium or lead	if Z is not given, the reason does not score accept alpha cannot go through metals / dense material accept there is nothing to stop the radiation accept alpha will not pass through aluminium do **not** accept alpha will not pass through lead do **not** accept alpha stopped by air	1 1
total			5

4.5.6.3.1 Stopping distance

3451/F Q6

question	answers	extra information	mark
(a)	loses negative charge / electrons	do **not** accept positive charge transfers to the comb do **not** accept friction	1
(b)	**A** attract		1
	B repel		1
	C attract		1
(c)	**F A D E**	allow **2** marks for 2 letters in the correct place allow **1** mark for 1 letter in the correct place	3
total			7

4.5.6.3.1 Stopping distance

3451/F Q7

question	answers	extra information	mark
(a)	all points correctly plotted	tolerance ± $\frac{1}{2}$ square on y axis only allow **1** mark for 3 correctly plotted points	2
	attempt made to draw a smooth curve	do **not** accept dot-to-dot line	1
(b)(i)	3 days ± 0.2 **or** any value correctly obtained using their graph line	if no line drawn in (a), answer must be exactly 3	1
(ii)	3 days or their (b)(i)		1
(c)	radon-222	accept radon **or** 222 accept alpha or 3.8 correct isotope required for reason to score	1
	has the shortest half-life	accept the others have longer half-lives	1
total			7

4.5.6.3.1 Stopping distance

3451/F Q8

question	answers	extra information	mark
(a)	fossils of Cynognathus are found in Africa and South America		1
	the shapes ……. almost fit together	only two boxes should be ticked deduct **1** mark for each additional box to a minimum mark of **0**	1
(b)	continental		1
	crust		1
	tectonic		1
total			5

4.5.6.3.1 Stopping distance




3451/F Q9

question	answers	extra information	mark
(a)	capacitor LDR relay (normally open)	accept condenser **or** light dependent resistor accept 'ldr', 'Ldr' etc. do **not** accept 'relay normally closed'	1 1 1
(b)(i)	battery	accept '(battery of) cells' do **not** accept 'battery / cell'	1
(ii)	LED	**or** light emitting diode accept 'led' or 'Led' do **not** accept just 'diode'	1
(iii)	B will light (but C will not)	accept '(only) B will work' accept 'one is on the other is off' do **not** accept 'C is on and B is off'	1
(iv)	any **one** from: B is connected the right way round (and C is not) a (light emitting) diode only allows (a significant) current to flow in one direction B's anode is connected to the positive side of the supply B's cathode is connected to the negative terminal	N.B. the candidate's answer to part (b)(iii) may include this mark but do **not** credit if the response to part (b)(iii) is incorrect or there is any other contradiction if (iv) is completely consistent with (iii) which is wrong, allow **1** mark	1
(c)(i)	first input / second input / output 0 / 0 / **0** 1 / 0 / **0** 0 / 1 / **0** 1 / 1 / **1**	**all** correct allow: OFF NO OFF NO OFF NO ON YES	1
(ii)	truth (table)		1

cont…

4.5.6.3.1 Stopping distance

3451/F Q9 cont…

(iii)		a Roman upper case D in any orientation without contacts is acceptable but if contacts are shown do **not** give the mark if there is any ambiguity or contradiction allow  	1
(d)	light sensor	**or** light dependent resistor **or** LDR accept 'ldr', Ldr' etc allow solar cell, photo cell	1
	NOT gate	accept 'Not gate' **or** 'not gate' if both correct but in the wrong order credit with **1** mark	1
total			12



4.5.6.3.1 Stopping distance

3451/F Q10

question	answers	extra information	mark
(a)(i)	rays continued to meet on the right hand side of the lens and beyond	must be straight lines from the right hand side of the lens ignore details through the lens allow if no arrows	1
	meet exactly on the axis	negate mark if contradictory arrow(s) added do not need to go beyond the focus for this mark	1
(ii)	(principal) focus	**or** focal (point)	1
(iii)	converging	**or** convex	1
(b)(i)	**A**		1
(ii)	rays seem to come from this point	**or** words to this effect **or** shows this on the diagram	1
(iii)	diverging	**or** concave	1
(c)	film	accept any unambiguous method of showing the correct response	1
	smaller than		1
	further away from		1
(d)	any **three** from: • real image can be put on a screen • virtual image cannot be put on a screen / film • virtual image is imaginary • real image is formed where (real) rays cross / converge • virtual image is where virtual / imaginary rays (seem to) come from • virtual image formed where virtual rays intersect / cross	allow film allow real image has light travelling through it **or** virtual image is where rays seem to come from	3
total			13

4.5.6.3.1 Stopping distance

3451/F Q11

question	answers	extra information	mark
(a)(i)	$A_1 = 0.5$	ignore any units	1
	$A_4 = 0.5$	allow **1** mark for $A_1 = A_4 \neq 0.5$	1
(ii)	the resistance of **P** is more than 20 Ω		1
	a smaller current goes through P / A_2 (than 20 Ω)	dependent on getting 1st mark correct accept converse	1
(b)(i)	potential difference = current × resistance	accept pd / voltage for potential difference accept V = I × R, correct symbols and correct case only accept volts = amps × ohms accept  provided subsequent method is correct allow combination of physical quantities and named units allow voltage = I × R	1
(ii)	6	allow **1** mark for correct substitution	2
(iii)	6	accept their (b)(ii)	1
(c)	thermistor or 	accept correct circuit symbol allow phonetic spelling	1
	resistance goes down (as temperature of thermistor goes up)	do **not** accept changes for goes down do **not** accept an answer in terms of current only answers in terms of other components are incorrect	1
total			10

4.5.6.3.1 Stopping distance

Physics B – AQA GCSE Mark Scheme, 2005 June series

3451/F Q12

question	answers	extra information	mark
(a)(i)	larger the distance, greater the time	accept 'they are proportional' accept converse	1
(ii)	any value between 6 and 9 years inclusive		1
(b)(i)	carbon dioxide		1
(ii)	(Venus) has high**er** temperature (than Mercury)	accept has the high**est** temperature accept Venus is hotter / hottest do **not** accept has a high / very high temperature	1
	(Venus) further from the Sun than Mercury	accept 'Venus is not the closest planet to the Sun' answer in terms of greenhouse effect only, scores **0** marks	1
total			5

4.5.6.3.1 Stopping distance

3451/F Q13

question	answers	extra information	mark
(a)(i)	20		1
(ii)	convection		1
(iii)	fit draughtproof strips	accept lay carpet accept fit curtains accept close doors / windows / curtains accept any reasonable suggestion for reducing a draught 'double glazing' alone is insufficient	1
(b)	air is (a good) insulator **or** air is a poor conductor	accept air cavity / 'it' for air	1
	reducing heat transfer by <u>conduction</u>	accept stops for reduces ignore convection do **not** accept radiation do **not** accept answers in terms of heat being trapped	1
(c)(i)	most cost effective	accept it is cheaper or low<u>est</u> cost accept shortest payback time accept in terms of reducing heat loss by the largest amount do **not** accept it is easier ignore most heat is lost through the roof	1
(ii)	4		1
total			7

4.5.6.3.1 Stopping distance

3451/F Q14

question	answers	extra information	mark
(a)(i)	constant speed	do **not** accept normal speed do **not** accept it is stopped / stationary	1
	in a straight line	accept any appropriate reference to a direction constant velocity gains **2** marks 'not accelerating' gains **2** marks terminal velocity alone gets **1** mark	1
(ii)	goes down owtte	accept motorbike (it) slows down	1
(b)(i)	20 (m/s)	ignore incorrect units	1
(ii)	acceleration = change in velocity / time (taken)	do **not** accept velocity for change in velocity accept change in speed accept $a = \frac{v-u}{t}$ **or** $a = \frac{v_1 - v_2}{t}$ **or** $a = \frac{\Delta v}{t}$ do **not** accept $a = \frac{v}{t}$	1
(iii)	4 **or** their (b)(i) ÷ 5	allow **1** mark for correct substitution	2
	m/s^2	m/s/s **or** ms^{-2} **or** metres per second squared **or** metres per second per second	1
(c)	vehicle may skid / slide	loss of control / brakes lock / wheels lock accept greater stopping distance **or** difficult to stop	1
	due to reduced friction (between tyre(s) and road)	accept due to less grip do **not** accept no friction	1

cont…

4.5.6.3.1 Stopping distance

3451/F Q14 cont…

(d)	any **three** from: • <u>increased</u> speed • <u>reduced</u> braking force • <u>slower</u> (driver) reactions • <u>poor</u> vehicle maintenance • <u>increased</u> mass / weight of vehicle • <u>poor</u> road surface • <u>more</u> streamlined	do **not** accept night time / poor vision N.B. specific answers may **each** gain credit eg tiredness (1), drinking alcohol (1), using drugs (1), driver distracted (1) etc specific examples may **each** gain credit eg worn brakes or worn tyres etc accept large mass / weight of vehicle if candidates give three answers that affect stopping distance but not specific to <u>increase</u> award **1** mark only	3
total			13

4.5.6.3.1 Stopping distance

Physics B – AQA GCSE Mark Scheme, 2005 June series

3451/F Q15

question	answers	extra information	mark
(a)(i)	arrow from centre of the ball **and** at right angles to the string **and** in the correct direction	arrow should point to the student's belt accept free-hand 'straight' line do **not** accept curved line	1
(ii)	increase increase increase	accept 'be stronger / bigger' accept 'be stronger / bigger' accept 'be stronger / bigger'	1 1 1
(b)	speed velocity direction	all **three** correct any two correct for **1** mark otherwise **0** marks	2
(c)(i)	centripetal	accept 'centripedal' and other minor misspellings do **not** accept anything which could be 'centrifugal'	1
(ii)	gravity	accept 'weight' accept 'force of attraction due to mass(es) (of the Moon and the Earth)'	1
(iii)	electron(s)		1
(iv)	electrostatic	accept 'electrical' do **not** accept just 'centripetal'	1
total			10


4.5.6.3.1 Stopping distance

3451/F Q16

question	answers	extra information	mark
(a)(i)	**X** at the centre of the lifebelt	measuring from the centre of **X**, allow 2 mm tolerance in any direction	1
(ii)	any **two** from: below the point of suspension at the centre (of the lifebelt) (because) the lifebelt / it is symmetrical	if X is on vertical line below the hanger (but not at centre) can gain the first point only accept '(vertically) below **Y**' accept 'in the middle' **or** (because) the mass / weight is evenly distributed	2
(b)	Nm **or** newton metre(s) 750	accept Newton metre(s) do **not** accept any ambiguity in the symbol ie NM, nM or nm (moment) = force × (perpendicular) distance (between line of action and pivot) **or** (moment) = 500 × 1.5 gains **1** mark	1 2
(c)	**Quality of written communication**: any **three** connected points from: low(er) <u>centre of mass / gravity</u> (more) <u>stable</u> less likely to fall over the <u>turning effect / moment</u> (of the weight of case) is less so the pull on her arm is less	for **2** of the underlined terms used in the correct context **or** <u>centre of mass / gravity</u> will be close(r) to the wheels / axle / ground **or** less <u>unstable</u> accept 'less likely to overturn' do **not** accept 'will not fall over' **or** so less effort is needed to hold the case ignore references to pulling the case	1 3
total			10

4.5.6.3.1 Stopping distance

3451/F Q17

question	answers	extra information	mark
(a)	any **two** from: • **amplitude** decreasing • **wavelength** increasing • **frequency** decreasing **Quality of written communication**	accept siren / sound getting quieter do **not** accept sound decreases accept pitch decreasing ignore reference to transverse wave ignore reference to speed contradictory statements within each point lose the mark all emboldened terms in candidate's answer used correctly	2 1
(b)(i)	ultrasound **or** ultrasonic		1
(ii)	wave speed = frequency × wavelength	accept speed / velocity for wave speed accept $v = f \times \lambda$ do **not** accept w for λ do **not** accept s for v accept  provided subsequent calculation shows a correct method	1
(iii)	339.2 **or** 340 **or** 339	allow **1** mark for using 212 000 allow **1** mark for correct substitution an answer of 0.3392 **or** 0.34 **or** 0.339 gains **1** mark only award full credit for a correct numerical answer with the unit changed to km/s	3
total			8

4.5.6.3.1 Stopping distance

Version 1.0: *27092005*

ASSESSMENT and QUALIFICATIONS ALLIANCE

General Certificate of Secondary Education

Science: Double Award 3462/3F
Specification B (Co-ordinated)

Mark Scheme

2005 examination - June series

Mark schemes are prepared by the Principal Examiner and considered, together with the relevant questions, by a panel of subject teachers. This mark scheme includes any amendments made at the standardisation meeting attended by all examiners and is the scheme which was used by them in this examination. The standardisation meeting ensures that the mark scheme covers the candidates' responses to questions and that every examiner understands and applies it in the same correct way. As preparation for the standardisation meeting each examiner analyses a number of candidates' scripts: alternative answers not already covered by the mark scheme are discussed at the meeting and legislated for. If, after this meeting, examiners encounter unusual answers which have not been discussed at the meeting they are required to refer these to the Principal Examiner.

It must be stressed that a mark scheme is a working document, in many cases further developed and expanded on the basis of candidates' reactions to a particular paper. Assumptions about future mark schemes on the basis of one year's document should be avoided; whilst the guiding principles of assessment remain constant, details will change, depending on the content of a particular examination paper.

Copyright © 2005 AQA and its licensors. All rights reserved.

4.5.6.3.1 Stopping distance

Double Award
Foundation Tier 3462/3F

3462/3F Q1

question	answers	extra information	mark
(a)(i)	less than	accept any correct indication	1
(ii)	more than	accept any correct indication	1
(b)	any **two** from: stays above the same place above the equator one orbit takes 24 hours	 do **not** accept stays in the same place do **not** accept goes around equator unless qualified do **not** accept orbit at same speed as Earth do **not** accept orbit at a constant speed accept has same angular speed / velocity as Earth	2
total			4

3462/ 3F Q2

question	answers	extra information	mark
(a)	comet		1
(b)	large group / number / collection of stars	ignore reference to planets accept millions of stars do **not** accept thousands of stars do **not** accept loads of stars	1
(c)	giant supernova neutron		1 1 1
total			5

4.5.6.3.1 Stopping distance

3462/3F Q3

question	answers	extra information	mark
(a)(i)	radio		1
(ii)	gamma	accept microwave accept infrared	1
(iii)	ultra violet		1
(iv)	microwaves		1
(b)	the same as		1
(c)	**Quality of written communication**	award for a sensible sequence of **two** points	1
	X-rays do not go through lead	accept lead protects them from the X-rays accept not exposed to X-rays	1
	lead stops / reduces risk of X-rays harming / damaging / killing (persons) <u>cells</u>	accept X-rays (may) cause cancer accept organs for cell do **not** accept references to electric shock do **not** accept stops bones of people showing on X-ray answers involving the horse wearing an apron are incorrect references to gamma rays are incorrect	1
total			8

4.5.6.3.1 Stopping distance

Science: Double Award (Co-ordinated) – AQA GCSE Mark Scheme, 2005 June series

3462/3F Q4

question	answers	extra information	mark
(a)	light electrical		1 1
(b)	15% **or** 0.15	correct substitution gains **1** mark only an answer of 15 with no unit **or** an incorrect unit gains **1** mark an answer of 0.15 given with a unit gains **1** mark	2
(c)	the ticket machine is a long way from other electricity supplies		1
(d)	any figure between 5 and 10 inclusive	unit not required but if given must match numerical answer	1
total			6

4.5.6.3.1 Stopping distance

3462/3F Q5

question	answers	extra information	mark
(a)(i)	radon (gas)	do **not** accept gas	1
(ii)	background		1
(b)	bigger	accept any word which means bigger	1
(c)	**Z** alpha will not pass through aluminium or lead	if Z is not given, the reason does not score accept alpha cannot go through metals / dense material accept there is nothing to stop the radiation accept alpha will not pass through aluminium do **not** accept alpha will not pass through lead do **not** accept alpha stopped by air	1 1
total			5

4.5.6.3.1 Stopping distance

Science: Double Award (Co-ordinated) – AQA GCSE Mark Scheme, 2005 June series

3462/3F Q6

question	answers	extra information	mark
(a)	loses negative charge / electrons	do **not** accept positive charge transfers to the comb do **not** accept friction	1
(b)	**A** attract		1
	B repel		1
	C attract		1
(c)	**F A D E**	allow **2** marks for 2 letters in the correct place allow **1** mark for 1 letter in the correct place	3
total			7

4.5.6.3.1 Stopping distance

3462/3F Q7

question	answers	extra information	mark
(a)	all points correctly plotted	tolerance ± $\frac{1}{2}$ square on y axis only allow **1** mark for 3 correctly plotted points	2
	attempt made to draw a smooth curve	do **not** accept dot-to-dot line	1
(b)(i)	3 days ± 0.2 **or** any value correctly obtained using their graph line	if no line drawn in (a), answer must be exactly 3	1
(ii)	3 days or their (b)(i)		1
(c)	radon-222	accept radon **or** 222 accept alpha or 3.8 correct isotope required for reason to score	1
	has the shortest <u>half-life</u>	accept the others have longer <u>half-lives</u>	1
total			7

4.5.6.3.1 Stopping distance



Science: Double Award (Co-ordinated) – AQA GCSE Mark Scheme, 2005 June series

3462/3F Q8

question	answers	extra information	mark
(a)	fossils of Cynognathus are found in Africa and South America		1
	the shapes ……. almost fit together	only two boxes should be ticked deduct **1** mark for each additional box to a minimum mark of **0**	1
(b)	continental		1
	crust		1
	tectonic		1
total			5

4.5.6.3.1 Stopping distance

3462/3F Q9

question	answers	extra information	mark
(a)(i)	$A_1 = 0.5$	ignore any units	1
	$A_4 = 0.5$	allow **1** mark for $A_1 = A_4 \neq 0.5$	1
(ii)	the resistance of **P** is more than 20 Ω		1
	a smaller current goes through P / A_2 (than 20 Ω)	dependent on getting 1st mark correct accept converse	1
(b)(i)	potential difference = current × resistance	accept pd / voltage for potential difference accept V = I × R, correct symbols and correct case only accept volts = amps × ohms accept  provided subsequent method is correct allow combination of physical quantities and named units allow voltage = I × R	1
(ii)	6	allow **1** mark for correct substitution	2
(iii)	6	accept their (b)(ii)	1
(c)	thermistor or 	accept correct circuit symbol allow phonetic spelling	1
	resistance goes down (as temperature of thermistor goes up)	do **not** accept changes for goes down do **not** accept an answer in terms of current only answers in terms of other components are incorrect	1
total			10

4.5.6.3.1 Stopping distance

Science: Double Award (Co-ordinated) – AQA GCSE Mark Scheme, 2005 June series

3462/3F Q10

question	answers	extra information	mark
(a)(i)	larger the distance, greater the time	accept 'they are proportional' accept converse	1
(ii)	any value between 6 and 9 years inclusive		1
(b)(i)	carbon dioxide		1
(ii)	(Venus) has high**er** temperature (than Mercury)	accept has the high**est** temperature accept Venus is hotter / hottest do **not** accept has a high / very high temperature	1
	(Venus) further from the Sun than Mercury	accept 'Venus is not the closest planet to the Sun' answer in terms of greenhouse effect only, scores **0** marks	1
total			5

4.5.6.3.1 Stopping distance

3462/3F Q11

question	answers	extra information	mark
(a)(i)	20		1
(ii)	convection		1
(iii)	fit draughtproof strips	accept lay carpet accept fit curtains accept close doors / windows / curtains accept any reasonable suggestion for reducing a draught 'double glazing' alone is insufficient	1
(b)	air is (a good) insulator **or** air is a poor conductor	accept air cavity / 'it' for air	1
	reducing heat transfer by <u>conduction</u>	accept stops for reduces ignore convection do **not** accept radiation do **not** accept answers in terms of heat being trapped	1
(c)(i)	most cost effective	accept it is cheaper or low<u>est</u> cost accept shortest payback time accept in terms of reducing heat loss by the largest amount do **not** accept it is easier ignore most heat is lost through the roof	1
(ii)	4		1
total			7

4.5.6.3.1 Stopping distance

Science: Double Award (Co-ordinated) – AQA GCSE Mark Scheme, 2005 June series

3462/3F Q12

question	answers	extra information	mark
(a)(i)	<u>constant</u> speed	do **not** accept normal speed do **not** accept it is stopped / stationary	1
	in a straight line	accept any appropriate reference to a direction constant velocity gains **2** marks 'not accelerating' gains **2** marks terminal velocity alone gets **1** mark	1
(ii)	goes down owtte	accept motorbike (it) slows down	1
(b)(i)	20 (m/s)	ignore incorrect units	1
(ii)	acceleration = <u>change in velocity</u> time (taken)	do **not** accept velocity for change in velocity accept change in speed accept $a = \frac{v-u}{t}$ **or** $a = \frac{v_1 - v_2}{t}$ **or** a = $\frac{\Delta v}{t}$ do **not** accept $a = \frac{v}{t}$	1
(iii)	4 **or** their (b)(i) ÷ 5	allow **1** mark for correct substitution	2
	m/s^2	m/s/s **or** ms^{-2} **or** metres per second squared **or** metres per second per second	1
(c)	vehicle may skid / slide	loss of control / brakes lock / wheels lock accept greater stopping distance **or** difficult to stop	1
	due to reduced friction (between tyre(s) and road)	accept due to less grip do **not** accept <u>no</u> friction	1

cont…

4.5.6.3.1 Stopping distance


3462/3F Q12 cont…

(d)	any **three** from: • <u>increased</u> speed • <u>reduced</u> braking force • <u>slower</u> (driver) reactions • <u>poor</u> vehicle maintenance • <u>increased</u> mass / weight of vehicle • <u>poor</u> road surface • <u>more</u> streamlined	do **not** accept night time / poor vision NB specific answers may **each** gain credit eg tiredness (1), drinking alcohol (1), using drugs (1), driver distracted (1) etc specific examples may **each** gain credit eg worn brakes or worn tyres etc accept large mass / weight of vehicle if candidates give three answers that affect stopping distance but not specific to <u>increase</u> award **1** mark only	3
total			13

4.5.6.3.1 Stopping distance

Science: Double Award (Co-ordinated) – AQA GCSE Mark Scheme, 2005 June series

3462/3F Q13

question	answers	extra information	mark
(a)	**Quality of written communication**	all emboldened terms in candidate's answer used correctly	1
	any **two** from: • **amplitude** decreasing • **wavelength** increasing • **frequency** decreasing	accept siren / sound getting quieter do **not** accept sound decreases accept pitch decreasing ignore reference to transverse wave ignore reference to speed contradictory statements within each point lose the mark	2
(b)(i)	ultrasound **or** ultrasonic		1
(ii)	wave speed = frequency × wavelength	accept speed / velocity for wave speed accept $v = f \times \lambda$ do **not** accept w for λ do **not** accept s for v accept  provided subsequent calculation shows a correct method	1
(iii)	339.2 **or** 340 **or** 339	allow **1** mark for using 212 000 allow **1** mark for correct substitution an answer of 0.3392 **or** 0.34 **or** 0.339 gains **1** mark only award full credit for a correct numerical answer with the unit changed to km/s	3
total			8

Version 1.0: 0906

ASSESSMENT and QUALIFICATIONS ALLIANCE

General Certificate of Secondary Education

Physics 3451/F
Specification B

Mark Scheme

2006 examination - June series

Mark schemes are prepared by the Principal Examiner and considered, together with the relevant questions, by a panel of subject teachers. This mark scheme includes any amendments made at the standardisation meeting attended by all examiners and is the scheme which was used by them in this examination. The standardisation meeting ensures that the mark scheme covers the candidates' responses to questions and that every examiner understands and applies it in the same correct way. As preparation for the standardisation meeting each examiner analyses a number of candidates' scripts: alternative answers not already covered by the mark scheme are discussed at the meeting and legislated for. If, after this meeting, examiners encounter unusual answers which have not been discussed at the meeting they are required to refer these to the Principal Examiner.


It must be stressed that a mark scheme is a working document, in many cases further developed and expanded on the basis of candidates' reactions to a particular paper. Assumptions about future mark schemes on the basis of one year's document should be avoided; whilst the guiding principles of assessment remain constant, details will change, depending on the content of a particular examination paper.

Copyright © 2006 AQA and its licensors. All rights reserved.

4.5.6.3.1 Stopping distance

Physics (Specification B)
Foundation Tier 3451/F

3451/F Q1

question	answers	extra information	mark
(a)	4 correct lines drawn  	**1** mark for each correct line if more than 4 lines are drawn mark incorrect ones first. Mark only 4 lines	4
(b)	4		1
(c)(i)	nuclear		1
(ii)	(natural) gas	do **not** accept natural	1
total			7

4.5.6.3.1 Stopping distance

3451/F Q2

question	answers	extra information	mark
(a)(i)	ultra violet		1
(ii)	kill the cells	accept destroys the cells accept makes cells cancerous accept damage cells accept harms cells accept changes DNA accept cause cells to mutate accept skin cells for cells accept cause cancer do **not** accept skin for cells do **not** accept burns the cells	1
(b)(i)	the sunbed uses an alternating current (a.c.) supply		1
(ii)	10.8	accept **1** mark for correct substitution of power in W or kW and time in hours or seconds	2
total			5

4.5.6.3.1 Stopping distance

3451/F Q3

question	answers	extra information	mark
(a)(i)	M		1
(ii)	K		1
(iii)	J		1
(iv)	O		1
(b)(i)	billions of years		1
(ii)	red giant	any answer in terms of explosion or supernova is **incorrect**	1
	contracts / shrinks to	incorrect reference to black hole negates **1** mark	1
	white dwarf		1
total			8

4.5.6.3.1 Stopping distance

3451/F Q4

question	answers	extra information	mark
(a)(i)	A and C	**both** answers must be correct in either order	1
(ii)	A and B	**both** answers must be correct in either order	1
(iii)	same number of protons plus neutrons **or** same number of nucleons	accept number of particles in nucleus the same do **not** accept they add up to 6 unless qualified	1
(b)(i)	any **two** from: • boron - 12 • carbon - 14 • oxygen - 15 • lead - 209	**both** required both name **and** number must be given	1
(ii)	any **two** from: • boron - 11 • carbon - 12 • oxygen - 16 • lead - 207	**both** required both name **and** number must be given	1
(c)	alpha		1
total			6

4.5.6.3.1 Stopping distance

3451/F Q5

question	answers	extra information	mark
(a)	(good) insulator	accept does not conduct (electricity) accept does not conduct heat or electricity do **not** accept does not conduct heat outside is tough is insufficient	1
(b)	fuse		1
(c)	connect the green and yellow / earth wire	accept wires must be connected to screws	1
	swap the brown and blue wires round		1
total			4

3451/F Q6

question	answers	extra information	mark
(a)	fossils	answers can be in either order	1
	water		1
(b)	increased		1
(c)	radio telescope		1
total			4

4.5.6.3.1 Stopping distance

3451/F Q7

question	answers	extra information	mark
(a)(i)	electrical		1
	kinetic	accept movement	1
(ii)	heat	answers can be in either order	1
	sound		1
(b)(i)	360	accept **1** mark for correct substitution	2
(ii)	watt		1
(c)	the stairlift is not moving the stairlift is moving at constant speed	**both** answers are required for the mark	1
total			8

3451/F Q8

question	answers	extra information	mark
(a)(i)	(up) further **or** (up) faster	any reference to downwards movement loses credit accept <u>with</u> more force accept motion would increase	1
(ii)	down	accept the opposite way accept drop	1
(b)(i)	direct current		1
(ii)	Z		1
total			4

4.5.6.3.1 Stopping distance

3451/F Q9

question	answers	extra information	mark
(a)	level of radiation (detected) will not change	ignore reference to particles	1
	if thickness of aluminium changes	accept for **both** marks a specific example eg if the aluminium gets thicker the level of radiation detected stays the same. accept for **1** mark gamma will pass through aluminium	1
	QoWC for 2 points in a sensible sequence		1
(b)	S W T V	all in correct order accept **2** marks for 2 correct accept **1** mark for 1 correct	3
total			6

4.5.6.3.1 Stopping distance

3451/F Q10

<table>
<tr><th>question</th><th>answers</th><th>extra information</th><th>mark</th></tr>
<tr><td>(a)</td><td>thermistor(s)
LDR(s)
switch(es)
LED(s)
buzzer(s)
motor(s)</td><td>1 mark each
or light dependent resistor(s)
or light emitting diode(s)</td><td>6</td></tr>
<tr><td>(b)(i)</td><td><table><tr><th>1st input</th><th>2nd input</th><th>Output</th></tr><tr><td>0</td><td>0</td><td>0</td></tr><tr><td>1</td><td>0</td><td>0</td></tr><tr><td>0</td><td>1</td><td>0</td></tr><tr><td>1</td><td>1</td><td>1</td></tr></table></td><td>all correct</td><td>1</td></tr>
<tr><td>(ii)</td><td><table><tr><th>Input</th><th>Output</th></tr><tr><td>0</td><td>1</td></tr><tr><td>1</td><td>0</td></tr></table></td><td>both correct</td><td>1</td></tr>
<tr><td>(iii)</td><td><table><tr><th>1st input</th><th>2nd input</th><th>Output</th></tr><tr><td>0</td><td>0</td><td>0</td></tr><tr><td>1</td><td>0</td><td>1</td></tr><tr><td>0</td><td>1</td><td>1</td></tr><tr><td>1</td><td>1</td><td>1</td></tr></table></td><td>all correct</td><td>1</td></tr>
<tr><td>(c)(i)</td><td></td><td>do not credit any attempt which could equally well be a poorly drawn attempt at the symbol for a cell</td><td>1</td></tr>
<tr><td>(ii)</td><td>charge

increases</td><td>accept ‘electrons’
accept ‘energy
or gets bigger/larger</td><td>1

1</td></tr>
<tr><td>total</td><td></td><td></td><td>12</td></tr>
</table>

4.5.6.3.1 Stopping distance

3451/F Q11

question	answers	extra information	mark
(a)(i)	A		1
(ii)	B		1
(iii)	mass is larger	credit if the response is clear by some other means e.g. it is ringed	1
	wire is shorter	credit if the response is clear by some other means e.g. it is ringed	1
(b)	moment		1
	distance		1
(c)(i)	1		1
(ii)	5		1
(iii)	any **two** from • remove slotted mass(es) • slide (slotted) masses / weights nearer pivot • slide forcemeter away from the pivot • slide rod to the left	 **or** ….. to the left **or** ….. to the right **or** …. so that the slotted masses side is shorter **or** …. so that the forcemeter side is longer	2
(d)	centre of the rectangle	accept *2*mm tolerance any direction	1
	centre of the circle	accept *2*mm tolerance any direction	1
	on centre line and 10mm above base	accept *2*mm tolerance any direction	1
total			13

4.5.6.3.1 Stopping distance

3451/F Q12

question	answers	extra information	mark
(a)	0.05 (A)	ignore incorrect units if given accept 'the same' / 'the same as K' / 'the same as the other ammeter' do **not** accept 'same as the other meter'	1
(b)(i)	any **two** from: • two cells are joined + to +	answers in terms of current gain no marks accept one cell in the wrong way accept two cells are joined back-to-back accept two cells are joined – to – accept battery for cell do **not** accept answers in terms of all the cells or in terms of energy only	2
	• some of the cells potential difference is across the diode / ammeters / wires **or** the pd of the cells is shared by all components	accept voltage for pd do **not** accept using up pd	
	• the other components have a resistance	accept a named component / components / wire has a resistance	
	• cells not fully charged **or** cells partially run down	do **not** accept voltage of cells is less than 1.5 unless explained do **not** accept cells are not as powerful unless explained	
	• cells have an internal resistance		
(ii)	the diode has a (very) high resistance (in the reverse direction)		1
	a diode only conducts / allows current to flow in one direction	accept little / no current flows do **not** accept blocks / cuts flow	1

Continued

4.5.6.3.1 Stopping distance

3451/F Q12

question	answers	extra information	mark
(c)	**QoWC** for the use of the word resistance	annotate Q✓ Q✗ accept resistant	1
	accept increase / change / decrease throughout question but a contradiction loses **one** mark with change as neutral		
	as the pd / current increases / changes	accept voltage for pd must be correctly linked to at least one of the following points accept	1
	the temperature of the filament increases / changes	lamp / bulb for filament accept filament becomes hotter	1
	increasing / changing the **resistance** of the lamp		1
		accept for **1** mark only the filament lamp does not obey Ohm's law	
total			9

4.5.6.3.1 Stopping distance

3451/F Q13

question	answers	extra information	mark
(a)	0.5		1
	hertz	accept Hz but **not** HZ / hz / hZ accept (waves) per second **or** / sec **or** / s **or** s^{-1} **or** sec^{-1}	1
(b)	any **one** from: • any named part of the electromagnetic spectrum • S – waves / secondary waves • wave on a rope	 do **not** accept seismic waves / earthquake do **not** accept slinky unless clearly described	1
(c)	transverse – disturbance / vibration is perpendicular to the direction of energy transfer / wave travel	accept a correctly labelled diagram	1
	longitudinal – disturbance / vibration is parallel to the direction of energy transfer / wave travel	accept a correctly labelled diagram part explanation of the difference between transverse **and** longitudinal gains **1** mark	1
(d)(i)	TIR shown	needs to stay inside water jet ignore number of reflections **or** arrow heads lines straight by eye	1
(ii)	bigger than	any indication of correct answer	1
total			7


4.5.6.3.1 Stopping distance

3451/F Q14

question	answers	extra information	mark
(a)	W		1
	has only two states **or** is either on or off	accept discrete values only do **not** credit answer purely in terms of shape	1
(b)	any **one** from:		1
	• higher quality	accept clearer do **not** accept easier to read ignore faster accept <u>less</u> distortion **or** <u>less</u> weakening of signal strength do **not** accept no distortion / weakening on its own	
	• increased carrying capacity	accept more information can be sent **or** more channels	
	• errors can be rectified		
total			3

4.5.6.3.1 Stopping distance

3451/F Q15

question	answers	extra information	mark
(a)(i)	all points plotted accurately	accept **1** mark for 5 correct plots ± ½ small square on stopping distance	2
	line of best fit must be continuous	accept attempt at a reasonable curve does not need to go through 0 0 do **not** accept a straight line do **not** accept dot-to-dot	1
(ii)	4 to 6 (metres)	accept ecf from (a)(i) accept **1** mark for value taken correctly from graph at 25mph **or** correct method shown	2
(b)(i)	0.7 (s)	incorrect unit = 0 marks	1
(ii)	constant speed / velocity	accept (continued as) 30mph accept did not change / stayed the same accept no acceleration	1
(iii)	3.3(s)	penalise incorrect unit once only	1
(iv)	reaction time <u>increases</u> / is <u>longer</u> **or** thinking distance <u>increases</u>	do **not** accept reaction time slower **or** reactions are slower	1
	stopping distance / it <u>increases</u>	do **not** accept travels at constant speed for longer	1
(c)(i)	work done = force (applied) × distance (moved)	accept W = F × s or W = F × d accept  provided subsequent method is correct	1

Continued

4.5.6.3.1 Stopping distance

3451/F Q15

question	answers	extra information	mark
(ii) **E**	2100	accept 2.1 kilo accept **1** mark for using 7000 N	2
(iii)	2100 (joules)	accept their (c)(ii)	1
total			14

4.5.6.3.1 Stopping distance

3451/F Q16

question	answers	extra information	mark
(a)(i)	refraction		1
(ii)	it changes speed **or** change in density	accept it speeds up do **not** accept it slows down do **not** accept air is more dense than glass	1
(b)(i)	sound / waves <u>diffract</u> through the gap (in the wall) **or** over the wall **or** because the gate is open	do **not** accept reflection this only scores if first marking point is given accept for **1** mark only sound / waves go through the gap and <u>spread out</u> **or** diagram showing wave fronts spreading out from open gates if diagram is labelled as diffraction both marks can be scored	1 1
(ii)	less diffraction	accept no diffraction accept gates <u>absorb</u> sound / noise / waves accept gates <u>reflect</u> sound / noise / waves do **not** accept rebounds / stops / blocks out	1
total			5

4.5.6.3.1 Stopping distance

3451/F Q17

question	answers	extra information	mark
(a)	both rays brought to a focus at F on the right	do **not** have to be continued beyond F	1
	lines have been drawn **accurately** with a ruler	only credit if 1st mark credited do **not** credit if contradictory arrow(s) added	1
(b)	rays seem to come from a focus at G on the left and continued to the right of the lens	this mark is for the current idea of divergence	1
	lines have been drawn **accurately** with a ruler	only credit if 1st mark credited do **not** credit if contradictory arrow(s) added	1
(c)	…lens… …image… …object… …image… ...object… …lens…	lens as 1st and 6th words (1) image and object in the correct order 2nd and 3rd words (1) image and object in correct order 4th and 5th words (1)	max 3
(d)(i)	correct statement about real image	may be credited from a correct diagram	1
	real rays intersect / cross to form a real image		
	or a real image can be formed on a screen		
	or real image is (always) on the opposite side (of the lens)		
	or real image is (always) upside down (to the object)		
	correct statement about virtual / imaginary image	may be credited from a correct diagram	1
	virtual / imaginary rays intersect / cross to form a virtual image		
	or a virtual / imaginary image cannot		
	or virtual / imaginary image is (always) on the same side (of the lens)		
	or virtual / imaginary image is (always) same way up (as the object)		

Continued

4.5.6.3.1 Stopping distance

3451/F Q17

question	answers	extra information	mark
(ii)	**either** image needs to fall on / affect the film **or** image needs to fall on / affect the light sensors / charged coupled devices (CCDs) (in a digital camera / mobile phone) **or** image needs to cause a chemical reaction (in / on the film)		1
total			10

4.5.6.3.1 Stopping distance

3451/F Q18

<table>
<tr><th>question</th><th>answers</th><th>extra information</th><th>mark</th></tr>
<tr><td>(a)</td><td>AND (gate)

OR (gate)

NOT (gate)

LED or light emitting diode</td><td>accept ‘and’

accept ‘or’

accept ‘not’ or invert gate

accept ‘led’</td><td>1

1

1

1</td></tr>
<tr><td>(b)(i)</td><td>NOT (gate) and AND (gate)</td><td>both in either order or ‘(the) gates’

any additions lose the mark</td><td>1</td></tr>
<tr><td>(ii)</td><td><table><tr><th>Switch for fire</th><th>Tilt switch</th><th>Signal to relay</th></tr><tr><td>0</td><td>0</td><td>…0…</td></tr><tr><td>0</td><td>1</td><td>…0…</td></tr><tr><td>1</td><td>0</td><td>…1…</td></tr><tr><td>1</td><td>1</td><td>…0…</td></tr></table></td><td>all correct

allow off or no
off no
on yes
off no</td><td>1</td></tr>
<tr><td>(iii)</td><td>(relay) acts as / is a switch

either
small current from the electronic / control circuit / system (1)

large current through the output / (electric) fire (1)

or

full current through electronic control system (1)

may damage components / lead to overheating / electric shock (1)

QoWC for correct use of the scientific term ‘current’</td><td>accept implication that it works as a switch e.g. ‘turns on fire’

or ‘small current through the coil (of the relay)’

do not accept small current is turned into a large current

annotate Q✓ Q×

if answer in terms of voltage isolation / voltage/ p.d. accept QoWC mark for correct use</td><td>1

1

1

1</td></tr>
<tr><td>total</td><td></td><td></td><td>10</td></tr>
</table>

4.5.6.3.1 Stopping distance

Version 1.0: 0906

ASSESSMENT and QUALIFICATIONS ALLIANCE

General Certificate of Secondary Education

Science: Double Award 3462/3F
Specification B

Mark Scheme

2006 examination - June series

Mark schemes are prepared by the Principal Examiner and considered, together with the relevant questions, by a panel of subject teachers. This mark scheme includes any amendments made at the standardisation meeting attended by all examiners and is the scheme which was used by them in this examination. The standardisation meeting ensures that the mark scheme covers the candidates' responses to questions and that every examiner understands and applies it in the same correct way. As preparation for the standardisation meeting each examiner analyses a number of candidates' scripts: alternative answers not already covered by the mark scheme are discussed at the meeting and legislated for. If, after this meeting, examiners encounter unusual answers which have not been discussed at the meeting they are required to refer these to the Principal Examiner.


It must be stressed that a mark scheme is a working document, in many cases further developed and expanded on the basis of candidates' reactions to a particular paper. Assumptions about future mark schemes on the basis of one year's document should be avoided; whilst the guiding principles of assessment remain constant, details will change, depending on the content of a particular examination paper.

Copyright © 2006 AQA and its licensors. All rights reserved.

4.5.6.3.1 Stopping distance

Double Award (Co-ordinated)
Foundation Tier 3462/3F

3462/3F Q1

question	answers	extra information	mark
(a)	4 correct lines drawn  	**1** mark for each correct line if more than 4 lines are drawn mark incorrect ones first. Mark only 4 lines	4
(b)	4		1
(c)(i)	nuclear		1
(ii)	(natural) gas	do **not** accept natural	1
total			7

4.5.6.3.1 Stopping distance

3462/3F Q2

question	answers	extra information	mark
(a)(i)	ultra violet		1
(ii)	kill the cells	accept destroys the cells accept makes cells cancerous accept damage cells accept harms cells accept changes DNA accept cause cells to mutate accept skin cells for cells accept cause cancer do **not** accept skin for cells do **not** accept burns the cells	1
(b)(i)	the sunbed uses an alternating current (a.c.) supply		1
(ii)	10.8	accept **1** mark for correct substitution of power in W or kW <u>and</u> time in hours or seconds	2
total			5

4.5.6.3.1 Stopping distance

Science: Double Award (Co-ordinated) – AQA GCSE Mark Scheme, 2006 June series

3462/3F Q3

question	answers	extra information	mark
(a)(i)	M		1
(ii)	K		1
(iii)	J		1
(iv)	O		1
(b)(i)	billions of years		1
(ii)	red giant	any answer in terms of explosion or supernova is **incorrect**	1
	contracts / shrinks to	incorrect reference to black hole negates **1** mark	1
	white dwarf		1
total			8

4.5.6.3.1 Stopping distance

3462/3F Q4

question	answers	extra information	mark
(a)(i)	A and C	**both** answers must be correct in either order	1
(ii)	A and B	**both** answers must be correct in either order	1
(iii)	same number of protons plus neutrons **or** same number of nucleons	accept number of particles in nucleus the same do **not** accept they add up to 6 unless qualified	1
(b)(i)	any **two** from: • boron - 12 • carbon - 14 • oxygen - 15 • lead - 209	**both** required both name **and** number must be given	1
(ii)	any **two** from: • boron - 11 • carbon - 12 • oxygen - 16 • lead - 207	**both** required both name **and** number must be given	1
(c)	alpha		1
total			6

4.5.6.3.1 Stopping distance

Science: Double Award (Co-ordinated) – AQA GCSE Mark Scheme, 2006 June series

3462/3F Q5

question	answers	extra information	mark
(a)	(good) insulator	accept does not conduct (electricity) accept does not conduct heat or electricity do **not** accept does not conduct heat outside is tough is insufficient	1
(b)	fuse		1
(c)	connect the green and yellow / earth wire	accept wires must be connected to screws	1
	swap the brown and blue wires round		1
total			4

3462/3F Q6

question	answers	extra information	mark
(a)	fossils	answers can be in either order	1
	water		1
(b)	increased		1
(c)	radio telescope		1
total			4

4.5.6.3.1 Stopping distance

3462/3F Q7

question	answers	extra information	mark
(a)(i)	electrical		1
	kinetic	accept movement	1
(ii)	heat	answers can be in either order	1
	sound		1
(b)(i)	360	accept **1** mark for correct substitution	2
(ii)	watt		1
(c)	the stairlift is not moving the stairlift is moving at constant speed	**both** answers are required for the mark	1
total			8

3462/3F Q8

question	answers	extra information	mark
(a)(i)	(up) further **or** (up) faster	any reference to downwards movement loses credit accept <u>with</u> more force accept motion would increase	1
(ii)	down	accept the opposite way accept drop	1
(b)(i)	direct current		1
(ii)	Z		1
total			4

4.5.6.3.1 Stopping distance

Science: Double Award (Co-ordinated) – AQA GCSE Mark Scheme, 2006 June series

3462/3F Q9

question	answers	extra information	mark
(a)	level of radiation (detected) will not change	ignore reference to particles	1
	if thickness of aluminium changes	accept for **both** marks a specific example eg if the aluminium gets thicker the level of radiation detected stays the same. accept for **1** mark gamma will pass through aluminium	1
	QoWC for 2 points in a sensible sequence		1
(b)	S W T V	all in correct order accept **2** marks for 2 correct accept **1** mark for 1 correct	3
total			6

4.5.6.3.1 Stopping distance

3462/3F Q10

question	answers	extra information	mark
(a)	0.05 (A)	ignore incorrect units if given accept 'the same' / 'the same as K' / 'the same as the other ammeter' do **not** accept 'same as the other meter'	1
(b)(i)	any **two** from: • two cells are joined + to +	answers in terms of current gain no marks accept one cell in the wrong way accept two cells are joined back-to-back accept two cells are joined – to – accept battery for cell do **not** accept answers in terms of all the cells or in terms of energy only	2
	• some of the cells potential difference is across the diode / ammeters / wires **or** the pd of the cells is shared by all components	accept voltage for pd do **not** accept using up pd	
	• the other components have a resistance	accept a named component / components / wire has a resistance	
	• cells not fully charged **or** cells partially run down	do **not** accept voltage of cells is less than 1.5 unless explained do **not** accept cells are not as powerful unless explained	
	• cells have an internal resistance		
(ii)	the diode has a (very) high resistance (in the reverse direction)		1
	a diode only conducts / allows current to flow in one direction	accept little / no current flows do **not** accept blocks / cuts flow	1

Continued

4.5.6.3.1 Stopping distance

Science: Double Award (Co-ordinated) – AQA GCSE Mark Scheme, 2006 June series

3462/3F Q10

question	answers	extra information	mark
(c)	**QoWC** for the use of the word resistance	annotate Q✓ Q✗ accept resistant	1
	accept increase / change / decrease throughout question but a contradiction loses **one** mark with change as neutral		
	as the pd / current increases / changes	accept voltage for pd must be correctly linked to at least one of the following points accept	1
	the temperature of the filament increases / changes	lamp / bulb for filament accept filament becomes hotter	1
	increasing / changing the **resistance** of the lamp	accept for **1** mark only the filament lamp does not obey Ohm's law	1
total			9

4.5.6.3.1 Stopping distance

3462/3F Q11

question	answers	extra information	mark
(a)	0.5		1
	hertz	accept Hz but **not** HZ / hz / hZ accept (waves) per second **or** / sec **or** / s **or** s^{-1} **or** sec^{-1}	1
(b)	any **one** from: • any named part of the electromagnetic spectrum • S – waves / secondary waves • wave on a rope	 do **not** accept seismic waves / earthquake do **not** accept slinky unless clearly described	1
(c)	transverse – disturbance / vibration is perpendicular to the direction of energy transfer / wave travel	accept a correctly labelled diagram	1
	longitudinal – disturbance / vibration is parallel to the direction of energy transfer / wave travel	accept a correctly labelled diagram part explanation of the difference between transverse **and** longitudinal gains **1** mark	1
(d)(i)	TIR shown	needs to stay inside water jet ignore number of reflections **or** arrow heads lines straight by eye	1
(ii)	bigger than	any indication of correct answer	1
total			7

4.5.6.3.1 Stopping distance


Science: Double Award (Co-ordinated) – AQA GCSE Mark Scheme, 2006 June series

3462/3F Q12

question	answers	extra information	mark
(a)	W		1
	has only two states **or** is either on or off	accept discrete values only do **not** credit answer purely in terms of shape	1
(b)	any **one** from:		1
	• higher quality	accept clearer do **not** accept easier to read ignore faster accept <u>less</u> distortion **or** <u>less</u> weakening of signal strength do **not** accept no distortion / weakening on its own	
	• increased carrying capacity	accept more information can be sent **or** more channels	
	• errors can be rectified		
total			3

4.5.6.3.1 Stopping distance

3462/3F Q13

question	answers	extra information	mark
(a)(i)	all points plotted accurately	accept **1** mark for 5 correct plots ± ½ small square on stopping distance	2
	line of best fit must be continuous	accept attempt at a reasonable curve does not need to go through 0 0 do **not** accept a straight line do **not** accept dot-to-dot	1
(ii)	4 to 6 (metres)	accept ecf from (a)(i) accept **1** mark for value taken correctly from graph at 25mph **or** correct method shown	2
(b)(i)	0.7 (s)	incorrect unit = 0 marks	1
(ii)	constant speed / velocity	accept (continued as) 30mph accept did not change / stayed the same accept no acceleration	1
(iii)	3.3(s)	penalise incorrect unit once only	1
(iv)	reaction time increases / is longer **or** thinking distance increases	do **not** accept reaction time slower **or** reactions are slower	1
	stopping distance / it increases	do **not** accept travels at constant speed for longer	1
(c)(i)	work done = force (applied) × distance (moved)	accept W = F × s or W = F × d accept  provided subsequent method is correct	1
(ii)	2100	accept 2.1 kilo accept **1** mark for using 7000 N	2
(iii)	2100 (joules)	accept their (c)(ii)	1
total			14

4.5.6.3.1 Stopping distance

Science: Double Award (Co-ordinated) – AQA GCSE Mark Scheme, 2006 June series

3462/3F Q14

question	answers	extra information	mark
(a)(i)	refraction		1
(ii)	it changes speed **or** change in density	accept it speeds up do **not** accept it slows down do **not** accept air is more dense than glass	1
(b)(i)	sound / waves <u>diffract</u> through the gap (in the wall) **or** over the wall **or** because the gate is open	do **not** accept reflection this only scores if first marking point is given accept for **1** mark only sound / waves go through the gap and <u>spread out</u> **or** diagram showing wave fronts spreading out from open gates if diagram is labelled as diffraction both marks can be scored	1 1
(ii)	less diffraction	accept no diffraction accept gates <u>absorb</u> sound / noise / waves accept gates <u>reflect</u> sound / noise / waves do **not** accept rebounds / stops / blocks out	1
total			5

4.5.6.3.1 Stopping distance

Answer 14 · Examiner comments — June 2019 | 8463/2H | Original Q3

Question 3 (Standard demand)

03.1 Just over 32% of the students gave a level 3 answer with 20% of those scoring full marks. Most of the students were able to give a good number of factors, and then tried to give at least one linked explanation. Many of the students used half a page to describe the meaning of Thinking Distance, Braking Distance and Stopping Distance, which was not required. There was a great deal of confusion about how to explain and link reaction time to a factor or group of factors. Many of the students confused reaction time and thinking distance. A significant number of students seemed to think that slower reactions meant a shorter reaction time and that the thinking distance was consequently shorter. When giving condition of tyres/road surface/wet/icy as a factor the explanation was often written in terms of grip/traction/sliding rather than using friction as a scientific term. Where speed was a factor, an explanation in terms of 'greater distance travelled in the reaction time' was seen a few times, but mainly the 'in the reaction time part' was missing. A greater distance to stop was the common explanation. Very few students linked kinetic energy and work done, most getting the idea of increased kinetic energy but then not linking it to work done. Even students that had an idea about work done being force × distance seemed to think that a larger force would be required from the brakes to stop in a certain distance, rather than the idea that the distance for a fixed braking force would be longer.

03.2 Nearly all of the students were able to recall this equation. Those students who did not score the mark just seemed to put an equal and a multiply sign in the quantity order of the stem or rearranged incorrectly.

03.3 Nearly all of the students scored all three marks. Where marks were not scored it was usually for putting the numbers into a calculator incorrectly or by missing powers of 10.

03.4 This was poorly answered with just below here quarters of the students scoring zero. There were lots of answers in terms of the effect on passengers, their momentum, possible crashes into the back because of braking too quickly, whiplash injury, what would happen if a seatbelt was not worn and the idea that the car would flip over. Few students wrote about

Answer 14 · Examiner comments — June 2019 | 8463/2H | Original Q3

the brakes overheating and of those that did only around 6% then linked this to possible loss of control.

4.5.6.3.1 Stopping distance

Answer 15 · Examiner comments November 2021 | 8463/2H | Original Q1

Question 1 (Common Question)
Part **01.1** asked students to explain factors and not simply list them. However, this is what many of the students did. Another common error was to explain factors affecting thinking distance rather than as asked, braking distance. The required equations were well known and the calculation required to answer **01.3** was often given correctly. Reading values from a graph proved difficult with only about half of the students answering **01.4** correctly.Less than 50% of the students scored full marks in part **01.6**. Generally only those students completing the calculation correctly scored the unit mark. However many of the students did score the mark for correctly giving a calculated incorrect numerical answer in standard form.

Answer 17 · Examiner comments June 2023 | 8463/2H | Original Q3

03.1

32% of students gained this mark. Common mistakes included physically changing the length of the lever, increasing the distance from the pivot without any reference to force, and increasing the distance of the lever to the pivot.

03.2

87% of students gained all 4 marks on this question. There were not many incorrect readings of velocity from the graph, and the most common error was usually 14.5 m/s. Those who did not score all the marks had made mathematical errors, such as incorrect rearranging.

03.3

55% of students gained all 3 marks. Those not scoring full marks, were often awarded the second marking point for calculating the distance travelled when the velocity was constant, and the third mark for adding up their two values.

34% scored zero because they had not appreciated that the area under the graph represented the distance travelled. A large number of students used distance = speed × time, not recognising that speed was not constant.

03.4

This question demonstrated that incorrect use, or lack of use, of scientific terminology has a negative effect. Students frequently confuse distance and time when answering this type of question. In addition, many talk about reaction times being slower, which implies time can slow down. Credit was given for slower reaction times, as was the use of ‘thinking time’ or descriptions of a greater response time. Only 17% gained full marks, as the link between stopping distance and thinking distance was often not made.

03.5

The majority of students did not answer this question in terms of work done. Most mentioned friction which on its own was not creditworthy. The second mark point was expressed correctly as kinetic energy being transferred to thermal energy. Unspecific answers about the release of energy were not credited, but the use heat energy instead of thermal was accepted.. Only 4% of students scored both marks, with 35% scoring one mark.

4.5.6.3.1 Stopping distance

Answer 18 · Examiner comments June 2024 | 8463/2H | Original Q7

07.1
Most students appreciated the idea of using the area under the graph to calculate the distance travelled with 55% scoring full marks. Some, however, tried to calculate the area under the whole graph rather than limiting their calculation to the first 600 s. Common mistakes were seen in those who could not read the scale on the axes correctly, or who tried to calculate the areas of incorrect triangles or rectangles.

© 2024 AQA and its licensors. All rights reserved.

Answer 18 · Examiner comments June 2024 | 8463/2H | Original Q7

07.2
A minority of students gained the first mark point for interpreting the velocity-time graph. Weaker responses referred to acceleration, or a slower deceleration, or stated that the rate of deceleration was slower. Only 49% gained marks on this question.

07.3
Students needed to determine the maximum deceleration from the velocity – time graph. Many incorrectly used the whole of the final section of the graph, calculating 2 gradients and adding them together, or used the section from 720s to 960 s. A minority calculated the average deceleration and were awarded a compensation mark. Most gradients were calculated with the correct values, but a small number read the velocity as 58 m/s or the time as 700 s or 1000 s. 41% scored all 3 marks.

07.4
30% of students scored full marks on this multi-step calculation of distance. These students tended to use the preferred method, or the first alternative method, given on the mark scheme. 45% scored 3 marks, usually because they used the final velocity instead of the mean velocity in distance = speed × time, so could not access the final 3 marks.

07.5
77% of students scored at least one mark in this question about how alcohol affects stopping distance. There was references to time being slowed down, and confusion between distance and time. 15% scored all 3 marks.

4.5.6.3.1 Stopping distance

Answer 19 · Examiner comments June 2025 | 8463/2H | Original Q6

6.1

This question was well answered with a number of students explaining their answer by linking it to F=ma showing a clear understanding of the link between variables. Students sometimes expanded their answers unnecessarily adding a detailed explanation as to why car X would have a lower maximum acceleration. Converse argument of car Y would have a greater maximum acceleration were common for this question.

6.2

This question topic proved difficult, as it has in previous exam series with only 15 % of the students scoring all 3 marks. Many answers did not show a scientific understanding of the concept, merely referring to the cushioning effect of airbags. Very few students scored the 2nd mark point being unaware of how the rate of change of momentum changed or deceleration. There were also a significant number of incorrect references to 'slowing down time'.

6.3

Just over 40 % of the students gained full marks for this multi-step calculation. Those who did mostly chose to use the equations of motion method before substituting their value of acceleration into F=ma. Very few students approached the problem from the kinetic energy method. The method using the average velocity was commonly used. However, very few students realised the necessity to use average velocity in their solution and were as a result a factor of two out in their final answer. This method also highlights that many students do not know which equations relate to constant velocity, and which relate to changing velocity.

Answer 19 · Examiner comments June 2025 | 8463/2H | Original Q6

6.4

Only a tiny minority of the students gained the 1st mark point for explaining why braking causes an increase in the temperature of the brakes, the majority failing to grasp the link between work done and frictional force. Many incorrectly referred to friction between the wheels and the road.

6.5

Just over half of the students gained marks for stating the risks of a large deceleration. Many students referenced crashes in their responses, notably involving the vehicle behind. Students rarely mentioned overheating, failing to make the link between this question and 6.4.