AQA GCSE Physics | 8463

SPECIFICATION POINT 4.5.7.2

Conservation of momentum

Mark schemes and examiner comments

Tier	**Higher**
Question groups	**12**
Available paper years	**2003–2023**

Using this booklet

1. Booklet answer numbers match the question booklet.
2. Use the original question number within marking tables.
3. Examiner comments are included where available.

Name: _____ **Date:** _____

Where a precise marking extract is unavailable, the full source document is included in an appendix. Any missing mark scheme is explicitly identified.

4.5.7.2 Conservation of momentum

Answer 01 · Mark scheme June 2003 | 3451H | Original Q16 | Legacy

The full source mark scheme begins on page 17. Follow original question 16 in that document.

Answer 02 · Mark scheme June 2005 | 3451 | Original Q14 | Legacy

The full source mark scheme begins on page 39. Follow original question 14 in that document.

Answer 03 · Mark scheme June 2006 | 3451 | Original Q10 | Legacy

The full source mark scheme begins on page 57. Follow original question 10 in that document.

Answer 04 · Mark scheme June 2006 | 3462 | Original Q8 | Legacy

The full source mark scheme begins on page 77. Follow original question 8 in that document.

4.5.7.2 Conservation of momentum

Answer 05 · Mark scheme January 2008 | PHY2H | Original Q6 | Legacy

Question 6

question	answers	extra information	mark
(a)(i)	velocity includes direction	accept velocity is a vector	1
(ii)	64	allow **1** mark for obtaining values of 16 and 4 from the graph **or** marking correct area or correct attempt to calculate an area	2
(iii)	any **two** from: • velocity zero from 0 to 4 seconds • increasing in 0.2 s (or very rapidly) to 8 m/s • decreasing to zero over the next 8 seconds		2
(iv)	momentum before does not equal momentum after **or** total momentum changes **or** an external force was applied	ignore reference to energy	1
(b)	to reduce the momentum of the driver a smaller (constant) force would be needed	 do **not** accept reduces the impact / impulse on the driver	1 1
total			8

4.5.7.2 Conservation of momentum

Answer 06 · Mark scheme January 2010 | PHY2H | Original Q6 | Legacy

Question 6

question	answers	extra information	mark
6(a)(i)	momentum before = momentum after **or** (total) momentum stays the same	accept no momentum is lost accept no momentum is gained	1
6(a)(ii)	an external force acts (on the colliding objects)	accept colliding objects are not isolated	1
6(b)(i)	9600 kg m/s **or** Ns	allow **1** mark for correct calculation of momentum before or after ie 12000 or 2400 **or** correct substitution using change in velocity = 8 m/s ie 1200 × 8 this may be given in words rather than symbols	2 1
6(b)(ii)	3 or their (b)(i) ÷ 3200 correctly calculated	allow **1** mark for stating momentum before = momentum after **or** clear attempt to use conservation of momentum	2
Total			**7**

4.5.7.2 Conservation of momentum

Answer 07 · Mark scheme

June 2010 | PHY2H | Original Q5 | Legacy

Question 5

question	answers	extra information	mark
5(a)(i)	longer reaction time **or** greater thinking distance **or** greater stopping distance	accept slower reactions do **not** accept slower reaction time unless qualified accept greater thinking time accept greater stopping time greater braking distance negates answer	1
5(a)(ii)	lines / slopes have the same gradient **or** velocity decreases to zero in same time / in 2.6 seconds	accept slopes are the same accept any time between 2.3 and 2.8 accept braking distances are the same	1
5(a)(iii)	12	accept extracting both reaction times correctly for **1** mark (0.6 and 1.4) **or** time = 0.8(s) for **1** mark accept 0.8 × 15 for **2** marks accept calculating the distance travelled by car **A** as 28.5 m **or** the distance travelled by car **B** as 40.5 m for **2** marks	3

Question 5 continues on next page…

PHY2H

Question 5 continued…

question	answers	extra information	mark
5(b)	**Z** different force values give a unique / different resistance	 only scores if **Z** chosen do **not** accept force and resistance are (directly) proportional accept answers in terms of why either **X or Y** would not be the best eg **X** – same resistance value is obtained for 2 different force values **Y** – all force values give the same resistance	1 1
Total			**7**

4.5.7.2 Conservation of momentum

Answer 07 · Mark scheme June 2010 | PHY2H | Original Q5 | Legacy

PHY2H

4.5.7.2 Conservation of momentum

Answer 08 · Mark scheme

Question 7

question	answers	extra information	mark
7(a)	direction		1
7(b)	54 000	allow **1** mark for calculating and identifying momentum as 10 800 **or** allow **1** mark for correct substitution into second equation ie $\frac{1200 \times 9}{0.2}$	2
7(c)	increases the time taken (for head) to stop	accept increases impact time do **not** accept reference to slowing down time unless qualified	1
	decreases rate of change in momentum	accept reduces acceleration / deceleration accept increases the time taken to reduce momentum to zero is worth **2** marks reduces momentum is insufficient	1
	reduces the <u>force</u> (on the head)		1
Total			**6**

4.5.7.2 Conservation of momentum

Question 7

question	answers	extra information	mark
7(a)	4.2	2 marks for correct substitution **and** transformation, ie 1155/275 allow **1** mark for correct resultant force with a subsequent incorrect method, ie 1155 allow **1** mark for an incorrect resultant force with a subsequent correct method, eg answers of 7.27 or 10.34 gain **1** mark	3
7(b)(i)	YES any **two** from: • data (from police files) can be trusted • data answers the question asked • large sample used NO any **two** from: • the sample is not representative • the sample size is too small • accident files do not indicate age / experience of riders	marks are for the explanation allow a conclusion can be made from the data an answer YES and NO can score **1** mark from each set of mark points	2

Question 7 continues on the next page

PHY2H

Question 7 continued

question	answers	extra information	mark
7(b)(ii)	more accidents with motorbikes up to 125 cc	accept for **2** marks an answer in terms of number of under 125 cc to accidents ratio compared correctly with number of over 500 cc to accidents ratio	1
	even though there are fewer of these bikes than bikes over 500 cc		1
7(c)(i)	increases the time taken to stop	accept increases collision time	1
	decreases rate of change in momentum	accept reduces acceleration / deceleration accept $F = \frac{\Delta mv}{\Delta t}$ reduces momentum is insufficient	1
	reduces the force (on the rider)		1
7(c)(ii)	YES any sensible reason, eg: • cannot put a price on life / injury • fewer (serious) injuries • reduces cost of health care / compensation NO any sensible suggestion, eg: • money better spent on … • total number of riders involved is small	the mark is for the reason accept may save lives accept reduces risk of injury needs to be specific	1
Total			**11**

4.5.7.2 Conservation of momentum

Answer 10 · Mark scheme

June 2015 | PH2HP | Original Q4 | Legacy

Question	Answers	Extra information	Mark	AO / Spec. ref.	ID
4(a)(i)	distance travelled under the braking force	accept distance travelled between applying the brakes and stopping	1	AO1 2.1.3c	E
4(a)(ii)	any **one** from: • icy/wet roads • (worn) tyres • road surface • mass (of car and passengers) • (efficiency/condition of the) brakes	accept weather (conditions) accept gradient of road accept number of passengers friction/traction is insufficient	1	AO1 2.1.3f	E
4(a)(iii)	greater the speed the greater the braking force (required)	must mention both speed and force	1	AO1 2.1.3b	E
4(b)	22.5	allow **1** mark for showing correct use of the graph with misread figures **or** for showing e.g. 90÷4 an answer 17 gains **1** mark any answer such as 17.4 or 17.5 scores 0	2	AO2 2.1.2b/c	E
4(c)(i)	momentum before = momentum after **or** (total) momentum stays the same	accept no momentum is lost accept no momentum is gained ignore statements referring to energy	1	AO1 2.2.2b	E

Question 4 continues on the next page . . .

4.5.7.2 Conservation of momentum

Answer 10 · Mark scheme

June 2015 | PH2HP | Original Q4 | Legacy

Question 4 continued . . .

Question	Answers	Extra information	Mark	AO / Spec. ref.	ID
4(c)(ii)	5	allow **2** marks for correctly obtaining momentum before as 12 000 **or** allow **2** marks for 1500 x 8 = 2400 x v **or** allow **1** mark for a relevant statement re conservation of momentum **or** allow **1** mark for momentum before = 1500 x 8	3	AO2 2.2.2a/b	**E**
4(d)	the seat belt stretches driver takes a longer *(impact)* time to slow down and stop (than a driver hitting a hard surface/windscreen/ steering wheel) for the (same) change of momentum a smaller force is exerted (so driver less likely to have serious injury than driver without seat belt) **or** the seat belt stretches ***(1)*** driver travels a greater distance while slowing down and stopping (than a driver hitting a hard surface/windscreen/ steering wheel) ***(1)*** for (same) amount of work done (**1**) a smaller force is exerted (so driver less likely to have serious injury than driver without seat belt) ***(1)***	accept so smaller deceleration/negative acceleration do not accept impact for force accept for (same) change of KE do not accept impact for force	1 1 1 1	AO1/3 2.2	**E**

4.5.7.2 Conservation of momentum

Answer 10 · Mark scheme

June 2015 | PH2HP | Original Q4 | Legacy

Total			**13**

4.5.7.2 Conservation of momentum

Answer 11 · Mark scheme

November 2020 | 8463/2H | Original Q5

Question 5

Question	Answers	Extra information	Mark	AO / Spec. Ref.
05.1	(total) momentum before = (total) momentum after	allow (total) momentum stays the same	1	AO1 4.5.7.2
05.2	momentum of player A = 585 (kg m/s) momentum of player B = –500.5 (kg m/s) $\frac{(-500.5 + 585)}{(78 + 91)}$ OR $\frac{84.5}{169}$ = 0.5 (m/s)	 allow $\frac{1085.5}{169}$ this answer only	1 1 1 1	AO2 4.5.7.1 4.5.7.2
05.3	(protective pads) increase the time taken to stop (during the collision) so the rate of change of momentum decreases reducing the force (on the ice hockey player)	allow increases impact / contact / collision time do **not** allow slows down time allow reduces acceleration/deceleration allow increases the time to reduce the momentum to zero for **2** marks allow impact for force do **not** allow if linked to an incorrect explanation	1 1 1	AO1 4.5.7.3
Total			**8**	

4.5.7.2 Conservation of momentum

Answer 12 · Mark scheme

June 2023 | 8463/2H | Original Q5

Question 5

Question	Answers	Extra information	Mark	AO / Spec. Ref.
05.1	the total amount of energy (of the bumper car and barrier) remains constant. **or** total momentum (of bumper car and barrier) before collision equals total momentum (of bumper car and barrier) after collision **or** the resultant external force acting (on the system) is zero	allow there are no external forces (acting on the system)	1	AO1 4.5.7.2 4.1.2.1

Question	Answers	Extra information	Mark	AO / Spec. Ref.
05.2	the force of the car on the barrier is equal to the force of the barrier on the car and in the opposite direction		1	AO1 4.5.6.2.3

Question	Answers	Extra information	Mark	AO / Spec. Ref.
05.3	$F = \frac{700}{0.28}$ F = 2 500 (N)		1 1	AO2 4.5.7.3

4.5.7.2 Conservation of momentum

Answer 12 · Mark scheme

June 2023 | 8463/2H | Original Q5

Question	Answers	Extra information	Mark	AO / Spec. Ref.
05.4	increases the time taken for the collision to occur	allow increases contact time do **not** accept slows down time	1	AO1 4.5.7.3
	(so) the rate of change of momentum decreases	allow reduces acceleration / deceleration	1	
	reducing the force (on the people)	reduces impact is insufficient	1	

Question	Answers	Extra information	Mark	AO / Spec. Ref.
05.5	$2.5^2 - u^2 = 2 \times 2.0 \times 1.5$		1	AO2 4.5.6.1.5
	$u^2 = 2.5^2 - (2 \times 2.0 \times 1.5)$		1	
	$u = 0.50$ (m/s)	allow 0.5 (m/s)	1	

Total Question 5	10

4.5.7.2 Conservation of momentum

AQA
ASSESSMENT and QUALIFICATIONS ALLIANCE

Mark scheme June 2003

GCSE

Physics

3451

Foundation

Copyright © 2003 AQA and its licensors. All rights reserved.

The Assessment and Qualifications Alliance (AQA) is a company limited by guarantee registered in England and Wales 3644723 and a registered charity number 1073334
Registered address: Addleshaw Booth & Co., Sovereign House, PO Box 8, Sovereign Street, Leeds LS1 1HQ
Kathleen Tattersall: *Director General*

4.5.7.2 Conservation of momentum

INFORMATION FOR EXAMINERS

1. General

The mark scheme for each question shows:

- the marks available for each part of the question;
- the total marks available for the question;
- the typical answer or answers which are expected;
- extra information to help the Examiner make his or her judgement and help to delineate what is acceptable or not worthy of credit or, in discursive answers, to give an overview of the area in which a mark or marks may be awarded.

The extra information is aligned to the appropriate answer in the left-hand part of the mark scheme and should only be applied to that item in the mark scheme.

At the beginning of a part of a question a reminder may be given, for example:
where consequential marking needs to be considered in a calculation;
or the answer may be on the diagram or at a different place on the script.

In general the right hand side of the mark scheme is there to provide those extra details which confuse the main part of the mark scheme yet may be helpful in ensuring that marking is straightforward and consistent.

2. Emboldening

2.1 In a list of acceptable answers where more than one mark is available 'any **two** from' is used, with the number of marks emboldened. Each of the following lines is a potential mark.

2.2 A bold **and** is used to indicate that both parts of the answer are required to award the mark.

2.3 Alternative answers acceptable for a mark are indicated by the use of **or**. (Different terms in the mark scheme are shown by a / ; e.g. allow smooth / free movement.)

3. Marking points

3.1 Marking of Quality of Written Communication

Examiners are reminded of the need to assess QoWC by the following statement appearing in the appropriate parts of the mark scheme:

The answer to this question requires ideas in good English in a sensible order with correct use of scientific terms. Quality of written communication should be considered in crediting points in the mark scheme.

The maximum marks available to a candidate whose answer is not well expressed will be (the number of marks available –1).

4.5.7.2 Conservation of momentum

3.2 Marking of lists

This applies to questions requiring a set number of responses, but for which candidates have provided extra responses. The general principle to be followed in such a situation is that 'right + wrong = wrong'.

Each error/contradiction negates each correct response. So, if the number of error/contradictions equals or exceeds the number of marks available for the question, no marks can be awarded.

However, responses considered to be neutral (indicated as * in example 1) are not penalised.

Example 1: What is the pH of an acidic solution? (1 mark)

Candidate	Response	Marks awarded
1	4,8	0
2	green, 5	0
3	red*, 5	1
4	red*, 8	0

Example 2: Name two planets in the solar system. (2 marks)

Candidate	Response	Marks awarded
1	Pluto, Mars, Moon	1
2	Pluto, Sun, Mars, Moon	0

3.3 Use of chemical symbols/formulae

If a candidate writes a chemical symbol/formula instead of a required chemical name, full credit can be given if the symbol/formula is correct and if, in the context of the question, such action is appropriate.

3.4 The marking of quantitative relationships

Full credit can be given for a correct quantitative relationship expressed in:

- named units;
- physical quantities;
- standard symbols;
- a combination of physical quantities and units.

No credit can be given for any quantitative relationship expressed in terms of:

- a combination of physical quantities, units and symbols;
- a diagram, e.g. the ohm's law triangle, unless the rest of the answer shows clearly that the candidate understands the relationships involved.

3.5 Marking procedure for calculations

3.5.1 Full marks can be given for a correct numerical answer, as shown in the column 'answers', without any working shown. However, if the answer is incorrect, mark(s) can be gained by correct substitution/working and this is shown in the 'extra information' column.

4.5.7.2 Conservation of momentum

3.5.2 Where calculations are based on incorrectly recalled relationships, neither the incorrectly recalled relationship, nor the resulting calculation based on the incorrect relationship, will be credited.

3.6 Interpretation of 'it'

Answers using the word 'it' should be given credit only if it is clear that the 'it' refers to the correct subject.

3.7 Errors carried forward

There should be no error carried forward from a previous answer which has been based on wrong science. Any error in the answers to a structured question should be penalised once only.

Examples

(a) A candidate who calculates average speed using speed = time/distance **and** then proceeds to use this incorrect answer to calculate an acceleration based on the correct quantitative relationship should be given credit for the use of the correct acceleration relationship but none for either numerical answer.

(b) A candidate who incorrectly calculates average speed using speed = distance/time and then proceeds to use this incorrect value to calculate an acceleration based on the correct quantitative relationship, should be given credit for the use of both correct quantitative relationships **and** for the correct substitution and use of the incorrect value in the calculation of the rate of acceleration.

Papers should be constructed in such a way that the number of times errors can be carried forward are kept to a minimum. Allowances for errors carried forward are most likely to be restricted to calculation questions and should be shown by the abbreviation e.c.f. in the marking scheme.

3.8 Phonetic spelling

The phonetic spelling of correct scientific terminology should be credited **unless** there is a possible confusion with another technical term.

3.9 Brackets

(…..) is used to indicate information which is not essential for the mark to be awarded but is included to help the examiner identify the sense of the answer required.

3.10 Unexpected Correct Answers not in the Mark Scheme

The Examiner should use professional judgement to award credit where a candidate has given an unexpected correct answer which is not covered by the mark scheme. The Examiner should consult with the Team Leader to confirm the judgement. The Team Leader should pass this answer on to the Principal Examiner with a view to informing all examiners.

4.5.7.2 Conservation of momentum

3451/F Q1

question	answers	extra information	mark
(a)	circuit symbol for a lamp correct   circuit symbol for a cell correct	accept  accept any standard of drawing providing circuit would work	1 1
	2 lamps drawn in parallel with 3 cells	polarity of cells must be correct (+ to –) but cells may be either way around	1
(b)	4.5		1
(c)	the same as	accept any clear indication of the correct answer	1
total			5

4.5.7.2 Conservation of momentum

3451/F Q2

question	answers	extra information	mark
(a)	gas		1
(b)	fuel burning stations produce electricity at any time / all the time wind generator can only produce when the wind is strong enough	accept fuel available all the time accept it's not always windy	1 1
(c)	no fuel is burnt **or** no fuel is used **or** uses only energy from wind **or** does not emit harmful gases / soot / smoke	do **not** accept wind is natural / environmentally friendly / renewable answer must be in terms of wind, **not** negative of fuel burning specific examples of gases CO_2, SO_2, acid rain and greenhouse gases can be accepted ozone negates credit	1
total			4

4.5.7.2 Conservation of momentum

3451/F Q3

question	answers	extra information	mark
(a)(i)	microwaves		1
(ii)	infra red		1
(iii)	ultrasonic		1
(b)(i)	B		1
(ii)	A		1
(c)	disturbance / vibration / movement	accept motion / force do **not** accept energy	1
	direction		1
(d)	sound wave	accept any clear indication of the correct answer	1
total			8

4.5.7.2 Conservation of momentum

3451/F Q4

question	answers	extra information	mark
(a)(i)	heat		1
(ii)	temperature increases **or** (cause) convection (currents)	accept gets warmer accept gets hotter	1
(iii)	60% **or** 0.6	60 without % scores **1** mark 0.6 with a unit scores **1** mark 60 with incorrect unit scores **1** mark **or** correct substitution $\frac{120}{200}$ for **1** mark	2
(b)	street more (energy transferred as) light **or** less (energy transferred as) heat **or** useful energy output the highest	 can only score this mark if first mark scored all efficiencies calculated correctly score 2nd mark point	1 1
total			6

4.5.7.2 Conservation of momentum

3451/F Q5

question	answers	extra information	mark
(a)	MN	accept 5.8, 8 seconds must include unit	1
(b)	LM	accept 0.8, 5.8 seconds must include unit	1
(c)(i)	0.8		1
(ii)	drinking alcohol		1
(d)	straight (by eye) line starting at 0.8 seconds line drawn steeper than LM starting before L	 ignore lines going beyond 2 seconds but line must exceed 2.5 metres per second before terminating	1 1
total			6

4.5.7.2 Conservation of momentum

3451/F Q6

question	answers	extra information	mark
(a)(i)	each correct label scores 1 mark  		3
(ii)	neutron		1
(iii)	7 number of protons and neutrons **or** number of nucleons **or** number of particles in the nucleus	 accept number of particles in the centre only if first answer = 7	1 1
(b)(i)	50 ± 5		1
(ii)	50 ± 5	accept their (b)(i)	1
(iii)	less	accept any way of indicating the correct answer	1
total			9

4.5.7.2 Conservation of momentum

3451/F Q7

question	answers	extra information	mark
(a)	each correct line scores 1 mark  	if more than 3 lines are drawn mark incorrect ones first, to a maximum of 3 lines	3
(b)	toaster	accept 1.2 kW	1
(c)(i)	400		1
(ii)	£24 **or** 2400p	full credit for their (c)(i) × 6p for full credit the correct numerical answer must have the correct unit an answer of 24 or 2400 with no unit or the incorrect unit scores **1** mark (c)(i) × 6 incorrectly evaluated scores **1** mark	2
(d)	6	allow 6000 for **1** mark allow 3 × 2 for **1** mark	2
total			9

4.5.7.2 Conservation of momentum

3451/F Q8

question	answers	extra information	mark
(a)(i)	point where the rays cross	do not credit if ambiguous	1
(ii)	converging (lens)	do **not** accept convex	1
(b)(i)	point where the rays appear to diverge from	this should appear to be within 10mm in front of the back of the arrows on the approximate centre line need not be accurately constructed using a ruler	1
(ii)	diverging (lens)	do **not** accept concave	1
(c)	converging film smaller than nearer to	accept any clear indication of the correct response e.g. ticking, ringing, writing in after a mistake	1 1 1 1
(d)(i)	(image) bigger than object / enlarge	accept just 'made bigger'	1
(ii)	it / real image can be put on a screen **or** real image on the opposite side of the lens to the object	accept 'not an imaginary or virtual image' assume 'it' refers to a real image do **not** credit 'it can be seen'	1
(e)	**either** (the converging lens is) thick in the middle thin(ner) at the edge **or** (both) sides bend outwards (1) in the middle (1) **or** one side bends in the middle (1) more than the other side bends inwards (in the middle) (1)	thickest in the middle gains **2** marks convex gains **2** marks suitable diagrams gains **2** marks	1 1
total			12

4.5.7.2 Conservation of momentum

3451/F Q9

question	answers	extra information	mark
(a)(i)	off off on	all correct	1
(ii)	AND (gate)	accept and (gate)	1
(iii)	on on on	all correct	1
(iv)	OR (gate)	accept or (gate)	1
(b)(i)	1 0 **or** 0 1 0 1 1 0	do **not** credit on / off responses	1
(ii)		accept mirror image accept  accept with either or both parts shaded accept line through as shading	1
(c)		accept off for 0 and on for 1 throughout	
	0 0	both correct	1
	0 1	both correct	1
	1 1	both correct	1
	1 1	both correct	1

4.5.7.2 Conservation of momentum

3451/F Q9 continued

(d)(i)		accept mirror image **or** inverted do **not** credit  **or**  or similar	1
(ii)	resistance decreases / increases / changes current (through it) increases / decreases / changes **or** temperature changes / increases / decreases (1) resistance changes / decreases / increases (1) (NTC thermistor) both marks independent but must be compatible to score **2** marks	accept 'voltage across it decreases' for **2** marks but only if it is made clear that this refers to a thermistor in series	1 1
total			13

4.5.7.2 Conservation of momentum

3451/F Q10

question	answers	extra information	mark
(a)(i)	friction	accept any way of indicating the correct answer	1
(ii)	gravity	accept any way of indicating the correct answer	1
(b)(i)	accelerates **or** speed / velocity increases	accept faster and faster (**1** mark) do **not** accept faster pace / falls faster or suggestions of a greater but constant speed	1
	downwards / falls	accept towards the Earth / ground this may score in part (b)(ii) if it does not score here and there is no contradiction between the two parts	1
(ii)	constant speed / velocity **or** terminal velocity / speed **or** zero acceleration	stays in the same place negates credit	1
total			5

4.5.7.2 Conservation of momentum

3451/F Q11

question	answers	extra information	mark
(a)(i)	X – mantle		1
	Y – inner core	do **not** accept solid core	1
(ii)	different to the crust **or** contains a lot of (heavy) metals	accept iron and nickel for metals	1
	higher (average) density **or** denser	density higher than 5500 (kg/m^3) gets **2** marks	1
(b)	animals were able to move from one continent to the other		1
	(when bridge broke) animals evolved differently	accept animals adapted differently	1
(c)(i)	earthquakes occur at the boundary between plates **or** earthquakes occur where plates push against each other		1
	there are no plate boundaries running through Britain	accept Britain is not near the edge of a plate	1
(ii)	convection currents (in the mantle) **or** heat released by (natural) radioactive processes		1
total			9

4.5.7.2 Conservation of momentum

3451/F Q12

question	answers	extra information	mark
(a)(i)	outside the Earth **or** not from the Earth	accept alien accept life from / on another planet / space accept our planet for Earth	1
(ii)	radio telescope(s)	do **not** accept telescopes do **not** accept satellite dishes do **not** accept radio receivers **or** transmitters	1
(b)(i)	galaxies	do **not** accept stars	1
(ii)	any **one** from: the pulses were regular pulses from space are usually random (scientists) thought technology had been used to produce the pulses neutron stars were unknown signals from a single point	 accept signals / beats for pulses accept noise for random pulses idea of regular but not continuous	1
(iii)	neutron star is (the matter / mass) left behind after a star / red giant explodes (as a super nova)	 accept after a super nova (explosion) neutron star causing super nova gets no credit	1 1
(c)(i)	carried on the balloon / equipment	accept carried by a rocket / aircraft / satellite birds negates credit	1
(ii)	on comets or meteors	accept meteorites / shooting stars accept returning space craft accept solar wind ignore asteroids accept ufo do **not** accept solar flares do **not** accept satellites	1
total			8

4.5.7.2 Conservation of momentum

3451/F Q13

question	answers	extra information	mark
(a)	silver is a (good) reflector of <u>heat</u> (radiation) **or** silver reflects the heat (radiation)	fact heat = infra red ignore references to light accept shiny for silver good radiator negates the mark ignore references to good conductor do **not** accept bounce back	1
	less heat is lost through the board **or** more heat is retained by the shirt	explanation accept both sides of shirt heated reflects heat back up gets **1** mark only ignore mention of friction	1
(b)	metal soleplate	accept soleplate / bottom / metal do **not** accept outside / case	1
(c)	plastic **or** rubber	accept any named plastic do **not** accept wood	1
	it is a (good) insulator **or** it is a poor conductor	ignore mention of heat if in conjunction with electricity	1
(d)	**Quality of written communication** *The answer to this question requires ideas in good English in a sensible order with correct use of scientific terms. Quality of written communication should be considered in crediting points in the mark scheme.*	*Maximum of **2** marks if ideas not well expressed.*	
	pulls iron bolt down **or** attracts the iron bolt **or** moves bolt out of plunger	answers in terms of charges attracting or repelling gain no credit	1
	plunger pushed / moved to the right (by spring) **or** plunger released		1
	push switch opens / goes to off / goes to right	accept circuit is broken for maximum credit the points must follow a logical sequence 3 correct points but incorrect sequence scores **2** marks only ignore reset action	1
total			8

4.5.7.2 Conservation of momentum

3451/F Q14

question	answers	extra information	mark
(a)(i)	any **one** from: the ground the air radon (gas) building materials buildings rocks / granite food cosmic rays **or** solar rays X-rays nuclear weapons testing nuclear power stations / accidents	 do **not** accept mobile phones accept from outer space accept sun but **not** sunlight accept medical uses	1
(ii)	2	allow $\frac{1200}{60\times10}$ **or** $\frac{1200}{600}$ **or** 120 for **1** mark	2
(b)	 alpha: the count rate is (greatly) reduced by the card **or** the card absorbs alphas but not betas beta: the count rate is (greatly) reduced by the metal **or** the thin metal absorbs alphas and betas **or** the thin metal absorbs all of the radiation (from the source) gamma: would pass through the thin metal but count rate is background **or** no radiation passing through **or** a higher reading would be recorded **or** to reduce the count to 2 would require much more than 3 mm of metal	answers must be comparative accept converse answers throughout accept paper for the card accept aluminium for the metal accept aluminium for the metal accept lead / aluminium for the metal	 1 1 1
total			6

4.5.7.2 Conservation of momentum

3451/F Q15

question	answers	extra information	mark
(a)(i)	weight = mass × g.f.s.	accept w = m × g accept gravity for gfs accept  provided subsequent use of Δ correct do **not** accept N = kg × N/kg	1
(ii)	675	75 × 9 for **1** mark	2
(iii)	g.(f.s.) is higher (on Earth than Venus)	accept gravity for g.f.s. do **not** accept g.f.s. is lower unless answer states on Venus	1
(iv)	orbit time for Jupiter is <u>longer</u> / longest (than for the other planets)	do **not** give any credit for an answer that includes a comparison of diameter **or** a comparison of g.f.s.	1
(b)	**Quality of written communication** *The answer to this question requires ideas in good English in a sensible order with correct use of scientific terms. Quality of written communication should be considered in crediting points in the mark scheme.* any **two** from: dust <u>and</u> gas **or** remnants of a super nova pulled together by (force of) <u>gravity</u> nuclear fusion starts	*Maximum of **1** mark if ideas not well expressed.* accept hydrogen for dust and gas do **not** accept hydrogen burns although candidates may include more detail these points are essential to score the credit	2
total			7

4.5.7.2 Conservation of momentum

3451/F Q16

question	answers	extra information	mark
(a)(i)	upright with the contacts at the bottom and still in place and unbent	no need for labels but incorrect label(s) cancel the mark accept a freehand drawing no need for details such as correct dimensions	1
	one blob of mercury touching <u>both</u> contacts	do **not** award mark if contacts bent to touch	1
(b)(i)	(X is a) battery	do **not** credit cell accept (set of) cells accept power supply do **not** accept power pack	1
	(Y is a) LED	**or** light emitting diode	1
(ii)	longer (time)	do **not** accept 'slower time'	1
(iii)	any **two** from: current less (so) rate of flow of charge less **or** less coulombs per second (so) discharge is slower	 do **not** accept current slower accept capacitor has charge for longer **or** charge lasts longer **or** (so total of) electrons take longer to travel round circuit	2
(c)	4200	translation correct (= 4000) but percentage addition incorrect gains **1** mark translation incorrect but 5% addition is correct gains **1** mark accept 422.1 **or** 42.2 **or** 6.3 for **1** mark	2
	ohms **or** Ω	4.2 kilohms **or** 4.2 kΩ gains all **3** marks	1
total			10

4.5.7.2 Conservation of momentum

3451/F Q17

question	answers	extra information	mark
(a)	point at which its mass (seems to) act **or** point at which gravity (seems to) act	accept …its weight acts accept correct statements if the intent is clear e.g. … if suspended, the centre of gravity will be directly under the point of suspension e.g. … (if the object is symmetrical), the centre of gravity is on the **or** an axis (of symmetry) do **not** credit just 'it is a point'	1
(b)	**Quality of written communication** *The answer to this question requires good English in a sensible order with correct use of scientific terms. Quality of written communication should be considered in crediting points in the mark scheme.* any **five** from: clamp (steel) rod (horizontally) hang plastic / sheet by rod through (one) hole hang plumb line from rod mark ends of plumb line on the sheet and use the ruler to draw a straight line repeat with other hole centre of mass is where the lines cross check by balancing at this point	*maximum of **4** marks if ideas not well expressed* **no** marks if method quite unworkable maximum of **3** marks if no 'repeat with other hole'	5
(c)(i)	(turning) effect **or** moment force distance	all three correct accept weight accept length	1
(ii)	17.6 Nm **or** newton metre(s)	allow 44 × 0.4 **or** 0.4 × 44 for **1** mark do **not** accept N/m **or** N/cm 1760 Ncm gains all **3** marks	2 1
total			10

Version 1.0: *27092005*

ASSESSMENT and QUALIFICATIONS ALLIANCE

General Certificate of Secondary Education

Physics 3451/F
Specification B

Mark Scheme

2005 examination – June series

Mark schemes are prepared by the Principal Examiner and considered, together with the relevant questions, by a panel of subject teachers. This mark scheme includes any amendments made at the standardisation meeting attended by all examiners and is the scheme which was used by them in this examination. The standardisation meeting ensures that the mark scheme covers the candidates' responses to questions and that every examiner understands and applies it in the same correct way. As preparation for the standardisation meeting each examiner analyses a number of candidates' scripts: alternative answers not already covered by the mark scheme are discussed at the meeting and legislated for. If, after this meeting, examiners encounter unusual answers which have not been discussed at the meeting they are required to refer these to the Principal Examiner.

It must be stressed that a mark scheme is a working document, in many cases further developed and expanded on the basis of candidates' reactions to a particular paper. Assumptions about future mark schemes on the basis of one year's document should be avoided; whilst the guiding principles of assessment remain constant, details will change, depending on the content of a particular examination paper.

Copyright © 2005 AQA and its licensors. All rights reserved.

Physics (Specification B)
Foundation Tier 3451/F

3451/F Q1

question	answers	extra information	mark
(a)(i)	less than	accept any correct indication	1
(ii)	more than	accept any correct indication	1
(b)	any **two** from: stays above the same place above the equator one orbit takes 24 hours	 do **not** accept stays in the same place do **not** accept goes around equator unless qualified do **not** accept orbit at same speed as Earth do **not** accept orbit at a constant speed accept has same angular speed / velocity as Earth	2
total			4

3451/F Q2

question	answers	extra information	mark
(a)	comet		1
(b)	large group / number / collection of stars	ignore reference to planets accept millions of stars do **not** accept thousands of stars do **not** accept loads of stars	1
(c)	giant supernova neutron		1 1 1
total			5

4.5.7.2 Conservation of momentum

3451/F Q3

question	answers	extra information	mark
(a)(i)	radio		1
(ii)	gamma	accept microwave accept infrared	1
(iii)	ultra violet		1
(iv)	microwaves		1
(b)	the same as		1
(c)	X-rays do not go through lead	references to gamma rays are incorrect accept lead protects them from the X-rays accept not exposed to X-rays	1
	lead stops / reduces risk of X-rays harming / damaging / killing (persons) <u>cells</u>	accept X-rays (may) cause cancer accept organs for cell do **not** accept references to electric shock do **not** accept stops bones of people showing on X-ray answers involving the horse wearing an apron are incorrect	1
	Quality of written communication	award for a sensible sequence of **two** points	1
total			8

4.5.7.2 Conservation of momentum

3451/F Q4

question	answers	extra information	mark
(a)	light electrical		1 1
(b)	15% **or** 0.15	correct substitution gains **1** mark only an answer of 15 with no unit **or** an incorrect unit gains **1** mark an answer of 0.15 given with a unit gains **1** mark	2
(c)	the ticket machine is a long way from other electricity supplies		1
(d)	any figure between 5 and 10 inclusive	unit not required but if given must match numerical answer	1
total			6

3451/F Q5

question	answers	extra information	mark
(a)(i)	radon (gas)	do **not** accept gas	1
(ii)	background		1
(b)	bigger	accept any word which means bigger	1
(c)	**Z** alpha will not pass through aluminium or lead	if Z is not given, the reason does not score accept alpha cannot go through metals / dense material accept there is nothing to stop the radiation accept alpha will not pass through aluminium do **not** accept alpha will not pass through lead do **not** accept alpha stopped by air	1 1
total			5

4.5.7.2 Conservation of momentum

3451/F Q6

question	answers	extra information	mark
(a)	loses negative charge / electrons	do **not** accept positive charge transfers to the comb do **not** accept friction	1
(b)	**A** attract		1
	B repel		1
	C attract		1
(c)	**F A D E**	allow **2** marks for 2 letters in the correct place allow **1** mark for 1 letter in the correct place	3
total			7

4.5.7.2 Conservation of momentum

3451/F Q7

question	answers	extra information	mark
(a)	all points correctly plotted	tolerance ± $\frac{1}{2}$ square on y axis only allow **1** mark for 3 correctly plotted points	2
	attempt made to draw a smooth curve	do **not** accept dot-to-dot line	1
(b)(i)	3 days ± 0.2 **or** any value correctly obtained using their graph line	if no line drawn in (a), answer must be exactly 3	1
(ii)	3 days or their (b)(i)		1
(c)	radon-222	accept radon **or** 222 accept alpha or 3.8 correct isotope required for reason to score	1
	has the shortest half-life	accept the others have longer half-lives	1
total			7

4.5.7.2 Conservation of momentum

3451/F Q8

question	answers	extra information	mark
(a)	fossils of Cynognathus are found in Africa and South America		1
	the shapes ……. almost fit together	only two boxes should be ticked deduct **1** mark for each additional box to a minimum mark of **0**	1
(b)	continental		1
	crust		1
	tectonic		1
total			5

4.5.7.2 Conservation of momentum

3451/F Q9

question	answers	extra information	mark
(a)	capacitor LDR relay (normally open)	accept condenser **or** light dependent resistor accept 'ldr', 'Ldr' etc. do **not** accept 'relay normally closed'	1 1 1
(b)(i)	battery	accept '(battery of) cells' do **not** accept 'battery / cell'	1
(ii)	LED	**or** light emitting diode accept 'led' or 'Led' do **not** accept just 'diode'	1
(iii)	B will light (but C will not)	accept '(only) B will work' accept 'one is on the other is off' do **not** accept 'C is on and B is off'	1
(iv)	any **one** from: B is connected the right way round (and C is not) a (light emitting) diode only allows (a significant) current to flow in one direction B's anode is connected to the positive side of the supply B's cathode is connected to the negative terminal	N.B. the candidate's answer to part (b)(iii) may include this mark but do **not** credit if the response to part (b)(iii) is incorrect or there is any other contradiction if (iv) is completely consistent with (iii) which is wrong, allow **1** mark	1
(c)(i)	first input / second input / output 0 / 0 / **0** 1 / 0 / **0** 0 / 1 / **0** 1 / 1 / **1**	**all** correct allow: OFF NO OFF NO OFF NO ON YES	1
(ii)	truth (table)		1

cont…

4.5.7.2 Conservation of momentum

3451/F Q9 cont…

(iii)		a Roman upper case D in any orientation without contacts is acceptable but if contacts are shown do **not** give the mark if there is any ambiguity or contradiction allow  	1
(d)	light sensor	**or** light dependent resistor **or** LDR accept 'ldr', Ldr' etc allow solar cell, photo cell	1
	NOT gate	accept 'Not gate' **or** 'not gate' if both correct but in the wrong order credit with **1** mark	1
total			12

4.5.7.2 Conservation of momentum

3451/F Q10

question	answers	extra information	mark
(a)(i)	rays continued to meet on the right hand side of the lens and beyond	must be straight lines from the right hand side of the lens ignore details through the lens allow if no arrows	1
	meet exactly on the axis	negate mark if contradictory arrow(s) added do not need to go beyond the focus for this mark	1
(ii)	(principal) focus	**or** focal (point)	1
(iii)	converging	**or** convex	1
(b)(i)	**A**		1
(ii)	rays seem to come from this point	**or** words to this effect **or** shows this on the diagram	1
(iii)	diverging	**or** concave	1
(c)	film	accept any unambiguous method of showing the correct response	1
	smaller than		1
	further away from		1
(d)	any **three** from: • real image can be put on a screen • virtual image cannot be put on a screen / film • virtual image is imaginary • real image is formed where (real) rays cross / converge • virtual image is where virtual / imaginary rays (seem to) come from • virtual image formed where virtual rays intersect / cross	allow film allow real image has light travelling through it **or** virtual image is where rays seem to come from	3
total			13

4.5.7.2 Conservation of momentum

3451/F Q11

question	answers	extra information	mark
(a)(i)	$A_1 = 0.5$ $A_4 = 0.5$	ignore any units allow **1** mark for $A_1 = A_4 \neq 0.5$	1 1
(ii)	the resistance of **P** is more than 20 Ω a smaller current goes through P / A_2 (than 20 Ω)	 dependent on getting 1st mark correct accept converse	1 1
(b)(i)	potential difference = current × resistance	accept pd / voltage for potential difference accept V = I × R, correct symbols and correct case only accept volts = amps × ohms accept  provided subsequent method is correct allow combination of physical quantities and named units allow voltage = I × R	1
(ii)	6	allow **1** mark for correct substitution	2
(iii)	6	accept their (b)(ii)	1
(c)	thermistor or  resistance goes down (as temperature of thermistor goes up)	accept correct circuit symbol allow phonetic spelling do **not** accept changes for goes down do **not** accept an answer in terms of current only answers in terms of other components are incorrect	1 1
total			10

4.5.7.2 Conservation of momentum

3451/F Q12

question	answers	extra information	mark
(a)(i)	larger the distance, greater the time	accept 'they are proportional' accept converse	1
(ii)	any value between 6 and 9 years inclusive		1
(b)(i)	carbon dioxide		1
(ii)	(Venus) has high**er** temperature (than Mercury)	accept has the high**est** temperature accept Venus is hotter / hottest do **not** accept has a high / very high temperature	1
	(Venus) further from the Sun than Mercury	accept 'Venus is not the closest planet to the Sun' answer in terms of greenhouse effect only, scores **0** marks	1
total			5

4.5.7.2 Conservation of momentum

3451/F Q13

question	answers	extra information	mark
(a)(i)	20		1
(ii)	convection		1
(iii)	fit draughtproof strips	accept lay carpet accept fit curtains accept close doors / windows / curtains accept any reasonable suggestion for reducing a draught 'double glazing' alone is insufficient	1
(b)	air is (a good) insulator **or** air is a poor conductor	accept air cavity / 'it' for air	1
	reducing heat transfer by <u>conduction</u>	accept stops for reduces ignore convection do **not** accept radiation do **not** accept answers in terms of heat being trapped	1
(c)(i)	most cost effective	accept it is cheaper or low<u>est</u> cost accept shortest payback time accept in terms of reducing heat loss by the largest amount do **not** accept it is easier ignore most heat is lost through the roof	1
(ii)	4		1
total			7

4.5.7.2 Conservation of momentum

3451/F Q14

question	answers	extra information	mark
(a)(i)	constant speed	do **not** accept normal speed do **not** accept it is stopped / stationary	1
	in a straight line	accept any appropriate reference to a direction constant velocity gains **2** marks 'not accelerating' gains **2** marks terminal velocity alone gets **1** mark	1
(ii)	goes down owtte	accept motorbike (it) slows down	1
(b)(i)	20 (m/s)	ignore incorrect units	1
(ii)	acceleration = change in velocity / time (taken)	do **not** accept velocity for change in velocity accept change in speed accept $a = \frac{v-u}{t}$ **or** $a = \frac{v_1 - v_2}{t}$ **or** $a = \frac{\Delta v}{t}$ do **not** accept $a = \frac{v}{t}$	1
(iii)	4 **or** their (b)(i) ÷ 5	allow **1** mark for correct substitution	2
	m/s^2	m/s/s **or** ms^{-2} **or** metres per second squared **or** metres per second per second	1
(c)	vehicle may skid / slide	loss of control / brakes lock / wheels lock accept greater stopping distance **or** difficult to stop	1
	due to reduced friction (between tyre(s) and road)	accept due to less grip do **not** accept no friction	1

cont…

4.5.7.2 Conservation of momentum

3451/F Q14 cont…

(d)	any **three** from: • <u>increased</u> speed • <u>reduced</u> braking force • <u>slower</u> (driver) reactions • <u>poor</u> vehicle maintenance • <u>increased</u> mass / weight of vehicle • <u>poor</u> road surface • <u>more</u> streamlined	do **not** accept night time / poor vision N.B. specific answers may **each** gain credit eg tiredness (1), drinking alcohol (1), using drugs (1), driver distracted (1) etc specific examples may **each** gain credit eg worn brakes or worn tyres etc accept large mass / weight of vehicle if candidates give three answers that affect stopping distance but not specific to <u>increase</u> award **1** mark only	3
total			13

4.5.7.2 Conservation of momentum

3451/F Q15

question	answers	extra information	mark
(a)(i)	arrow from centre of the ball **and** at right angles to the string **and** in the correct direction	arrow should point to the student's belt accept free-hand 'straight' line do **not** accept curved line	1
(ii)	increase increase increase	accept 'be stronger / bigger' accept 'be stronger / bigger' accept 'be stronger / bigger'	1 1 1
(b)	speed velocity direction	all **three** correct any two correct for **1** mark otherwise **0** marks	2
(c)(i)	centripetal	accept 'centripedal' and other minor misspellings do **not** accept anything which could be 'centrifugal'	1
(ii)	gravity	accept 'weight' accept 'force of attraction due to mass(es) (of the Moon and the Earth)'	1
(iii)	electron(s)		1
(iv)	electrostatic	accept 'electrical' do **not** accept just 'centripetal'	1
total			10

4.5.7.2 Conservation of momentum

3451/F Q16

question	answers	extra information	mark
(a)(i)	**X** at the centre of the lifebelt	measuring from the centre of **X**, allow 2 mm tolerance in any direction	1
(ii)	any **two** from: below the point of suspension at the centre (of the lifebelt) (because) the lifebelt / it is symmetrical	if X is on vertical line below the hanger (but not at centre) can gain the first point only accept '(vertically) below **Y**' accept 'in the middle' **or** (because) the mass / weight is evenly distributed	2
(b)	Nm **or** newton metre(s) 750	accept Newton metre(s) do **not** accept any ambiguity in the symbol ie NM, nM or nm (moment) = force × (perpendicular) distance (between line of action and pivot) **or** (moment) = 500 × 1.5 gains **1** mark	1 2
(c)	**Quality of written communication**: any **three** connected points from: low(er) <u>centre of mass / gravity</u> (more) <u>stable</u> less likely to fall over the <u>turning effect / moment</u> (of the weight of case) is less so the pull on her arm is less	for **2** of the underlined terms used in the correct context **or** <u>centre of mass / gravity</u> will be close(r) to the wheels / axle / ground **or** less <u>unstable</u> accept 'less likely to overturn' do **not** accept 'will not fall over' **or** so less effort is needed to hold the case ignore references to pulling the case	1 3
total			10

4.5.7.2 Conservation of momentum

3451/F Q17

question	answers	extra information	mark
(a)	any **two** from: • **amplitude** decreasing • **wavelength** increasing • **frequency** decreasing **Quality of written communication**	accept siren / sound getting quieter do **not** accept sound decreases accept pitch decreasing ignore reference to transverse wave ignore reference to speed contradictory statements within each point lose the mark all emboldened terms in candidate's answer used correctly	2 1
(b)(i)	ultrasound **or** ultrasonic		1
(ii)	wave speed = frequency × wavelength	accept speed / velocity for wave speed accept $v = f \times \lambda$ do **not** accept w for λ do **not** accept s for v accept  provided subsequent calculation shows a correct method	1
(iii)	339.2 **or** 340 **or** 339	allow **1** mark for using 212 000 allow **1** mark for correct substitution an answer of 0.3392 **or** 0.34 **or** 0.339 gains **1** mark only award full credit for a correct numerical answer with the unit changed to km/s	3
total			8

Version 1.0: 0906

ASSESSMENT and QUALIFICATIONS ALLIANCE

General Certificate of Secondary Education

Physics 3451/F
Specification B

Mark Scheme

2006 examination - June series

Mark schemes are prepared by the Principal Examiner and considered, together with the relevant questions, by a panel of subject teachers. This mark scheme includes any amendments made at the standardisation meeting attended by all examiners and is the scheme which was used by them in this examination. The standardisation meeting ensures that the mark scheme covers the candidates' responses to questions and that every examiner understands and applies it in the same correct way. As preparation for the standardisation meeting each examiner analyses a number of candidates' scripts: alternative answers not already covered by the mark scheme are discussed at the meeting and legislated for. If, after this meeting, examiners encounter unusual answers which have not been discussed at the meeting they are required to refer these to the Principal Examiner.

It must be stressed that a mark scheme is a working document, in many cases further developed and expanded on the basis of candidates' reactions to a particular paper. Assumptions about future mark schemes on the basis of one year's document should be avoided; whilst the guiding principles of assessment remain constant, details will change, depending on the content of a particular examination paper.

Copyright © 2006 AQA and its licensors. All rights reserved.

4.5.7.2 Conservation of momentum

Physics (Specification B)
Foundation Tier 3451/F

3451/F Q1

question	answers	extra information	mark
(a)	4 correct lines drawn  	**1** mark for each correct line if more than 4 lines are drawn mark incorrect ones first. Mark only 4 lines	4
(b)	4		1
(c)(i)	nuclear		1
(ii)	(natural) gas	do **not** accept natural	1
total			7

4.5.7.2 Conservation of momentum

3451/F Q2

question	answers	extra information	mark
(a)(i)	ultra violet		1
(ii)	kill the cells	accept destroys the cells accept makes cells cancerous accept damage cells accept harms cells accept changes DNA accept cause cells to mutate accept skin cells for cells accept cause cancer do **not** accept skin for cells do **not** accept burns the cells	1
(b)(i)	the sunbed uses an alternating current (a.c.) supply		1
(ii)	10.8	accept **1** mark for correct substitution of power in W or kW and time in hours or seconds	2
total			5

4.5.7.2 Conservation of momentum

3451/F Q3

question	answers	extra information	mark
(a)(i)	M		1
(ii)	K		1
(iii)	J		1
(iv)	O		1
(b)(i)	billions of years		1
(ii)	red giant	any answer in terms of explosion or supernova is **incorrect**	1
	contracts / shrinks to	incorrect reference to black hole negates **1** mark	1
	white dwarf		1
total			8

4.5.7.2 Conservation of momentum

3451/F Q4

question	answers	extra information	mark
(a)(i)	A and C	**both** answers must be correct in either order	1
(ii)	A and B	**both** answers must be correct in either order	1
(iii)	same number of protons plus neutrons **or** same number of nucleons	accept number of particles in nucleus the same do **not** accept they add up to 6 unless qualified	1
(b)(i)	any **two** from: • boron - 12 • carbon - 14 • oxygen - 15 • lead - 209	**both** required both name **and** number must be given	1
(ii)	any **two** from: • boron - 11 • carbon - 12 • oxygen - 16 • lead - 207	**both** required both name **and** number must be given	1
(c)	alpha		1
total			6

4.5.7.2 Conservation of momentum

3451/F Q5

question	answers	extra information	mark
(a)	(good) insulator	accept does not conduct (electricity) accept does not conduct heat or electricity do **not** accept does not conduct heat outside is tough is insufficient	1
(b)	fuse		1
(c)	connect the green and yellow / earth wire	accept wires must be connected to screws	1
	swap the brown and blue wires round		1
total			4

3451/F Q6

question	answers	extra information	mark
(a)	fossils	answers can be in either order	1
	water		1
(b)	increased		1
(c)	radio telescope		1
total			4

4.5.7.2 Conservation of momentum

3451/F Q7

question	answers	extra information	mark
(a)(i)	electrical		1
	kinetic	accept movement	1
(ii)	heat	answers can be in either order	1
	sound		1
(b)(i)	360	accept **1** mark for correct substitution	2
(ii)	watt		1
(c)	the stairlift is not moving the stairlift is moving at constant speed	**both** answers are required for the mark	1
total			8

3451/F Q8

question	answers	extra information	mark
(a)(i)	(up) further **or** (up) faster	any reference to downwards movement loses credit accept <u>with</u> more force accept motion would increase	1
(ii)	down	accept the opposite way accept drop	1
(b)(i)	direct current		1
(ii)	Z		1
total			4

4.5.7.2 Conservation of momentum

3451/F Q9

question	answers	extra information	mark
(a)	level of radiation (detected) will not change	ignore reference to particles	1
	if thickness of aluminium changes	accept for **both** marks a specific example eg if the aluminium gets thicker the level of radiation detected stays the same. accept for **1** mark gamma will pass through aluminium	1
	QoWC for 2 points in a sensible sequence		1
(b)	S W T V	all in correct order accept **2** marks for 2 correct accept **1** mark for 1 correct	3
total			6

4.5.7.2 Conservation of momentum

3451/F Q10

<table>
<tr><th>question</th><th>answers</th><th>extra information</th><th>mark</th></tr>
<tr><td>(a)</td><td>thermistor(s)
LDR(s)
switch(es)
LED(s)
buzzer(s)
motor(s)</td><td>1 mark each
or light dependent resistor(s)
or light emitting diode(s)</td><td>6</td></tr>
<tr><td>(b)(i)</td><td><table><tr><th>1st input</th><th>2nd input</th><th>Output</th></tr><tr><td>0</td><td>0</td><td>0</td></tr><tr><td>1</td><td>0</td><td>0</td></tr><tr><td>0</td><td>1</td><td>0</td></tr><tr><td>1</td><td>1</td><td>1</td></tr></table></td><td>all correct</td><td>1</td></tr>
<tr><td>(ii)</td><td><table><tr><th>Input</th><th>Output</th></tr><tr><td>0</td><td>1</td></tr><tr><td>1</td><td>0</td></tr></table></td><td>both correct</td><td>1</td></tr>
<tr><td>(iii)</td><td><table><tr><th>1st input</th><th>2nd input</th><th>Output</th></tr><tr><td>0</td><td>0</td><td>0</td></tr><tr><td>1</td><td>0</td><td>1</td></tr><tr><td>0</td><td>1</td><td>1</td></tr><tr><td>1</td><td>1</td><td>1</td></tr></table></td><td>all correct</td><td>1</td></tr>
<tr><td>(c)(i)</td><td></td><td>do not credit any attempt which could equally well be a poorly drawn attempt at the symbol for a cell</td><td>1</td></tr>
<tr><td>(ii)</td><td>charge

increases</td><td>accept ‘electrons’
accept ‘energy
or gets bigger/larger</td><td>1

1</td></tr>
<tr><td>total</td><td></td><td></td><td>12</td></tr>
</table>

4.5.7.2 Conservation of momentum

3451/F Q11

question	answers	extra information	mark
(a)(i)	A		1
(ii)	B		1
(iii)	mass is larger	credit if the response is clear by some other means e.g. it is ringed	1
	wire is shorter	credit if the response is clear by some other means e.g. it is ringed	1
(b)	moment		1
	distance		1
(c)(i)	1		1
(ii)	5		1
(iii)	any **two** from • remove slotted mass(es) • slide (slotted) masses / weights nearer pivot • slide forcemeter away from the pivot • slide rod to the left	 **or** ….. to the left **or** ….. to the right **or** …. so that the slotted masses side is shorter **or** …. so that the forcemeter side is longer	2
(d)	centre of the rectangle	accept *2*mm tolerance any direction	1
	centre of the circle	accept *2*mm tolerance any direction	1
	on centre line and 10mm above base	accept *2*mm tolerance any direction	1
total			13

4.5.7.2 Conservation of momentum

3451/F Q12

question	answers	extra information	mark
(a)	0.05 (A)	ignore incorrect units if given accept 'the same' / 'the same as K' / 'the same as the other ammeter' do **not** accept 'same as the other meter'	1
(b)(i)	any **two** from: • two cells are joined + to +	answers in terms of current gain no marks accept one cell in the wrong way accept two cells are joined back-to-back accept two cells are joined – to – accept battery for cell do **not** accept answers in terms of all the cells or in terms of energy only	2
	• some of the cells potential difference is across the diode / ammeters / wires **or** the pd of the cells is shared by all components	accept voltage for pd do **not** accept using up pd	
	• the other components have a resistance	accept a named component / components / wire has a resistance	
	• cells not fully charged **or** cells partially run down	do **not** accept voltage of cells is less than 1.5 unless explained do **not** accept cells are not as powerful unless explained	
	• cells have an internal resistance		
(ii)	the diode has a (very) high resistance (in the reverse direction)		1
	a diode only conducts / allows current to flow in one direction	accept little / no current flows do **not** accept blocks / cuts flow	1

Continued

4.5.7.2 Conservation of momentum

3451/F Q12

question	answers	extra information	mark
(c)	**QoWC** for the use of the word resistance	annotate Q✓ Q✗ accept resistant	1
	accept increase / change / decrease throughout question but a contradiction loses **one** mark with change as neutral		
	as the pd / current increases / changes	accept voltage for pd must be correctly linked to at least one of the following points accept	1
	the temperature of the filament increases / changes	lamp / bulb for filament accept filament becomes hotter	1
	increasing / changing the **resistance** of the lamp		1
		accept for **1** mark only the filament lamp does not obey Ohm's law	
total			9

4.5.7.2 Conservation of momentum

3451/F Q13

question	answers	extra information	mark
(a)	0.5		1
	hertz	accept Hz but **not** HZ / hz / hZ accept (waves) per second **or** / sec **or** / s **or** s^{-1} **or** sec^{-1}	1
(b)	any **one** from: • any named part of the electromagnetic spectrum • S – waves / secondary waves • wave on a rope	 do **not** accept seismic waves / earthquake do **not** accept slinky unless clearly described	1
(c)	transverse – disturbance / vibration is perpendicular to the direction of energy transfer / wave travel	accept a correctly labelled diagram	1
	longitudinal – disturbance / vibration is parallel to the direction of energy transfer / wave travel	accept a correctly labelled diagram part explanation of the difference between transverse **and** longitudinal gains **1** mark	1
(d)(i)	TIR shown	needs to stay inside water jet ignore number of reflections **or** arrow heads lines straight by eye	1
(ii)	bigger than	any indication of correct answer	1
total			7

4.5.7.2 Conservation of momentum

3451/F Q14

question	answers	extra information	mark
(a)	W		1
	has only two states **or** is either on or off	accept discrete values only do **not** credit answer purely in terms of shape	1
(b)	any **one** from:		1
	• higher quality	accept clearer do **not** accept easier to read ignore faster accept <u>less</u> distortion **or** <u>less</u> weakening of signal strength do **not** accept no distortion / weakening on its own	
	• increased carrying capacity	accept more information can be sent **or** more channels	
	• errors can be rectified		
total			3

4.5.7.2 Conservation of momentum

3451/F Q15

question	answers	extra information	mark
(a)(i)	all points plotted accurately	accept **1** mark for 5 correct plots ± ½ small square on stopping distance	2
	line of best fit must be continuous	accept attempt at a reasonable curve does not need to go through 0 0 do **not** accept a straight line do **not** accept dot-to-dot	1
(ii)	4 to 6 (metres)	accept ecf from (a)(i) accept **1** mark for value taken correctly from graph at 25mph **or** correct method shown	2
(b)(i)	0.7 (s)	incorrect unit = 0 marks	1
(ii)	constant speed / velocity	accept (continued as) 30mph accept did not change / stayed the same accept no acceleration	1
(iii)	3.3(s)	penalise incorrect unit once only	1
(iv)	reaction time <u>increases</u> / is <u>longer</u> **or** thinking distance <u>increases</u>	do **not** accept reaction time slower **or** reactions are slower	1
	stopping distance / it <u>increases</u>	do **not** accept travels at constant speed for longer	1
(c)(i)	work done = force (applied) × distance (moved)	accept W = F × s or W = F × d accept  provided subsequent method is correct	1

Continued

4.5.7.2 Conservation of momentum

3451/F Q15

question	answers	extra information	mark
(ii) **E**	2100	accept 2.1 kilo accept **1** mark for using 7000 N	2
(iii)	2100 (joules)	accept their (c)(ii)	1
total			14

4.5.7.2 Conservation of momentum

3451/F Q16

question	answers	extra information	mark
(a)(i)	refraction		1
(ii)	it changes speed **or** change in density	accept it speeds up do **not** accept it slows down do **not** accept air is more dense than glass	1
(b)(i)	sound / waves <u>diffract</u> through the gap (in the wall) **or** over the wall **or** because the gate is open	do **not** accept reflection this only scores if first marking point is given accept for **1** mark only sound / waves go through the gap and <u>spread out</u> **or** diagram showing wave fronts spreading out from open gates if diagram is labelled as diffraction both marks can be scored	1 1
(ii)	less diffraction	accept no diffraction accept gates <u>absorb</u> sound / noise / waves accept gates <u>reflect</u> sound / noise / waves do **not** accept rebounds / stops / blocks out	1
total			5

4.5.7.2 Conservation of momentum

3451/F Q17

question	answers	extra information	mark
(a)	both rays brought to a focus at F on the right	do **not** have to be continued beyond F	1
	lines have been drawn **accurately** with a ruler	only credit if 1st mark credited do **not** credit if contradictory arrow(s) added	1
(b)	rays seem to come from a focus at G on the left and continued to the right of the lens	this mark is for the current idea of divergence	1
	lines have been drawn **accurately** with a ruler	only credit if 1st mark credited do **not** credit if contradictory arrow(s) added	1
(c)	…lens… …image… …object… …image… ...object… …lens…	lens as 1st and 6th words (1) image and object in the correct order 2nd and 3rd words (1) image and object in correct order 4th and 5th words (1)	max 3
(d)(i)	correct statement about real image real rays intersect / cross to form a real image **or** a real image can be formed on a screen **or** real image is (always) on the opposite side (of the lens) **or** real image is (always) upside down (to the object)	may be credited from a correct diagram	1
	correct statement about virtual / imaginary image virtual / imaginary rays intersect / cross to form a virtual image **or** a virtual / imaginary image cannot **or** virtual / imaginary image is (always) on the same side (of the lens) **or** virtual / imaginary image is (always) same way up (as the object)	may be credited from a correct diagram	1

Continued

4.5.7.2 Conservation of momentum

3451/F Q17

question	answers	extra information	mark
(ii)	**either** image needs to fall on / affect the film **or** image needs to fall on / affect the light sensors / charged coupled devices (CCDs) (in a digital camera / mobile phone) **or** image needs to cause a chemical reaction (in / on the film)		1
total			10

4.5.7.2 Conservation of momentum

3451/F Q18

<table>
<tr><th>question</th><th>answers</th><th>extra information</th><th>mark</th></tr>
<tr><td>(a)</td><td>AND (gate)

OR (gate)

NOT (gate)

LED or light emitting diode</td><td>accept ‘and’

accept ‘or’

accept ‘not’ or invert gate

accept ‘led’</td><td>1

1

1

1</td></tr>
<tr><td>(b)(i)</td><td>NOT (gate) and AND (gate)</td><td>both in either order or ‘(the) gates’

any additions lose the mark</td><td>1</td></tr>
<tr><td>(ii)</td><td><table><tr><th>Switch for fire</th><th>Tilt switch</th><th>Signal to relay</th></tr><tr><td>0</td><td>0</td><td>…0…</td></tr><tr><td>0</td><td>1</td><td>…0…</td></tr><tr><td>1</td><td>0</td><td>…1…</td></tr><tr><td>1</td><td>1</td><td>…0…</td></tr></table></td><td>all correct

allow off or no
off no
on yes
off no</td><td>1</td></tr>
<tr><td>(iii)</td><td>(relay) acts as / is a switch

either
small current from the electronic / control circuit / system (1)

large current through the output / (electric) fire (1)

or

full current through electronic control system (1)

may damage components / lead to overheating / electric shock (1)

QoWC for correct use of the scientific term ‘current’</td><td>accept implication that it works as a switch e.g. ‘turns on fire’

or ‘small current through the coil (of the relay)’

do not accept small current is turned into a large current

annotate Q✓ Q×

if answer in terms of voltage isolation / voltage/ p.d. accept QoWC mark for correct use</td><td>1

1

1

1</td></tr>
<tr><td>total</td><td></td><td></td><td>10</td></tr>
</table>

Version 1.0: 0906

ASSESSMENT and QUALIFICATIONS ALLIANCE

General Certificate of Secondary Education

Science: Double Award 3462/3F
Specification B

Mark Scheme

2006 examination - June series

Mark schemes are prepared by the Principal Examiner and considered, together with the relevant questions, by a panel of subject teachers. This mark scheme includes any amendments made at the standardisation meeting attended by all examiners and is the scheme which was used by them in this examination. The standardisation meeting ensures that the mark scheme covers the candidates' responses to questions and that every examiner understands and applies it in the same correct way. As preparation for the standardisation meeting each examiner analyses a number of candidates' scripts: alternative answers not already covered by the mark scheme are discussed at the meeting and legislated for. If, after this meeting, examiners encounter unusual answers which have not been discussed at the meeting they are required to refer these to the Principal Examiner.

It must be stressed that a mark scheme is a working document, in many cases further developed and expanded on the basis of candidates' reactions to a particular paper. Assumptions about future mark schemes on the basis of one year's document should be avoided; whilst the guiding principles of assessment remain constant, details will change, depending on the content of a particular examination paper.

Copyright © 2006 AQA and its licensors. All rights reserved.

4.5.7.2 Conservation of momentum

Double Award (Co-ordinated)
Foundation Tier 3462/3F

3462/3F Q1

question	answers	extra information	mark
(a)	4 correct lines drawn  	**1** mark for each correct line if more than 4 lines are drawn mark incorrect ones first. Mark only 4 lines	4
(b)	4		1
(c)(i)	nuclear		1
(ii)	(natural) gas	do **not** accept natural	1
total			7

4.5.7.2 Conservation of momentum

3462/3F Q2

question	answers	extra information	mark
(a)(i)	ultra violet		1
(ii)	kill the cells	accept destroys the cells accept makes cells cancerous accept damage cells accept harms cells accept changes DNA accept cause cells to mutate accept skin cells for cells accept cause cancer do **not** accept skin for cells do **not** accept burns the cells	1
(b)(i)	the sunbed uses an alternating current (a.c.) supply		1
(ii)	10.8	accept **1** mark for correct substitution of power in W or kW <u>and</u> time in hours or seconds	2
total			5

4.5.7.2 Conservation of momentum

Science: Double Award (Co-ordinated) – AQA GCSE Mark Scheme, 2006 June series

3462/3F Q3

question	answers	extra information	mark
(a)(i)	M		1
(ii)	K		1
(iii)	J		1
(iv)	O		1
(b)(i)	billions of years		1
(ii)	red giant	any answer in terms of explosion or supernova is **incorrect**	1
	contracts / shrinks to	incorrect reference to black hole negates **1** mark	1
	white dwarf		1
total			8

4.5.7.2 Conservation of momentum

3462/3F Q4

question	answers	extra information	mark
(a)(i)	A and C	**both** answers must be correct in either order	1
(ii)	A and B	**both** answers must be correct in either order	1
(iii)	same number of protons plus neutrons **or** same number of nucleons	accept number of particles in nucleus the same do **not** accept they add up to 6 unless qualified	1
(b)(i)	any **two** from: • boron - 12 • carbon - 14 • oxygen - 15 • lead - 209	**both** required both name **and** number must be given	1
(ii)	any **two** from: • boron - 11 • carbon - 12 • oxygen - 16 • lead - 207	**both** required both name **and** number must be given	1
(c)	alpha		1
total			6

4.5.7.2 Conservation of momentum

Science: Double Award (Co-ordinated) – AQA GCSE Mark Scheme, 2006 June series

3462/3F Q5

question	answers	extra information	mark
(a)	(good) insulator	accept does not conduct (electricity) accept does not conduct heat or electricity do **not** accept does not conduct heat outside is tough is insufficient	1
(b)	fuse		1
(c)	connect the green and yellow / earth wire	accept wires must be connected to screws	1
	swap the brown and blue wires round		1
total			4

3462/3F Q6

question	answers	extra information	mark
(a)	fossils	answers can be in either order	1
	water		1
(b)	increased		1
(c)	radio telescope		1
total			4

4.5.7.2 Conservation of momentum

3462/3F Q7

question	answers	extra information	mark
(a)(i)	electrical		1
	kinetic	accept movement	1
(ii)	heat	answers can be in either order	1
	sound		1
(b)(i)	360	accept **1** mark for correct substitution	2
(ii)	watt		1
(c)	the stairlift is not moving the stairlift is moving at constant speed	**both** answers are required for the mark	1
total			8

3462/3F Q8

question	answers	extra information	mark
(a)(i)	(up) further **or** (up) faster	any reference to downwards movement loses credit accept <u>with</u> more force accept motion would increase	1
(ii)	down	accept the opposite way accept drop	1
(b)(i)	direct current		1
(ii)	Z		1
total			4

4.5.7.2 Conservation of momentum

Science: Double Award (Co-ordinated) – AQA GCSE Mark Scheme, 2006 June series

3462/3F Q9

question	answers	extra information	mark
(a)	level of radiation (detected) will not change	ignore reference to particles	1
	if thickness of aluminium changes	accept for **both** marks a specific example eg if the aluminium gets thicker the level of radiation detected stays the same. accept for **1** mark gamma will pass through aluminium	1
	QoWC for 2 points in a sensible sequence		1
(b)	S W T V	all in correct order accept **2** marks for 2 correct accept **1** mark for 1 correct	3
total			6

4.5.7.2 Conservation of momentum

3462/3F Q10

question	answers	extra information	mark
(a)	0.05 (A)	ignore incorrect units if given accept 'the same' / 'the same as K' / 'the same as the other ammeter' do **not** accept 'same as the other meter'	1
(b)(i)	any **two** from: • two cells are joined + to +	answers in terms of current gain no marks accept one cell in the wrong way accept two cells are joined back-to-back accept two cells are joined – to – accept battery for cell do **not** accept answers in terms of all the cells or in terms of energy only	2
	• some of the cells potential difference is across the diode / ammeters / wires **or** the pd of the cells is shared by all components	accept voltage for pd do **not** accept using up pd	
	• the other components have a resistance	accept a named component / components / wire has a resistance	
	• cells not fully charged **or** cells partially run down	do **not** accept voltage of cells is less than 1.5 unless explained do **not** accept cells are not as powerful unless explained	
	• cells have an internal resistance		
(ii)	the diode has a (very) high resistance (in the reverse direction)		1
	a diode only conducts / allows current to flow in one direction	accept little / no current flows do **not** accept blocks / cuts flow	1

Continued

4.5.7.2 Conservation of momentum

Science: Double Award (Co-ordinated) – AQA GCSE Mark Scheme, 2006 June series

3462/3F Q10

question	answers	extra information	mark
(c)	**QoWC** for the use of the word resistance	annotate Q✓ Q✗ accept resistant	1
	accept increase / change / decrease throughout question but a contradiction loses **one** mark with change as neutral		
	as the pd / current increases / changes	accept voltage for pd must be correctly linked to at least one of the following points accept	1
	the temperature of the filament increases / changes	lamp / bulb for filament accept filament becomes hotter	1
	increasing / changing the **resistance** of the lamp	accept for **1** mark only the filament lamp does not obey Ohm's law	1
total			9

4.5.7.2 Conservation of momentum

3462/3F Q11

question	answers	extra information	mark
(a)	0.5		1
	hertz	accept Hz but **not** HZ / hz / hZ accept (waves) per second **or** / sec **or** / s **or** s^{-1} **or** sec^{-1}	1
(b)	any **one** from: • any named part of the electromagnetic spectrum • S – waves / secondary waves • wave on a rope	 do **not** accept seismic waves / earthquake do **not** accept slinky unless clearly described	1
(c)	transverse – disturbance / vibration is perpendicular to the direction of energy transfer / wave travel	accept a correctly labelled diagram	1
	longitudinal – disturbance / vibration is parallel to the direction of energy transfer / wave travel	accept a correctly labelled diagram part explanation of the difference between transverse **and** longitudinal gains **1** mark	1
(d)(i)	TIR shown	needs to stay inside water jet ignore number of reflections **or** arrow heads lines straight by eye	1
(ii)	bigger than	any indication of correct answer	1
total			7

4.5.7.2 Conservation of momentum

Science: Double Award (Co-ordinated) – AQA GCSE Mark Scheme, 2006 June series

3462/3F Q12

question	answers	extra information	mark
(a)	W		1
	has only two states **or** is either on or off	accept discrete values only do **not** credit answer purely in terms of shape	1
(b)	any **one** from:		1
	• higher quality	accept clearer do **not** accept easier to read ignore faster accept <u>less</u> distortion **or** <u>less</u> weakening of signal strength do **not** accept no distortion / weakening on its own	
	• increased carrying capacity	accept more information can be sent **or** more channels	
	• errors can be rectified		
total			3

4.5.7.2 Conservation of momentum

3462/3F Q13

question	answers	extra information	mark
(a)(i)	all points plotted accurately	accept **1** mark for 5 correct plots ± ½ small square on stopping distance	2
	line of best fit must be continuous	accept attempt at a reasonable curve does not need to go through 0 0 do **not** accept a straight line do **not** accept dot-to-dot	1
(ii)	4 to 6 (metres)	accept ecf from (a)(i) accept **1** mark for value taken correctly from graph at 25mph **or** correct method shown	2
(b)(i)	0.7 (s)	incorrect unit = 0 marks	1
(ii)	constant speed / velocity	accept (continued as) 30mph accept did not change / stayed the same accept no acceleration	1
(iii)	3.3(s)	penalise incorrect unit once only	1
(iv)	reaction time increases / is longer **or** thinking distance increases	do **not** accept reaction time slower **or** reactions are slower	1
	stopping distance / it increases	do **not** accept travels at constant speed for longer	1
(c)(i)	work done = force (applied) × distance (moved)	accept W = F × s or W = F × d accept  provided subsequent method is correct	1
(ii)	2100	accept 2.1 kilo accept **1** mark for using 7000 N	2
(iii)	2100 (joules)	accept their (c)(ii)	1
total			14

4.5.7.2 Conservation of momentum

Science: Double Award (Co-ordinated) – AQA GCSE Mark Scheme, 2006 June series

3462/3F Q14

question	answers	extra information	mark
(a)(i)	refraction		1
(ii)	it changes speed **or** change in density	accept it speeds up do **not** accept it slows down do **not** accept air is more dense than glass	1
(b)(i)	sound / waves <u>diffract</u> through the gap (in the wall) **or** over the wall **or** because the gate is open	do **not** accept reflection this only scores if first marking point is given accept for **1** mark only sound / waves go through the gap and <u>spread out</u> **or** diagram showing wave fronts spreading out from open gates if diagram is labelled as diffraction both marks can be scored	1 1
(ii)	less diffraction	accept no diffraction accept gates <u>absorb</u> sound / noise / waves accept gates <u>reflect</u> sound / noise / waves do **not** accept rebounds / stops / blocks out	1
total			5

4.5.7.2 Conservation of momentum

Answer 11 · Examiner comments

November 2020 | 8463/2H | Original Q5

Question 5 (Standard/high demand)

05.1 Approximately 60% of students understood the meaning of ‘conservation of momentum’.

05.2 This calculation was often set out well with working clearly shown. This enabled a significant number of the students to score compensation marks. A large number of the students were able to calculate the initial momentum of both player A and player B but did not know how to then calculate the common velocity after the collision. The minus sign for player B was often missing.

05.3 There were few complete answers seen. Students scoring two marks often stated the time of collision would increase and so decrease the force. The point about time increasing leading to a reduction in the rate of change of momentum or reducing deceleration was rarely seen. As an ‘explain’ question, simply stating ‘force is reduced’ was insufficient for any credit to be given.

4.5.7.2 Conservation of momentum

Answer 12 · Examiner comments June 2023 | 8463/2H | Original Q5

05.1

41% of students were awarded this mark. There were a lot of good answers in terms of both conservation of energy and momentum. Answers in terms of no external forces were also credited. Some answers were too vague to score or were answered outside of the context of the question, for example, in terms of a Chemistry approach.

05.2

30% of students answered the question correctly. Those who did not, tended to just state Newton's 3rd Law, rather than stating how it applied in this context.

05.3

96% of students scored both mars for calculating the force.

05.4

10% of students were given all three marks for this explanation. Most responses were creditworthy. Reducing force was the most common 1 mark awarded. Many students also gained the first marking point, about increasing the time for the collision to occur.

Answer 12 · Examiner comments June 2023 | 8463/2H | Original Q5

05.5

Students find it difficult to use this equation of motion. This was where not showing the substitution of the data in the equation had the biggest impact. Many students were unable to rearrange the equation with some dividing the two expressions instead of subtracting them. 68% gained all 3 marks, recognising that they had to square root their value to obtain the velocity.