AQA GCSE Physics | 8463

SPECIFICATION POINT 4.6.2.6

Visible light (physics only)

Mark schemes and examiner comments

Tier	**Higher**
Question groups	**37**
Available paper years	**2005–2025**

Using this booklet

1. Booklet answer numbers match the question booklet.
2. Use the original question number within marking tables.
3. Examiner comments are included where available.

Name: _____ **Date:** _____

Where a precise marking extract is unavailable, the full source document is included in an appendix. Any missing mark scheme is explicitly identified.

4.6.2.6 Visible light (physics only)

Answer 01 · Mark scheme June 2005 | 3451 | Original Q10 | Legacy

The full source mark scheme begins on page 29. Follow original question 10 in that document.

Answer 02 · Mark scheme June 2005 | 3462 | Original Q8 | Legacy

The full source mark scheme begins on page 47. Follow original question 8 in that document.

Answer 03 · Mark scheme November 2006 | PHY1B | Original Q3 | Legacy

Three	**A**	10	**1**
	B	15	**3**
	C	60	**2**
	D	200	**4**

Answer 04 · Mark scheme January 2007 | PHY1H | Original Q3 | Legacy

No matching mark scheme was available in the supplied archive for this question.

Answer 05 · Mark scheme January 2007 | PHY1H | Original Q5 | Legacy

No matching mark scheme was available in the supplied archive for this question.

Answer 06 · Mark scheme June 2007 | PHY1B | Original Q7 | Legacy

Seven	**3**	**1**	**1**	**4**

4.6.2.6 Visible light (physics only)

Answer 07 · Mark scheme

November 2007 | PHY1B | Original Q2 | Legacy

Two	**A**	infra red radiation	**1**
	B	ultraviolet radiation	**3**
	C	visible light	**2**
	D	X-rays	**4**

	A	B	C	D

4.6.2.6 Visible light (physics only)

Answer 08 · Mark scheme

Question 5

question	answers	extra information	mark
(a) E	C or 0.18 mm		1
(b) E	0.6 m	allow **1** mark for correct transformation and substitution allow **1** mark for changing frequency to Hz answer 600 gains **1** mark	2
(c) E	creates an alternating current with the same frequency as the radio wave **or** it gets hotter	accept 'ac' for alternating current accept alternating voltage accept signal for radio wave	1 1
(d) E	X-rays cannot penetrate the atmosphere **or** X-rays are absorbed *(*by the atmosphere*)*	accept atmosphere stops X-rays do **not** accept atmosphere in the way before reaching Earth ignore explanations	1
total			6

4.6.2.6 Visible light (physics only)

Answer 08 · Mark scheme January 2008 | PHY1H | Original Q5 | Legacy

PHY1H

Answer 09 · Mark scheme March 2008 | PHY1BP | Original Q2 | Legacy

Two	**A**	gamma rays	**2**		
	B	radio waves	**3**		
	C	ultraviolet waves	**4**		
	D	visible light	**1**		

	A	**B**	**C**	**D**

Answer 10 · Mark scheme March 2008 | PHY1BP | Original Q9 | Legacy

Nine	**4**	**4**	**4**	**3**

Answer 11 · Mark scheme June 2008 | PHY1BP | Original Q5 | Legacy

Five	**4**	**2**	**3**	**1**

4.6.2.6 Visible light (physics only)

Answer 12 · Mark scheme November 2008 | PHY1BP | Original Q1 | Legacy

Question	Key		
One	**A**	alpha radiation	**3**
	B	beta radiation	**4**
	C	gamma radiation	**2**
	D	visible light	**1**

Answer 13 · Mark scheme November 2008 | PHY1BP | Original Q6 | Legacy

Six	**4**	**1**	**3**	**2**

Answer 14 · Mark scheme November 2008 | PHY1BP | Original Q8 | Legacy

Eight	**1**	**3**	**3**	**3**

Answer 15 · Mark scheme March 2009 | PHY1BP | Original Q9 | Legacy

Nine	**2**	**3**	**4**	**3**

Answer 16 · Mark scheme June 2009 | PHY1BP | Original Q1 | Legacy

Question	Key		
One	**A**	microwaves	**3**
	B	X-rays	**1**
	C	visible light	**2**
	D	radio waves	**4**

4.6.2.6 Visible light (physics only)

Answer 17 · Mark scheme

June 2009 | PHY1BP | Original Q7 | Legacy

Seven	**4**	**1**	**3**	**4**

4.6.2.6 Visible light (physics only)

Answer 18 · Mark scheme June 2009 | PHY1H | Original Q1 | Legacy

Question 1

question	answers	extra information	mark
1(a)(i)	HESS	accept gamma	1
1(a)(ii)	infra red	accept IR accept answers written in table do **not** accept heat	1
1(b)	clearer / more detailed / sharper / less distorted image any **one** from: • no light pollution • light is not scattered by the atmosphere	do **not** accept image is bigger accept no clouds to prevent observations accept light is scattered by the atmosphere (implies William Herschel) accept light does (not have to) pass through the atmosphere accept air for atmosphere do **not** accept answers in terms of distance	1 1

Question 1 continues on the next page . . .

4.6.2.6 Visible light (physics only)

PHY1H

Question 1 continued . . .

question	answers	extra information	mark
1(c)	any **two** from: • microwaves absorbed by water (molecules) • signal strength greater (in dry environment) • more sensitive (in dry environment) • detect weaker signals (in dry environment) • more detailed / clearer image (in dry environment)	accept more microwaves reach telescope accept harder to detect signals in a humid environment accept image contains more information do **not** accept better image	2
1(d)	a fourth / extra galaxy / star	accept a planet / another object / source	1
Total			**7**

4.6.2.6 Visible light (physics only)

Answer 18 · Mark scheme June 2009 | PHY1H | Original Q1 | Legacy

PHY1H

Answer 19 · Mark scheme November 2009 | PHY1BP | Original Q9 | Legacy

Nine	**3**	**2**	**4**	**3**

Answer 20 · Mark scheme March 2010 | PHY1BP | Original Q7 | Legacy

Seven	**1**	**2**	**2**	**3**

Answer 21 · Mark scheme June 2010 | PHY1BP | Original Q3 | Legacy

Three	3	3	4	2

4.6.2.6 Visible light (physics only)

Answer 22 · Mark scheme

June 2010 | PHY1H | Original Q4 | Legacy

Question 4

question	answers	extra information	mark
4(a)(i)	any **two** from: • travel at the same speed (through a vacuum) • can travel through a vacuum / space • transfer energy • can be reflected • can be refracted • can be diffracted • can be absorbed • can be transmitted • transverse	 accept travel at the speed of light accept air for vacuum do **not** accept air for vacuum accept any other property common to electromagnetic waves accept travel at the same speed through a vacuum for both marks do **not** accept both radiated from the Sun	2
4(a)(ii)	infra red radio(waves)	**both** required for the mark accept IR for infra red	1

Question 4 continues on the next page . . .

4.6.2.6 Visible light (physics only)

PHY1H

Question 4 continued . . .

question	answers	extra information	mark
4(b)	2400000000	correct transformation and substitution gains **1** mark ie $\frac{300000000}{0.125}$ **or** $\frac{300000000}{12.5}$ an answer of 24000000 gains **1** mark **either** 2400000 kHz **or** 2400 MHz scores **3** marks but the symbol only scores the 3rd mark if it is correct in every detail	2
	hertz	accept Hz do **not** accept hz	1
4(c)(i)	presented (scientific) evidence / data	do an experiment / investigation is insufficient	1
4(c)(ii)	to find out if there is a hazard (or not)	accept to find out if it is safe accept not enough evidence to make a decision not enough evidence is insufficient	1
Total			**8**

4.6.2.6 Visible light (physics only)

Answer 22 · Mark scheme June 2010 | PHY1H | Original Q4 | Legacy

PHY1H

Answer 23 · Mark scheme November 2010 | PHY1BP | Original Q5 | Legacy

Five	**3**	**3**	**1**	**4**

Answer 24 · Mark scheme March 2011 | PHY1AP | Original Q2 | Legacy

Two	**A**	conduction	**1**
	B	convection	**2**
	C	insulation	**4**
	D	radiation	**3**

Answer 25 · Mark scheme March 2011 | PHY1BP | Original Q7 | Legacy

Seven	**1**	**4**	**1**	**2**

Answer 26 · Mark scheme June 2011 | PHY1BP | Original Q4 | Legacy

Four	**2**	**3**	**4**	**1**

4.6.2.6 Visible light (physics only)

Answer 27 · Mark scheme

June 2011 | PHY1H | Original Q3 | Legacy

Question 3

question	answers	extra information	mark
3(a)(i)	microwave(s)		1
3(a)(ii)	has discrete values only **or** has only 2 states	accept can only be on or off accept made up of 1 and 0 only accept has high and low (values only) accept a diagram with discrete levels do **not** accept can be switched on and off	1
3(a)(iii)	any **one** from: • less (prone to) interference • can be (easily) processed by computers • better quality (signal) • digital signals can be restored • information / data can be compressed	it refers to signal accept no interference accept interference causes less / no permanent damage accept noise / distortion for interference accept can be processed without an analogue to digital converter better on its own is insufficient accept can send more information in same time do **not** accept faster	1

Question 3 continues on the next page

4.6.2.6 Visible light (physics only)

PHY1H

Question 3 continued

question	answers	extra information	mark
3(b)	2 000 000 000	allow **1** mark for correct transformation and substitution ie $\frac{300\,000\,000}{0.15}$ or $\frac{300\,000\,000}{15}$	2
	hertz	accept Hz do **not** accept hz accept kHz / MHz / GHz **but** for full credit the answer and unit must be consistent eg answers 2 GHz; 2000 MHz; 2 000 000 kHz gain **3** marks	1
3(c)(i)	infra red (radiation)	accept IR ignore reference to light	1
3(c)(ii)	travel a shorter distance	do **not** accept faster	1
Total			**8**

4.6.2.6 Visible light (physics only)

Answer 27 · Mark scheme June 2011 | PHY1H | Original Q3 | Legacy

PHY1H

Answer 28 · Mark scheme November 2011 | PHY1BP | Original Q1 | Legacy

Question	Key		
One	**A**	gamma rays	**1**
	B	infra red rays	**3**
	C	radio waves	**2**
	D	ultraviolet rays	**4**

Answer 29 · Mark scheme November 2011 | PHY1BP | Original Q6 | Legacy

Six	**4**	**2**	**3**	**2**

Answer 30 · Mark scheme November 2011 | PHY1BP | Original Q9 | Legacy

Nine	**4**	**4**	**3**	**3**

The AQA UMS Conversion Calculator can be found at the following web address:

http://www.aqa.org.uk/umsconversion

4.6.2.6 Visible light (physics only)

Answer 31 · Mark scheme

January 2013 | PH1HP | Original Q5 | Legacy

Question 5

question	answers	extra information	mark
5(a)(i)	gamma	accept correct symbol	1
5(a)(ii)	any **one** from: • (ultraviolet has a) higher frequency • (ultraviolet has a) greater energy • (ultraviolet has a) shorter wavelength	ultraviolet cannot be seen is insufficient ignore ultraviolet causes cancer etc	1
5(b)	1.2×10^7 / 12 000 000 hertz / Hz / kHz / MHz	allow **1** mark for correct substitution, ie $3 \times 10^8 = f \times 25$ do **not** accept hz **or** HZ answers 12 000 kHz **or** 12 MHz gain **3** marks for full credit the numerical answer and unit must be consistent	2 1
5(c)(i)	away (from each other)	accept away (from the Earth) accept receding	1
5(c)(ii)	distance (from the Earth) speed galaxy is moving	accept how far away (it is)	1 1
5(c)(iii)	(Universe is) expanding		1
Total			**9**

4.6.2.6 Visible light (physics only)

Answer 31 · Mark scheme

January 2013 | PH1HP | Original Q5 | Legacy

PH1HP

4.6.2.6 Visible light (physics only)

Answer 32 · Mark scheme

June 2016 | PH2HP | Original Q6 | Legacy

Question	Answers	Extra information	Mark	AO / Spec. Ref.
6(a)(i)	(enough) dust and gas (from space) is pulled together by: gravitational attraction **or** gravitational forces **or** gravity	accept nebula for dust and gas accept hydrogen for gas accept gas on its own dust on its own is insufficient mention of air negates this mark ignore any (correct) stages beyond this	1 1	AO1 2.6.2c
6(a)(ii)	joining of two (atomic) nuclei (to form a larger one)	do not accept atoms for nuclei	1	AO1 2.6.2a
6(a)(iii)	more sensitive astronomical instruments / telescopes **or** infrared telescopes developed	accept better technology more knowledge is insufficient	1	AO3 2.6
6(b)(i)	(other) planets / solar systems	do not accept galaxy moons is insufficient	1	AO3 2.6
6(b)(ii)	provided evidence to support theory	accept proves the theory	1	AO1 2.6
6(c)	elements heavier than iron are formed only when a (massive) star explodes	accept materials for elements accept supernova for star explodes accept stars can only fuse elements up to (and including) iron	1	AO1 2.6.2f
Total			**7**	

4.6.2.6 Visible light (physics only)

Answer 32 · Mark scheme

June 2016 | PH2HP | Original Q6 | Legacy



4.6.2.6 Visible light (physics only)

Answer 33 · Mark scheme

June 2019 | 8463/1H | Original Q1

Question 1

Question	Answers	Extra information	Mark	AO / Spec. Ref.
1.1	The energy transferred each second to the bulb.		1	4.1.1.4 AO1
1.2	power = potential difference × current **or** $P = VI$		1	4.2.4.1 AO1
1.3	$40 = I \times 230$ $I = \frac{40}{230}$ I = 0.17 (A)	an answer of 0.17 (A) scores **3** marks a correct answer that rounds to 0.17 (A) scores **3** marks	1 1 1	4.2.4.1 AO2
1.4	efficiency = $\frac{\text{useful power output}}{\text{total power input}}$		1	4.1.2.2 AO1
1.5	$0.30 = \frac{\text{useful power output}}{9.0}$ useful power output = 0.30 × 9.0 useful power output = 2.7 (W)	an answer of 2.7 (W) scores **3** marks	1 1 1	4.1.2.2 AO2
1.6	bulbs also transfer thermal energy the efficiency of the light bulb also needs to be considered	allow light bulbs emit infrared radiation as well as visible light ignore so people know how bright the bulb is allow the cost to power the light bulb depends on the efficiency allow to see how much energy is wasted	1 1	4.1.2.2 4.1.1.4 AO1 AO3
Total			**11**	

4.6.2.6 Visible light (physics only)

Answer 34 · Mark scheme

November 2021 | 8463/2H | Original Q3

Question 3

Question	Answers	Extra information	Mark	AO / Spec. Ref.
03.1	gravitational force inwards and forces as a result of fusion reactions outwards are in equilibrium / balanced	allow fusion energy for fusion reactions outwards allow radiation pressure for fusion reactions outwards dependant on scoring 1st mark point allow for **1** mark forces are in equilibrium	1 1	AO1 4.8.1.1
03.2	(the star will) expand to become a red giant (the star will) collapse to become a white dwarf (the star will) cool to become a black dwarf	the answers must be in the correct sequence to score all **3** marks allowed outer layers ejected for collapsed if no other marks score, allow red giant, white dwarf, black dwarf in the correct order for **1** mark	1 1 1	AO1 4.8.1.2
03.3	**A** it is (moving away from Earth) the slowest or it is the closest (to the Earth)	 reason only scores if A is chosen	1 1	AO3 4.8.2
Total			**7**	

4.6.2.6 Visible light (physics only)

Answer 35 · Mark scheme

November 2021 | 8463/2H | Original Q5

Question 5

Question	Answers	Extra information	Mark	AO / Spec. Ref.
05.1	any **one** from: • (sun) tan • energy efficient lamps	allow • (invisible) security coding • detecting forged bank notes • kill microbes • attract insects • sterilise (surgical) equipment • cause the body to produce vitamin D • increasing the growth rate of plants • water purification	1	AO1 4.6.2.4
05.2	3×10^{-7} m		1	AO1 4.6.2.1
05.3	$3.0 \times 10^{8} = \text{frequency} \times 3 \times 10^{-7}$ $\text{frequency} = \frac{3.0 \times 10^{8}}{3 \times 10^{-7}}$ frequency = 1×10^{15} (Hz)	allow ecf from question **05.2**	1 1 1	AO2 4.6.1.2
05.4	**Wave** / **Name** Wave E → Infrared Wave F → Visible light Wave G → X-rays all three lines correct for **1** mark		1	AO3 4.6.2.1

4.6.2.6 Visible light (physics only)

Answer 35 · Mark scheme

November 2021 | 8463/2H | Original Q5

05.5	in a transverse wave, the oscillations / vibrations are perpendicular to the direction of energy transfer in a longitudinal wave, the oscillations / vibrations are parallel to the direction of energy transfer	allow direction of wave travel for direction of energy transfer	1 1	AO1 4.6.1.1

Total			**8**

Answer 36 · Mark scheme

June 2023 | 8463/2H | Original Q6

Question 6

Question	Answers	Extra information	Mark	AO / Spec. Ref.
06.1	satellite	allow moon	1	AO1 4.8.1.3

Question	Answers	Extra information	Mark	AO / Spec. Ref.
06.2	12.5 cm = 0.125 m		1	AO2 4.6.1.2
	$3 \times 10^8 = f \times 0.125$	this mark may be awarded for an incorrectly / not converted value for wavelength	1	
	$f = \frac{3 \times 10^8}{0.125}$	this mark may be awarded for an incorrectly / not converted value for wavelength	1	
	$f = 2\,400\,000\,000$ (Hz)	this mark may be awarded for an incorrectly / not converted value for wavelength	1	
	$f = 2.4 \times 10^9$ (Hz)	this mark may be awarded for an incorrectly calculated value for frequency in standard form using the given data	1	

Question	Answers	Extra information	Mark	AO / Spec. Ref.
06.3	gravitational force causes the Hubble Space Telescope to accelerate towards the Earth		1	AO1 4.5.1.1 4.5.6.1.3 4.8.1.3
	this changes the direction of motion (but not the speed)		1	
	so changes the velocity of the Hubble Space Telescope	if no other marks awarded, allow 1 mark for gravitational force maintains circular orbit	1	

4.6.2.6 Visible light (physics only)

Answer 36 · Mark scheme

June 2023 | 8463/2H | Original Q6

Question	Answers	Extra information	Mark	AO / Spec. Ref.
06.4	galaxy A has the greater red shift (so) A is travelling (away from us) faster (than B) (because) A is further away (from us than B)	if no other marks awarded, allow 1 mark for galaxy A and galaxy B are moving away from us	1 1 1	AO3 4.8.2

Total Question 6	12

4.6.2.6 Visible light (physics only)

Answer 37 · Mark scheme

June 2025 | 8463/2H | Original Q1

Question 1

Question	Answers	Mark	AO / Spec. Ref.
01.1	**Level 2:** Scientifically relevant facts, events or processes are identified and given in detail to form an accurate account	4–6	AO1 4.6.1.1 4.6.2.1
	Level 1: Facts, events or processes are identified and simply stated but their relevance is not clear	1–3	
	No relevant content	0	
	Indicative content **Differences** • sound waves are mechanical whereas visible light waves are electromagnetic waves • sound waves require a medium to travel through whereas visible light waves can travel through a vacuum • sound waves are longitudinal whereas visible light waves are transverse • sound waves travel slower (in air) than visible light waves • sound waves travel faster in solids than in air whereas visible light waves travel slower in solids than in air • sound waves have longer wavelengths than visible light • sound waves have a lower frequency than visible light waves **Similarities** • both types of waves can be reflected • both types of waves can be refracted • both types of waves can be diffracted • both types of wave transfer energy		

4.6.2.6 Visible light (physics only)

Answer 37 · Mark scheme

June 2025 | 8463/2H | Original Q1

Question	Answers	Extra information	Mark	AO / Spec. Ref.
01.2	speed = $\frac{\text{distance}}{\text{time}}$		1	AO1 4.5.6.1.2

Question	Answers	Extra information	Mark	AO / Spec. Ref.
01.3	$330 = \frac{13\,200}{t}$ **or** $13\,200 = 330 \times t$ $t = \frac{13\,200}{330}$ 40 (s)		1 1 1	AO2 4.5.6.1.2

Total Question 1	10

Version 1.0: *27092005*

ASSESSMENT and QUALIFICATIONS ALLIANCE

General Certificate of Secondary Education

Physics 3451/F
Specification B

Mark Scheme

2005 examination – June series

Mark schemes are prepared by the Principal Examiner and considered, together with the relevant questions, by a panel of subject teachers. This mark scheme includes any amendments made at the standardisation meeting attended by all examiners and is the scheme which was used by them in this examination. The standardisation meeting ensures that the mark scheme covers the candidates' responses to questions and that every examiner understands and applies it in the same correct way. As preparation for the standardisation meeting each examiner analyses a number of candidates' scripts: alternative answers not already covered by the mark scheme are discussed at the meeting and legislated for. If, after this meeting, examiners encounter unusual answers which have not been discussed at the meeting they are required to refer these to the Principal Examiner.

It must be stressed that a mark scheme is a working document, in many cases further developed and expanded on the basis of candidates' reactions to a particular paper. Assumptions about future mark schemes on the basis of one year's document should be avoided; whilst the guiding principles of assessment remain constant, details will change, depending on the content of a particular examination paper.

Copyright © 2005 AQA and its licensors. All rights reserved.

Physics (Specification B)
Foundation Tier 3451/F

3451/F Q1

question	answers	extra information	mark
(a)(i)	less than	accept any correct indication	1
(ii)	more than	accept any correct indication	1
(b)	any **two** from: stays above the same place above the equator one orbit takes 24 hours	 do **not** accept stays in the same place do **not** accept goes around equator unless qualified do **not** accept orbit at same speed as Earth do **not** accept orbit at a constant speed accept has same angular speed / velocity as Earth	2
total			4

3451/F Q2

question	answers	extra information	mark
(a)	comet		1
(b)	large group / number / collection of stars	ignore reference to planets accept millions of stars do **not** accept thousands of stars do **not** accept loads of stars	1
(c)	giant supernova neutron		1 1 1
total			5

4.6.2.6 Visible light (physics only)

3451/F Q3

question	answers	extra information	mark
(a)(i)	radio		1
(ii)	gamma	accept microwave accept infrared	1
(iii)	ultra violet		1
(iv)	microwaves		1
(b)	the same as		1
(c)	X-rays do not go through lead	references to gamma rays are incorrect accept lead protects them from the X-rays accept not exposed to X-rays	1
	lead stops / reduces risk of X-rays harming / damaging / killing (persons) <u>cells</u>	accept X-rays (may) cause cancer accept organs for cell do **not** accept references to electric shock do **not** accept stops bones of people showing on X-ray answers involving the horse wearing an apron are incorrect	1
	Quality of written communication	award for a sensible sequence of **two** points	1
total			8

4.6.2.6 Visible light (physics only)

3451/F Q4

question	answers	extra information	mark
(a)	light electrical		1 1
(b)	15% **or** 0.15	correct substitution gains **1** mark only an answer of 15 with no unit **or** an incorrect unit gains **1** mark an answer of 0.15 given with a unit gains **1** mark	2
(c)	the ticket machine is a long way from other electricity supplies		1
(d)	any figure between 5 and 10 inclusive	unit not required but if given must match numerical answer	1
total			6

3451/F Q5

question	answers	extra information	mark
(a)(i)	radon (gas)	do **not** accept gas	1
(ii)	background		1
(b)	bigger	accept any word which means bigger	1
(c)	**Z** alpha will not pass through aluminium or lead	if Z is not given, the reason does not score accept alpha cannot go through metals / dense material accept there is nothing to stop the radiation accept alpha will not pass through aluminium do **not** accept alpha will not pass through lead do **not** accept alpha stopped by air	1 1
total			5

4.6.2.6 Visible light (physics only)

3451/F Q6

question	answers	extra information	mark
(a)	loses negative charge / electrons	do **not** accept positive charge transfers to the comb do **not** accept friction	1
(b)	**A** attract		1
	B repel		1
	C attract		1
(c)	**F A D E**	allow **2** marks for 2 letters in the correct place allow **1** mark for 1 letter in the correct place	3
total			7

4.6.2.6 Visible light (physics only)

3451/F Q7

question	answers	extra information	mark
(a)	all points correctly plotted	tolerance ± $\frac{1}{2}$ square on y axis only allow **1** mark for 3 correctly plotted points	2
	attempt made to draw a smooth curve	do **not** accept dot-to-dot line	1
(b)(i)	3 days ± 0.2 **or** any value correctly obtained using their graph line	if no line drawn in (a), answer must be exactly 3	1
(ii)	3 days or their (b)(i)		1
(c)	radon-222	accept radon **or** 222 accept alpha or 3.8 correct isotope required for reason to score	1
	has the shortest half-life	accept the others have longer half-lives	1
total			7

4.6.2.6 Visible light (physics only)

3451/F Q8

question	answers	extra information	mark
(a)	fossils of Cynognathus are found in Africa and South America		1
	the shapes ……. almost fit together	only two boxes should be ticked deduct **1** mark for each additional box to a minimum mark of **0**	1
(b)	continental		1
	crust		1
	tectonic		1
total			5

4.6.2.6 Visible light (physics only)

3451/F Q9

question	answers	extra information	mark
(a)	capacitor	accept condenser	1
	LDR	**or** light dependent resistor accept 'ldr', 'Ldr' etc.	1
	relay (normally open)	do **not** accept 'relay normally closed'	1
(b)(i)	battery	accept '(battery of) cells' do **not** accept 'battery / cell'	1
(ii)	LED	**or** light emitting diode accept 'led' or 'Led' do **not** accept just 'diode'	1
(iii)	B will light (but C will not)	accept '(only) B will work' accept 'one is on the other is off' do **not** accept 'C is on and B is off'	1
(iv)	any **one** from: B is connected the right way round (and C is not) a (light emitting) diode only allows (a significant) current to flow in one direction B's anode is connected to the positive side of the supply B's cathode is connected to the negative terminal	N.B. the candidate's answer to part (b)(iii) may include this mark but do **not** credit if the response to part (b)(iii) is incorrect or there is any other contradiction if (iv) is completely consistent with (iii) which is wrong, allow **1** mark	1
(c)(i)	first input / second input / output 0 / 0 / **0** 1 / 0 / **0** 0 / 1 / **0** 1 / 1 / **1**	**all** correct allow: OFF NO OFF NO OFF NO ON YES	1
(ii)	truth (table)		1

cont…

4.6.2.6 Visible light (physics only)

3451/F Q9 cont…

(iii)		a Roman upper case D in any orientation without contacts is acceptable but if contacts are shown do **not** give the mark if there is any ambiguity or contradiction allow 	1
(d)	light sensor	**or** light dependent resistor **or** LDR accept 'ldr', Ldr' etc allow solar cell, photo cell	1
	NOT gate	accept 'Not gate' **or** 'not gate' if both correct but in the wrong order credit with **1** mark	1
total			12

4.6.2.6 Visible light (physics only)

3451/F Q10

question	answers	extra information	mark
(a)(i)	rays continued to meet on the right hand side of the lens and beyond	must be straight lines from the right hand side of the lens ignore details through the lens allow if no arrows	1
	meet exactly on the axis	negate mark if contradictory arrow(s) added do not need to go beyond the focus for this mark	1
(ii)	(principal) focus	**or** focal (point)	1
(iii)	converging	**or** convex	1
(b)(i)	**A**		1
(ii)	rays seem to come from this point	**or** words to this effect **or** shows this on the diagram	1
(iii)	diverging	**or** concave	1
(c)	film	accept any unambiguous method of showing the correct response	1
	smaller than		1
	further away from		1
(d)	any **three** from: • real image can be put on a screen • virtual image cannot be put on a screen / film • virtual image is imaginary • real image is formed where (real) rays cross / converge • virtual image is where virtual / imaginary rays (seem to) come from • virtual image formed where virtual rays intersect / cross	allow film allow real image has light travelling through it **or** virtual image is where rays seem to come from	3
total			13

4.6.2.6 Visible light (physics only)

3451/F Q11

question	answers	extra information	mark
(a)(i)	$A_1 = 0.5$	ignore any units	1
	$A_4 = 0.5$	allow **1** mark for $A_1 = A_4 \neq 0.5$	1
(ii)	the resistance of **P** is more than 20 Ω		1
	a smaller current goes through P / A_2 (than 20 Ω)	dependent on getting 1st mark correct accept converse	1
(b)(i)	potential difference = current × resistance	accept pd / voltage for potential difference accept V = I × R, correct symbols and correct case only accept volts = amps × ohms accept  provided subsequent method is correct allow combination of physical quantities and named units allow voltage = I × R	1
(ii)	6	allow **1** mark for correct substitution	2
(iii)	6	accept their (b)(ii)	1
(c)	thermistor or 	accept correct circuit symbol allow phonetic spelling	1
	resistance goes down (as temperature of thermistor goes up)	do **not** accept changes for goes down do **not** accept an answer in terms of current only answers in terms of other components are incorrect	1
total			10

4.6.2.6 Visible light (physics only)

3451/F Q12

question	answers	extra information	mark
(a)(i)	larger the distance, greater the time	accept 'they are proportional' accept converse	1
(ii)	any value between 6 and 9 years inclusive		1
(b)(i)	carbon dioxide		1
(ii)	(Venus) has high**er** temperature (than Mercury)	accept has the high**est** temperature accept Venus is hotter / hottest do **not** accept has a high / very high temperature	1
	(Venus) further from the Sun than Mercury	accept 'Venus is not the closest planet to the Sun' answer in terms of greenhouse effect only, scores **0** marks	1
total			5

4.6.2.6 Visible light (physics only)

3451/F Q13

question	answers	extra information	mark
(a)(i)	20		1
(ii)	convection		1
(iii)	fit draughtproof strips	accept lay carpet accept fit curtains accept close doors / windows / curtains accept any reasonable suggestion for reducing a draught 'double glazing' alone is insufficient	1
(b)	air is (a good) insulator **or** air is a poor conductor	accept air cavity / 'it' for air	1
	reducing heat transfer by <u>conduction</u>	accept stops for reduces ignore convection do **not** accept radiation do **not** accept answers in terms of heat being trapped	1
(c)(i)	most cost effective	accept it is cheaper or low<u>est</u> cost accept shortest payback time accept in terms of reducing heat loss by the largest amount do **not** accept it is easier ignore most heat is lost through the roof	1
(ii)	4		1
total			7

4.6.2.6 Visible light (physics only)

3451/F Q14

question	answers	extra information	mark
(a)(i)	constant speed	do **not** accept normal speed do **not** accept it is stopped / stationary	1
	in a straight line	accept any appropriate reference to a direction constant velocity gains **2** marks 'not accelerating' gains **2** marks terminal velocity alone gets **1** mark	1
(ii)	goes down owtte	accept motorbike (it) slows down	1
(b)(i)	20 (m/s)	ignore incorrect units	1
(ii)	acceleration = change in velocity / time (taken)	do **not** accept velocity for change in velocity accept change in speed accept $a = \frac{v-u}{t}$ **or** $a = \frac{v_1 - v_2}{t}$ **or** $a = \frac{\Delta v}{t}$ do **not** accept $a = \frac{v}{t}$	1
(iii)	4 **or** their (b)(i) ÷ 5	allow **1** mark for correct substitution	2
	m/s^2	m/s/s **or** ms^{-2} **or** metres per second squared **or** metres per second per second	1
(c)	vehicle may skid / slide	loss of control / brakes lock / wheels lock accept greater stopping distance **or** difficult to stop	1
	due to reduced friction (between tyre(s) and road)	accept due to less grip do **not** accept no friction	1

cont…

4.6.2.6 Visible light (physics only)

3451/F Q14 cont…

(d)	any **three** from: • <u>increased</u> speed • <u>reduced</u> braking force • <u>slower</u> (driver) reactions • <u>poor</u> vehicle maintenance • <u>increased</u> mass / weight of vehicle • <u>poor</u> road surface • <u>more</u> streamlined	do **not** accept night time / poor vision N.B. specific answers may **each** gain credit eg tiredness (1), drinking alcohol (1), using drugs (1), driver distracted (1) etc specific examples may **each** gain credit eg worn brakes or worn tyres etc accept large mass / weight of vehicle if candidates give three answers that affect stopping distance but not specific to <u>increase</u> award **1** mark only	3
total			13

4.6.2.6 Visible light (physics only)

3451/F Q15

question	answers	extra information	mark
(a)(i)	arrow from centre of the ball **and** at right angles to the string **and** in the correct direction	arrow should point to the student's belt accept free-hand 'straight' line do **not** accept curved line	1
(ii)	increase increase increase	accept 'be stronger / bigger' accept 'be stronger / bigger' accept 'be stronger / bigger'	1 1 1
(b)	speed velocity direction	all **three** correct any two correct for **1** mark otherwise **0** marks	2
(c)(i)	centripetal	accept 'centripedal' and other minor misspellings do **not** accept anything which could be 'centrifugal'	1
(ii)	gravity	accept 'weight' accept 'force of attraction due to mass(es) (of the Moon and the Earth)'	1
(iii)	electron(s)		1
(iv)	electrostatic	accept 'electrical' do **not** accept just 'centripetal'	1
total			10

4.6.2.6 Visible light (physics only)

3451/F Q16

question	answers	extra information	mark
(a)(i)	**X** at the centre of the lifebelt	measuring from the centre of **X**, allow 2 mm tolerance in any direction	1
(ii)	any **two** from: below the point of suspension at the centre (of the lifebelt) (because) the lifebelt / it is symmetrical	if X is on vertical line below the hanger (but not at centre) can gain the first point only accept '(vertically) below **Y**' accept 'in the middle' **or** (because) the mass / weight is evenly distributed	2
(b)	Nm **or** newton metre(s) 750	accept Newton metre(s) do **not** accept any ambiguity in the symbol ie NM, nM or nm (moment) = force × (perpendicular) distance (between line of action and pivot) **or** (moment) = 500 × 1.5 gains **1** mark	1 2
(c)	**Quality of written communication**: any **three** connected points from: low(er) <u>centre of mass / gravity</u> (more) <u>stable</u> less likely to fall over the <u>turning effect / moment</u> (of the weight of case) is less so the pull on her arm is less	for **2** of the underlined terms used in the correct context **or** <u>centre of mass / gravity</u> will be close(r) to the wheels / axle / ground **or** less <u>unstable</u> accept 'less likely to overturn' do **not** accept 'will not fall over' **or** so less effort is needed to hold the case ignore references to pulling the case	1 3
total			10

4.6.2.6 Visible light (physics only)

3451/F Q17

question	answers	extra information	mark
(a)	any **two** from: • **amplitude** decreasing • **wavelength** increasing • **frequency** decreasing **Quality of written communication**	accept siren / sound getting quieter do **not** accept sound decreases accept pitch decreasing ignore reference to transverse wave ignore reference to speed contradictory statements within each point lose the mark all emboldened terms in candidate's answer used correctly	2 1
(b)(i)	ultrasound **or** ultrasonic		1
(ii)	wave speed = frequency × wavelength	accept speed / velocity for wave speed accept $v = f \times \lambda$ do **not** accept w for λ do **not** accept s for v accept  provided subsequent calculation shows a correct method	1
(iii)	339.2 **or** 340 **or** 339	allow **1** mark for using 212 000 allow **1** mark for correct substitution an answer of 0.3392 **or** 0.34 **or** 0.339 gains **1** mark only award full credit for a correct numerical answer with the unit changed to km/s	3
total			8

Version 1.0: *27092005*

ASSESSMENT and QUALIFICATIONS ALLIANCE

General Certificate of Secondary Education

Science: Double Award 3462/3F
Specification B (Co-ordinated)

Mark Scheme

2005 examination - June series

Mark schemes are prepared by the Principal Examiner and considered, together with the relevant questions, by a panel of subject teachers. This mark scheme includes any amendments made at the standardisation meeting attended by all examiners and is the scheme which was used by them in this examination. The standardisation meeting ensures that the mark scheme covers the candidates' responses to questions and that every examiner understands and applies it in the same correct way. As preparation for the standardisation meeting each examiner analyses a number of candidates' scripts: alternative answers not already covered by the mark scheme are discussed at the meeting and legislated for. If, after this meeting, examiners encounter unusual answers which have not been discussed at the meeting they are required to refer these to the Principal Examiner.

It must be stressed that a mark scheme is a working document, in many cases further developed and expanded on the basis of candidates' reactions to a particular paper. Assumptions about future mark schemes on the basis of one year's document should be avoided; whilst the guiding principles of assessment remain constant, details will change, depending on the content of a particular examination paper.

Copyright © 2005 AQA and its licensors. All rights reserved.

Double Award
Foundation Tier 3462/3F

3462/3F Q1

question	answers	extra information	mark
(a)(i)	less than	accept any correct indication	1
(ii)	more than	accept any correct indication	1
(b)	any **two** from: stays above the same place above the equator one orbit takes 24 hours	 do **not** accept stays in the same place do **not** accept goes around equator unless qualified do **not** accept orbit at same speed as Earth do **not** accept orbit at a constant speed accept has same angular speed / velocity as Earth	2
total			4

3462/ 3F Q2

question	answers	extra information	mark
(a)	comet		1
(b)	large group / number / collection of stars	ignore reference to planets accept millions of stars do **not** accept thousands of stars do **not** accept loads of stars	1
(c)	giant supernova neutron		1 1 1
total			5

4.6.2.6 Visible light (physics only)

3462/3F Q3

question	answers	extra information	mark
(a)(i)	radio		1
(ii)	gamma	accept microwave accept infrared	1
(iii)	ultra violet		1
(iv)	microwaves		1
(b)	the same as		1
(c)	**Quality of written communication**	award for a sensible sequence of **two** points	1
	X-rays do not go through lead	accept lead protects them from the X-rays accept not exposed to X-rays	1
	lead stops / reduces risk of X-rays harming / damaging / killing (persons) <u>cells</u>	accept X-rays (may) cause cancer accept organs for cell do **not** accept references to electric shock do **not** accept stops bones of people showing on X-ray answers involving the horse wearing an apron are incorrect references to gamma rays are incorrect	1
total			8

4.6.2.6 Visible light (physics only)

Science: Double Award (Co-ordinated) – AQA GCSE Mark Scheme, 2005 June series

3462/3F Q4

question	answers	extra information	mark
(a)	light electrical		1 1
(b)	15% **or** 0.15	correct substitution gains **1** mark only an answer of 15 with no unit **or** an incorrect unit gains **1** mark an answer of 0.15 given with a unit gains **1** mark	2
(c)	the ticket machine is a long way from other electricity supplies		1
(d)	any figure between 5 and 10 inclusive	unit not required but if given must match numerical answer	1
total			6

4.6.2.6 Visible light (physics only)

3462/3F Q5

question	answers	extra information	mark
(a)(i)	radon (gas)	do **not** accept gas	1
(ii)	background		1
(b)	bigger	accept any word which means bigger	1
(c)	**Z** alpha will not pass through aluminium or lead	if Z is not given, the reason does not score accept alpha cannot go through metals / dense material accept there is nothing to stop the radiation accept alpha will not pass through aluminium do **not** accept alpha will not pass through lead do **not** accept alpha stopped by air	1 1
total			5

4.6.2.6 Visible light (physics only)

Science: Double Award (Co-ordinated) – AQA GCSE Mark Scheme, 2005 June series

3462/3F Q6

question	answers	extra information	mark
(a)	loses negative charge / electrons	do **not** accept positive charge transfers to the comb do **not** accept friction	1
(b)	**A** attract		1
	B repel		1
	C attract		1
(c)	**F A D E**	allow **2** marks for 2 letters in the correct place allow **1** mark for 1 letter in the correct place	3
total			7

4.6.2.6 Visible light (physics only)

3462/3F Q7

question	answers	extra information	mark
(a)	all points correctly plotted	tolerance ± $\frac{1}{2}$ square on y axis only allow **1** mark for 3 correctly plotted points	2
	attempt made to draw a smooth curve	do **not** accept dot-to-dot line	1
(b)(i)	3 days ± 0.2 **or** any value correctly obtained using their graph line	if no line drawn in (a), answer must be exactly 3	1
(ii)	3 days or their (b)(i)		1
(c)	radon-222	accept radon **or** 222 accept alpha or 3.8 correct isotope required for reason to score	1
	has the shortest <u>half-life</u>	accept the others have longer <u>half-lives</u>	1
total			7

4.6.2.6 Visible light (physics only)

Science: Double Award (Co-ordinated) – AQA GCSE Mark Scheme, 2005 June series

3462/3F Q8

question	answers	extra information	mark
(a)	fossils of Cynognathus are found in Africa and South America		1
	the shapes ……. almost fit together	only two boxes should be ticked deduct **1** mark for each additional box to a minimum mark of **0**	1
(b)	continental		1
	crust		1
	tectonic		1
total			5

4.6.2.6 Visible light (physics only)

3462/3F Q9

question	answers	extra information	mark
(a)(i)	$A_1 = 0.5$	ignore any units	1
	$A_4 = 0.5$	allow **1** mark for $A_1 = A_4 \neq 0.5$	1
(ii)	the resistance of **P** is more than 20 Ω		1
	a smaller current goes through P / A_2 (than 20 Ω)	dependent on getting 1st mark correct accept converse	1
(b)(i)	potential difference = current × resistance	accept pd / voltage for potential difference accept V = I × R, correct symbols and correct case only accept volts = amps × ohms accept  provided subsequent method is correct allow combination of physical quantities and named units allow voltage = I × R	1
(ii)	6	allow **1** mark for correct substitution	2
(iii)	6	accept their (b)(ii)	1
(c)	thermistor or 	accept correct circuit symbol allow phonetic spelling	1
	resistance goes down (as temperature of thermistor goes up)	do **not** accept changes for goes down do **not** accept an answer in terms of current only answers in terms of other components are incorrect	1
total			10

4.6.2.6 Visible light (physics only)

Science: Double Award (Co-ordinated) – AQA GCSE Mark Scheme, 2005 June series

3462/3F Q10

question	answers	extra information	mark
(a)(i)	larger the distance, greater the time	accept 'they are proportional' accept converse	1
(ii)	any value between 6 and 9 years inclusive		1
(b)(i)	carbon dioxide		1
(ii)	(Venus) has high**er** temperature (than Mercury)	accept has the high**est** temperature accept Venus is hotter / hottest do **not** accept has a high / very high temperature	1
	(Venus) further from the Sun than Mercury	accept 'Venus is not the closest planet to the Sun' answer in terms of greenhouse effect only, scores **0** marks	1
total			5

4.6.2.6 Visible light (physics only)

3462/3F Q11

question	answers	extra information	mark
(a)(i)	20		1
(ii)	convection		1
(iii)	fit draughtproof strips	accept lay carpet accept fit curtains accept close doors / windows / curtains accept any reasonable suggestion for reducing a draught 'double glazing' alone is insufficient	1
(b)	air is (a good) insulator **or** air is a poor conductor	accept air cavity / 'it' for air	1
	reducing heat transfer by <u>conduction</u>	accept stops for reduces ignore convection do **not** accept radiation do **not** accept answers in terms of heat being trapped	1
(c)(i)	most cost effective	accept it is cheaper or low<u>est</u> cost accept shortest payback time accept in terms of reducing heat loss by the largest amount do **not** accept it is easier ignore most heat is lost through the roof	1
(ii)	4		1
total			7

4.6.2.6 Visible light (physics only)

Science: Double Award (Co-ordinated) – AQA GCSE Mark Scheme, 2005 June series

3462/3F Q12

question	answers	extra information	mark
(a)(i)	constant speed	do **not** accept normal speed do **not** accept it is stopped / stationary	1
	in a straight line	accept any appropriate reference to a direction constant velocity gains **2** marks 'not accelerating' gains **2** marks terminal velocity alone gets **1** mark	1
(ii)	goes down owtte	accept motorbike (it) slows down	1
(b)(i)	20 (m/s)	ignore incorrect units	1
(ii)	acceleration = change in velocity / time (taken)	do **not** accept velocity for change in velocity accept change in speed accept $a = \frac{v-u}{t}$ **or** $a = \frac{v_1 - v_2}{t}$ **or** $a = \frac{\Delta v}{t}$ do **not** accept $a = \frac{v}{t}$	1
(iii)	4 **or** their (b)(i) ÷ 5	allow **1** mark for correct substitution	2
	m/s^2	m/s/s **or** ms^{-2} **or** metres per second squared **or** metres per second per second	1
(c)	vehicle may skid / slide	loss of control / brakes lock / wheels lock accept greater stopping distance **or** difficult to stop	1
	due to reduced friction (between tyre(s) and road)	accept due to less grip do **not** accept no friction	1

cont…

4.6.2.6 Visible light (physics only)

3462/3F Q12 cont…

(d)	any **three** from: • <u>increased</u> speed • <u>reduced</u> braking force • <u>slower</u> (driver) reactions • <u>poor</u> vehicle maintenance • <u>increased</u> mass / weight of vehicle • <u>poor</u> road surface • <u>more</u> streamlined	do **not** accept night time / poor vision NB specific answers may **each** gain credit eg tiredness (1), drinking alcohol (1), using drugs (1), driver distracted (1) etc specific examples may **each** gain credit eg worn brakes or worn tyres etc accept large mass / weight of vehicle if candidates give three answers that affect stopping distance but not specific to <u>increase</u> award **1** mark only	3
total			13

4.6.2.6 Visible light (physics only)

Science: Double Award (Co-ordinated) – AQA GCSE Mark Scheme, 2005 June series

3462/3F Q13

question	answers	extra information	mark
(a)	**Quality of written communication**	all emboldened terms in candidate's answer used correctly	1
	any **two** from: • **amplitude** decreasing • **wavelength** increasing • **frequency** decreasing	accept siren / sound getting quieter do **not** accept sound decreases accept pitch decreasing ignore reference to transverse wave ignore reference to speed contradictory statements within each point lose the mark	2
(b)(i)	ultrasound **or** ultrasonic		1
(ii)	wave speed = frequency × wavelength	accept speed / velocity for wave speed accept $v = f \times \lambda$ do **not** accept w for λ do **not** accept s for v accept  provided subsequent calculation shows a correct method	1
(iii)	339.2 **or** 340 **or** 339	allow **1** mark for using 212 000 allow **1** mark for correct substitution an answer of 0.3392 **or** 0.34 **or** 0.339 gains **1** mark only award full credit for a correct numerical answer with the unit changed to km/s	3
total			8

4.6.2.6 Visible light (physics only)

Answer 34 · Examiner comments — November 2021 | 8463/2H | Original Q3

Question 3

This question was poorly answered. Few of the students knew which forces act during the main sequence stage or what happens to a star after the main sequence ends. To gain full marks it was not sufficient to simply state the names of the subsequent stages correctly. A significant number of the students gave answers that referred to both stars of the same size and mass of the Sun (the required answer) and to stars much larger than the Sun. These answers scored no marks as the

Answer 34 · Examiner comments — November 2021 | 8463/2H | Original Q3

students had produced a list without indicating which of the options presented was correct. In part **03.3** the correct choice (option A) needed to be accompanied by a comparative reason to score both marks. Simply stating something like 'it has a low speed' was insufficient.

Answer 35 · Examiner comments — November 2021 | 8463/2H | Original Q5

Question 5

Although a number of correct uses were given for ultraviolet a number of the students appeared to confuse UV with ultrasound. The meaning of the prefix 'nano' was not well known. However the students that knew the correct equation for part **05.3** (about 35% did not) did go on to use the value chosen in **05.2** to calculate a correct answer. Only about half of the students could use the data presented in Table 1 to correctly answer part **05.4.** Most of the students scored no marks for part **05.5**, with many either simply giving an example of each type of wave, or failing to link the direction of oscillation to either direction of energy transfer or direction of wave travel.

4.6.2.6 Visible light (physics only)

Answer 36 · Examiner comments June 2023 | 8463/2H | Original Q6

06.1

88% of students scored this mark. The vast majority of responses seen said ‘satellite’, with a small number giving the alternative ‘moon’.

06.2

61% of students were able to achieve full marks for this calculation. Those that did not, didn't convert the wavelength into metres, or converted incorrectly. Most students were able to give their answer in standard form.

06.3

Many students only scored the compensation mark and it was rare to see answers where acceleration towards Earth was included. Few students linked a change in direction to a change in velocity, with some describing the converse.

06.4

6% of students gained full marks for this explanation. students scored a mark for the 2nd or 3rd marking point, and it was unusual to have to consider the award of the compensation mark. A significant number of students thought that galaxies A and B were emitting radiation with a greater wavelength than that emitted by the Sun.

Answer 37 · Examiner comments June 2025 | 8463/2H | Original Q1

1.1

Almost all responses gained marks, with the majority being awarded 2 or 3 marks.

The most common differences were for a comparison of speed, transverse and longitudinal, and whether each type of wave could travel through a vacuum.

Students struggled giving a completely correct definition of transverse and longitudinal, but this wasn’t needed if they had already stated whether each was transverse or longitudinal. Some did get these the wrong way round, but they knew the terms.

A few quoted the speeds of each type of wave correctly. Again, this wasn’t required if they had given the correct comparison of speed.

Whilst a lot of students knew that light was an electromagnetic wave, very few knew that sound was mechanical. Stating that sound is not an electromagnetic wave or that light is was enough to be counted as a comparison.

Approximately 50 % of the students scored 3 marks or less because they did not identify any similarity and so gave a level 1 response, regardless of giving many differences.

4.6.2.6 Visible light (physics only)

Answer 37 · Examiner comments June 2025 | 8463/2H | Original Q1

The most common similarity given was that both transferred energy; however some students did include the extra similarities of both waves being reflected, refracted, transmitted and absorbed.
Simply stating that light can be seen and sound heard was insufficient.
A number of responses included other information about how each type of wave was detected and how each could be used medically, which was not the focus of the question.

1.2

Almost all of the students identified the correct equation linking distance, speed and time.

1.3

A straightforward substitution, rearrangement and evaluation to calculate the time was completed successfully by almost all of the students. A few examples of incorrect rearrangement resulted in an answer of 0.025. Many students adopted good practice and showed both the substitution and rearrangement stages.