AQA GCSE Physics | 8463

SPECIFICATION POINT 4.6.3.1

Emission and absorption of infrared radiation

Mark schemes and examiner comments

Tier	**Higher**
Question groups	**35**
Available paper years	**2004–2023**

Using this booklet

1. Booklet answer numbers match the question booklet.
2. Use the original question number within marking tables.
3. Examiner comments are included where available.

Name: _____ **Date:** _____

Where a precise marking extract is unavailable, the full source document is included in an appendix. Any missing mark scheme is explicitly identified.

4.6.3.1 Emission and absorption of infrared radiation

Answer 01 · Mark scheme June 2004 | 3451H | Original Q2 | Legacy

The full source mark scheme begins on page 29. Follow original question 2 in that document.

Answer 02 · Mark scheme June 2004 | 3462H3 | Original Q2 | Legacy

The full source mark scheme begins on page 50. Follow original question 2 in that document.

Answer 03 · Mark scheme June 2007 | PHY1B | Original Q7 | Legacy

Seven	**3**	**1**	**1**	**4**

Answer 04 · Mark scheme November 2007 | PHY1B | Original Q2 | Legacy

Two	**A** infra red radiation **1** **B** ultraviolet radiation **3** **C** visible light **2** **D** X-rays **4**					
	A		**B**		**C**	**D**

Answer 05 · Mark scheme November 2007 | PHY1B | Original Q5 | Legacy

Five	**4**	**2**	**1**	**1**

4.6.3.1 Emission and absorption of infrared radiation

Answer 06 · Mark scheme

January 2008 | PHY1H | Original Q5 | Legacy

Question 5

question	answers	extra information	mark
(a) E	C or 0.18 mm		1
(b) E	0.6 m	allow **1** mark for correct transformation and substitution allow **1** mark for changing frequency to Hz answer 600 gains **1** mark	2
(c) E	creates an alternating current with the same frequency as the radio wave **or** it gets hotter	accept 'ac' for alternating current accept alternating voltage accept signal for radio wave	1 1
(d) E	X-rays cannot penetrate the atmosphere **or** X-rays are absorbed *(*by the atmosphere*)*	accept atmosphere stops X-rays do **not** accept atmosphere in the way before reaching Earth ignore explanations	1
total			6

4.6.3.1 Emission and absorption of infrared radiation

Answer 06 · Mark scheme January 2008 | PHY1H | Original Q5 | Legacy

PHY1H

Answer 07 · Mark scheme March 2008 | PHY1BP | Original Q3 | Legacy

Three	**4**	**1**	**1**	**1**

Answer 08 · Mark scheme March 2008 | PHY1BP | Original Q9 | Legacy

Nine	**4**	**4**	**4**	**3**

Answer 09 · Mark scheme June 2008 | PHY1BP | Original Q5 | Legacy

Five	**4**	**2**	**3**	**1**

Answer 10 · Mark scheme November 2008 | PHY1BP | Original Q6 | Legacy

Six	**4**	**1**	**3**	**2**

Answer 11 · Mark scheme November 2008 | PHY1BP | Original Q8 | Legacy

Eight	**1**	**3**	**3**	**3**

4.6.3.1 Emission and absorption of infrared radiation

Answer 12 · Mark scheme January 2009 | PHY1H | Original Q1 | Legacy

Question 1

<table>
<tr><th>question</th><th>answers</th><th>extra information</th><th>mark</th></tr>
<tr><td>1(a)(i)</td><td>silvered surfaces

radiation

plastic cap

conduction

convection } both required

<table><tr><td></td><td>conduction</td><td>convection</td><td>radiation</td></tr><tr><td>vacuum</td><td>✓</td><td>✓</td><td></td></tr><tr><td>silvered surfaces</td><td></td><td></td><td>✓</td></tr><tr><td>plastic cap</td><td>✓</td><td>✓</td><td></td></tr></table></td><td>more than the correct number of ticks in a row negates the mark</td><td>1

1

(1)

(1)</td></tr>
<tr><td>1(a)(ii)</td><td>

because there are no particles in a vacuum

conduction and convection need particles / medium</td><td>any mention of air or any other substance in a vacuum scores zero

accept atoms / molecules for particles
accept vacuum is empty space
accept there is nothing in a vacuum
accept there is no air / gas in the vacuum

need reference to both conduction and convection
accept correct descriptions</td><td>1

1</td></tr>
</table>

Question 1 continues on the next page

PHY1H

Question 1 continued

question	answers	extra information	mark
1(b)(i)	less heat lost (to air above the heater)	do **not** accept **no** heat lost	1
	light shiny surfaces are poor emitters (of radiation) **or** dull, matt surfaces are good emitters (of radiation)	accept radiators for emitters references to reflection are neutral do **not** credit answers which infer reflection from the underside of the hood ignore correct reference to absorption	1
1(b)(ii)	correct output arrow n heat arrows ıergy form eg light	flow charts score zero ignore input	1 1
1(b)(iii)	energy cannot be destroyed	accept (principle of) conservation of energy do **not** accept because energy cannot be lost without clarification	1
Total			**9**

4.6.3.1 Emission and absorption of infrared radiation

Answer 12 · Mark scheme January 2009 | PHY1H | Original Q1 | Legacy

PHY1H

Answer 13 · Mark scheme March 2009 | PHY1BP | Original Q5 | Legacy

Five	**4**	**2**	**3**	**3**

Answer 14 · Mark scheme June 2009 | PHY1BP | Original Q1 | Legacy

Question	Key		
One	**A**	microwaves	**3**
	B	X-rays	**1**
	C	visible light	**2**
	D	radio waves	**4**

Answer 15 · Mark scheme June 2009 | PHY1BP | Original Q7 | Legacy

Seven	**4**	**1**	**3**	**4**

Answer 16 · Mark scheme November 2009 | PHY1BP | Original Q5 | Legacy

Five	**3**	**2**	**3**	**1**

Answer 17 · Mark scheme November 2009 | PHY1BP | Original Q9 | Legacy

Nine	**3**	**2**	**4**	**3**

4.6.3.1 Emission and absorption of infrared radiation

Answer 18 · Mark scheme March 2010 | PHY1BP | Original Q7 | Legacy

Seven	**1**	**2**	**2**	**3**

Answer 19 · Mark scheme June 2010 | PHY1BP | Original Q7 | Legacy

Seven	1	2	2	1

Answer 20 · Mark scheme June 2010 | PHY1BP | Original Q9 | Legacy

Nine	2	4	4	2

Answer 21 · Mark scheme November 2010 | PHY1AP | Original Q8 | Legacy

Eight	**2**	**4**	**2**	**3**

Answer 22 · Mark scheme March 2011 | PHY1AP | Original Q2 | Legacy

Two	**A**	conduction	**1**
	B	convection	**2**
	C	insulation	**4**
	D	radiation	**3**

Answer 23 · Mark scheme March 2011 | PHY1BP | Original Q7 | Legacy

Seven	**1**	**4**	**1**	**2**

4.6.3.1 Emission and absorption of infrared radiation

Answer 24 · Mark scheme

March 2011 | PHY1BP | Original Q9 | Legacy

Nine	**4**	**1**	**2**	**2**

4.6.3.1 Emission and absorption of infrared radiation

Answer 24 · Mark scheme

March 2011 | PHY1BP | Original Q9 | Legacy

GCSE

SCIENCE A (4461) / PHYSICS (4451)

Objective Test Answer Key

PHY1BP (Radiation and the Universe)

March 2011

Higher Tier

Question	Key		
One	**A**	a belief that science cannot disprove	**1**
	B	a conclusion based on observations of red-shift	**3**
	C	a theory supported by scientific evidence but not direct observations	**4**
	D	a theory that science has disproved	**2**
Two	**A**	Isotope **A**	**4**
	B	Isotope **B**	**1**
	C	Isotope **C**	**3**
	D	Isotope **D**	**2**

	A	**B**	**C**	**D**
Three	**1**	**3**	**2**	**1**
Four	**4**	**1**	**2**	**2**
Five	**4**	**3**	**4**	**3**
Six	**2**	**3**	**2**	**4**
Seven	**1**	**2**	**3**	**4**
Eight	**3**	**2**	**4**	**2**
Nine	**2**	**3**	**4**	**3**

4.6.3.1 Emission and absorption of infrared radiation

Answer 25 · Mark scheme June 2011 | PHY1BP | Original Q4 | Legacy

Four	**2**	**3**	**4**	**1**

Answer 26 · Mark scheme November 2011 | PHY1BP | Original Q9 | Legacy

Nine	**4**	**4**	**3**	**3**

The AQA UMS Conversion Calculator can be found at the following web address:

http://www.aqa.org.uk/umsconversion

4.6.3.1 Emission and absorption of infrared radiation

Answer 27 · Mark scheme

June 2012 | PH1HP | Original Q1 | Legacy

Question 1

question	answers	extra information	mark
1(a)	any **two** from: • black is a good emitter of (infrared radiation) • large surface (area) • matt surfaces are better emitters (than shiny surfaces)	accept heat for radiation ignore reference to absorbing radiation accept matt surfaces are good emitters ignore reference to good conductor	2
1(b)	90 % or 0.9(0)	efficiency = useful energy out / total energy in (×100%) allow **1** mark for correct substitution ie 13.5 / 15 provided no subsequent step shown an answer of 90 scores **1** mark an answer of 90 / 0.90 with a unit scores **1** mark	2
1(c)	(producing) light	allow (producing) sound	1

Question 1 continues on the next page

PH1HP

Question 1 continued

question	answers	extra information	mark
1(d)	any **two** from: • wood is renewable • (using wood) conserves fossil fuels • wood is carbon neutral	 accept wood grows again / quickly accept wood can be replanted accept doesn't use fossil fuels accept a description cheaper / saves money is insufficient	2
1(e)	2 550 000 joules /J	$E = m \times c \times \theta$ allow **1** mark for correct substitution ie 100 × 510 x 50 provided no subsequent step shown answers of 1 020 000, 3 570 000 gain **1** mark accept kJ / MJ do **not** accept j for full credit the unit and numerical answer must be consistent	2 1
Total			**10**

4.6.3.1 Emission and absorption of infrared radiation

Answer 27 · Mark scheme

June 2012 | PH1HP | Original Q1 | Legacy

PH1HP

4.6.3.1 Emission and absorption of infrared radiation

Answer 28 · Mark scheme

June 2013 | PH1HP | Original Q7 | Legacy

Question 7

question	answers	extra information	mark
7(a)	10^{-15} metres to 10^{4} metres		1
7(b)(i)	any **one** from: • (TV / video / DVD) remote controls • (short range) data transmission • optical fibre (signals)	mobile phones is insufficient accept specific example, eg linking computer peripherals do **not** accept Bluetooth	1
7(b)(ii)	0.17	an answer 17 cm gains **3** marks an answer given to more than 2 significant figures that rounds to 0.17 gains **2** marks allow **1** mark for correct substitution, ie $3 \times 10^{8} = 1.8 \times 10^{9} \times \lambda$	3
7(c)	(maybe) other factors involved	accept a named 'sensible' factor, eg higher stress / sedentary lifestyle / overweight / smoking more / diet / hot office / age not testing enough people is insufficient unreliable data is insufficient	1
Total			**6**

4.6.3.1 Emission and absorption of infrared radiation

Answer 28 · Mark scheme June 2013 | PH1HP | Original Q7 | Legacy

PH1HP

Answer 29 · Mark scheme June 2016 | PH1HP | Original Q3 | Legacy

The full source mark scheme begins on page 67. Follow original question 3 in that document.

Answer 30 · Mark scheme June 2016 | PH1HP | Original Q4 | Legacy

The full source mark scheme begins on page 67. Follow original question 4 in that document.

4.6.3.1 Emission and absorption of infrared radiation

Answer 31 · Mark scheme June 2016 | PH2HP | Original Q6 | Legacy

Question	Answers	Extra information	Mark	AO / Spec. Ref.
6(a)(i)	(enough) dust and gas (from space) is pulled together by: gravitational attraction **or** gravitational forces **or** gravity	accept nebula for dust and gas accept hydrogen for gas accept gas on its own dust on its own is insufficient mention of air negates this mark ignore any (correct) stages beyond this	1 1	AO1 2.6.2c
6(a)(ii)	joining of two (atomic) nuclei (to form a larger one)	do not accept atoms for nuclei	1	AO1 2.6.2a
6(a)(iii)	more sensitive astronomical instruments / telescopes **or** infrared telescopes developed	accept better technology more knowledge is insufficient	1	AO3 2.6
6(b)(i)	(other) planets / solar systems	do not accept galaxy moons is insufficient	1	AO3 2.6
6(b)(ii)	provided evidence to support theory	accept proves the theory	1	AO1 2.6
6(c)	elements heavier than iron are formed only when a (massive) star explodes	accept materials for elements accept supernova for star explodes accept stars can only fuse elements up to (and including) iron	1	AO1 2.6.2f
Total			**7**	

4.6.3.1 Emission and absorption of infrared radiation

Answer 31 · Mark scheme

June 2016 | PH2HP | Original Q6 | Legacy



4.6.3.1 Emission and absorption of infrared radiation

Answer 32 · Mark scheme June 2018 | 8463/2H | Original Q7

Question	Answers	Extra information	Mark	AO / Spec. Ref.
07.1	any **one** from: • too few turns / coils on the secondary • p.d. across the primary was reduced	allow number of turns / coils on the primary was increased ignore human error	1	AO3 4.7.3.4
07.2	the p.d. (across the secondary) goes above 2V	allow p.d. across secondary is higher than p.d. across primary after 20 turns	1	AO3 4.7.3.4
07.3	it increases (until the nails reach a constant temperature)		1	AO1 4.6.3.1

4.6.3.1 Emission and absorption of infrared radiation

Answer 32 · Mark scheme

Question	Answers	Extra information	Mark	AO / Spec. Ref.
07.4		an answer of 1.2 (A) scores **5** marks		AO2 4.7.3.4
	$\frac{640}{4} = \frac{V_p}{1.75}$		1	
	$V_p = \frac{640 \times 1.75}{4}$		1	
	$V_p = 280$ (V)		1	
	$280 \times I_p = 336$	allow their calculated $V_p \times I_p = 336$	1	
	$I_p = 1.2$ (A)	allow an answer that is consistent with their calculated value of V_p	1	
	or			
	$336 = I_s \times 1.75$ (1)			
	$I_s = \frac{336}{1.75}$ (1)			
	$I_s = 192$ (A) (1)			
	$I_p = 192 \times \frac{4}{640}$ (1)	allow I_p= their calculated $I_s \times \frac{4}{640}$		
	$I_p = 1.2$ (A) (1)	allow an answer that is consistent with their calculated value of I_s		
Total			**8**	

4.6.3.1 Emission and absorption of infrared radiation

Answer 32 · Mark scheme

June 2018 | 8463/2H | Original Q7



4.6.3.1 Emission and absorption of infrared radiation

Answer 33 · Mark scheme

June 2019 | 8463/2H | Original Q7

Question 7

Question	Answers	Extra information	Mark	AO / Spec. Ref.
7.1	The frequency increases and the wave speed in air stays the same		1	AO1/1 4.6.2.1 iso
7.2	pass through soft tissue (but) absorbed by bone	allow penetrate for pass through allow skin/muscle/etc… for soft tissue pass through tissue is insufficient allow do not pass through bone do not accept reflected by bone	1 1	AO1/1 4.6.2.4
7.3	accept a sensible practical suggestion eg • complete the investigation standing up • use (slightly) cooler water • do not touch the hot cube	do not accept use cold water pour water in carefully is insufficient ignore wear safety goggles or gloves	1	AO2/2 4.6.2.2 WS2.4
7.4	distance between each side (of the cube) and the (infrared) detector	allow distance between cube and detector	1	AO1/2 4.6.2.2 WS2.2
7.5	measurements (for each surface) have not been repeated (to show that they cluster closely)	do not accept any answer for measurement should be repeated for any reason other than to show they cluster eg to show accuracy / average / anomalies would be wrong	1	AO3/3b 4.6.2.2 WS3.7
7.6	(the student) could not conclude that black surfaces always emit more (infrared) than a white surface (as) the reading for the matt white and shiny black would both be 66 (°C)	a (matt) white surface (appears to) emit(s) the same amount (of infrared) as a (shiny) black surface the conclusion is wrong is insufficient allow (as) the reading for the matt white and shiny black would be the same	1 1	AO3/1a/2b 4.6.2.2 WS2.2
7.7	0.0	allow 0 allow zero	1	AO1/1 4.6.3.1

4.6.3.1 Emission and absorption of infrared radiation

Answer 33 · Mark scheme June 2019 | 8463/2H | Original Q7

7.8	at night, more radiation is emitted from the Earth than absorbed from space cloud reflects radiation (towards the Earth) at A, (there is no cloud cover so) a larger proportion of radiation will be emitted into space	 allow solar radiation for radiation 	1 1 1	AO1/1 4.6.3.2
Total			**12**	

4.6.3.1 Emission and absorption of infrared radiation

Answer 34 · Mark scheme

November 2021 | 8463/2H | Original Q5

Question 5

Question	Answers	Extra information	Mark	AO / Spec. Ref.
05.1	any **one** from: • (sun) tan • energy efficient lamps	allow • (invisible) security coding • detecting forged bank notes • kill microbes • attract insects • sterilise (surgical) equipment • cause the body to produce vitamin D • increasing the growth rate of plants • water purification	1	AO1 4.6.2.4
05.2	3×10^{-7} m		1	AO1 4.6.2.1
05.3	$3.0 \times 10^{8} = \text{frequency} \times 3 \times 10^{-7}$ $\text{frequency} = \frac{3.0 \times 10^{8}}{3 \times 10^{-7}}$ frequency = 1×10^{15} (Hz)	allow ecf from question **05.2**	1 1 1	AO2 4.6.1.2
05.4	**Wave** / **Name** Wave E → Infrared Wave F → Visible light Wave G → X-rays all three lines correct for **1** mark		1	AO3 4.6.2.1

4.6.3.1 Emission and absorption of infrared radiation

Answer 34 · Mark scheme

05.5	in a transverse wave, the oscillations / vibrations are perpendicular to the direction of energy transfer in a longitudinal wave, the oscillations / vibrations are parallel to the direction of energy transfer	allow direction of wave travel for direction of energy transfer	1 1	AO1 4.6.1.1

Total			**8**

4.6.3.1 Emission and absorption of infrared radiation

Answer 35 · Mark scheme

June 2023 | 8463/2H | Original Q1

Question 1

Question	Answers	Extra information	Mark	AO / Spec. Ref.
01.1	perpendicular		1	AO1 4.6.1.1

Question	Answers	Mark	AO / Spec. Ref.
01.2	**Level 3:** The method would lead to the production of a valid outcome. The key steps are identified and logically sequenced.	5-6	AO3
	Level 2: The method would not necessarily lead to a valid outcome. Most steps are identified, but the method is not fully logically sequenced.	3-4	AO1
	Level 1: The method would not lead to a valid outcome. Some relevant steps are identified, but links are not made clear.	1-2	AO1
	No relevant content	0	
	Indicative content **Method:** • heat the water / kettle • add an equal volume of (hot) water to each flask • insert a thermometer into each flask • record the initial temperature from both flasks OR • place an IR detector near each flask • the distance between the IR detector and the flask should be the same each time • record initial reading from IR detectors • (and) start a stop clock • record the temperatures / readings after 10 minutes from both flasks • calculate the change in temperatures / readings during the 10 minutes • compare the results to test the hypothesis to access level 3 the method must allow the correct consideration of a temperature decrease for both flasks or the correct comparison of IR detected from both flasks		4.6.2.2

4.6.3.1 Emission and absorption of infrared radiation

Answer 35 · Mark scheme

Question	Answers	Extra information	Mark	AO / Spec. Ref.
01.3	during the 1st minute there is the greatest temperature difference (between the hot water and the surroundings)	 allow highest temperature or hottest MP 2 dependent on scoring MP 1	1 1	AO2 AO1 4.6.3.1

Question	Answers	Extra information	Mark	AO / Spec. Ref.
01.4	the temperature (increase / change after 10 minutes)	allow the final temperature do not allow temperature decrease	1	AO1 4.6.2.2

Question	Answers	Extra information	Mark	AO / Spec. Ref.
01.5	black surfaces absorb more (infrared than white surfaces) matt surfaces absorb more (infrared) than shiny surfaces of the same colour	allow black surfaces have a greater temperature increase (than white surfaces) allow matt surfaces have a greater temperature increase than shiny surfaces of the same colour if no other marks scored, allow 1 mark for matt black surface is the best absorber and shiny white surface is the worst absorber if no other marks scored, allow 1 mark for matt black has the greatest temperature increase and shiny white has the smallest temperature increase	1 1	AO3 4.6.2.2 4.6.3.1

4.6.3.1 Emission and absorption of infrared radiation

Answer 35 · Mark scheme

Question	Answers	Extra information	Mark	AO / Spec. Ref.
01.6	pressure = $\frac{\text{force}}{\text{area}}$		1	AO1 4.5.5.1.1

Question	Answers	Extra information	Mark	AO / Spec. Ref.
01.7	area of base = 0.0144 (m^2)	do not allow this or subsequent marks unless base area is used	1	AO2 4.5.5.1.1
	$1500 = \frac{F}{0.0144}$	this mark may be awarded if base area is incorrectly calculated	1	
	$F = 1500 \times 0.0144$	this mark may be awarded if base area is incorrectly calculated	1	
	$F = 21.6$ (N)	this mark may be awarded if base area is incorrectly calculated allow 22 (N)	1	

Total Question 1	17

GCSE 2004
June Series

ASSESSMENT and QUALIFICATIONS ALLIANCE

Mark Scheme

Physics Specification B
3451/F

Mark schemes are prepared by the Principal Examiner and considered, together with the relevant questions, by a panel of subject teachers. This mark scheme includes any amendments made at the standardisation meeting attended by all examiners and is the scheme which was used by them in this examination. The standardisation meeting ensures that the mark scheme covers the candidates' responses to questions and that every examiner understands and applies it in the same correct way. As preparation for the standardisation meeting each examiner analyses a number of candidates' scripts: alternative answers not already covered by the mark scheme are discussed at the meeting and legislated for. If, after this meeting, examiners encounter unusual answers which have not been discussed at the meeting they are required to refer these to the Principal Examiner.

It must be stressed that a mark scheme is a working document, in many cases further developed and expanded on the basis of candidates' reactions to a particular paper. Assumptions about future mark schemes on the basis of one year's document should be avoided; whilst the guiding principles of assessment remain constant, details will change, depending on the content of a particular examination paper.

Copyright © 2004 AQA and its licensors

4.6.3.1 Emission and absorption of infrared radiation

Further copies of this Mark Scheme are available from:

Publications Department, Aldon House, 39, Heald Grove, Rusholme, Manchester, M14 4NA
Tel: 0161 953 1170

or

download from the AQA website: www.aqa.org.uk

Copyright © 2004 AQA and its licensors

COPYRIGHT
AQA retains the copyright on all its publications. However, registered centres for AQA are permitted to copy material from this booklet for their own internal use, with the following important exception: AQA cannot give permission to centres to photocopy any material that is acknowledged to a third party even for internal use within the centre.

Set and published by the Assessment and Qualifications Alliance.

The Assessment and Qualifications Alliance (AQA) is a company limited by guarantee registered in England and Wales 3644723 and a registered charity number 1073334. Registered address AQA, Devas Street, Manchester. M15 6EX. *Dr Michael Cresswell Director General*

4.6.3.1 Emission and absorption of infrared radiation

GCSE PHYSICS

INFORMATION FOR EXAMINERS

1. General

The mark scheme for each question shows:

- the marks available for each part of the question;
- the total marks available for the question;
- the typical answer or answers which are expected;
- extra information to help the Examiner make his or her judgement and help to delineate what is acceptable or not worthy of credit or, in discursive answers, to give an overview of the area in which a mark or marks may be awarded.

The extra information is aligned to the appropriate answer in the left-hand part of the mark scheme and should only be applied to that item in the mark scheme.

At the beginning of a part of a question a reminder may be given, for example:
where consequential marking needs to be considered in a calculation;
or the answer may be on the diagram or at a different place on the script.

In general the right hand side of the mark scheme is there to provide those extra details which confuse the main part of the mark scheme yet may be helpful in ensuring that marking is straightforward and consistent.

2. Emboldening

2.1 In a list of acceptable answers where more than one mark is available 'any **two** from' is used, with the number of marks emboldened. Each of the following lines is a potential mark.

2.2 A bold **and** is used to indicate that both parts of the answer are required to award the mark.

2.3 Alternative answers acceptable for a mark are indicated by the use of **or**. (Different terms in the mark scheme are shown by a / ; e.g. allow smooth / free movement.)

3. Marking points

3.1 Marking of Quality of Written Communication

Where *Quality of written communication* appears in the mark scheme, one mark is to be awarded for either of the following points:

- Using correct scientific terms
- Correct sequencing or linking of ideas or points

The mark scheme will specify which of the points is to be awarded in a particular question. A QoWC mark can be awarded for a scientific answer, even if it is not accurate. It cannot be awarded for a nonsensical or non-scientific answer.
On the script, the QoWC tick should be identified by a 'q' written next to it.

3.2 Marking of lists

This applies to questions requiring a set number of responses, but for which candidates have provided extra responses. The general principle to be followed in such a situation is that 'right + wrong = wrong'.

Copyright © 2004 AQA and its licensors

Each error/contradiction negates each correct response. So, if the number of error/contradictions equals or exceeds the number of marks available for the question, no marks can be awarded.

However, responses considered to be neutral (indicated as * in example 1) are not penalised.

Example 1: What is the pH of an acidic solution? (1 mark)

Candidate	Response	Marks awarded
1	4,8	0
2	green, 5	0
3	red*, 5	1
4	red*, 8	0

Example 2: Name two planets in the solar system. (2 marks)

Candidate	Response	Marks awarded
1	Pluto, Mars, Moon	1
2	Pluto, Sun, Mars, Moon	0

3.3 Use of chemical symbols/formulae

If a candidate writes a chemical symbol/formula instead of a required chemical name, full credit can be given if the symbol/formula is correct and if, in the context of the question, such action is appropriate.

3.4 The marking of quantitative relationships

Full credit can be given for a correct quantitative relationship expressed in:

- named units;
- physical quantities;
- standard symbols;
- a combination of physical quantities and units.

No credit can be given for any quantitative relationship expressed in terms of:

- a combination of physical quantities, units and symbols;
- a diagram, e.g. the ohm's law triangle, unless the rest of the answer shows clearly that the candidate understands the relationships involved.

3.5 Marking procedure for calculations

3.5.1 Full marks can be given for a correct numerical answer, as shown in the column 'answers', without any working shown.
However:

- if the answer is incorrect, mark(s) can be gained by correct substitution/working and this is shown in the 'extra information' column;
- if the answer is correct, but an incorrect relationship is written in the working, then no marks can be awarded (see 3.5.2).

3.5.2 Where calculations are based on incorrectly recalled relationships, neither the incorrectly recalled relationship, nor the resulting calculation based on the incorrect relationship, will be credited.

3.6 Interpretation of 'it'

Answers using the word 'it' should be given credit only if it is clear that the 'it' refers to the correct subject.

Copyright © 2004 AQA and its licensors

4.6.3.1 Emission and absorption of infrared radiation

3.7 Errors carried forward

There should be no error carried forward from a previous answer which has been based on wrong science. Any error in the answers to a structured question should be penalised once only.

Examples

(a) A candidate who calculates average speed using speed = time/distance **and** then proceeds to use this incorrect answer to calculate an acceleration based on the correct quantitative relationship should be given credit for the use of the correct acceleration relationship but none for either numerical answer.

(b) A candidate who incorrectly calculates average speed using speed = distance/time and then proceeds to use this incorrect value to calculate an acceleration based on the correct quantitative relationship, should be given credit for the use of both correct quantitative relationships **and** for the correct substitution and use of the incorrect value in the calculation of the rate of acceleration.

Papers should be constructed in such a way that the number of times errors can be carried forward are kept to a minimum. Allowances for errors carried forward are most likely to be restricted to calculation questions and should be shown by the abbreviation e.c.f. in the marking scheme.

3.8 Phonetic spelling

The phonetic spelling of correct scientific terminology should be credited **unless** there is a possible confusion with another technical term.

3.9 Brackets

(…..) is used to indicate information which is not essential for the mark to be awarded but is included to help the examiner identify the sense of the answer required.

3.10 Interpretation of marginal points

There will be times when the answer is almost, but not quite, correct. Some examiners would award a mark while others would not. In any one script, an attempt should be made to balance these nearly correct answers by giving the mark on some occasions but not on others. If this is not done, the marking would end up being too lenient or too harsh.

3.11 Unexpected Correct Answers not in the Mark Scheme

The Examiner should use professional judgement to award credit where a candidate has given an unexpected correct answer which is not covered by the mark scheme. The Examiner should consult with the Team Leader to confirm the judgement. The Team Leader should pass this answer on to the Principal Examiner with a view to informing all examiners.

Copyright © 2004 AQA and its licensors

4.6.3.1 Emission and absorption of infrared radiation

GCSE Physics
Foundation Tier 3451/F

3451F Q1

question	answers	extra information	mark
(a)	comet	correct order only	1
	elliptical		1
	Milky Way		1
	Universe		1
(b)(i)	D A C B	allow **2** marks for two letters in the correct place allow **1** mark for one letter in the correct place	3
(ii)	A		1
total			8

Copyright © 2004 AQA and its licensors

4.6.3.1 Emission and absorption of infrared radiation

3451F Q2

question	answers	extra information	mark
(a)	95		1
(b)	alpha	accept correct symbol	1
(c)	any **two** from: • radiation is outside the body • radiation will not reach (living) cells • radiation absorbed by the air	 accept detector is on ceiling or high up the wall accept radiation cannot pass through the body / skin accept cannot pass through the plastic casing do **not** accept because it is alpha radiation – unless qualified do **not** accept does not give off harmful substance do **not** accept cannot pass through building materials etc.	2
(d)	less (than)		1
total			5

Copyright © 2004 AQA and its licensors

4.6.3.1 Emission and absorption of infrared radiation

3451F Q3

question	answers	extra information	mark
(a)	generator	accept dynamo accept alternator	1
(b)(i)	1400	ignore units	1
(ii)	0.3 or 30%	any incorrect unit penalise **1** mark allow **1** mark for the correct use of 600 **or** 0.3% **or** 30	2
(c)	**1** mark for each correct link 	if more than 3 lines are drawn, mark only 3 lines starting with those that are incorrect	3
(d)(i)	110	no tolerance	1
(ii)	12	no tolerance	1
(iii)	wind speed may be too low to operate the generator	accept wind may not always blow accept power depends on wind speed accept does not generate if wind speed is too high accept does not generate if wind speed is above 12 (m/s) accept does not generate if wind speed is below 1.6 (m/s) accept it is unreliable do **not** accept answers referring to cost only	1
total			10

Copyright © 2004 AQA and its licensors

4.6.3.1 Emission and absorption of infrared radiation

3451F Q4

question	answers	extra information	mark
(a)	B E A D	allow **1** mark for each letter in the correct place, to a maximum of **3** marks	3
(b)	(a spark) may cause the (petrol vapour) to explode / ignite connect tanker to earth with a (conducting) wire / chain **or** earth the tanker	accept petrol for (petrol vapour) accept catch fire for explode accept ground for earth	1 1
(c)	**Quality of written communication** any **two** from: • when current greater than fuse rating / value • fuse (becomes hot and) melts / burns out • circuit is broken	for a logical sequence accept when current too great for appliance do **not** accept 'if there is too much current' do **not** accept voltage or electricity accept fuse blows / breaks accept circuit switched off this cannot score credit on its own	1 2
total			8

Copyright © 2004 AQA and its licensors

4.6.3.1 Emission and absorption of infrared radiation

3451F Q5

question	answers	extra information	mark
(a)(i)	crust		1
(ii)	inner core is <u>solid</u> outer core is liquid	do **not** accept just rock inner core is denser / hotter than outer core gets **2** marks accept one is solid and one is liquid for **1** mark accept they are different densities for **1** mark wrong way round = **0** marks	1 1
(b)	seismograph		1
(c)	difficult to measure (slow) movement (1) of plates (1) dependent mark **or** difficult to measure friction / forces (1) between plates (1) dependent mark		1 1
(d)	geothermal		1
(e)(i)	5000		1
(ii)	2500		1
total			9

Copyright © 2004 AQA and its licensors

4.6.3.1 Emission and absorption of infrared radiation

3451F Q6

	answers	extra information	mark
(a)	converging image object image object shorter		1 1 1 1 1 1
(b)(i)	(Earth's) gravity	accept centripetal accept minor misspellings, however, do **not** credit any response which could be 'centrifugal'	1
(ii)	to(wards) (the centre of the) Earth	allow inwards do **not** accept downwards	1
(c)(i)	**either** friction (force) **or** centripetal force between the tyres / wheels and (the surface of) the road	 allow grip allow on the tyres / wheels **or** towards the centre of the bend / arc / circle	 1 1
(ii)	mass **or** speed **or** momentum radius / diameter	allow weight allow velocity do **not** credit 'curvature' or 'circumference'	1 1
(d)	centripetal	accept minor misspellings (see above)	1
total			13

Copyright © 2004 AQA and its licensors

4.6.3.1 Emission and absorption of infrared radiation

3451F Q7

	answers	extra information	mark
(a)(i)	two switches in series **and** circuit complete	ignore small imperfections	1
(ii)	two switches in parallel **and** circuit complete	ignore small imperfections	1
(iii)	one switch in parallel with the cell / lamp (but **not** both)	ignore small imperfections	1
(iv)	(i) AND (ii) OR (iii) NOT	accept 'and' accept 'or' accept 'not'	1 1 1
(b)(i)	when it is light the sensor sends on / high / 1 signal to the gate off / low / 0 sent to the lamp **or** when it is dark the sensor sends off / low / 0 signal to the gate (1) on / high / 1 sent to the lamp (1)		1 1
(ii)	any suitable application	e.g. to switch a security light on (and off) e.g. to switch a light on when it is dark do **not** credit just '… to switch a light on / off'	1
(c)(i)		accept shading-in of either or both parts end connections are not required accept any orientation	1
(ii)	1 0 **or** 0 1 0 1 1 0	all correct	1
(iii)	truth (table)		1
total			12

Copyright © 2004 AQA and its licensors

4.6.3.1 Emission and absorption of infrared radiation

3451F Q8

question	answers	extra information	mark
(a)	60		1
(b)	$5\frac{1}{2}$ hours	must include unit	1
(c)	30		1
(d)	30 minutes or $\frac{1}{2}$ hour	must include unit	1
(e)	D **and** E least steep part of the graph	accept finish for E accept correct numbers from axes with units accept covers smallest distance in a set time accept only moves 5 km in $1\frac{1}{2}$ hours (accept anything between 5 and 6) ignore horse is tired	1 1
total			6

Copyright © 2004 AQA and its licensors

4.6.3.1 Emission and absorption of infrared radiation

3451F Q9

question	answers	extra information	mark
(a)(i)	any **one** from: • (doctors) to see inside a patients body **or** endoscope • telephone cables • optical fibre / fibre optic lamps **or** (artificial) Christmas trees • data transfer **or** internet connection	 accept keyhole surgery do **not** accept flex **or** wires for cable accept decorative / ornamental lighting accept any feasible practical suggestion for taking light to a difficult to access place do **not** accept lighting unqualified do **not** accept lamp unqualified do **not** accept communications unless clarified	1
(ii)	(incident) ray angle greater than critical angle total internal reflection occurs	either order accept (incident) ray greater than 42° accept TIR do **not** accept just description of TIR	1 1
(b)(i)	waves shown diffracting in the correct direction 	ignore wavelength	1
(ii)	diffraction	accept diffract / diffracted	1
total			5

Copyright © 2004 AQA and its licensors

4.6.3.1 Emission and absorption of infrared radiation

3451F Q10

question	answers	extra information	mark
(a)	all symbols correct	 accept push switch symbol switch may be open or closed any lines through symbols = **0** marks	1
	correct circuit drawn voltmeter must be across resistor only	polarity of cells not relevant provided they are joined correctly two cells are required in the diagram ignore the order of the components allow small gaps in circuit omission of any component = **0** marks	1
(b)(i)	potential difference = current × resistance	accept voltage or p.d. for potential difference accept $V = I \times R$ accept  provided subsequent use correct do **not** accept C for current	1
(ii)	2	allow **1** mark for correct substitution wrong working loses both marks	2
(iii)	straight line drawn <u>through the origin</u> straight line passes through $I = 0.4, V =$ their (b)(ii) / 2 **and** 0.0	judge by eye this mark may be awarded if all points shown including these points are correct even if no line is drawn N.B. a curve scores **0** marks	1 1 dep
(c)	temperature <u>increases</u>	accept filament lamp / it gets <u>hotter</u> allow heat for temperature	1
total			8

Copyright © 2004 AQA and its licensors

4.6.3.1 Emission and absorption of infrared radiation

3451F Q11

question	answers	extra information	mark
(a)(i)	gamma rays	accept gamma accept correct symbol	1
(ii)	infra red	accept IR	1
(b)	ultraviolet <u>absorbed</u> by ink (energy) given out as light	 accept glows / luminous accept for **both** marks the ink is fluorescent do **not** accept answers in terms of uv being reflected	1 1
(c)	any **two** from: • UV can damage / kill / ionise / alter (normal) cells • change DNA structure **or** mutate • (normal) cells may become cancerous	 do **not** accept attacks cells **or** burns skin accept may cause (skin) cancer accept abnormal cell multiplication	2
(d)(i)	microwaves **and** infra red	both answers needed in either order do **not** accept heat for IR	1
(ii)	0.9	 allow **1** mark for the <u>correct</u> use of 1.8 (kW) ($1.8 \times \frac{1}{2}$ or 1.8×30) i.e. adding the correct 2 power values	2
total			9

Copyright © 2004 AQA and its licensors

4.6.3.1 Emission and absorption of infrared radiation

3451F Q12

question	answers	extra information	mark
(a)(i)	accelerating	accept getting faster accept speed / velocity increasing	1
(ii)	acceleration <u>increases</u>	accept velocity / speed increases <u>more</u> rapidly do **not** accept velocity / speed increases	1
(b)(i)	$\text{acceleration} = \frac{\text{change in velocity}}{\text{time (taken)}}$	accept $a = \frac{v - u}{t}$ **or** $a = \frac{v_1 - v_2}{t}$ do **not** accept velocity for change in velocity do **not** accept change in speed do **not** accept $a = \frac{v}{t}$	1
(ii)	15	allow **1** mark for an answer of 900 **or** for <u>correct</u> use of 540 seconds	2
(iii)	velocity includes direction	accept velocity is a vector (quantity) accept converse answer	1
(c)	force of gravity (between <u>shuttle</u> and Earth) plus correct orbital speed (makes <u>shuttle</u> move in a curve)	accept gravitational pull if used correctly accept forward motion **or** constant speed for orbital speed accept it is travelling fast enough accept for **2** marks the force of gravity provides the <u>centripetal</u> force	1 1
(d)	black is a good emitter of radiation **or** to limit the temperature rise inside the shuttle	accept heat for radiation accept the tiles are good insulation do **not** accept black absorbs heat on its own do **not** accept tiles are heat proof	1
total			9

Copyright © 2004 AQA and its licensors

4.6.3.1 Emission and absorption of infrared radiation

3451F Q13

question	answers	extra information	mark
(a)(i)	work (done) = force (applied) × distance (moved)	accept W = F × s or W = F × d accept  provided subsequent method is correct	1
(ii)	240 000 joules	allow **1** mark for correct substitution **or** correct use of 1200 (N) accept J do **not** accept j / Nm	2 1
(b)	800 (watts)	accept 0.8 kW accept their (a)(ii) ÷ 300 correctly evaluated for **2** marks allow **1** mark for correct substitution (a)(ii) ÷ 5 correctly evaluated for **1** mark	2
(c)(i)	any **one** from: • needs to raise the chair / lift • lifting more than one chair • energy transfer to the surroundings correctly qualified	 allow lifting more than 2 people implication of a heavier weight accept loss for transfer do **not** accept motor inefficient do **not** accept motor gets hot do **not** accept friction unless the location is specified as external to the motor	1
(ii)	electrical potential	accept electric **both** answers required for the mark	1
total			8

Copyright © 2004 AQA and its licensors

4.6.3.1 Emission and absorption of infrared radiation

3451F Q14

	answers	extra information	mark
(a)(i)	current		1
(ii)	resistance decreases	 accept 'the flow of electrons / current (through it) increases' for **1** mark do **not** credit just '… it will get warmer'	1 1
(b)		all pairs correct one pair correct for **1** mark	2
(c)(i)	potential divider	accept voltage divider	1
(ii)	4 (volts)	$6 \times \frac{30}{45}$ for **1** mark	2
(iii)	across the new resistor…(will) increase across R_2 … (will) decrease	 N.B. independent marks	1 1
total			10

Copyright © 2004 AQA and its licensors

4.6.3.1 Emission and absorption of infrared radiation

3451F Q15

	answers	extra information	mark
(a)	relay (normally open) (switch)	each mark is independent	1
	… switch on a (larger) current (in another circuit) **or** switch on a higher voltage circuit	do **not** accept switch on another circuit **or** smaller / equal current	1
	light emitting diode / LED	do **not** credit LDR	1
	… in one / direct / certain direction **or** from left to right	**or** when the cathode is connected to the negative terminal / side **or** when the left-hand side is connected to the positive terminal / side do **not** credit just '… is big enough' do **not** accept 'positive direction'	1
	AND gate	accept 'and' gate	1
	… (both) inputs are on / high / 1 **or** current flows in both inputs	do **not** accept numerical values unless expanded	1
(b)	**Quality of written communication**	If in a sensible order which clearly indicates advantages or disadvantages, including answers in the form of a table **or** as bullet points Q ✓ Q X	1
	any **three** from: • advantage of mobile phones • drawback of mobile phones • benefit of the Internet • drawback of the Internet	 e.g. more convenient for service engineers e.g. calls can be received away from base e.g. privacy can be more easily invaded e.g. drivers can be distracted e.g. microwaves / radio waves can / may cause damage to the brain e.g. access to educational material e.g. some material is salacious e.g. spam (on external e-mail) these are examples candidates may be credited for a variety of responses	3
total			10

Copyright © 2004 AQA and its licensors

4.6.3.1 Emission and absorption of infrared radiation

3451F Q16

question	answers	extra information	mark
(a)	**Y** and **Z** they have the same number of protons **or** same atomic number	 accept they have the same number of electrons **or** same number of protons **and** electrons allow only different in number of neutrons N.B. independent marks	1 1
(b)	**Quality of written communication** A – alpha particle passes straight through the empty space of the atom **or** it is a long way from the nucleus B – alpha particle <u>deflected</u> / <u>repelled</u> / <u>repulsed</u> by the (positive) <u>nucleus</u> C – alpha particle heading straight for the <u>nucleus</u> is <u>deflected</u> / <u>repelled</u> / <u>repulsed</u> backwards	for correct use of terms underlined in B **or** C Q ✓ Q X describes 3 tracks correctly for **2** marks describes 2 or 1 track correctly for **1** mark do **not** accept hits the nucleus do **not** accept answers referring to refraction do **not** accept answers in terms of reflected backwards unless qualified in terms of repulsion mention of difference in charge on nucleus negates that track	1 max 2
total			5

Copyright © 2004 AQA and its licensors

GCSE 2004
June Series

ASSESSMENT and QUALIFICATIONS ALLIANCE

Mark Scheme

Science: Double Award

Specification B (Co-ordinated)

3462/3F

Mark schemes are prepared by the Principal Examiner and considered, together with the relevant questions, by a panel of subject teachers. This mark scheme includes any amendments made at the standardisation meeting attended by all examiners and is the scheme which was used by them in this examination. The standardisation meeting ensures that the mark scheme covers the candidates' responses to questions and that every examiner understands and applies it in the same correct way. As preparation for the standardisation meeting each examiner analyses a number of candidates' scripts: alternative answers not already covered by the mark scheme are discussed at the meeting and legislated for. If, after this meeting, examiners encounter unusual answers which have not been discussed at the meeting they are required to refer these to the Principal Examiner.

It must be stressed that a mark scheme is a working document, in many cases further developed and expanded on the basis of candidates' reactions to a particular paper. Assumptions about future mark schemes on the basis of one year's document should be avoided; whilst the guiding principles of assessment remain constant, details will change, depending on the content of a particular examination paper.

Copyright © 2004 AQA and its licensors

4.6.3.1 Emission and absorption of infrared radiation

Further copies of this Mark Scheme are available from:

Publications Department, Aldon House, 39, Heald Grove, Rusholme, Manchester, M14 4NA
Tel: 0161 953 1170

or

download from the AQA website: www.aqa.org.uk

Copyright © 2004 AQA and its licensors

COPYRIGHT
AQA retains the copyright on all its publications. However, registered centres for AQA are permitted to copy material from this booklet for their own internal use, with the following important exception: AQA cannot give permission to centres to photocopy any material that is acknowledged to a third party even for internal use within the centre.

Set and published by the Assessment and Qualifications Alliance.

The Assessment and Qualifications Alliance (AQA) is a company limited by guarantee registered in England and Wales 3644723 and a registered charity number 1073334. Registered address AQA, Devas Street, Manchester. M15 6EX. *Dr Michael Cresswell Director General*

4.6.3.1 Emission and absorption of infrared radiation

SCIENCE: DOUBLE AWARD CO-ORDINATED

INFORMATION FOR EXAMINERS

1. General

The mark scheme for each question shows:

- the marks available for each part of the question;
- the total marks available for the question;
- the typical answer or answers which are expected;
- extra information to help the Examiner make his or her judgement and help to delineate what is acceptable or not worthy of credit or, in discursive answers, to give an overview of the area in which a mark or marks may be awarded.

The extra information is aligned to the appropriate answer in the left-hand part of the mark scheme and should only be applied to that item in the mark scheme.

At the beginning of a part of a question a reminder may be given, for example:
where consequential marking needs to be considered in a calculation;
or the answer may be on the diagram or at a different place on the script.

In general the right hand side of the mark scheme is there to provide those extra details which confuse the main part of the mark scheme yet may be helpful in ensuring that marking is straightforward and consistent.

2. Emboldening

2.1 In a list of acceptable answers where more than one mark is available 'any **two** from' is used, with the number of marks emboldened. Each of the following lines is a potential mark.

2.2 A bold **and** is used to indicate that both parts of the answer are required to award the mark.

2.3 Alternative answers acceptable for a mark are indicated by the use of **or**. (Different terms in the mark scheme are shown by a / ; e.g. allow smooth / free movement.)

3. Marking points

3.1 Marking of Quality of Written Communication

Where *Quality of written communication* appears in the mark scheme, one mark is to be awarded for either of the following points:

- Using correct scientific terms
- Correct sequencing or linking of ideas or points

The mark scheme will specify which of the points is to be awarded in a particular question. A QoWC mark can be awarded for a scientific answer, even if it is not accurate. It cannot be awarded for a nonsensical or non-scientific answer.
On the script, the QoWC tick should be identified by a 'q' written next to it.

3.2 Marking of lists

This applies to questions requiring a set number of responses, but for which candidates have provided extra responses. The general principle to be followed in such a situation is that 'right + wrong = wrong'.

Copyright © 2004 AQA and its licensors

4.6.3.1 Emission and absorption of infrared radiation

Each error/contradiction negates each correct response. So, if the number of error/contradictions equals or exceeds the number of marks available for the question, no marks can be awarded.

However, responses considered to be neutral (indicated as * in example 1) are not penalised.

Example 1: What is the pH of an acidic solution? (1 mark)

Candidate	Response	Marks awarded
1	4,8	0
2	green, 5	0
3	red*, 5	1
4	red*, 8	0

Example 2: Name two planets in the solar system. (2 marks)

Candidate	Response	Marks awarded
1	Pluto, Mars, Moon	1
2	Pluto, Sun, Mars, Moon	0

3.3 Use of chemical symbols/formulae

If a candidate writes a chemical symbol/formula instead of a required chemical name, full credit can be given if the symbol/formula is correct and if, in the context of the question, such action is appropriate.

3.4 The marking of quantitative relationships

Full credit can be given for a correct quantitative relationship expressed in:

- named units;
- physical quantities;
- standard symbols;
- a combination of physical quantities and units.

No credit can be given for any quantitative relationship expressed in terms of:

- a combination of physical quantities, units and symbols;
- a diagram, e.g. the ohm's law triangle, unless the rest of the answer shows clearly that the candidate understands the relationships involved.

3.5 Marking procedure for calculations

3.5.1 Full marks can be given for a correct numerical answer, as shown in the column 'answers', without any working shown.
However:

- if the answer is incorrect, mark(s) can be gained by correct substitution/working and this is shown in the 'extra information' column;
- if the answer is correct, but an incorrect relationship is written in the working, then no marks can be awarded (see 3.5.2).

3.5.2 Where calculations are based on incorrectly recalled relationships, neither the incorrectly recalled relationship, nor the resulting calculation based on the incorrect relationship, will be credited.

3.6 Interpretation of 'it'

Answers using the word 'it' should be given credit only if it is clear that the 'it' refers to the correct subject.

Copyright © 2004 AQA and its licensors

4.6.3.1 Emission and absorption of infrared radiation

3.7 Errors carried forward

There should be no error carried forward from a previous answer which has been based on wrong science. Any error in the answers to a structured question should be penalised once only.

Examples

(a) A candidate who calculates average speed using speed = time/distance **and** then proceeds to use this incorrect answer to calculate an acceleration based on the correct quantitative relationship should be given credit for the use of the correct acceleration relationship but none for either numerical answer.

(b) A candidate who incorrectly calculates average speed using speed = distance/time and then proceeds to use this incorrect value to calculate an acceleration based on the correct quantitative relationship, should be given credit for the use of both correct quantitative relationships **and** for the correct substitution and use of the incorrect value in the calculation of the rate of acceleration.

Papers should be constructed in such a way that the number of times errors can be carried forward are kept to a minimum. Allowances for errors carried forward are most likely to be restricted to calculation questions and should be shown by the abbreviation e.c.f. in the marking scheme.

3.8 Phonetic spelling

The phonetic spelling of correct scientific terminology should be credited **unless** there is a possible confusion with another technical term.

3.9 Brackets

(…..) is used to indicate information which is not essential for the mark to be awarded but is included to help the examiner identify the sense of the answer required.

3.10 Interpretation of marginal points

There will be times when the answer is almost, but not quite, correct. Some examiners would award a mark while others would not. In any one script, an attempt should be made to balance these nearly correct answers by giving the mark on some occasions but not on others. If this is not done, the marking would end up being too lenient or too harsh.

3.11 Unexpected Correct Answers not in the Mark Scheme

The Examiner should use professional judgement to award credit where a candidate has given an unexpected correct answer which is not covered by the mark scheme. The Examiner should consult with the Team Leader to confirm the judgement. The Team Leader should pass this answer on to the Principal Examiner with a view to informing all examiners.

Copyright © 2004 AQA and its licensors

4.6.3.1 Emission and absorption of infrared radiation

Double Award
Foundation Tier 3462/3F

3462/3F Q1

question	answers	extra information	mark
(a)	comet	correct order only	1
	elliptical		1
	Milky Way		1
	Universe		1
(b)(i)	D A C B	allow **2** marks for two letters in the correct place allow **1** mark for one letter in the correct place	3
(ii)	A		1
total			8

Copyright © 2004 AQA and its licensors

4.6.3.1 Emission and absorption of infrared radiation

3462/3F Q2

question	answers	extra information	mark
(a)	95		1
(b)	alpha	accept correct symbol	1
(c)	any **two** from: • radiation is outside the body • radiation will not reach (living) cells • radiation absorbed by the air	 accept detector is on ceiling or high up the wall accept radiation cannot pass through the body / skin accept cannot pass through the plastic casing do **not** accept because it is alpha radiation – unless qualified do **not** accept does not give off harmful substance do **not** accept cannot pass through building materials etc.	2
(d)	less (than)		1
total			5

Copyright © 2004 AQA and its licensors

4.6.3.1 Emission and absorption of infrared radiation

3462/3F Q3

question	answers	extra information	mark
(a)	generator	accept dynamo accept alternator	1
(b)(i)	1400	ignore units	1
(ii)	0.3 or 30%	any incorrect unit penalise **1** mark allow **1** mark for the correct use of 600 **or** 0.3% **or** 30	2
(c)	**1** mark for each correct link 	if more than 3 lines are drawn, mark only 3 lines starting with those that are incorrect	3
(d)(i)	110	no tolerance	1
(ii)	12	no tolerance	1
(iii)	wind speed may be too low to operate the generator	accept wind may not always blow accept power depends on wind speed accept does not generate if wind speed is too high accept does not generate if wind speed is above 12 (m/s) accept does not generate if wind speed is below 1.6 (m/s) accept it is unreliable do **not** accept answers referring to cost only	1
total			10

Copyright © 2004 AQA and its licensors

4.6.3.1 Emission and absorption of infrared radiation

3462/3F Q4

question	answers	extra information	mark
(a)	B E A D	allow **1** mark for each letter in the correct place, to a maximum of **3** marks	3
(b)	(a spark) may cause the (petrol vapour) to explode / ignite	accept petrol for (petrol vapour) accept catch fire for explode	1
	connect tanker to earth with a (conducting) wire / chain **or** earth the tanker	accept ground for earth	1
(c)	**Quality of written communication**	for a logical sequence	1
	any **two** from:		2
	• when current greater than fuse rating / value	accept when current too great for appliance do **not** accept 'if there is too much current' do **not** accept voltage or electricity	
	• fuse (becomes hot and) melts / burns out	accept fuse blows / breaks	
	• circuit is broken	accept circuit switched off this cannot score credit on its own	
total			8

Copyright © 2004 AQA and its licensors

4.6.3.1 Emission and absorption of infrared radiation

3462/3F Q5

question	answers	extra information	mark
(a)(i)	crust		1
(ii)	inner core is <u>solid</u> outer core is liquid	do **not** accept just rock inner core is denser / hotter than outer core gets **2** marks accept one is solid and one is liquid for **1** mark accept they are different densities for **1** mark wrong way round = **0** marks	1 1
(b)	seismograph		1
(c)	difficult to measure (slow) movement (1) of plates (1) dependent mark **or** difficult to measure friction / forces (1) between plates (1) dependent mark		1 1
(d)	geothermal		1
(e)(i)	5000		1
(ii)	2500		1
total			9

Copyright © 2004 AQA and its licensors

4.6.3.1 Emission and absorption of infrared radiation

3462/3F Q6

question	answers	extra information	mark
(a)	60		1
(b)	$5\frac{1}{2}$ hours	must include unit	1
(c)	30		1
(d)	30 minutes or $\frac{1}{2}$ hour	must include unit	1
(e)	D **and** E least steep part of the graph	accept finish for E accept correct numbers from axes with units accept covers smallest distance in a set time accept only moves 5 km in $1\frac{1}{2}$ hours (accept anything between 5 and 6) ignore horse is tired	1 1
total			6

Copyright © 2004 AQA and its licensors

4.6.3.1 Emission and absorption of infrared radiation

3462/3F Q7

question	answers	extra information	mark
(a)(i)	any **one** from: • (doctors) to see inside a patients body **or** endoscope • telephone cables • optical fibre / fibre optic lamps **or** (artificial) Christmas trees • data transfer **or** internet connection	 accept keyhole surgery do **not** accept flex **or** wires for cable accept decorative / ornamental lighting accept any feasible practical suggestion for taking light to a difficult to access place do **not** accept lighting unqualified do **not** accept lamp unqualified do **not** accept communications unless clarified	1
(ii)	(incident) ray angle greater than critical angle total internal reflection occurs	either order accept (incident) ray greater than 42° accept TIR do **not** accept just description of TIR	1 1
(b)(i)	waves shown diffracting in the correct direction 	ignore wavelength	1
(ii)	diffraction	accept diffract / diffracted	1
total			5

Copyright © 2004 AQA and its licensors

4.6.3.1 Emission and absorption of infrared radiation

3462/3F Q8

question	answers	extra information	mark
(a)	all symbols correct	 accept push switch symbol switch may be open or closed any lines through symbols = **0** marks	1
	correct circuit drawn voltmeter must be across resistor only	polarity of cells not relevant provided they are joined correctly two cells are required in the diagram ignore the order of the components allow small gaps in circuit omission of any component = **0** marks	1
(b)(i)	potential difference = current × resistance	accept voltage or p.d. for potential difference accept $V = I \times R$ accept  provided subsequent use correct do **not** accept C for current	1
(ii)	2	 allow **1** mark for correct substitution wrong working loses both marks	2
(iii)	straight line drawn <u>through the origin</u> straight line passes through $I = 0.4, V =$ their (b)(ii) / 2 **and** 0.0	judge by eye this mark may be awarded if all points shown including these points are correct even if no line is drawn N.B. a curve scores **0** marks	1 1 dep
(c)	temperature <u>increases</u>	accept filament lamp / it gets <u>hotter</u> allow heat for temperature	1
total			8

Copyright © 2004 AQA and its licensors

4.6.3.1 Emission and absorption of infrared radiation

3462/3F Q9

question	answers	extra information	mark
(a)(i)	gamma rays	accept gamma accept correct symbol	1
(ii)	infra red	accept IR	1
(b)	ultraviolet absorbed by ink (energy) given out as light	 accept glows / luminous accept for **both** marks the ink is fluorescent do **not** accept answers in terms of uv being reflected	1 1
(c)	any **two** from: • UV can damage / kill / ionise / alter (normal) cells • change DNA structure **or** mutate • (normal) cells may become cancerous	 do **not** accept attacks cells **or** burns skin accept may cause (skin) cancer accept abnormal cell multiplication	2
(d)(i)	microwaves **and** infra red	both answers needed in either order do **not** accept heat for IR	1
(ii)	0.9	allow **1** mark for the correct use of 1.8 (kW) $(1.8 \times \frac{1}{2}$ or $1.8 \times 30)$ i.e. adding the correct 2 power values	2
total			9

Copyright © 2004 AQA and its licensors

4.6.3.1 Emission and absorption of infrared radiation

3462/3F Q10

question	answers	extra information	mark
(a)(i)	accelerating	accept getting faster accept speed / velocity increasing	1
(ii)	acceleration <u>increases</u>	accept velocity / speed increases <u>more</u> rapidly do **not** accept velocity / speed increases	1
(b)(i)	$\text{acceleration} = \frac{\text{change in velocity}}{\text{time (taken)}}$	accept $a = \frac{v - u}{t}$ **or** $a = \frac{v_1 - v_2}{t}$ do **not** accept velocity for change in velocity do **not** accept change in speed do **not** accept $a = \frac{v}{t}$	1
(ii)	15	allow **1** mark for an answer of 900 **or** for <u>correct</u> use of 540 seconds	2
(iii)	velocity includes direction	accept velocity is a vector (quantity) accept converse answer	1
(c)	force of gravity (between <u>shuttle</u> and Earth) plus correct orbital speed (makes <u>shuttle</u> move in a curve)	accept gravitational pull if used correctly accept forward motion **or** constant speed for orbital speed accept it is travelling fast enough accept for **2** marks the force of gravity provides the <u>centripetal</u> force	1 1
(d)	black is a good emitter of radiation **or** to limit the temperature rise inside the shuttle	accept heat for radiation accept the tiles are good insulation do **not** accept black absorbs heat on its own do **not** accept tiles are heat proof	1
total			9

Copyright © 2004 AQA and its licensors

4.6.3.1 Emission and absorption of infrared radiation

3462/3F Q11

question	answers	extra information	mark
(a)(i)	work (done) = force (applied) × distance (moved)	accept W = F × s or W = F × d accept  provided subsequent method is correct	1
(ii)	240 000 joules	allow **1** mark for correct substitution **or** correct use of 1200 (N) accept J do **not** accept j / Nm	2 1
(b)	800 (watts)	accept 0.8 kW accept their (a)(ii) ÷ 300 correctly evaluated for **2** marks allow **1** mark for correct substitution (a)(ii) ÷ 5 correctly evaluated for **1** mark	2
(c)(i)	any **one** from: • needs to raise the chair / lift • lifting more than one chair • energy transfer to the surroundings correctly qualified	 allow lifting more than 2 people implication of a heavier weight accept loss for transfer do **not** accept motor inefficient do **not** accept motor gets hot do **not** accept friction unless the location is specified as external to the motor	1
(ii)	electrical potential	accept electric **both** answers required for the mark	1
total			8

Copyright © 2004 AQA and its licensors

4.6.3.1 Emission and absorption of infrared radiation

3462/3F Q12

question	answers	extra information	mark
(a)	**Y** and **Z**		1
	they have the same number of protons **or** same atomic number	accept they have the same number of electrons **or** same number of protons **and** electrons allow only different in number of neutrons N.B. independent marks	1
(b)	**Quality of written communication**	for correct use of terms underlined in B **or** C Q ✓ Q X	1
	A – alpha particle passes straight through the empty space of the atom **or** it is a long way from the nucleus B – alpha particle deflected / repelled / repulsed by the (positive) nucleus C – alpha particle heading straight for the nucleus is deflected / repelled / repulsed backwards	describes 3 tracks correctly for **2** marks describes 2 or 1 track correctly for **1** mark do **not** accept hits the nucleus do **not** accept answers referring to refraction do **not** accept answers in terms of reflected backwards unless qualified in terms of repulsion mention of difference in charge on nucleus negates that track	max 2
total			5

Copyright © 2004 AQA and its licensors

4.6.3.1 Emission and absorption of infrared radiation

AQA

GCSE

Science A / Physics

PH1HP

Mark scheme

4405/4403
June 2016

Version 1.0: Final Mark Scheme

4.6.3.1 Emission and absorption of infrared radiation

Mark schemes are prepared by the Lead Assessment Writer and considered, together with the relevant questions, by a panel of subject teachers. This mark scheme includes any amendments made at the standardisation events which all associates participate in and is the scheme which was used by them in this examination. The standardisation process ensures that the mark scheme covers the students' responses to questions and that every associate understands and applies it in the same correct way. As preparation for standardisation each associate analyses a number of students' scripts. Alternative answers not already covered by the mark scheme are discussed and legislated for. If, after the standardisation process, associates encounter unusual answers which have not been raised they are required to refer these to the Lead Assessment Writer.

It must be stressed that a mark scheme is a working document, in many cases further developed and expanded on the basis of students' reactions to a particular paper. Assumptions about future mark schemes on the basis of one year's document should be avoided; whilst the guiding principles of assessment remain constant, details will change, depending on the content of a particular examination paper.

Further copies of this mark scheme are available from aqa.org.uk

Copyright © 2016 AQA and its licensors. All rights reserved.
AQA retains the copyright on all its publications. However, registered schools/colleges for AQA are permitted to copy material from this booklet for their own internal use, with the following important exception: AQA cannot give permission to schools/colleges to photocopy any material that is acknowledged to a third party even for internal use within the centre.

4.6.3.1 Emission and absorption of infrared radiation

Mark Scheme

Information to Examiners

1. General

The mark scheme for each question shows:

- the marks available for each part of the question
- the total marks available for the question
- the typical answer or answers which are expected
- extra information to help the Examiner make his or her judgement and help to delineate what is acceptable or not worthy of credit or, in discursive answers, to give an overview of the area in which a mark or marks may be awarded
- the Assessment Objectives and specification content that each question is intended to cover.

The extra information is aligned to the appropriate answer in the left-hand part of the mark scheme and should only be applied to that item in the mark scheme.

At the beginning of a part of a question a reminder may be given, for example: where consequential marking needs to be considered in a calculation; or the answer may be on the diagram or at a different place on the script.

In general the right-hand side of the mark scheme is there to provide those extra details which confuse the main part of the mark scheme yet may be helpful in ensuring that marking is straightforward and consistent.

2. Emboldening

2.1 In a list of acceptable answers where more than one mark is available 'any **two** from' is used, with the number of marks emboldened. Each of the following bullet points is a potential mark.

2.2 A bold **and** is used to indicate that both parts of the answer are required to award the mark.

2.3 Alternative answers acceptable for a mark are indicated by the use of **or**. Different terms in the mark scheme are shown by a / ; eg allow smooth / free movement.

2.4 Any wording that is underlined is essential for the marking point to be awarded.

3. Marking points

3.1 Marking of lists

This applies to questions requiring a set number of responses, but for which students have provided extra responses. The general principle to be followed in such a situation is that 'right + wrong = wrong'.

Each error / contradiction negates each correct response. So, if the number of errors / contradictions equals or exceeds the number of marks available for the question, no marks can be awarded.

However, responses considered to be neutral (indicated as * in example 1) are not penalised.

Example 1: What is the pH of an acidic solution? (1 mark)

Student	Response	Marks awarded
1	green, 5	0
2	red*, 5	1
3	red*, 8	0

Example 2: Name two planets in the solar system. (2 marks)

Student	Response	Marks awarded
1	Neptune, Mars, Moon	1
2	Neptune, Sun, Mars, Moon	0

3.2 Use of chemical symbols / formulae

If a student writes a chemical symbol / formula instead of a required chemical name, full credit can be given if the symbol / formula is correct and if, in the context of the question, such action is appropriate.

3.3 Marking procedure for calculations

Full marks can be given for a correct numerical answer, without any working shown.

However, if the answer is incorrect, mark(s) can be gained by correct substitution / working and this is shown in the 'extra information' column or by each stage of a longer calculation.

3.4 Interpretation of 'it'

Answers using the word 'it' should be given credit only if it is clear that the 'it' refers to the correct subject.

3.5 Errors carried forward

Any error in the answers to a structured question should be penalised once only.

Papers should be constructed in such a way that the number of times errors can be carried forward is kept to a minimum. Allowances for errors carried forward are most likely to be restricted to calculation questions and should be shown by the abbreviation e.c.f. in the marking scheme.

3.6 Phonetic spelling

The phonetic spelling of correct scientific terminology should be credited **unless** there is a possible confusion with another technical term.

3.7 Brackets

(.....) are used to indicate information which is not essential for the mark to be awarded but is included to help the examiner identify the sense of the answer required.

3.8 Accept / allow

Accept is used to indicate an equivalent answer to that given on the left-hand side of the mark scheme. Allow is used to denote lower-level responses that just gain credit.

3.9 Ignore / Insufficient / Do not allow

Ignore of insufficient is used when the information given is irrelevant to the question or not enough to gain the marking point. Any further correct amplification could gain the marking point.

Do **not** allow means that this is a wrong answer which, even if the correct answer is given, will still mean that the mark is not awarded.

4. Quality of Communication and levels marking

In Question **2(b)** students are required to produce extended written material in English, and will be assessed on the quality of their communication as well as the standard of the scientific response.

Students will be required to:
- use good English
- organise information clearly
- use specialist vocabulary where appropriate.

The following general criteria should be used to assign marks to a level:

Level 1: basic
- Knowledge of basic information
- Simple understanding
- The answer is poorly organised, with almost no specialist terms and their use demonstrating a general lack of understanding of their meaning, little or no detail
- The spelling, punctuation and grammar are very weak.

Level 2: clear
- Knowledge of accurate information
- Clear understanding
- The answer has some structure and organisation, use of specialist terms has been attempted but not always accurately, some detail is given
- There is reasonable accuracy in spelling, punctuation and grammar, although there may still be some errors.

Level 3: detailed
- Knowledge of accurate information appropriately contextualised
- Detailed understanding, supported by relevant evidence and examples
- Answer is coherent and in an organised, logical sequence, containing a wide range of appropriate or relevant specialist terms used accurately.
- The answer shows almost faultless spelling, punctuation and grammar.

4.6.3.1 Emission and absorption of infrared radiation

Question	Answers	Extra information	Mark	AO / Spec. Ref.
1(a)	frequency		1	AO1 1.5.3b
1(b)	echo(es)		1	AO1 1.5.3c
1(c)	spreading (out) equal to	changing direction is insufficient moving apart is insufficient bending is insufficient accept: similar to same (order of magnitude) as slightly smaller than slightly larger than	1 1	AO1 1.5.1g
1(d)	340 (m/s)	allow **1** mark for correct substitution ie 25 000 x 0.0136 provided no subsequent step **or** allow **1** mark for a correct calculation showing an incorrect value from conversion to hertz x 0.0136 an answer of 0.34 gains **1** mark	2	AO2 1.5.1j
1(e)	(a wave where the) oscillations are parallel to the direction of energy transfer causing (areas of) compression and rarefaction	both marking points may appear as labels on a diagram accept vibrations for oscillations accept in same direction as for parallel to allow direction of wave (motion) for direction of energy transfer accept correct description in terms of particles mechanical wave is insufficient needs a medium to travel through is insufficient	 1 1	AO1 1.5.1b
Total			**8**	

4.6.3.1 Emission and absorption of infrared radiation

Question	Answers	Extra information	Mark	AO / Spec. Ref.
2(a)	any **one** from: • high cost of installing overhead power lines or underground cables or pylons • high cost as (very) long cables needed • amount of electricity required is too low	allow not enough (surplus) electricity would be generated	1	AO1 1.4.1e

Question 2 continues on the next page . . .

4.6.3.1 Emission and absorption of infrared radiation

MARK SCHEME – GCSE SCIENCE A / PHYSICS – PH1HP– JUNE 2016

Question	Answers	Extra information	Mark	AO / Spec. Ref.
2(b)	Marks awarded for this answer will be determined by the Quality of Written Communication (QWC) as well as the standard of the scientific response. Examiners should also refer to the information on page 5 and apply a 'best-fit' approach to the marking.		6	3 AO1 2 AO2 1 AO3 1.4.1b

0 marks	Level 1 (1-2 marks)	Level 2 (3-4 marks)	Level 3 (5-6 marks)
No relevant information	at least **one** advantage **or one** disadvantage of either method	at least **one** advantage **and one** disadvantage is stated for **one** method **and** a different advantage **or** disadvantage is stated for the other method	clear comparison of advantages **and** disadvantages of **each** method

examples of physics points made in the response	extra information
Advantages of both methods: • both renewable sources of energy • both have no fuel (cost) • both have very small (allow 'no') running costs • no carbon dioxide produced	 accept carbon neutral accept no greenhouse gases accept doesn't contribute to global warming
Advantages of wind: • higher average power output	 produces more energy is insufficient
Advantages of hydroelectric: • constant / reliable power (output) • lower (installation) cost	
Disadvantages of wind: • higher (installation) cost • variable / unreliable power output • (may) kill birds / bats	
Disadvantages of hydroelectric: • lower power output • (may) kill fish or (may) damage habitats • more difficult to set up (within river)	
Disadvantages of both methods • (may be) noisy • visual pollution	 ignore payback time unless no other relevant points made ignore time to build for both

Total			7

4.6.3.1 Emission and absorption of infrared radiation

MARK SCHEME – GCSE SCIENCE A / PHYSICS – PH1HP– JUNE 2016

Question	Answers	Extra information	Mark	AO / Spec. Ref.
3(a)	a proportion / percentage of the energy is wasted	allow heat for energy allow some energy is wasted	1	AO2 1.2.1b 1.2.1c
	(wasted) energy is transferred to surroundings **or** energy is needed to heat pan (before food is heated)		1	
3(b)	(fins have a) large(r) surface area	accept fins increase the surface area	1	AO1 1.1.1c 1.1.1e 1.1.3c
	(black metal surface is a) good / better absorber of infrared radiation	allow 'heat' or 'energy' for infrared radiation ignore good emitter of infrared radiation not a good reflector is insufficient	1	
3(c)	the higher the temperature (of the saucepan) the greater the rate at which infrared radiation is emitted	accept converse answer allow the higher the temperature the more infrared radiation is emitted allow there is a positive correlation	1	AO2 1.1.1b
Total			**5**	

4.6.3.1 Emission and absorption of infrared radiation

Question	Answers	Extra information	Mark	AO / Spec. Ref.
4(a)(i)	**use of infrared:** remote controls fibre optic (communications) **use of microwaves:** mobile/cell phones satellite (communications/TV) wi-fi Bluetooth	 accept mobiles accept phone signals	1 1	AO1 1.5.1k
4(a)(ii)	any **two** from • same speed **or** travel at the speed of light (in a vacuum) • transverse • transfer energy (from one place to another) • can be reflected • can be refracted • can be diffracted • can be absorbed / transmitted • can travel through a vacuum/space • can be polarised	 accept a full description of a transverse wave travels in straight lines is insufficient	2	AO1 1.5.1c 1.5.1d 1.5.1e 1.5.1g
4(b)(i)	Cosmic Microwave Background (Radiation)	accept CMBR	1	AO1 1.5.4d
4(b)(ii)	 the Big Bang (theory) predicted the existence of CMBR **or** only the Big Bang (theory) supports the existence of CMBR	allow microwave radiation for CMBR throughout allow it supports / proves the Big Bang (theory) accept CMBR disproved other theories, eg steady state	 1	AO1 1.5.4e
Total			**6**	

4.6.3.1 Emission and absorption of infrared radiation

MARK SCHEME – GCSE SCIENCE A / PHYSICS – PH1HP– JUNE 2016

Question	Answers	Extra information	Mark	AO / Spec. Ref.
5(a)	no particles (in a vacuum) (so) no / reduced conduction and no / reduced convection	 both energy transfer methods needed for the mark	1 1	AO1 1.1.3a
5(b)(i)	78 (°C)	allow **2** marks for correct temperature change ie 22 ˚C allow **1** mark for correct substitution ie 46 200 = 0.5 x 4200 x θ **or** $\frac{46200}{0.5\times4200}=\theta$	3	AO2 1.1.4d
5(b)(ii)	6.4 (W)	allow **2** marks for an answer that rounds to 6.4 allow **1** mark for correct substitution ie 46 200 = P x 7200 an answer of 23 000 or 23 100 or 385 gains 1 mark	2	AO2 1.3.1c
Total			**7**	

4.6.3.1 Emission and absorption of infrared radiation

Question	Answers	Extra information	Mark	AO / Spec. Ref.
6(a)	any **two** from: • cost per kWh is lower (than all other energy resources) • infrastructure for nuclear power already exists • more reliable (than renewable energy resources)	allow it is cheaper ignore fuel cost ignore energy released per kg of nuclear fuel accept cost of setting up renewable energy resources is high accept many renewable power stations would be needed to replace one nuclear power station accept (France in 2011 already had a) surplus of nuclear energy, so less need to develop more renewable capacity for increased demand in the future accept France benefits economically from selling electricity accept (nuclear) fuel is readily available ignore destruction of habitats for renewables	2	AO1 AO2 1.4
6(b)	any **two** from: • non-renewable • high decommissioning costs • produces radioactive / nuclear waste • long start-up time • nuclear accidents have widespread implications	allow nuclear fuel is running out accept high commissioning costs allow waste has a long half-life allow for nuclear accident a named nuclear accident eg Fukushima, Chernobyl ignore visual pollution	2	AO1 1.4.1f

Question 6 continues on the next page . . .

4.6.3.1 Emission and absorption of infrared radiation

MARK SCHEME – GCSE SCIENCE A / PHYSICS – PH1HP– JUNE 2016

Question	Answers	Extra information	Mark	AO / Spec. Ref.
6(c)	0.48 (kW)	allow **1** mark for correct substitution ie 0.15 = P / 3.2 an answer of 480 W gains **2** marks an answer of 48 or 480 scores **1** mark	2	AO2 1.2.1d
6(d)	the higher the efficiency, the higher the cost (per m^2 to manufacture)	accept a specific numerical example	1	AO2 AO3 1.4.1c
	more electricity could be generated for the same (manufacturing) cost using lower efficiency solar panels **or** (reducing the cost) allows more solar panels to be bought	accept a specific numerical example	1	
Total			**8**	

4.6.3.1 Emission and absorption of infrared radiation

MARK SCHEME – GCSE SCIENCE A / PHYSICS – PH1HP– JUNE 2016

Question	Answers	Extra information	Mark	AO / Spec. Ref.
7(a)	surface area **or** duration of experiment	accept shape of beaker size of beaker is insufficient	1	AO3 1.1.3b
7(b)	any **two** from: • takes readings automatically • takes readings more frequently • reduces / no instrument reading error • higher resolution • don't need to remove probe to take reading • more accurate	ignore easier **or** takes readings for you ignore human error allow better resolution	2	AO3 1.1.3
7(c)(i)	0.07 (°C/s)	allow **1** mark for obtaining a temperature drop of 7(ºC) allow **1** mark for an answer between 0.068 and 0.069 (°C/s)	2	AO2 1.1.3d
7(c)(ii)	rate of temperature change is greater at the start **or** rate of temperature change decreases	accept rate of evaporation is greater at the start allow rate of evaporation decreases allow temperature decreases faster at the start	1	AO3 1.1.3b

Question 7 continues on the next page . . .

4.6.3.1 Emission and absorption of infrared radiation

MARK SCHEME – GCSE SCIENCE A / PHYSICS – PH1HP– JUNE 2016

Question	Answers	Extra information	Mark	AO / Spec. Ref.
7(c)(iii)	A lower temperature decrease (over 200 seconds)	reason only scores if A is chosen accept lower gradient	 1	AO3 1.1.3b
7(c)(iv)	no effect (as rate of evaporation is unchanged)	allow larger temperature change (per second as mass of liquid is lower)	1	AO3 1.1.3b
7(d)	particles with more energy leave the (surface of the) liquid (which) reduces the average (kinetic) energy (of the remaining particles)	accept particles with higher speeds allow reference to the total energy of the liquid reducing	1 1 1	AO1 1.1.3b
Total			11	

4.6.3.1 Emission and absorption of infrared radiation

Question	Answers	Extra information	Mark	AO / Spec. Ref.
8(a)	any **two** factors: • surface area (of mug in contact with cup warmer) • thickness of mug • temperature of heater / coffee • power of the heater	 accept temperature difference (between heater and coffee) accept power of the laptop ignore efficiency of the heater	2	AO3 1.1.3c
8(b)	 atoms (gain kinetic energy and) vibrate faster / more energy is passed on from atom to atom by collision	allow particles / molecules for atoms allow bigger / faster vibrations do not accept start to vibrate accept vibrations for energy an answer in terms of free electrons scores zero	 1 1	AO1 1.1.3a
8(c)	 the particles spread out (so) coffee becomes less dense (so) the heated coffee rises (and) cooler / denser coffee falls	allow fluid / liquid / water for coffee throughout answer allow particles move further apart allow (coffee) expands particles rise is insufficient particles fall is insufficient	 1 1 1 1	AO1 1.1.3a
Total			**8**	

4.6.3.1 Emission and absorption of infrared radiation

Answer 32 · Examiner comments

June 2018 | 8463/2H | Original Q7

Question 7 (Standard/high and High demand)

07.1 Many students had the correct idea, but imprecise detail such as ‘wrong number of turns’ or ‘number of turns was miscounted’ were insufficient to score the mark.

07.2 Many students tried to answer the question from a general knowledge about transformers, rather than using information from the graph, and so did not gain credit.

07.3 Most of the answers were correct. A very small number of students wrote ‘hotter’ but made no reference to infrared or thought it was just a temperature increase.

07.4 This question involved a two stage calculation, a new feature of the examination. Nearly 33 % of students knew the equations to use and how to use them, scoring all five marks. A further 35% of students correctly used one equation to give a partially correct answer, scoring three marks.

Answer 33 · Examiner comments

June 2019 | 8463/2H | Original Q7

Question 7 (Standard and standard/high and high demand)

07.1 Around 42% of the students scored this mark. Many students seem to think that the wave speed changes.

07.2 About 35% of the students scored both marks. Some students did not specify ‘soft’ tissue or a named soft tissue, which was required as bone is a tissue. Many students incorrectly described bones as reflecting X-rays rather than absorbing them. Some students appeared to confuse X-rays with gamma rays or even alpha particles.

07.3 A large number of the students failed to appreciate that the hot cube was the main hazard rather than the kettle. The majority gave an answer in terms of ‘wear safety goggles and/or

4.6.3.1 Emission and absorption of infrared radiation

Answer 33 · Examiner comments June 2019 | 8463/2H | Original Q7

gloves. Less than a quarter of the students gave a correct answer, these appeared to be evenly distributed across the alternatives given in the mark scheme.

07.4 Only a quarter of the students scored this mark, with most incorrect answers giving the temperature or volume of the water as the control variable.

07.5 There appeared to be some confusion of the term precise with either accuracy or resolution. The lack of repeat readings was sometimes given but then incorrectly linked to the idea of calculating a mean or identifying anomalies. About 10% of the students scored this mark.

07.6 About 64% of the students realised that two of the surfaces would give the same temperature reading and therefore undermine the conclusion. However most of these students then simply wrote that the conclusion would not be valid without then going on to explain why.

07.7 Just over 70% of the students gave the correct answer.

07.8 Only a small number of the students scored any marks on this question. Those that did usually scored the mark for 'clouds reflect radiation'. Virtually no students related their answer to night time. Marking points 1 and 3 were rarely awarded. Many of the students wrote about insulation with a few mentioning the cloud as a 'blanket' keeping the ground warm. These answers did not score any marks.

Answer 34 · Examiner comments November 2021 | 8463/2H | Original Q5

Question 5

Although a number of correct uses were given for ultraviolet a number of the students appeared to confuse UV with ultrasound. The meaning of the prefix 'nano' was not well known. However the students that knew the correct equation for part **05.3** (about 35% did not) did go on to use the value chosen in **05.2** to calculate a correct answer. Only about half of the students could use the data presented in Table 1 to correctly answer part **05.4.** Most of the students scored no marks for part **05.5**, with many either simply giving an example of each type of wave, or failing to link the direction of oscillation to either direction of energy transfer or direction of wave travel.

4.6.3.1 Emission and absorption of infrared radiation

Answer 35 · Examiner comments June 2023 | 8463/2H | Original Q1

01.1

72% scored a mark on this question. The most frequent incorrect response was ‘parallel’.

01.2

Most responses were levels 1 and 2. Many failed to gain marks because they did not think it was necessary to explain the need for additional equipment. Very few students explained the need to calculate the temperature change or to compare the readings on infrared detectors, which was a requirement to get into level 3. A number of students suggested using cold water, or even described a different practical. Students were not penalised for using tiny volumes of water, but it is clear that students have no concept of how much 50 ml is, for example. There was a lot of confusion relating to use of infra red detectors and what they measured.
Many students stated they would take readings every minute, and lots suggested repeating to get averages, or producing graphs. This was not required by the question.
There were some pleasing summaries referring to the evidence and the hypothesis.

01.3

80 % of students scored the first mark, but only 47% scored both marks. Some students simply reworded the stem. There was a small amount of confusion with radioactivity, because of the use of the word radiation, and a number who seemed to think a chemical reaction was taking place.

01.4

A majority of students gained this mark, but there seemed to be some confusion as to what is meant by the dependent variable.

01.5

The most common response related to the matt black surface and the shiny white surface. This was awarded 1 mark. Some did mention that black was the best absorber but failed to adequately describe the relative absorbance of matt versus shiny surfaces, as they did not explain this only applied for the same colour surface. In addition, some gave their response in terms of emission or reflection of IR radiation, both of which scored zero. Only 3% of students successfully gave both conclusions.

01.6

99% of students identified the equation for calculating pressure.

Answer 35 · Examiner comments June 2023 | 8463/2H | Original Q1

01.7

78% of students scored all 4 marks for this calculation. Some scored zero, as they calculated the total surface area, the volume or used the length of the cube.