AQA GCSE Physics | 8463

SPECIFICATION POINT 4.8.1.3

Orbital motion, natural and artificial satellites

Mark schemes and examiner comments

Tier	**Higher**
Question groups	**51**
Available paper years	**2003–2025**

Using this booklet

1. Booklet answer numbers match the question booklet.
2. Use the original question number within marking tables.
3. Examiner comments are included where available.

Name: _____ **Date:** _____

Where a precise marking extract is unavailable, the full source document is included in an appendix. Any missing mark scheme is explicitly identified.

4.8.1.3 Orbital motion, natural and artificial satellites

Answer 01 · Mark scheme June 2003 | 3451H | Original Q4 | Legacy

The full source mark scheme begins on page 61. Follow original question 4 in that document.

Answer 02 · Mark scheme June 2003 | 3451H | Original Q9 | Legacy

The full source mark scheme begins on page 61. Follow original question 9 in that document.

Answer 03 · Mark scheme June 2003 | 3462H3 | Original Q4 | Legacy

The full source mark scheme begins on page 83. Follow original question 4 in that document.

Answer 04 · Mark scheme June 2003 | 3462H3 | Original Q7 | Legacy

The full source mark scheme begins on page 83. Follow original question 7 in that document.

Answer 05 · Mark scheme June 2004 | 3451H | Original Q5 | Legacy

The full source mark scheme begins on page 100. Follow original question 5 in that document.

4.8.1.3 Orbital motion, natural and artificial satellites

Answer 06 · Mark scheme June 2004 | 3462H3 | Original Q5 | Legacy

The full source mark scheme begins on page 121. Follow original question 5 in that document.

Answer 07 · Mark scheme June 2005 | 3451 | Original Q2 | Legacy

The full source mark scheme begins on page 138. Follow original question 2 in that document.

Answer 08 · Mark scheme June 2005 | 3451 | Original Q5 | Legacy

The full source mark scheme begins on page 138. Follow original question 5 in that document.

Answer 09 · Mark scheme June 2005 | 3462 | Original Q2 | Legacy

The full source mark scheme begins on page 156. Follow original question 2 in that document.

Answer 10 · Mark scheme November 2006 | PHY1B | Original Q8 | Legacy

Eight	**3**	**2**	**3**	**3**

Answer 11 · Mark scheme January 2007 | PHY1H | Original Q3 | Legacy

No matching mark scheme was available in the supplied archive for this question.

Question 4 continued

(ii)	check validity / reliability of the evidence **or** change the theory to match the new evidence	accept comparison of new and old evidence	1
total			8

PHY1H Question 5

	answers	extra information	mark
(a)(i)	a signal that has only two states / only discrete states	accept can only be on or off accept made up of 1 and 0 only accept high and low accept diagram with all amplitudes equal	1
(ii)	400 000 000 **or** correct equivalent	allow **1** mark for correct transformation **and** substitution (of 75) answer 4 000 000 gains **1** mark only	2

Continued on next page

4.8.1.3 Orbital motion, natural and artificial satellites

Answer 13 · Mark scheme

November 2007 | PHY1B | Original Q1 | Legacy

One	**A**	analogue electrical signal	**2**
	B	digital light signal	**3**
	C	microwaves	**4**
	D	sound waves	**1**

4.8.1.3 Orbital motion, natural and artificial satellites

Answer 14 · Mark scheme

Question 5

question	answers	extra information	mark
(a) E	C or 0.18 mm		1
(b) E	0.6 m	allow **1** mark for correct transformation and substitution allow **1** mark for changing frequency to Hz answer 600 gains **1** mark	2
(c) E	creates an alternating current with the same frequency as the radio wave **or** it gets hotter	accept 'ac' for alternating current accept alternating voltage accept signal for radio wave	1 1
(d) E	X-rays cannot penetrate the atmosphere **or** X-rays are absorbed *(*by the atmosphere*)*	accept atmosphere stops X-rays do **not** accept atmosphere in the way before reaching Earth ignore explanations	1
total			6

4.8.1.3 Orbital motion, natural and artificial satellites

Answer 14 · Mark scheme

January 2008 | PHY1H | Original Q5 | Legacy

PHY1H

4.8.1.3 Orbital motion, natural and artificial satellites

Answer 15 · Mark scheme

Question 3

question	answers	extra information	mark
(a)(i)	ellipse / elliptical	allow ovoid / oval	1
(ii)	focus		1
(iii)	gravitational attraction (between the Sun and the planet)	allow '(force of)gravity' allow 'force due to mass of the planet and mass of the Sun' do **not** credit references to 'weight' **not** just 'the Sun'	1
(iv)	the greater the distance then the greater the time (taken) **or** the converse	allow 'it's longer if it's further away (from the Sun)'	1
(b)	either box ticked	credit is for the reason not just for ticking a box **example** arguing about the classification is a distraction which does not really matter (at the moment) **example** new evidence may cast doubt on any decision taken now **example** (Sedna) cannot be (correctly) classified until the nature of its orbit is known **example** (the object could be a comet / an asteroid do **not** credit 'could be a meteor'	1
total			5

4.8.1.3 Orbital motion, natural and artificial satellites

Answer 15 · Mark scheme January 2008 | PHY3H | Original Q3 | Legacy

PHY3H

Answer 16 · Mark scheme March 2008 | PHY1BP | Original Q4 | Legacy

Four	**4**	**1**	**3**	**4**

Answer 17 · Mark scheme March 2008 | PHY1BP | Original Q6 | Legacy

Six	**3**	**2**	**4**	**2**

Answer 18 · Mark scheme March 2008 | PHY1BP | Original Q9 | Legacy

Nine	**4**	**4**	**4**	**3**

4.8.1.3 Orbital motion, natural and artificial satellites

Answer 19 · Mark scheme

June 2008 | PHY1BP | Original Q9 | Legacy

Nine	**4**	**1**	**2**	**4**

4.8.1.3 Orbital motion, natural and artificial satellites

Answer 20 · Mark scheme June 2008 | PHY1H | Original Q3 | Legacy

Question 3

question	answers	extra information	mark
(a)	Hubble telescope is above the (Earth's) atmosphere	accept no / little atmosphere	1
	atmosphere distorts <u>image</u> **or** atmosphere scatters <u>light</u>	do **not** accept light / waves distorted accept picture for image accept no clouds (to block light) accept no light pollution answers in terms of closer to stars neutral	1
(b)	to check it works (correctly) **or** less risk of a fault (once in space)		1
	too far away (for astronauts) to travel to / to fix	accept its difficult to send astronauts to repair / maintain it dangerous / expensive is insufficient	1
(c)	to test the design works	accept idea of fault finding or modifying the design	1
(d)	(visible) light can pass through the atmosphere		1
	X-rays are absorbed by the atmosphere **or** X-rays cannot pass through the atmosphere		1
total			7

4.8.1.3 Orbital motion, natural and artificial satellites

Answer 20 · Mark scheme June 2008 | PHY1H | Original Q3 | Legacy

PHY1H

4.8.1.3 Orbital motion, natural and artificial satellites

Answer 21 · Mark scheme June 2008 | PHY3H | Original Q2 | Legacy

Question 2

question	answers	extra information	mark
(a)(i)	the higher the altitude the longer the period	**or** the converse **or** there is a positive correlation do **not** credit any reference to 'direct proportion' ignore references to speed / size of orbit allow the higher the altitude the longer it takes to orbit do **not** credit if ambiguity between distance and time	1
(a)(ii)	responses must refer to the (quality) of the data rather than comments on satellites any **two** from: • only four pairs (of results / data / evidence) • the data is (all) for low or high altitudes (with nothing in the middle) • conclusion only valid in the range (shown, of 300 ↔ 36 000 or 1.5 ↔24) • the Internet is not always a reliable source	**or** 'not enough / insufficient data	2
(b)	there is a **centripetal** force the force (for this) is provided by gravity / gravitational attraction between the Moon and the Earth	accept force towards centre / Earth **or** 'the Moon is accelerating towards the (centre of) Earth' accept 'caused by gravity'	1 1

Question 2 continues on the next page

PHY3H

Question 2 continued

question	answers	extra information	mark
(c)	there is <u>empty</u> space / a vacuum	**or** no medium / particles / air / gas (to carry the sound / vibrations) do **not** accept any named gas **or** sound(s) do not travel through a vacuum	1
(d)	the response may be in agreement or disagreement or may support a 'balanced' argument **either** any general point with appropriate amplification for **2** marks **or** two general points **1** mark each	 eg costs a lot (1) the money could be spent on …(1) eg we may find new resources (1) eg we may contact aliens (1)	2
total			8

4.8.1.3 Orbital motion, natural and artificial satellites

Answer 21 · Mark scheme June 2008 | PHY3H | Original Q2 | Legacy

PHY3H

Answer 22 · Mark scheme November 2008 | PHY1BP | Original Q8 | Legacy

Eight	**1**	**3**	**3**	**3**

4.8.1.3 Orbital motion, natural and artificial satellites

Answer 23 · Mark scheme

Question 4

question	answers	extra information	mark
4(a)(i)	(atoms / elements with) the same number of protons but different numbers of neutrons	accept (atoms / elements with) different mass number but same atomic number	1
4(a)(ii)	substances that give out radiation	accept alpha, beta or gamma for radiation accept an unstable nucleus that decays radioactive decay takes place is insufficient	1
4(b)	85 years	± 2 years allow **1** mark for showing correct method on the graph	2
4(c)(i)	a helium nucleus	accept 2 neutrons and 2 protons accept $_2{}^4He$ do **not** accept helium atom	1
4(c)(ii)	the rate of decay (of plutonium) decreases less heat produced	accept fewer (plutonium) nuclei (to decay) accept radioactivity decreases do **not** accept energy for heat	1 1

Question 4 continues on the next page

PHY1H

Question 4 continued

question	answers	extra information	mark
4(d)(i)	(outside the body) alpha (particles) cannot penetrate into the body (inside the body) (heat produced from decay) damages / kills cells / tissues	 accept causes cancer for damages / kills cells / tissues accept **highly** toxic	 1 1
4(d)(ii)	any **one** from: • worried same could happen again • an accident may cause radiation to be spread around the Earth / atmosphere • idea of soil contamination resulting from accident / release of radioactive material • idea of negative effect on health resulting from accident / release of radioactive material	 accept any sensible suggestion	1
Total			**10**

4.8.1.3 Orbital motion, natural and artificial satellites

Answer 23 · Mark scheme

January 2009 | PHY1H | Original Q4 | Legacy

PHY1H

4.8.1.3 Orbital motion, natural and artificial satellites

Answer 24 · Mark scheme

Question 7

question	answers	extra information	mark
7(a)	any **two** pairs from:	to gain credit it must be clear which model is being described do **not** accept simple descriptions on the diagram without comparison	4
	• nuclear model mass is concentrated at the centre / nucleus	accept the nuclear model has a nucleus/ the plum pudding model does not have a nucleus for 1 mark	(1)
	plum pudding model mass is evenly distributed		(1)
	• nuclear model positive charge occupies only a small part of the atom		(1)
	plum pudding model positive charge spread throughout the atom		(1)
	• nuclear model electrons orbit some distance from the centre / nucleus	accept electrons in shells/ orbits provided a valid comparison is made with the plum pudding model do **not** accept on its own	(1)
	plum pudding electrons embedded in the (mass) of positive (charge)	do **not** accept electrons at edge of plum pudding	(1)
	• nuclear model the atom mainly empty space		(1)
	plum pudding model is a ‘solid’ mass		(1)
7(b)	nucleus must be <u>positive</u> to deflect/ repel alpha particles	answers in terms of electrons/negative charge causing deflection negates mark answers in terms of reflection negates mark	1 1
	nucleus (very) small so few alpha particles deflected backwards	accept most of atom empty space so <u>most</u> pass through	

Question 7 continues on the next page

4.8.1.3 Orbital motion, natural and artificial satellites

PHY2H

Question 7 continued

question	answers	extra information	mark
7(c)	many/ 100 000 measurements taken	accept results for measurements accept data valid / reliable	1
	findings could not be explained by plum pudding model	accept a specific finding that could not be explained eg some alpha particles were deflected backwards	1
Total			**8**

4.8.1.3 Orbital motion, natural and artificial satellites

Answer 25 · Mark scheme January 2009 | PHY3H | Original Q5 | Legacy

Question 5

question	answers	extra information	mark
5(a)(i)	Uranus is twice the distance from the Sun as Saturn (1) (but) 6.8 is not half of 9.6 (1)	**or** 'Saturn is half the distance from the Sun as Uranus' **or** '(but) 9.6 is not twice 6.8' **or** 'the products are not the same'	2
5(a)(ii)	the greater the (average) distance from the Sun the less the (average orbital) speed (of the planet) (2)	**or** the converse **or** should have concluded that distance is inversely proportional to the square of the orbital speed allow a correct but non comparative statement e.g. 'a far away planet moves slowly', for (1)	2
5(b)	average distance/speed given (1) (because) the distance/speed is not constant/will vary (slightly)(because the orbit is an ellipse not a circle) (1)		2
Total			**6**

4.8.1.3 Orbital motion, natural and artificial satellites

Answer 25 · Mark scheme

January 2009 | PHY3H | Original Q5 | Legacy

PHY3H

4.8.1.3 Orbital motion, natural and artificial satellites

Answer 26 · Mark scheme

Question 6

question	answers	extra information	mark
6(a) **E**	(from present/recent) data/evidence/observations of (the rate of change in) Phobos'/ the moon's orbit (1) (and) continued/extended/ extrapolated (the pattern/trend for the next 100 million years) (1)	or appropriate example of data (1) and its correct use (1) example (present) distance from Phobos to Mars (1) ÷ (average) rate of approach (1)	2
6(b) **E**	(it is) increasing (1) Phobos/the moon will be nearer (to Mars) (1)	 or the radius/circumference/ diameter of the orbit of Phobos/ the moon will decrease/be less only credit 2nd mark if the first mark is correct	2
6(c) **E**	it will increase/be more (1) (because) Phobos/the moon will get/be closer to Mars/ the planet (1)	 only credit 2nd mark if the first mark is correct note part(s) of this response may be included as the answer to part (b) read both before marks are awarded	2
Total			**6**

4.8.1.3 Orbital motion, natural and artificial satellites

Answer 26 · Mark scheme

January 2009 | PHY3H | Original Q6 | Legacy

PHY3H

4.8.1.3 Orbital motion, natural and artificial satellites

Answer 27 · Mark scheme June 2009 | PHY1H | Original Q1 | Legacy

Question 1

question	answers	extra information	mark
1(a)(i)	HESS	accept gamma	1
1(a)(ii)	infra red	accept IR accept answers written in table do **not** accept heat	1
1(b)	clearer / more detailed / sharper / less distorted image any **one** from: • no light pollution • light is not scattered by the atmosphere	do **not** accept image is bigger accept no clouds to prevent observations accept light is scattered by the atmosphere (implies William Herschel) accept light does (not have to) pass through the atmosphere accept air for atmosphere do **not** accept answers in terms of distance	1 1

Question 1 continues on the next page . . .

4.8.1.3 Orbital motion, natural and artificial satellites

PHY1H

Question 1 continued . . .

question	answers	extra information	mark
1(c)	any **two** from: • microwaves absorbed by water (molecules) • signal strength greater (in dry environment) • more sensitive (in dry environment) • detect weaker signals (in dry environment) • more detailed / clearer image (in dry environment)	accept more microwaves reach telescope accept harder to detect signals in a humid environment accept image contains more information do **not** accept better image	2
1(d)	a fourth / extra galaxy / star	accept a planet / another object / source	1
Total			**7**

4.8.1.3 Orbital motion, natural and artificial satellites

Answer 27 · Mark scheme

June 2009 | PHY1H | Original Q1 | Legacy

PHY1H

Answer 28 · Mark scheme

November 2009 | PHY1BP | Original Q9 | Legacy

Nine	**3**	**2**	**4**	**3**

4.8.1.3 Orbital motion, natural and artificial satellites

Question 3

question	answers	extra information	mark
3(a)(i)	microwaves		1
3(a)(ii)	can pass through the ionosphere	accept travels in a straight line accept atmosphere for ionosphere do **not** accept air for ionosphere	1
3(b)	any **two** from: • analogue is continuously varying • digital has only discrete values • digital is less prone to interference (than analogue) • digital can be processed more easily (than analogue) by a computer	 do **not** accept analogue has many values accept digital is on or off accept digital is 1 or 0 accept digital is binary accept digital is easier to restore	2
3(c)	higher the frequency, further the wave travels (into the atmosphere before reflection)		1
3(d)	15 000	allow **1** mark for correct transformation and substitution ie $\frac{300\,000\,000}{20}$ an answer of 15 000 000 only gains **1** mark allow both marks for an answer of 15 MHz (unit must be changed) an answer of 15 gains no credit	2
Total			**7**

4.8.1.3 Orbital motion, natural and artificial satellites

Answer 29 · Mark scheme

January 2010 | PHY1H | Original Q3 | Legacy

PHY1H

4.8.1.3 Orbital motion, natural and artificial satellites

Answer 30 · Mark scheme January 2010 | PHY3H | Original Q1 | Legacy

Question 1

question	answers	extra information	mark
1(a)	distance (from the Sun in millions of km) and time taken for orbit	both required in either order **not** just 'time taken'	1
1(b)(i)	**either** distance (from the Sun in millions of km) **or** time taken for orbit (and) (average) temperature	 **not** just 'time taken' both required in either order	1
1(b)(ii)	(+) 430 / (+) 470 **or** Mercury / Venus		1
1(c)	25 (hours)	do **not** accept 24 (hours)	1
1(d)	...different positions at different times		1
1(e)	…direction…speed gravitational	both and in the correct order	1 1
Total			**7**

4.8.1.3 Orbital motion, natural and artificial satellites

Answer 30 · Mark scheme January 2010 | PHY3H | Original Q1 | Legacy

PHY3H

Answer 31 · Mark scheme March 2010 | PHY1BP | Original Q4 | Legacy

Four	**2**	**4**	**2**	**1**

Answer 32 · Mark scheme March 2010 | PHY1BP | Original Q7 | Legacy

Seven	**1**	**2**	**2**	**3**

4.8.1.3 Orbital motion, natural and artificial satellites

Answer 33 · Mark scheme

June 2019 | PHY3H | Original Q1 | Legacy

Question 1

question	answers	extra information	mark
1(a)(i)	time (for a planet) to orbit / go round the Sun	accept 'planet's year' accept time to rotate the Sun just 'year' is insufficient do **not** accept Earth year / time for Earth to orbit the Sun do **not** accept time for a planet to revolve any reference to distance negates the answer	1
1(a)(ii)	**either** information from the internet is not always reliable / accurate **or** data is (more) reliable (if it has been checked)	 accept to check it is correct / accurate / valid	1
1(a)(iii)	the greater the distance (from the Sun) the greater the (planet's) period	accept positive correlation accept if one increases then the other increases accept as distance increases it's longer do **not** accept they are (directly) proportional do **not** accept quicker period	1
1(a)(iv)	there is no relationship	accept 'none' / 'it is random' / 'no pattern'	1

Question 1 is continued on the next page . . .

4.8.1.3 Orbital motion, natural and artificial satellites

PHY3H

Question 1 continued . . .

1(b)	(Sun's / star's) gravity		1
1(c)	(the) Milky Way	accept 'milky way'	1
1(d)	billions		1
Total			**7**

4.8.1.3 Orbital motion, natural and artificial satellites

Answer 33 · Mark scheme June 2010 | PHY3H | Original Q1 | Legacy

PHY3H

Answer 34 · Mark scheme November 2010 | PHY1BP | Original Q6 | Legacy

Six	**3**	**2**	**1**	**2**

Answer 35 · Mark scheme November 2010 | PHY1BP | Original Q7 | Legacy

Seven	**2**	**3**	**2**	**4**

Answer 36 · Mark scheme November 2010 | PHY1BP | Original Q9 | Legacy

Nine	**3**	**3**	**4**	**4**

4.8.1.3 Orbital motion, natural and artificial satellites

Answer 37 · Mark scheme

Question 7

question	answers	extra information	mark
7(a)(i)	generator (effect)	accept 'induction'	1
7(a)(ii)	(metal) cable is (an electrical) conductor (which) cuts / moves through the (magnetic) field (lines) / lines of force	mention of heat conduction negates this mark	1 1
7(a)(iii)	conductor / cable is part of a (complete) circuit	'it' refers to conductor	1
7(b)	any **two** from: • shorter cable • reduced speed • different planet (in the Solar System) • increased distance (from planet) • weaker magnetic field	 accept smaller cable accept smaller planet do **not** accept bigger planet do **not** accept smaller magnetic field Jupiter has the strongest magnetic field is insufficient	2
Total			**6**

4.8.1.3 Orbital motion, natural and artificial satellites

Answer 37 · Mark scheme January 2011 | PHY3H | Original Q7 | Legacy

PHY3H

Answer 38 · Mark scheme March 2011 | PHY1AP | Original Q9 | Legacy

Nine	**4**	**3**	**2**	**2**

4.8.1.3 Orbital motion, natural and artificial satellites

Answer 38 · Mark scheme

March 2011 | PHY1AP | Original Q9 | Legacy

GCSE

SCIENCE A (4461) / PHYSICS (4451)

Objective Test Answer Key

PHY1AP (Energy and Electricity)

March 2011

Higher Tier

Question	Key		
One	**A**	economical	**2**
	B	efficient	**1**
	C	environmental	**3**
	D	ethical	**4**
Two	**A**	. . . increase the rate at which infra red radiation is absorbed	**4**
	B	. . . increase the rate at which infra red radiation is emitted	**3**
	C	. . . improve the ability to reflect visible light	**1**
	D	. . . prevent the reflection of visible light	**2**

	A	B	C	D
Three	**2**	**4**	**2**	**4**
Four	**4**	**3**	**2**	**2**
Five	**2**	**3**	**1**	**3**
Six	**3**	**2**	**3**	**3**
Seven	**3**	**4**	**3**	**4**
Eight	**1**	**1**	**4**	**1**
Nine	**1**	**2**	**1**	**3**

4.8.1.3 Orbital motion, natural and artificial satellites

Answer 39 · Mark scheme June 2011 | PHY1BP | Original Q4 | Legacy

Four	**2**	**3**	**4**	**1**

Answer 40 · Mark scheme June 2011 | PHY1BP | Original Q8 | Legacy

Eight	**3**	**4**	**2**	**3**

4.8.1.3 Orbital motion, natural and artificial satellites

Answer 41 · Mark scheme

June 2011 | PHY1H | Original Q3 | Legacy

Question 3

question	answers	extra information	mark
3(a)(i)	microwave(s)		1
3(a)(ii)	has discrete values only **or** has only 2 states	accept can only be on or off accept made up of 1 and 0 only accept has high and low (values only) accept a diagram with discrete levels do **not** accept can be switched on and off	1
3(a)(iii)	any **one** from: • less (prone to) interference • can be (easily) processed by computers • better quality (signal) • digital signals can be restored • information / data can be compressed	it refers to signal accept no interference accept interference causes less / no permanent damage accept noise / distortion for interference accept can be processed without an analogue to digital converter better on its own is insufficient accept can send more information in same time do **not** accept faster	1

Question 3 continues on the next page

4.8.1.3 Orbital motion, natural and artificial satellites

PHY1H

Question 3 continued

question	answers	extra information	mark
3(b)	2 000 000 000	allow **1** mark for correct transformation and substitution ie $\frac{300\,000\,000}{0.15}$ or $\frac{300\,000\,000}{15}$	2
	hertz	accept Hz do **not** accept hz accept kHz / MHz / GHz **but** for full credit the answer and unit must be consistent eg answers 2 GHz; 2000 MHz; 2 000 000 kHz gain **3** marks	1
3(c)(i)	infra red (radiation)	accept IR ignore reference to light	1
3(c)(ii)	travel a shorter distance	do **not** accept faster	1
Total			**8**

4.8.1.3 Orbital motion, natural and artificial satellites

Answer 41 · Mark scheme June 2011 | PHY1H | Original Q3 | Legacy

PHY1H

4.8.1.3 Orbital motion, natural and artificial satellites

Answer 42 · Mark scheme

June 2011 | PHY1H | Original Q5 | Legacy

Question 5

question	answers	extra information	mark
5(a)(i)	radio waves pass through the atmosphere	accept it is cheaper / easier to maintain	1
5(a)(ii)	computers process digital signals (more easily)	accept read for process accept computers cannot (easily) process analogue signals ignore references to interference	1
5(b)(i)	wavelength (of waves appears to) increase **or** wavelength moves to longer / red end of spectrum	accept answers in terms of frequency decrease accept wavelength stretched but not just wave is stretched answers involving planets negates mark	1
5(b)(ii)	can measure change 20 times smaller	accept can measure (much) smaller change accept detects with greater precision accept can show more detail / stars accept can detect weaker signals can see things more clearly is insufficient	1

Question 5 continues on the next page

PHY1H

Question 5 continued

question	answers	extra information	mark
5(b)(iii)	Universe had a start point Universe is (still) changing / expanding	mention of Earth / planets etc exploding / expanding negates answer	1 1
5(c)	any **one** from: • share ideas • can justify large development costs • makes new investigations possible	accept cost shared saves money is insufficient accept any sensible suggestion	1
Total			**7**

4.8.1.3 Orbital motion, natural and artificial satellites

Answer 42 · Mark scheme June 2011 | PHY1H | Original Q5 | Legacy

PHY1H

4.8.1.3 Orbital motion, natural and artificial satellites

Answer 43 · Mark scheme

June 2011 | PHY3H | Original Q3 | Legacy

Question 3

question	answers	extra information	mark
3(a)	(Jupiter's) gravitational pull	accept (Jupiter's) gravity	1
3(b)	extrapolation which takes account of the line of best fit passing through the origin (+ / - 1 square) a correct reading taken from the candidate's line (+ / - ½ square)	accept a straight line or curve do **not** accept a line dot to dot if no line drawn allow for **1** mark a value between 8 – 12 inclusive	1 1
3(c)	as the distance increases the time increases **or** as the distance decreases the time decreases **or** there is a positive correlation		1
3(d)	any **one** from: • computers able to process data • telescopes in space / on satellites / above the Earth / atmosphere • instruments other than optical telescopes (available)	accept better / advanced technology reference to satellites alone insufficient accept any valid reason do **not** accept just better telescopes	1
Total			**5**

4.8.1.3 Orbital motion, natural and artificial satellites

Answer 43 · Mark scheme June 2011 | PHY3H | Original Q3 | Legacy

PHY3H

Answer 44 · Mark scheme November 2011 | PHY1BP | Original Q9 | Legacy

Nine	**4**	**4**	**3**	**3**

The AQA UMS Conversion Calculator can be found at the following web address:

http://www.aqa.org.uk/umsconversion

4.8.1.3 Orbital motion, natural and artificial satellites

Answer 45 · Mark scheme

June 2012 | PH1HP | Original Q5 | Legacy

Question 5

question	answers	extra information	mark
5(a)	any **two** from: • travel (at same speed) through a vacuum / space • transverse • transfer energy • can be reflected • can be refracted • can be diffracted • can be absorbed • travel in straight lines	do **not** accept air for vacuum	2
5(b)	can pass through the ionosphere	accept atmosphere for ionosphere do **not** accept air for ionosphere accept travel in straight lines accept not refracted / reflected / absorbed by the ionosphere	1
5(c)	diffraction (of waves around hills) wavelength needs to be similar size to the obstacle / gap radio has a long enough wavelength **or** TV doesn't have a long enough wavelength	an answer TV (waves / signals) have short wavelengths so do not diffract (around the hill) scores **2** marks	1 1 1

Question 5 continues on the next page

4.8.1.3 Orbital motion, natural and artificial satellites

Answer 45 · Mark scheme

PH1HP

Question 5 continued

question	answers	extra information	mark
5(d)		$v = f \times \lambda$	
	1.2×10^6 / 1200 000	allow **1** mark for correct substitution ie $3.0 \times 10^8 = f \times 2.5 \times 10^2$	2
	hertz / Hz	do **not** accept hz **or** HZ accept kHz **or** MHz answers 1.2 MHz **or** 1200 kHz gain all **3** marks for full credit the unit and numerical value must be consistent	1
Total			**9**

4.8.1.3 Orbital motion, natural and artificial satellites

Answer 45 · Mark scheme

June 2012 | PH1HP | Original Q5 | Legacy

PH1HP

4.8.1.3 Orbital motion, natural and artificial satellites

Answer 46 · Mark scheme

June 2013 | PH1HP | Original Q8 | Legacy

Question 8

question	answers	extra information	mark
8(a)(i)	origin of the Universe	accept (why) the Universe is expanding do **not** accept origin of the Earth	1
8(a)(ii)	provided more evidence to support the 'Big Bang' theory		1
8(b)(i)	red-shift	accept Doppler (shift)	1
8(b)(ii)	(at the point in time shown the observed spectrum from) star A (shows it) is moving away from the Earth light from star B shows a decrease in wavelength so star B is moving towards Earth	accept star A is moving away star A shows red-shift is insufficient accept light from star B shows blue-shift accept light from star B shows an increase in frequency	1 1 1
Total			**6**

UMS Conversion Calculator: www.aqa.org.uk/umsconversion

4.8.1.3 Orbital motion, natural and artificial satellites

Answer 47 · Mark scheme June 2014 | PH3HP | Original Q2 | Legacy

Question	Answers	Extra information	Mark	AO spec ref
2(a)	gravitational attraction (between the satellite and the Earth)	allow gravity allow weight of the satellite	1	AO1 3.2.4b
2(b)	any **two** from: • mass of satellite • speed / velocity (of satellite) • radius of orbit / circle	allow height above the Earth radius / height alone is insufficient	2	AO1 3.2.4c
2(c)(i)	increasing the height (above the Earth's surface) increases the time (for one orbit)	allow a positive correlation allow as one gets bigger, the other gets bigger, or vice versa ignore they are directly proportional	1	AO3 4.5.3
2(c)(ii)	there is no relationship / correlation		1	AO3 4.5.3
2(d)	Isaac Newton was a respected scientist who had made new discoveries before		1	AO3 3.2.4, SALoSE
Total			**6**	

4.8.1.3 Orbital motion, natural and artificial satellites

Answer 47 · Mark scheme June 2014 | PH3HP | Original Q2 | Legacy

Question	Marks awarded for this answer will be determined by the Quality of Written Communication (QWC) as well as the standard of the scientific response. Examiners should also refer to the information	Mark	AO spec ref

Answer 48 · Mark scheme June 2015 | PH1HP | Original Q4 | Legacy

The full source mark scheme begins on page 170. Follow original question 4 in that document.

4.8.1.3 Orbital motion, natural and artificial satellites

Answer 49 · Mark scheme June 2018 | 8463/2H | Original Q8

Question	Answers	Extra information	Mark	AO / Spec. Ref.
08.1	(force of) gravity causes the satellite to accelerate (towards the Earth)	allow satellite is (constantly) accelerating	1	AO1 4.8.1.3
	the acceleration causes a change in direction	acceleration causes a change in speed negates this mark point	1	
	velocity changes because direction changes		1	

4.8.1.3 Orbital motion, natural and artificial satellites

Answer 49 · Mark scheme

June 2018 | 8463/2H | Original Q8

Question	Answers	Extra information	Mark	AO / Spec. Ref.
08.2		an answer of 15 scores **5** marks		AO2 4.8.1.3 4.5.6.1.2
	length of orbit taken from graph = 42 100 (km)		1	
	42 100 = 7.73 × time **or** time = $\frac{42\,100}{7.73}$	allow their distance = 7.73 × time	1	
	time (1 orbit) = 5446(s)	allow a value consistent with their distance	1	
	number of orbits = $(\frac{24 \times 3600}{5446})$ = 15.86	allow $(\frac{24}{1.51})$ = 15.86 allow a value consistent with their distance	1	
	number of orbits = 15	allow a value consistent with their distance	1	
		an answer of 16 scores **4** marks		
	or			
	length of orbit taken from graph = 42 100 (km) (1)			
	7.73 = $\frac{\text{distance}}{24 \times 3600}$ (1)			
	distance = 667 872 (km) (1)			
	number of orbits =($\frac{667\,872}{42\,100}$) = 15.86 (1)	allow a value consistent with their two distances		
	number of orbits = 15 (1)	allow a value consistent with their two distances up to full marks can be awarded for a method calculating velocity in km/h and time in hours		

4.8.1.3 Orbital motion, natural and artificial satellites

Answer 49 · Mark scheme


June 2018 | 8463/2H | Original Q8

Question	Answers	Extra information	Mark	AO / Spec. Ref.
08.3	the predicted data is very close to the actual data		1	AO3 4.8.1.3
08.4	supported the prediction (made by Bode) so provides evidence that the equation is true / correct / works / accurate	allow predicted and actual values are very close allow proves for provides evidence	1 1	AO3 4.8.1.3
Total			**11**	

4.8.1.3 Orbital motion, natural and artificial satellites

Answer 49 · Mark scheme

June 2018 | 8463/2H | Original Q8



4.8.1.3 Orbital motion, natural and artificial satellites

Answer 50 · Mark scheme

June 2023 | 8463/2H | Original Q6

Question 6

Question	Answers	Extra information	Mark	AO / Spec. Ref.
06.1	satellite	allow moon	1	AO1 4.8.1.3

Question	Answers	Extra information	Mark	AO / Spec. Ref.
06.2	12.5 cm = 0.125 m		1	AO2 4.6.1.2
	$3 \times 10^8 = f \times 0.125$	this mark may be awarded for an incorrectly / not converted value for wavelength	1	
	$f = \frac{3 \times 10^8}{0.125}$	this mark may be awarded for an incorrectly / not converted value for wavelength	1	
	$f = 2\,400\,000\,000$ (Hz)	this mark may be awarded for an incorrectly / not converted value for wavelength	1	
	$f = 2.4 \times 10^9$ (Hz)	this mark may be awarded for an incorrectly calculated value for frequency in standard form using the given data	1	

Question	Answers	Extra information	Mark	AO / Spec. Ref.
06.3	gravitational force causes the Hubble Space Telescope to accelerate towards the Earth		1	AO1 4.5.1.1 4.5.6.1.3 4.8.1.3
	this changes the direction of motion (but not the speed)		1	
	so changes the velocity of the Hubble Space Telescope	if no other marks awarded, allow 1 mark for gravitational force maintains circular orbit	1	

4.8.1.3 Orbital motion, natural and artificial satellites

Answer 50 · Mark scheme

June 2023 | 8463/2H | Original Q6

Question	Answers	Extra information	Mark	AO / Spec. Ref.
06.4	galaxy A has the greater red shift (so) A is travelling (away from us) faster (than B) (because) A is further away (from us than B)	if no other marks awarded, allow 1 mark for galaxy A and galaxy B are moving away from us	1 1 1	AO3 4.8.2

Total Question 6	12

Answer 51 · Mark scheme

Question 4

Question	Answers	Extra information	Mark	AO / Spec. Ref.
04.1	convex	allow converging	1	AO1 4.6.2.5

Question	Answers	Extra information	Mark	AO / Spec. Ref.
04.2	(the parallel) rays converging rays meeting/crossing at the principal focus		1 1	AO2 4.6.2.5

Question	Answers	Extra information	Mark	AO / Spec. Ref.
04.3	0.60 μm = 0.6 × 10^{-6} m $3.0 \times 10^{8} = f \times 0.6 \times 10^{-6}$ $f = \frac{3.0 \times 10^{8}}{0.6 \times 10^{-6}}$ $f = 5.0 \times 10^{14}$ (Hz)	allow 0.60 μm = 0.000 000 6 m all subsequent marks may be awarded if wavelength is incorrectly / not converted	1 1 1 1	AO2 4.6.1.2

Question	Answers	Extra information	Mark	AO / Spec. Ref.
04.4	wavelength		1	AO1 4.8.2

Answer 51 · Mark scheme

Question	Answers	Extra information	Mark	AO / Spec. Ref.
04.5	distant galaxies are moving away from our galaxy		1	AO1 4.8.2

Question	Answers	Extra information	Mark	AO / Spec. Ref.
04.6	the distance to this galaxy is greater than any previously observed galaxies		1	AO3 4.8.2

Question	Answers	Extra information	Mark	AO / Spec. Ref.
04.7	a gravitational / centripetal / resultant force acts on the satellite		1	AO1 4.8.1.3
	(so) the satellite accelerates (towards the centre of the orbit)	do **not** accept acceleration causes a change in speed	1	
	(so) the direction changes (which changes the velocity)		1	

Total Question 4	**13**

4.8.1.3 Orbital motion, natural and artificial satellites

AQA
ASSESSMENT and QUALIFICATIONS ALLIANCE

Mark scheme June 2003

GCSE

Physics

3451

Foundation

Copyright © 2003 AQA and its licensors. All rights reserved.

The Assessment and Qualifications Alliance (AQA) is a company limited by guarantee registered in England and Wales 3644723 and a registered charity number 1073334
Registered address: Addleshaw Booth & Co., Sovereign House, PO Box 8, Sovereign Street, Leeds LS1 1HQ
Kathleen Tattersall: *Director General*

4.8.1.3 Orbital motion, natural and artificial satellites

INFORMATION FOR EXAMINERS

1. General

The mark scheme for each question shows:

- the marks available for each part of the question;
- the total marks available for the question;
- the typical answer or answers which are expected;
- extra information to help the Examiner make his or her judgement and help to delineate what is acceptable or not worthy of credit or, in discursive answers, to give an overview of the area in which a mark or marks may be awarded.

The extra information is aligned to the appropriate answer in the left-hand part of the mark scheme and should only be applied to that item in the mark scheme.

At the beginning of a part of a question a reminder may be given, for example:
where consequential marking needs to be considered in a calculation;
or the answer may be on the diagram or at a different place on the script.

In general the right hand side of the mark scheme is there to provide those extra details which confuse the main part of the mark scheme yet may be helpful in ensuring that marking is straightforward and consistent.

2. Emboldening

2.1 In a list of acceptable answers where more than one mark is available 'any **two** from' is used, with the number of marks emboldened. Each of the following lines is a potential mark.

2.2 A bold **and** is used to indicate that both parts of the answer are required to award the mark.

2.3 Alternative answers acceptable for a mark are indicated by the use of **or**. (Different terms in the mark scheme are shown by a / ; e.g. allow smooth / free movement.)

3. Marking points

3.1 Marking of Quality of Written Communication

Examiners are reminded of the need to assess QoWC by the following statement appearing in the appropriate parts of the mark scheme:

The answer to this question requires ideas in good English in a sensible order with correct use of scientific terms. Quality of written communication should be considered in crediting points in the mark scheme.

The maximum marks available to a candidate whose answer is not well expressed will be (the number of marks available –1).

4.8.1.3 Orbital motion, natural and artificial satellites

3.2 Marking of lists

This applies to questions requiring a set number of responses, but for which candidates have provided extra responses. The general principle to be followed in such a situation is that 'right + wrong = wrong'.

Each error/contradiction negates each correct response. So, if the number of error/contradictions equals or exceeds the number of marks available for the question, no marks can be awarded.

However, responses considered to be neutral (indicated as * in example 1) are not penalised.

Example 1: What is the pH of an acidic solution? (1 mark)

Candidate	Response	Marks awarded
1	4,8	0
2	green, 5	0
3	red*, 5	1
4	red*, 8	0

Example 2: Name two planets in the solar system. (2 marks)

Candidate	Response	Marks awarded
1	Pluto, Mars, Moon	1
2	Pluto, Sun, Mars, Moon	0

3.3 Use of chemical symbols/formulae

If a candidate writes a chemical symbol/formula instead of a required chemical name, full credit can be given if the symbol/formula is correct and if, in the context of the question, such action is appropriate.

3.4 The marking of quantitative relationships

Full credit can be given for a correct quantitative relationship expressed in:

- named units;
- physical quantities;
- standard symbols;
- a combination of physical quantities and units.

No credit can be given for any quantitative relationship expressed in terms of:

- a combination of physical quantities, units and symbols;
- a diagram, e.g. the ohm's law triangle, unless the rest of the answer shows clearly that the candidate understands the relationships involved.

3.5 Marking procedure for calculations

3.5.1 Full marks can be given for a correct numerical answer, as shown in the column 'answers', without any working shown. However, if the answer is incorrect, mark(s) can be gained by correct substitution/working and this is shown in the 'extra information' column.

3.5.2 Where calculations are based on incorrectly recalled relationships, neither the incorrectly recalled relationship, nor the resulting calculation based on the incorrect relationship, will be credited.

3.6 Interpretation of 'it'

Answers using the word 'it' should be given credit only if it is clear that the 'it' refers to the correct subject.

3.7 Errors carried forward

There should be no error carried forward from a previous answer which has been based on wrong science. Any error in the answers to a structured question should be penalised once only.

Examples

(a) A candidate who calculates average speed using speed = time/distance **and** then proceeds to use this incorrect answer to calculate an acceleration based on the correct quantitative relationship should be given credit for the use of the correct acceleration relationship but none for either numerical answer.

(b) A candidate who incorrectly calculates average speed using speed = distance/time and then proceeds to use this incorrect value to calculate an acceleration based on the correct quantitative relationship, should be given credit for the use of both correct quantitative relationships **and** for the correct substitution and use of the incorrect value in the calculation of the rate of acceleration.

Papers should be constructed in such a way that the number of times errors can be carried forward are kept to a minimum. Allowances for errors carried forward are most likely to be restricted to calculation questions and should be shown by the abbreviation e.c.f. in the marking scheme.

3.8 Phonetic spelling

The phonetic spelling of correct scientific terminology should be credited **unless** there is a possible confusion with another technical term.

3.9 Brackets




(…..) is used to indicate information which is not essential for the mark to be awarded but is included to help the examiner identify the sense of the answer required.

3.10 Unexpected Correct Answers not in the Mark Scheme

The Examiner should use professional judgement to award credit where a candidate has given an unexpected correct answer which is not covered by the mark scheme. The Examiner should consult with the Team Leader to confirm the judgement. The Team Leader should pass this answer on to the Principal Examiner with a view to informing all examiners.

4.8.1.3 Orbital motion, natural and artificial satellites

3451/F Q1

question	answers	extra information	mark
(a)	circuit symbol for a lamp correct   circuit symbol for a cell correct	accept  accept any standard of drawing providing circuit would work	1 1
	2 lamps drawn in parallel with 3 cells	polarity of cells must be correct (+ to –) but cells may be either way around	1
(b)	4.5		1
(c)	the same as	accept any clear indication of the correct answer	1
total			5

4.8.1.3 Orbital motion, natural and artificial satellites

3451/F Q2

question	answers	extra information	mark
(a)	gas		1
(b)	fuel burning stations produce electricity at any time / all the time wind generator can only produce when the wind is strong enough	accept fuel available all the time accept it's not always windy	1 1
(c)	no fuel is burnt **or** no fuel is used **or** uses only energy from wind **or** does not emit harmful gases / soot / smoke	do **not** accept wind is natural / environmentally friendly / renewable answer must be in terms of wind, **not** negative of fuel burning specific examples of gases CO_2, SO_2, acid rain and greenhouse gases can be accepted ozone negates credit	1
total			4

4.8.1.3 Orbital motion, natural and artificial satellites

3451/F Q3

question	answers	extra information	mark
(a)(i)	microwaves		1
(ii)	infra red		1
(iii)	ultrasonic		1
(b)(i)	B		1
(ii)	A		1
(c)	disturbance / vibration / movement direction	accept motion / force do **not** accept energy	1 1
(d)	sound wave	accept any clear indication of the correct answer	1
total			8

4.8.1.3 Orbital motion, natural and artificial satellites

3451/F Q4

question	answers	extra information	mark
(a)(i)	heat		1
(ii)	temperature increases **or** (cause) convection (currents)	accept gets warmer accept gets hotter	1
(iii)	60% **or** 0.6	60 without % scores **1** mark 0.6 with a unit scores **1** mark 60 with incorrect unit scores **1** mark **or** correct substitution $\frac{120}{200}$ for **1** mark	2
(b)	street more (energy transferred as) light **or** less (energy transferred as) heat **or** useful energy output the highest	 can only score this mark if first mark scored all efficiencies calculated correctly score 2nd mark point	1 1
total			6


4.8.1.3 Orbital motion, natural and artificial satellites

3451/F Q5

question	answers	extra information	mark
(a)	MN	accept 5.8, 8 seconds must include unit	1
(b)	LM	accept 0.8, 5.8 seconds must include unit	1
(c)(i)	0.8		1
(ii)	drinking alcohol		1
(d)	straight (by eye) line starting at 0.8 seconds line drawn steeper than LM starting before L	 ignore lines going beyond 2 seconds but line must exceed 2.5 metres per second before terminating	1 1
total			6


4.8.1.3 Orbital motion, natural and artificial satellites

3451/F Q6

question	answers	extra information	mark
(a)(i)	each correct label scores 1 mark  		3
(ii)	neutron		1
(iii)	7 number of protons and neutrons **or** number of nucleons **or** number of particles in the nucleus	 accept number of particles in the centre only if first answer = 7	1 1
(b)(i)	50 ± 5		1
(ii)	50 ± 5	accept their (b)(i)	1
(iii)	less	accept any way of indicating the correct answer	1
total			9

4.8.1.3 Orbital motion, natural and artificial satellites

3451/F Q7

question	answers	extra information	mark
(a)	each correct line scores 1 mark  	if more than 3 lines are drawn mark incorrect ones first, to a maximum of 3 lines	3
(b)	toaster	accept 1.2 kW	1
(c)(i)	400		1
(ii)	£24 **or** 2400p	full credit for their (c)(i) × 6p for full credit the correct numerical answer must have the correct unit an answer of 24 or 2400 with no unit or the incorrect unit scores **1** mark (c)(i) × 6 incorrectly evaluated scores **1** mark	2
(d)	6	allow 6000 for **1** mark allow 3 × 2 for **1** mark	2
total			9


4.8.1.3 Orbital motion, natural and artificial satellites

3451/F Q8

question	answers	extra information	mark
(a)(i)	point where the rays cross	do not credit if ambiguous	1
(ii)	converging (lens)	do **not** accept convex	1
(b)(i)	point where the rays appear to diverge from	this should appear to be within 10mm in front of the back of the arrows on the approximate centre line need not be accurately constructed using a ruler	1
(ii)	diverging (lens)	do **not** accept concave	1
(c)	converging film smaller than nearer to	accept any clear indication of the correct response e.g. ticking, ringing, writing in after a mistake	1 1 1 1
(d)(i)	(image) bigger than object / enlarge	accept just 'made bigger'	1
(ii)	it / real image can be put on a screen **or** real image on the opposite side of the lens to the object	accept 'not an imaginary or virtual image' assume 'it' refers to a real image do **not** credit 'it can be seen'	1
(e)	**either** (the converging lens is) thick in the middle thin(ner) at the edge **or** (both) sides bend outwards (1) in the middle (1) **or** one side bends in the middle (1) more than the other side bends inwards (in the middle) (1)	thickest in the middle gains **2** marks convex gains **2** marks suitable diagrams gains **2** marks	1 1
total			12




4.8.1.3 Orbital motion, natural and artificial satellites

3451/F Q9

question	answers	extra information	mark
(a)(i)	off off on	all correct	1
(ii)	AND (gate)	accept and (gate)	1
(iii)	on on on	all correct	1
(iv)	OR (gate)	accept or (gate)	1
(b)(i)	1 0 **or** 0 1 0 1 1 0	do **not** credit on / off responses	1
(ii)		accept mirror image accept  accept with either or both parts shaded accept line through as shading	1
(c)		accept off for 0 and on for 1 throughout	
	0 0	both correct	1
	0 1	both correct	1
	1 1	both correct	1
	1 1	both correct	1

4.8.1.3 Orbital motion, natural and artificial satellites

3451/F Q9 continued

(d)(i)		accept mirror image **or** inverted do **not** credit  **or**  or similar	1
(ii)	resistance decreases / increases / changes current (through it) increases / decreases / changes **or** temperature changes / increases / decreases (1) resistance changes / decreases / increases (1) (NTC thermistor) both marks independent but must be compatible to score **2** marks	accept 'voltage across it decreases' for **2** marks but only if it is made clear that this refers to a thermistor in series	1 1
total			13

4.8.1.3 Orbital motion, natural and artificial satellites

3451/F Q10

question	answers	extra information	mark
(a)(i)	friction	accept any way of indicating the correct answer	1
(ii)	gravity	accept any way of indicating the correct answer	1
(b)(i)	accelerates **or** speed / velocity increases	accept faster and faster (**1** mark) do **not** accept faster pace / falls faster or suggestions of a greater but constant speed	1
	downwards / falls	accept towards the Earth / ground this may score in part (b)(ii) if it does not score here and there is no contradiction between the two parts	1
(ii)	constant speed / velocity **or** terminal velocity / speed **or** zero acceleration	stays in the same place negates credit	1
total			5

4.8.1.3 Orbital motion, natural and artificial satellites

3451/F Q11

question	answers	extra information	mark
(a)(i)	X – mantle		1
	Y – inner core	do **not** accept solid core	1
(ii)	different to the crust **or** contains a lot of (heavy) metals	accept iron and nickel for metals	1
	higher (average) density **or** denser	density higher than 5500 (kg/m^3) gets **2** marks	1
(b)	animals were able to move from one continent to the other		1
	(when bridge broke) animals evolved differently	accept animals adapted differently	1
(c)(i)	earthquakes occur at the boundary between plates **or** earthquakes occur where plates push against each other		1
	there are no plate boundaries running through Britain	accept Britain is not near the edge of a plate	1
(ii)	convection currents (in the mantle) **or** heat released by (natural) radioactive processes		1
total			9

4.8.1.3 Orbital motion, natural and artificial satellites

3451/F Q12

question	answers	extra information	mark
(a)(i)	outside the Earth **or** not from the Earth	accept alien accept life from / on another planet / space accept our planet for Earth	1
(ii)	radio telescope(s)	do **not** accept telescopes do **not** accept satellite dishes do **not** accept radio receivers **or** transmitters	1
(b)(i)	galaxies	do **not** accept stars	1
(ii)	any **one** from: the pulses were regular pulses from space are usually random (scientists) thought technology had been used to produce the pulses neutron stars were unknown signals from a single point	 accept signals / beats for pulses accept noise for random pulses idea of regular but not continuous	1
(iii)	neutron star is (the matter / mass) left behind after a star / red giant explodes (as a super nova)	 accept after a super nova (explosion) neutron star causing super nova gets no credit	1 1
(c)(i)	carried on the balloon / equipment	accept carried by a rocket / aircraft / satellite birds negates credit	1
(ii)	on comets or meteors	accept meteorites / shooting stars accept returning space craft accept solar wind ignore asteroids accept ufo do **not** accept solar flares do **not** accept satellites	1
total			8

4.8.1.3 Orbital motion, natural and artificial satellites

3451/F Q13

question	answers	extra information	mark
(a)	silver is a (good) reflector of <u>heat</u> (radiation) **or** silver reflects the heat (radiation)	fact heat = infra red ignore references to light accept shiny for silver good radiator negates the mark ignore references to good conductor do **not** accept bounce back	1
	less heat is lost through the board **or** more heat is retained by the shirt	explanation accept both sides of shirt heated reflects heat back up gets **1** mark only ignore mention of friction	1
(b)	metal soleplate	accept soleplate / bottom / metal do **not** accept outside / case	1
(c)	plastic **or** rubber	accept any named plastic do **not** accept wood	1
	it is a (good) insulator **or** it is a poor conductor	ignore mention of heat if in conjunction with electricity	1
(d)	**Quality of written communication** *The answer to this question requires ideas in good English in a sensible order with correct use of scientific terms. Quality of written communication should be considered in crediting points in the mark scheme.*	*Maximum of **2** marks if ideas not well expressed.*	
	pulls iron bolt down **or** attracts the iron bolt **or** moves bolt out of plunger	answers in terms of charges attracting or repelling gain no credit	1
	plunger pushed / moved to the right (by spring) **or** plunger released		1
	push switch opens / goes to off / goes to right	accept circuit is broken for maximum credit the points must follow a logical sequence 3 correct points but incorrect sequence scores **2** marks only ignore reset action	1
total			8


4.8.1.3 Orbital motion, natural and artificial satellites

3451/F Q14

question	answers	extra information	mark
(a)(i)	any **one** from: the ground the air radon (gas) building materials buildings rocks / granite food cosmic rays **or** solar rays X-rays nuclear weapons testing nuclear power stations / accidents	 do **not** accept mobile phones accept from outer space accept sun but **not** sunlight accept medical uses	1
(ii)	2	allow $\frac{1200}{60\times10}$ **or** $\frac{1200}{600}$ **or** 120 for **1** mark	2
(b)	 alpha: the count rate is (greatly) reduced by the card **or** the card absorbs alphas but not betas beta: the count rate is (greatly) reduced by the metal **or** the thin metal absorbs alphas and betas **or** the thin metal absorbs all of the radiation (from the source) gamma: would pass through the thin metal but count rate is background **or** no radiation passing through **or** a higher reading would be recorded **or** to reduce the count to 2 would require much more than 3 mm of metal	answers must be comparative accept converse answers throughout accept paper for the card accept aluminium for the metal accept aluminium for the metal accept lead / aluminium for the metal	 1 1 1
total			6

4.8.1.3 Orbital motion, natural and artificial satellites

3451/F Q15

question	answers	extra information	mark
(a)(i)	weight = mass × g.f.s.	accept w = m × g accept gravity for gfs accept  provided subsequent use of Δ correct do **not** accept N = kg × N/kg	1
(ii)	675	75 × 9 for **1** mark	2
(iii)	g.(f.s.) is higher (on Earth than Venus)	accept gravity for g.f.s. do **not** accept g.f.s. is lower unless answer states on Venus	1
(iv)	orbit time for Jupiter is <u>longer</u> / longest (than for the other planets)	do **not** give any credit for an answer that includes a comparison of diameter **or** a comparison of g.f.s.	1
(b)	**Quality of written communication** *The answer to this question requires ideas in good English in a sensible order with correct use of scientific terms. Quality of written communication should be considered in crediting points in the mark scheme.* any **two** from: dust <u>and</u> gas **or** remnants of a super nova pulled together by (force of) <u>gravity</u> nuclear fusion starts	*Maximum of **1** mark if ideas not well expressed.* accept hydrogen for dust and gas do **not** accept hydrogen burns although candidates may include more detail these points are essential to score the credit	2
total			7

4.8.1.3 Orbital motion, natural and artificial satellites

3451/F Q16

question	answers	extra information	mark
(a)(i)	upright with the contacts at the bottom and still in place and unbent	no need for labels but incorrect label(s) cancel the mark accept a freehand drawing no need for details such as correct dimensions	1
	one blob of mercury touching <u>both</u> contacts	do **not** award mark if contacts bent to touch	1
(b)(i)	(X is a) battery	do **not** credit cell accept (set of) cells accept power supply do **not** accept power pack	1
	(Y is a) LED	**or** light emitting diode	1
(ii)	longer (time)	do **not** accept 'slower time'	1
(iii)	any **two** from: current less (so) rate of flow of charge less **or** less coulombs per second (so) discharge is slower	 do **not** accept current slower accept capacitor has charge for longer **or** charge lasts longer **or** (so total of) electrons take longer to travel round circuit	2
(c)	4200	translation correct (= 4000) but percentage addition incorrect gains **1** mark translation incorrect but 5% addition is correct gains **1** mark accept 422.1 **or** 42.2 **or** 6.3 for **1** mark	2
	ohms **or** Ω	4.2 kilohms **or** 4.2 kΩ gains all **3** marks	1
total			10

4.8.1.3 Orbital motion, natural and artificial satellites

3451/F Q17

question	answers	extra information	mark
(a)	point at which its mass (seems to) act **or** point at which gravity (seems to) act	accept …its weight acts accept correct statements if the intent is clear e.g. … if suspended, the centre of gravity will be directly under the point of suspension e.g. … (if the object is symmetrical), the centre of gravity is on the **or** an axis (of symmetry) do **not** credit just 'it is a point'	1
(b)	**Quality of written communication** *The answer to this question requires good English in a sensible order with correct use of scientific terms. Quality of written communication should be considered in crediting points in the mark scheme.* any **five** from: clamp (steel) rod (horizontally) hang plastic / sheet by rod through (one) hole hang plumb line from rod mark ends of plumb line on the sheet and use the ruler to draw a straight line repeat with other hole centre of mass is where the lines cross check by balancing at this point	*maximum of **4** marks if ideas not well expressed* **no** marks if method quite unworkable maximum of **3** marks if no 'repeat with other hole'	5
(c)(i)	(turning) effect **or** moment force distance	all three correct accept weight accept length	1
(ii)	17.6 Nm **or** newton metre(s)	allow 44 × 0.4 **or** 0.4 × 44 for **1** mark do **not** accept N/m **or** N/cm 1760 Ncm gains all **3** marks	2 1
total			10

4.8.1.3 Orbital motion, natural and artificial satellites

ASSESSMENT and QUALIFICATIONS ALLIANCE

Mark scheme June 2003

GCSE

Science: Double Award Co-ordinated

3462

Paper 3F

Copyright © 2003 AQA and its licensors. All rights reserved.

The Assessment and Qualifications Alliance (AQA) is a company limited by guarantee registered in England and Wales 3644723 and a registered charity number 1073334
Registered address: Addleshaw Booth & Co., Sovereign House, PO Box 8, Sovereign Street, Leeds LS1 1HQ
Kathleen Tattersall: *Director General*

4.8.1.3 Orbital motion, natural and artificial satellites

INFORMATION FOR EXAMINERS

1. General

The mark scheme for each question shows:

- the marks available for each part of the question;
- the total marks available for the question;
- the typical answer or answers which are expected;
- extra information to help the Examiner make his or her judgement and help to delineate what is acceptable or not worthy of credit or, in discursive answers, to give an overview of the area in which a mark or marks may be awarded.

The extra information is aligned to the appropriate answer in the left-hand part of the mark scheme and should only be applied to that item in the mark scheme.

At the beginning of a part of a question a reminder may be given, for example:
where consequential marking needs to be considered in a calculation;
or the answer may be on the diagram or at a different place on the script.

In general the right hand side of the mark scheme is there to provide those extra details which confuse the main part of the mark scheme yet may be helpful in ensuring that marking is straightforward and consistent.

2. Emboldening

2.1 In a list of acceptable answers where more than one mark is available 'any **two** from' is used, with the number of marks emboldened. Each of the following lines is a potential mark.

2.2 A bold **and** is used to indicate that both parts of the answer are required to award the mark.

2.3 Alternative answers acceptable for a mark are indicated by the use of **or**. (Different terms in the mark scheme are shown by a / ; e.g. allow smooth / free movement.)

3. Marking points

3.1 Marking of Quality of Written Communication

Examiners are reminded of the need to assess QoWC by the following statement appearing in the appropriate parts of the mark scheme:

The answer to this question requires ideas in good English in a sensible order with correct use of scientific terms. Quality of written communication should be considered in crediting points in the mark scheme.

The maximum marks available to a candidate whose answer is not well expressed will be (the number of marks available –1).

3.2 Marking of lists

This applies to questions requiring a set number of responses, but for which candidates have provided extra responses. The general principle to be followed in such a situation is that 'right + wrong = wrong'.

Each error/contradiction negates each correct response. So, if the number of error/contradictions equals or exceeds the number of marks available for the question, no marks can be awarded.

However, responses considered to be neutral (indicated as * in example 1) are not penalised.

Example 1: What is the pH of an acidic solution? (1 mark)

Candidate	Response	Marks awarded
1	4,8	0
2	green, 5	0
3	red*, 5	1
4	red*, 8	0

Example 2: Name two planets in the solar system. (2 marks)

Candidate	Response	Marks awarded
1	Pluto, Mars, Moon	1
2	Pluto, Sun, Mars, Moon	0

3.3 Use of chemical symbols/formulae

If a candidate writes a chemical symbol/formula instead of a required chemical name, full credit can be given if the symbol/formula is correct and if, in the context of the question, such action is appropriate.

3.4 The marking of quantitative relationships

Full credit can be given for a correct quantitative relationship expressed in:

- named units;
- physical quantities;
- standard symbols;
- a combination of physical quantities and units.

No credit can be given for any quantitative relationship expressed in terms of:

- a combination of physical quantities, units and symbols;
- a diagram, e.g. the ohm's law triangle, unless the rest of the answer shows clearly that the candidate understands the relationships involved.

3.5 Marking procedure for calculations

3.5.1 Full marks can be given for a correct numerical answer, as shown in the column 'answers', without any working shown. However, if the answer is incorrect, mark(s) can be gained by correct substitution/working and this is shown in the 'extra information' column.

3.5.2 Where calculations are based on incorrectly recalled relationships, neither the incorrectly recalled relationship, nor the resulting calculation based on the incorrect relationship, will be credited.

3.6 Interpretation of 'it'

Answers using the word 'it' should be given credit only if it is clear that the 'it' refers to the correct subject.

3.7 Errors carried forward

There should be no error carried forward from a previous answer which has been based on wrong science. Any error in the answers to a structured question should be penalised once only.

Examples

(a) A candidate who calculates average speed using speed = time/distance **and** then proceeds to use this incorrect answer to calculate an acceleration based on the correct quantitative relationship should be given credit for the use of the correct acceleration relationship but none for either numerical answer.

(b) A candidate who incorrectly calculates average speed using speed = distance/time and then proceeds to use this incorrect value to calculate an acceleration based on the correct quantitative relationship, should be given credit for the use of both correct quantitative relationships **and** for the correct substitution and use of the incorrect value in the calculation of the rate of acceleration.

Papers should be constructed in such a way that the number of times errors can be carried forward are kept to a minimum. Allowances for errors carried forward are most likely to be restricted to calculation questions and should be shown by the abbreviation e.c.f. in the marking scheme.

3.8 Phonetic spelling

The phonetic spelling of correct scientific terminology should be credited **unless** there is a possible confusion with another technical term.

3.9 Brackets

(…..) is used to indicate information which is not essential for the mark to be awarded but is included to help the examiner identify the sense of the answer required.




3.10 Unexpected Correct Answers not in the Mark Scheme

The Examiner should use professional judgement to award credit where a candidate has given an unexpected correct answer which is not covered by the mark scheme. The Examiner should consult with the Team Leader to confirm the judgement. The Team Leader should pass this answer on to the Principal Examiner with a view to informing all examiners.

4.8.1.3 Orbital motion, natural and artificial satellites

Double Award
Foundation Tier 3462/3F

3462/3F Q1

question	answers	extra information	mark
(a)	circuit symbol for a lamp correct 	accept  accept any standard of drawing providing circuit would work	1
	circuit symbol for a cell correct 		1
	2 lamps drawn in parallel with 3 cells	polarity of cells must be correct (+ to –) but cells may be either way around	1
(b)	4.5		1
(c)	the same as	accept any clear indication of the correct answer	1
total			5

4.8.1.3 Orbital motion, natural and artificial satellites

3462/3F Q2

question	answers	extra information	mark
(a)	gas		1
(b)	fuel burning stations produce electricity at any time / all the time	accept fuel available all the time	1
	wind generator can only produce when the wind is strong enough	accept it's not always windy	1
(c)	no fuel is burnt **or** no fuel is used **or** uses only energy from wind **or** does not emit harmful gases / soot / smoke	do **not** accept wind is natural / environmentally friendly / renewable answer must be in terms of wind, **not** negative of fuel burning specific examples of gases CO_2, SO_2, acid rain and greenhouse gases can be accepted ozone negates credit	1
total			4

4.8.1.3 Orbital motion, natural and artificial satellites

3462/3F Q3

question	answers	extra information	mark
(a)(i)	microwaves		1
(ii)	infra red		1
(iii)	ultrasonic		1
(b)(i)	B		1
(ii)	A		1
(c)	disturbance / vibration / movement direction	accept motion / force do **not** accept energy	1 1
(d)	sound wave	accept any clear indication of the correct answer	1
total			8

4.8.1.3 Orbital motion, natural and artificial satellites

3462/3F Q4

question	answers	extra information	mark
(a)(i)	heat		1
(ii)	temperature increases **or** (cause) convection (currents)	accept gets warmer accept gets hotter	1
(iii)	60% **or** 0.6	60 without % scores **1** mark 0.6 with a unit scores **1** mark 60 with incorrect unit scores **1** mark **or** correct substitution $\frac{120}{200}$ for **1** mark	2
(b)	street more (energy transferred as) light **or** less (energy transferred as) heat **or** useful energy output the highest	 can only score this mark if first mark scored all efficiencies calculated correctly score 2nd mark point	1 1
total			6


4.8.1.3 Orbital motion, natural and artificial satellites

3462/3F Q5

question	answers	extra information	mark
(a)	MN	accept 5.8, 8 seconds must include unit	1
(b)	LM	accept 0.8, 5.8 seconds must include unit	1
(c)(i)	0.8		1
(ii)	drinking alcohol		1
(d)	straight (by eye) line starting at 0.8 seconds		1
	line drawn steeper than LM starting before L	ignore lines going beyond 2 seconds but line must exceed 2.5 metres per second before terminating	1
total			6


4.8.1.3 Orbital motion, natural and artificial satellites

3462/3F Q6

question	answers	extra information	mark
(a)(i)	each correct label scores 1 mark  		3
(ii)	neutron		1
(iii)	7 number of protons and neutrons **or** number of nucleons **or** number of particles in the nucleus	 accept number of particles in the centre only if first answer = 7	1 1
(b)(i)	50 ± 5		1
(ii)	50 ± 5	accept their (b)(i)	1
(iii)	less	accept any way of indicating the correct answer	1
total			9

4.8.1.3 Orbital motion, natural and artificial satellites

3462/3F Q7

question	answers	extra information	mark
(a)	each correct line scores 1 mark  	if more than 3 lines are drawn mark incorrect ones first, to a maximum of 3 lines	3
(b)	toaster	accept 1.2 kW	1
(c)(i)	400		1
(ii)	£24 **or** 2400p	full credit for their (c)(i) × 6p for full credit the correct numerical answer must have the correct unit an answer of 24 or 2400 with no unit or the incorrect unit scores **1** mark (c)(i) × 6 incorrectly evaluated scores **1** mark	2
(d)	6	allow 6000 for **1** mark allow 3 × 2 for **1** mark	2
total			9

4.8.1.3 Orbital motion, natural and artificial satellites

3462/3F Q8

question	answers	extra information	mark
(a)(i)	friction	accept any way of indicating the correct answer	1
(ii)	gravity	accept any way of indicating the correct answer	1
(b)(i)	accelerates **or** speed / velocity increases	accept faster and faster (**1** mark) do **not** accept faster pace / falls faster or suggestions of a greater but constant speed	1
	downwards / falls	accept towards the Earth / ground this may score in part (b)(ii) if it does not score here and there is no contradiction between the two parts	1
(ii)	constant speed / velocity **or** terminal velocity / speed **or** zero acceleration	stays in the same place negates credit	1
total			5

4.8.1.3 Orbital motion, natural and artificial satellites

3462/3F Q9

question	answers	extra information	mark
(a)(i)	X – mantle		1
	Y – inner core	do **not** accept solid core	1
(ii)	different to the crust **or** contains a lot of (heavy) metals	accept iron and nickel for metals	1
	higher (average) density **or** denser	density higher than 5500 (kg/m^3) gets **2** marks	1
(b)	animals were able to move from one continent to the other		1
	(when bridge broke) animals evolved differently	accept animals adapted differently	1
(c)(i)	earthquakes occur at the boundary between plates **or** earthquakes occur where plates push against each other		1
	there are no plate boundaries running through Britain	accept Britain is not near the edge of a plate	1
(ii)	convection currents (in the mantle) **or** heat released by (natural) radioactive processes		1
total			9

4.8.1.3 Orbital motion, natural and artificial satellites

3462/3F Q10

question	answers	extra information	mark
(a)(i)	outside the Earth **or** not from the Earth	accept alien accept life from / on another planet / space accept our planet for Earth	1
(ii)	radio telescope(s)	do **not** accept telescopes do **not** accept satellite dishes do **not** accept radio receivers **or** transmitters	1
(b)(i)	galaxies	do **not** accept stars	1
(ii)	any **one** from: the pulses were regular pulses from space are usually random (scientists) thought technology had been used to produce the pulses neutron stars were unknown signals from a single point	 accept signals / beats for pulses accept noise for random pulses idea of regular but not continuous	1
(iii)	neutron star is (the matter / mass) left behind after a star / red giant explodes (as a super nova)	 accept after a super nova (explosion) neutron star causing super nova gets no credit	1 1
(c)(i)	carried on the balloon / equipment	accept carried by a rocket / aircraft / satellite birds negates credit	1
(ii)	on comets or meteors	accept meteorites / shooting stars accept returning space craft accept solar wind ignore asteroids accept ufo do **not** accept solar flares do **not** accept satellites	1
total			8

4.8.1.3 Orbital motion, natural and artificial satellites

3462/3F Q11

question	answers	extra information	mark
(a)	silver is a (good) reflector of heat (radiation) **or** silver reflects the heat (radiation)	fact heat = infra red ignore references to light accept shiny for silver good radiator negates the mark ignore references to good conductor do **not** accept bounce back	1
	less heat is lost through the board **or** more heat is retained by the shirt	explanation accept both sides of shirt heated reflects heat back up gets **1** mark only ignore mention of friction	1
(b)	metal soleplate	accept soleplate / bottom / metal do **not** accept outside / case	1
(c)	plastic **or** rubber	accept any named plastic do **not** accept wood	1
	it is a (good) insulator **or** it is a poor conductor	ignore mention of heat if in conjunction with electricity	1
(d)	**Quality of written communication** *The answer to this question requires ideas in good English in a sensible order with correct use of scientific terms. Quality of written communication should be considered in crediting points in the mark scheme.*	*Maximum of **2** marks if ideas not well expressed.*	
	pulls iron bolt down **or** attracts the iron bolt **or** moves bolt out of plunger	answers in terms of charges attracting or repelling gain no credit	1
	plunger pushed / moved to the right (by spring) **or** plunger released		1
	push switch opens / goes to off / goes to right	accept circuit is broken for maximum credit the points must follow a logical sequence 3 correct points but incorrect sequence scores **2** marks only ignore reset action	1
total			8


4.8.1.3 Orbital motion, natural and artificial satellites

3462/3F Q12

question	answers	extra information	mark
(a)(i)	any **one** from: the ground the air radon (gas) building materials buildings rocks / granite food cosmic rays **or** solar rays X-rays nuclear weapons testing nuclear power stations / accidents	 do **not** accept mobile phones accept from outer space accept sun but **not** sunlight accept medical uses	1
(ii)	2	allow $\frac{1200}{60\times10}$ **or** $\frac{1200}{600}$ **or** 120 for **1** mark	2
(b)	 alpha: the count rate is (greatly) reduced by the card **or** the card absorbs alphas but not betas beta: the count rate is (greatly) reduced by the metal **or** the thin metal absorbs alphas and betas **or** the thin metal absorbs all of the radiation (from the source) gamma: would pass through the thin metal but count rate is background **or** no radiation passing through **or** a higher reading would be recorded **or** to reduce the count to 2 would require much more than 3 mm of metal	answers must be comparative accept converse answers throughout accept paper for the card accept aluminium for the metal accept aluminium for the metal accept lead / aluminium for the metal	 1 1 1
total			6

4.8.1.3 Orbital motion, natural and artificial satellites

3462/3F Q13

question	answers	extra information	mark
(a)(i)	weight = mass × g.f.s.	accept w = m × g accept gravity for gfs accept  provided subsequent use of Δ correct do **not** accept N = kg × N/kg	1
(ii)	675	75 × 9 for **1** mark	2
(iii)	g.(f.s.) is higher (on Earth than Venus)	accept gravity for g.f.s. do **not** accept g.f.s. is lower unless answer states on Venus	1
(iv)	orbit time for Jupiter is <u>longer</u> / longest (than for the other planets)	do **not** give any credit for an answer that includes a comparison of diameter **or** a comparison of g.f.s.	1
(b)	**Quality of written communication** *The answer to this question requires ideas in good English in a sensible order with correct use of scientific terms. Quality of written communication should be considered in crediting points in the mark scheme.* any **two** from: dust <u>and</u> gas **or** remnants of a super nova pulled together by (force of) <u>gravity</u> nuclear fusion starts	*Maximum of **1** mark if ideas not well expressed.* accept hydrogen for dust and gas do **not** accept hydrogen burns although candidates may include more detail these points are essential to score the credit	2
total			7

GCSE 2004
June Series

ASSESSMENT and QUALIFICATIONS ALLIANCE

Mark Scheme

Physics Specification B
3451/F

Mark schemes are prepared by the Principal Examiner and considered, together with the relevant questions, by a panel of subject teachers. This mark scheme includes any amendments made at the standardisation meeting attended by all examiners and is the scheme which was used by them in this examination. The standardisation meeting ensures that the mark scheme covers the candidates' responses to questions and that every examiner understands and applies it in the same correct way. As preparation for the standardisation meeting each examiner analyses a number of candidates' scripts: alternative answers not already covered by the mark scheme are discussed at the meeting and legislated for. If, after this meeting, examiners encounter unusual answers which have not been discussed at the meeting they are required to refer these to the Principal Examiner.

It must be stressed that a mark scheme is a working document, in many cases further developed and expanded on the basis of candidates' reactions to a particular paper. Assumptions about future mark schemes on the basis of one year's document should be avoided; whilst the guiding principles of assessment remain constant, details will change, depending on the content of a particular examination paper.

Copyright © 2004 AQA and its licensors

4.8.1.3 Orbital motion, natural and artificial satellites

Further copies of this Mark Scheme are available from:

Publications Department, Aldon House, 39, Heald Grove, Rusholme, Manchester, M14 4NA
Tel: 0161 953 1170

or

download from the AQA website: www.aqa.org.uk

Copyright © 2004 AQA and its licensors

COPYRIGHT
AQA retains the copyright on all its publications. However, registered centres for AQA are permitted to copy material from this booklet for their own internal use, with the following important exception: AQA cannot give permission to centres to photocopy any material that is acknowledged to a third party even for internal use within the centre.

Set and published by the Assessment and Qualifications Alliance.

The Assessment and Qualifications Alliance (AQA) is a company limited by guarantee registered in England and Wales 3644723 and a registered charity number 1073334. Registered address AQA, Devas Street, Manchester. M15 6EX. *Dr Michael Cresswell Director General*

4.8.1.3 Orbital motion, natural and artificial satellites

GCSE PHYSICS

INFORMATION FOR EXAMINERS

1. General

The mark scheme for each question shows:

- the marks available for each part of the question;
- the total marks available for the question;
- the typical answer or answers which are expected;
- extra information to help the Examiner make his or her judgement and help to delineate what is acceptable or not worthy of credit or, in discursive answers, to give an overview of the area in which a mark or marks may be awarded.

The extra information is aligned to the appropriate answer in the left-hand part of the mark scheme and should only be applied to that item in the mark scheme.

At the beginning of a part of a question a reminder may be given, for example:
where consequential marking needs to be considered in a calculation;
or the answer may be on the diagram or at a different place on the script.

In general the right hand side of the mark scheme is there to provide those extra details which confuse the main part of the mark scheme yet may be helpful in ensuring that marking is straightforward and consistent.

2. Emboldening

2.1 In a list of acceptable answers where more than one mark is available 'any **two** from' is used, with the number of marks emboldened. Each of the following lines is a potential mark.

2.2 A bold **and** is used to indicate that both parts of the answer are required to award the mark.

2.3 Alternative answers acceptable for a mark are indicated by the use of **or**. (Different terms in the mark scheme are shown by a / ; e.g. allow smooth / free movement.)

3. Marking points

3.1 Marking of Quality of Written Communication

Where *Quality of written communication* appears in the mark scheme, one mark is to be awarded for either of the following points:

- Using correct scientific terms
- Correct sequencing or linking of ideas or points

The mark scheme will specify which of the points is to be awarded in a particular question. A QoWC mark can be awarded for a scientific answer, even if it is not accurate. It cannot be awarded for a nonsensical or non-scientific answer.
On the script, the QoWC tick should be identified by a 'q' written next to it.

3.2 Marking of lists

This applies to questions requiring a set number of responses, but for which candidates have provided extra responses. The general principle to be followed in such a situation is that 'right + wrong = wrong'.

Copyright © 2004 AQA and its licensors

Each error/contradiction negates each correct response. So, if the number of error/contradictions equals or exceeds the number of marks available for the question, no marks can be awarded.

However, responses considered to be neutral (indicated as * in example 1) are not penalised.

Example 1: What is the pH of an acidic solution? (1 mark)

Candidate	Response	Marks awarded
1	4,8	0
2	green, 5	0
3	red*, 5	1
4	red*, 8	0

Example 2: Name two planets in the solar system. (2 marks)

Candidate	Response	Marks awarded
1	Pluto, Mars, Moon	1
2	Pluto, Sun, Mars, Moon	0

3.3 Use of chemical symbols/formulae

If a candidate writes a chemical symbol/formula instead of a required chemical name, full credit can be given if the symbol/formula is correct and if, in the context of the question, such action is appropriate.

3.4 The marking of quantitative relationships

Full credit can be given for a correct quantitative relationship expressed in:

- named units;
- physical quantities;
- standard symbols;
- a combination of physical quantities and units.

No credit can be given for any quantitative relationship expressed in terms of:

- a combination of physical quantities, units and symbols;
- a diagram, e.g. the ohm's law triangle, unless the rest of the answer shows clearly that the candidate understands the relationships involved.

3.5 Marking procedure for calculations

3.5.1 Full marks can be given for a correct numerical answer, as shown in the column 'answers', without any working shown.
However:

- if the answer is incorrect, mark(s) can be gained by correct substitution/working and this is shown in the 'extra information' column;
- if the answer is correct, but an incorrect relationship is written in the working, then no marks can be awarded (see 3.5.2).

3.5.2 Where calculations are based on incorrectly recalled relationships, neither the incorrectly recalled relationship, nor the resulting calculation based on the incorrect relationship, will be credited.

3.6 Interpretation of 'it'

Answers using the word 'it' should be given credit only if it is clear that the 'it' refers to the correct subject.

Copyright © 2004 AQA and its licensors

3.7 Errors carried forward

There should be no error carried forward from a previous answer which has been based on wrong science. Any error in the answers to a structured question should be penalised once only.

Examples

(a) A candidate who calculates average speed using speed = time/distance **and** then proceeds to use this incorrect answer to calculate an acceleration based on the correct quantitative relationship should be given credit for the use of the correct acceleration relationship but none for either numerical answer.

(b) A candidate who incorrectly calculates average speed using speed = distance/time and then proceeds to use this incorrect value to calculate an acceleration based on the correct quantitative relationship, should be given credit for the use of both correct quantitative relationships **and** for the correct substitution and use of the incorrect value in the calculation of the rate of acceleration.

Papers should be constructed in such a way that the number of times errors can be carried forward are kept to a minimum. Allowances for errors carried forward are most likely to be restricted to calculation questions and should be shown by the abbreviation e.c.f. in the marking scheme.

3.8 Phonetic spelling

The phonetic spelling of correct scientific terminology should be credited **unless** there is a possible confusion with another technical term.

3.9 Brackets

(…..) is used to indicate information which is not essential for the mark to be awarded but is included to help the examiner identify the sense of the answer required.

3.10 Interpretation of marginal points

There will be times when the answer is almost, but not quite, correct. Some examiners would award a mark while others would not. In any one script, an attempt should be made to balance these nearly correct answers by giving the mark on some occasions but not on others. If this is not done, the marking would end up being too lenient or too harsh.

3.11 Unexpected Correct Answers not in the Mark Scheme

The Examiner should use professional judgement to award credit where a candidate has given an unexpected correct answer which is not covered by the mark scheme. The Examiner should consult with the Team Leader to confirm the judgement. The Team Leader should pass this answer on to the Principal Examiner with a view to informing all examiners.

Copyright © 2004 AQA and its licensors

4.8.1.3 Orbital motion, natural and artificial satellites

GCSE Physics
Foundation Tier 3451/F

3451F Q1

question	answers	extra information	mark
(a)	comet	correct order only	1
	elliptical		1
	Milky Way		1
	Universe		1
(b)(i)	D A C B	allow **2** marks for two letters in the correct place allow **1** mark for one letter in the correct place	3
(ii)	A		1
total			8

Copyright © 2004 AQA and its licensors

4.8.1.3 Orbital motion, natural and artificial satellites


3451F Q2

question	answers	extra information	mark
(a)	95		1
(b)	alpha	accept correct symbol	1
(c)	any **two** from: • radiation is outside the body • radiation will not reach (living) cells • radiation absorbed by the air	 accept detector is on ceiling or high up the wall accept radiation cannot pass through the body / skin accept cannot pass through the plastic casing do **not** accept because it is alpha radiation – unless qualified do **not** accept does not give off harmful substance do **not** accept cannot pass through building materials etc.	2
(d)	less (than)		1
total			5

Copyright © 2004 AQA and its licensors

4.8.1.3 Orbital motion, natural and artificial satellites

3451F Q3

question	answers	extra information	mark
(a)	generator	accept dynamo accept alternator	1
(b)(i)	1400	ignore units	1
(ii)	0.3 or 30%	any incorrect unit penalise **1** mark allow **1** mark for the correct use of 600 **or** 0.3% **or** 30	2
(c)	**1** mark for each correct link 	if more than 3 lines are drawn, mark only 3 lines starting with those that are incorrect	3
(d)(i)	110	no tolerance	1
(ii)	12	no tolerance	1
(iii)	wind speed may be too low to operate the generator	accept wind may not always blow accept power depends on wind speed accept does not generate if wind speed is too high accept does not generate if wind speed is above 12 (m/s) accept does not generate if wind speed is below 1.6 (m/s) accept it is unreliable do **not** accept answers referring to cost only	1
total			10

Copyright © 2004 AQA and its licensors

4.8.1.3 Orbital motion, natural and artificial satellites

3451F Q4

question	answers	extra information	mark
(a)	B E A D	allow **1** mark for each letter in the correct place, to a maximum of **3** marks	3
(b)	(a spark) may cause the (petrol vapour) to explode / ignite	accept petrol for (petrol vapour) accept catch fire for explode	1
	connect tanker to earth with a (conducting) wire / chain **or** earth the tanker	accept ground for earth	1
(c)	**Quality of written communication**	for a logical sequence	1
	any **two** from:		2
	• when current greater than fuse rating / value	accept when current too great for appliance do **not** accept 'if there is too much current' do **not** accept voltage or electricity	
	• fuse (becomes hot and) melts / burns out	accept fuse blows / breaks	
	• circuit is broken	accept circuit switched off this cannot score credit on its own	
total			8

Copyright © 2004 AQA and its licensors

4.8.1.3 Orbital motion, natural and artificial satellites

3451F Q5

question	answers	extra information	mark
(a)(i)	crust		1
(ii)	inner core is <u>solid</u> outer core is liquid	do **not** accept just rock inner core is denser / hotter than outer core gets **2** marks accept one is solid and one is liquid for **1** mark accept they are different densities for **1** mark wrong way round = **0** marks	1 1
(b)	seismograph		1
(c)	difficult to measure (slow) movement (1) of plates (1) dependent mark **or** difficult to measure friction / forces (1) between plates (1) dependent mark		1 1
(d)	geothermal		1
(e)(i)	5000		1
(ii)	2500		1
total			9

Copyright © 2004 AQA and its licensors

4.8.1.3 Orbital motion, natural and artificial satellites


3451F Q6

	answers	extra information	mark
(a)	converging image object image object shorter		1 1 1 1 1 1
(b)(i)	(Earth's) gravity	accept centripetal accept minor misspellings, however, do **not** credit any response which could be 'centrifugal'	1
(ii)	to(wards) (the centre of the) Earth	allow inwards do **not** accept downwards	1
(c)(i)	**either** friction (force) **or** centripetal force between the tyres / wheels and (the surface of) the road	 allow grip allow on the tyres / wheels **or** towards the centre of the bend / arc / circle	 1 1
(ii)	mass **or** speed **or** momentum radius / diameter	allow weight allow velocity do **not** credit 'curvature' or 'circumference'	1 1
(d)	centripetal	accept minor misspellings (see above)	1
total			13

Copyright © 2004 AQA and its licensors

4.8.1.3 Orbital motion, natural and artificial satellites

3451F Q7

	answers	extra information	mark
(a)(i)	two switches in series **and** circuit complete	ignore small imperfections	1
(ii)	two switches in parallel **and** circuit complete	ignore small imperfections	1
(iii)	one switch in parallel with the cell / lamp (but **not** both)	ignore small imperfections	1
(iv)	(i) AND (ii) OR (iii) NOT	accept 'and' accept 'or' accept 'not'	1 1 1
(b)(i)	when it is light the sensor sends on / high / 1 signal to the gate off / low / 0 sent to the lamp **or** when it is dark the sensor sends off / low / 0 signal to the gate (1) on / high / 1 sent to the lamp (1)		1 1
(ii)	any suitable application	e.g. to switch a security light on (and off) e.g. to switch a light on when it is dark do **not** credit just '… to switch a light on / off'	1
(c)(i)		accept shading-in of either or both parts end connections are not required accept any orientation	1
(ii)	1 0 **or** 0 1 0 1 1 0	all correct	1
(iii)	truth (table)		1
total			12

Copyright © 2004 AQA and its licensors

4.8.1.3 Orbital motion, natural and artificial satellites


3451F Q8

question	answers	extra information	mark
(a)	60		1
(b)	$5\frac{1}{2}$ hours	must include unit	1
(c)	30		1
(d)	30 minutes or $\frac{1}{2}$ hour	must include unit	1
(e)	D **and** E least steep part of the graph	accept finish for E accept correct numbers from axes with units accept covers smallest distance in a set time accept only moves 5 km in $1\frac{1}{2}$ hours (accept anything between 5 and 6) ignore horse is tired	1 1
total			6

Copyright © 2004 AQA and its licensors

4.8.1.3 Orbital motion, natural and artificial satellites


3451F Q9

question	answers	extra information	mark
(a)(i)	any **one** from: • (doctors) to see inside a patients body **or** endoscope • telephone cables • optical fibre / fibre optic lamps **or** (artificial) Christmas trees • data transfer **or** internet connection	 accept keyhole surgery do **not** accept flex **or** wires for cable accept decorative / ornamental lighting accept any feasible practical suggestion for taking light to a difficult to access place do **not** accept lighting unqualified do **not** accept lamp unqualified do **not** accept communications unless clarified	1
(ii)	(incident) ray angle greater than critical angle total internal reflection occurs	either order accept (incident) ray greater than 42° accept TIR do **not** accept just description of TIR	1 1
(b)(i)	waves shown diffracting in the correct direction 	ignore wavelength	1
(ii)	diffraction	accept diffract / diffracted	1
total			5

Copyright © 2004 AQA and its licensors

4.8.1.3 Orbital motion, natural and artificial satellites

3451F Q10

question	answers	extra information	mark
(a)	all symbols correct	 accept push switch symbol switch may be open or closed any lines through symbols = **0** marks	1
	correct circuit drawn voltmeter must be across resistor only	polarity of cells not relevant provided they are joined correctly two cells are required in the diagram ignore the order of the components allow small gaps in circuit omission of any component = **0** marks	1
(b)(i)	potential difference = current × resistance	accept voltage or p.d. for potential difference accept $V = I \times R$ accept  provided subsequent use correct do **not** accept C for current	1
(ii)	2	allow **1** mark for correct substitution wrong working loses both marks	2
(iii)	straight line drawn <u>through the origin</u> straight line passes through $I = 0.4, V =$ their (b)(ii) / 2 **and** 0.0	judge by eye this mark may be awarded if all points shown including these points are correct even if no line is drawn N.B. a curve scores **0** marks	1 1 dep
(c)	temperature <u>increases</u>	accept filament lamp / it gets <u>hotter</u> allow heat for temperature	1
total			8

Copyright © 2004 AQA and its licensors

4.8.1.3 Orbital motion, natural and artificial satellites

3451F Q11

question	answers	extra information	mark
(a)(i)	gamma rays	accept gamma accept correct symbol	1
(ii)	infra red	accept IR	1
(b)	ultraviolet <u>absorbed</u> by ink (energy) given out as light	 accept glows / luminous accept for **both** marks the ink is fluorescent do **not** accept answers in terms of uv being reflected	1 1
(c)	any **two** from: • UV can damage / kill / ionise / alter (normal) cells • change DNA structure **or** mutate • (normal) cells may become cancerous	 do **not** accept attacks cells **or** burns skin accept may cause (skin) cancer accept abnormal cell multiplication	2
(d)(i)	microwaves **and** infra red	both answers needed in either order do **not** accept heat for IR	1
(ii)	0.9	 allow **1** mark for the <u>correct</u> use of 1.8 (kW) ($1.8 \times \frac{1}{2}$ or 1.8×30) i.e. adding the correct 2 power values	2
total			9

Copyright © 2004 AQA and its licensors

4.8.1.3 Orbital motion, natural and artificial satellites


3451F Q12

question	answers	extra information	mark
(a)(i)	accelerating	accept getting faster accept speed / velocity increasing	1
(ii)	acceleration increases	accept velocity / speed increases more rapidly do **not** accept velocity / speed increases	1
(b)(i)	$\text{acceleration} = \frac{\text{change in velocity}}{\text{time (taken)}}$	accept $a = \frac{v - u}{t}$ **or** $a = \frac{v_1 - v_2}{t}$ do **not** accept velocity for change in velocity do **not** accept change in speed do **not** accept $a = \frac{v}{t}$	1
(ii)	15	allow **1** mark for an answer of 900 **or** for correct use of 540 seconds	2
(iii)	velocity includes direction	accept velocity is a vector (quantity) accept converse answer	1
(c)	force of gravity (between shuttle and Earth) plus correct orbital speed (makes shuttle move in a curve)	accept gravitational pull if used correctly accept forward motion **or** constant speed for orbital speed accept it is travelling fast enough accept for **2** marks the force of gravity provides the centripetal force	1 1
(d)	black is a good emitter of radiation **or** to limit the temperature rise inside the shuttle	accept heat for radiation accept the tiles are good insulation do **not** accept black absorbs heat on its own do **not** accept tiles are heat proof	1
total			9

Copyright © 2004 AQA and its licensors

4.8.1.3 Orbital motion, natural and artificial satellites


3451F Q13

question	answers	extra information	mark
(a)(i)	work (done) = force (applied) × distance (moved)	accept $W = F \times s$ or $W = F \times d$ accept  provided subsequent method is correct	1
(ii)	240 000 joules	allow **1** mark for correct substitution **or** correct use of 1200 (N) accept J do **not** accept j / Nm	2 1
(b)	800 (watts)	accept 0.8 kW accept their (a)(ii) ÷ 300 correctly evaluated for **2** marks allow **1** mark for correct substitution (a)(ii) ÷ 5 correctly evaluated for **1** mark	2
(c)(i)	any **one** from: • needs to raise the chair / lift • lifting more than one chair • energy transfer to the surroundings correctly qualified	 allow lifting more than 2 people implication of a heavier weight accept loss for transfer do **not** accept motor inefficient do **not** accept motor gets hot do **not** accept friction unless the location is specified as external to the motor	1
(ii)	electrical potential	accept electric **both** answers required for the mark	1
total			8

Copyright © 2004 AQA and its licensors

4.8.1.3 Orbital motion, natural and artificial satellites

3451F Q14

	answers	extra information	mark
(a)(i)	current		1
(ii)	resistance decreases	 accept 'the flow of electrons / current (through it) increases' for **1** mark do **not** credit just '… it will get warmer'	1 1
(b)		all pairs correct one pair correct for **1** mark	2
(c)(i)	potential divider	accept voltage divider	1
(ii)	4 (volts)	$6 \times \frac{30}{45}$ for **1** mark	2
(iii)	across the new resistor…(will) increase across R_2 … (will) decrease	 N.B. independent marks	1 1
total			10

Copyright © 2004 AQA and its licensors

4.8.1.3 Orbital motion, natural and artificial satellites

3451F Q15

	answers	extra information	mark
(a)	relay (normally open) (switch)	each mark is independent	1
	… switch on a (larger) current (in another circuit) **or** switch on a higher voltage circuit	do **not** accept switch on another circuit **or** smaller / equal current	1
	light emitting diode / LED	do **not** credit LDR	1
	… in one / direct / certain direction **or** from left to right	**or** when the cathode is connected to the negative terminal / side **or** when the left-hand side is connected to the positive terminal / side do **not** credit just '… is big enough' do **not** accept 'positive direction'	1
	AND gate	accept 'and' gate	1
	… (both) inputs are on / high / 1 **or** current flows in both inputs	do **not** accept numerical values unless expanded	1
(b)	**Quality of written communication**	If in a sensible order which clearly indicates advantages or disadvantages, including answers in the form of a table **or** as bullet points Q ✓ Q X	1
	any **three** from: • advantage of mobile phones • drawback of mobile phones • benefit of the Internet • drawback of the Internet	 e.g. more convenient for service engineers e.g. calls can be received away from base e.g. privacy can be more easily invaded e.g. drivers can be distracted e.g. microwaves / radio waves can / may cause damage to the brain e.g. access to educational material e.g. some material is salacious e.g. spam (on external e-mail) these are examples candidates may be credited for a variety of responses	3
total			10

Copyright © 2004 AQA and its licensors

4.8.1.3 Orbital motion, natural and artificial satellites

3451F Q16

question	answers	extra information	mark
(a)	**Y** and **Z** they have the same number of protons **or** same atomic number	 accept they have the same number of electrons **or** same number of protons **and** electrons allow only different in number of neutrons N.B. independent marks	1 1
(b)	**Quality of written communication** A – alpha particle passes straight through the empty space of the atom **or** it is a long way from the nucleus B – alpha particle deflected / repelled / repulsed by the (positive) nucleus C – alpha particle heading straight for the nucleus is deflected / repelled / repulsed backwards	for correct use of terms underlined in B **or** C Q ✓ Q X describes 3 tracks correctly for **2** marks describes 2 or 1 track correctly for **1** mark do **not** accept hits the nucleus do **not** accept answers referring to refraction do **not** accept answers in terms of reflected backwards unless qualified in terms of repulsion mention of difference in charge on nucleus negates that track	1 max 2
total			5

Copyright © 2004 AQA and its licensors

GCSE 2004
June Series

ASSESSMENT and QUALIFICATIONS ALLIANCE

Mark Scheme

Science: Double Award
Specification B (Co-ordinated)
3462/3F

Mark schemes are prepared by the Principal Examiner and considered, together with the relevant questions, by a panel of subject teachers. This mark scheme includes any amendments made at the standardisation meeting attended by all examiners and is the scheme which was used by them in this examination. The standardisation meeting ensures that the mark scheme covers the candidates' responses to questions and that every examiner understands and applies it in the same correct way. As preparation for the standardisation meeting each examiner analyses a number of candidates' scripts: alternative answers not already covered by the mark scheme are discussed at the meeting and legislated for. If, after this meeting, examiners encounter unusual answers which have not been discussed at the meeting they are required to refer these to the Principal Examiner.

It must be stressed that a mark scheme is a working document, in many cases further developed and expanded on the basis of candidates' reactions to a particular paper. Assumptions about future mark schemes on the basis of one year's document should be avoided; whilst the guiding principles of assessment remain constant, details will change, depending on the content of a particular examination paper.

Copyright © 2004 AQA and its licensors

4.8.1.3 Orbital motion, natural and artificial satellites

Further copies of this Mark Scheme are available from:

Publications Department, Aldon House, 39, Heald Grove, Rusholme, Manchester, M14 4NA
Tel: 0161 953 1170

or

download from the AQA website: www.aqa.org.uk

Copyright © 2004 AQA and its licensors

COPYRIGHT
AQA retains the copyright on all its publications. However, registered centres for AQA are permitted to copy material from this booklet for their own internal use, with the following important exception: AQA cannot give permission to centres to photocopy any material that is acknowledged to a third party even for internal use within the centre.

Set and published by the Assessment and Qualifications Alliance.

The Assessment and Qualifications Alliance (AQA) is a company limited by guarantee registered in England and Wales 3644723 and a registered charity number 1073334. Registered address AQA, Devas Street, Manchester. M15 6EX. *Dr Michael Cresswell Director General*

4.8.1.3 Orbital motion, natural and artificial satellites

SCIENCE: DOUBLE AWARD CO-ORDINATED

INFORMATION FOR EXAMINERS

1. General

The mark scheme for each question shows:

- the marks available for each part of the question;
- the total marks available for the question;
- the typical answer or answers which are expected;
- extra information to help the Examiner make his or her judgement and help to delineate what is acceptable or not worthy of credit or, in discursive answers, to give an overview of the area in which a mark or marks may be awarded.

The extra information is aligned to the appropriate answer in the left-hand part of the mark scheme and should only be applied to that item in the mark scheme.

At the beginning of a part of a question a reminder may be given, for example:
where consequential marking needs to be considered in a calculation;
or the answer may be on the diagram or at a different place on the script.

In general the right hand side of the mark scheme is there to provide those extra details which confuse the main part of the mark scheme yet may be helpful in ensuring that marking is straightforward and consistent.

2. Emboldening

2.1 In a list of acceptable answers where more than one mark is available 'any **two** from' is used, with the number of marks emboldened. Each of the following lines is a potential mark.

2.2 A bold **and** is used to indicate that both parts of the answer are required to award the mark.

2.3 Alternative answers acceptable for a mark are indicated by the use of **or**. (Different terms in the mark scheme are shown by a / ; e.g. allow smooth / free movement.)

3. Marking points

3.1 Marking of Quality of Written Communication

Where *Quality of written communication* appears in the mark scheme, one mark is to be awarded for either of the following points:

- Using correct scientific terms
- Correct sequencing or linking of ideas or points

The mark scheme will specify which of the points is to be awarded in a particular question. A QoWC mark can be awarded for a scientific answer, even if it is not accurate. It cannot be awarded for a nonsensical or non-scientific answer.
On the script, the QoWC tick should be identified by a 'q' written next to it.

3.2 Marking of lists

This applies to questions requiring a set number of responses, but for which candidates have provided extra responses. The general principle to be followed in such a situation is that 'right + wrong = wrong'.

Copyright © 2004 AQA and its licensors

Each error/contradiction negates each correct response. So, if the number of error/contradictions equals or exceeds the number of marks available for the question, no marks can be awarded.

However, responses considered to be neutral (indicated as * in example 1) are not penalised.

Example 1: What is the pH of an acidic solution? (1 mark)

Candidate	Response	Marks awarded
1	4,8	0
2	green, 5	0
3	red*, 5	1
4	red*, 8	0

Example 2: Name two planets in the solar system. (2 marks)

Candidate	Response	Marks awarded
1	Pluto, Mars, Moon	1
2	Pluto, Sun, Mars, Moon	0

3.3 Use of chemical symbols/formulae

If a candidate writes a chemical symbol/formula instead of a required chemical name, full credit can be given if the symbol/formula is correct and if, in the context of the question, such action is appropriate.

3.4 The marking of quantitative relationships

Full credit can be given for a correct quantitative relationship expressed in:

- named units;
- physical quantities;
- standard symbols;
- a combination of physical quantities and units.

No credit can be given for any quantitative relationship expressed in terms of:

- a combination of physical quantities, units and symbols;
- a diagram, e.g. the ohm's law triangle, unless the rest of the answer shows clearly that the candidate understands the relationships involved.

3.5 Marking procedure for calculations

3.5.1 Full marks can be given for a correct numerical answer, as shown in the column 'answers', without any working shown.
However:

- if the answer is incorrect, mark(s) can be gained by correct substitution/working and this is shown in the 'extra information' column;
- if the answer is correct, but an incorrect relationship is written in the working, then no marks can be awarded (see 3.5.2).

3.5.2 Where calculations are based on incorrectly recalled relationships, neither the incorrectly recalled relationship, nor the resulting calculation based on the incorrect relationship, will be credited.

3.6 Interpretation of 'it'

Answers using the word 'it' should be given credit only if it is clear that the 'it' refers to the correct subject.

Copyright © 2004 AQA and its licensors

4.8.1.3 Orbital motion, natural and artificial satellites

3.7 Errors carried forward

There should be no error carried forward from a previous answer which has been based on wrong science. Any error in the answers to a structured question should be penalised once only.

Examples

(a) A candidate who calculates average speed using speed = time/distance **and** then proceeds to use this incorrect answer to calculate an acceleration based on the correct quantitative relationship should be given credit for the use of the correct acceleration relationship but none for either numerical answer.

(b) A candidate who incorrectly calculates average speed using speed = distance/time and then proceeds to use this incorrect value to calculate an acceleration based on the correct quantitative relationship, should be given credit for the use of both correct quantitative relationships **and** for the correct substitution and use of the incorrect value in the calculation of the rate of acceleration.

Papers should be constructed in such a way that the number of times errors can be carried forward are kept to a minimum. Allowances for errors carried forward are most likely to be restricted to calculation questions and should be shown by the abbreviation e.c.f. in the marking scheme.

3.8 Phonetic spelling

The phonetic spelling of correct scientific terminology should be credited **unless** there is a possible confusion with another technical term.

3.9 Brackets

(…..) is used to indicate information which is not essential for the mark to be awarded but is included to help the examiner identify the sense of the answer required.

3.10 Interpretation of marginal points

There will be times when the answer is almost, but not quite, correct. Some examiners would award a mark while others would not. In any one script, an attempt should be made to balance these nearly correct answers by giving the mark on some occasions but not on others. If this is not done, the marking would end up being too lenient or too harsh.

3.11 Unexpected Correct Answers not in the Mark Scheme

The Examiner should use professional judgement to award credit where a candidate has given an unexpected correct answer which is not covered by the mark scheme. The Examiner should consult with the Team Leader to confirm the judgement. The Team Leader should pass this answer on to the Principal Examiner with a view to informing all examiners.

Copyright © 2004 AQA and its licensors

4.8.1.3 Orbital motion, natural and artificial satellites

Double Award
Foundation Tier 3462/3F

3462/3F Q1

question	answers	extra information	mark
(a)	comet	correct order only	1
	elliptical		1
	Milky Way		1
	Universe		1
(b)(i)	D A C B	allow **2** marks for two letters in the correct place allow **1** mark for one letter in the correct place	3
(ii)	A		1
total			8

Copyright © 2004 AQA and its licensors

4.8.1.3 Orbital motion, natural and artificial satellites


3462/3F Q2

question	answers	extra information	mark
(a)	95		1
(b)	alpha	accept correct symbol	1
(c)	any **two** from: • radiation is outside the body • radiation will not reach (living) cells • radiation absorbed by the air	 accept detector is on ceiling or high up the wall accept radiation cannot pass through the body / skin accept cannot pass through the plastic casing do **not** accept because it is alpha radiation – unless qualified do **not** accept does not give off harmful substance do **not** accept cannot pass through building materials etc.	2
(d)	less (than)		1
total			5

Copyright © 2004 AQA and its licensors

4.8.1.3 Orbital motion, natural and artificial satellites

3462/3F Q3

question	answers	extra information	mark
(a)	generator	accept dynamo accept alternator	1
(b)(i)	1400	ignore units	1
(ii)	0.3 or 30%	any incorrect unit penalise **1** mark allow **1** mark for the correct use of 600 **or** 0.3% **or** 30	2
(c)	**1** mark for each correct link 	if more than 3 lines are drawn, mark only 3 lines starting with those that are incorrect	3
(d)(i)	110	no tolerance	1
(ii)	12	no tolerance	1
(iii)	wind speed may be too low to operate the generator	accept wind may not always blow accept power depends on wind speed accept does not generate if wind speed is too high accept does not generate if wind speed is above 12 (m/s) accept does not generate if wind speed is below 1.6 (m/s) accept it is unreliable do **not** accept answers referring to cost only	1
total			10

Copyright © 2004 AQA and its licensors

4.8.1.3 Orbital motion, natural and artificial satellites

3462/3F Q4

question	answers	extra information	mark
(a)	B E A D	allow **1** mark for each letter in the correct place, to a maximum of **3** marks	3
(b)	(a spark) may cause the (petrol vapour) to explode / ignite	accept petrol for (petrol vapour) accept catch fire for explode	1
	connect tanker to earth with a (conducting) wire / chain **or** earth the tanker	accept ground for earth	1
(c)	**Quality of written communication**	for a logical sequence	1
	any **two** from:		2
	• when current greater than fuse rating / value	accept when current too great for appliance do **not** accept 'if there is too much current' do **not** accept voltage or electricity	
	• fuse (becomes hot and) melts / burns out	accept fuse blows / breaks	
	• circuit is broken	accept circuit switched off this cannot score credit on its own	
total			8

Copyright © 2004 AQA and its licensors

4.8.1.3 Orbital motion, natural and artificial satellites

3462/3F Q5

question	answers	extra information	mark
(a)(i)	crust		1
(ii)	inner core is <u>solid</u> outer core is liquid	do **not** accept just rock inner core is denser / hotter than outer core gets **2** marks accept one is solid and one is liquid for **1** mark accept they are different densities for **1** mark wrong way round = **0** marks	1 1
(b)	seismograph		1
(c)	difficult to measure (slow) movement (1) of plates (1) dependent mark **or** difficult to measure friction / forces (1) between plates (1) dependent mark		1 1
(d)	geothermal		1
(e)(i)	5000		1
(ii)	2500		1
total			9

Copyright © 2004 AQA and its licensors

4.8.1.3 Orbital motion, natural and artificial satellites


3462/3F Q6

question	answers	extra information	mark
(a)	60		1
(b)	$5\frac{1}{2}$ hours	must include unit	1
(c)	30		1
(d)	30 minutes or $\frac{1}{2}$ hour	must include unit	1
(e)	D **and** E least steep part of the graph	accept finish for E accept correct numbers from axes with units accept covers smallest distance in a set time accept only moves 5 km in $1\frac{1}{2}$ hours (accept anything between 5 and 6) ignore horse is tired	1 1
total			6

Copyright © 2004 AQA and its licensors

4.8.1.3 Orbital motion, natural and artificial satellites



3462/3F Q7

question	answers	extra information	mark
(a)(i)	any **one** from: • (doctors) to see inside a patients body **or** endoscope • telephone cables • optical fibre / fibre optic lamps **or** (artificial) Christmas trees • data transfer **or** internet connection	 accept keyhole surgery do **not** accept flex **or** wires for cable accept decorative / ornamental lighting accept any feasible practical suggestion for taking light to a difficult to access place do **not** accept lighting unqualified do **not** accept lamp unqualified do **not** accept communications unless clarified	1
(ii)	(incident) ray angle greater than critical angle total internal reflection occurs	either order accept (incident) ray greater than 42° accept TIR do **not** accept just description of TIR	1 1
(b)(i)	waves shown diffracting in the correct direction 	ignore wavelength	1
(ii)	diffraction	accept diffract / diffracted	1
total			5

Copyright © 2004 AQA and its licensors

4.8.1.3 Orbital motion, natural and artificial satellites

3462/3F Q8

question	answers	extra information	mark
(a)	all symbols correct	 accept push switch symbol switch may be open or closed any lines through symbols = **0** marks	1
	correct circuit drawn voltmeter must be across resistor only	polarity of cells not relevant provided they are joined correctly two cells are required in the diagram ignore the order of the components allow small gaps in circuit omission of any component = **0** marks	1
(b)(i)	potential difference = current × resistance	accept voltage or p.d. for potential difference accept $V = I \times R$ accept  provided subsequent use correct do **not** accept C for current	1
(ii)	2	allow **1** mark for correct substitution wrong working loses both marks	2
(iii)	straight line drawn <u>through the origin</u> straight line passes through $I = 0.4, V =$ their (b)(ii) / 2 **and** 0.0	judge by eye this mark may be awarded if all points shown including these points are correct even if no line is drawn N.B. a curve scores **0** marks	1 1 dep
(c)	temperature <u>increases</u>	accept filament lamp / it gets <u>hotter</u> allow heat for temperature	1
total			8

Copyright © 2004 AQA and its licensors

4.8.1.3 Orbital motion, natural and artificial satellites

3462/3F Q9

question	answers	extra information	mark
(a)(i)	gamma rays	accept gamma accept correct symbol	1
(ii)	infra red	accept IR	1
(b)	ultraviolet <u>absorbed</u> by ink (energy) given out as light	 accept glows / luminous accept for **both** marks the ink is fluorescent do **not** accept answers in terms of uv being reflected	1 1
(c)	any **two** from: • UV can damage / kill / ionise / alter (normal) cells • change DNA structure **or** mutate • (normal) cells may become cancerous	 do **not** accept attacks cells **or** burns skin accept may cause (skin) cancer accept abnormal cell multiplication	2
(d)(i)	microwaves **and** infra red	both answers needed in either order do **not** accept heat for IR	1
(ii)	0.9	allow **1** mark for the <u>correct</u> use of 1.8 (kW) $(1.8 \times \frac{1}{2}$ or $1.8 \times 30)$ i.e. adding the correct 2 power values	2
total			9

Copyright © 2004 AQA and its licensors

4.8.1.3 Orbital motion, natural and artificial satellites


3462/3F Q10

question	answers	extra information	mark
(a)(i)	accelerating	accept getting faster accept speed / velocity increasing	1
(ii)	acceleration increases	accept velocity / speed increases more rapidly do **not** accept velocity / speed increases	1
(b)(i)	$\text{acceleration} = \frac{\text{change in velocity}}{\text{time (taken)}}$	accept $a = \frac{v - u}{t}$ **or** $a = \frac{v_1 - v_2}{t}$ do **not** accept velocity for change in velocity do **not** accept change in speed do **not** accept $a = \frac{v}{t}$	1
(ii)	15	allow **1** mark for an answer of 900 **or** for correct use of 540 seconds	2
(iii)	velocity includes direction	accept velocity is a vector (quantity) accept converse answer	1
(c)	force of gravity (between shuttle and Earth) plus correct orbital speed (makes shuttle move in a curve)	accept gravitational pull if used correctly accept forward motion **or** constant speed for orbital speed accept it is travelling fast enough accept for **2** marks the force of gravity provides the centripetal force	1 1
(d)	black is a good emitter of radiation **or** to limit the temperature rise inside the shuttle	accept heat for radiation accept the tiles are good insulation do **not** accept black absorbs heat on its own do **not** accept tiles are heat proof	1
total			9

Copyright © 2004 AQA and its licensors

4.8.1.3 Orbital motion, natural and artificial satellites

3462/3F Q11

question	answers	extra information	mark
(a)(i)	work (done) = force (applied) × distance (moved)	accept W = F × s or W = F × d accept  provided subsequent method is correct	1
(ii)	240 000 joules	allow **1** mark for correct substitution **or** correct use of 1200 (N) accept J do **not** accept j / Nm	2 1
(b)	800 (watts)	accept 0.8 kW accept their (a)(ii) ÷ 300 correctly evaluated for **2** marks allow **1** mark for correct substitution (a)(ii) ÷ 5 correctly evaluated for **1** mark	2
(c)(i)	any **one** from: • needs to raise the chair / lift • lifting more than one chair • energy transfer to the surroundings correctly qualified	 allow lifting more than 2 people implication of a heavier weight accept loss for transfer do **not** accept motor inefficient do **not** accept motor gets hot do **not** accept friction unless the location is specified as external to the motor	1
(ii)	electrical potential	accept electric **both** answers required for the mark	1
total			8

Copyright © 2004 AQA and its licensors

4.8.1.3 Orbital motion, natural and artificial satellites

3462/3F Q12

question	answers	extra information	mark
(a)	**Y** and **Z**		1
	they have the same number of protons **or** same atomic number	accept they have the same number of electrons **or** same number of protons **and** electrons allow only different in number of neutrons N.B. independent marks	1
(b)	**Quality of written communication**	for correct use of terms underlined in B **or** C Q ✓ Q X	1
	A – alpha particle passes straight through the empty space of the atom **or** it is a long way from the nucleus B – alpha particle deflected / repelled / repulsed by the (positive) nucleus C – alpha particle heading straight for the nucleus is deflected / repelled / repulsed backwards	describes 3 tracks correctly for **2** marks describes 2 or 1 track correctly for **1** mark do **not** accept hits the nucleus do **not** accept answers referring to refraction do **not** accept answers in terms of reflected backwards unless qualified in terms of repulsion mention of difference in charge on nucleus negates that track	max 2
total			5

Copyright © 2004 AQA and its licensors

Version 1.0: *27092005*

ASSESSMENT and QUALIFICATIONS ALLIANCE

General Certificate of Secondary Education

Physics 3451/F
Specification B

Mark Scheme

2005 examination – June series

Mark schemes are prepared by the Principal Examiner and considered, together with the relevant questions, by a panel of subject teachers. This mark scheme includes any amendments made at the standardisation meeting attended by all examiners and is the scheme which was used by them in this examination. The standardisation meeting ensures that the mark scheme covers the candidates' responses to questions and that every examiner understands and applies it in the same correct way. As preparation for the standardisation meeting each examiner analyses a number of candidates' scripts: alternative answers not already covered by the mark scheme are discussed at the meeting and legislated for. If, after this meeting, examiners encounter unusual answers which have not been discussed at the meeting they are required to refer these to the Principal Examiner.

It must be stressed that a mark scheme is a working document, in many cases further developed and expanded on the basis of candidates' reactions to a particular paper. Assumptions about future mark schemes on the basis of one year's document should be avoided; whilst the guiding principles of assessment remain constant, details will change, depending on the content of a particular examination paper.

Copyright © 2005 AQA and its licensors. All rights reserved.

Physics (Specification B)
Foundation Tier 3451/F

3451/F Q1

question	answers	extra information	mark
(a)(i)	less than	accept any correct indication	1
(ii)	more than	accept any correct indication	1
(b)	any **two** from: stays above the same place above the equator one orbit takes 24 hours	 do **not** accept stays in the same place do **not** accept goes around equator unless qualified do **not** accept orbit at same speed as Earth do **not** accept orbit at a constant speed accept has same angular speed / velocity as Earth	2
total			4

3451/F Q2

question	answers	extra information	mark
(a)	comet		1
(b)	large group / number / collection of stars	ignore reference to planets accept millions of stars do **not** accept thousands of stars do **not** accept loads of stars	1
(c)	giant supernova neutron		1 1 1
total			5

4.8.1.3 Orbital motion, natural and artificial satellites

3451/F Q3

question	answers	extra information	mark
(a)(i)	radio		1
(ii)	gamma	accept microwave accept infrared	1
(iii)	ultra violet		1
(iv)	microwaves		1
(b)	the same as		1
(c)	X-rays do not go through lead	references to gamma rays are incorrect accept lead protects them from the X-rays accept not exposed to X-rays	1
	lead stops / reduces risk of X-rays harming / damaging / killing (persons) <u>cells</u>	accept X-rays (may) cause cancer accept organs for cell do **not** accept references to electric shock do **not** accept stops bones of people showing on X-ray answers involving the horse wearing an apron are incorrect	1
	Quality of written communication	award for a sensible sequence of **two** points	1
total			8

Physics B – AQA GCSE Mark Scheme, 2005 June series

3451/F Q4

question	answers	extra information	mark
(a)	light electrical		1 1
(b)	15% **or** 0.15	correct substitution gains **1** mark only an answer of 15 with no unit **or** an incorrect unit gains **1** mark an answer of 0.15 given with a unit gains **1** mark	2
(c)	the ticket machine is a long way from other electricity supplies		1
(d)	any figure between 5 and 10 inclusive	unit not required but if given must match numerical answer	1
total			6

3451/F Q5

question	answers	extra information	mark
(a)(i)	radon (gas)	do **not** accept gas	1
(ii)	background		1
(b)	bigger	accept any word which means bigger	1
(c)	**Z** alpha will not pass through aluminium or lead	if Z is not given, the reason does not score accept alpha cannot go through metals / dense material accept there is nothing to stop the radiation accept alpha will not pass through aluminium do **not** accept alpha will not pass through lead do **not** accept alpha stopped by air	1 1
total			5

4.8.1.3 Orbital motion, natural and artificial satellites

3451/F Q6

question	answers	extra information	mark
(a)	loses negative charge / electrons	do **not** accept positive charge transfers to the comb do **not** accept friction	1
(b)	**A** attract		1
	B repel		1
	C attract		1
(c)	**F A D E**	allow **2** marks for 2 letters in the correct place allow **1** mark for 1 letter in the correct place	3
total			7

4.8.1.3 Orbital motion, natural and artificial satellites

3451/F Q7

question	answers	extra information	mark
(a)	all points correctly plotted	tolerance ± $\frac{1}{2}$ square on y axis only allow **1** mark for 3 correctly plotted points	2
	attempt made to draw a smooth curve	do **not** accept dot-to-dot line	1
(b)(i)	3 days ± 0.2 **or** any value correctly obtained using their graph line	if no line drawn in (a), answer must be exactly 3	1
(ii)	3 days or their (b)(i)		1
(c)	radon-222	accept radon **or** 222 accept alpha or 3.8 correct isotope required for reason to score	1
	has the shortest half-life	accept the others have longer half-lives	1
total			7

4.8.1.3 Orbital motion, natural and artificial satellites

3451/F Q8

question	answers	extra information	mark
(a)	fossils of Cynognathus are found in Africa and South America		1
	the shapes ……. almost fit together	only two boxes should be ticked deduct **1** mark for each additional box to a minimum mark of **0**	1
(b)	continental		1
	crust		1
	tectonic		1
total			5

4.8.1.3 Orbital motion, natural and artificial satellites



3451/F Q9

question	answers	extra information	mark
(a)	capacitor	accept condenser	1
	LDR	**or** light dependent resistor accept 'ldr', 'Ldr' etc.	1
	relay (normally open)	do **not** accept 'relay normally closed'	1
(b)(i)	battery	accept '(battery of) cells' do **not** accept 'battery / cell'	1
(ii)	LED	**or** light emitting diode accept 'led' or 'Led' do **not** accept just 'diode'	1
(iii)	B will light (but C will not)	accept '(only) B will work' accept 'one is on the other is off' do **not** accept 'C is on and B is off'	1
(iv)	any **one** from: B is connected the right way round (and C is not) a (light emitting) diode only allows (a significant) current to flow in one direction B's anode is connected to the positive side of the supply B's cathode is connected to the negative terminal	N.B. the candidate's answer to part (b)(iii) may include this mark but do **not** credit if the response to part (b)(iii) is incorrect or there is any other contradiction if (iv) is completely consistent with (iii) which is wrong, allow **1** mark	1
(c)(i)	first input / second input / output 0 / 0 / **0** 1 / 0 / **0** 0 / 1 / **0** 1 / 1 / **1**	**all** correct allow: OFF NO OFF NO OFF NO ON YES	1
(ii)	truth (table)		1

cont…

4.8.1.3 Orbital motion, natural and artificial satellites

3451/F Q9 cont…

(iii)		a Roman upper case D in any orientation without contacts is acceptable but if contacts are shown do **not** give the mark if there is any ambiguity or contradiction allow 	1
(d)	light sensor	**or** light dependent resistor **or** LDR accept 'ldr', Ldr' etc allow solar cell, photo cell	1
	NOT gate	accept 'Not gate' **or** 'not gate' if both correct but in the wrong order credit with **1** mark	1
total			12

4.8.1.3 Orbital motion, natural and artificial satellites



Physics B – AQA GCSE Mark Scheme, 2005 June series

3451/F Q10

question	answers	extra information	mark
(a)(i)	rays continued to meet on the right hand side of the lens and beyond	must be straight lines from the right hand side of the lens ignore details through the lens allow if no arrows	1
	meet exactly on the axis	negate mark if contradictory arrow(s) added do not need to go beyond the focus for this mark	1
(ii)	(principal) focus	**or** focal (point)	1
(iii)	converging	**or** convex	1
(b)(i)	**A**		1
(ii)	rays seem to come from this point	**or** words to this effect **or** shows this on the diagram	1
(iii)	diverging	**or** concave	1
(c)	film	accept any unambiguous method of showing the correct response	1
	smaller than		1
	further away from		1
(d)	any **three** from: • real image can be put on a screen • virtual image cannot be put on a screen / film • virtual image is imaginary • real image is formed where (real) rays cross / converge • virtual image is where virtual / imaginary rays (seem to) come from • virtual image formed where virtual rays intersect / cross	allow film allow real image has light travelling through it **or** virtual image is where rays seem to come from	3
total			13

4.8.1.3 Orbital motion, natural and artificial satellites

3451/F Q11

question	answers	extra information	mark
(a)(i)	$A_1 = 0.5$ $A_4 = 0.5$	ignore any units allow **1** mark for $A_1 = A_4 \neq 0.5$	1 1
(ii)	the resistance of **P** is more than 20 Ω a smaller current goes through P / A_2 (than 20 Ω)	 dependent on getting 1st mark correct accept converse	1 1
(b)(i)	potential difference = current × resistance	accept pd / voltage for potential difference accept V = I × R, correct symbols and correct case only accept volts = amps × ohms accept  provided subsequent method is correct allow combination of physical quantities and named units allow voltage = I × R	1
(ii)	6	allow **1** mark for correct substitution	2
(iii)	6	accept their (b)(ii)	1
(c)	thermistor or  resistance goes down (as temperature of thermistor goes up)	accept correct circuit symbol allow phonetic spelling do **not** accept changes for goes down do **not** accept an answer in terms of current only answers in terms of other components are incorrect	1 1
total			10

4.8.1.3 Orbital motion, natural and artificial satellites

Physics B – AQA GCSE Mark Scheme, 2005 June series

3451/F Q12

question	answers	extra information	mark
(a)(i)	larger the distance, greater the time	accept 'they are proportional' accept converse	1
(ii)	any value between 6 and 9 years inclusive		1
(b)(i)	carbon dioxide		1
(ii)	(Venus) has high**er** temperature (than Mercury)	accept has the high**est** temperature accept Venus is hotter / hottest do **not** accept has a high / very high temperature	1
	(Venus) further from the Sun than Mercury	accept 'Venus is not the closest planet to the Sun' answer in terms of greenhouse effect only, scores **0** marks	1
total			5

4.8.1.3 Orbital motion, natural and artificial satellites

3451/F Q13

question	answers	extra information	mark
(a)(i)	20		1
(ii)	convection		1
(iii)	fit draughtproof strips	accept lay carpet accept fit curtains accept close doors / windows / curtains accept any reasonable suggestion for reducing a draught 'double glazing' alone is insufficient	1
(b)	air is (a good) insulator **or** air is a poor conductor	accept air cavity / 'it' for air	1
	reducing heat transfer by <u>conduction</u>	accept stops for reduces ignore convection do **not** accept radiation do **not** accept answers in terms of heat being trapped	1
(c)(i)	most cost effective	accept it is cheaper or low<u>est</u> cost accept shortest payback time accept in terms of reducing heat loss by the largest amount do **not** accept it is easier ignore most heat is lost through the roof	1
(ii)	4		1
total			7

4.8.1.3 Orbital motion, natural and artificial satellites

3451/F Q14

question	answers	extra information	mark
(a)(i)	constant speed	do **not** accept normal speed do **not** accept it is stopped / stationary	1
	in a straight line	accept any appropriate reference to a direction constant velocity gains **2** marks 'not accelerating' gains **2** marks terminal velocity alone gets **1** mark	1
(ii)	goes down owtte	accept motorbike (it) slows down	1
(b)(i)	20 (m/s)	ignore incorrect units	1
(ii)	acceleration = change in velocity / time (taken)	do **not** accept velocity for change in velocity accept change in speed accept $a = \frac{v-u}{t}$ **or** $a = \frac{v_1 - v_2}{t}$ **or** $a = \frac{\Delta v}{t}$ do **not** accept $a = \frac{v}{t}$	1
(iii)	4 **or** their (b)(i) ÷ 5	allow **1** mark for correct substitution	2
	m/s^2	m/s/s **or** ms^{-2} **or** metres per second squared **or** metres per second per second	1
(c)	vehicle may skid / slide	loss of control / brakes lock / wheels lock accept greater stopping distance **or** difficult to stop	1
	due to reduced friction (between tyre(s) and road)	accept due to less grip do **not** accept no friction	1

cont…

4.8.1.3 Orbital motion, natural and artificial satellites

3451/F Q14 cont…

(d)	any **three** from: • <u>increased</u> speed • <u>reduced</u> braking force • <u>slower</u> (driver) reactions • <u>poor</u> vehicle maintenance • <u>increased</u> mass / weight of vehicle • <u>poor</u> road surface • <u>more</u> streamlined	do **not** accept night time / poor vision N.B. specific answers may **each** gain credit eg tiredness (1), drinking alcohol (1), using drugs (1), driver distracted (1) etc specific examples may **each** gain credit eg worn brakes or worn tyres etc accept large mass / weight of vehicle if candidates give three answers that affect stopping distance but not specific to <u>increase</u> award **1** mark only	3
total			13

4.8.1.3 Orbital motion, natural and artificial satellites

Physics B – AQA GCSE Mark Scheme, 2005 June series

3451/F Q15

question	answers	extra information	mark
(a)(i)	arrow from centre of the ball **and** at right angles to the string **and** in the correct direction	arrow should point to the student's belt accept free-hand 'straight' line do **not** accept curved line	1
(ii)	increase increase increase	accept 'be stronger / bigger' accept 'be stronger / bigger' accept 'be stronger / bigger'	1 1 1
(b)	speed velocity direction	all **three** correct any two correct for **1** mark otherwise **0** marks	2
(c)(i)	centripetal	accept 'centripedal' and other minor misspellings do **not** accept anything which could be 'centrifugal'	1
(ii)	gravity	accept 'weight' accept 'force of attraction due to mass(es) (of the Moon and the Earth)'	1
(iii)	electron(s)		1
(iv)	electrostatic	accept 'electrical' do **not** accept just 'centripetal'	1
total			10


4.8.1.3 Orbital motion, natural and artificial satellites

3451/F Q16

question	answers	extra information	mark
(a)(i)	**X** at the centre of the lifebelt	measuring from the centre of **X**, allow 2 mm tolerance in any direction	1
(ii)	any **two** from: below the point of suspension at the centre (of the lifebelt) (because) the lifebelt / it is symmetrical	if X is on vertical line below the hanger (but not at centre) can gain the first point only accept '(vertically) below **Y**' accept 'in the middle' **or** (because) the mass / weight is evenly distributed	2
(b)	Nm **or** newton metre(s) 750	accept Newton metre(s) do **not** accept any ambiguity in the symbol ie NM, nM or nm (moment) = force × (perpendicular) distance (between line of action and pivot) **or** (moment) = 500 × 1.5 gains **1** mark	1 2
(c)	**Quality of written communication**: any **three** connected points from: low(er) <u>centre of mass / gravity</u> (more) <u>stable</u> less likely to fall over the <u>turning effect / moment</u> (of the weight of case) is less so the pull on her arm is less	for **2** of the underlined terms used in the correct context **or** <u>centre of mass / gravity</u> will be close(r) to the wheels / axle / ground **or** less <u>unstable</u> accept 'less likely to overturn' do **not** accept 'will not fall over' **or** so less effort is needed to hold the case ignore references to pulling the case	1 3
total			10

4.8.1.3 Orbital motion, natural and artificial satellites

3451/F Q17

question	answers	extra information	mark
(a)	any **two** from: • **amplitude** decreasing • **wavelength** increasing • **frequency** decreasing **Quality of written communication**	accept siren / sound getting quieter do **not** accept sound decreases accept pitch decreasing ignore reference to transverse wave ignore reference to speed contradictory statements within each point lose the mark all emboldened terms in candidate's answer used correctly	2 1
(b)(i)	ultrasound **or** ultrasonic		1
(ii)	wave speed = frequency × wavelength	accept speed / velocity for wave speed accept $v = f \times \lambda$ do **not** accept w for λ do **not** accept s for v accept  provided subsequent calculation shows a correct method	1
(iii)	339.2 **or** 340 **or** 339	allow **1** mark for using 212 000 allow **1** mark for correct substitution an answer of 0.3392 **or** 0.34 **or** 0.339 gains **1** mark only award full credit for a correct numerical answer with the unit changed to km/s	3
total			8

Version 1.0: *27092005*

ASSESSMENT and QUALIFICATIONS ALLIANCE

General Certificate of Secondary Education

Science: Double Award 3462/3F
Specification B (Co-ordinated)

Mark Scheme

2005 examination - June series

Mark schemes are prepared by the Principal Examiner and considered, together with the relevant questions, by a panel of subject teachers. This mark scheme includes any amendments made at the standardisation meeting attended by all examiners and is the scheme which was used by them in this examination. The standardisation meeting ensures that the mark scheme covers the candidates' responses to questions and that every examiner understands and applies it in the same correct way. As preparation for the standardisation meeting each examiner analyses a number of candidates' scripts: alternative answers not already covered by the mark scheme are discussed at the meeting and legislated for. If, after this meeting, examiners encounter unusual answers which have not been discussed at the meeting they are required to refer these to the Principal Examiner.

It must be stressed that a mark scheme is a working document, in many cases further developed and expanded on the basis of candidates' reactions to a particular paper. Assumptions about future mark schemes on the basis of one year's document should be avoided; whilst the guiding principles of assessment remain constant, details will change, depending on the content of a particular examination paper.

Copyright © 2005 AQA and its licensors. All rights reserved.

Double Award
Foundation Tier 3462/3F

3462/3F Q1

question	answers	extra information	mark
(a)(i)	less than	accept any correct indication	1
(ii)	more than	accept any correct indication	1
(b)	any **two** from: stays above the same place above the equator one orbit takes 24 hours	 do **not** accept stays in the same place do **not** accept goes around equator unless qualified do **not** accept orbit at same speed as Earth do **not** accept orbit at a constant speed accept has same angular speed / velocity as Earth	2
total			4

3462/ 3F Q2

question	answers	extra information	mark
(a)	comet		1
(b)	large group / number / collection of stars	ignore reference to planets accept millions of stars do **not** accept thousands of stars do **not** accept loads of stars	1
(c)	giant supernova neutron		1 1 1
total			5

4.8.1.3 Orbital motion, natural and artificial satellites

3462/3F Q3

question	answers	extra information	mark
(a)(i)	radio		1
(ii)	gamma	accept microwave accept infrared	1
(iii)	ultra violet		1
(iv)	microwaves		1
(b)	the same as		1
(c)	**Quality of written communication**	award for a sensible sequence of **two** points	1
	X-rays do not go through lead	accept lead protects them from the X-rays accept not exposed to X-rays	1
	lead stops / reduces risk of X-rays harming / damaging / killing (persons) <u>cells</u>	accept X-rays (may) cause cancer accept organs for cell do **not** accept references to electric shock do **not** accept stops bones of people showing on X-ray answers involving the horse wearing an apron are incorrect references to gamma rays are incorrect	1
total			8

4.8.1.3 Orbital motion, natural and artificial satellites

Science: Double Award (Co-ordinated) – AQA GCSE Mark Scheme, 2005 June series

3462/3F Q4

question	answers	extra information	mark
(a)	light electrical		1 1
(b)	15% **or** 0.15	correct substitution gains **1** mark only an answer of 15 with no unit **or** an incorrect unit gains **1** mark an answer of 0.15 given with a unit gains **1** mark	2
(c)	the ticket machine is a long way from other electricity supplies		1
(d)	any figure between 5 and 10 inclusive	unit not required but if given must match numerical answer	1
total			6

4.8.1.3 Orbital motion, natural and artificial satellites

3462/3F Q5

question	answers	extra information	mark
(a)(i)	radon (gas)	do **not** accept gas	1
(ii)	background		1
(b)	bigger	accept any word which means bigger	1
(c)	**Z** alpha will not pass through aluminium or lead	if Z is not given, the reason does not score accept alpha cannot go through metals / dense material accept there is nothing to stop the radiation accept alpha will not pass through aluminium do **not** accept alpha will not pass through lead do **not** accept alpha stopped by air	1 1
total			5

4.8.1.3 Orbital motion, natural and artificial satellites

Science: Double Award (Co-ordinated) – AQA GCSE Mark Scheme, 2005 June series

3462/3F Q6

question	answers	extra information	mark
(a)	loses negative charge / electrons	do **not** accept positive charge transfers to the comb do **not** accept friction	1
(b)	**A** attract		1
	B repel		1
	C attract		1
(c)	**F A D E**	allow **2** marks for 2 letters in the correct place allow **1** mark for 1 letter in the correct place	3
total			7

4.8.1.3 Orbital motion, natural and artificial satellites

3462/3F Q7

question	answers	extra information	mark
(a)	all points correctly plotted	tolerance ± $\frac{1}{2}$ square on y axis only allow **1** mark for 3 correctly plotted points	2
	attempt made to draw a smooth curve	do **not** accept dot-to-dot line	1
(b)(i)	3 days ± 0.2 **or** any value correctly obtained using their graph line	if no line drawn in (a), answer must be exactly 3	1
(ii)	3 days or their (b)(i)		1
(c)	radon-222	accept radon **or** 222 accept alpha or 3.8 correct isotope required for reason to score	1
	has the shortest <u>half-life</u>	accept the others have longer <u>half-lives</u>	1
total			7

4.8.1.3 Orbital motion, natural and artificial satellites



Science: Double Award (Co-ordinated) – AQA GCSE Mark Scheme, 2005 June series

3462/3F Q8

question	answers	extra information	mark
(a)	fossils of Cynognathus are found in Africa and South America		1
	the shapes ……. almost fit together	only two boxes should be ticked deduct **1** mark for each additional box to a minimum mark of **0**	1
(b)	continental		1
	crust		1
	tectonic		1
total			5

4.8.1.3 Orbital motion, natural and artificial satellites

3462/3F Q9

question	answers	extra information	mark
(a)(i)	$A_1 = 0.5$	ignore any units	1
	$A_4 = 0.5$	allow **1** mark for $A_1 = A_4 \neq 0.5$	1
(ii)	the resistance of **P** is more than 20 Ω		1
	a smaller current goes through P / A_2 (than 20 Ω)	dependent on getting 1st mark correct accept converse	1
(b)(i)	potential difference = current × resistance	accept pd / voltage for potential difference accept V = I × R, correct symbols and correct case only accept volts = amps × ohms accept  provided subsequent method is correct allow combination of physical quantities and named units allow voltage = I × R	1
(ii)	6	allow **1** mark for correct substitution	2
(iii)	6	accept their (b)(ii)	1
(c)	thermistor or 	accept correct circuit symbol allow phonetic spelling	1
	resistance goes down (as temperature of thermistor goes up)	do **not** accept changes for goes down do **not** accept an answer in terms of current only answers in terms of other components are incorrect	1
total			10

4.8.1.3 Orbital motion, natural and artificial satellites

Science: Double Award (Co-ordinated) – AQA GCSE Mark Scheme, 2005 June series

3462/3F Q10

question	answers	extra information	mark
(a)(i)	larger the distance, greater the time	accept 'they are proportional' accept converse	1
(ii)	any value between 6 and 9 years inclusive		1
(b)(i)	carbon dioxide		1
(ii)	(Venus) has high**er** temperature (than Mercury)	accept has the high**est** temperature accept Venus is hotter / hottest do **not** accept has a high / very high temperature	1
	(Venus) further from the Sun than Mercury	accept 'Venus is not the closest planet to the Sun' answer in terms of greenhouse effect only, scores **0** marks	1
total			5

4.8.1.3 Orbital motion, natural and artificial satellites

3462/3F Q11

question	answers	extra information	mark
(a)(i)	20		1
(ii)	convection		1
(iii)	fit draughtproof strips	accept lay carpet accept fit curtains accept close doors / windows / curtains accept any reasonable suggestion for reducing a draught 'double glazing' alone is insufficient	1
(b)	air is (a good) insulator **or** air is a poor conductor	accept air cavity / 'it' for air	1
	reducing heat transfer by <u>conduction</u>	accept stops for reduces ignore convection do **not** accept radiation do **not** accept answers in terms of heat being trapped	1
(c)(i)	most cost effective	accept it is cheaper or low<u>est</u> cost accept shortest payback time accept in terms of reducing heat loss by the largest amount do **not** accept it is easier ignore most heat is lost through the roof	1
(ii)	4		1
total			7

Science: Double Award (Co-ordinated) – AQA GCSE Mark Scheme, 2005 June series

3462/3F Q12

question	answers	extra information	mark
(a)(i)	constant speed	do **not** accept normal speed do **not** accept it is stopped / stationary	1
	in a straight line	accept any appropriate reference to a direction constant velocity gains **2** marks 'not accelerating' gains **2** marks terminal velocity alone gets **1** mark	1
(ii)	goes down owtte	accept motorbike (it) slows down	1
(b)(i)	20 (m/s)	ignore incorrect units	1
(ii)	acceleration = change in velocity / time (taken)	do **not** accept velocity for change in velocity accept change in speed accept $a = \frac{v-u}{t}$ **or** $a = \frac{v_1 - v_2}{t}$ **or** $a = \frac{\Delta v}{t}$ do **not** accept $a = \frac{v}{t}$	1
(iii)	4 **or** their (b)(i) ÷ 5	allow **1** mark for correct substitution	2
	m/s^2	m/s/s **or** ms^{-2} **or** metres per second squared **or** metres per second per second	1
(c)	vehicle may skid / slide	loss of control / brakes lock / wheels lock accept greater stopping distance **or** difficult to stop	1
	due to reduced friction (between tyre(s) and road)	accept due to less grip do **not** accept no friction	1

cont…

4.8.1.3 Orbital motion, natural and artificial satellites


3462/3F Q12 cont…

(d)	any **three** from: • <u>increased</u> speed • <u>reduced</u> braking force • <u>slower</u> (driver) reactions • <u>poor</u> vehicle maintenance • <u>increased</u> mass / weight of vehicle • <u>poor</u> road surface • <u>more</u> streamlined	do **not** accept night time / poor vision NB specific answers may **each** gain credit eg tiredness (1), drinking alcohol (1), using drugs (1), driver distracted (1) etc specific examples may **each** gain credit eg worn brakes or worn tyres etc accept large mass / weight of vehicle if candidates give three answers that affect stopping distance but not specific to <u>increase</u> award **1** mark only	3
total			13

4.8.1.3 Orbital motion, natural and artificial satellites

Science: Double Award (Co-ordinated) – AQA GCSE Mark Scheme, 2005 June series

3462/3F Q13

question	answers	extra information	mark
(a)	**Quality of written communication**	all emboldened terms in candidate's answer used correctly	1
	any **two** from: • **amplitude** decreasing • **wavelength** increasing • **frequency** decreasing	accept siren / sound getting quieter do **not** accept sound decreases accept pitch decreasing ignore reference to transverse wave ignore reference to speed contradictory statements within each point lose the mark	2
(b)(i)	ultrasound **or** ultrasonic		1
(ii)	wave speed = frequency × wavelength	accept speed / velocity for wave speed accept $v = f \times \lambda$ do **not** accept w for λ do **not** accept s for v accept  provided subsequent calculation shows a correct method	1
(iii)	339.2 **or** 340 **or** 339	allow **1** mark for using 212 000 allow **1** mark for correct substitution an answer of 0.3392 **or** 0.34 **or** 0.339 gains **1** mark only award full credit for a correct numerical answer with the unit changed to km/s	3
total			8

4.8.1.3 Orbital motion, natural and artificial satellites

AQA

GCSE

Science A / Physics

PH1HP

Mark scheme

4405/4403
June 2015

Version/Stage: 1.0 Final

4.8.1.3 Orbital motion, natural and artificial satellites

PMT

Mark schemes are prepared by the Lead Assessment Writer and considered, together with the relevant questions, by a panel of subject teachers. This mark scheme includes any amendments made at the standardisation events which all associates participate in and is the scheme which was used by them in this examination. The standardisation process ensures that the mark scheme covers the students' responses to questions and that every associate understands and applies it in the same correct way. As preparation for standardisation each associate analyses a number of students' scripts. Alternative answers not already covered by the mark scheme are discussed and legislated for. If, after the standardisation process, associates encounter unusual answers which have not been raised they are required to refer these to the Lead Assessment Writer.

It must be stressed that a mark scheme is a working document, in many cases further developed and expanded on the basis of students' reactions to a particular paper. Assumptions about future mark schemes on the basis of one year's document should be avoided; whilst the guiding principles of assessment remain constant, details will change, depending on the content of a particular examination paper.

Further copies of this mark scheme are available from aqa.org.uk

Copyright © 2015 AQA and its licensors. All rights reserved.
AQA retains the copyright on all its publications. However, registered schools/colleges for AQA are permitted to copy material from this booklet for their own internal use, with the following important exception: AQA cannot give permission to schools/colleges to photocopy any material that is acknowledged to a third party even for internal use within the centre.

4.8.1.3 Orbital motion, natural and artificial satellites

Mark Scheme

Information to Examiners

1. General

The mark scheme for each question shows:

- the marks available for each part of the question
- the total marks available for the question
- the typical answer or answers which are expected
- extra information to help the Examiner make his or her judgement and help to delineate what is acceptable or not worthy of credit or, in discursive answers, to give an overview of the area in which a mark or marks may be awarded
- the Assessment Objectives and specification content that each question is intended to cover.

The extra information is aligned to the appropriate answer in the left-hand part of the mark scheme and should only be applied to that item in the mark scheme.

At the beginning of a part of a question a reminder may be given, for example: where consequential marking needs to be considered in a calculation; or the answer may be on the diagram or at a different place on the script.

In general the right-hand side of the mark scheme is there to provide those extra details which confuse the main part of the mark scheme yet may be helpful in ensuring that marking is straightforward and consistent.

2. Emboldening

2.1 In a list of acceptable answers where more than one mark is available 'any **two** from' is used, with the number of marks emboldened. Each of the following bullet points is a potential mark.

2.2 A bold **and** is used to indicate that both parts of the answer are required to award the mark.

2.3 Alternative answers acceptable for a mark are indicated by the use of **or**. Different terms in the mark scheme are shown by a / ; eg allow smooth / free movement.

2.4 Any wording that is underlined is essential for the marking point to be awarded.

3. Marking points

3.1 Marking of lists

This applies to questions requiring a set number of responses, but for which students have provided extra responses. The general principle to be followed in such a situation is that 'right + wrong = wrong'.

Each error / contradiction negates each correct response. So, if the number of errors / contradictions equals or exceeds the number of marks available for the question, no marks can be awarded.

However, responses considered to be neutral (indicated as * in example 1) are not penalised.

Example 1: What is the pH of an acidic solution? (1 mark)

Student	Response	Marks awarded
1	green, 5	0
2	red*, 5	1
3	red*, 8	0

Example 2: Name two planets in the solar system. (2 marks)

Student	Response	Marks awarded
1	Neptune, Mars, Moon	1
2	Neptune, Sun, Mars, Moon	0

3.1 Use of chemical symbols / formulae

If a student writes a chemical symbol / formula instead of a required chemical name, full credit can be given if the symbol / formula is correct and if, in the context of the question, such action is appropriate.

3.2 Marking procedure for calculations

Full marks can be given for a correct numerical answer, without any working shown.

However, if the answer is incorrect, mark(s) can be gained by correct substitution / working and this is shown in the 'extra information' column or by each stage of a longer calculation.

3.3 Interpretation of 'it'

Answers using the word 'it' should be given credit only if it is clear that the 'it' refers to the correct subject.

3.4 Errors carried forward

Any error in the answers to a structured question should be penalised once only.

Papers should be constructed in such a way that the number of times errors can be carried forward is kept to a minimum. Allowances for errors carried forward are most likely to be restricted to calculation questions and should be shown by the abbreviation e.c.f. in the marking scheme.

3.5 Phonetic spelling

The phonetic spelling of correct scientific terminology should be credited **unless** there is a possible confusion with another technical term.

3.6 Brackets

(.....) are used to indicate information which is not essential for the mark to be awarded but is included to help the examiner identify the sense of the answer required.

3.2 Ignore / Insufficient / Do not allow

Ignore of insufficient is used when the information given is irrelevant to the question or not enough to gain the marking point. Any further correct amplification could gain the marking point.

Do **not** allow means that this is a wrong answer which, even if the correct answer is given, will still mean that the mark is not awarded.

4. Quality of Communication and levels marking

In Question **2a** students are required to produce extended written material in English, and will be assessed on the quality of their communication as well as the standard of the scientific response.

Students will be required to:
- use good English
- organise information clearly
- use specialist vocabulary where appropriate.

The following general criteria should be used to assign marks to a level:

Level 1: basic
- Knowledge of basic information
- Simple understanding
- The answer is poorly organised, with almost no specialist terms and their use demonstrating a general lack of understanding of their meaning, little or no detail
- The spelling, punctuation and grammar are very weak.

Level 2: clear
- Knowledge of accurate information
- Clear understanding
- The answer has some structure and organisation, use of specialist terms has been attempted but not always accurately, some detail is given
- There is reasonable accuracy in spelling, punctuation and grammar, although there may still be some errors.

Level 3: detailed
- Knowledge of accurate information appropriately contextualised
- Detailed understanding, supported by relevant evidence and examples
- Answer is coherent and in an organised, logical sequence, containing a wide range of appropriate or relevant specialist terms used accurately.
- The answer shows almost faultless spelling, punctuation and grammar

4.8.1.3 Orbital motion, natural and artificial satellites

Question	Answers	Extra information	Mark	AO / Spec. ref.
1(a)	chemical kinetic sound	correct order only	1 1 1	AO1 P1.2.1a
1(b)	37.5% or 0.375	an answer rounded to 0.38 or 38% scores both marks an answer of 0.375 with a unit gains **1** mark an answer of 0.375% gains **1** mark an answer of 37.5 with or without a unit gains **1** mark allow **1** mark for an answer 3/8 3/8 with a unit scores 0	2	AO2 P1.2.1d
Total			**5**	

4.8.1.3 Orbital motion, natural and artificial satellites

Question	Answers	Extra information	Mark	AO / Spec. Ref.	ID
2 (a)	Marks awarded for this answer will be determined by the Quality of Written Communication (QWC) as well as the standard of the scientific response. Examiners should also refer to the information on page 4 and apply a 'best-fit' approach to the marking.		6	AO2 AO3 P1.2 HSW	E

0 marks	Level 1 (1-2 marks)	Level 2 (3-4 marks)	Level 3 (5-6 marks)
No relevant information	There is a relevant statement about an energy saving method	There is at least one clear comparison of energy saving methods and their cost effectiveness with an appropriate calculation	There is a comparison of energy saving methods and their cost effectiveness with appropriate calculations. Comparison to include further detail.

examples of physics points made in the response	extra information
examples of relevant statements • energy efficient boiler saves the most (energy / money) per year • loft insulation costs the least to install • double-glazing costs the most to install **examples of statements that include cost effectiveness** • loft insulation is the most cost effective in the long term • double-glazing is the least cost effective • loft insulation has the shortest payback time • double-glazing has the longest payback time • payback time calculated for any method **examples of further detail** • for cost effectiveness install in the following order: loft, cavity wall, boiler, double-glazing • for reducing energy use install in the following order: boiler, loft, cavity wall, double glazing • don't install double-glazing for insulation purposes • double-glazing won't pay for itself in your lifetime • justified choice of best / worst method	payback times: energy efficient boiler: 6.25 years loft insulation: 2 years double glazing: 100 years cavity wall insulation: 2.86 years

Question 2 continued . . .

Question	Answers	Extra information	Mark	AO / Spec. ref.
2(b)(i)	how effective a material is as an insulator	accept 'heat' for energy accept how effective a material is at keeping energy in accept the lower the U-value the better the insulator accept the lower the U-value the lower the rate of energy transfer	1	AO1 P1.1.4a
2(b)(ii)	(the U-value) decreases		1	AO1 P1.1.4b
Total			**8**	



4.8.1.3 Orbital motion, natural and artificial satellites

MARK SCHEME – GCSE SCIENCE A / PHYSICS – PH1HP – JUNE 2015

Question	Answers	Extra information	Mark	AO / Spec. ref.
3(a)(i)	0.5 °C		1	AO3 P1.1
3(a)(ii)	data is continuous **or** both variables are continuous **or** independent variable is continuous **or** time is continuous	accept results / measurements for data accept data is not categoric one variable is continuous is insufficient air temperature is continuous is insufficient	1	AO3 P1.1
3(b)(i)	20.5 (°C)		1	AO2 P1.1
3(b)(ii)	60 (minutes)	accept 1 hour	1	AO2 P1.1
3(c)(i)	so a comparison can be made **or** outside temperature is a control variable	accept: (outside) temperature would affect energy required (to maintain temperature of the house) **or** (outside) temperature would affect internal temperature (of the house) **or** heat loss will be faster on a cold day outside temperature will affect the results is insufficient fair test is insufficient	1	AO3 P1.1

Question 3 continues on the next page . . .

Question	Answers	Extra information	Mark	AO / Spec. ref.
3(c)(ii)	the cost is equal to the number of kWh x the cost per kWh calculation 0.8 / 8.0 = 0.1 or 10%	accept (heating) bill depends on (number of) kWh used accept energy for kWh allow 7.2 / 8.0 = 0.9 or 90%	1 1	AO3 AO2 P1.1
3(c)(iii)	heating is on for more / less time (than anticipated) because some days it is cooler / warmer (than anticipated)	 accept other sensible suggestions an answer giving two sensible situations gains **2** marks possible examples: • some houses have different amounts of insulation • there are different styles of house temperature (inside / outside) is always changing is insufficient	1 1	AO3 P1.1
Total			**9**	

Question	Answers	Extra information	Mark	AO / Spec. ref.
4(a)(i)	microwave		1	AO1 P1.5.1k
4(a)(ii)	refraction		1	AO1 P1.5.1g
4(b)(i)	wave M continues as a straight line to the ionosphere and shown reflected correctly reflected wave shown as a straight line reaching the top of the receiver  	accept reflection at or within the ionosphere if more than 2 rays shown 1 mark maximum ignore arrows	1 1	AO2 P1.5.2b
4(b)(ii)	normal drawn at point where their **M** meets the ionosphere  		1	AO1 P1.5.2a

Question 4 continues on the next page. . .

Question 4 continued…

Question	Answers	Extra information	Mark	AO / Spec. ref.
4(c)	any **two** from: • transverse • same speed (through air) • can be reflected • can be refracted • can be diffracted • can be absorbed • transfer energy • can travel through a vacuum • can be polarised • show interference	accept speed of light **or** 3 x 10^8 m/s an answer travel at the same speed though a vacuum scores **2** marks travel in straight lines is insufficient	2	AO1 P1.5.1a,bc, d,g
Total			**7**	

Question	Answers	Extra information	Mark	AO / Spec. ref.
5(a)(i)	infrared (radiation)	accept IR (radiation)	1	AO1 P1.1.1b
5(a)(ii)	(heated) water turns to steam	ignore reference to fossil fuels do **not** accept water evaporates to steam	1	AO1 P1.4.1a
	steam turns a turbine		1	
	turbine turns a generator	accept turbine connected to a generator	1	
5(b)(i)	(so the molten salts) can store large amounts of energy	accept there is a small temperature change for a large energy transfer accept heat for energy	1	AO2 P1.1.4d
5(b)(ii)	16 (hours)	an answer that rounds to 16 gains **2** marks eg 15.71 allow **1** mark for a correct substitution ie 2 200 000 = 140 000 x t	3	AO2 AO1 P1.3.1c
5(b)(iii)	the number of daylight hours varies	less sunlight is insufficient	1	AO2 AO3 P1.4
	the (mean) power (received from the Sun per square metre) varies	accept an answer in terms of maximum possible electrical output only possible during Summer for **1** mark	1	

Question 5 continues on the next page . . .

Question 5 continued . . .

Question	Answers	Extra information	Mark	AO / Spec. ref.
5(c)(i)	non-renewable power stations have higher Capacity Factors than renewable power stations		1	AO1 AO3 P1.4
	fuel (for non-renewable power stations) is always available	reference to non-renewable power stations operating all the time is insufficient non-renewable energy sources are reliable is insufficient	1	
	(most) renewable energy sources are unpredictable / unreliable	accept (most) renewable energy sources depend on the weather	1	
5(c)(ii)	the (proportion of) time that solar storage power stations can generate electricity is greater (than for other renewable energy sources)		1	AO1 P1.4
Total			**14**	

4.8.1.3 Orbital motion, natural and artificial satellites

MARK SCHEME – GCSE SCIENCE A / PHYSICS – PH1HP – JUNE 2015

Question	Answers	Extra information	Mark	AO/Spec ref.
6(a)	Doppler (effect)		1	AO1 P1.5.4a
6(b)	(reflected microwaves) wavelength decreased (reflected microwaves) frequency increased (reflected microwaves) have same speed		1 1 1	AO1 P1.5.4a P1.5.1d
Total			4	

4.8.1.3 Orbital motion, natural and artificial satellites

Question	Answers	Extra information	Mark	AO / Spec. ref.
7(a)	4200	allow **2** marks for correct substitution ie 6930 = 0.330 x c x 5.0 answers of 1050 **or** 840 **or** correctly calculated answer from correct substitution of incorrect temperature change **or** identification of temperature change ie 5 ˚C gain **1** mark	3	AO2 AO1 P1.1.4d
	J/kg˚C	accept J/kg K	1	
7(b)	(in a metal) free electrons	to gain full credit the answer must be in terms of free electrons	1	AO1 P1.1.3a
	gain kinetic energy	accept move faster	1	
	(free electrons) transfer energy to other electrons / ions / atoms	do **not** accept particles	1	
	by collision		1	
		allow a maximum of **2** marks for answers in terms of atoms / ions / particles • gaining kinetic energy or vibrating faster / more • transferring energy by collisions		
7(c)	(air) particles spread out		1	AO1 P1.1.3a
	(which causes the) air to become less dense / expand	do **not** accept particles become less dense	1	
	(so the) warm air rises	do **not** accept heat rises particles rise is insufficient	1	
7(d)	large surface area	ignore references to type of metal or external conditions	1	AO1 P1.1.3c
	black / dark (colour)		1	
Total			**13**	

4.8.1.3 Orbital motion, natural and artificial satellites

Answer 49 · Examiner comments June 2018 | 8463/2H | Original Q8

Question 8 (Standard/high and High demand)

08.1 Just over half the students wrote answers that were worthy of some credit but often only gained a single mark, which was usually for a match to the third marking point. It was very unusual to see acceleration mentioned. Frequent incorrect answers were in terms of variations in the radius of the satellite's orbit, despite it being shown as circular in Figure 14. Other students commented on the physical geography of the Earth having an effect on the orbit or the velocity being affected by the Earth's magnetic field. A few students stated that the satellite was falling on the right hand side and getting faster as a result.

08.2 Over 50% of the students completed this calculation correctly to score all five marks. A further 10% of the students scored four marks because they rounded the number of orbits to 16. Some of students incorrectly used 300 km as the length of the orbit.

08.3 This part was generally well answered with just over 70% of students scoring this mark.

08.4 About 50% of the answers matched one of the marking points but few students scored both marks. Some students expressed the view that the predicted and actual values for the radius of Uranus' orbit were too different to support the prediction. Many answers referred to Uranus or the Solar System rather than Bode's prediction or equation.

Answer 50 · Examiner comments June 2023 | 8463/2H | Original Q6

06.1

88% of students scored this mark. The vast majority of responses seen said 'satellite', with a small number giving the alternative 'moon'.

06.2

61% of students were able to achieve full marks for this calculation. Those that did not, didn't convert the wavelength into metres, or converted incorrectly. Most students were able to give their answer in standard form.

06.3

Many students only scored the compensation mark and it was rare to see answers where acceleration towards Earth was included. Few students linked a change in direction to a change in velocity, with some describing the converse.

06.4

6% of students gained full marks for this explanation. students scored a mark for the 2nd or 3rd marking point, and it was unusual to have to consider the award of the compensation mark. A significant number of students thought that galaxies A and B were emitting radiation with a greater wavelength than that emitted by the Sun.

4.8.1.3 Orbital motion, natural and artificial satellites

Answer 51 · Examiner comments June 2025 | 8463/2H | Original Q4

4.1
This question was answered well. The majority of the students correctly stated 'convex' as the type of lens. 'Converging' was occasionally used.

4.2

Answer 51 · Examiner comments June 2025 | 8463/2H | Original Q4

Almost three quarters of the students scored both marks for completing the ray diagram. However a significant number of the others tried adding objects, images or additional incorrect lines.

4.3
Approximately half of the students failed to convert the wavelength correctly. Some of the students struggled with the rearrangement, but there were also numerous examples of mathematical errors for example 3.0/0.6 = 0.5 or 3.0/6.0 = 5. There was also a notable lack of understanding regarding the use of standard form. Students also need to understand that answers given in standard form are perfectly acceptable.

4.4
Only just over half of the students knew that when radiation is red-shifted there is an increase in wavelength. Incorrect answers such as 'frequency' and 'wave speed' were commonly seen.

4.5
Over 93 % of students knew why radiation from distant galaxies is red-shifted.

4.6
This question tested awareness of what red-shift tells us. Just fewer than 60% of the students gained this mark. Many of the students knew how red-shift related to speed but not the relationship between greatest red-shift and greatest distance away.

4.7
The James Webb Telescope orbits the Sun and those students who read the question carefully answered in terms of the Sun, but sometimes focussed on the different speeds at different points of an elliptical orbit. The majority of the students did not understand the Physics of circular orbits but were able to state that to stay in a circle the direction had to be constantly changing.