AQA GCSE Combined Science - Trilogy | 8464

SPECIFICATION POINT 4.1.2.2

Mitosis and the cell cycle

Mark schemes and examiner comments

Tier	**Foundation**
Question groups	**3**
Available paper years	**2018–2022**

Using this booklet

1. Booklet answer numbers match the question booklet.
2. Use the original question number within marking tables.
3. Examiner comments are included where available.

Name: _____ **Date:** _____

Where a precise marking extract is unavailable, the full source document is included in an appendix. Any missing mark scheme is explicitly identified.

4.1.2.2 Mitosis and the cell cycle

Answer 01 · Mark scheme

June 2018 | 8464/B/1F | Original Q5

The full source mark scheme begins on page 10. Follow original question 5 in that document.

4.1.2.2 Mitosis and the cell cycle


Answer 02 · Mark scheme June 2018 | 8464/B/2F | Original Q2

Question	Answers	Extra information	Mark	AO / Spec. Ref.
02.1	a double helix a polymer		1 1	AO1 4.6.1.3
02.2	gene genome	in this order only	1 1	AO1 4.6.1.3
02.3	sperm **and** egg(s) / ova / ovum	in either order	1	AO1 4.6.1.1
02.4	fertilisation		1	AO1 4.6.1.2
02.5	the cell divides twice the new cells have half the number of chromosomes		1 1	AO2 4.6.1.2
Total			**8**	

4.1.2.2 Mitosis and the cell cycle

Answer 02 · Mark scheme

June 2018 | 8464/B/2F | Original Q2



4.1.2.2 Mitosis and the cell cycle

Answer 03 · Mark scheme

June 2022 | 8464/B/1F | Original Q6

Question 6

Question	Answers	Extra information	Mark	AO / Spec. Ref.
06.1	gene chromosome nucleus cell	must be in this order	1	AO1 4.1.1.1 4.1.1.2 4.1.2.1

Question	Answers	Extra information	Mark	AO / Spec. Ref.
06.2	differentiation	ignore specialisation	1	AO1 4.1.1.4

Question	Answers	Extra information	Mark	AO / Spec. Ref.
06.3	4	allow 15	1	AO2 4.1.2.2

Question	Answers	Extra information	Mark	AO / Spec. Ref.
06.4	46	allow 23 pairs (of chromosomes)	1	AO2 4.1.2.1 4.1.2.2

4.1.2.2 Mitosis and the cell cycle

Answer 03 · Mark scheme

June 2022 | 8464/B/1F | Original Q6

Question	Answers	Extra information	Mark	AO / Spec. Ref.
06.5	**Stage 1** any **one** from: • (cell) growth • increase in number of sub-cellular structures • DNA replicates • chromosomes double / duplicate / replicate	allow increase in number of organelles / ribosomes / mitochondria allow genetic material for DNA allow DNA doubles / duplicates	1	AO1 4.1.2.2
	Stage 2 any **one** from: • (one set of) chromosomes pulled to each end of cell • two nuclei form	ignore mitosis occurs allow chromosomes line up across the centre of the cell allow chromosomes move to opposite ends of the cell allow nucleus divides / splits (into two)	1	
	Stage 3 any **one** from: • cytoplasm / membrane divides • two identical cells formed	allow cytokinesis	1	

4.1.2.2 Mitosis and the cell cycle

Answer 03 · Mark scheme

June 2022 | 8464/B/1F | Original Q6

Question	Answers	Mark	AO / Spec. Ref.
06.6	**Level 2:** Scientifically relevant features are identified; the way(s) in which they are similar / different is made clear and (where appropriate) the magnitude of the similarity / difference is noted.	4–6	AO3
	Level 1: Relevant features are identified and differences noted.	1–3	AO2
	No relevant content	0	

	Indicative content General comparisons: • boys height at birth (slightly) greater than girls height • boys are (slightly) taller than girls up to age 11 • correct height comparisons eg boys are approximately 4 / 5 cm taller than girls up to age 11 • girls and boys are the same height at age 11 • girls are taller than boys between age 11 and age 14 • girls and boys are the same height at age 14 • boys are taller than girls above age 14 • correct height comparisons eg boys are 5 to 18 cm taller than girls above age 14 • boys (eventually) grow taller than girls • boys carry on growing for a longer time than girls • girls stop growing age 13 / 14 / 15 **and** boys stop growing age 17 / 18 Rate comparisons: • rate of growth similar up to age 10 / 11 • girls grow faster than boys between 10 / 11 and 14 allow girls have a greater increase in height between 11 and 14 • growth spurt occurs at a younger age in girls • growth spurt starts age 10 / 11 in girls **and** age 13 / 14 in boys • increased rate of growth in girls aged 10 to 13 /14 **and** in boys aged 13 to 17 / 18 Key points for Level 2 are correct reference to 0-11 year period, 11-14 period and after age 14, with at least one correct reference to rate of growth or use of correct values of height and age to illustrate rate.		4.1.2.2

4.1.2.2 Mitosis and the cell cycle

Answer 03 · Mark scheme

June 2022 | 8464/B/1F | Original Q6

Question	Answers	Extra information	Mark	AO / Spec. Ref.
06.7	repair of tissues **or** replacement of cells	ignore growth allow repair of organs ignore repair of cells allow replacement of tissues ignore replacement of organs	1	AO1 4.1.1.4

Total Question 6		**14**

4.1.2.2 Mitosis and the cell cycle

AQA

GCSE
COMBINED SCIENCE: TRILOGY

8464/B/1F – BIOLOGY PAPER 1 FOUNDATION TIER

Mark scheme

8464

June 2018

Version/Stage: 1.0 Final

4.1.2.2 Mitosis and the cell cycle

Mark schemes are prepared by the Lead Assessment Writer and considered, together with the relevant questions, by a panel of subject teachers. This mark scheme includes any amendments made at the standardisation events which all associates participate in and is the scheme which was used by them in this examination. The standardisation process ensures that the mark scheme covers the students' responses to questions and that every associate understands and applies it in the same correct way. As preparation for standardisation each associate analyses a number of students' scripts. Alternative answers not already covered by the mark scheme are discussed and legislated for. If, after the standardisation process, associates encounter unusual answers which have not been raised they are required to refer these to the Lead Assessment Writer.

It must be stressed that a mark scheme is a working document, in many cases further developed and expanded on the basis of students' reactions to a particular paper. Assumptions about future mark schemes on the basis of one year's document should be avoided; whilst the guiding principles of assessment remain constant, details will change, depending on the content of a particular examination paper.

Further copies of this mark scheme are available from aqa.org.uk

Copyright © 2018 AQA and its licensors. All rights reserved.
AQA retains the copyright on all its publications. However, registered schools/colleges for AQA are permitted to copy material from this booklet for their own internal use, with the following important exception: AQA cannot give permission to schools/colleges to photocopy any material that is acknowledged to a third party even for internal use within the centre.

MARK SCHEME – GCSE COMBINED SCIENCE: TRILOGY – 8464/B/1F – JUNE 2018

Information to Examiners

1. General

The mark scheme for each question shows:

- the marks available for each part of the question
- the total marks available for the question
- the typical answer or answers which are expected
- extra information to help the Examiner make his or her judgement
- the Assessment Objectives and specification content that each question is intended to cover.

The extra information is aligned to the appropriate answer in the left-hand part of the mark scheme and should only be applied to that item in the mark scheme.

At the beginning of a part of a question a reminder may be given, for example: where consequential marking needs to be considered in a calculation; or the answer may be on the diagram or at a different place on the script.

In general the right-hand side of the mark scheme is there to provide those extra details which confuse the main part of the mark scheme yet may be helpful in ensuring that marking is straightforward and consistent.

2. Emboldening and underlining

2.1 In a list of acceptable answers where more than one mark is available 'any **two** from' is used, with the number of marks emboldened. Each of the following bullet points is a potential mark.

2.2 A bold **and** is used to indicate that both parts of the answer are required to award the mark.

2.3 Alternative answers acceptable for a mark are indicated by the use of **or**. Different terms in the mark scheme are shown by a / ; eg allow smooth / free movement.

2.4 Any wording that is underlined is essential for the marking point to be awarded.

3. Marking points

3.1 Marking of lists

This applies to questions requiring a set number of responses, but for which students have provided extra responses. The general principle to be followed in such a situation is that 'right + wrong = wrong'.

Each error / contradiction negates each correct response. So, if the number of error / contradictions equals or exceeds the number of marks available for the question, no marks can be awarded.

However, responses considered to be neutral (indicated as * in example 1) are not penalised.

Example 1: What is the pH of an acidic solution?

[1 mark]

Student	Response	Marks awarded
1	green, 5	0
2	red*, 5	1
3	red*, 8	0

Example 2: Name two planets in the solar system.

[2 marks]

Student	Response	Marks awarded
1	Neptune, Mars, Moon	1
2	Neptune, Sun, Mars, Moon	0

3.2 Use of chemical symbols / formulae

If a student writes a chemical symbol / formula instead of a required chemical name, full credit can be given if the symbol / formula is correct and if, in the context of the question, such action is appropriate.

3.3 Marking procedure for calculations

Marks should be awarded for each stage of the calculation completed correctly, as students are instructed to show their working. Full marks can, however, be given for a correct numerical answer, without any working shown.

3.4 Interpretation of 'it'

Answers using the word 'it' should be given credit only if it is clear that the 'it' refers to the correct subject.

3.5 Errors carried forward

Any error in the answers to a structured question should be penalised once only.

Papers should be constructed in such a way that the number of times errors can be carried forward is kept to a minimum. Allowances for errors carried forward are most likely to be restricted to calculation questions and should be shown by the abbreviation ecf in the marking scheme.

3.6 Phonetic spelling

The phonetic spelling of correct scientific terminology should be credited **unless** there is a possible confusion with another technical term.

3.7 Brackets

(…..) are used to indicate information which is not essential for the mark to be awarded but is included to help the examiner identify the sense of the answer required.

3.8 Allow

In the mark scheme additional information, 'allow' is used to indicate creditworthy alternative answers.

3.9 Ignore

Ignore is used when the information given is irrelevant to the question or not enough to gain the marking point. Any further correct amplification could gain the marking point.

3.10 Do <u>not</u> accept

Do **not** accept means that this is a wrong answer which, even if the correct answer is given as well, will still mean that the mark is not awarded.

4. Level of response marking instructions

Extended response questions are marked on level of response mark schemes.

- Level of response mark schemes are broken down into levels, each of which has a descriptor.
- The descriptor for the level shows the average performance for the level.
- There are two marks in each level.

Before you apply the mark scheme to a student's answer, read through the answer and annotate it (as instructed) to show the qualities that are being looked for. You can then apply the mark scheme.

Step 1: Determine a level

Start at the lowest level of the mark scheme and use it as a ladder to see whether the answer meets the descriptor for that level. The descriptor for the level indicates the different qualities that might be seen in the student's answer for that level. If it meets the lowest level then go to the next one and decide if it meets this level, and so on, until you have a match between the level descriptor and the answer.

When assigning a level you should look at the overall quality of the answer. Do **not** look to penalise small and specific parts of the answer where the student has not performed quite as well as the rest. If the answer covers different aspects of different levels of the mark scheme you should use a best fit approach for defining the level.

Use the variability of the response to help decide the mark within the level, ie if the response is predominantly level 2 with a small amount of level 3 material it would be placed in level 2 but be awarded a mark near the top of the level because of the level 3 content.

Step 2: Determine a mark

Once you have assigned a level you need to decide on the mark. The descriptors on how to allocate marks can help with this.

The exemplar materials used during standardisation will help. There will be an answer in the standardising materials which will correspond with each level of the mark scheme. This answer will have been awarded a mark by the Lead Examiner. You can compare the student's answer with the example to determine if it is the same standard, better or worse than the example. You can then use this to allocate a mark for the answer based on the Lead Examiner's mark on the example.

You may well need to read back through the answer as you apply the mark scheme to clarify points and assure yourself that the level and the mark are appropriate.

Indicative content in the mark scheme is provided as a guide for examiners. It is not intended to be exhaustive and you must credit other valid points. Students do **not** have to cover all of the points mentioned in the indicative content to reach the highest level of the mark scheme.

You should ignore any irrelevant points made. However, full marks can be awarded only if there are no incorrect statements that contradict a correct response.

An answer which contains nothing of relevance to the question must be awarded no marks.

4.1.2.2 Mitosis and the cell cycle

MARK SCHEME – GCSE COMBINED SCIENCE: TRILOGY – 8464/B/1F – JUNE 2018

Question	Answers	Extra information	Mark	AO / Spec. Ref.
01.1	cell membrane	extra ticks negates marks	1	AO1 4.1.1.2
01.2	engulf pathogens produce antibodies produce antitoxins	extra ticks negates marks	1 1 1	AO1 4.2.2.3 4.3.1.6
01.3	2050 − 100 = 1950	an answer of 1950 scores **2** marks allow **1** mark for a correct subtraction of incorrect values	1 1	AO2 4.3.1.2
01.4	any **one** from: • (more) people vaccinated • (more) people immune • no new measles strain	ignore injections / treatments / medicines unqualified allow vaccine produced allow (more people given) MMR (vaccine) do **not** allow antibiotics ignore less people infected	1	AO2 4.3.1.1 4.3.1.2 4.3.1.7
01.5	any **one** from: • measles is (caused by) a virus • viruses cannot be killed / destroyed by antibiotics	allow measles is not caused by a bacterium allow antibiotics **only** kill / destroy bacteria ignore harmed / treated	1	AO1 4.3.1.1 4.3.1.8 4.3.1.2
01.6	any **one** from: • use of a barrier method of contraception • use of a condom • vaccination / immunisation • avoid sexual intercourse / contact	ignore use of diaphragm ignore use protection / safe sex do **not** accept less sexual intercourse / contact	1	AO1 4.3.1.3

4.1.2.2 Mitosis and the cell cycle

Question	Answers	Extra information	Mark	AO / Spec. Ref.
01.7	any **one** from: • size / shape/ type of paper disc • concentration of antibiotic • volume / amount of antibiotic • (incubation) time • (incubation) temperature	ignore paper disc unqualified allow strength / dosage of antibiotic allow 3 days ignore size of petri dish	1	AO2 4.3.1.8
01.8	to check that the disc / water did not have an effect **or** to make sure it was the antibiotic that had an effect	allow for comparison with the antibiotics allow as a (experimental) control do **not** accept as a control variable	1	AO3 4.3.1.8
01.9	(antibiotic) **A** any **one** from: • (antibiotic **A**) had the larg**est** clear area around it • (antibiotic **A**) killed the **most** bacteria	no marks if wrong antibiotic given	1 1	AO3 4.3.1.8
Total			**13**	

4.1.2.2 Mitosis and the cell cycle

MARK SCHEME – GCSE COMBINED SCIENCE: TRILOGY – 8464/B/1F – JUNE 2018

Question	Answers	Extra information	Mark	AO / Spec. Ref.
02.1	glucose oxygen	extra ticks negates marks	1 1	AO1 4.4.1.1
02.2	count the number of bubbles produced in 1 minute measure the volume of gas produced in 30 seconds	extra ticks negates marks	1 1	AO3 4.4.1.2
02.3	any **one** from: • to control the temperature • temperature affects the rate of photosynthesis	ignore reference to 'it' allow so pondweed / solution did not warm up allow correct description of effect of temperature on rate allow high temperatures denature enzymes ignore references to limiting factors	1	AO3 4.4.1.2
02.4	52		1	AO2 4.4.1.2
02.5	all points plotted correctly smooth curve drawn through all points	(where a bar chart has been plotted) allow **1** mark for all bars plotted correctly if points are plotted as well as bars, ignore bars allow ± ½ a square allow **1** mark for three points correctly plotted ignore extensions of line / curve unless inconsistent with line / curve drawn	2 1	AO2 4.4.1.2

4.1.2.2 Mitosis and the cell cycle

Question	Answers	Extra information	Mark	AO / Spec. Ref.
02.6	any **one** from: • the nearer the light source to the pondweed the faster the rate of photosynthesis • the greater the light intensity the faster the rate of photosynthesis	allow converse statements for all marking points allow the nearer the light source to the pondweed the faster the bubbles produced allow the greater the light intensity the faster the bubbles produced allow the closer the light source the more the plant photosynthesises ignore more bubbles are produced with no reference to rate allow oxygen for bubbles do **not** accept carbon dioxide	1	AO3 4.4.1.2
Total			**10**	

4.1.2.2 Mitosis and the cell cycle

MARK SCHEME – GCSE COMBINED SCIENCE: TRILOGY – 8464/B/1F – JUNE 2018

Question	Answers	Extra information	Mark	AO / Spec. Ref.
03.1	any **one** from: • water on potato would increase mass • to control amount of water on potato	allow so only the mass of the potato is measured allow to remove water from outside of potato allow liquid / solution / sugar solution for water allow so you get the correct (starting) mass of the potato do **not** accept so that all the pieces of potato weighed the same	1	AO3 4.1.3.2
03.2	increase in mass increase in length	extra ticks negate marks	1 1	AO2 4.1.3.2
03.3	osmosis into lower	in this order only allow diffusion allow inside do **not** accept through allow low / more dilute / dilute	1 1 1	AO1 4.1.3.2 AO2 4.1.3.2 AO2 4.1.3.2
03.4	any **one** from: • the concentration (of sugar solution) in the cells is 0.4 (mol/dm^3) • the concentration (of sugar solution) in the cells is the same as the solution (in the tube)	allow reference to potato instead of cells	1	AO3 4.1.3.2

4.1.2.2 Mitosis and the cell cycle

Question	Answers	Extra information	Mark	AO / Spec. Ref.
03.5	any **two** from: • has (root) hairs • large surface / area • (root) hairs extend into soil • (root) hairs have thin walls	ignore references to active transport and mineral uptake allow root hair cells allow wide surface area allow (root) hairs are long / widespread	2	AO1 4.1.1.3 4.1.3.1 4.1.3.2
Total			**9**	

4.1.2.2 Mitosis and the cell cycle

MARK SCHEME – GCSE COMBINED SCIENCE: TRILOGY – 8464/B/1F – JUNE 2018

Question	Answers	Extra information	Mark	AO / Spec. Ref.
04.1		**max 2** marks if written in terms of heart rate		AO2 4.4.2.2
	breathing rate when walking is twice that at rest	allow breathing rate when walking is 12 (breaths / minute) more than at rest	1	
	breathing rate when jogging is 5 times that at rest	allow breathing rate when jogging is 48 (breaths / minute) more than at rest	1	
	breathing rate when jogging is 2.5 times that when walking	allow breathing rate when jogging is 36 (breaths / minute) more than when walking	1	
		allow for **1** mark if no other marks gained: breathing rate at rest is 12 (breaths per minute), breathing rate when walking is 24 (breaths per minute) and breathing rate when jogging is 60 (breaths per minute) **or** breathing rate increases with increasing activity		

4.1.2.2 Mitosis and the cell cycle

Question	Answers	Extra information	Mark	AO / Spec. Ref.
04.2	(breathing rate increases)	reference to more / faster required at least once for full marks		AO1 4.4.2.2
	to supply more oxygen / O_2 **or** to supply oxygen / O_2 faster	allow to remove more carbon dioxide / CO_2 **or** to remove carbon dioxide / CO_2 faster do **not** accept incorrectly written formulae	1	
	for (aerobic) respiration **or** to reduce anaerobic respiration **or** to reduce lactic acid build up		1	
	(so) that more energy is transferred / released **or** (because) more energy is required	do **not** accept used / produced / created or energy made	1	
04.3	right ventricle / side of the heart pumps (blood) to the lungs		1	AO1 4.2.2.2
	left ventricle / side of the heart pumps (blood) to the body		1	
		if no other marks scored allow **1** mark for one side pumps blood to the lungs and the other side pumps blood to the body		


4.1.2.2 Mitosis and the cell cycle

MARK SCHEME – GCSE COMBINED SCIENCE: TRILOGY – 8464/B/1F – JUNE 2018

Question	Answers	Extra information	Mark	AO / Spec. Ref.
04.4	any **one** from: • (the left ventricle) has to pump blood further (than the right ventricle) • (the left ventricle) has to pump blood with a greater force (than the right ventricle) • (the left ventricle) has to pump blood at a higher pressure (than the right ventricle)	there must be a comparative statement allow (the left ventricle) has to pump blood all around the body allow (left ventricle) has to pump blood harder	1	AO2 4.2.2.2
04.5	any **one** from: • strengthens heart (muscle) • reduces chance of another heart attack • reduces / controls weight • improves circulation	ignore prevents / no heart attacks allow decreases chance of fatty deposits **or** fat building up (in arteries / blood vessels) allow reduces resting heart rate	1	AO2 4.2.2.2 4.2.2.6
Total			**10**	

4.1.2.2 Mitosis and the cell cycle

MARK SCHEME – GCSE COMBINED SCIENCE: TRILOGY – 8464/B/1F – JUNE 2018



Question	Answers	Extra information	Mark	AO / Spec. Ref.
05.1	 allow **1** mark for 1 or 2 correct credit can be given where students have matched the boxes correctly, for example numbering the boxes		2	AO1 4.1.2.2
05.2	6 picograms		1	AO2 4.1.2.2
05.3	meristem cells in plants can differentiate throughout the life of the plant		1	AO1 4.1.2.3

4.1.2.2 Mitosis and the cell cycle

Question	Answers	Extra information	Mark	AO / Spec. Ref.
05.4	any **two** from: • may cure / treat diseases **or** cure medical conditions **or** produce replacement cells / tissues / organs • cells unlikely to be **rejected** by patient • cells / tissues of any type can be produced • many cells produced • cells produced could be used for research • would reduce waiting time for transplants	ignore references to cost ignore all reference to producing babies / IVF allow example eg diabetes / paralysis allow cells can be stored for future use ignore used in medical treatments ignore patient makes / grows cells / tissues / organs ignore same genetic information ignore differentiated into most types of cells	2	AO3 4.1.2.3 4.1.1.4 4.6.2.4
05.5	any **two** from: • (potential) life is killed / destroyed • shortage of donors / eggs • egg donation / collection has risks • do not yet know risks / side effects of the procedure on the patient • may transfer (viral) infection • poor success rate	ignore references to cost ignore unethical unqualified Ignore reference to religion / beliefs allow embryo is killed ignore embryo is destroyed ignore embryo is a life / becomes a baby ignore long term effects are not well understood allow may cause tumours / cancer allow in terms of viable egg / embryo / cell / tissue / organ production	2	AO3 4.1.2.3 4.1.1.4 4.6.2.4
Total			**8**	

4.1.2.2 Mitosis and the cell cycle

MARK SCHEME – GCSE COMBINED SCIENCE: TRILOGY – 8464/B/1F – JUNE 2018

Question	Answers	Extra information	Mark	AO / Spec. Ref.
06.1	 allow **1** mark for one or two correct links		2	AO1 4.1.1.1 4.1.1.2
06.2	 tick box takes precedence if no tick is given, look at both the figure and the circling of words in the table if writing is seen on the figure and in the table both must be correct		1	AO1 4.1.1.2
06.3	turn the (fine focusing) knob until the cells are in focus	allow focus it do **not** accept increase magnification ignore decrease magnification ignore clear ignore references to resolution / illumination ignore zoom in / out	1	AO2 4.1.1.2

4.1.2.2 Mitosis and the cell cycle

MARK SCHEME – GCSE COMBINED SCIENCE: TRILOGY – 8464/B/1F – JUNE 2018

Question	Answers	Extra information	Mark	AO / Spec. Ref.
06.4	(rotate the) nosepiece / objective lens	allow change the (objective / eyepiece) lens	1	AO2 4.1.1.2
	to a higher power (lens)	allow (to) increase the magnification a comparator is required ignore change / adjust the magnification allow stronger or more powerful lens ignore references to resolution / illumination unqualified ignore zoom in / out ignore references to an electron microscope	1	

4.1.2.2 Mitosis and the cell cycle

Question	Answers	Extra information	Mark	AO / Spec. Ref.
06.5		an answer of 400 (×) scores **3** marks		AO2 4.1.1.2
	conversion of units: (112 mm →) 112 000 (µm) **or** (280 µm →) 0.28 (mm)		1	
	(magnification =) $\frac{112}{0.28}$ **or** (magnification =) $\frac{112\,000}{280}$	allow **1** mark for no conversion of units 112 / 280 **or** incorrect value from step 1 correctly substituted	1	
	400 (×)	do **not** accept if units are given	1	
		if no other mark scored allow **1** mark for: magnification = $\frac{\text{size of image}}{\text{size of real object}}$ a triangle with words or letters in is insufficient, as the correct rearrangement is needed		
Total			**9**	

4.1.2.2 Mitosis and the cell cycle

MARK SCHEME – GCSE COMBINED SCIENCE: TRILOGY – 8464/B/1F – JUNE 2018

Question	Answers	Extra information	Mark	AO / Spec. Ref.
07.1	is not caused by a pathogen / infective organism	allow not caused by a microorganism / microbe ignore not caused by infection ignore named pathogen unless bacteria, virus and fungus all mentioned	1	AO1 4.2.2.4 4.2.2.5 4.3.1.1 4.3
	(so) is not passed / spread (from person to person)	allow cannot be spread / caught allow is not infectious / contagious	1	AO2 4.2.2.4 4.2.2.5 4.3.1.1 4.3
07.2		allow 'it' for heart		AO1 4.2.2.4
	reduced / restricted / stopped blood flow	it does not matter where blood flow is restricted to – heart / body	1	
	(so) less oxygen reaches heart (muscle / cells)	must reference heart / it allow no oxygen reaches the heart (muscle / cells)	1	
	(so heart muscle / cells) cannot respire (enough) **or** (so heart muscle / cells) do not release (enough) energy	do **not** accept do not make / produce / create energy ignore references to breathing / suffocation ignore blood clots / blockages	1	

4.1.2.2 Mitosis and the cell cycle

Question	Answers	Mark	AO / Spec. Ref.
02.3	**Level 3:** Relevant points (factors / effects) are identified, given in detail and logically linked to form a clear account.	5–6	AO2
	Level 2: Relevant points (factors / effects) are identified and there are attempts at logical linking. The resulting account is not fully clear.	3–4	AO2 AO1
	Level 1: Points are identified and stated simply, but their relevance is not clear and there is no attempt at logical linking.	1–2	AO1
	No relevant content	0	
	Indicative content **medical risk factors:** • high blood pressure • high cholesterol • diabetes • genetic factors • medications **lifestyle risk factors:** • smoking • obesity • lack of exercise • high fat / energy diet • eating insufficient fruit / vegetables • alcohol • high salt intake • exposure to air pollution • certain drugs / correct named drug **examples of links:** • smoking – high bp / cholesterol / fatty deposition • obesity – lack of exercise / high bp / cholesterol / fatty deposition / diabetes • exercise – obesity / bp /diabetes • diet – obesity / cholesterol / diabetes • alcohol – bp / cholesterol • high salt intake - high blood pressure • genetic factors – bp / cholesterol / diabetes / obesity • medication – can affect blood / blood vessels / metabolism the main discriminator is the quality of linking both lifestyle and medical factors are required for **level 3**		4.2.2.2 4.2.2.4 4.2.2.5 4.2.2.6
Total		**11**	

4.1.2.2 Mitosis and the cell cycle

Answer 03 · Examiner comments

June 2022 | 8464/B/1F | Original Q6

Question 6 (standard demand)

06.1 A quarter of the students put gene, chromosome, nucleus and cell in order of increasing size.

06.2 Fewer than a tenth of students gave the correct answer, differentiation. Some said specialisation, whilst most students thought the process was mitosis or cell division.

06.3 19% of students correctly calculated the number of cell divisions to form a 16-cell embryo.

06.4 41% of students knew that the cells of a human embryo have 46 chromosomes.

06.5 23% of the students scored any marks for this question. Most of these students scored a mark for Stage 1 by saying that the cell grows or that there is an increase in the number of sub-cellular structures. Some students thought Stage 1 was fertilisation, and they went on to describe the development of an embryo.

A mark for Stage 2 was less often awarded. Many students said mitosis happens, but as this was written on the cell cycle diagram it did not gain credit.

For Stage 3 many students only referred to two daughter cells forming, when reference to two identical cells was required. Reference to specialised cells being formed was seen quite a lot.

06.6 The question asked students to compare the growth of boys with the growth of girls, using data from growth curves.

There are three main sections in the graph:

- a section from birth to age 10 or 11, where the height and growth rate of boys and girls is very similar
- a section from age 10 or 11 up to age 14, where girls grow faster than boys
- the section from 14 to 18 years, where boys continue to grow rapidly whilst girls have stopped growing.

Within each section there were several comparisons that could be made.

To score the highest marks reference to all three sections of the graph was required, in addition to at least one comparison of the rate of growth. This was rarely seen, where a quarter of students scored three marks. Similar proportions scored two marks and one mark, amounting to 81% scoring at least a single mark.

As the command word was 'Compare' it was important that comparative statements about boys and girls were made. All the statements given in the indicative content are comparisons.

Many responses gave descriptions of what they had learnt about puberty and growth spurts, but if they did not match the data given in the graph they were not credited. Any data given had to be correct.

Common errors in interpreting the graph included:

- boys grow faster than girls up to age 11
- boys grow shorter, or stop growing, at age 11
- girls stop growing at age 18.

06.7 8% of students scored this mark. The question asked for one way that mitosis is important in fully grown animals; so saying 'to grow' was not credited. Some students said for growth and repair, which was insufficient.

Replacement of cells or tissues was required. Repair of tissues, organs or wounds all gained credit. Repair of damaged cells is incorrect.

Many students said mitosis is needed for reproduction, or development of an embryo, both of which were ignored.

Use of statistics

Statistics used in this report may be taken from incomplete processing data. However, this data still gives a true account on how students have performed for each question.

Mark Ranges and Award of Grades

Grade boundaries and cumulative percentage grades are available on the Results Statistics page of the AQA Website.