AQA GCSE Combined Science - Trilogy | 8464

SPECIFICATION POINT 5.1.2.6

Group 7

Mark schemes and examiner comments

Tier	**Foundation**
Question groups	**6**
Available paper years	**2018–2023**

Using this booklet


1. Booklet answer numbers match the question booklet.
2. Use the original question number within marking tables.
3. Examiner comments are included where available.

Name: _____ **Date:** _____

Where a precise marking extract is unavailable, the full source document is included in an appendix. Any missing mark scheme is explicitly identified.

5.1.2.6 Group 7

Answer 01 · Mark scheme June 2018 | 8464/C/1F | Original Q2

Question	Answers	Extra information	Mark	AO / Spec. Ref.
02.1	group 7		1	AO1 5.1.2.6
02.2		one shared pair anywhere in overlap between two circles **or** on intersection 6 other electrons on each atom allow dots **or** crosses **or** mixture for all marks ignore any inner shell electrons	1 1	AO2 5.1.2.6 5.2.1.4
02.3	bromine potassium chloride	allow correct chemical formulae either order	1 1	AO2 5.1.1.1 5.1.2.6
02.4	displacement		1	AO1 5.1.2.6
02.5	(an) electron		1	AO2 5.1.2.6
02.6	smaller than		1	AO2 5.1.2.1 5.1.2.6

02.7	(chlorine has) fewer levels / shells (of electrons)	mark independent of answer to question **02.6** allow converse for bromine allow (chlorine has) fewer electrons allow Cl has 3 levels / shells and Br has 4 levels / shells ignore atomic number **or** mass number **or** number of protons	1	AO2 5.1.2.1 5.1.2.6
02.8	3	allow multiples	1	AO2 5.1.1.1 5.1.2.6
02.9	there are weak forces between molecules which require little energy to overcome / break	do **not** accept weak bonds allow weak intermolecular forces for the first **2** marks allow does not need much energy to boil	1 1 1	AO1 5.1.2.6 5.2.2.4 AO1 5.1.2.6 5.2.2.4 AO2 5.1.2.6 5.2.2.4
Total			**13**	

5.1.2.6 Group 7

Answer 01 · Mark scheme June 2018 | 8464/C/1F | Original Q2

Answer 02 · Mark scheme June 2019 | 8464/C/1F | Original Q4

04.1	2 Na + Cl_2 → 2 NaCl	allow multiples	1	AO1 5.1.2.2
04.2	7.1 (g)		1	AO2 5.3.1.1
04.3	silver green yellow white	this order only allow yellow allow white	1 1 1 1	AO1 5.1.2.5
04.4	Na^+ Cl^-	if no other mark awarded allow **1** mark for +(1) charge for sodium ion and –(1) charge for chloride ion	1 1	AO1 5.2.1.2
04.5	an electron		1	AO2 5.1.2.5

5.1.2.6 Group 7

Answer 02 · Mark scheme

June 2019 | 8464/C/1F | Original Q4

04.6	potassium (atom) is larger potassium (atom) has more energy levels (of electrons) **or** potassium (atom) has more shells (of electrons)	allow converse for sodium mark independently do **not** accept more outer shells	 1 1	AO2 5.1.2.1 & 5.1.2.5

Total			**11**

5.1.2.6 Group 7

Answer 02 · Mark scheme

June 2019 | 8464/C/1F | Original Q4

Question	Answers	Extra information	Mark	AO / Spec. Ref.

5.1.2.6 Group 7

Answer 03 · Mark scheme

November 2020 | 8464/C/1F | Original Q3

03.1	positively charged		1	AO2 5.1.1.3
03.2	the atom is mainly empty space.		1	AO2 5.1.1.3 5.1.1.7
03.3	the mass is concentrated at the centre of the atom.		1	AO1 5.1.1.3
03.4	halogens		1	AO1 5.1.2.6
03.5	fluorine		1	AO1 5.1.2.6
03.6	2.13 (g)		1	AO2 5.3.1.1
03.7	197 + (3 × 35.5) **or** 197 + 106.5 = 303.5		1 1	AO2 5.3.1.2
Total			**8**	

5.1.2.6 Group 7

Answer 03 · Mark scheme

November 2020 | 8464/C/1F | Original Q3

Question	Answers	Extra information	Mark	AO / Spec. Ref.

5.1.2.6 Group 7

Answer 04 · Mark scheme

November 2020 | 8464/C/1F | Original Q4

04.1	$\frac{8}{10} \times 100$ **or** 0.8×100 = 80 (%)	 if no other mark awarded allow **1** mark for 20 (%)	1 1	AO2 5.1.2.3
04.2	any **two** from: • conducts electricity • conducts thermal energy • ductile • high melting point • malleable • shiny • strong	 allow conducts heat allow high boiling point allow can be bent / shaped allow dense allow sonorous ignore chemical properties	2	AO1 5.1.2.3
04.3	2 Na + Cl_2 → 2 NaCl	allow multiples	1	AO2 5.1.2.5 5.1.2.6 5.3.1.1
04.4	electrostatic attractions		1	AO3 5.2.1.3 5.2.2.3
04.5	(heat sodium chloride until) molten / liquid dissolve in water	 allow form aqueous solution allow add water	1 1	AO1 5.2.2.3
Total			**8**	

5.1.2.6 Group 7

Answer 04 · Mark scheme

November 2020 | 8464/C/1F | Original Q4

Question	Answers	Extra information	Mark	AO / Spec. Ref.

5.1.2.6 Group 7

Answer 05 · Mark scheme

05.1	atomic weight		1	AO1 5.1.2.2
05.2	(because) properties were similar **or** (because) iodine has similar / same properties as bromine / chlorine / fluorine	allow symbols	1	AO3 5.1.2.2
05.3	solid		1	AO3 5.1.2.5 5.2.2.1
05.4	scale on the y-axis up to 180 bar for sodium at 98 (°C) bar for potassium at 63 (°C)	ignore scale beyond 180 allow a tolerance of ± half a small square allow a tolerance of ± half a small square	1 1 1	AO2 5.1.2.4 5.2.2.1
05.5	 lithium (atom) loses one electron chlorine (atom) gains one electron any **one** from: • ions are formed • lithium forms positive ion • chlorine forms negative ion • form a full outer shell(s) / level(s)	max **2** marks if reference to incorrect particle / bonding allow ionic bonding allow noble gas structure is formed	 1 1 1	 AO2 AO2 AO1 5.1.2.3 5.2.1.2

5.1.2.6 Group 7

05.6	any **two** from: • reactivity of elements increases going down the group • potassium has more shells • potassium can lose an (outer) electron more easily • potassium has an outer shell / electron further away from the nucleus • potassium has more shielding (of the outer shell / electron) • potassium has a weaker attraction between nucleus and outer shell / electron	allow energy levels for shells allow converse for lithium	2	AO1 AO2 5.1.2.3 5.1.2.5

Total			**11**

5.1.2.6 Group 7

Answer 05 · Mark scheme

November 2020 | 8464/C/1F | Original Q5

Question	Answers	Extra information	Mark	AO / Spec. Ref.

5.1.2.6 Group 7


Answer 06 · Mark scheme

June 2023 | 8464/C/1F | Original Q3

Question 3


Question	Answers	Extra information	Mark	AO / Spec. Ref.
03.1	noble gases		1	AO1 5.2.1.2

Question	Answers	Extra information	Mark	AO / Spec. Ref.
03.2	potassium (atoms) lose electrons		1	AO2
	chlorine (atoms) gain electrons		1	AO2
	reference to one electron		1	AO2
	any **one** from: • to form ions • to form full outer shell(s) • to form full energy level(s)	allow to form a noble gas structure	1	AO1 5.2.1.2

Question	Answers	Extra information	Mark	AO / Spec. Ref.
03.3			1	AO2 5.2.1.3

5.1.2.6 Group 7

Answer 06 · Mark scheme

Question	Answers	Extra information	Mark	AO / Spec. Ref.
03.4	one shared pair in each overlap	allow any combination of circles, dots, crosses, $e^{(-)}$ for electrons	1	AO1 5.2.1.1 5.2.1.4
	four non-bonding electrons in outer shell of oxygen	do **not** accept extra electron(s) on outer shell of hydrogen ignore any inner shell electrons the diagram below scores 2 marks 	1	

Question	Answers	Extra information	Mark	AO / Spec. Ref.
03.5	1 Si : 2 O	allow 6 Si : 12 O	1	AO3 5.2.1.4

Question	Answers	Extra information	Mark	AO / Spec. Ref.
03.6	weak intermolecular forces		1	AO1 5.2.2.5

5.1.2.6 Group 7

Answer 06 · Mark scheme

Question	Answers	Extra information	Mark	AO / Spec. Ref.
03.7		ignore references to boiling point		AO3 5.2.2.4 5.2.2.5
	the melting point increases as the length of the polymer molecule increases	allow **1** mark for melting point increases	2	
	(then the) melting point levels off (as the polymer molecule length increases)	allow (then the) melting point becomes constant (as the polymer molecule length increases)	1	

Total Question 3	13

5.1.2.6 Group 7

Answer 01 · Examiner comments — June 2018 | 8464/C/1F | Original Q2

Question 2 (low & standard demand)

02.4 47% of students knew that the type of reaction between chlorine and potassium bromide solution is called displacement.

02.5 73% of students knew that chlorine is more reactive than bromine because chlorine gains electrons more easily.

02.6 60% of students understood that a chlorine atom is smaller than a bromine atom.

Answer 06 · Examiner comments — June 2023 | 8464/C/1F | Original Q3

Question 3 (low/standard demand)

03.1 More than half the students identified the noble gases as the group of elements that do not form ions.

03.2 This question was a good discriminator. Many gained the first three marks although MP4 was less common. Many incorrect terms such as ‘atoms sharing electrons to form ionic bonds’, ‘metal ions losing electrons’ and ‘non-metal ions gaining electrons’ were seen.

03.3 More than two thirds of students identified the structure that represents the arrangement of ions in solid potassium chloride. The first option was the best distractor.

03.4 More than a quarter of students correctly drew a dot and cross diagram for water. When only one mark was gained this was usually for the shared electrons in the overlap between oxygen and one of the hydrogen atoms. Some failed to show that there are four unshared electrons on the oxygen atom and others added more electrons into the circle around one or both of the hydrogen atoms.

03.5 More than three-quarters of students deduced the ratio of silicon atoms to oxygen atoms from the structure of silica.

5.1.2.6 Group 7

Answer 06 · Examiner comments June 2023 | 8464/C/1F | Original Q3

03.6 Only 20% of students knew that weak intermolecular forces hold polymer molecules together in a polymer. Covalent bonds and electrostatic attraction between ions were perhaps terms more familiar to the students and both proved more popular options than the correct answer.

03.7 Students found difficulty in recognising the link between the two variables from the *x*-axis and the *y*-axis. Many stated that as the melting point increases the length of the polymer molecule increases. Students should appreciate that the independent variable is on the *x*-axis and that as this is changed, the effect on the dependent variable (*y*-axis) can be observed ie as the length of the polymer molecule increases (independent, *x*-axis) then the melting point increases (dependent, *y*-axis).