AQA GCSE Combined Science - Trilogy | 8464

SPECIFICATION POINT 5.3.2.4

Limiting reactants (HT only)

Mark schemes and examiner comments

Tier	**Higher**
Question groups	**2**
Available paper years	**2020–2022**

Using this booklet

1. Booklet answer numbers match the question booklet.
2. Use the original question number within marking tables.
3. Examiner comments are included where available.

Name: _____ **Date:** _____

Where a precise marking extract is unavailable, the full source document is included in an appendix. Any missing mark scheme is explicitly identified.

5.3.2.4 Limiting reactants (HT only)

Answer 01 · Mark scheme November 2020 | 8464/C/1H | Original Q4

04.1	ZnO (**s**) + HCl (**aq**) → $ZnCl_2$ (**aq**) + H_2O (**l**)	allow **1** mark for 2/3 correct state symbols	2	AO2 5.2.2.2 5.4.2.3 RPA8
04.2	any **one** from: • warm / heat the mixture • increase the concentration of the (hydrochloric) acid	ignore add a catalyst ignore stir ignore powder ignore add more zinc oxide do **not** accept volume / amount of (hydrochloric) acid do **not** accept increase the surface area	1	AO1 5.4.2.2 5.4.2.3 RPA8
04.3	zinc oxide remains **or** solid remains	ignore colour allow zinc oxide is added until in excess	1	AO1 5.3.2.4 5.4.2.2 5.4.2.3 RPA8
04.4	filtration / filter		1	AO1 5.4.2.2 5.4.2.3 RPA8
04.5	heat leave to crystallise / cool	do **not** accept heat to dryness allow leave to evaporate some water	1 1	AO1 5.4.2.2 5.4.2.3 RPA8

5.3.2.4 Limiting reactants (HT only)

Answer 01 · Mark scheme

04.6	(at start) value in range 12–14 (at end) value in range 0–3	must be in this order	1 1	AO1 AO2.2 5.4.2.2 5.4.2.4

04.7	2 NaOH + H_2SO_4 → Na_2SO_4 + 2 H_2O	allow 1 mark for Na_2SO_4 **and** H_2O	2	AO2 5.1.1.1 5.4.2.2

04.8	0.10 mol/dm^3		1	AO3 5.4.2.2 5.4.2.4

Total			**12**

5.3.2.4 Limiting reactants (HT only)

Answer 01 · Mark scheme

November 2020 | 8464/C/1H | Original Q4

Question	Answers	Extra information	Mark	AO / Spec. Ref.

5.3.2.4 Limiting reactants (HT only)

Answer 02 · Mark scheme

June 2022 | 8464/C/1H | Original Q7

Question 7

Question	Answers	Extra information	Mark	AO / Spec. Ref.
07.1	electrolysis of molten compound (of metal **Y**) **OR** displacement (1) by heating with a more reactive metal **or** by heating with potassium / magnesium (1)	 allow liquid for molten	1 1	AO3 5.4.1.3 5.4.3.2 5.4.3.3

Question	Answers	Extra information	Mark	AO / Spec. Ref.
07.2	4 Na + $TiCl_4$ → 4 NaCl + Ti	allow multiples allow **1** mark for NaCl **and** Ti with incorrect / no balancing	2	AO2 5.1.1.1 5.3.1.1

Question	Answers	Extra information	Mark	AO / Spec. Ref.
07.3	$Na \rightarrow Na^+ + e^-$	ignore state symbols allow multiples allow **1** mark for $Na \rightarrow Na^+ + e^-$ with incorrect balancing	2	AO2 5.4.1.2 5.4.1.4

5.3.2.4 Limiting reactants (HT only)

Answer 02 · Mark scheme

Question	Answers	Extra information	Mark	AO / Spec. Ref.
07.4	**method 1:** (moles of Al = $\frac{108}{27}$ =) 4		1	AO2 5.3.2.2 5.3.2.4
	(moles $CuCl_2$ = $\frac{1210}{134.5}$ =) 8.996	allow 9	1	
	(identifying limiting reactant) 4 moles Al gives 6 moles Cu 8.996 moles $CuCl_2$ gives 8.996 moles Cu	allow correct use of an incorrectly calculated value(s) for moles of Al and / or $CuCl_2$	1	
	therefore aluminium is the limiting reactant	must follow on from MP3	1	
	(mass of Cu = 2 × 3 × 63.5) = 6 × 63.5		1	
	= 381 (g)		1	

5.3.2.4 Limiting reactants (HT only)

Answer 02 · Mark scheme

June 2022 | 8464/C/1H | Original Q7

07.4 cont.	**method 2:** $2\,Al + 3\,CuCl_2 \rightarrow 3\,Cu + 2\,AlCl_3$ (2×27) (3×134.5) (3×63.5) 54 (g) 403.5 (g) 190.5 (g) (1) (1) (1) (so) 108 g Al (reacts with 807 g $CuCl_2$) to produce 381 g Cu (1) (so) there is excess $CuCl_2$ **or** 807 g $CuCl_2$ is less than 1210 g $CuCl_2$ (1) therefore aluminium is limiting reactant (1) **method 3:** 134.5 g $CuCl_2$ produces 63.5 g Cu (1) (mass conversion 1.21 kg $CuCl_2$ =) 1210 (g) (1) 1210 g $CuCl_2$ produces ($\frac{63.5}{134.5}$ × 1210 =) 571 g Cu (1) 54 g Al produces 190.5 g Cu (1) 108 g Al produces ($\frac{190.5}{54}$ × 108 =) 381 (g) (1) (therefore) aluminium is the limiting reactant (1)	allow correct use of an incorrect calculation of mass for Al / $CuCl_2$ / Cu must follow on from MP4 / MP5 allow correct use of an incorrect / no conversion of mass of $CuCl_2$ must follow on from MP3 and MP5		

5.3.2.4 Limiting reactants (HT only)

Answer 02 · Mark scheme

June 2022 | 8464/C/1H | Original Q7

Question	Answers	Extra information	Mark	AO / Spec. Ref.
07.5	delocalised electrons carry (electrical) charge through the metal / sodium	allow free electrons ignore throughout for through ignore current / electricity MP2 is dependent upon MP1	1 1	AO1 5.2.2.8

Question	Answers	Extra information	Mark	AO / Spec. Ref.
07.6	(conducts electricity) when liquid / molten **or** (conducts electricity) in (aqueous) solution (because) ions (ions) are free to move **or** (ions) allow charge to flow	 allow (conducts electricity) when dissolved in water	1 1 1	AO1 5.2.2.3

Total Question 7		**17**

5.3.2.4 Limiting reactants (HT only)

Answer 02 · Examiner comments June 2022 | 8464/C/1H | Original Q7

Question 7 (Standard/high and high demand)

07.1 Students had to recognise the relative position of a metal in a reactivity series and to deduce the method and conditions used to extract the metal from a compound of the metal. Over 50% of students gained 1 mark. Electrolysis was the most common answer. However, many students then went on to talk about electrolysis of a solution rather than the molten compound. The displacement route was less common and those who chose this method often only scored 1 mark as they failed to mention 'heating' when talking about potassium or magnesium.

07.2 Students had to complete an equation for the displacement reaction between sodium and titanium chloride. Some students were not able to identify the products. Titanium was usually identified, but sodium chloride was often written as $NaCl_4$. Without the correct formulae balancing was not possible. Generally, element symbols were written well with upper and lower case letters in the appropriate place. Nearly 20% of students gained both marks.

5.3.2.4 Limiting reactants (HT only)

Answer 02 · Examiner comments June 2022 | 8464/C/1H | Original Q7

07.3 Students were asked to write the half equation to show the oxidation of sodium. This proved very challenging. Approximately 5% gained two marks with about a fifth of students not attempting the question. One mark was infrequently scored, since identifying the equation and not the balancing proved to be the problem.

07.4 This reacting mass calculation where students had to identify the limiting reagent proved very challenging. Only a small percentage of students were able to show that aluminium was the limiting factor. Although there were several methods available to students, many attempted to use more than one method to get to the answer. Many students could work out the number of moles of aluminium and copper chloride or the ratio of masses that reacted together, but then were unable to use these numbers further. 30% of students scored 3 marks in this calculation but few scored any further marks..

07.5 Students had to describe how sodium metal conducts electricity. More than 50% of students gained 1 mark for stating that delocalised electrons or free electrons were responsible for electrical conduction in metals. The idea that these delocalised electrons carry the charge through the metal was infrequently given (the second marking point). Many students suggested throughout or around, which did not give direction to their answer.

07.6 Students had to explain how sodium chloride conducts electricity. Many students gave the impression that sodium chloride is a liquid or (to a lesser extent) aqueous solution, rather than conveying that conductivity is restricted to when sodium choride is in these states. Many incorrectly described the electrons as the particles that were able to move. 10% of students gained all 3 marks for stating that sodium chloride needed to be either molten or in aqueous solution in order to conduct electricity and went on to mention ions that are free to move.

5.3.2.4 Limiting reactants (HT only)

Answer 02 · Examiner comments

June 2022 | 8464/C/1H | Original Q7

Use of statistics

Statistics used in this report may be taken from incomplete processing data. However, this data still gives a true account on how students have performed for each question.

Mark Ranges and Award of Grades

Grade boundaries and cumulative percentage grades are available on the Results Statistics page of the AQA Website.