Chhetri Academy

chhetriacademy.com

GCSE COMPUTER SCIENCE

6.2

Edexcel 1CP2 | Specification point 6.2.2

be able to write programs that make appropriate use of

Untiered

Answers and examiner comments

1	2016	Untiered
question groups	available papers	tier

Using this booklet

1. Answer numbers match the companion question booklet.
2. Follow the original question number on marking tables.
3. Examiner comments are included where available.

Name _____ **Date** _____

Some entries use full source marking material in an appendix. Any unavailable mark schemes are identified beside the relevant answer.

Original question 2

The full source mark scheme begins on page 3. Use the original paper code, tier and question number shown above.

edexcel

Mark Scheme (Results)

Summer 2016

GCSE Computer Science (1CP0/01)
Paper 1: Principles of Computer Science

Edexcel and BTEC Qualifications

Edexcel and BTEC qualifications are awarded by Pearson, the UK's largest awarding body. We provide a wide range of qualifications including academic, vocational, occupational and specific programmes for employers. For further information visit our qualifications websites at www.edexcel.com or www.btec.co.uk. Alternatively, you can get in touch with us using the details on our contact us page at www.edexcel.com/contactus.

Pearson: helping people progress, everywhere

Pearson aspires to be the world's leading learning company. Our aim is to help everyone progress in their lives through education. We believe in every kind of learning, for all kinds of people, wherever they are in the world. We've been involved in education for over 150 years, and by working across 70 countries, in 100 languages, we have built an international reputation for our commitment to high standards and raising achievement through innovation in education. Find out more about how we can help you and your students at: www.pearson.com/uk

Summer 2016
Publications Code 1CP0_01_1606_MS
All the material in this publication is copyright
© Pearson Education Ltd 2016

General Marking Guidance

- All candidates must receive the same treatment. Examiners must mark the first candidate in exactly the same way as they mark the last.
- Mark schemes should be applied positively. Candidates must be rewarded for what they have shown they can do rather than penalised for omissions.
- Examiners should mark according to the mark scheme not according to their perception of where the grade boundaries may lie.
- There is no ceiling on achievement. All marks on the mark scheme should be used appropriately.
- All the marks on the mark scheme are designed to be awarded. Examiners should always award full marks if deserved, i.e. if the answer matches the mark scheme. Examiners should also be prepared to award zero marks if the candidate's response is not worthy of credit according to the mark scheme.
- Where some judgement is required, mark schemes will provide the principles by which marks will be awarded and exemplification may be limited.
- When examiners are in doubt regarding the application of the mark scheme to a candidate's response, the team leader must be consulted.
- Crossed out work should be marked UNLESS the candidate has replaced it with an alternative response.

Pearson Education Limited. Registered company number 872828
with its registered office at 80 Strand, London WC2R 0RL

Question Number	Answer	Additional Guidance	Mark
1(a)(i)	Any one of: • To allow connected machines to communicate • To provide the rules of communication between two networked devices	Any other response indicating communication	**1**

Question Number	Answer	Additional Guidance	Mark
1(a)(ii)	Any one of: • Backbone • Connecting backbone • Internet backbone • Fibre backbone • Network backbone		**1**

Question Number	Answer	Additional Guidance	Mark
1(a)(iii)	Ring		**1**

<table>
<tr><th>Question Number</th><th>Answer</th><th>Additional Guidance</th><th>Mark</th></tr>
<tr><td>1(a)(iv)</td><td>One mark for each correct cell.

<table>
<tr><th>LAN</th><th>WAN</th><th>PAN</th><th>VPN</th></tr>
<tr><td></td><td></td><td>X</td><td></td></tr>
<tr><td>X</td><td></td><td></td><td></td></tr>
<tr><td></td><td></td><td></td><td>X</td></tr>
<tr><td></td><td>X</td><td></td><td></td></tr>
</table></td><td></td><td>4</td></tr>
<tr><th>Question Number</th><th>Answer</th><th>Additional Guidance</th><th>Mark</th></tr>
<tr><td>1(b)(i)</td><td>Any one of:

• To keep information private/secure/secret as it is being transmitted across networks
• So that unauthorised persons will not be able to translate/understand the transmitted data</td><td>Do not accept:
• to keep secure when stored on devices, which is not the context of the question</td><td>1</td></tr>
</table>

<table>
<tr><th>Question Number</th><th>Answer</th><th>Additional Guidance</th><th>Mark</th></tr>
<tr><td>1(b)(ii)</td><td>
<table>
<tr><th>Plain Text</th><th>Shift</th><th>Cipher Text</th></tr>
<tr><td>d i g i t</td><td>+3</td><td>g l j l w</td></tr>
<tr><td>b i n a r y</td><td>-2</td><td>z g l y p w</td></tr>
</table>
</td><td></td><td>2</td></tr>
</table>

Question Number	Answer	Additional Guidance	Mark
1(c)(i)	1 0 0 1 0 1 0 1		**1**

Question Number	Answer	Additional Guidance	Mark
1(c)(ii)	6 E	Ignore case	**1**

Question Number	Answer	Additional Guidance	Mark
1(c)(iii)	1 1 0 0 0 1 0 0	Ignore spacing Must be 8-bits	**1**

Question Number	Answer	Additional Guidance	Mark
1(c)(iv)	Any one of: • 2^n and n=8 • 2^8 • 2 x 2 x 2 x 2 x 2 x 2 x 2 x 2 • 2^4 x 2^4 • 2^2 x 2^2 x 2^2 x 2^2 • Any other appropriate formula giving a result of 256		**1**

Question Number	Answer	Additional Guidance	Mark
1(d)(i)	Any one of the following: • Data is permanently lost (during the compression process) • Resolution is lost in images, (usually where it will not be noticed by the human eye) • Signal is degraded in audio files, (usually not noticeable to the human ear)	Accept answers that indicate a loss of quality	**1**

Question Number	Answer	Additional Guidance	Mark
1(d)(ii)	Any one of: B = JPEG		**1**

Question Number	Answer	Additional Guidance	Mark
1(e)	One mark for each of: • X-Dimension = 2 • Y-Dimension = 3 Examples: • (2,3) • X=2, Y=3	Values of 2 and 3 alone, with no indication of ordering, cannot be awarded. Accept any other notation clearly indicating (x,y) ordering and values	**2**

(Total for Question 1 = 18 marks)

Question Number	Answer	Additional Guidance	Mark
2(a)			**3**

EU Cookie Law (e-Privacy Directive)	Computer Misuse Act	Copyright, Designs, and Patents Act
		X
	X	
X		

Question Number	Answer	Additional Guidance	Mark
2(b)(i)			**4**

High-Level Programming Language	Low-Level Programming Language
X	
	X
X	
	X

Question Number	Answer	Additional Guidance	Mark
2(b)(ii)	Comment(s) / Annotation(s)	Do not penalise spelling	**1**

Question Number	Answer	Additional Guidance	Mark
2(b)(iii)	cubeNum	Do not penalise spelling Do not award if other information from function header is provided because the question asks for name only.	**1**

Question Number	Answer	Additional Guidance	Mark
2(b)(iv)	Any one of: • 18 to 22 • 18 - 22 • 18, 19, 20, 21, 22 • 18, 20, 22	Entire range must be provided Award any discernible notation	**1**

Question Number	Answer	Additional Guidance	Mark
2(b)(v)	Any one of: • 25 • 27		**1**

Question Number	Answer	Additional Guidance	Mark
2(b)(vi)	Any one of: • 10 • 19 • 21 • 23		**1**

Question Number	Answer	Additional Guidance	Mark
2(c)(i)	First box = $\frac{1}{2}$ or equivalent expression for 1 mark / 0.5 Second box = $\frac{1}{4}$ or equivalent expression for 1 mark / 0.25 Conversion = $2\frac{3}{4}$ or equivalent expression for 1 mark / 2.75		**3**

Question Number	Answer	Additional Guidance	Mark
2(c)(ii)	4		**1**

Question Number	Answer	Additional Guidance	Mark
2(c)(iii)	One mark for: • Numerator (top) calculation • Denominator (bottom) calculation Any of the following: $\frac{\left(\frac{10Kilobytes}{1}\right)\left(\frac{1024bytes}{Kilobytes}\right)\left(\frac{8\ bits}{byte}\right)}{\left(\frac{10Megabits}{Seconds}\right)\left(\frac{1000Kilobits}{Megabits}\right)\left(\frac{1000\ bits}{Kilobits}\right)}$ $\frac{10\ \times 1024\ \times 8}{10\ \times 1000\ \times 1000}$ $\frac{81920}{10000000}$ $\frac{8192}{1000000}$ Any other correct calculation where the unit conversions are discernible.		**2**

(Total for Question 2 = 18 marks)

Question Number	Answer	Additional Guidance	Mark
3(a)	One mark for each concept: Organisation of files is in a **hierarchy/tree** structure A **node** is either a folder/directory/sub-folder/sub-directory or the file itself The top node/folder/directory/drive is the **root**		**3**

Question Number	Answer	Additional Guidance	Mark
3(b)(i)	One mark for each concept: The client makes a connection / shares its IP with the server The client machine (web browser) **sends a request to the server** for a web page The server machine **sends the (requested) page back** to the client machine		**2**

Question Number	Answer	Additional Guidance	Mark
3(b)(ii)	One mark for One mark for both items in One mark for inside Example (3 marks) - Socket - Open Ended Example (2 marks) - Socket Example (1 mark) - Socket - Open Ended	Ignore formatting as long as enclosure <> and </> are correct	**3**

Question Number	Answer	Additional Guidance	Mark
3 (c)(i)	Any two of: • Library code has already been debugged, so it should not have a bug • Library code has already been tested, so it should produce the correct results • Using libraries can reduce the time needed to develop a solution • Library code is usually optimised/faster than own code • Library code can be reused many times without having to rewrite the code	Do not accept just 'saves time'	**2**

Question Number	Answer	Additional Guidance	Mark

3(c)(ii)	One mark for each of (**in this order only**):
	
	1. AND
	2. OR
	3. NOT
	4. AND
	
	==========
	1 Mon, 2 Tues, 3 Wed, 4 Thur, 5 Fri, 6 Sat, 7 Sun
	
	IF day >= 1 AND day <= 5 THEN
	SEND "weekday" TO DISPLAY
	ENDIF
	IF day = 6 OR day = 7 THEN
	SEND "weekend" TO DISPLAY
	ENDIF
	IF NOT (day >= 1 AND day <= 7) THEN
	SEND "error" TO DISPLAY
	ENDIF
			4

<table>
<tr><th>Question Number</th><th>Answer</th><th>Additional Guidance</th><th>Mark</th></tr>
<tr><td>3(d)</td><td>One mark for each row (maximum 4 marks):

<table>
<tr><td>(1)</td><td>SELECT (id, description)</td><td></td></tr>
<tr><td>(1)</td><td>FROM tblProduct</td><td></td></tr>
<tr><td rowspan="2">(1)</td><td>WHERE id LIKE 'G%'</td><td>Pattern must be discernible as a string (“”), the letter G (g), and a wild card character (*,#,?)</td></tr>
<tr><td>WHERE id>=”G000” AND id <=”G999”</td><td>Pattern must be discernible as a string (“”), the letter G (g), and the operator “AND”</td></tr>
<tr><td>(1)</td><td>ORDER BY id ASC</td><td>Award ASCEND(ING)</td></tr>
</table></td><td>Do not penalise spelling</td><td>4</td></tr>
</table>

(Total for Question 3 = 18 marks)

Question Number	Answer	Additional Guidance	Mark
4(a)	Any two of: • Both the instructions and data for a program are stored in main memory • Instructions and data are stored in binary code • Instructions and data are fetched, decoded, and executed in a sequence by the CPU		**2**

Question Number	Answer	Additional Guidance	Mark
4(b)(i)	One mark for: • Software (layer) One mark for any of: • Allows the operating system on one physical computer **to simulate another computer**, usually of a different operating system. • Allows a **guest operating system** to reside on a machine • Allows **a program written for one machine to run on another** wit**hout changes (Java Virtual Machine).** • Any other appropriate and correct response.	An example (JVM or Linux on Windows) is not enough for marks	**2**

Question Number	Answer	Additional Guidance	Mark
4(b)(ii)	At least one from both sections for full marks Any four of: Sequential: • Individual instructions are executed one after another • Flow control is accomplished by jump/branch/goto instructions • Results are usually achieved less quickly than parallel processing (do not award twice) Parallel: • Individual instructions can be routed to different processors for simultaneous execution • Results are usually achieved quicker than sequential instruction (do not award twice) • Requires multi-core processors or multiple microprocessors • Tasks may be split into different parts with each part executed on a different processor • Results need to be merged back together after completion Any other appropriate and correct response.		**4**

Question Number	Answer	Additional Guidance	Mark

4(c)(i)	Coding solution **(one mark for each item):**
	• **Calli**ng code must provide an input parameter
	• `calcCircleArea` signature must take an input parameter
	• Input parameter must be used in calculation
	
	`47`
	`48 calcCircleArea (radiusOfCircle)`
	`49`
	`50 PROCEDURE calcCircleArea (radiusOfCircle)`
	`51 BEGIN PROCEDURE`
	`52 SET area TO Pi * radiusOfCircle * radiusOfCircle`
	`53 SEND area TO DISPLAY`
	`54 END PROCEDURE`
	`55`
		Ignore any reference to data types	**3**

Question Number	Answer	Additional Guidance	Mark
4(c)(ii)	One mark for each correct cell **Pupil Number Visited** | **Sub-list** 2245 | 837, 1529, 1683 1529 | 1683 1683 |		**5**

<table>
<tr><th>Question Number</th><th>Answer</th><th>Additional Guidance</th><th>Mark</th></tr>
<tr><td>4 (c)(iii)</td><td>One mark for each correct column

<table>
<tr><th>A</th><th>B</th><th>R = A OR B</th><th>S=NOT(A AND B)</th><th>Q=R AND S</th></tr>
<tr><td>0</td><td>0</td><td>0</td><td>1</td><td>0</td></tr>
<tr><td>0</td><td>1</td><td>1</td><td>1</td><td>1</td></tr>
<tr><td>1</td><td>0</td><td>1</td><td>1</td><td>1</td></tr>
<tr><td>1</td><td>1</td><td>1</td><td>0</td><td>0</td></tr>
</table></td><td></td><td>3</td></tr>
</table>

(Total for Question 4 = 19 marks)

Question Number	Answer	Additional Guidance	Mark
5(a)	Characteristics – Any of the following: • Branch of computer science based on enabling computers to behave like humans/mimic aspects of human intelligence • AI is implemented in software. • Combines psychology, biology, linguistics, mathematics, neuroscience, and philosophy (ethics) • AI is not the same as the general intelligence of human beings Uses – Any of the following: • Game playing (chess, quiz, video games) • Analytics (analyse buying patterns, predicting behaviours, predictive text, financial markets) • Image processing (recognising objects/patterns) • Logistics (scheduling, order fulfilment) • Control systems (cars, manufacturing, weapons, navigation) • Expert systems (medical, mechanical, electrical diagnosis) • Neural networks (simulating neuron behaviours as in brains) • Natural languages processing (chatterbots, chatbots, speech recognition) • Robotics (dangerous situations, help aged or disabled) Ethical issues – Any of the following: • Take the work of humans, thereby affecting employment rates • Is a computer to be trusted to make decisions (life-death)?	A bulleted list of facts is only worth 2 marks max.	**6**

	• If a computer discovers something that humans can't prove, should it be accepted as truth? • Do AI machines have rights? • Will people be comfortable interacting with machines that are considered intelligent? Quality of Written Communication: • 1-2: Some basic points from **at least one** of the categories; little clarification or expansion of points; spelling, grammar, and punctuation **errors hinder meaning**. • 3-4: At least one relevant point **from two categories**; some clarification or expansion of points; spelling, grammar, and punctuation **errors occur**, but do not hinder meaning. • 5-6: Relevant points from **three categories**; comprehensive clarification or expansion of points; spelling, grammar, and punctuation are **used accurately** and meaning is clear. **Example:** Robots are machines that use artificial intelligence to do jobs that people tell them to. They are not as smart as real humans. One category only; no expansion; QWC ok; 2 marks max) **Example:** Artificial intelligence is based on getting machines to behave like humans. The cleverness of AI is really in the software. AI is used in game playing. Recently the AI software has beat humans at some games. (Two categories; Some expansion; QWC ok; 4 marks max)		

	Example: AI is a branch of computer science that tries to make software imitate human intelligence. However, we're not there yet. It is used in expert systems to diagnose problems with car engines. It can also be used to predict which products people might buy in a grocery store based on their loyalty card purchases. There are problems with AI. One is the issue of ethics. Courts may decide that AI robots have the same rights as humans. People may not like the idea of computers making life and death decisions, such as when to turn off life support systems. This may make people very uncomfortable. (Three categories; Comprehensive expansion; QWC ok; 6 marks max) **Example**: AI: • Making robots behave like humans Uses: • Used to help people with disabilities live in normal homes Ethical Issues: • They will be taking over human jobs and putting people out of work (Three categories; QWC unmarkable; 2 marks max)		

<table>
<tr><th>Question Number</th><th>Answer</th><th>Additional Guidance</th><th>Mark</th></tr>
<tr><td>5(b)(i)</td><td>One mark for initialisation of variables (max 1 mark)
One mark for each complete pass of loop (max 4 marks)

<table>
<tr><th>R3</th><th>R4</th><th>R5</th><th></th></tr>
<tr><td>1</td><td>2</td><td>4</td><td>1 mark</td></tr>
<tr><td>2</td><td></td><td></td><td rowspan="2">1 mark</td></tr>
<tr><td></td><td></td><td>3</td></tr>
<tr><td>4</td><td></td><td></td><td rowspan="2">1 mark</td></tr>
<tr><td></td><td></td><td>2</td></tr>
<tr><td>8</td><td></td><td></td><td rowspan="2">1 mark</td></tr>
<tr><td></td><td></td><td>1</td></tr>
<tr><td>16</td><td></td><td></td><td rowspan="2">1 mark</td></tr>
<tr><td></td><td></td><td>0</td></tr>
</table>

Other formats for this table are acceptable. For example, each combination of 2 values may be on a single line (indicated in grey).</td><td></td><td>5</td></tr>
</table>

Question Number	Answer	Additional Guidance	Mark
5(b)(ii)	Calculates the number defined as one of (or equivalent statement) • $R4^{R5}$ • 16 • 2^4 • 2 x 2 x 2 x 2		**1**

Question Number	Answer	Additional Guidance	Mark
5(b)(iii)	<table><tr><th>Part</th><th>Name</th></tr><tr><td>MOV</td><td>Opcode / operation code field / operation</td></tr><tr><td>R4,#2</td><td>Operand / operand code field / operand field</td></tr></table>	• Do not penalise spelling	**2**

<table>
<tr><th>Question Number</th><th>Answer</th><th>Additional Guidance</th><th>Mark</th></tr>
<tr><td>5(b)(iv)</td><td>One mark for each of:
• Initialisation (R3, R4, R5)
• Correct loop construction showing blocking
• Correct two lines inside of loop blocking

<table>
<tr><td><pre>SET R3 TO 1
SET R4 TO 2
SET R5 TO 4
WHILE R5 <> 0
    SET R3 TO R3 * R4
    SET R5 TO R5 - 1
END WHILE</pre></td><td><pre>SET R3 TO 1
SET R4 TO 2
SET R5 TO 4
FOR X FROM 1 TO R5 DO
    SET R3 TO R3 * R4
    SET R5 TO R5 - 1
END FOR</pre></td></tr>
<tr><td><pre>SET R3 TO 1
SET R4 TO 2
SET R5 TO 4
REPEAT
    SET R3 TO R3 * R4
    SET R5 TO R5 - 1
UNTIL R5 = 0</pre></td><td><pre>SET R3 TO 1
SET R4 TO 2
SET R5 TO 4
FOR EACH X FROM R5 DO
    SET R3 TO R3 * R4
    SET R5 TO R5 - 1
END FOR</pre></td></tr>
</table>
</td><td>• Accept alternate solution of DO/WHILE as long as test is “R5 <> 0”
• Do not penalise pseudocode usage as long as response is blocked and discernible
• A specific language construct of a while, repeat, or for loop should be awarded if blocked and discernible</td><td>3</td></tr>
</table>

	``
	SET R3 TO 1
	SET R4 TO 2
	SET R5 TO 4
	REPEAT R5 TIMES
	    SET R3 TO R3 * R4
	    SET R5 TO R5 - 1
	END REPEAT
	``
	``
	SET R3 TO 1
	SET R4 TO 2
	SET R5 TO 4
	FOR X FROM 1 TO R5 STEP 1 DO
	    SET R3 TO R3 * R4
	    SET R5 TO R5 - 1
	END FOR
	``
	Other solutions may be correct, as long as it includes a sensible loop with the correct test for terminating condition.		

(Total for Question 5 = 17 marks)

Total for paper = 90 marks

Content Mapping Grid

Question	Specification	Marks
1a(i)	5.1.5	1
1a(ii)	5.2.1	1
1a(iii)	5.2.9	1
1a(iv)	5.1.2	4
1b(i)	3.4.1	1
1b(ii)	3.4.2	2
1c(i)	3.1.4	1
1c(ii)	3.1.5	1
1c(iii)	3.1.5	1
1c(iv)	3.2.4	1
1d(i)	3.3.2	1
1d(ii)	3.3.2	1
1e	2.4.3 1.1.1	2
2a	6.1.3	3
2b(i)	4.5.1	4
2b(ii)	2.1.2	1
2b(iii)	2.2.1	1
2b(iv)	2.2.2	1

Question	Specification	Marks
2b(v)	2.3.5	1
2b(vi)	2.3.5	1
2c(i)	3.1.2	3
2c(ii)	3.3.1	1
2c(iii)	3.3.4	2
3a	4.4.1	3
3b(i)	5.2.4	2
3b(ii)	5.2.3	3
3c(i)	2.6.1	2
3c(ii)	4.3.2	4
3d	3.5.3	4
4a	4.2.2	2
4b(i)	4.1.1	2
4b(ii)	4.1.2	4
4c(i)	2.6.3	3
4c(ii)	1.1.8	5
4c(iii)	4.3.1	3
5a	6.1.1	6

Question	Specification	Marks
5b(i)	2.1.6	5
5b(ii)	1.1.1	1
5b(iii)	4.2.3	2
5b(iv)	2.2.2	3