Chhetri Academy
chhetriacademy.com

GCSE MATHS

Geometry and measures

Edexcel 1MA1 | Subtopic collection Topic 51

Constructions and loci

Foundation tier

Answers and examiner comments

30	2011-2025	Foundation
question groups	available papers	tier

Using this booklet

1. Answer numbers match the companion question booklet.
2. Follow the original question number on marking tables.
3. Examiner comments are included where available.

Name _____ **Date** _____

Some entries use full source marking material in an appendix. Any unavailable mark schemes are identified beside the relevant answer.

5		Circle radius 5 cm drawn	2	M1 for an accurately drawn circle with radius other than 5cm ± 2mm OR any attempt to draw a circle that has any 2 points lying at opposite ends of any diameter within the overlay for circumference. A1 within overlay 5cm ± 2mm (any centre may be used)

5MB2F_01

6	(i) (ii) (iii)		8.8 to 9.2 cm Midpoint within guidelines Perpendicular (overlay)	3	B1 for answer in the range 8.8 to 9.2 cm inclusive B1 for midpoint shown within guidelines B1 for perpendicular drawn anywhere on the line *PQ* so that the angle is between 88 and 92 degrees

28			Region shaded	3	B1 for circle arc of radius 3cm (± 2mm) centre Burford B1 for circle arc of radius 5 cm (± 2mm) centre Hightown B1 for overlapping regions of circle arcs shaded

1MA0_1F					
Question		**Working**	**Answer**	**Mark**	**Notes**
29*		180÷9×1:180÷9×3:180÷9×5 =20:60:100 Not enough cement (but enough sand and enough gravel) OR 1×15:3×15:5×15 =15:45:75 15+45+75=135 (<180) Not enough cement (to make 180kg of concrete)	No + reason	4	M1 for 180 ÷ (1+3+5) (=20) or 3 multiples of 1: 3: 5 M1 for 1×'20' or 3×'20' or 5×'20' or 20 seen or 60 seen or 100 seen A1 for (Cement=) 20, (Sand=) 60, (Gravel=) 100 C1 ft (provided both Ms awarded) for not enough cement oe **OR** M1 for (1×15 and) 3×15 and 5×15 or 9×15 or sight of the numbers 15, 45, 75 together. M1 for '15' + '45' + '75' A1 for 135 (<180) C1 ft (provided both Ms awarded) for not enough cement oe

16			overlay	2	B2 within overlay guidelines (B1 for construction arcs 8cm away from each end of given line but point of intersection not joined to this line.)

5MB3F_01					
Question		**Working**	**Answer**	**Mark**	**Notes**
17*		Paint for You 7.5 ÷ 2.5 = 3 tins 3 × 8.35 = £25.05 25.05 × 1.20 = £30.06 Paul's paints 7.5 ÷ 0.75 = 10 tins 10 × 3.15 = £31.50 OR Paint for You 8.35× 1.20 = £10.02 10.02 ÷ 2.5 = £4.008 per litre Paul's Paints 3.15 ÷ 0.75 = £4.20 per litre There is no wastage	Paint for You (2.5 litre tins)	4	M1 7.5 ÷ 2.5 or 3 seen or 7.5 ÷ 0.75 or 10 seen M1 8.35× 1.2(0) oe or 10.02 or "25.05 × 1.2(0)"oe M1 "3" × 8.35 or "3" × "10.02" **and** "10" × 3.15 C1 for both 30.06 and 31.5(0) and correct conclusion OR M1 7.5 ÷ 2.5 or 3 seen or 7.5 ÷ 0.75 or 10 seen M1 8.35× 1.2(0) oe or 10.02 or 8.25÷2.5 × 1.2(0)oe or 3.34 × 1.2(0) oe M1 "10.02" ÷ 2.5 or 4.008 or 4.01 **and** 3.15 ÷ 0.75 or 4.20 C1 for both 4.008 (or 4.01) and 4.2(0) and correct conclusion OR M1 7.5 ÷ 2.5 or 3 seen or 7.5 ÷ 0.75 or 10 seen M1 8.35× 1.2(0) oe or 10.02 M1 2.5 ÷ 0.75 **and** "10.02" ÷ 3.15 C1 for both 3.3(3.. and 3.1(8...) and correct conclusion OR any equivalent process using correct methods which leads to two values that can be compared

5MB3F_01

21			required region	4	M1 arc radius 5 cm centre *C* M1 bisector of angle *BAD* M1 line 3 cm from *DC* A1 for correct region identified (see overlay)

1MA0_1F

Question		Working	Answer	Mark	Notes
14			accurate drawing	3	B3 for complete triangle with all three aspects: 8 cm line (± 2mm) 30° angle (± 2°) 50° angle (± 2°) (B2 for all 3 aspects but incomplete triangle, or complete triangle with 2 aspects only) (B1 for one aspect)
*15			Scheme B gives most	4	M1 for correct method to find 3% of 2500 M1 for correct method to compare Scheme A and Scheme B for the same length of time A1 for correct answers for both schemes C1 f.t. (dep on a comparison for the same length of time) for Scheme B gives the most OR M1 for correct method to convert £5.35 into a % of 2500 M1 for for correct method to compare Scheme A and Scheme B for the same length of time A1 for 2.5(68)(%) C1 f.t. (dep on a comparison for the same length of time) for Scheme B gives the most

5MB3F_01

Original question 9

The full source mark scheme begins on page 48. Use the original paper code, tier and question number shown above.

3	(a)(i)		right angle marked	1	B1 for a clear intention to mark bottom left hand angle with R (accept r)or right-angle marked
	(ii)		acute	1	B1 for acute
	(iii)		reflex	1	B1 for reflex
	(b)		perpendicular line from *T* to *AB*	1	B1 for perpendicular line from *T* to *AB* (within guidelines of overlay)


6	(a)		circle drawn, centre *O* radius *OP*	1	B1 for circle drawn radius *OP* within guidelines of overlay
	(b)		chord drawn	1	B1 for any line drawn joining two points on circumference of circle (accept diameter) [NB shaded segment scores B0]

PAPER: 1MA0_2F

13			correct triangle	2	M1 for *BC* 6.4cm ± 2mm (within guidelines on overlay) or angle *B* 40^o ± 2^o (within guidelines on overlay) A1 correct triangle within guidelines on overlay

PAPER: 5MB3F_01

21			Triangle drawn	2	M1 for a triangle with at least one side of length 5 cm (± 0.2) or at least one angle 60° (±2°) A1 for a correct triangle

20	(a)			2	B2 for correct full size plan (B1 for square with 6cm side length or complete plan not full size)
	(b)		Correct diagram	3	M1 for one correct side length (tolerance ± 2mm) M1 for another correct side length (tolerance ± 2mm) A1 for fully correct diagram **SC:** B1 for a fully correct sloping face in a 3D sketch

PAPER: 5MB3F_01

PAPER: 5MB3F_01


Question		Working	Answer	Mark	Notes
10			construction	2	M1 for a correctly drawn equilateral triangle or appropriate construction lines A1 for a correctly drawn triangle with all accurate and appropriate construction lines shown

PAPER: 1MA0_2F

Question		Working	Answer	Mark	Notes
4	(a)		Perpendicular	1	B1 for a perpendicular line drawn
	(b)		Circle radius 4cm	1	B1 for a circle of radius 4 cm drawn
	(c)		Isosceles triangle	1	B1 for an isosceles triangle
	(d)		Quadrilateral	1	B1 for quadrilateral with exactly two right angles

13			Triangle drawn	2	M1 for angle of 35° or for line 5.5 cm long A1 cao

PAPER: 1MA0_2F

Question		Working	Answer	Mark	Notes
16	(a)			2	M1 for any 1 correct line of symmetry, allow extras A1 for all 3 lines and no extras
	(b)		Triangle drawn	2	M1 for intersecting arcs of radii 6cm or an accurate triangle with no arcs A1 for a fully correct triangle with arcs
	(c)		48	2	M1 for 24 ÷ 3 (=8) A1 cao
	(d)		Tessellation	2	B2 for correct tessellation (at least 5 more shapes) (B1 for at least 4 shapes, including initial shape, correctly tessellating)

18		Drawing	3	M1 Line of 6cm drawn M1 for either angle drawn A1 for fully correct drawing

5MB3F/01 June 2015

14	(a)		Angle drawn	1	B1 cao
	(b)		Triangle drawn	2	M1 intersecting arcs of radii 6 cm or an accurate triangle with no arcs A1 for a fully correct triangle with arcs

15			Correct triangle	2	M1 for angle *P* drawn as 44 – 48° or PQ drawn as 6.8 to 7.2 cm A1 correct triangle

Question		Working	Answer	Mark	Notes
17			Correct region shaded	3	M1 for a circle centre *M* or *N* (accept arc of sufficient length to define the region) M1 for circle centre M radius 5 cm **and** circle centre *N* radius 3 cm (accept arc of sufficient length to define the region) A1 for correct region shaded
*18			Decision (supported)	3	M1 for correct first step e.g. 15 ÷ 3 M1 for complete method C1 ft for decision with accurate figures

Question		Working	Answer	Mark	Notes
1	(a)		Line drawn	1	B1
	(b)		Circle drawn	1	B1

6	(a)		40	2	M1 for evidence of using the fact that there are 180° on a straight line eg 100 + $2x$ = 180 or 180 – 100 – $2x$ A1 cao
	(b)		Acute	1	B1 cao
	(c)		Accurate drawing	2	B2 for a fully correct drawing (B1 for PR = 6.5 cm ± 0.2 cm or angle QPR = 70° ± 2°)

Paper: 1MA0/1F

Original question 16

The full source mark scheme begins on page 68. Use the original paper code, tier and question number shown above.

19	Shaded region	M1	for 180 ÷ 30 (= 6) or 150 ÷ 30 (= 5)	This may be just used in a correct locus drawn on the diagram
		M1	draws an arc of radius "6 cm" centre *A* or draws a line segment parallel to *BC* and "5 cm" away	Ignore any additional arcs or lines drawn
		M1	for an arc of radius "6 cm" centre *A* **and** a line parallel to BC and "5 cm" away with no additional arcs or lines drawn	
		A1	Answer within tolerance with region shaded	Accept shading out leaving the required region unshaded

Paper: 1MA1/2F

23	perpendicular line constructed	C2 (C1	for a fully correct construction with all relevant arcs drawn for a perpendicular line drawn from *P* to the line *CD* or all relevant arcs drawn)	Perpendicular line segment between *P* and *CD* must be within guidelines Accept dotted lines.

Paper: 1MA1/1F

17	accurate drawing	M1 A1	for drawing a side of length 6cm for correct triangle	

22	Angle constructed	C2 (C1	for fully correct construction with all arcs drawn for line drawn within guidelines with no (or incorrect) construction arcs or correct arcs drawn and no line seen)	Full marks cannot be awarded if no construction lines are seen

Paper: 1MA1/1F

17	Region **R** shown	C1 C1 C1	for arc drawn, radius 4 cm, centre *A* for perpendicular bisector of *CB* drawn for fully correct region **R** shown (inside the arc from *A* and left of the bisector)	Allow free hand drawing Allow free hand drawing Ignore absence of "R" if region is unambiguously shown eg by shading

19	Drawn	B2 (B1	for a correct construction with all relevant arcs drawn for all relevant arcs drawn **or** for a bisector within guidelines but with no or insufficient arcs)	

Paper: 1MA1/2F

Question	Answer	Mark	Mark scheme	Additional guidance
23	Explanation	C1	for valid explanation identifying mistake, **Acceptable examples** It's on the wrong side of circle She shaded inside the circle (but should be outside) Shaded where *P* can't be She shaded/drew less than 2cm She shaded at most 2 cm *P* should be outside (or on) the circle *P* should be anywhere outside the 2cm radius She shaded around point *C* not (at least) 2cm from point *C* Nadia should have shaded away from the circle **Not acceptable examples** Shading is wrong or she shaded it incorrectly Region is in the wrong place Doesn't fit inside the circle She shaded all the points between *C* and where all the points *P* could be The question says at least 2cm and not only 2cm away She shaded in too close She shaded a circle not a square or should've drawn/shaded a square	

Paper: 1MA1/2F

PMT

edexcel

Mark Scheme (Results)

March 2013

GCSE Mathematics (Linear) 1MA0
Foundation (Calculator) Paper 2F

PMT

Edexcel and BTEC Qualifications

Edexcel and BTEC qualifications come from Pearson, the world's leading learning company. We provide a wide range of qualifications including academic, vocational, occupational and specific programmes for employers. For further information visit our qualifications websites at www.edexcel.com or www.btec.co.uk for our BTEC qualifications.
Alternatively, you can get in touch with us using the details on our contact us page at www.edexcel.com/contactus.

If you have any subject specific questions about this specification that require the help of a subject specialist, you can speak directly to the subject team at Pearson.
Their contact details can be found on this link: www.edexcel.com/teachingservices.

You can also use our online Ask the Expert service at www.edexcel.com/ask. You will need an Edexcel username and password to access this service.

Pearson: helping people progress, everywhere
Our aim is to help everyone progress in their lives through education. We believe in every kind of learning, for all kinds of people, wherever they are in the world. We've been involved in education for over 150 years, and by working across 70 countries, in 100 languages, we have built an international reputation for our commitment to high standards and raising achievement through innovation in education. Find out more about how we can help you and your students at: www.pearson.com/uk

March 2013
Publications Code UG035042
All the material in this publication is copyright
© Pearson Education Ltd 2013

NOTES ON MARKING PRINCIPLES

1 All candidates must receive the same treatment. Examiners must mark the first candidate in exactly the same way as they mark the last.

2 Mark schemes should be applied positively. Candidates must be rewarded for what they have shown they can do rather than penalised for omissions.

3 All the marks on the mark scheme are designed to be awarded. Examiners should always award full marks if deserved, i.e if the answer matches the mark scheme. Examiners should also be prepared to award zero marks if the candidate's response is not worthy of credit according to the mark scheme.

4 Where some judgement is required, mark schemes will provide the principles by which marks will be awarded and exemplification may be limited.

5 Crossed out work should be marked UNLESS the candidate has replaced it with an alternative response.

6 Mark schemes will indicate within the table where, and which strands of QWC, are being assessed. The strands are as follows:

i) *ensure that text is legible and that spelling, punctuation and grammar are accurate so that meaning is clear*
Comprehension and meaning is clear by using correct notation and labeling conventions.

ii) *select and use a form and style of writing appropriate to purpose and to complex subject matter*
Reasoning, explanation or argument is correct and appropriately structured to convey mathematical reasoning.

iii) *organise information clearly and coherently, using specialist vocabulary when appropriate*.
The mathematical methods and processes used are coherently and clearly organised and the appropriate mathematical vocabulary used.

PMT

7 With working

If there is a wrong answer indicated on the answer line always check the working in the body of the script (and on any diagrams), and award any marks appropriate from the mark scheme.
If working is crossed out and still legible, then it should be given any appropriate marks, as long as it has not been replaced by alternative work.
If it is clear from the working that the "correct" answer has been obtained from incorrect working, award 0 marks. Send the response to review, and discuss each of these situations with your Team Leader.
If there is no answer on the answer line then check the working for an obvious answer.
Any case of suspected misread loses A (and B) marks on that part, but can gain the M marks. Discuss each of these situations with your Team Leader.
If there is a choice of methods shown, then no marks should be awarded, unless the answer on the answer line makes clear the method that has been used.

8 Follow through marks

Follow through marks which involve a single stage calculation can be awarded without working since you can check the answer yourself, but if ambiguous do not award.
Follow through marks which involve more than one stage of calculation can only be awarded on sight of the relevant working, even if it appears obvious that there is only one way you could get the answer given.

9 Ignoring subsequent work

It is appropriate to ignore subsequent work when the additional work does not change the answer in a way that is inappropriate for the question: e.g. incorrect cancelling of a fraction that would otherwise be correct
It is not appropriate to ignore subsequent work when the additional work essentially makes the answer incorrect e.g. algebra.
Transcription errors occur when candidates present a correct answer in working, and write it incorrectly on the answer line; mark the correct answer.

PMT

10 Probability

Probability answers must be given a fractions, percentages or decimals. If a candidate gives a decimal equivalent to a probability, this should be written to at least 2 decimal places (unless tenths).
Incorrect notation should lose the accuracy marks, but be awarded any implied method marks.
If a probability answer is given on the answer line using both incorrect and correct notation, award the marks.
If a probability fraction is given then cancelled incorrectly, ignore the incorrectly cancelled answer.

11 Linear equations

Full marks can be gained if the solution alone is given on the answer line, or otherwise unambiguously indicated in working (without contradiction elsewhere). Where the correct solution only is shown substituted, but not identified as the solution, the accuracy mark is lost but any method marks can be awarded.

12 Parts of questions

Unless allowed by the mark scheme, the marks allocated to one part of the question CANNOT be awarded in another.

13 Range of answers

Unless otherwise stated, when an answer is given as a range (e.g 3.5 – 4.2) then this is inclusive of the end points (e.g 3.5, 4.2) and includes all numbers within the range (e.g 4, 4.1)

Guidance on the use of codes within this mark scheme
M1 – method mark A1 – accuracy mark B1 – Working mark C1 – communication mark QWC – quality of written communication oe – or equivalent cao – correct answer only ft – follow through sc – special case dep – dependent (on a previous mark or conclusion) indep – independent isw – ignore subsequent working

1MA0_2F					
Question		**Working**	**Answer**	**Mark**	**Notes**
1	(a)		7025	1	B1 cao
	(b)		Nine thousand four hundred (and) fifty	1	B1 for Nine thousand four hundred (and) fifty Accept 'nine thousand' written as '9 thousand', 'four hundred' written as '4 hundred' and 'fifty' written as '5 tens' or any mixture of these. Do not penalise poor spelling.
	(c)		29	1	B1 for 29 or twenty nine or 29.0
	(d)		7000	1	B1 for 7000 or 7 thousand or seven thousand
2	(a)		8, 10	1	B1 cao
	(b)		24	1	B1 cao
	(c)		reason	1	B1 for a valid reason that demonstrates the understanding that the number of triangles is twice the pattern number
3	(a)		240	1	B1 for 240
	(b)		arrow at 125°C	1	B1 for arrow (or line) pointing within a range of 122.5 to 127.5 (ie nearer to 125 than either 120 or 130) Use professional judgement.
	(c)		6.05 (pm)	1	B1 for 6.05 (pm) oe

PMT

1MA0_2F					
Question		**Working**	**Answer**	**Mark**	**Notes**
4	(a)		Thursday	1	B1 cao
	(b)		7	1	B1 cao
	*(c)		Nick	3	M1 for the intention to add Dave's 4 times or Nick's 4 times A1 for 58 and 64 C1 (dep on M1 and two totals) for clearly stating Nick as their answer or ft from their two totals OR M1 for the intention to find the difference between the times on each of the 4 days A1 for 6 or −6 C1 (dep on M1 and a net difference) for clearly stating Nick as their answer or ft from their difference [SC: B1 for "Nick spent 6 minutes more than Dave on his phone" if M0 scored.]
5			9 squares shaded	1	B1 for any 9 squares shaded oe
6			66	2	M1 for a correct method to find the number of people on the bus if the 15 get off first. (= 57) A1 cao OR M1 for a correct method to find the number of people on the bus if the 9 get on first. (= 81) A1 cao OR M1 for a correct method to find the net change in the number of people on the bus (= 6 or −6) A1 cao

1MA0_2F					
Question		**Working**	**Answer**	**Mark**	**Notes**
7		20 − 6.65 13.35 ÷ 3	4.45	3	M1 for a correct method to find the amount shared by B, R and T M1 (dep) for a correct method of dividing this amount by 3 A1 cao [SC: B1 for an answer of 17.78 (20 – 6.65 ÷ 3), if M0 scored, with or without working]
8	(a)		3, 6, 9, 3	3	B3 for a table showing all 4 correct frequencies in the correct place. (condone the absence of or any incorrect tallies) [(B2 for 2 or 3 correct tallies or 2 or 3 correct frequencies even in the wrong columns) (B1 for 1 correct tally or 1 correct frequency even in the wrong column)] [SC: B2 for 3/21 and 6/21 and 9/21 and 3/21 shown in the frequency column]
	(b)		3	1	B1 for 3 or ft table in (a)
9			Circle radius 5 cm drawn	1	B1 for a circle of radius 5 cm drawn (condone an alternative centre)

PMT

1MA0_2F					
Question		**Working**	**Answer**	**Mark**	**Notes**
10	(i)		5,15 or 5,125 or 15,125 or 30,50 or 30,60 or 30,90 or 30,100 or 50,60 or 50,90 or 50,100 or 60,90 or 60,100 or 90,100	4	B1 for 2 numbers, from the list, whose sum is an even number.
	(ii)		60 or 100		B1 for 60 or 100 or both
	(iii)		5 or 15		B1 for 5 or 15 or both
	(iv)		125		B1 cao
11		9.39 × 10 24.30 × 3 + 9.39 93.90 − 82.29	£11.61	5	M1 for a correct method to find the most expensive way to buy the 10 cartridges (= 93.90) M1 for a correct method to find the least expensive way to buy the 10 cartridges (= 82.29) M1 (dep on M1 scored) for a correct method to find the difference between their least and their most expensive way, provided that both totals are for the cost of exactly 10 cartridges A1 for 11.61 B1 (indep) for correct units

PMT

1MA0_2F					
Question		**Working**	**Answer**	**Mark**	**Notes**
12	(a)(i)		B and D	2	B1 cao
	(ii)		G and E		B1 for G and E (allow B and D if not in (i))
	(b)	3 + 3 + 3 + 2 + 2 +1 + 1 + 1	16	1	B1 cao
13	(a)		6am	1	B1 for 6am (accept −4) Do not accept 6 alone.
	(b)		3	1	B1 for 3 (allow − 3)
	(c)	−1−5	−6	2	M1 for −1 − 5 or intention to subtract 5 from -1 (may be shown on a diagram) A1 cao

1MA0_2F					
Question		**Working**	**Answer**	**Mark**	**Notes**
*14			Yes + supporting work	4	M1 for adding the weights of all the ingredients (= 96) M1 (dep) for '96' × 8 A1 cao for 768 C1 (dep on M2), ft for a correct conclusion (yes or no) from a comparison of 750 (pots) with their '768' pots; units must be quoted [SC: B1 for 768 seen without working if M0M0 scored] **OR** M1 for adding the weights of all the ingredients (= 96) M1 for 750 ÷ 8 A1 cao for 93.75 C1(dep on M2), ft for a correct conclusion (yes or no) from a comparison of their weight of ingredients in one tank full '93.75' kg with '96' kg; units must be quoted [SC: B1 for 93.75 seen without working if M0M0 scored]] **OR** M1 for adding the weights of all the ingredients (= 96) M1 (dep) for 750 ÷ '96' A1 cao for 7.8125 C1(dep on M2), ft for a correct conclusion (yes or no) from a comparison of their number of pots, '7.8125' pots with 8 (pots); units must be quoted [SC: B1 for 7.8125 seen without working if M0M0 scored]]
15			85 29 54 **168** **93** 31 47 171 13 5 **9** **27** 191 **65** **110** 366	3	B3 for fully correct table (B2 for 3 or 4 or 5 correct entries, B1 for 1 or 2 correct entries)

1MA0_1F					
Question		**Working**	**Answer**	**Mark**	**Notes**
16	(a)(i)		5	3	B1 cao
	(ii)		8		B1 cao
	(iii)		5		B1 cao
	(b)		correct sketch	2	B2 for fully correct sketch [B1 for a square (or rectangle) drawn with 2 or 3 connecting triangles on the outside of the square]
17	(a)(i)		12.978(61279…)	2	B1 for 12.978(…..)
	(ii)		13		B1 for 13 or ft from a(i) [Note: An answer of 13.0 gets B0]
	(b)		100000	1	B1 cao
18	(a)	$2 \times 8 = 16$ $16 + 7$	23	2	M1 for correct substitution of 8 into the expression $2f$ A1 cao
	(b)	$3 \times -2 + 5 \times 4$	14	2	M1 for correct substitution into the formula A1 cao

PMT

1MA0_2F					
Question		**Working**	**Answer**	**Mark**	**Notes**
19	(a)		$\frac{40}{360}$	1	B1 for $\frac{40}{360}$ oe (ignore any incorrect simplification) Accept 0.11…. if no fraction shown
	(b)		4	3	M1 for a correct method to find the angle of the 'weeding' sector If measured, accept an angle between 138 and 142 inc. M1 (dep) for a correct method to find the number of degrees per hour (= 20) or the number of hours ($\frac{1}{20}$ (3 mins) per degree A1 cao for 4
20	(a)		2.5	2	M1 for 10 (cm) or "10" ÷ 4 A1 for 2.45 – 2.55
	(b)		A marked on diagram	2	M1 for a point marked (or line drawn) on a bearing of 038° from either point B or point W, OR for a point marked (or arc drawn) 6 cm from B A1 for the position of Avebury marked (accept without label if not ambiguous)

PMT

1MA0_2F					
Question		**Working**	**Answer**	**Mark**	**Notes**
21	(a)		30	1	B1 for 30 minutes oe
	(b)		20	1	B1 cao
	(c)		graph completed	2	B1 for horizontal line from (5, 20) to (5.30, 20) B1 for a single straight line with the correct gradient from '(5.30, 20)' to the time axis
22	(a)		$x = 3$ drawn	1	B1 for $x = 3$ drawn [Note: each line drawn must be a single line segment satisfying $x = 3$]
	(b)		$y = x$ drawn	1	B1 for $y = x$ drawn [Note: each line drawn must be a single line segment satisfying $y = x$]
	(c)	Gradient = $\frac{3-0}{0--2}$	1.5	2	M1 for a method to find the gradient of the given line A1 for 1.5 oe
23	(a)		n^8	1	B1 for n^8 (accept n^{5+3})
	(b)		n^5	1	B1 for n^5 (accept n^{7-2})

PMT

1MA0_2F					
Question		**Working**	**Answer**	**Mark**	**Notes**
24	(a)	15 ÷ 6	2.5	2	M1 for 15 ÷ 6 oe A1 for 2.5 or $2\frac{1}{2}$
	*(b)		Yes + evidence	2	M1 for a correct method to change 15 miles into kilometres C1(dep on M1) for 24 km **and** statement with correct conclusion [SC: B1 for "Yes" oe and 24 km shown if M0 scored] **OR** M1 for a correct method to change 20 kilometres into miles C1(dep on M1) for 12.5 miles **and** statement with correct conclusion [SC: B1 for "Yes" oe and 12.5 miles shown if M0 scored]

1MA0_2F					
Question		**Working**	**Answer**	**Mark**	**Notes**
25			414.96	5	M1 for a correct method to work out the amount of oil required to fill the tank M1 for a correct method to find the cost of oil required before the discount M1 for a correct method of finding 5% of their calculated cost M1 (dep on previous M1) for a correct method to find the discounted cost A1 for correct answer of 414.96 or 41496p **OR** M1 for a correct method of finding 5% of the cost of 1 litre of oil M1 (dep on previous M1) for a correct method to find the discounted cost of 1 litre of oil M1 for a correct method to work out the amount of oil required to fill the tank M1 for a correct method to find the discounted cost of the oil required A1 for correct answer of 414.96 or 41496p **OR** M1 for a correct method to work out the amount of oil required to fill the tank M1 for a correct method of finding 5% of their calculated amount of oil M1 (dep on previous M1) for a correct method to find the reduced amount of oil M1 for a correct method to find the cost of the reduced amount of oil A1 for correct answer of 414.96 or 41496p

1MA0_2F					
Question		**Working**	**Answer**	**Mark**	**Notes**
26	(a)	$1 - 0.2 - 0.1$ $0.7 \div 2$	0.35	3	M1 for correctly using total probability 1 or 100% if percentages used M1 (dep) for complete correct method to complete the solution A1 for 0.35 or 35% or $\frac{35}{100}$ oe
	(b)	0.1×200	20	2	M1 for 0.1×200 A1 cao [SC: B1 for an answer of $\frac{20}{200}$ if M0 scored]
27	(a)		$3x + 12$	1	B1 for $3x + 12$ or $12 + 3x$
	(b)		$x^3 + 2x$	2	M1 for the intention to multiply both terms in the bracket by x A1 for $x^3 + 2x$ OR B2 for $x^3 + 2x$ [B1 for x^3 or $2x$ seen]
	(c)		$x(x - 6)$	1	B1 for $x(x - 6)$ or $(x - 6)x$

PMT

1MA0_2F					
Question		**Working**	**Answer**	**Mark**	**Notes**
28			1180	3	M1 for a correct method to find the area of the cross section M1 (dep) for a complete correct method for the volume of the prism A1 cao OR M1 for a correct method to find the volume of one cuboid M1 (dep) for a complete correct method for the volume of the prism A1 cao

PMT

Further copies of this publication are available from
Edexcel Publications, Adamsway, Mansfield, Notts, NG18 4FN

Telephone 01623 467467
Fax 01623 450481
Email publication.orders@edexcel.com
Order Code UG035042 March 2013

For more information on Edexcel qualifications, please visit our website
www.edexcel.com

Pearson Education Limited. Registered company number 872828
with its registered office at Edinburgh Gate, Harlow, Essex CM20 2JE

Ofqual
Llywodraeth Cynulliad Cymru
Welsh Assembly Government
Rewarding Learning



Mark Scheme (Results)

Summer 2017

Pearson Edexcel GCSE (9 – 1)
In Mathematics (1MA1)
Foundation (Calculator) Paper 2F



Edexcel and BTEC Qualifications

Edexcel and BTEC qualifications are awarded by Pearson, the UK's largest awarding body. We provide a wide range of qualifications including academic, vocational, occupational and specific programmes for employers. For further information visit our qualifications websites at www.edexcel.com or www.btec.co.uk. Alternatively, you can get in touch with us using the details on our contact us page at www.edexcel.com/contactus.

Pearson: helping people progress, everywhere

Pearson aspires to be the world's leading learning company. Our aim is to help everyone progress in their lives through education. We believe in every kind of learning, for all kinds of people, wherever they are in the world. We've been involved in education for over 150 years, and by working across 70 countries, in 100 languages, we have built an international reputation for our commitment to high standards and raising achievement through innovation in education. Find out more about how we can help you and your students at: www.pearson.com/uk

Summer 2017
Publications Code 1MA1_2F_1706_MS
All the material in this publication is copyright
© Pearson Education Ltd 2017

General marking guidance

These notes offer general guidance, but the specific notes for examiners appertaining to individual questions take precedence.

1 All candidates must receive the same treatment. Examiners must mark the last candidate in exactly the same way as they mark the first.

Where some judgement is required, mark schemes will provide the principles by which marks will be awarded; exemplification/indicative content will not be exhaustive. When examiners are in doubt regarding the application of the mark scheme to a candidate's response, the response should be sent to review.

2 All the marks on the mark scheme are designed to be awarded; mark schemes should be applied positively. Examiners should also be prepared to award zero marks if the candidate's response is not worthy of credit according to the mark scheme. If there is a wrong answer (or no answer) indicated on the answer line always check the working in the body of the script (and on any diagrams), and award any marks appropriate from the mark scheme.

Questions where working is not required: In general, the correct answer should be given full marks.
Questions that specifically require working: In general, candidates who do not show working on this type of question will get no marks – full details will be given in the mark scheme for each individual question.

3 **Crossed out work**
This should be marked **unless** the candidate has replaced it with an alternative response.

4 **Choice of method**
If there is a choice of methods shown, mark the method that leads to the answer given on the answer line.

If no answer appears on the answer line, mark both methods **then award the lower number of marks.**

5 **Incorrect method**
If it is clear from the working that the "correct" answer has been obtained from incorrect working, award 0 marks. Send the response to review for your Team Leader to check.

6 Follow through marks

Follow through marks which involve a single stage calculation can be awarded without working as you can check the answer, but if ambiguous do not award.

Follow through marks which involve more than one stage of calculation can only be awarded on sight of the relevant working, even if it appears obvious that there is only one way you could get the answer given.

7 Ignoring subsequent work

It is appropriate to ignore subsequent work when the additional work does not change the answer in a way that is inappropriate for the question or its context. (e.g.. an incorrectly cancelled fraction when the unsimplified fraction would gain full marks).

It is not appropriate to ignore subsequent work when the additional work essentially makes the answer incorrect (e.g.. incorrect algebraic simplification).

8 Probability

Probability answers must be given as a fraction, percentage or decimal. If a candidate gives a decimal equivalent to a probability, this should be written to at least 2 decimal places (unless tenths).

Incorrect notation should lose the accuracy marks, but be awarded any implied method marks.

If a probability fraction is given then cancelled incorrectly, ignore the incorrectly cancelled answer.

9 Linear equations

Unless indicated otherwise in the mark scheme, full marks can be gained if the solution alone is given on the answer line, or otherwise unambiguously identified in working (without contradiction elsewhere). Where the correct solution only is shown substituted, but not identified as the solution, the accuracy mark is lost but any method marks can be awarded (embedded answers).

10 Range of answers

Unless otherwise stated, when an answer is given as a range (e.g. 3.5 – 4.2) then this is inclusive of the end points (e.g. 3.5, 4.2) and all numbers within the range.

Guidance on the use of abbreviations within this mark scheme	
M	method mark awarded for a correct method or partial method
P	process mark awarded for a correct process as part of a problem solving question
A	accuracy mark (awarded after a correct method or process; if no method or process is seen then full marks for the question are implied but see individual mark schemes for more details)
C	communication mark
B	unconditional accuracy mark (no method needed)
oe	or equivalent
cao	correct answer only
ft	follow through (when appropriate as per mark scheme)
sc	special case
dep	dependent (on a previous mark)
indep	independent
awrt	answer which rounds to
isw	ignore subsequent working

Paper 1MA1: 2F				
Question	**Working**	**Answer**	**Mark**	**Notes**
1 (a)		$3p$	B1	cao
(b)		$2m^3$	B1	cao
(c)		$10 - 4c + 6d$	M1	for $-4c$ or $6d$ (accept $+-4c$)
			A1	for $10 - 4c + 6d$
2		60	B1	cao
3 (a)		Walk	B1	cao
(b)		7 on chart	B1	for bar of height 7 drawn for girls walking
(c)		4	B1	cao
(d)		96	M1	for method to find number of Year 6 students in the survey e.g. $5 + 9 + 6 + 4 + 9 + 7 + 4 + 1 + 2 + 1$ (= 48) or $14 + 10 + 16 + 5 + 3$ (= 48)
			A1	for 96 or ft from (b), eg 82 if no bar in (b)
4		$\frac{11}{30}, \frac{2}{5}, \frac{7}{15}, \frac{1}{2}$	M1	converts fractions to a common form, e.g. fractions with a denominator of 30, decimals or percentages, at least two conversions correct or any 3 fractions in correct order
			A1	correct order

Paper 1MA1: 2F				
Question	**Working**	**Answer**	**Mark**	**Notes**
5 (a)		Monday wrong	C1	for seeing difference in tally marks and frequency for Monday
(b)		Comment	C1	for suitable comment, eg extra picture for Tuesday needed or explains that 0.5 of a CD is not possible
6		268.20	P1	for a process to work out the value of the £1 coins, eg. 495 ÷ 3 (= 165) or 495 × 0.33...or of the 50p coins, eg. 124 ÷ 2 (= 62)
			P1	for process to find the number of 20p coins, eg. (495 – 124 – (“165”) (= 206)
			P1	for complete process to find total value using consistent units., eg. (“165”) + (124 ÷ 2) + (“206” × 0.2) or 165 + 62 + 41.2
			A1	cao (accept 268.2)
7		0.985	B1	oe
8 (a)		25	B1	for 25 (accept 5^2)
(b)		24	B1	cao
(c)		23, 29	B1	for 23 and 29 and no extras
9		54	M1	for method to form equation, eg $90 + 2x + 3x = 360$ or for $360 – 90$ (= 270)
			M1	for $5x = 360 – 90$ or for $2x + 3x = 360 – 90$ or for $2x = 108$ or for $3x = 162$ or for $270 \div 5$
			A1	cao

Paper 1MA1: 2F				
Question	**Working**	**Answer**	**Mark**	**Notes**
10		Letters2send (supported)	P1	for the start of a process to find comparable costs at either shop, e.g. 150 ÷ 25 (= 6) or 150 ÷ 30 (= 5), 150 ÷ 10 (= 15), 2.10 ÷ 15 = (=0.14)
			P1	for process to find cost from Letters2send, e.g. (150 ÷ 25) × 3.49 (= 20.94)
			P1	for process to find cost at Stationery World, e.g. (150 ÷ 30) × 2 × 2.10 (= 21)
			C1	for correct conclusion with correct values from each shop (20.94 and 21)
				OR
			P1	for the start of a process to find comparable costs, eg 3.49 ÷ 25 (= 0.1396), 2.10 ÷ 10 (= 0.21), 25 ÷ 3.49 = (7.1...), 2.10 ÷ 15 = (= 0.14)
			P1	for process to take into account the offer at Stationery World, eg buy 30 envelopes pay for 20,
			P1	for complete process to find values that can be used for comparison, eg 30 × 0.13(96) and 2 × 2.10 (= 4.2(0))
			C1	for correct conclusion with correct values from each shop (4.1(88) and 4.2(0))

Paper 1MA1: 2F				
Question	**Working**	**Answer**	**Mark**	**Notes**
11 (a)		29	B1	answer in the range 29 to 30
(b)		186 to 195	M1	for changing 6ft 3 inches to inches e.g. $6 \times 12 + 3$ (= 75) or changing 1ft to 30 cm
			M1	for a method to convert to cm, e.g. 25 →63 then × 3, $6 \times 30 + \frac{1}{4} \times 30$
			A1	for answer in the range 186 to 195 or ft from correct use of graph
12		0.0733(03...)	M1 A1	for correct numerator (3.4496.....) or correct denominator (47.0596) or 0.073 for 0.0733(03.....)
13 (a)		Rotation	B2	for a fully correct rotation at (–4,–1), (–3,–1), (–4,–4), (–1,–2)
			[B1	for the quadrilateral in correct orientation and size or rotated 90° anticlockwise about the origin]
(b)		Reflection in the *y*-axis	B1	for reflection
			B1	for *y*-axis (or *x* =0)
				[A combination of transformations scores 0 marks]

Paper 1MA1: 2F				
Question	**Working**	**Answer**	**Mark**	**Notes**
14 (a)		$5(1 - 2m)$	B1	cao
(b)		$2ab(a + 3b)$	M1	for $2a(ab + 3b^2)$ or $2b(a^2 + 3ab)$ or $ab(2a + 6b)$ or $2ab$(2 term expression with terms in a or b or ab, can include constants), eg $2ab(1a + 3ab)$, $2ab(1 + 3b)$
			A1	for $2ab(a + 3b)$
15 (a)		0.47	B1	
(b)		2.28×10^9	M1	for correct value but not in standard form, eg $22.8 \times 10^{3+5}$, 228×10^7, 2 280 000 000 or for 2.28×10^n , $n \neq 9$
			A1	cao
16		T shown on the map	C1	for showing a perpendicular bisector or point T equidistant from points B and C.
			C1	for a circle or arc of circle of radius 2.5 cm or point T 2.5 cm from point A
			C1	for T shown in correct position

Paper 1MA1: 2F				
Question	**Working**	**Answer**	**Mark**	**Notes**
17		98	P1	for process to find P(1), e.g. 1 – 0.17 – 0.18 – 0.09 – 0.15 – 0.1 (= 0.31) or for a process to find P(1 or 3), e.g. 1 – 0.17 – 0.09 – 0.15 – 0.1 (= 0.49)
			P1	for process to find the number of 3s, e.g. 0.18 × 200 (=36) or process to find the number of 1s, e.g. P(1) × 200 (= 62), or process to find the number of (1 or 3)s, eg [P(1) + 0.18] × 200 or process to find any expected frequency, using any probability × 200, eg 0.17 × 200
			A1	cao
				OR
		98	P1	for process to find P(2 or 4 or 5 or 6), eg 0.17 + 0.09 + 0.15 + 0.1 (= 0.51)
			P1	for process to find the number of (2 or 4 or 5 or 6)'s, eg "0.51" × 200 (= 102)
			A1	cao

Paper 1MA1: 2F				
Question	**Working**	**Answer**	**Mark**	**Notes**
18		Yes (supported)	P1	for process to work out the total number of children, e.g. 117 × 4 (= 468)
			P1	(dep P1) for process to work out total number of adults or the total number of people, e.g. "468" × 5 ÷ 2 (= 1170) or "468" × 7 ÷ 2 (= 1638)
			A1	for 1170 or 1638
			P1	for process to work out the percentage of theatre full, e.g. $\frac{"468"+"1170"}{2600} \times 100$ (= 63) or for a process to work out 60% of 2600 (= 1560)
			C1	for a correct conclusion supported by correct figures e.g. 63% or 1560 **and** 1638
				OR
			P1	for a process to work out 60% of 2600, eg. $\frac{60}{100} \times 2600$ (= 1560)
			P1	(dep P1) for process to work out total number of children, e.g. "1560" × 2 ÷ 7 (= 445(.7...)
			A1	for 445(.7...)
			P1	for process to work out number of children in the circle, eg. "445(.7...)" ÷ 4 (= 111 to 112)
			C1	for a correct conclusion supported by correct figures e.g. 111 to 112
				[Where appropriate, accept rounded or truncated values]

Paper 1MA1: 2F				
Question	**Working**	**Answer**	**Mark**	**Notes**
18 cont.				OR
			P1	for a process to find the maximum number of children, eg. 2600 × 2 ÷ 7 (= 742(.8…))
			P1	for process to work out the total number of children, e.g. 117 × 4 (= 468)
			A1	for 468 and 742(.8...)
			P1	for $\frac{"468"}{"742(.8..)"} \times 100$ (= 63) or process to work out 60% of "742.8.." (= 445(7..))
			C1	for a correct conclusion supported by correct figures e.g. 63% or 468 and 445(.7...)
				[Where appropriate, accept rounded or truncated values]
19		Side elevation	C2	for the side elevation (4 cm by 2 cm rectangle with a solid line drawn 1 cm from the 2 cm edge, and correct orientation)
			[C1	for the side elevation as a rectangle]
		Front elevation	C2	for the front elevation as a trapezium in correct orientation with base 4 cm, parallel sides 1 cm and 4 cm
			[C1	for the front elevation as a trapezium with two right angles]
				[Ignore incorrect or no labelling]

Paper 1MA1: 2F				
Question	**Working**	**Answer**	**Mark**	**Notes**
20 (a)		57.1	P1	for a process to find time from Liverpool to Manchester, eg. 56 ÷ 70 (= 0.8 (hrs) or 48 (mins))
			P1	for a process to find the total distance, eg 56 + 61 (= 117) or the total time, eg"48" + 75 (= 123) or "0.8" + $\frac{75}{60}$ (= 2.05), with consistent units of time
			P1	(dep P2) for a correct process to find average speed with consistent units of time, eg."117" ÷ "2.05" or ."117" ÷ "123"
			A1	for answer in the range 57 to 57.1
(b)		explanation	C1	for explaining that the time taken for the two parts of the journey must be the same or the distance from Leeds to York is $\frac{3}{4}$ the distance from Barnsley to York oe
21 (a)		3.9	M1	for a ratio of $\frac{8.1}{5.4}$ (= 1.5) oe or $\frac{5.4}{8.1}$ (= 0.66..) oe or $\frac{2.6}{5.4}$ (= 0.48..) oe or $\frac{5.4}{2.6}$ (= 2.07..) oe
			A1	cao
(b)		2.05	M1	for $\frac{5.4}{8.1} \times 6.15$ (= 4.1) or $\frac{2.7}{8.1} \times 6.15$ oe or ft "scale factor" from (a)
			A1	cao

Paper 1MA1: 2F				
Question	**Working**	**Answer**	**Mark**	**Notes**
22		Secure Bank (supported)	P1	for a process to work out the interest after one year e.g. 0.02×25000 (= 500) or 0.043×25000 (= 1075) or for 1.02 or 25500 or 1.043 or 26075
			P1	for process to find value of the investment after 3 years or the multiplicative factor for 3 years at one of the banks, e.g. $25000 \times 1.02 \times 1.02 \times 1.02$ oe (= 26530...) or 1.02^3 (= 1.0612...) or $25000 \times 1.043 \times 1.009 \times 1.009$ oe (= 26546...) or $1.043 \times 1.009 \times 1.009$ (= 1.0618.....) [accept total interest of 1530...or 1546...if final values of investment are not found]
			C1	for Secure Bank from correct figures eg 26530.. and 26546..or 1530.. and 1546.. or 1.0612.. and 1.0618
23		$4.755 \leq n < 4.765$	B2	for $4.755 \leq n < 4.765$
			[B1	for 4.755 or 4.765 or 4.764$\dot{9}$]
24		$x = -8$, $x = 3$	M1	for factorisation or for substitution into quadratic formula $(x \pm a)(x \pm b)$ where product of a and b = 24, eg $(x \pm 4)(x \pm 6)$ or difference of a and b = 5, eg $(x \pm 2)(x \pm 7)$ $\frac{-5 \pm \sqrt{5^2 - 4 \times 1 \times -24}}{2}$ oe (condone one sign error)
			M1	for $(x + 8)(x - 3)$ or for $\frac{-5 \pm \sqrt{121}}{2}$ oe
			A1	cao

Paper 1MA1: 2F				
Question	**Working**	**Answer**	**Mark**	**Notes**
25 (a)		$5n - 2$	B2	for $5n - 2$ oe
			[B1	for $5n + k$, k may be 0]
(b)		No (supported)	C1	for No with evidence, e.g. $3 \times 4^2 = 48$, $\sqrt{48}$ is not an integer, he has multiplied by 3 first but should have squared first

Modifications to the mark scheme for Modified Large Print (MLP) papers.

Only mark scheme amendments are shown where the enlargement or modification of the paper requires a change in the mark scheme.

The following tolerances should be accepted on marking MLP papers, unless otherwise stated below:
Angles: ±5°
Measurements of length: ±5 mm

PAPER: 1MA1_2F			
Question		**Modification**	**Mark scheme notes**
1	(c)	MLP and braille: *c* and *d* changed to *s* and *t*.	Standard mark scheme but change *c* & *d* to *s* & *t*
3		Grid enlarged. Key moved above the diagram. Right axis has been labelled. Boys shading has been changed to dotty. The vertical axis label has been moved above the vertical axis	Standard mark scheme
5	(b)	Pictogram enlarged. Key moved above the diagram.	Standard mark scheme
8		Wording 'nine' added	Standard mark scheme
9		Diagram enlarged. Angle sizes moved outside the angle arcs; the arcs have been made smaller.	Standard mark scheme
11		Grid enlarged. Right axis labelled. Axes labels have been moved to the left of the horizontal axis and above the vertical axis. In (a) Number '74' changed to '90'.	(a) becomes 35 to 37. In (b) suggest 180 to 200
13	(a)	Question reversed. Rotation drawn on the diagram and labelled as 'shape B'. Grid enlarged and *y* axis reduced so it finishes at 2. Shapes labelled 'shape A' and 'shape B'. Wording changed 'It shows shape A and shape B given on a grid. Describe fully the single transformation that maps shape A onto shape B.'	Award B1 for "rotation" Award B1 for "90° clockwise about centre O [or (0,0)] NB: award B0 for any indication of a mention of other transformations
13	(b)	Grid enlarged and y axis reduced so it starts at -2. Wording 'B' and 'C' deleted and shapes labelled as 'shape P' and 'shape Q'. Triangles P and Q moved above the *x* axis. Wording added 'It shows shape P and shape Q given on a grid.'	Standard mark scheme

PAPER: 1MA1_2F			
Question		**Modification**	**Mark scheme notes**
14	(b)	MLP only: *a* changed to *x* and *b* changed to *y*.	Standard mark scheme but change *a* & *b* to *x* & *y*
16		Number '250 metres' changed to '500 metres'. Points *B* and *C* moved to the right to allow for use of specialist equipment. Points *B* and *C* joined with a line. Scale moved above the diagram.	Standard mark scheme, but given the alternations to the given diagram, the relative positions of any constructions and the position(s) of *T* will change.
17		Table turned to vertical format.	Standard mark scheme
19		Alternative question. Model has been provided for all candidates. Diagram enlarged and also provided for MLP. The measurements on the prism have been doubled. Wording added next to the diagram of the trapezium 'Diagram NOT accurately drawn'. Four shapes have been provided below the trapezium labelled A to D. Wording added above the four shapes 'scale: 2 cm to 1 metre'. Question wording has changed and has been split into two parts: 'Look at the model or at the diagrams for Question 19 in the Diagram Book. They show a prism with a cross section in the shape of a trapezium. All measurements are in metres. Below the prism there are four shapes A, B, C and D. (i) Which shape shows the front elevation of the prism? (ii) Which shape shows the side elevation of the prism?'	Mark scheme amended as follows: (i) B2 for C (ii) B2 for A (B1 for B or D)
21		Diagram enlarged. Measurements '2.6 cm' and '5.4 cm' added to the diagram.	Standard mark scheme

Pearson Education Limited. Registered company number 872828
with its registered office at 80 Strand, London, WC2R 0RL, United Kingdom

Question 19

The vast majority of students did not understand how to draw the locus of points a given distance from a point and so it was rare to see attempts at arcs drawn with point A as the centre. Often points were marked at a distance of 6 cm from A. This gained no marks other than the M1 for using the scale (180 ÷ 30) correctly. This was the only mark gained by many students who failed to draw any loci on the diagram. Clearly a lot of students had no concept of loci either not attempting the question or simply shading an area with no defined boundaries. However, many students were able to score at least two marks for a correct line segment drawn 5 cm from the line BC. Sometimes this was achieved by drawing a 'table' with one side 5 cm from BC. Many students shaded a small rectangular table in the middle of the region.

Question 23

There were few accurately constructed lines seen in answer to this question. More commonly, where students did gain some credit for their response, it was one mark for drawing a perpendicular line from the point *P* to the line *CD* within the tolerance allowed but without any evidence of it being constructed with a ruler and compasses. Some students gave an accurate construction of the perpendicular bisector of the line *CD*. They could not be awarded any marks.

Question 22

It was rare to see a fully correct construction and 90° angle at *P* on this question. Almost all students on this paper did not know what arcs were required. Many students did however gain 1 mark for drawing a 90° angle at *P* without the correct construction lines.

Question 17

In line with similar questions requiring constructions to be performed, full marks were rarely awarded for this loci question. Many students were seemingly unsure how to start and many simply shaded an unbounded area that they thought made sense. When a mark was awarded, it was more often for being able to draw the 4cm arc than the perpendicular bisector. Arcs were often drawn freehand (which was condoned if within guidelines) and suggests many candidates lacked a pair of compasses despite these being listed in the required equipment. Bisectors were mainly drawn without construction lines (acceptable in this question) with students often citing "9.4cm" or "4.7cm", showing that they had just measured the line and attempted to draw a perpendicular line from the midpoint. When the arc and bisector were drawn within guidelines, the region was almost always identified correctly.

Question 19

It was rare to see a correct set of relevant arcs drawn as most learners did not know how to begin their answer. Some learners were able to produce a bisector within the allowed tolerance without the relevant arcs, gaining 1 mark.

Question 23

Many learners found identifying the mistake in this question particularly difficult, despite a number of valid reasons being acceptable. Whilst some excellent explanations were seen, it was a relatively common misconception to explain that the shaded region needed to be a square rather than a circle, to comment on point C being placed incorrectly or refer to point P not being shown. Learners often find explanation type responses to be challenging and whilst some explanations showed some evidence of understanding loci, they were not able to articulate this fully. A clear and complete explanation was needed, and it was very common for responses to be ambiguous or contradictory.



Examiners' Report
Principal Examiner Feedback

November 2020

Pearson Edexcel GCSE (9 – 1)
In Mathematics (1MA1)
Foundation (Calculator) Paper 3F

Edexcel and BTEC Qualifications

Edexcel and BTEC qualifications are awarded by Pearson, the UK's largest awarding body. We provide a wide range of qualifications including academic, vocational, occupational and specific programmes for employers. For further information visit our qualifications websites at www.edexcel.com or www.btec.co.uk. Alternatively, you can get in touch with us using the details on our contact us page at www.edexcel.com/contactus.

Pearson: helping people progress, everywhere

Pearson aspires to be the world's leading learning company. Our aim is to help everyone progress in their lives through education. We believe in every kind of learning, for all kinds of people, wherever they are in the world. We've been involved in education for over 150 years, and by working across 70 countries, in 100 languages, we have built an international reputation for our commitment to high standards and raising achievement through innovation in education. Find out more about how we can help you and your students at: www.pearson.com/uk

November 2020
Publications Code 1MA1_3F_2020_ER
All the material in this publication is copyright
© Pearson Education Ltd 2020

GCSE (9 – 1) Mathematics – 1MA1
Principal Examiner Feedback – Foundation Paper 3

Introduction

The overall quality of the presentation of work was good. However, students need to read the questions carefully. There remain a concerning number of cases where students copy down the wrong figures from the question, mis-copy their own figures, or round figures almost randomly. Equally another error sometimes occurs when students prematurely round or truncate figures, either their own figures or figures from the calculator, which usually result in lost accuracy marks and could also make questions more difficult than they were designed to be.

Approaches to questions that required some interpretation or explanation were inconsistent. Questions 10 and 21 were answered well, but poor attempts were made in questions 15 and 26. On too many occasions students included contradictory or incorrect statements, which cannot be credited.

Within a broad range of questions, the paper was able to discriminate well. Weakest areas continue to be the application of ratios, scales and rates, but also algebraic manipulation and problem solving. Most demonstrated good use of a calculator, though on some occasions it was clear that they did not have an understanding of the way in which their calculator worked or did not have one at all, such as in question 9.

Questions which had a slightly unexpected approach, that is required more thought, caused immediate problems for many, even in the earlier part of the paper. This includes questions 18, 20 and 24. Question 25 to 29 were the more challenging questions for those striving to demonstrate ability at the highest grades available, and a significant proportion of students therefore failed to score on these questions.

There were far fewer attempts using trial and improvement approaches. These mainly occurred when students showed evidence of not having a calculator, mainly evident in questions 15, 18, 19 and 20 where non-calculator methods were also seen, such as multiple additions.

The inclusion of working out to support answers remains an issue for many; but not only does working out need to be shown, it needs to be shown legibly, demonstrating the processes of calculation that are used. This is most important in longer questions, and in “show that” questions.

Report on Individual Questions.

Question 1

This was a poorly answered question. Most students gave the correct answer of 3 but 300, 30 and 3000 were frequently seen.

Question 2

A well answered question with nearly all giving the correct answer of 8.

Question 3

This was not always answered correctly.

Question 4

There were few incorrect answers in this question.

Question 5

This was very well answered with few failing to gain the mark. The most common error was the absence of one of the numbers.

Question 6

A very well answered question. There were a few who gave the answer of 4 to part (a).

Question 7

Students were generally very successful with this question with most obtaining full marks. Those achieving partial marks tended to mis-read the shaded section and recorded the fraction unshaded instead leaving their answer as $\frac{1}{4}$. A significant minority failed to give their answer in its simplest form, usually leaving the answer as $\frac{12}{16}$.

Question 8

This question was generally well done with the majority dividing 200 by 25 (some with multiple additions of 25) and then completing the process of 9.75 × 8 and giving the correct answer 78. Some students preferred to list eight lots of £9.75. The most common errors were students multiplying the cost by 200 or by 25.

Question 9

Parts (a) and (b) were not always answered correctly, with students having difficulty with the order of operations on their calculators.

It was rare to see any correct answers to part (c). Knowing the meaning of the term “reciprocal” is clearly a weakness in students.

Question 10

Most students got the marks in parts (a) and (b).

In part (c) students were able to explain that the drop in the first 3 minutes was steeper than the last 3 minutes. Some struggled to articulate this and some forgot to agree and imply that Pam was correct. There were a wide variety of values presented by students, although this question assessed the interpretation of the graph rather than the accuracy of reading values. Students generally used suitable values to explain their reasoning. Some students didn’t use the graph at all but tried to explain that water cools more quickly when it is hotter.

Question 11

Many responses achieved full marks. Many managed to use the fact that angles in a quadrilateral sum to 360 or found the angle on the straight line to *y* was 70 degrees and score one mark. Not all students who correctly calculated angle *PSR* were able to complete this question correctly, deciding to go off in all sorts of related incorrect calculations. Some of the weaker students knew that angles on a straight line totalled 180° but chose to use angle *QPS* with angle *y* to sum to this total.

Question 12

Part (a)(i) was well answered. In parts (a)(ii) and (b) it was clear students did not properly understand the meaning of "term". This was evidenced by statement involving algebra, "*n*th term", "*n* –5" and numbers not relating to the sequence given in the question.

Question 13

Many students added up the numbers that they saw on the diagram to get an answer of 26. Many more managed to score at least one mark on this question as they identified the length of one of the missing sides, usually on the diagram. For some reason finding 2cm was much more prevalent than finding 6cm. Some then forgot to find the missing length of 6cm leading to an answer of 28. The majority understood the meaning of perimeter, but some divided the shape into rectangles and added together the perimeter of both rectangles. The other common mistake was trying to find the area.

Question 14

In part (a) most students understood the need to collect like terms and it was often done successfully. If full marks were not awarded, students usually achieved one method mark, usually for the 5*x*.
The negative sometimes caused problems when collecting the *y* terms. Common errors seen included $6xy$ and $5x^2 \pm y^2$.
Part (b) was well done by many with the answer 3 on the answer line, though a formal algebraic approach was not seen very often, students preferring to show 22 – 7 ÷ 5. Some showed "–7" written by the equation but this was not credited unless the next stage was shown by, for example, writing $5p = 15$. Few attempted to divide by 5 as their first step. The most common incorrect answer seen was 10 from subtracting the 5 and 7 from 22.

Question 15

There were some good attempts at this question, encouraging since there were several steps needed to get to the answer: division to get the number of packs and rounding 7.5 to 8 before calculating the cost. Conclusions were well stated. The common error was to work out the individual cost of the batteries in each shop and then find the cost of 30 which clearly demonstrated misunderstanding about the packs.

Part (b) was usually well stated with 'No' and a clear reason. Most calculated the cost of 30 individual batteries of £12 and £13.50 and stated 'No, shop A is still cheaper'.

Question 16

In part (a) the majority wrote the correct answer on the answer line. Some went on to convert their answer to a decimal which was unnecessary. It was also pleasing to see most students using the

correct notation for probability with only a minority using the incorrect notation of a ratio. Of those not gaining both marks, most earned M1 for $\frac{5}{n}$ or $\frac{m}{11}$.

In part (b) a common incorrect answer was 0.3, but the majority of students gave the correct answer of 0.7, which was sometimes written as an equivalent fraction.

Question 17

The majority of students attempting this question gained full marks. There were many who gained 1 mark for drawing only one 6cm line correctly, though quite a few struggled to draw an accurate isosceles triangle. Though they were not required in this question, there was very little evidence of construction lines/arcs drawn; it seemed most measured using their rulers.

Question 18

Many students secured one mark for providing an accurate conversion using the graph. However, others drew lines on the graph, not always correctly, but failed to take any accurate readings from these. Of those that did, most went on to complete the method, but many of these confused their $ with £ and so lost the method mark. Other students chose to take their initial reading near the origin, for instance using £5 = $6, which by the time they had multiplied it up to $345 was too inaccurate to give an answer within the range allowed. There was some misunderstanding of the scale on the $ axis, with some students assuming 1 small square = $1

Question 19

In part (a) to achieve both the marks, students needed to understand through proportional reasoning that the number of tuna sandwiches represented 40% of the total sold. Many students were not able to demonstrate this and as such scored no marks. There were some who adopted a bar modelling approach e.g. stating 40% = 56 so 20% = 28, and adding 56 + 56 + 28.

Part (b) was answered slightly better, but still demonstrated that students need more practice of ratio and proportion. Where students showed some understanding of what was required but chose to use a percentage of 18 to scale up were often not able to achieve a solution that was accurate enough.

Question 20

Students that were able to demonstrate some understanding of the context were rewarded with one of two process marks if they able to sum the total of money (200) that Akhtar, Ben and Carl had without the £10 notes or used the mean amount to calculate the total of all the money (240). After scoring one or two process marks there was a variable understanding of how to use these values to solve the problem. Of those who made mistakes many appreciated that the answer had to be an integer and rounded their mistakes rather than reflecting that there had to have been an error and a further check of their work was needed.

Question 21

Part (a) was answered well, with many students gaining the mark. The most common incorrect answer was $\frac{25}{50}$, a probability statement rather than a statement of the number of times.

In part (b) some students thought that the answer was Paula because "10 times was enough" as her approach was quicker. Lots of students had the right idea that the more trials, the more reliable your results, but some failed to actually say "Simon, because…" A common mistake was just talking about 100 throws and not making comparisons.

Question 22

This question was attempted by most students but very few correct plan views were seen. Most students incorrectly drew a net or a side elevation involving a square with a triangle attached. Out of the ones who scored any marks, most scored one mark for a square with sides 6cm, but without the diagonals drawn.

Question 23

Part (a) was not well answered. n^{15} was a common incorrect answer.

In part (b) c was usually shown correctly (frequently written as c^1 but often paired with d^4). Most achieved one mark for c or (less likely) d^3. There were a significant number of correct values for c found from an incorrect method.

In part (c) many students were unsure where to start and a common incorrect answer given was $2.5x > 7$. Of those students who did start to approach the question correctly, many ignored the inequality sign throughout the process getting $x = 2.8$ or $x = \frac{14}{5}$ and as a result could not gain the accuracy mark.

Question 24

Most students attempted this question but very few achieved full marks. The distance, speed, time triangle did not help in this question; students always seem to make more errors at this level when using it rather than taking an everyday approach to the problem. Some added the distances together and the speeds together then divided by 2. Quite a few students gained one mark, but more students gained two marks for finding the times as decimals and adding the two times but failing to convert the times correctly and ended up with 2 hr 75 mins or 3 hr 15 mins which were the most common answers seen.

Question 25

Error intervals remain a weakness and was poorly attempted. Some were able to correctly give 9.35 but rarely gave 9.45; a few 9.44 but not 9.4499...

Question 26

Many were able to secure the first process mark for finding the area of one of the lawns (45 m^2 or 140 m^2) or the amount of seed available (10kg) but did not proceed any further with many reasoning incorrectly that if 3kg covered 5 × 9 area, then 6kg would cover 10 × 18, more than is needed. Other students were successful in gaining the second process mark mainly for the coverage of 1 kg of grass seed ($15m^2$). The most successful approaches seen where students were able to reach the correct conclusion were finding the amount of grass seed needed (9.3…kg) and comparing it with 10kg or finding the area that could be seeded with 10kg ($150m^2$) and comparing it with $140m^2$.

Part (b) required reasoning supported by correct figures and as a result, students were not successful in gaining many marks.

Question 27

Part (a) was generally answered well, and most students were able to write at least two correct probabilities on the tree diagram, sometimes writing these as equivalent fractions of $\frac{2}{4}$2/6 and 4/6. Some students chose to try to use decimals for this problem but were not able to score any marks due to inaccurate approximations of $\frac{1}{3}$.

Having perhaps achieved one or both marks in part (a) many students lacked the knowledge that they needed to select the correct branches and multiply the fractions together and the few that did were rewarded with the marks in part (b).

Question 28

There were very few correct answers in part (a). There seemed little evidence of an understanding that the solutions could be read from the graph. A significant number attempted an algebraic solution, but their algebraic abilities were insufficient for such a task.

In part (b) there were a few who got full marks but for those who knew to read from the intercepts often included 2 with 0.6 and 3.4. Some spoilt their answers by writing the two values as coordinates. Other errors included those who attempted to substitute values into the equation, then plot the points on the graph, using algebraic solving/factorising methods or stating the *y* value at the minimum point.

Question 29

Many started off knowing that they needed to multiply the dimensions 6, 4 and 10 but many failed to take into account that the end shape was a triangle and division by 2 was required. The biggest failing, after calculating the volume correctly, was to divide by 0.8 getting the answer 150. For those students that only omitted division by 2 there was a special case mark for the answer of 192.

Summary

Based on their performance on this paper, students should:

- accurately transcribe figures taken from the question, and taken from their own work
- avoid rounding or truncating answers, and to use the most accurate values in subsequent calculations
- ensure that their work is legible for examiners to consider awarding marks. For example, avoid any possible confusion when writing 1s and 7s, when writing 4s and 9s, and even when writing 0s and 6s.
- ensure that they include working out to support answers
- work on algebraic manipulation and derivation, and application of ratios, scaling and rates in preparing for future examinations.
- learn the meaning of technical terms such as “reciprocal”, the “term” of a sequence and error intervals
- continue to need practise answering response type questions where a written explanation is required.

Pearson Education Limited. Registered company number 872828
with its registered office at 80 Strand, London, WC2R 0RL, United Kingdom