Chhetri Academy

chhetriacademy.com

GCSE MATHS

Ratio, proportion and rates of change

Edexcel 1MA1 | Subtopic collection Topic 33

Compound interest, growth and decay

Higher tier

Answers and examiner comments

57	2003-2025	Higher
question groups	available papers	tier

Using this booklet

1. Answer numbers match the companion question booklet.
2. Follow the original question number on marking tables.
3. Examiner comments are included where available.

Name _____ **Date** _____

Some entries use full source marking material in an appendix. Any unavailable mark schemes are identified beside the relevant answer.

Original question 2

The full source mark scheme begins on page 81. Use the original paper code, tier and question number shown above.

Original question 15

The full source mark scheme begins on page 135. Use the original paper code, tier and question number shown above.

Original question 14

The full source mark scheme begins on page 186. Use the original paper code, tier and question number shown above.

19	(a)		56 Reason	2	B1 56° cao B1 sum of angles on a straight line is 180°
	(b)		22	1	B1 cao

1380/1F

19		$4000-\frac{10}{100}\times 4000=3600$ $3600-\frac{10}{100}\times 3600$	3240	3	M1 for $4000-\frac{10}{100}\times 4000$ or 0.9×4000 oe or 3600 or 400 or 3200 or 800 seen M1 (dep) $"3600"-\frac{10}{100}\times"3600"$ or "3600"×0.9 oe A1 cao **or** M2 for 4000×0.9^2 (M1 for 4000×0.9^3) A1 cao [SC: B2 for an answer of £4840, with or without working]

1380_3H
Summer 2010

13		4	2	M1 for an attempt to evaluate 2500 x 1.03^n for at least one value of *n* (not equal to 1) Or $\frac{2813.77}{2500}$ (=1.1255...) and 1.03^n evaluated, $n \geq 2$ Or finding at least two correct interest payments. ie 75 and 77.25 A1 for 4 cao

7	1200×1.035^3 Or 1200 × 1.035 = 1242 1242 × 1.035 = 1285.47 1285.47× 1.035 = 1330.46	1330.46	3	M2 for 1200×1.035^3 A1 1330.46 – 1330.47 Or M1 1200 × 1.035 M1(dep) for ‘ 1242’× 1.035 and ‘1285.47’× 1.035 A1 1330.46 – 1330.47 [SC: B1 for 42 or 84 or 126 or 1242 or 1284 or 1326 seen, if M0 scored]

5MB1H_01					
Question		**Working**	**Answer**	**Mark**	**Notes**
8	(a)		$25 \leq t < 30$	1	B1 for the interval $25 \leq t < 30$ described unambiguously
	(b)	12.5×6 + 17.5×4 + 22.5×24 + 27.5×44 + 32.5×10 + 37.5×4 =75+70+540+1210+325+150 = 2370 2370 ÷ 92	25.8	4	M1 for finding at least 4 products *fx* consistently within interval (including end points) M1 (dep) for use of at least 4 correct midpoints M1 (dep on first M) for $\frac{\Sigma fx}{\Sigma f}$ A1 25.76 – 25.8
	(c)	Cf table: 6, 10, 34, 78, 88, 92 Cf graph	Correct CF graph	3	B1 Correct cumulative frequencies (may be implied by correct heights on the grid) M1 for at least 5 of "6 points" plotted consistently within each interval A1 for a fully correct cf graph.
	(d)	Median at the (92+1)÷2 = 46.5 day temp IQR = UQ – LQ = 69.75th day temp – 23.25th day temp	Median = 25.4 IQR = 6.7	3	B1 for a median in the range 24.5−26.5 or B1 ft read off at CF = 46(.5) from a CF graph tol $\frac{1}{2}$ square M1 for reading off temps at CF= 69 or 69.75 (±0.5) and 23 or 23.25(±0.5) from a CF graph and subtracting A1 ft

5MB1H_01					
Question		**Working**	**Answer**	**Mark**	**Notes**
9		Gradient $= \frac{68-32}{20}$	$m = 1.8$, $k = 32$	3	M1 for attempting to find the gradient of the line eg from height ÷ base of a triangle with the line as hypotenuse A1 for $m = 1.7 - 1.9$ B1 for $k = 31$ - 33
10	(a)		0.8 0.6 0.2 0.4 0.5 0.5	2	B2 for all 6 correct probabilities (B1 for two correct probabilities)
	(b)	0.6 × 0.8	0.48	2	M1 for '0.6' × '0.8' ft probability tree diagram A1 cao
	(c)	1 – (0.4 × 0.5) 1 – 0.2 OR 0.6 × 0.8 + 0.6 × 0.2 + 0.4 × 0.5	0.8	3	M2 for 1 – '0.4' × '0.5' ft probability tree diagram A1 cao OR M2 for '0.6' × '0.8' + '0.6' × '0.2' + '0.4' × '0.5' (M1 for any two of '0.6' × '0.8', '0.6' × '0.2', '0.4' × '0.5'added) A1 cao

5MB1H_01				
Question	**Working**	**Answer**	**Mark**	**Notes**
11 (a)		Histogram Fd axis labelled say 0 to 8 5 – 10, fd = 1.6 10 – 12, fd = 7.5 12 – 16, fd = 6 16 – 20, fd = 4 20 – 25, fd = 2	3	M1 for fd axis labeled and 1 correct block or for one correct division eg 8 ÷ 5 or 1.6 A1 for at least 2 additional correct blocks or 2 additional frequency densities calculated A1 for completely correct histogram SC B2 for a fully correct but unlabeled histogram OR M1 for area key and 1 correct block A1 for at least 2 additional correct blocks A1 for completely correct histogram SC B2 for a fully correct but unlabeled histogram
(b)		32	2	M1 for 6 × 1 + 16 + 10 A1 cao

Question		Working	Answer	Mark	Notes
6		30000 × 20 ÷ 100 = 6000 30000 – 6000 = 24000 24000 ÷ 12 OR 30000 ÷ 12 = 2500 2500 × 20 ÷ 100 = 500 2500 – 500 OR 100 – 20 = 80 30000 × 80 ÷ 100 = 24000 24000 ÷ 12 OR 30000 ÷ 12 = 2500 2500 × 80 ÷ 100	2000	3	M1 for 30000 × 20 ÷ 100 oe (= 6000) M1 for (30000 – '6000') ÷ 12 A1 cao OR M1 for 30000 ÷ 12 (= 2500) M1 for '2500' – '2500' × 20 ÷ 100 oe A1 cao OR M1 for 100 – 20 (= 80) M1 for 30000 × 80 ÷ 100 oe and dividing by 12 A1 cao OR M1 for 30000 ÷ 12 (= 2500) M1 for '2500' × 80 ÷ 100 oe A1 cao

5MB2H_01

Question		Working	Answer	Mark	Notes
17		$6200 \times 1.025^3 =$ OR $6200 + \frac{2.5}{100} \times 6200 = 6355$ $6355 + \frac{2.5}{100} \times 6355 = 6513.875$ $6513.875 + \frac{2.5}{100} \times 6513.875 =$	6676.72	3	M2 for 6200×1.025^3 (= 6676.72...) (M1 for 6200×1.025^n, $n \neq 3$) A1 for 6676.72, accept 6676.71 or 6676.73 **OR** M1 for 6200×1.025 **or** for $6200 + \frac{2.5}{100} \times 6200$ oe **or** for 6355 or 155 or 465 or 6665 M1 (dep) for a complete compound interest method shown for 3 years A1 for 6676.72, accept 6676.71 or 6676.73 [SC B2 for 476.71 or 476.72 or 476.73 seen]

1MA0_2H

Original question 11

The full source mark scheme begins on page 247. Use the original paper code, tier and question number shown above.

2		$\frac{3}{100} \times 500 \times 4$ OR $\frac{500 \times 3 \times T}{100} = 60$ $T = \frac{60 \times 100}{500 \times 3}$	4	3	M2 correct method to calculate simple interest over 4 years eg, $\frac{3}{100} \times 500 \times 4$ or "15" × 4 (M1 correct method to simple calculate interest over one year, eg $\frac{3}{100} \times 500$ oe or 15 seen or 515 seen) A1 cao OR M1 for subs into $\frac{PRT}{100} = I$, eg $\frac{500 \times 3 \times ?}{100} = 60$ oe M1 for 15T = 60 or attempt to rearrange, eg, 1500T = 6000 A1 cao SC Award B1 for 4 from compound interest methods.

Question		Working	Answer	Mark	Notes
11		1700 + 1700 × 4 ÷ 100 = 1700 + 68 = 1768 1768 + 1768 × 4 ÷ 100 = 1768 + 70.72	1838.72	3	M1 for 1700 × 1.04 or 1700 + 0.04 × 1700 or for 1768 or 68 or 136 or 1836 seen M1 (**dep**) for "1768" × 1.04 or for "1768" + 0.04 × "1768" or "1768" + "70.72" A1 for 1838.72 cao (If correct answer seen then ignore any extra years) **Alternative method** M2 for 1700×1.04^2 or 1700×1.04^n $n > 2$ or digits 183872 seen A1 for 1838.72 cao [**SC**: Award B2 for 138.72 seen]

16	(a)		2.5	1	B1 cao
	(b)	$500 \times (1.025)^{12}$	672.44	2	M1 ft $500 \times$ ("1.025") ^{12} or 1.34… seen A1 672 or 672.44

Question		Working	Answer	Mark	Notes
16	(a)	154500 – 150000 $\frac{4500}{150000} \times 100$	3	3	M1 for 154500 – 150000 or 4500 M1 for $\frac{'154500-150000'}{150000} \times 100$ oe A1 cao **OR** M1 for $\frac{154500}{150000}$ (× 100) M1 for "$\frac{154500}{150000}$ × 100 " − 100 oe A1 cao
	(b)	154500 × $\frac{4}{100}$ + 154500 160680 × $\frac{4}{100}$ + 160680 or 154500 × 1.04^2	167107.20	3	M1 for 154500 × $\frac{4}{100}$ or 6180 **or** 12360 **or** 160680 **or** 166860 **or** 1.04 × 154500 M1 (dep) for (154500 + '6180') × $\frac{4}{100}$ or 6427.2(0) or ' 160680' × 1.04 A1 for 167107.2(0) as final answer **OR** M2 for 154500 × 1.04^2 (M1 for 154500 × 1.04) A1 167107.2(0) as final answer

1MA0_2H

11		1200×0.8^4	4	3	M1 0.8 or 960 or 2160 seen M1 for 0.8^n where n is 2 or greater or for 768 or 614.40 A1 cao and supported by working

5MB1H_01

Original question 13

The full source mark scheme begins on page 266. Use the original paper code, tier and question number shown above.

Original question 14

The full source mark scheme begins on page 281. Use the original paper code, tier and question number shown above.

10		20 000×0.85 = 17 000 17 000×0.9 = 15 300 15 300×0.9 = 13 770	3	4	M1 for a complete correct method to find 15% of 20 000 (=3000) or 100-15 (=85) M1 for a complete correct method to find 85% of 20 000 e.g. 20 000 – '3000' (=17000) or 20 000 × '0.85' (=17000) M1 for a complete method to find 90% of '17 000' A1 cao but MUST be supported: 3 without working scores 0 marks and 3 from incorrect working may gain some method marks.

PAPER: 5MB1H_01

Question		Working	Answer	Mark	Notes
15		Northway Bank: 6000 × 0.038 = 228 6000 + 228 = 6228 6228 × 0.038 = 236.664 6228 + 236.664 = 6464.664 Portland Bank: 6000 × 0.05 = 300 6000 + 300 = 6300 6300 × 0.032 = 201.6 6300 + 201.6 = 6501.6	Portland Bank with values	4	M1 for a correct method to calculate 3.8% or 5% of 6000 M1 for a correct method to calculate using a compound interest method, eg 1.038^2 oe or 1.05 followed by 1.032 oe A1 for 1.077444 or 1.0836 or for 6464.66(4) or 464.66(4) or for 6501.6(0) or 501.6(0) C1 for a correct decision in a statement with two correct comparable values e.g. for 7.7(444)% and 8.36 %, or for 6464.66(4) and 6501.6(0), or for 464.66(4) and 501.6(0) **NB** all final money values can be rounded or truncated to nearest integer or left unrounded

PAPER: 1MA0_2H

Question		Working	Answer	Mark	Notes
18	(a)		209.69 or 209.70	3	M1 for $200 \times \frac{3.3}{100}$ oe or 200×1.033 or 6.6(0) or 206.6(0) M1 (dep) for (200 + "6.6") $\times \frac{1.5}{100}$ oe or $200 \times 1.033 \times 1.015$ oe or 3.099 or 3.09 or 3.10 or an answer between 209.69 and 209.7 A1 for 209.69 or 209.7(0)
	(b)	Train Pay Diff Old 200 510 310 New 225 535.50 310.50 Diff 25 25.50 50p	Comparison	3	M1 for method to find cost of tickets before increase eg $\frac{225}{1.125}$ (=200) oe or $\frac{225}{112.5} \times 12.5$ oe or pay before increase, $\frac{535.50}{1.05}$ (=510) oe A1 for 25 (train) **and** 25.5(0) (pay) or 310 **and** 310.5(0) C1 (dep on M1) ft for statement comparing rises leading to conclusion based on two comparable amounts eg pay increase greater than train increase

12		$\frac{11264}{27500}$ (= 0.4096) $0.8^n = 0.4096$	4	2	$\frac{11264}{27500}$ (= 0.4096) M1 for and 0.8^n evaluated for n = 2 OR attempt to evaluate 27500×0.8^n for at least one value of n (not equal to 1) OR finding at least 2 deductions, ie 2 of 5500, 4400, 3520 A1 for 4 cao

Paper: 5MB3H_01

Question		Working	Answer	Mark	Notes
14			2700	3	M1 for a correct method to find 25% of 4800 (= 1200) M1 for a fully complete and correct method to find the value of the car at the end of 2015 A1 cao OR M2 for $4800 \times (0.75)^2$ A1 cao

Original question 14

The full source mark scheme begins on page 302. Use the original paper code, tier and question number shown above.

Original question 10

The full source mark scheme begins on page 320. Use the original paper code, tier and question number shown above.

13			5	2	M1 for 1.15^n for integer $n > 1$ or 2.01...seen (may be as part of a calculation using a starting value, eg '1000'×1.15×1.15×1.15×1.15×1.15 or 2011.3...) A1 for 4.95 – 5

Original question 8

The full source mark scheme begins on page 334. Use the original paper code, tier and question number shown above.

2		4	3	M1 $\frac{4.5}{100} \times 300$ (=13.5) or $\frac{104.5}{100} \times 300$ (=313.5) oe M1 50 ÷ "13.5" (=3.7) or at least 3 repeated addition of "13.5" A1 cao SC B1 for $1.045^n \times 300$

5MB3H/01 June 2015

Original question 7

The full source mark scheme begins on page 348. Use the original paper code, tier and question number shown above.

Original question 13

The full source mark scheme begins on page 362. Use the original paper code, tier and question number shown above.

PAPER: 1MA0_2H

Question		Working	Answer	Mark	Notes
15			No (supported)	4	M1 for a correct method to calculate 77% of 15000 or 0.77 seen eg. 15000 × 0.77 oe (= 11550) or $15000 - \frac{23}{100} \times 15000$ oe (= 15000 – 3450 = 11550) M1 for demonstrating a correct compound interest method over 3 years, eg "11550" × 0.82 (=9471) **and** "9471" × 0.82 (=7766.22) or "11550" × 0.82^2 or 0.77×0.82^2 (=0.517748) A1 for 7766(.22) or 0.51(7748) or 0.48(2252) C1 ft (dep on M2) for a statement giving the correct decision for their calculated values

PAPER: 5MB1H/01

Question		Working	Answer	Mark	Notes
11			3	2	M1 for an attempt to evaluate 2800×1.025^n for at least one value of n (with $n > 1$) OR $\frac{3000}{2800}$ (=1.0714..) and 1.025^n evaluated (n>1) OR finding at least two correct interest payments (ie 70 and 71.75) A1 cao

21		7	2	M1 for $6000 \times (1.03)^n$ for $n > 2$ OR M1 for $7379.24 \div 6000$ (= 1.2298733) A1 cao

PAPER: 5MB3H_01

Original question 14

The full source mark scheme begins on page 376. Use the original paper code, tier and question number shown above.

Question	Working	Answer	Mark	Notes
6		Secure Bank (supported)	P1	for a process to work out the interest after one year e.g. 0.02 × 25000 (=500) or 0.043 × 25000 (=1075) or for 1.02 or 25500 or 1.043 or 26075
			P1	for process to find value of the investment after 3 years or the multiplicative factor for 3 years at one of the banks, e.g. 25000 × 1.02 × 1.02 × 1.02 oe (= 26530…) or 1.02^3 (= 1.0612…) or 25000 × 1.043 × 1.009 ×1.009 oe (= 26546…) or 1.043 × 1.009 ×1.009 (= 1.0618.....) [accept total interest of 1530.. or 1546.. if final values of investment are not found]
			C1	for Secure Bank from correct figures, eg. 26530.. and 26546.. or 1530… and 1546… or 1.0612... and 1.0618…

Question	Working	Answer	Mark	Notes
10		6 (%)	P1 P1 A1	for y^5 oe or $8029.35 \div 6000$ for a process to find $1+x$ e.g. $\sqrt[5]{(8029.35 \div 6000)}$ or 1.06 or 1.0599.. 5.99 to 6

13 (a)		58600	M1	for a complete method, eg 50000×1.02^8 (= 58582(.969...)) or for finding the increase in value of the company after 8 years, eg 8582(.969...) or 8600
			A1	cao
(b)		4.5	P1	for a process to find multiplier for 6 year period, eg 325 ÷ 250 oe (= 1.3) or 130(%) or for $250000 \times y^6 = 325000$
			P1	for a process to find multiplier for one year, eg ("1.3")$^{\frac{1}{6}}$ or 1.044…or 1.045
			A1	4.4 – 4.5

Paper: 1MA1/2H

9	12 508.7(0)	P1 P1 P1 A1	for start of process to find interest rate for year 1 eg 12336 ÷ 12000 (=1.028) **or** (12336 – 12000) ÷ 12000 (=0.028) **OR** forms a suitable equation, eg 12000 × $(1 + \frac{x}{100})$ = 12336 for complete process to find the interest rate for year 1 eg (“1.028” – 1) × 100 (=2.8) **or** “0.028” × 100 (=2.8) **OR** correct process to solve correct equation eg (12336 – 12000) ÷ 120 (=2.8) for complete process to find the value at the end of 2 years eg (“2.8” ÷ 2 + 100) ÷ 100 × 12336 accept 12508.7 to 12508.71 **or** 12509	 Rate of interest = 2.8, or x = 2.8 implies P2 12509 must come from correct working

Paper: 1MA1/2H

4 (a)	Ben (supported)	P1	shows how to work interest out for one year eg 2000 × 0.025 (= 50) **or** 1600 × 0.035 (= 56) **or** 150 **or** 168 **or** 2000×1.025 (= 2050) **or** 1600 × 1.035 (= 1656)	Throughout accept figures ±1 pence which do not need to be presented in money notation (to 2dp) or with monetary symbols.
		P1	shows compound interest calculation for one account eg 2050→51.25 **or** 2101.25→52.53 **or** 1656→57.96 **or** 1713.96→59.99 eg 2000×1.025^3 (= 2153.78) **or** 1600×1.035^3 (= 1773.95)	Award mark for a correct process shown, for which these figures can be taken as implying the process.
		P1	shows complete compound interest calculation for both accounts eg 2000×1.025^3 (= 2153.78) **and** 1600×1.035^3 (= 1773.95) OR one interest stated correctly eg 153.78 **or** 173.95	As above, award mark for both correct processes shown for both accounts, which these figures can be taken as implying the process.
		C1	Ben (shares) supported by 153.78 **and** 173.95	Accept an answer of "shares".

Paper: 1MA1/2H				
Question	**Answer**	**Mark**	**Mark scheme**	**Additional guidance**
4 (b)	conclusion	C1	conclusion (ft) eg no change, shares now 182.5… **Acceptable examples** no since shares/Ben now 182.5 Still Ben since 182.5 > Ali No; he only gets 8.57 more No; he gets 68.56 instead of 59.98 (3rd yr) No; Ben already gets more interest, he would just get even more **Not acceptable examples** no shares now 182.5 Still Ben since less than Ali 182.5 > 153.78 no; he needs 20.17 more	Conclusion needs to be supported. ft is from part (a); calculations carried out as part of (b) need to be correct for the comparison to be valid.

2	12272.70 12272.71 or 12272.72	M1 M1 A1	for evidence of using a correct first step eg 200000 × 0.015 (= 3000) or 200000 × 1.015 (= 203000) for evidence of a compound interest method eg 203000 × 0.015 (= 3045) or 203000 × 1.015 (= 206045) **or** 206045 × 0.015 (= 3090.675) or 206045 × 1.015 (= 209135.675) **or** 209135.675 × 0.015 (= 3137.035...) or 209135.675 × 1.015 (212272.710...) **or** 200000 × 1.015^t, $t \geq 2$ for 12272.7(0) or 12272.71 or 12272.72 SC B2 for 212272.7(0) or 212272.71 or 212272.72	values may be rounded or truncated to 2 dp

Paper: 1MA1/3H

Paper: 1MA1/2H

Question	Answer	Mark	Mark scheme	Additional guidance
13	2.2	P1	works out interest for one year, eg 3550×0.026 (= 92.3(0)) **or** 3550×1.026 (=3642.3(0))	
		P1	for compound interest calculation, eg 3550×1.026^2 (= 3736.9…) **or** for an answer given as 0.0219… or 1.0219…	
		A1	answer in range 2.19 to 2.2	If an answer in the range is seen in working and then incorrectly rounded award full marks

Paper: 1MA1/2H

Question	Answer	Mark	Mark scheme	Additional guidance
22 (a)	163 or 164	P1	uses formula eg 1.2 × 200 – 50 (= 190)	
		P1	for complete process, eg May: 1.2 × "190" – 50 (= 178) **and** June: 1.2 × "178" – 50 (= 163.6)	
		A1	for 163 or 164	
(b)	Statement	C1	(dep P1) ft statement, eg there won't be any rabbits, fewer rabbits, decrease	

Paper: 1MA1/2H

Question	Answer	Mark	Mark scheme	Additional guidance
8 (a)	580	M1	for method to find value before increase eg 551 ÷ 0.95	
		A1	cao	
(b)	6354.67	M1	for 6000 × 1.024 oe (= 6144)	
		M1	for "6144" × 1.017^2 oe	6000 × 1.024 × 1.017^2 scores M2
		A1	for 6354.66 **or** 6354.67 **or** 6354.68	If correct answer is stated then subsequently rounded isw and award 3 marks If correct answer stated and then interest only given as the answer award M2A0

Paper: 1MA1/2H

Question	Answer	Mark	Mark scheme	Additional guidance
10	344 580.48	P1	for a start to the process to find the initial investment eg 344 605 ÷ 1.025 oe (= 336 200) **or** for 1.025^3 (= 1.07689….)	
		P1	for complete process to find original investment, eg 344 605 ÷ 1.025^3 oe (= 319 078 to 320 265)	
		P1	for [initial investment] × 1.02^2 × 1.035 oe	[initial investment] must be clearly what they believe to be that and cannot be 344605
		A1	for answer in the range 343 587 to 344 581	

19	0.95	P1 P1 A1	for initial use of the formula eg $3610 = kP_n$ or $P_{n+1} = 4000k$ or for $P_{n+2} = k^2P_n$ or for $3610 = k^2 \times 4000$ for a complete method to find k eg $\sqrt{\frac{3610}{4000}}$ or ± 0.95 oe	Accept n or any integer replacement for n This may be seen in steps

Paper: 1MA1/3H	

Paper: 1MA1/2H

Question	Answer	Mark	Mark scheme	Additional guidance
6	600.74	M1	works out decrease for one year eg $679 \times 4 \div 100$ (= 27.16) oe **or** $679 \times (100 - 4) \div 100$ (= 651.84) oe	Implied by 679×0.12 (= 81.48) or 679×0.88 (= 597.52)
		M1	for compound method, eg $679 \times$ "0.96"^{t}, $t \geq 2$ **or** "651.84" × "0.96" (= 625.76..) **or** "651.84" × 0.04 (= 26.07) **or** for answers in the range 600.71 to 600.74	Values may be rounded or truncated
		A1	for 600.71 **or** 600.72 **or** 600.73 **or** 600.74	If correct answer seen, and then difference found award M1M1A0

Paper: 1MA1/3H

Question	Answer	Mark	Mark scheme	Additional guidance
10	24000	P1	for use of either 0.9 or 0.875 or for 18900 (after 2 years)	
		P1	for using $0.9^2 \times 0.875$ (= 0.70875) oe or for 21000 (after 1 year)	
		A1	cao	

20	44 384	P1	for process to find a, eg. $29\,600 = 24\,000a + 800$ or (a =) 1.2 oe	
		P1	for (P_{2020} =) "1.2" × 29 600 + 800 (= 36 320)	
		P1	for (P_{2021} =) "1.2" × "36 320" + 800	
		A1	cao	

Paper: 1MA1/3H

6	7318.15	M1 M1 A1	for a correct first step eg working out increase for one year 7000 × (100 + 3) ÷ 100 (= 7210) oe **or** 7000 × 3 ÷ 100 (= 210) oe **or** find the multiplier for both years eg (100 + 3) ÷ 100 × (100 + 1.5) ÷ 100 (=1.04545) for a compound method, eg 7000 × (100 + 3) ÷ 100 × (100 + 1.5) ÷ 100 oe **or** "7210" × 1.5 ÷ 100 or (= 108.15) oe cao	7315 or 315 implies M1 318.15 implies M1M1A0

Paper: 1MA1/2H

Paper: 1MA1/2H

Question	Answer	Mark	Mark scheme	Additional guidance
10	17500	P1	for a process to find the value at the end of year 1, eg 10914.75 ÷ 0.81 (= 13475) **or** 10914.75 ÷ 0.77 (= 14175) **or** for finding the combined multiplier, eg 0.77 × 0.81 (= 0.6237)	
		P1	for a complete process to find the initial value, eg "13475" ÷ 0.77 **or** "14175" ÷ 0.81 **or** 10914.75 ÷ "0.6237"	
		A1	cao	

12	(a)	6	M1	for an attempt to evaluate 1.13^n for at least one value of n (with $n > 1$)	1.13, 1.27…, 1.44…, 1.63…, 1.84…, 2.08… May be used with a value Values rounded or truncated to 2dp or better
			A1	6 years coming from finding n such that $1.13^n > 2$	
	(b)	Explanation	C1	for explanation **Acceptable examples** it will decrease the number of years will go down we can't tell (as we don't know how much it is increasing by) it will be an overestimate **Not acceptable examples** it will increase it will be an underestimate	

Paper: 1MA1/2H

8	Rachel supported	P1	for process to begin to work with percentage for year 1 for Tamsin or Rachel, eg 150000 × 0.04 (= 6000) oe or 150000 × 1.04 (= 156000) oe **or** 160000 × 0.015 (= 2400) oe or 160000 × 1.015 (= 162400) oe	May be implied by 12000 or 4800 or 162000 or 164800
		P1	for process to use compound interest for Tamsin or Rachel, eg "156000" × 0.04 (= 6240) oe or "156000" × 1.04 (= 162240) oe **or** "162400" × 0.015 (= 2436) oe or "162400" × 1.015 (= 164836) oe or 1.04^2 (= 1.0816) or 1.015^2 (= 1.030225) **OR** for process to begin to work with percentage increase for Tamsin **and** Rachel for one year, eg 150000 × 1.04 (= 156000) oe **and** 160000 × 1.015 (= 162400) oe	values may be rounded or truncated to 3 sf May be implied by 162000 **and** 164800
		P1	for full process to find figures to compare, eg Tamsin for 2 years **and** Rachel for 2 years eg 150000 × 1.04^2 (= 162240) oe **and** 160000 × 1.015^2 (= 164836) oe **OR** Tamsin for 2 years **and** Rachel for 1 year eg 150000 × 1.04^2 (= 162240) oe **and** 160000 × 1.015 (= 162400) oe	Other comparisons are possible
		C1	for Rachel with supporting figures, eg 162240 **and** 164836 **or** 162240 **and** 162400 **or** other valid conclusion with supporting comparable figures	Note that the figure used to compare for Rachel can be the figure after 2 years or after 1 year

Paper: 1MA1/2H

Paper: 1MA1/1H

Question	Answer	Mark	Mark scheme	Additional guidance
16 (a)	4.5	P1	for initial use of formula, eg $6 = 8k$	
		P1	for a full process to find P_3 eg $"\frac{6}{8}"\times 6$	
		A1	oe	
(b)	Explanation	C1	for explanation **Acceptable examples** Yes, the population will increase as k is over 1 She is correct because 1.05 > 1 Yes, each year the population will increase by 5% Yes, because 0.75 + 0.3 = 1.05 Yes, a 0.3 increase is greater than the current 0.25 decrease **Not acceptable examples** Yes, the population will increase each year Yes, because there is an increase in k No because 0.3 is less than 0.75	If figures are given as part of the answer they must be correct, but can allow ft

Question	Answer	Mark	Mark scheme	Additional guidance
3	4811.20	M1	for a full method for one year, eg 4500 × 1.034 (= 4653) oe **OR** for a full method for 2 years, eg 4500 × 1.034^2 oe	Can be implied by 4806 or 9306
		A1	for 4811.2(0)	Accept 4811.202 and 4811.21

Paper: 1MA1/3H

Question	Answer	Mark	Mark scheme	Additional guidance
4	29 775	P1	for evidence of using a correct first step eg 25 000 × 0.06 (= 1500) or 25 000 × 1.06 (= 26 500)	
		P1	for evidence of a "compound interest" process eg "26 500" × 0.06 (= 1590) or "26 500" × 1.06 (= 28 090) **or** $25\,000 \times 1.06^t$, $t \geq 2$	
		P1	for a complete process eg $25\,000 \times 1.06^3$ (= 29 775.4)	P3A0 is implied by 4775 or 4776 or 4780 or 4800
		A1	for 29 775 or 29 776 or 29 780 or 29 800 SCB1 for 3000 or 4500 or 28000 or 29500 seen if P0 scored	

14	4400	P1	for start to processes needed to find the investment, eg 2937.14 + 1000 (= 3937.14) **OR** starts to work with algebra, eg $P \times 1.035 - 750$	
		P1	for process to find amount of money at the beginning of 2023 after the first withdrawal, eg "3937.14" ÷ 1.035 (= 3804) or [value] ÷ 1.035 **OR** writes down complete equation, eg $(P \times 1.035 - 750) \times 1.035 - 1000 = 2937.14$	[value] can be 2937.14 or 2937.14 + 750 or 2937.14 + 1750
		P1	for complete process, eg ("3804" + 750) ÷ 1.035 **OR** for a start to the process to solve the equation to find $1.035P - 750$ eg $P \times 1.035 - 750 = \frac{2937.14 + 1000}{1.035}$ or $1.035P - 750 = 3804$ **or** for a start to the process to solve the complete equation eg $1.035^2P - 776.25 = 2937.14 + 1000$ or $1.035^2P - 1000 = 2937.14 + 776.25$ or $1.035^2P = 2937.14 + 776.25 + 1000$	
		A1	cao	A correct answer with no supportive working gets 0 marks

Paper: 1MA1/3H

Question	Answer	Mark	Mark scheme	Additional guidance
12 (a)	4775.38	M1	for a method to find the value after 1 year, eg 4500 × 1.024 (= 4608) oe	
		M1	for a complete method to find the value after 3 years, eg "4608" × 1.018^2 or "4608" × 1.018 (= 4690.944) **and** "4690.944" × 1.018 oe	Award of this mark implies the first M1 May be seen in more than 1 calculation M2A0 is implied by 275.37 or 275.38 Correct answer not rounded to 2dp gains M2A0
		A1	accept 4775.37 SCB1 for 4770 or 4824 if M0 scored	
(b)	26	P1	for a start to the process, eg 4107 ÷ 7500 (= 0.5476)	0.74 implies P1
		P1	for a process to find percentage change eg $\sqrt{"0.5476"} \times 100\ (= 74)$ or $\left(\sqrt{"0.5476"} - 1\right) \times 100\ (= -26)$ **or** $1 - \sqrt{"0.5476"}$ (= 0.26)	
		A1	cao	

Paper: 1MA1/3H

Question	Answer	Mark	Mark scheme	Additional guidance
18	Shown	M1	for beginning to find K eg $2400 = K \times 2000$ **or** $K = 1.2$ oe	M marks can be awarded in either order
		M1	For a correct method to find the value for 2021 or 2022, eg $2400 \times "1.2"\ (= 2880)$ **or** $2400 \times ("1.2")^2\ (= 3456)$ **or** $2000 \times ("1.2")^2\ (= 2880)$ **or** $2000 \times ("1.2")^3\ (= 3456)$ **OR** method to find rate leading to 3000 in 2022, eg $\sqrt[3]{\frac{3000}{2000}}\ (= 1.144...)$	$1.2^2 = 1.44$
		C1	for comparative figures eg 3456 (and 3000) **OR** 3000 ÷ 2880 = 1.041... **and** 1.2 **OR** 1.144… **and** 1.2	3000 need not be restated to award this mark If comparison made with 2023 or beyond do not award C1

GCSE

Mark Scheme

Mathematics A (1387)

June 2003

Edexcel
Success through qualifications

Edexcel is one of the leading examining and awarding bodies in the UK and throughout the world. We provide a wide range of qualifications including academic, vocational, occupational and specific programmes for employers.

Through a network of UK and overseas offices, Edexcel's centres receive the support they need to help them deliver their education and training programmes to learners.

For further information please call our Customer Response Centre on 0870 240 9800, or visit our website at www.edexcel.org.uk.

June 2003

Publications Code UG014129

All the material in this publication is copyright
© London Qualifications Ltd 2003

CONTENTS

Notes on Marking Principles 2
Paper 5501 4
Paper 5502 11
Paper 5503 17
Paper 5504 24
Paper 5505 32
Paper 5506 40

NOTES ON MARKING PRINCIPLES

NOTES ON MARKING PRINCIPLES

1 Three types of mark are available

M marks - awarded for correct working seen or implied.
A marks - conditional accuracy marks which are awarded for accurate working following the award of M marks.
B marks - unconditional accuracy marks (independent of M).

2 Abbreviations

cao - correct answer only.
ft - follow through.
√ - Denotes a "follow through" answer.

SC - special case.
isw - ignore subsequent working.
oe - or equivalent (and appropriate).
NB: a candidate cannot benefit from both isw and ft.

3 If no working shown, then

correct answers normally score full marks
incorrect (even though nearly correct) answers score no marks.

4 Marking instructions

Misread loses A marks (and sometimes B marks) on that part but ft can be allowed on subsequent parts. M marks can still be earned. If in doubt contact your team leader.
If there is a wrong answer in the answer space DO CHECK the working in the body of the script.

- If it is clear from working that the "correct" answer has been obtained from incorrect working, award no marks. If in doubt contact your team leader.
- If there is a wrong answer in the answer space DO CHECK the working in the body of the script.
- If it is clear from working that the "correct" answer has been obtained from incorrect working, award no marks. If in doubt contact your team leader.

5 Style of marking

Answer correct: tick and write part mark in margin NEXT TO BRACKETED MARK.
Answer incorrect: cross, but show M, A or B marks if any earned in body of script and transfer the total of these to the margin next to the bracket mark.
Total for each double page at bottom right page (except for back if used), FINAL TOTAL IN RELEVANT BOX ON FRONT COVER.
Nought in margin for fully incorrect question or page AND FOR NO ATTEMPT.
Where no attempt has been made a line should be put in the answer space and zero in the margin next to the bracketed mark
CHOICE OF METHOD – No marks unless one answer is in answer space – then mark that.
CROSSED OUT WORK - if not replaced this should be marked (if legible).
There must always be a mark next to bracketed mark in the margin/

6 Follow Through Marks

Follow throughs are guided by two principles:

(a) Follow throughs which involve a single stage calculation can be awarded without working since you can check the answer yourself, but if ambiguous, do not award.

(b) Follow throughs which involve more than one stage of calculation can only be awarded on sight of the relevant working, even if it appears obvious that there is only one way you could get the answer given.

7 Probability

Probability answers must be given as fractions, percentages or decimals. If a candidate gives a decimal equivalent to a probability, this should be written to at least two decimal places (unless tenths).

Incorrect notation should lose the accuracy marks, but be awarded any implied method marks.

8 Linear Equations

Full marks can be gained if the solution alone is given on the answer line, or otherwise unambiguously indicated in working (without contradiction elsewhere). Where the correct solution only is shown substituted, but not identified as the solution, the accuracy mark is lost but any method marks can be awarded.

9 Parts of questions

Unless allowed by the mark scheme, the marks allocated to one part of the question CANNOT be awarded in another.

Paper 5501

No	Working	Answer	Mark	Notes
1 (a)		46	1	B1 cao
(b)		3.4	1	B1 oe
(c)		Arrow at 430	1	B1 allow ± half graduation
(d)		Arrow at 3.7	1	B1 allow ± half graduation Accept indications other than arrows as long as they are clear
2		1.60 2.05	2	B1) Condone B1) reversal
3 (a)	$\frac{18}{24}$ or $\frac{9}{12}$ or $\frac{6}{8}$	$\frac{3}{4}$	2	B2 for $\frac{3}{4}$ cao (B1 for $\frac{18}{24}$ or $\frac{9}{12}$ or $\frac{6}{8}$) SC B1 for $\frac{1}{4}$ only
(b)		16 squares shaded	1	B1 cao
4 (a)		line	1	B1 within overlay tolerance
(b)		midpoint	1	B1 within overlay tolerance ft from (a) ± 0.2cm
(c)		rectangle	1	B1 for rectangle 6 cm ± 0.2cm by 4 cm ± 0.2cm
5		kilograms, kg litre, *l* or cubic metres, m^3 inches, in	3	B1 B1 B1
6 (a)		parallel lines marked	1	B1
(b)		right angle marked	1	B1
(c)(i)		acute	1	B1
(ii)		reflex	1	B1

Paper 5501

No	Working	Answer	Mark	Notes
7 (i)		sphere	1	B1
(ii)		cylinder	1	B1 Accept circular prism
(iii)		pyramid	1	B1 Condone omission of "triangular" Accept tetrahedron
8 (a)(i)		40	2	B1 cao
(ii)		50		B1 cao
(b)		5 complete symbols	1	B1 cao
(c)		 and oe inc	1	B1
9 (i)		9, 37, 56, 59, 75	5	B1 cao
(ii)		0.067, 0.56, 0.6, 0.605, 0.65		B1 cao Ignore trailing zeros
(iii)		–10, –6, –4, 2, 5		B1 cao
(iv)		$\frac{2}{5}, \frac{1}{2}, \frac{2}{3}, \frac{3}{4}$		B2 for all 4 correct (B1 for any 3 in correct order) SC B1 for all 4 in reverse order (applies to(iv) only)
10 (a)			1	B1
(b)		Plotting (4, 24)	1	B1 ft from their matchsticks
(c)		60	1	B1 cao
(d)		$m = 6n$	2	B2 for $m = 6n$ oe (B1 for $6n$ oe or m = multiple of n except $m = n$)
11 (i)		6, 12	4	B1 cao
(ii)		4, 16		B1 cao
(iii)		3, 4, 6 or 3, 4, 6, 12		B1 Condone omission of 12
(iv)		8, 27		B1 cao

Paper 5501

No	Working	Answer	Mark	Notes
12		2.43	4	B1 for 36 or 0.36 B1 for 96 or 0.96 B1 for 125 or 1.25 If none of first 3 B1s awarded then SC B1 for four 24s and five 25s seen OR 4 × 24 and 5 × 25 seen B1 for 2.43 cao
13 (a)(i)		Edinburgh and Plymouth	3	B1 for Edinburgh or −7 B1 for Plymouth or 5
(ii)		12		B1ft from (i) if one positive and one negative
(b)		Cardiff and Belfast London and Plymouth	2	B1 for Cardiff and Belfast OR −6 and −4 B1 for London and Plymouth OR 3 and 5
14		5 9 8	3	B1 cao B1 cao B1 cao
15 (a)			2	✓ × : 2 0 B2; 1 0 B1; 1 1 B1; 2 1 B1
(b)	$2 \times 2 \times 2$	8	2	M1 for $2 \times 2 \times 2$ A1 for 8 cao
16 (a)		30	1	B1 cao
(b)		3	1	B1 cao
(c)	$2 \times 29 = 58$ $5 \times 30 = 150$ $2 \times 31 = 62$ $1 \times 32 = 32$ $\frac{302}{10} = 30.2$	30.2	3	M1 for freq × no pins M1 (dep on 1st M1) for totalling and ÷ 10 A1 for 30.2 cao

Paper 5501				
No	**Working**	**Answer**	**Mark**	**Notes**
17		7 5 5 13 33 52 23	3	B3 all correct (B2 for 4, 5 or 6 correct B1 for 2 or 3 correct)
18 (a)(i) (ii) (iii) (iv) (b)		$4c$ p^4 $8g$ $10pr$ OR $10rp$ $10y - 15$	4 1	B1 oe B1 cao B1 oe B1 B1 cao Accept $10y + -15$
19		$\frac{2}{3}$	3	M1 for 3 rows (9 squares) shaded M1 for 2 columns (10 squares) shaded A1 for $\frac{2}{3}$
	$\frac{3}{5} = \frac{9}{15}$ $\frac{2}{3} = \frac{10}{15}$	$\frac{2}{3}$	3	M1 for $\frac{3}{5} = \frac{9}{15}$ M1 for $\frac{2}{3} = \frac{10}{15}$ A1 for $\frac{2}{3}$
	$\frac{3}{5} = 0.6$ $\frac{2}{3} = 0.66$ or 0.67 or better	$\frac{2}{3}$	3	M1 for $\frac{3}{5} = 0.6$) Accept M1 for $\frac{2}{3} = 0.66$ or 0.67 or better) percentages A1 for $\frac{2}{3}$

Paper 5501

No	Working	Answer	Mark	Notes
20 (a)	955 × 48 7640 38200 45840 OR 48 × 955 240 2400 43200 45840	458.40	3	M1 for complete correct method (condone one computational error) A2 for 458.40 cao (A1 for digits 4584 OR ft if M1 awarded)
(b)	14. 5 48 | 696. 0 48 216 192 24 0 24 0	14.50	3	M1 for 1 as first digit in answer and remainder 21 M1 (dep) 4 as second digit in answer A1 for 14.50 (Accept 14.5)
21 (a)		$12x$	1	B1 oe
(b)		$12x + 10y$	2	B2 oe ft from (a) (B1 $12x$ + multiple of y or $10y$ seen) SC B1 for $x = 12x + 10y$ OR $y = 12x + 10y$

Paper 5501

No	Working	Answer	Mark	Notes
22	$\frac{1}{3}+\frac{1}{4}=\frac{4}{12}+\frac{3}{12}=\frac{7}{12}$ $1-\frac{7}{12}=\frac{5}{12}$	$\frac{5}{12}$	3	M1 for $\frac{4}{12}$ **and** $\frac{3}{12}$ oe A2 for $\frac{5}{12}$ oe (A1 for $\frac{7}{12}$) B1 for 1–"$\left(\frac{1}{3}+\frac{1}{4}\right)$" correctly evaluated
	$1-\frac{1}{3}=\frac{2}{3}$, $1-\frac{1}{4}=\frac{3}{4}$ $\frac{8}{12}-\frac{3}{12}=\frac{5}{12}$ or $\frac{9}{12}-\frac{4}{12}=\frac{5}{12}$	$\frac{5}{12}$	3	B1 for $\frac{2}{3}$ or $\frac{3}{4}$ seen M1 for $\frac{8}{12}-\frac{3}{12}=\frac{5}{12}$ or $\frac{9}{12}-\frac{4}{12}=\frac{5}{12}$ A1 for $\frac{5}{12}$ oe
		$\frac{5}{12}$	3	M1 for 0.25 and 0.33 or better A1 for 0.58 or better A1 for $0.41\dot{6}$ or recurring
23 (a) (b)(i) (ii)	 180 – (54 + 54)	54 72 Reason	1 3	B1 cao M1 for 180 – (54 + 54) A1 ft from (a) if $x < 90$ B1 for mentioning isosceles and equal or base angles or equal sides and equal or base angles

Paper 5501

No	Working	Answer	Mark	Notes
24 (a)		Bryani	2	M1 for 4×9 or $4 \times 3 \times 3$ or $4 \times x \times x$ or square x first or square 3 first A1 SC 4×3^2 with Bryani scores B2
(b)		64	1	B1 cao
25 (a)		 dotted line may be solid	3	B2 for rectangle base 3 squares and height 4 squares (B1 for rectangle with one correct dimension) B1 for horizontal line 1 cm from top) SC B2 for completely correct elevation on its side
(b)			2	B2 for perspective drawing showing slant face and cutout B1 for perspective drawing with either slant face cutout omitted
26 (a)	20×2 or $\frac{20}{30} \times 60$ or $20 \div \frac{1}{2}$	40	2	M1 for 20×2 or $\frac{20}{30} \times 60$ or $20 \div \frac{1}{2}$ A1 cao
(b)	$\frac{20}{60}$ or $\frac{1}{3}$ or 20 minutes	line from (45, 20) to (65, 0)	2	M1 for $\frac{20}{60}$ or $\frac{1}{3}$ or 20 minutes seen A1 for correct line SC If M0, B1 for line from (45, 20) to (t, 0) where $t > 45$ or B1 for a line of the correct gradient.

Paper 5502

No	Working	Answer	Mark	Notes
1 (a)		$\frac{7}{100}$	1	B1 cao accept 0.07
(b)		0.18	1	B1 cao
(c)	20 in 100 oe	40	2	M1 for sight of 20 in 100 or 20 × 2 A1 cao
2 (a)		6cm	2	B1 for 6 ± 0.2 or 60 ± 2 B1 indep for cm or mm consistent with 1st B1
(b)		At centre	1	B1 within overlay
(c)		Circle drawn	1	B1 all within overlay
3		See diagram	3	B3 all correct – see separate sheet (B2 for 3 correct B1 for 2 correct)
4 (a)		$\frac{1}{4}$ oe	1	B1 cao
(b)		0.75	1	B1 cao
(c)		75%	1	B1 cao
(d)(i)		9	2	B1 accept answer in range 9 - 9.2
(ii)		15 - 16		B1 accept answers in range15 - 16
5 (a)		9:30	1	B1 cao
(b)		2hrs 45 min	2	B2 for 2hr 45 min or 2 $\frac{3}{4}$ hr or 165 minutes B1 2:45 or 2.45 or 165 or 45min + 1hr + 1hr oe
(c)		17	1	B1 cao
6 (a)	96 × 4	3.84	2	M1 for 96 × 4 or digits 384 A1 cao
(b)	3 × 96 + 40 = 328	(0).56	2	M1 for 3 × 96 + 40 or digits 328 or digits 56 A1 cao accept 56p

Paper 5502

No	Working	Answer	Mark	Notes
7 (a)		54 000	1	B1 cao accept 54 thousand
(b)		50 000	1	B1 (accept ten thousand or 10 000) oe
8 (a)		14	1	B1 cao
(b)		6	1	B1 cao
(c)		Correct reflection	2	B2 fully correct (B1 correct reflection in a line parallel to the mirror line or condoning 1 block error in shape or position of shape)
9 (a)		Missing horiz label 1 (and 6) missing on vertical scale	2	B1 B1
(b)		Correct graph	2	B1 for bar up to 4 for yellow B1 for bar up to 2 for green
(c)		Blue	1	B1 cao
(d)	3 + 5 + 4 + 2	14	1	B1 ft from (b)
(e)		$\frac{3}{14}$	1	B1 ft on '14'
10	Barry (8) because you double Kath (7) because you add, 1,2,3		2	B1 oe B1 oe SC: B1 for correct rules only
11 (a)		$2n$	1	B1 for $2n$ or $n + n$ OR $2 \times n$ OR $n \times 2$ OR $n2$
(b)		$2n + 15$	1	B1 for "$2n$" + 15 oe
(c)		20q	1	B1 cao
12 (a)	1 + 3 + 5 + 8 + 5	22	2	M1 add frequencies A1 cao
(b)		No, is>no of cups of coffee in the table	1	B1 'average cannot be bigger than 6' oe OR 'Average must be less than 6 oe'
13 (a)		Trapezium	1	B1 cao ignore spelling
(b)		(2, 3)	1	B1 cao
(c)		Isosceles	1	B1 cao ignore spelling
(d)		Q correct	1	B1 cao

Paper 5502

No	Working	Answer	Mark	Notes
14 (a)		250 000	1	B1 cao
(b)	$\frac{28}{4}$	7	2	M1 for $\frac{28}{4}$ oe or "250000" × 28 A1 cao **SC** B1 for 7 000 000
15 (a)		10	1	B1 cao
(b)		5.5	1	B1 ±0.3 pounds
(c)	$\frac{110}{22}$	50	3	M1 for use of graph at 11 or $\frac{110}{22}$ A1 for 5 A1 cao **SC** B2 for 49.5 – 50.6

Paper 5502

No	Working	Answer	Mark	Notes
16 (a)	$269.30 - 56.80 = 212.50$ $\frac{212.50}{42.50}$	6	2	M1 for $\frac{269.30 - 56.80}{42.50}$ or 5 seen A1 cao
(b)	5% of £269.30 £269.30 – "£13.465" OR $\frac{95}{100} \times 269.30$	255.83 or 255.84	3	M1 for $(5 \div 100) \times 269.30$ M1 for $269.30 - $ "13.465" A1 cao OR M2 for $\frac{95}{100} \times 269.30$ A1 cao **Alternative Method:** M1 for $\frac{5}{100} \times 56.80$ $(= 2.84)$ and $\frac{5}{100} \times 42.50$ (=2.12(5)) (OR 53.96 AND 40.38 (40.375) seen M1 for $56.80 -$ "2.84" (= 53.96) $42.50 -$ "2.12(5)" (= 40.375 or 40.38) "5" × "40.375" + "53.96" A1 cao
17	$4.1^2 \times 1.07 = 16.81 \times 1.07$	17.9867	2	M1 for ("4.1") followed by squaring, or sight of 16.81 A1 cao SC: *B1 for 18 or better with no working*
18 (a)		60	1	B1 cao
(b)	$360 - 60 - 90 - 90$	120	2	M1 for $360 -$ " 60 " $- 90 - 90$ or $180 -$ "60" A1 cao
(c)	6×2	12	2	M1 for 6×2 A1 cao for 12

Paper 5502

No	Working	Answer	Mark	Notes
19 (a)(i)	$240 \times 5 = 1200$	1250	3	B1 cao 1250
(ii)	$\frac{50}{'1250'}$	$\frac{1}{25}$		M1 cao $\frac{50}{'1250'}$ A1 for $\frac{1}{25}$ in its simplest form
(b)	$\frac{60}{100} \times 1000 = 600$	12:5	3	M1 for $\frac{60}{100} \times 1000$ oe A1 for 600 A1 cao
20 (a)		$x + 2$	1	B1 accept $2 + x$ but not $x = x + 2$
(b)	$x + 5 + x + 5 + x + 2 + x + 2$	$4x + 14$	2	M1 adding 4 sides, two of which are '$x + 2$' (all sides to be linear expressions in x) **SC** $x + 5 + x + 2 \times 2$ gets M1 A1 for correct simplified answer or $(20 - 14) \div 4$ oe gets M1
(c)	'$4x + 14$' = 20	1.5 oe	2	M1 for equation A1 cao
21	$\sum f = 90$	Angles drawn, labelled	3	M1 for 1 person = 4°or one angle correct in table or pie chart A1 any 2 correctly drawn angles in pie chart A1 fully correct chart labelled
22 (a)		$2p - q$	2	B1 cao for $2p$ B1 cao for $-q$ accept $(-q + 2p)$, $2p - 1q$ and $2p + -q$
(b)	$5x = 3 + 4$	1.4	2	M1 for either (+3 or sight of 7) or (÷ 5 or sight of 0.8 and 0.6) A1 cao accept $\frac{7}{5}$ or $1\frac{2}{5}$

Paper 5502

No	Working	Answer	Mark	Notes
23 (a)		$\frac{4\times5}{2}$	1	B1 cao
(b)	$1+2+3+4+5+6+7+8$	$\frac{8\times9}{2}$	1	B1 cao
(c)	$\frac{100\times101}{2}$	5050	1	B1 cao
24	0 | 5 7 8 8 1 | 0 0 0 0 2 5 5 5 6 2 | 0 0 0 4 5 3 | 3 5 Key 1 | 2 = 12 (min)	See working	3	B1 for stem 0, 1, 2, 3 or 0, 10, 20, 30 B1 for accurate unordered leaves condone 1 error or omission B1 for key and ordered leaves all correct
25	$3.2\times2.8=8.96$ $2\times4.5\times2.8=25.2$ $2\times4.5\times28.8=28.8$ $\frac{62.96}{2.5}\times2.99$	£75.30	5	M1 for area of any face found correctly M1 for 2 areas found correctly A1 for 62.96 or 54 M1 for $\frac{'62.96'}{2.5}\times2.99$ Al cao Alternate method for candidates who round up $\frac{"62.92"}{2.5}$ M1 for "26" × 2.99 A1 for £77.74 cao **SC**: *for top included B2 for 71.92 m^2 seen or* B3 for £86.02 seen **SC** B4 for £64.58 or £65.78 seen
26	$2.5\times10\,000$	25 000	2	M1 for $2.5\times100\times100$ A1 cao

Paper 5503

No	Working	Answer	Mark	Notes
1 (a)(i)		$8g$	2	B1 oe
(ii)		$10rp$		B1 for $10pr$ or $10\ rp$
(b)		$10y - 15$	1	B1 cao accept $10y$ - + 15
(c)	$6x + 8 - 12x + 15$	$-6x + 23$	2	M1 for 3 correct terms out of 4 A1 cao
2		$m = 6n$	2	B2 for $m = 6n$ oe accept $6 \times n$, n 6 (B1 for $6n$ alone, or $6n$ +1 oe OR m = multiple of n except $m = n$)
3 (i)		0.067, 0.56, 0.6, 0.605, 0.65	1	B1 cao Ignore trailing zeros
(ii)		−10, −6, −4, 2, 5	1	B1 cao
(iii)		$\frac{2}{5}, \frac{1}{2}, \frac{2}{3}, \frac{3}{4}$	2	B2 all four correct (B1 any three in correct order) SC: B1 all 4 in reverse order
4		7 5 5 13 33 52 23	3	B3 all correct (B2 for 4, 5 or 6 correct entries) (B1 for 2, 3 correct entries)

Paper 5503

No	Working	Answer	Mark	Notes
5		$\frac{2}{3}$	3	M1 for 3 rows (9 squares) shaded M1 for 2 columns (10 squares) shaded A1
	OR $\frac{3}{5}=\frac{9}{15}$ $\frac{2}{3}=\frac{10}{15}$ Therefore $\frac{2}{3}>\frac{3}{5}$	$\frac{2}{3}$		M1 for $\frac{3}{5}=\frac{9}{15}$ M1 for $\frac{2}{3}=\frac{10}{15}$ A1
	OR $\frac{3}{5}=0.6$ or percent $\frac{2}{3}=0.66$ or 0.67 or better Therefore $\frac{2}{3}>\frac{3}{5}$	$\frac{2}{3}$		M1 for $\frac{3}{5}=0.6$ or percent M1 for $\frac{2}{3}=0.66$ or 0.67 or better A1
6	$2\times 29=58$ $5\times 30=150$ $2\times 31=62$ $1\times 32=32$ $\frac{302}{10}=30.2$	30.2	3	M1 for freq × no. pins (at least 3) M1 for totalling and for ÷ 10 (dep on 1st M1) A1 cao
7 (a)			2	B1 for 180° rotation (wrong centre) B1 cao
(b)			3	B1 for any enlargement sf other than 1 B1 for all sides halved B1 for position

Paper 5503

No	Working	Answer	Mark	Notes
8 (a)		$12x$	1	B1 oe
(b)		$12x + 10y$	2	B2 oe or ft from (a) (B1 for $12x$ + a multiple of y or $10y$ seen) **SC** B1 for $x = 12x + 10y$ or $y = 12x + 10y$
9	$\frac{1}{3}+\frac{1}{4}=\frac{4}{12}+\frac{3}{12}=\frac{7}{12}$ $1-\frac{7}{12}=\frac{5}{12}$ OR $1-\frac{1}{3}=\frac{2}{3}, 1-\frac{1}{4}=\frac{3}{4}$ $\frac{9}{12}-\frac{4}{12}=\frac{5}{12}, \frac{8}{12}-\frac{3}{12}=\frac{5}{12}$	$\frac{5}{12}$	3	M1 for $\frac{4}{12}$ and $\frac{3}{12}$ oe A2 for $\frac{5}{12}$ oe (A1 for getting $\frac{7}{12}$) (B1 for $1 - \frac{"1}{3} + \frac{1"}{4}$ correctly evaluated) OR B1 for $\frac{2}{3}$ or $\frac{3}{4}$ seen M1 for $\frac{3}{4}-\frac{1}{3}=\frac{9}{12}-\frac{4}{12}$ or $\frac{2}{3}-\frac{1}{4}=\frac{8}{12}-\frac{3}{12}$ A1 for $\frac{5}{12}$ oe OR M1 0.25 and 0.33 or better A1 for 0.58 or better A1 for 0.416 *recurring*
10 (a)		54	1	B1 cao
(b)(i)	180 – (54 +54)	72	3	M1 for 180 – (“54” + “54”) A1 for 72° ft from (a) if $x < 90°$
(ii)				B1 for mentioning isosceles and equal or base angles or equal sides and equal or base angles

Paper 5503

No	Working	Answer	Mark	Notes
11 (a)	Bryani was correct $4 \times 3^2 = 4 \times 9 = 36$	Bryani	2	M1 for 4×9 or $4 \times 3 \times 3$ or "square the three/x then multiply by four" A1 Bryani **SC** 4×3^2 with Bryani gets B2
(b)			1	B1 cao
12 (a)			3	B2 for rectangle height 4 squares, base 3 squares (B1 for rectangle with one correct dimension) B1for line 1 square from the top **SC** B2 for completely correct elevation on its side
(b)			2	B2 for perspective drawing showing slant face and cut out (B1 for perspective drawing with either slant face or cut out omitted or one aspect incorrect)
13 (a)	20×2 or $\frac{20}{30} \times 60$ or $20 \div \frac{1}{2}$	40	2	M1 for 20×2 or $\frac{20}{30} \times 60$ or $20 \div \frac{1}{2}$ A1 cao
(b)	$\frac{20}{60}$ or $\frac{1}{3}$ or 20 minutes seen	Line from (45, 20) to (65, 0)	2	M1 for $\frac{20}{60}$ or $\frac{1}{3}$ or 20 minutes seen A1 for correct line **SC** If M0, B1 for line from (45, 20) to (t, 0) where $t > 45$ or a line of the correct gradient
14 (i)		119.31	3	B1 cao
(ii)		119 310		B1 cao
(iii)		1.23		B1 cao

Paper 5503

No	Working	Answer	Mark	Notes
15	$\frac{10}{100}\times 12000$ 12 000 – 1200 = 10 800 $\frac{10800}{10}=1080$ 10 800 – 1080 = £9720	£9720	3	M1 for $\frac{10}{100}\times 12000$ or sight of 1200 or 2400 or 10 800 or 9600 M1 (dep) for $\frac{10}{100}\times(12\,000-\frac{10}{100}\times 12000)$ or sight of 1080 A1 cao Alternative mark scheme M2 for $12000\times(1-\frac{10}{100})^2$ (M1 for $12000\times(1-\frac{10}{100})$ A1 cao
16 (a)	$2p = 6$	$p = 3$	2	M1 for $7p - 5p = 8 - 2$ or $2p$ or 6 A1 cao
(b)	$7r - 5r = -20 - 2$	–11	2	M1 for $7r + 2 = 5r - 20$ or $\frac{7r}{5}+\frac{2}{5}=r-4$ or $7r - 5r = 20 - 2$ or $\frac{7r}{5}-r=-4-\frac{2}{5}$ A1 cao
17		$5n + 1$	2	B2 oe (B1 for $5n$ seen) NB: n = gets B1 max

Paper 5503

No	Working	Answer	Mark	Notes
18 (a)	–1, 0, 1		2	B2 for –1, 0, 1 (B1 for –1, 0 or 0,1 or –1,1 or –2, -1, 0, 1 only)
(b)	(–1, –1), (0, –1), (1, –1), (0, 0), (1, 0), (1, 1)		3	B3 for 6 points correct B2 for 3 points correct B1 for 1 point correct **NB** –B1 each additional point over six
19 (a)	Triangle with vertices at (0,0) (0,–2) and (3,0)		2	M1 for correct orientation A1 cao
(b)	Rotation, 180°, centre (0,1) Enlargement sf - 1 centre (0,1)		2	B2 for 180° 'rotation' centre (0, 1) B2 for Enlargement sf - 1 centre (0,1) (B1 for any two of the three parts) NB: B0 if additional transformation is included
20	Bisector of $\angle BAC$ Arc around A Region		3	B3 cao (B2 for either two correct boundaries, no shading/ wrong shading or one correct boundary, one incorrect boundary with valid shading) (B1 for either two incorrect boundaries but one drawn from A and one intersection, with valid shading or one correct boundary) Ignore shading outside the triangle
21		Length Volume Area	3	B1 for Length B1 for Volume B1 for Area
22 (a)	Unbiased question with choices		2	B1 for unbiased question B1 for at least 2 choices
(b)			2	Classification 1: A biased question Classification 2: A restricted sample of people Classification 3: Not specifying a range of foods Classification 4: Nothing to do with eating habits B2 reasons which satisfy 2 different classifications (B1 a reason which satisfies one classification)



Paper 5503

No	Working	Answer	Mark	Notes
23 (a)	$6 \times 10^2 \times 8 \times 10^4$ 48×10^6	4.8×10^7	3	M1 for $6 \times 10^a \times 8 \times 10^b$ oe, a and b integers including 0 A1 for 48×10^6 oe A1 cao
(b)	200 000 + 30 000	230000	2	B2 cao (B1 for sight of 200 000 or 30 000 or 2.3×10^5 or 23×10^4)
24 (i)		64	4	B1 cao
(ii)		3		B1 cao
(iii)	$\sqrt{16 \times 9} = \sqrt{144}$	12		B2 cao (B1 for sight of $\sqrt{2^4} \times \sqrt{9}$ or better, or 144 seen)
25 (i)	Tangent 90° to diameter /radius/ line from (through) centre	27°	4	B1 for 27° cao B1 for reason
(ii)	180 –(90+ "27") angle in semicircle (is 90°)/Alternate segments /angle at centre twice at circumference	63°		B1 ft for 90–"27" if not 63° B1 for reason
26 (a)(i)		152	2	B1 cao
(ii)		177		B1 cao
(b)			3	B1 for median marked at 167 B1 ft for postion of box with its ends at "152" and "177" B1 for position of whiskers with ends at 132 and 182 NB: For any points plotted between 141 and 149 give a tolerance of an extra ± 1 square
27	$x^2 + xy + xy + y^2$	$x^2 + 2xy + y^2$	2	M1 for at least 3 of the 4 terms correct A1 cao
		25	2	M1 for recognising 3.47 + 1.53 (= 5) A1 cao

Paper 5504

No	Working	Answer	Mark	Notes
1 (a)	$4.1^2 \times 1.07 = 16.81 \times 1.07$	17.9867	2	M1 for (4.1) followed by squaring, or sight of 16.81 A1 cao SC: B1 for 18 or better with no working
(b)		$(1.6 + 3.8 \times 2.4) \times 4.2$	1	B1 cao Allow additional brackets if they give an expression with value 45.024
2 (a)	269.30 – 56.80 = 212.50	6	2	M1 for $\frac{269.30 - 56.80}{42.50}$ or 5 seen A1 cao
(b)	5% of £269.30 £269.30 – "£13.465" OR $\frac{95}{100} \times 269.30$	255.83 or 255.84	3	M1 for (5 ÷ 100) × 269.30 M1 (dep) for 269.30 – "13.465" A1 cao OR M2 for $\frac{95}{100} \times 269.30$ A1 cao **Alternative Method:** M1 for $\frac{5}{100} \times 56.80$ (= 2.84) and $\frac{5}{100} \times 42.50$ (=2.12(5)) (OR 53.96 AND 40.38 (40.375) seen M1 for 56.80 – "2.84" (= 53.96) 42.50 – "2.12(5)" (= 40.375 or 40.38) "5" × "40.375" + "53.96" A1 cao

Paper 5504

No	Working	Answer	Mark	Notes
3 (a)		60	1	B1 cao
(b)	360 – 60 – 90 – 90	120	2	M1 for 360 – "60" – 90 – 90 or 180 – "60" A1 cao
(c)	6 × 2	12	2	M1 for 6 × 2 A1 cao 12
(d)		Correct drawing	2	B2 for triangle and construction lines (see overlay) (B1 for 1 line of length 4cm and correct arcs crossing OR for correct triangle with either no arcs or incorrect arcs) SC: B1 similar triangle drawn with construction lines
4 a(i)	240 × 5 = 1200	1250	3	B1 cao 1250
(ii)	$\frac{50}{1250}$	$\frac{1}{25}$		M1 $\frac{50}{"1250"}$ A1 oe in its simplest form
(b)	$\frac{60}{100} \times 1000 = 600$ 600: 250	12:5	3	M1 for $\frac{60}{100} \times 1000$ oe A1 for 600 A1 cao
5 (a)		$x + 2$	1	B1
(b)	$x + 5 + x + 5 + x + 2 + x + 2$	$4x + 14$	2	M1 adding 4 sides, two of which must be '$x + 2$' (all sides to be linear expressions in x) A1 for correct simplified answer
(c)	"$4x + 14$" = 20	1.5	2	M1 for equation "$4x + 14$" = 20 OR $\frac{20-14}{4}$ oe A1 cao

Paper 5504

No	Working	Answer	Mark	Notes
6 (a)		$2p - q$	2	B1 cao for $2p$ B1 cao for $-q$ accept $-q + 2p$ and $2p - 1q$
(b)	$5x = 3 + 4$	1.4	2	M1 for either (+3 or sight of 7) or (÷ 5 or sight of 0.8 and 0.6) A1 cao accept $\frac{7}{5}$ or $1\frac{2}{5}$
7 (a)		$\frac{4\times5}{2}$	1	B1 cao
(b)	$1 + 2 + 3 + 4 + 5 + 6 + 7 + 8$	$\frac{8\times9}{2}$	1	B1 cao
(c)	$\frac{100\times101}{2}$	5050	1	B1 cao
(d)		$\frac{n(n+1)}{2}$	2	B2 cao (B1 for any quadratic in n)
8	$3.2 \times 2.8 = 8.96$ $2 \times 4.5 \times 2.8 = 25.2$ $2 \times 4.5 \times 3.2 = 28.8$ $\frac{62.96}{2.5} \times 2.99$	75.30	5	M1 for area of any face found correctly M1 for 2 areas seen A1 for 62.96 or 54 M1 for $\frac{'62.96'}{2.5} \times 2.99$ A1 cao Alternate method for candidates who round up $\frac{"62.96"}{2.5}$ M1 for "26" x 2.99 A1 for £77.74 cao SC: for top included B2 for 71.92 m^2 seen or B3 for £86.02 or £86.71 SC: B4 for £64.58 or £65.78 seen

Paper 5504

No	Working	Answer	Mark	Notes
9	2.5×10000	25000	2	M1 for 2.5×10000 or $2.5 \times 100 \times 100$ A1 cao
10 (a)	$\sum f = 90$ (88), 144, 32, 96	Angles drawn, labelled	3	M1 for 1 person = 4° or one angle correct in table or pie chart A1 any 2 angles correctly drawn in pie chart A1 fully correct chart labelled
(b)	$0.38 + 0.27 + 0.15$	0.20	2	M1 1 – sum A1 cao
11	0 | 5 7 8 8 1 | 0 0 0 0 2 5 5 5 6 2 | 0 0 0 4 5 3 | 3 5 Key 1 | 3 = 13 (min)	See working column	3	B1 for stem 0, 1, 2, 3 or 0, 10, 20, 30 B1 for accurate unordered leaves condone 1 error or omission B1 for key and ordered leaves all correct
12 (a)	$V = \pi \times 4^2 \times 10$	502 – 503	2	M1 for $\pi \times 4^2 \times 10$ A1 502 – 503
(b)	$P^2 = 10^2 + 8^2$ $P = \sqrt{164}$	$\sqrt{164} < 13$	3	M1 for sight of a correct right-angled triangle M1 for $10^2 + 8^2$ A1 for conclusion based on a correct calculation or 12.8 seen
13 (a)	2×30	$2 \times 2 \times 3 \times 5$	4	M1 for systematic method, eg division, factor trees (at least one prime) A1 cao
	2×48	$2^5 \times 3$		M1 for systematic method, eg division, factor trees (at least one prime) A1 cao
(b)		12	1	B1 cao
(c)	$2^5 \times 3 \times 5$	480	2	B2 cao B1 for $2^5 \times 3 \times 5$ or any correct common multiple

Paper 5504

No	Working	Answer	Mark	Notes
14 (a)		$150 < C \leq 200$	2	M1 use of cum freq to find the cost of the 20th or 20.5^{th} car OR $\frac{1}{2}\Sigma f$ or $\frac{1}{2}(\Sigma f + 1)$ A1 eg 150 to 200
(b)		No, because the 21st value is in the same interval	1	B1 20.5^{th} or 21st in same interval or an alternative correct explanation
(c)	80% = 5200 $\frac{5200}{80} \times 100$	6500	3	M1 for (100 – 20) % = 5200 M1 for $\frac{5200}{"80"} \times 100$ A1 cao
15 (a)	$x^2(x + 1) = 230$	AG	2	M1 for $x \times x \times (x+1)$ or $x \times x \times x + 1$ oe A1 cao from $x \times x \times (x+1)$
(b)	‘5 – 150 5.1 – 158.7 5.2 – 167.6 5.3 – 177.0 5.4 – 186.6 5.5 – 196.6 5.6 – 207.0 5.7 – 217.7 5.8 – 228.8 5.9 –240.2 5.85 – 234.4	5.8	4	B 2 for trial between 5.8 and 5.9 inclusive (B1 for different trial between 5 and 6 inclusive) B1 for different trial between 5.8 and 5.85 (not including 5.8) B1 (dep on at least one previous B1) cao for 5.8, 5.81, 5.811

Paper 5504

No	Working	Answer	Mark	Notes
16	$\pi \times \left(\frac{15}{2}\right)^2 = 176.715$	88.4cm^2	3	M1 for $\pi \times \left(\frac{15}{2}\right)^2$ A1 88.3 – 88.4 B1(ind) for cm²
17 (a)	$5 = 0.5x + 1$	8	2	M1 for $5 = 0.5x + 1$ A1 cao
(b)		$y = \frac{1}{2}x + c$	1	B1 $y = \frac{1}{2}x + c$, c ≠ 1, oe
(c)		$x = 2y - 2$ OR $x = 2(y - 1)$	2	M1 for correctly multiplying both sides by 2 or correctly isolating $\frac{x}{2}$ A1 for $x = 2(y - 1)$, $x = \frac{y-1}{0.5}$, $x = \frac{y-1}{\frac{1}{2}}$ oe SC: B1 for $x = 2y - 1$
18	$4x - 6y = 22$ $15x + 6y = 54$ $19x = 76$	$x = 4,\ y = -1$	4	M1 for coefficients of x or y the same followed by correct operation , one arithmetical error A1 cao M1(dep on previous M mark) for sub for other variable A1 cao Trial and improvement –0 unless both x and y correct values found

Paper 5504

No	Working	Answer	Mark	Notes
19 (a)	$SF = \frac{10}{6}$ $\frac{10}{6} \times 4.8 = 8$	8	2	M1 for sight of $\frac{10}{6}$ or $\frac{6}{10}$ or 1.67 or better or $\frac{CD}{10} = \frac{4.8}{6}$ A1 cao
(b)	$\frac{10}{6} \times 4.5 - 4.5 = 3$	19.8	2	M1 for use of SF from (a) to find *BC* or *AC* and adding 4 sides A1 cao
20	$\frac{6 \times 10^{15}}{3.2 \times 10^{8}}$ 1.875×10^{7}	4.3×10^{3}	3	B3 for 4.3×10^{3} to 4.34×10^{3} (B2 for 1.875×10^{7} oe or 4300 to 4340 or final answer of 1.9×10^{7}) (B1 for sight of 6×10^{15} oe or 3.2×10^{8} oe)
21	$8.5 \times \tan 38 = 8.5 \times 0.7813$	6.64	3	M1 for correct use of trig, eg $\tan 38 = \frac{opp}{8.5}$ M1 for 8.5 × tan38 A1 6.64 – 6.641

Paper 5504

No	Working	Answer	Mark	Notes
22 (a)		No, as you would expect about 100. Yes, as it is possible to get 200 sixes with a fair dice	1	B1 for a consistent answer
(b)	$\frac{1}{6}, \frac{5}{6}$ + labels		3	B1 for $\frac{5}{6}$ on the red dice, *not six* branch B1 for a fully complete tree diagram with all branches labelled B1 for $\frac{1}{6}$, $\frac{5}{6}$ on all remaining branches as appropriate

Paper 5505

No	Working	Answer	Mark	Notes
1 (i) (ii) (iii)		119.31 119310 1.23	3	B1 cao B1 cao B1 cao
2	$\frac{10}{100}\times 12000 = 1200$ 12 000 – 1200 = 10 800 10 800 ÷ 10 =1080 10 800 – 1080 = £9720	9720	3	M1 for $\frac{10}{100}\times 12\,000$ or sight of 1200 or 2400 or 10 800 or 9600 M1 (dep) for $\frac{10}{100}\times(12\,000 - \frac{10}{100}\times 12\,000)$ or sight of 1080 A1 cao Alternative markscheme M2 for $12000\times\left(1-\frac{10}{100}\right)^2$ (M1 for $12000\times\left(1-\frac{10}{100}\right)$) A1 cao
3	$7r - 5r = -20 - 2$	–11	2	M1 for $7r + 2 = 5r - 20$ or $\frac{7r}{5} + \frac{2}{5} = r - 4$ or $7r - 5r = -20 - 2$ or $\frac{7r}{5} - r = -4 - \frac{2}{5}$ A1 cao

Paper 5505

No	Working	Answer	Mark	Notes
4 (a)		–1, 0, 1	2	B2 for –1, 0, 1 only (B1 for –1, 0 or 0,1 or –1, 1 or –2, -1, 0, 1 only)
(b)		(–1,–1)(0,–1) (1,–1) (0, 0) (1, 0) (1, 1)	3	B3 for 6 points correct (B2 for 3 points correct) (B1 for 1 point correct) *NB: –B1 for each additional point over six*
5		$5n + 1$	2	B2 oe (B1 for $5n$ seen) NB: n = gets B1 max
6 (a)	Triangle with vertices at (0,0) (0,–2) and (3,0)		2	M1 for correct orientation A1 cao
(b)	Rotation, 180°, centre (0,1) Enlargement sf –1 centre (0,1)		2	B2 for 180° 'rotation' centre (0, 1) or for Enlargement sf - 1 centre (0,1) (B1 for any two of the three parts) NB: B0 if additional transformation is included
7	Bisector of $\angle BAC$ Arc around A Region	See overlay	3	B3 cao (B2 for either two correct boundaries, no shading/ wrong shading or one correct boundary, one incorrect boundary with valid shading) (B1 for either two incorrect boundaries but one drawn from A and one intersection, with valid shading or one correct boundary) Ignore shading outside the triangle
8		Length Volume Area	3	B1 for Length B1 for Volume B1 for Area



Paper 5505

No	Working	Answer	Mark	Notes
9 (a)	Unbiased question with choices		2	B1 for unbiased question B1 for at least 2 choices
(b)	Leading question and a restricted sample		2	Classification 1: A biased question Classification 2: A restricted sample of people Classification 3: Not specifying a range of foods Classification 4: Nothing to do with eating habits B2 reasons which satisfy 2 different classifications (B1 a reason which satisfies one classification)
10 (a)	$6 \times 10^2 \times 8 \times 10^4$ $48 \times 10^6 = 4.8 \times 10^7$	4.8×10^7	3	M1 for $6 \times 10^a \times 8 \times 10^b$ oe, a and b integers including 0 A1 for 48×10^6 oe A1 cao
(b)	200 000 + 30 000 = 230 000	230 000	2	B2 cao (B1 for sight of 200 000 or 30 000 or 2.3×10^5 or 23×10^4)
11 (a)	$x^2 + xy + xy + y^2$	$x^2 + 2xy + y^2$	2	M1 for at least 3 of the 4 terms correct A1 cao
(b)		25	2	M1 for recognising 3.47 + 1.53 (= 5) A1 cao
12 (i)	Tangent 90° to diameter /radius/ line from (through) centre	27°	4	B1 for 27° cao B1 for reason
(ii)	180 –(90+ "27") angle in semicircle (is 90°)/Alternate segments /angle at centre twice at circumference	63°		B1 ft for 90–"27" if not 63° B1 for reason
13 (i)		p^9	1	B1 cao
(ii)		$6q^6$	2	B2 for $6q^6$ (B1 for sight of $\frac{6q^9}{q^3}$ or $3q \times 2q^5$ or $3q^4 \times 2q^2$ or $6 \times q \times q \times q \times q \times q \times q$ or final answer of the form kq^6, $k > 0$)

Paper 5505

No	Working	Answer	Mark	Notes
14 (a)(i)		152	2	B1 cao
(ii)		177		B1 cao
(b)			3	B1 for median marked at 167 B1 ft for postion of box with its ends at "152" and "177" B1 for position of whiskers with ends at 132 and 182 NB: For any points plotted between 141 and 149 give a tolerance of an extra ± 1 square
15	(arc =) $\frac{40}{360} \times 2\pi \times 9$ $= 2\pi$	$2\pi + 18$	4	M1 for $\frac{40}{360} \times$ M1 for $2\pi \times 9$ M1 (dep) for $\frac{40}{360} \times 2\pi \times 9$ oe A1 for $\frac{18 \times \pi}{9} + 18$ oe exact form
16 (i)		1	1	B1 cao
(ii)		$\frac{1}{16}$	1	B1 cao accept 0.0625
(iii)		64	1	B1 cao condone ± 64

Paper 5505

No	Working	Answer	Mark	Notes
17 (a)	$F \propto 1/x^2$ $F = k/x^2$ $4 = k / 3^2$ $F = 36/x^2$	$F = \frac{36}{x^2}$	3	M1 for $F = k/x^2$ seen or implied. ($k \neq 1$) M1 (dep) for subst. or sight of $k = 36$ A1 for $F = 36/x^2$
(b)		9	1	B1 ft for 9 (ft on $F = kx^n$, $n \neq 0$)
(c)	$64 = \frac{36}{x^2}$ $x^2 = \frac{36}{64}$ $x = \pm\frac{3}{4}$	$\frac{6}{8}$	2	M1 for $x^2 = \frac{"36"}{64}$ A1 for $\frac{6}{8}$ oe (condone $\pm$) *SC: Use of $F = kx^2$ max M1 M1 A0 B1 ft M0 A0* *SC: Use of* $F = \frac{k}{\sqrt{x}}$ *max M1 M1 A0 B0 M1* ($\sqrt{x} = \frac{4\sqrt{3}}{64}$) *A0*
18	$(5+\sqrt{3})(5-\sqrt{3}) = 5\times5 - 5\sqrt{3} + 5\sqrt{3} - \sqrt{3}\sqrt{3}$ $= 5\times5 - 3$ $\frac{22}{\sqrt{22}} = \frac{22\sqrt{22}}{22}$	$\sqrt{22}$	3	B1 for correct expansion 25 - $5\sqrt{3}$ + $5\sqrt{3}$ - $\sqrt{3}$ $\sqrt{3}$ with 1st three terms reducing to 25 **without** any errors seen B1 (indep) for $\sqrt{3}$ $\sqrt{3}$ = 3 B1 for $\sqrt{22}$ coming from $\frac{22}{\sqrt{22}}$ (S.C $\frac{(5+\sqrt{3})(5-\sqrt{3})\sqrt{22}}{22}$ gets B1)

Paper 5505

No	Working	Answer	Mark	Notes
19 (a)		60 40	2	B1 cao B1 cao
(b)		correct bars	2	B1 for $30 < x \leq 40$ with an area of 2½ squares B1 for $40 < x \leq 70$ with an area of 3 squares *SC:* $\frac{0}{4}$ *give M1 if clearly using area or frequency density*
20 (a)	$6x + 8 - 12x + 15$	$-6x + 23$	2	M1 for 3 of the 4 terms $6x$, $+8$, $-12x$, $+15$ correct A1 cao
(b)		$32x^5y^{15}$	2	B2 cao (B1 for two of 32, x^5, y^{15})
(c)	$\frac{(n+1)(n-1)}{n+1} \times \frac{2}{n-2}$ $\frac{2(n-1)}{n-2}$	$\frac{2(n-1)}{n-2}$	3	M1 for $k(n + 1)(n - 1)$ M1 dep for $\frac{(n+1)(n-1)}{(n+1)} = n - 1$ A1 for $\frac{2(n-1)}{n-2}$
21	Vertices at $(-3, -1\frac{1}{2}), (-4\frac{1}{2}, -1\frac{1}{2}), (-3, -4\frac{1}{2})$		3	B1 for all sides $\times 1\frac{1}{2}$ B1 for correct orientation with 2 vertices almost correct B1 cao

Paper 5505

No	Working	Answer	Mark	Notes
22	Total = 3 + 5 + 2 (=10) $\frac{3}{10}\times\frac{3}{10}\times\frac{5}{10}\left(=\frac{45}{1000}\right), \frac{3}{10}\times\frac{3}{10}\times\frac{2}{10}\left(=\frac{18}{1000}\right)$ $\frac{5}{10}\times\frac{5}{10}\times\frac{3}{10}\left(=\frac{75}{1000}\right), \frac{5}{10}\times\frac{5}{10}\times\frac{2}{10}\left(=\frac{50}{1000}\right)$ $\frac{2}{10}\times\frac{2}{10}\times\frac{3}{10}\left(=\frac{12}{1000}\right), \frac{2}{10}\times\frac{2}{10}\times\frac{5}{10}\left(=\frac{20}{1000}\right)$ $3\times\left(\frac{"45"}{1000}+\frac{"18"}{1000}+\frac{"75"}{1000}+\frac{"50"}{1000}+\frac{"12"}{1000}+\frac{"20"}{1000}\right)$ $\frac{660}{1000}$	$\frac{660}{1000}$ oe	5	M3 for all six expressions seen OR their combined equivalents (M2 for four expressions seen OR their combined equivalents) (M1 for two expressions seen OR their combined equivalents) M1 sum of 18 relevant products condone 1 slip A1 for $\frac{660}{1000}$ oe *SC: without replacement maximum M4 A0* SC: Just 2 beads: Answer either $\frac{38}{100}$ oe OR $\frac{28}{90}$ oe B1

Paper 5505

No	Working	Answer	Mark	Notes
23 (a)(i)		$6\mathbf{b} - 6\mathbf{a}$	2	B1 for $6\mathbf{b} - 6\mathbf{a}$ oe
(ii)		$6\mathbf{a}$		B1 for $6\mathbf{a}$ oe
(b)	$\overrightarrow{EX} = \overrightarrow{EB} + \overrightarrow{BX}$ $= 12\mathbf{b} + \frac{1}{2}\overrightarrow{BC}$	$12\mathbf{b} - 3\mathbf{a}$	2	M1 for $\overrightarrow{EX} = \overrightarrow{EB} + \overrightarrow{BX}$ oe vector journey in a form ready for straightforward substitution A1 for $12\mathbf{b} - 3\mathbf{a}$ oe
(c)	$\overrightarrow{AY} = \frac{5}{3}\overrightarrow{AB}$ or $\overrightarrow{BY} = \frac{2}{3}\overrightarrow{AB}$ $\overrightarrow{EY} = 16\mathbf{b} - 4\mathbf{a}$ or $\overrightarrow{XY} = 4\mathbf{b} - \mathbf{a}$ $\overrightarrow{EY} = 4\overrightarrow{XY}$ or $\overrightarrow{EX} = 3\overrightarrow{XY}$ or $\overrightarrow{EY} = \frac{4}{3}\overrightarrow{EX}$	Printer Answer	3	B1 for either $\overrightarrow{AY} = \frac{5}{3}\overrightarrow{AB}$ or $\overrightarrow{BY} = \frac{2}{3}\overrightarrow{AB}$ oe B1 ft for either $\overrightarrow{EY} = 16\mathbf{b} - 4\mathbf{a}$ or $\overrightarrow{XY} = 4\mathbf{b} - \mathbf{a}$ ft only on parts (*a*) and (*b*) B1 for either $\overrightarrow{EY} = 4\overrightarrow{XY}$ or $\overrightarrow{EX} = 3\overrightarrow{XY}$ or $\overrightarrow{EY} = \frac{4}{3}\overrightarrow{EX}$ oe **plus** conclusion of *E*, *X*, *Y* on the same straight line
24 (a)(i)		$(5, -4)$	4	B1 cao
(ii)		$(2, -9)$		B1 cao
(iii)		$(2, 4)$		B1 cao
(iv)		$(1, -4)$		B1 cao
(b)		$(x-2)^2 - 4$	4	B4 for $(x-2)^2 - 4$ oe eg. $x^2 - 4x$ (B3 for $(x+2)^2 - 4$ or $(x-2)^2 + 4$) (B2 for $x^2 - 4$ or $(x-2)^2$ OR $x^2 + bx$, $b \neq 0$ OR $(x+2)^2 + 4$ OR $f(x-2) - 4$) (B1 for $x^2 + 4$ or $(x+2)^2$ or $ax^2 + bx$ or $x^2 + bx + c$ OR $x - 2 - 4$ or $x^2 - 2 - 4$, $a, b, c \neq 0$)

Paper 5506

No	Working	Answer	Mark	Notes
1 (a)	$V = \pi \times 4^2 \times 10$	502 – 503 cm^3	2	M1 for $\pi \times 4^2 \times 10$ A1 502 – 503
(b)	$P^2 = 10^2 + 8^2$ $P = \sqrt{164}$	$\sqrt{164} < 13$	3	M1 for sight of correct right angled triangle M1 for $10^2 + 8^2$ A1 for conclusion based on a correct calculation Or 12.8 seen
2 (a)(i)	2×30	$2 \times 2 \times 3 \times 5$	4	M1 for systematic method, eg division, factor trees (at least one prime) A1 cao
(ii)	2×48	$2^5 \times 3$		M1 for systematic method, division, factor trees (at least one prime) A1 cao
(b)		12	1	B1 cao
(c)	$2^5 \times 3 \times 5$	480	2	B2 cao B1 for $2^5 \times 3 \times 5$ or any correct common multiple

Paper 5506

No	Working	Answer	Mark	Notes
3 (a)		$150 < C \leq 200$	2	M1 use of cum freq to find the cost of the 20th or 20.5^{th} car OR $\frac{1}{2}\Sigma f$ th or $\frac{1}{2}(\Sigma f + 1)$ th car. A1 eg 150 to 200, 150 – 200
(b)		No, because the 21st value is in the same interval	1	B1 for 20.5^{th} or 21st value in the same internal consistent with 'a' OR Refers to the median value being low in the interval (statement to be mathematically correct) See additional sheet
(c)	80% = 5200 $\frac{5200}{80} \times 100$	6500	3	M1 for (100 – 20)% = 5200 M1 for $\frac{5200}{"80"} \times 100$ A1 cao

Paper 5506

No	Working	Answer	Mark	Notes
4 (a)	$x^2(x + 1) = 230$	AG	2	M1 for $x \times x \times (x+1)$ or $x \times x \times x + 1$ oe, $x^2(x+1)$, $x^2 \times x + 1$ A1 cao from $x \times x \times (x+1)$, no need to see 230
(b)	5 – 150 6 – 252 5.1 – 158.7 5.2 – 167.6 5.3 – 177.0 5.4 – 186.6 5.5 – 196.6 5.6 – 207.0 5.7 – 217.7 5.8 – 228.8 5.9 –240.2 5.85 – 234.4	5.8	4	B2 for trial between 5.8 and 5.9 inclusive evaluated (B1 for trial between 5 and 6 inclusive evaluated) B1 for different trial between 5.8 and 5.85 (not including 5.8) B1 dep on at least are previous B1 5.8, 5.81, 5.811
5	$\pi \times \left(\frac{15}{2}\right)^2 = 176.715$	88.4 cm^2	3	M1 for $\pi \times \left(\frac{15}{2}\right)^2$ seen A1 88.3 – 88.4 B1 for cm² (independent)

Paper 5506

No	Working	Answer	Mark	Notes
6 (a)	$5 = 0.5x + 1$	8	2	M1 for $5 = 0.5x + 1$ A1 cao
(b)		$y = \frac{1}{2}x + c$	1	B1for $y = \frac{1}{2}x + c$, $c \neq 1$, oe
(c)		$x = 2y - 2$ OR $x = 2(y - 1)$	2	M1for correctly multiplying both sides by 2 or correctly isolating $\frac{x}{2}$ A1 for $x = 2(y - 1)$, $x = \frac{y-1}{0.5}$, $\frac{y-1}{\frac{1}{2}}$ oe SC B1 for x= 2y -1
7	$4x - 6y = 22$ $15x + 6y = 54$ $19x = 76$	$x = 4$, $y = -1$	4	M1 for coefficients of x or y the same followed by correct operation, allow one arithmetical error A1 cao M1 (dep) for correct sub for other variable A1 cao Trial and improvement 0 marks unless both correct values of x and y found
8 (a)	SF = $\frac{10}{6}$ $\frac{10}{6} \times 4.8 = 8$	8	2	M1 for sight of $\frac{10}{6}$ or $\frac{6}{10}$ or 1.67 or better or $\frac{CD}{10} = \frac{4.8}{6}$ A1 cao
(b)	$\frac{10}{6} \times 4.5 - 4.5 = 3$	19.8	2	M1 for use of SF from "a" to find AC or BC or $\frac{BC}{4.5} = \frac{4}{6}$ and adding 4 sides A1 cao

Paper 5506

No	Working	Answer	Mark	Notes
9	$\frac{6\times10^{15}}{3.2\times10^{8}}$ 1.875×10^{7}	4.3×10^{3}	3	B3 for 4.3×10^{3} to 4.34×10^{3} (B2 for 1.875×10^{7} oe or 4300 to 4340, final answer of 1.9×10^{7} B1 for sight of 6×10^{15} oe or 3.2×10^{8} oe)
10	$8.5\times\tan38$ $=8.5\times0.7813$ $\frac{8.5}{\sin(90-38)}=\frac{AB}{\sin38}$ $AB=\frac{8.5\times\sin38}{\sin(90-38)}$ $=\frac{5.2331}{0.788}=6.64$	6.64	3	M1 for correct use of trig, eg $\tan 38=\frac{opp}{8.5}$ M1 for $8.5\times\tan38$ A1 6.64 – 6.641 OR M1 for correct substitution into the sine rule M1 (dep) for correct rearrangement for AB= A1 6.64 – 6.641
11 (a)		No, as you would expect about 100. Yes, as it is possible to get 200 sixes with a fair dice	1	B1 for a consistent answer See additional sheet

Paper 5506

No	Working	Answer	Mark	Notes
(b)	$\frac{1}{6}, \frac{5}{6}$ + labels		3	B1 for $\frac{5}{6}$ on the red dice, *not six* branch B1 for a fully complete tree diagram with all branches labelled B1 for $\frac{1}{6}$ and $\frac{5}{6}$ on all remaining branches as appropriate
(c)(i)	$\left(\frac{1}{6}\right)^2$	$\frac{1}{36}$	2	M1 $\left(\frac{1}{6}\right)^2$ or $\frac{1}{6}\times\frac{1}{6}$ only or 0.28 A1 $\frac{1}{36}$ or 0.03 or better
(ii)	$1-\left(\frac{5}{6}\right)^2$ OR $\frac{1}{6}\times\frac{5}{6}+\frac{5}{6}\times\frac{1}{6}+\frac{1}{6}\times\frac{1}{6}$	$\frac{11}{36}$	3	M2 for $1-\left(\frac{5}{6}\right)^2$ or $1-\frac{5}{6}\times\frac{5}{6}$ A1 cao OR M1 for $\frac{1}{6}\times\frac{5}{6}$ oe M1 for 2 or 3 only of $\frac{1}{6}\times\frac{5}{6}, \frac{5}{6}\times\frac{1}{6}$, "a" A1 for $\frac{11}{36}$ or 0.31 or better

Paper 5506

No	Working	Answer	Mark	Notes
12 (a)	$\pi \times 30 \times \frac{7.5^2}{3} - \pi \times 10 \times \frac{2.5^2}{3} = 1767 - 65$	1700	3	M1 for either $\pi \times 30 \times \frac{7.5^2}{3}$ or $\pi \times 10 \times \frac{2.5^2}{3}$ M1 (dep) for difference A1 1700 – 1702 **SC** B1 Using d instead of r, 6800 – 6808
(b)	$\frac{S}{2\pi d} = \sqrt{h^2 + d^2}$ $\left(\frac{S}{2\pi d}\right)^2 = h^2 + d^2$	$h = \sqrt{\frac{S^2 - 4\pi^2 d}{4\pi^2 d^2}}$	3	M1 for correctly isolating $\sqrt{h^2 + d^2}$ or $h^2 + d^2$ or $h + d$ or kh^2 or kh M1(indep) squaring both sides A1 $h = \sqrt{\frac{S^2 - 4\pi^2 d^4}{4\pi^2 d^2}}$, $h = \frac{\sqrt{S^2 - 4\pi^2 d^4}}{2\pi d}$ $h = \sqrt{\left(\frac{S}{2\pi d}\right)^2 - d^2}$
(c)	$\left(\frac{30}{20}\right)^2 \times 450$ or $450 \div \left(\frac{20}{30}\right)^2$	1012.5	2	M1 for sight of correct SF^2 including 4:9 A1 1010 to 1013

Paper 5506

No	Working	Answer	Mark	Notes
13 (a)	$\frac{2x(x+20)}{2} = 400$	As given	2	M1 $\frac{2x(x+20)}{2}$ or $\frac{2x \times x + 20}{2}$ or $2x(x + 20) = 800$ A1 cao following correct working, no need for = 400 *SC B1* $2x \times x + \frac{1}{2} \times 2x(10 - \frac{x}{2}) \times 2$
(b)	$\frac{-20 \pm \sqrt{20^2 - 4 \times 1 \times (-400)}}{2}$ $= \frac{-20 \pm 44.721}{2}$	12.361	3	M1 for correct sub, up to signs, in the quad formula A1 for 44.7 or $\sqrt{2000}$ A1 for 12.3606 – 12.361, ignore negative solution T.I B3 for 12.361 OR Completing the square M1 for $(x+10)^2$ seen A1 for $-10 \pm \sqrt{500}$ A1 for 12.3606 – 12.361 ignore negative solution

Paper 5506

No	Working	Answer	Mark	Notes
14 (a)	$0.5\times 8\times 15\times \sin 70^0$	56.4	2	M1 for correct sub into area formula A1 56.38 – 56.4
(b)	$AB^2 = 8^2 + 15^2 - 2\times 8\times 15\times \cos 70^0 = 206.9$ EITHER $0.5\times AB\times CX = '56.38'$ OR $\frac{\sin B}{8} = \frac{\sin 70}{\sqrt{'206.9'}}$ $B = 31.5$ 15 sin '31.5'	7.84	4	M1 for correct sub into cos rule A1 for 206.9 - 207 or 14.38 – 14.4 EITHER M1 for use of area rule to find CX A1 7.83 – 7.84 OR M1 for correct use of sine rule to find sin B or sin A and then sight of 15sin B *or* 8 sin A A1 7.83 – 7.84

Paper 5506

No	Working	Answer	Mark	Notes
15 (a)	$4a^2 - 4a + 1 - (4b^2 - 4b + 1) =$ $4(a^2 - b^2) - 4(a - b)$ $4(a - b)(a + b - 1)$ OR $((2a - 1) - (2b - 1))((2a - 1) + (2b - 1))$ $(2a - 2b)(2a + 2b - 2)$	AG	3	Expansion Method M1 for a correct expansion of any one of the three terms M1(dep) on an attempt to expand all 3 terms and show LHS = RHS A1 fully correct algebra RHS exp is $4(a^2 + ab - a - ba - b^2 + b)$ OR Factorisation Method M1 for attempt to use difference of 2 squares on LHS M1 for one bracket correctly simplified A1 fully correct
(b)	Any 2 odd square numbers have the above form If a and b are both even or odd then $a - b$ is even, so $4(a - b)$ is a multiple of 8 If one of a,b is odd, then $a + b - 1$ is even, so $4(a + b - 1)$ is a multiple of 8		3	B1 'any 2 square nos have the above form' (may be implied by sight of $(2a - 1)^2 - (2b - 1)^2$ in part (b)) B1 first reason B1 second reason SC B1 for $(2r + 1)^2 - (2r - 1)^2$ B1 for 8r
16 (a)	$g_L = \frac{2 \times 4.495}{1.35^2 \times \sin 30.5}$ $g_u = \frac{2 \times 4.505}{1.25^2 \times \sin 29.5}$	9.719 11.710	4	B2 for any 4 of 4.505, 1.25, 29.5, 4.495, 1.35, 30.5 seen (B1 for any two or three seen) B1 for 11.710 – 11.7103 B1 cao 9.719 – 9.71904
(b)	Round, until lower and upper bounds agree	10	1	B1 for 10 + reason " they agree to this level of accuracy"

Paper 5506

No	Working	Answer	Mark	Notes
17 (a)(i)		xy	3	B1 cao
(ii)		y^2		B1 for y^2 or $y \times y$
(iii)		$\frac{x}{2}$		B1 for $\frac{x}{2}$ or $0.5x$ or $2^{-1}x$
(b)	Divide to get $2y = 1$	$q = -1$	2	M1 for $2y = 1$ or $\frac{x}{2} = 32$ or $p + q = 5$ or $1 + p + 2q = 5$
		$p = 6$		A1 cao
18 (a)	$x^2 - 2mx + m^2 - k$	$k = m^2$	2	M1 for correct exp of $(x - m)^2$ or correct completion of the square eg $\left(x - \frac{2m}{2}\right)^2 - \left(\frac{2m}{2}\right)^2$
				A1 cao
				SC B1 for $k = -m^2$
(b)(i)	Min value is $-m^2$	$-m^2$	3	M1 for recognition that min value occurs when $(x - m)^2 = 0$ (either (b)(i) or (b)(ii) correct implies this M1)
(ii)	$x = m$	m		A1 ft on 'k', " $-k$" gets M1 A0
				A1 cao
19	$0.06 \times 0.05 = 0.003$	No	2	M1 for 0.06×0.05
				A1 correct conclusion based on 0.003 or 0.06 x 0.05 stated as $\neq 0.0011$
				OR M1 for statement that for the two events to be independent P (BL and CL) = P(BL) × P(CL)

Paper 5506				
No	**Working**	**Answer**	**Mark**	**Notes**
20		50 50 4	3	B1 50 or $\frac{100}{2}$ B1 for 50 or "a" B1 4 or $\frac{360}{90}$ oe

Further copies of this publication are available from
Edexcel Publications, Adamsway, Mansfield, Notts, NG18 4LN

Telephone 01623 467467
Fax 01623 450481

Order Code UG014129 June 2003

For more information on Edexcel qualifications please contact our
Customer Response Centre on 0870 240 9800
or email: enquiries@edexcel.org.uk
or visit our website: www.edexcel.org.uk

London Qualifications Limited. Registered in England and Wales no.4496750
Registered Office: Stewart House, 32 Russell Square, London WC1B 5DN



edexcel

GCSE

Edexcel GCSE

Mathematics A 1387

July 2004

advancing learning, changing lives

Mark Scheme

Edexcel GCSE

Mathematics A 1387

London Qualifications is one of the leading examining and awarding bodies in the UK and throughout the world. It incorporates all the qualifications previously awarded under the Edexcel and BTEC brand. We provide a wide range of qualifications including general (academic), vocational, occupational and specific programmes for employers.

Through a network of UK and overseas offices, our centres receive the support they need to help them deliver their education and training programmes to learners.

For further information please call Customer Services on 0870 240 9800, or visit our website at www.edexcel.org.uk

July 2004

Publications Code UG015616

All the material in this publication is copyright
© London Qualifications Ltd 2004

CONTENTS

Notes on Marking Principles....2
Paper 5514....4
Paper 5515....8
Paper 5516.... 11
Paper 5517.... 15
Paper 5518.... 19
Paper 5519.... 23

NOTES ON MARKING PRINCIPLES

NOTES ON MARKING PRINCIPLES

1 Three types of mark are available

M marks - awarded for correct working seen or implied.
A marks - conditional accuracy marks which are awarded for accurate working following the award of M marks.
B marks - unconditional accuracy marks (independent of M).

2 Abbreviations

cao - correct answer only.
ft - follow through.
$\surd$ - Denotes a "follow through" answer.

SC - special case.
isw - ignore subsequent working.
oe - or equivalent (and appropriate).
NB: a candidate cannot benefit from both isw and ft.

3 If no working shown, then

correct answers normally score full marks
incorrect (even though nearly correct) answers score no marks.

4 Marking instructions

Misread loses A marks (and sometimes B marks) on that part but ft can be allowed on subsequent parts. M marks can still be earned. If in doubt contact your team leader.
If there is a wrong answer in the answer space DO CHECK the working in the body of the script.

- If it is clear from working that the "correct" answer has been obtained from incorrect working, award no marks. If in doubt contact your team leader.
- If there is a wrong answer in the answer space DO CHECK the working in the body of the script.
- If it is clear from working that the "correct" answer has been obtained from incorrect working, award no marks. If in doubt contact your team leader.

5 Style of marking

Answer correct: tick and write part mark in margin NEXT TO BRACKETED MARK.
Answer incorrect: cross, but show M, A or B marks if any earned in body of script and transfer the total of these to the margin next to the bracket mark.
Total for each double page at bottom right page (except for back if used), FINAL TOTAL IN RELEVANT BOX ON FRONT COVER.
Nought in margin for fully incorrect question or page AND FOR NO ATTEMPT.
Where no attempt has been made a line should be put in the answer space and zero in the margin next to the bracketed mark
CHOICE OF METHOD – No marks unless one answer is in answer space – then mark that.
CROSSED OUT WORK - if not replaced this should be marked (if legible).
There must always be a mark next to bracketed mark in the margin/

6 Follow Through Marks

Follow throughs are guided by two principles:

(a) Follow throughs which involve a single stage calculation can be awarded without working since you can check the answer yourself, but if ambiguous, do not award.
(b) Follow throughs which involve more than one stage of calculation can only be awarded on sight of the relevant working, even if it appears obvious that there is only one way you could get the answer given.

7 Probability

Probability answers must be given as fractions, percentages or decimals. If a candidate gives a decimal equivalent to a probability, this should be written to at least two decimal places (unless tenths).
Incorrect notation should lose the accuracy marks, but be awarded any implied method marks.

6 Linear Equations

Full marks can be gained if the solution alone is given on the answer line, or otherwise unambiguously indicated in working (without contradiction elsewhere). Where the correct solution only is shown substituted, but not identified as the solution, the accuracy mark is lost but any method marks can be awarded.

8 Parts of questions

Unless allowed by the mark scheme, the marks allocated to one part of the question CANNOT be awarded in another.

PAPER 5501					
No		**Working**	**Answer**	**Mark**	**Notes**
1			K: 1020 L: 8.06	2	B1 for 1020 or 1,020 B1 for 8.06 Accept £8.06p and £8,06
2	(a)		28, 33	2	B1, B1 (B1 ft for "28" + 5 if both numbers >25)
	(b)			1	B1 for add 5, +5, for going up in 5's the difference is 5 oe
	(c)			1	B1 for they end in 3 and 8, it ends in 7; or refers to 383 and 388 are in sequence
3	(a)(i)		$\frac{1}{2}$	2	B2 for ½ accept half (B1 for an equivalent unsimplified fraction eg 4/8 or 50% or 0.5)
	(ii)		2 rectangles shaded	1	B1 for correct shading (any 2 rectangles)
	(b)(i)		40	4	B1 for 40 cao
	(ii)		150 000		B1 for 150 000 cao (accept 150,000 not 150.000)
	(iii)		6.55		B1 for 6.55 cao not $6.5^{½}$
	(iv)		$\frac{3}{8}$		B1 for $\frac{3}{8}$ oe accept 0.375
	(c)		Cross 3cm from *A*	1	B1 mark a cross 3 cm (±2 mm) from *A*
4	(a)(i)		metres	2	B1 for metres (m)
	(ii)		grams		B1 for grams (g)
	(b)		miles	1	B1 for miles
5	(a)		(3, 2)	1	B1 for (3, 2)
	(b)(i)		*Q* at (0, 3)	1	B1 for *Q* plotted correctly on *y*-axis at (0, 3) ±2mm
	(ii)		*R* at (−2, −3)	1	B1 for *R* plotted correctly at (−2, −3) ±2mm
6	(a)(i)		30	2	B1 for 30
	(ii)		25		B1 for 25
	(b)(i)		4 shapes	2	B1 for drawing 4 shapes
	(ii)		1½ shapes		B1 for drawing 1½ shapes

PAPER 5501					
	No	Working	Answer	Mark	Notes
7	(a)		30	1	B1 for 30
	(b)	$20 \times 3 + 5$	65	2	M1 for $20 \times 3 + 5$ oe A1 for 65
8	(a)		Draws perp.	1	B1 for correctly drawing perp must touch line or cut line *AB* ± 2mm
	(b)		Sketches a cylinder	1	B1 for sketching cylinder
9	(a)	1974 6580 8554	855.4	3	M1 for complete method with relative place value correct, condone 1 error in multiplication A2 cao (A1 for digits 8554 seen or A1 for "855.4" dependent on 1 arithmetic error)
	(b)	990 ÷ 69 = 14.3…. or 14 rem 24	14	4	Method 1 - Everything excluding long division M2 for a valid method with no errors …need to see 966 or 1035 (M1 for a valid method, including estimation, that reaches an answer between 901 and 1099 inclusive. Ignore errors.) A2 for 14 with a fully correct method (A1 (dep on 1st M1) for an answer between 14 and 15 inclusive. Ignore errors. Cannot have used estimation.) Note: Estimation can only score a maximum of M1 unless accompanied by another method or 966 or 1035 see (award M2) Method 2 – long division method M2 for 990 ÷ 69 = integer answer between 12 and 19 inclusive and rem 30 seen (M1 for 990 ÷ 69 with 1 in tens column.) A2 for 14 with fully correct method (A1 (dep on 1st M1) for an answer between 14 and 15 inclusive.)

PAPER 5501					
	No	Working	Answer	Mark	Notes
10	(a)(i)		7	2	B1 for 7
	(ii)		−10		B1 for −10
	(b)(i)		6	2	B1 for 6 (accept −6)
	(ii)		8		B1 for 8 (accept −8)
	(c)		−7	1	B1 for −7 cao
11	(a)		B and D	2	B1, B1 (–1 each extra)
	(b)(i)		A	2	B1 for A
	(ii)		3		B1 for 3
12	(a)	800 − 144	656	2	M1 for at least 1 digit correct and in correct position needs to be 3 digit number A1 for 656
	(b)	144 is less than 200 so Trudy is wrong		2	B1 for 200 B1ft for 'correct' explanation based on cand's "200"
	(c)	$\frac{45\times800}{100}$	360	2	M1 for 45 × 800 ÷ 100 oe A1 for 360
	(d)	$\frac{176}{800}\times100$	22	2	M1 for $\frac{176}{800}\times100$ oe A1 for 22
13	(a)(i)		25	4	B1 for 25
	(ii)		28		B1 for 28
	(iii)		5 and 20		B1 for 5 and 20
	(iv)		26 and 33		B1 for 26 and 33
	(b)	$2^3 = 8$ or $2^3 = 2 \times 2 \times 2$ (which is not 6)		1	B1 for valid 'explanation'
14			10 m^2	2	B1 for 10 B1 indep for m^2.

PAPER 5501					
No		**Working**	**Answer**	**Mark**	**Notes**
15	(a)	$\frac{11}{12}-\frac{10}{12}$	$\frac{1}{12}$	2	M1 for correctly writing both fractions to a common denominator A1 for $\frac{1}{12}$ oe
	(b)	$\frac{70\times400}{200}$	140	2	B2 for 140 (accept 136) (B1 for sight of any two of 70, 400 or 200)
16	(a)		$2y$	1	B1 for $2y$ or $2\times y$, $y2$, $y\times2$
	(b)		$3p^2$.	1	B1 for $3p^2$ or $3\times p^2$ or $p^2\times3$ or $p^2 3$
	(c)		$x(x-3)$	2	B2 for $x(x-3)$ (B1 for x (x…….)) $\frac{25}{60}$ wrongly cancelled gets B1 ISW
17	(a)		2 23 9 34 15 2 9 26 17 25 18 60	3	B3 for all correct (B2 for 4 or 5 entries correct) (B1 for 2 or 3 entries correct)
	(b)		$\frac{25}{60}$	1	B1 for $\frac{25}{60}$ or $\frac{5}{12}$ oe $\frac{25}{60}$ wrongly cancelled gets B1 ISW

PAPER 5501					
	No	Working	Answer	Mark	Notes
18	(a)(i)		60	2	B1 for 60
	(ii)				B1 for all **angles equal** so equilateral triangle oe
	(b)(i)		130	3	B1 for 130
	(ii)				B1 for isosceles triangle oe or 2 angles equal accept $\angle Q = \angle R$ B1 for angles on a straight **line** add up to **180°**oe (180° could be in working)
	(c)		64	1	B1 for 64
19	(a)		1	1	B1 for 1
	(b)		3	1	B1 for 3
	(c)	$9\times1+3\times2+5\times3+3\times4$ (= 42) "42" ÷ 20	2.1	3	M1 for 9×1, 3×2, 5×3, 3×4 or for 42 seen M1 (dep) for "42" ÷ 20 A1 for 2.1 or $2\frac{1}{10}$ or $2\frac{2}{20}$
20	(a)		09 05	1	B1 for 09 05 oe
	(b)		7	1	B1 for 7
	(c)		10	1	B1 for 10
	(d)	7km in 20 mins	21	3	B1 for 20 (minutes) oe or $\times3$ seen M1 for $\frac{"7"}{"20"}$ A1 cao [SC: "7" × 3 seen gets B1 M1]

PAPER 5501				
No	**Working**	**Answer**	**Mark**	**Notes**
21	Vertices of new triangle at (2, −2) (2, 6) and (6, −2)	Correct triangle drawn	3	B3 cao (B2 for either correct triangle in wrong translated position or for 2 vertices correct) (B1 a right angled triangle with horizontal length 4 or vertical length 8 in the same orientation as the shaded triangle) SC B2 for s + 3 totally correct
22 (a) (b) (c)	 8560 ÷ (10 × 10)	8 Pentagon 85.6	1 1 2	B1 for 8 B1 for pentagon M1 for 8560 ÷ (10 × 10) oe A1 for 85.6
23	$2x + x + 100 + 47 = 360$ $2x + x = 360 - 100 - 47$ $x = 71$ Largest angle = $2x$ =	142	4	M1 for $2x + x + 100 + 47 = 360$ or 360 – 147 or 213 seen M1 dep for correctly separating x-terms and non x terms or "360 – 147" ÷ 3 A1 for $x = 71$provided M2 awarded A1 ft for 142

PAPER 5502					
	No	Working	Answer	Mark	Notes
1	(a)		Diagram	1	B1 cao
	(b)		22, 26	1	B1 cao
	(c)		46	1	B1 cao
2	(a)	£5.95 + £1.62 + 25p + 2 × 48p = £8.78	1.22	3	M1 for 3 of £5.95, £1.62, 25p, 48p seen with intention to add or 170 seen A1 for £8.78 A1 ft from " 8.78"
	(b)	160 ÷ 12 = 13.(333…)	14	2	M1 for 160 ÷ 12, or 13 or better or 12 × 13 or 12 × 14 A1 14 cao
	(c)	"14" × £12.20 = £170.8**0**	170.80	2	M1 for "14" × 12.20 A1 for 170.8**0** or 158.6**0** if 13 in (b) NB: 170.8 or 158.6 gets M1 A0
3	(a)(i)		1459	1	B1 cao
	(ii)		9541	1	B1 cao
	(b)		9 + 5 = 14	1	B1 cao
	(c)		0	1	B1 cao
4	(a)		1123	1	B1 cao
	(b)		1125	1	B1 cao
	(c)		43	1	B1 cao
	(d)	67 – "43"	24	2	M1 for 67 – "43" A1 ft from "43"
	(e)(i)		80	2	B1 cao
	(ii)		56 – 58		B1 answer in range 56 to 58 inc
	(f)		Completes graph	2	B2 for (Apr , 70) and (May , 60 < p < 65) plotted and joined (B1 for one point plotted)

PAPER 5502					
	No	Working	Answer	Mark	Notes
5	(a)(i)		4	1	B1 cao
	(ii)		10	1	B1 cao
	(b)		28	2	B2 for 28 (B1 for 29 or 14×2)
6	(a)		$\frac{3}{4}$	1	B1 accept 0.75, 75%
	(b)	$\frac{3}{4} \times 28 = 21$	15.54	3	M1 for $\frac{3}{4} \times 28$ or 21 seen M1 for "21" $\times$ 74 or 28×74 or 7×74 A1 cao
	(c)(i)		44 – 46	2	B1 44 – 46 inc
	(ii)		5.2 – 5.4		B1 5.2 – 5.4 inc
7	(a)		Correct shape	1	B1
	(b)		Correct shape	1	B1
8	(a)		Hexagon	1	B1
	(b)		Right	1	B1 cao
	(c)		Drawing	2	B2 for 7 additional hexagons with at least 2 points at which 3 hexagons meet (B1 for one point at which 3 hexagons meet)
9	(a)		$\frac{3}{4}$	2	M1 $\frac{80-20}{80}$ or $\frac{60}{80}$ or 0.75 (oe) A1 cao Do not accept equivalents
	(b)		15	1	B1 cao
	(c)		Iron and Cook set	1	B1 for both Accept mixer and fryer
	(d)		Microwave	1	B1 cao
	(e)		Bar chart	2	B1 one column (mixer): 70, 90 B1 second column (fryer): 70, 85 [SC: B1 columns correct but reversed]

PAPER 5502					
No		**Working**	**Answer**	**Mark**	**Notes**
10	(a)		Acute	1	B1
	(b)		Reflex	1	B1
	(c)		reason	1	B1 reason eg 120 + 230 = 350 ≠ 360
11	(a)		$\frac{1}{2}$	1	B1 for $\frac{1}{2}$ oe
	(b)		reason	1	B1 for reason e.g could get 30 heads
12	(a)	7.5×4	30	2	M1 for 7.5×4 or $7\frac{1}{2} \times 4$ A1 cao
	(b)	$\sqrt{(42.25)}$	6.5	2	B2 for 6.5 (B1 for 42.25)
13	(a)		$6x$	1	B1 accept $6 \times x$, $x6$ oe
	(b)		$x - 4$	1	B1 cao
	(c)		$12(x - 4)$	1	B1 for $12(x - 4)$ or $12x - 48$ or $12 \times x - 48$ oe
	(d)		$18x - 48$	2	M1 for "$6x$" + "$12(x-4)$" or "$6x$" + "$12x - 48$" oe A1 ft $18x - 48$, $2(9x - 24)$, $3(6x - 16)$, $6(3x - 8)$
14	(a)		90	2	B2 for 90 ± 2 (B1 for 9 ± 0.2)
	(b)		317	1	B1 for 317 ± 4
15	(a)	Accurate drawing of triangle		2	B1 cao for 38° (±2°) B1 cao (indep) for BC drawn 7.3 cm (±2mm) and completing the triangle.
	(b)	Measure angle A	63°	1	B1 for 63° (±2°) or ft their diagram (±2°)

PAPER 5502					
	No	Working	Answer	Mark	Notes
16	(a)	0 × 1 = 0 1 × 1 = 1 2 × 4 = 8 3 × 8 = 24 4 × 8 = 32 5 × 7 = 35	100	3	M1 col 1 × col 2 (at least 3 shown) M1 (dep) sum of totals A1 cao SC: M1 M1 A0 for 101
	(b)	Either 35.50 ÷ 1.42 = 25; 26.99 – 25 = 1.99 Cheaper in the USA Or 26.99 × 1.42 = 38.33; 38.33 – 35.50 = 2.83 Cheaper in the USA		3	M1 35.50 ÷ 1.42 A1 25 seen B1 ft (dep on M1) £1.99 with conclusion (must have units) **OR** M1 26.99 × 1.42 A1 38.32 or 38.33… seen B1 ft (dep on M1) $2.83 or $2.82 with conclusion (must have units) must be to 2dp
17	(a)		-1, (1), (3), 5, 7, 9	2	B2 cao (B1 for 2 values)
	(b)		Graph	2	B1 ft for plotting points ±1/2 square B1 cao for line between $x = -2$ and $x = 3$
	(c)(i)		0.4	2	B1 for 0.4 or ft from single straight line with positive gradient
	(ii)		1.2		B1 for 1.2 or ft from single straight line with positive gradient

PAPER 5502					
	No	Working	Answer	Mark	Notes
18	(a)		Plots	1	B1 cao
	(b)		description	1	B1 dynamic relationship or "positive" (correlation)
	(c)		line of best fit	1	Line within overlay region, and to the extent of.
	(d)(i)	280 g →	reading	2	B1 ft from single straight line of positive gradient (±1/2 square)
	(ii)	120 pages →	reading		B1 ft from single straight line of positive gradient (±1/2 square)
19			200 150 225 150 10	3	B3 cao (B2 for three correct, or B1 for one correct)
20	(a)			2	B1 B1 for correct sketch – ignore additional internal lines B1 B0 for rectangle or right-angled triangle or correct shape without line NB 3-D sketch gets B0 B0
	(b)			2	B1 B1 for correct plan – ignore internal lines – accept a rotated plan, not reflected B1 B0 for a single rectangle drawn NB 3-D sketch gets B0 B0
21	(a)	163.25 – 35.50 = 127.75 127.75 ÷ 18.25 = 7	8	3	M1 163.25 – 35.50 (or sight of 127.75) M1 (dep) "127.75" ÷ 18.25 A1 cao SC: M2 for 7 days
	(b)	1.175 × £64 or $\frac{17.5}{100}$ × 64 or £11.20 seen	75.20	2	M1 1.175 × 64, 0.175 × 64 oe or 11.20 or 75.2 seen or 6.40, 3.20 and 1.60 seen A1 cao

PAPER 5502					
	No	Working	Answer	Mark	Notes
22	(a)		6	1	B1 cao
	(b)		$t^2 - 2t$	1	B1 oe
	(c)		$3(y - 4)$	1	B1 Accept $3 \times (y - 4)$ or $3(y - 4$
23	(a)		Reason	1	B1 Makes some mention of bias either directly or making reference to an insufficient or biased range of responses
	(b)		Reason	1	B1 (a) an insufficient range of responses (b) No mention of money (c) No time frame in the question (d) Misunderstanding of "A lot" and "Not much"

PAPER 5503					
No		**Working**	**Answer**	**Mark**	**Notes**
1			10.	1	B1 for 10
2	(a)(i)		$3e + 2f$	2	B1 for $3e + 2f$
	(ii)		$3p^2$		B1 for $3p^2$
	(b)	$5 \times -3 + 1$	-14	2	M1 for $5 \times -3 + 1$ A1 for -14
3		1974 6580 8554	855.4	3	M1 for complete correct method with relative place value correct, condone 1 error in multiplication. A2 cao (A1 for digits 8554 seen or A1 ft for "855.4" dependent on one arithmetic error only)
4	(a)		2 23 9 34 15 2 9 26 17 25 18 60	3	B3 all correct (B2 for 4 or 5 entries correct) (B1 for 2 or 3 entries correct)
	(b)		$\frac{25}{60}$	1	B1 for $\frac{25}{60}$ or $\frac{5}{12}$ oe
5	(a)	$\frac{45}{100} \times 800$	360	2	M1 for $\frac{45}{100} \times 800$ oe A1 for 360
	(b)	$\frac{176}{800} \times 100$	22	2	M1 for $\frac{176}{800} \times 100$ oe A1 for 22

PAPER 5503					
	No	Working	Answer	Mark	Notes
6	(a)	$\frac{11}{12}-\frac{10}{12}$	$\frac{1}{12}$	2	M1 for correctly writing both fractions to a common denominator A1 for $\frac{1}{12}$ oe
	(b)	$\frac{70\times400}{200}$	140	2	B2 for 140 (accept 136) (B1 for sight of any two of 70, 400 or 200)
7	(a)(i)		60	2	B1 for 60
	(ii)				B1 for all angles equal so equilateral triangle oe
	(b)(i)		130	3	B1 for 130
	(ii)				B1 for isosceles triangle oe B1 for angles on a straight line add up to 180°oe
	(c)		64	1	B1 for 64
8		$9\times1+3\times2+5\times3+3\times4$ (=42) "42" ÷ 20	2.1	3	M1 for 9×1, 3×2, 5×3, 3×4 or for 42 seen M1 (dep) "42" ÷20 A1 for 2.1 or $2\frac{1}{10}$ or $2\frac{2}{20}$
9	(a)		09 05	1	B1 for 09 05 oe
	(b)		7	1	B1 for 7
	(c)		10	1	B1 for 10
	(d)	7 km in 20 minutes	21	3	B1 for 20 (minutes) oe or $\times3$ seen M1 for $\frac{"7"}{"20"}$ A1 cao SC: "7" $\times3$ gets B1 M1

PAPER 5503					
No		**Working**	**Answer**	**Mark**	**Notes**
10		Vertices of new triangle at (2, −2) (2, 6) and (6, −2)	Correct triangle drawn	3	B3 cao (B2 for either correct triangle in wrong translated position or for 2 vertices correct) (B1 for a right-angled triangle with horizontal length 4 or vertical length 8 in the same orientation as shaded triangle) SC B2 for scale factor 3, totally correct
11		$2^2 + 3 =$	7 which is not even	2	B2 (B1 for correctly evaluating $n^2 + 3$ with a prime number value for n.)
12	(a)	360 ÷ 5	72	2	M1 for 360 ÷ 5 oe A1 for 72
	(b)	8560 ÷ (10 × 10)	85.6	2	M1 for 8560 ÷ (10 × 10) oe A1 for 85.6
	(c)(i)	Least length = 100.5	100.5	2	B1 for 100.5
	(ii)	Greatest length = 101.5	101.5		B1 for 101.5 or 101.499 or better
13		$2x + x + 100 + 47 = 360$ $2x + x = 360 - 100 - 47$ $x = 71$ Largest angle = $2x$ =	142	4	M1 for $2x + x + 100 + 47 = 360$ or 360 – 147 or 213 seen M1 (dep) for correctly separating x-terms and non x terms or $\frac{"360-147"}{3}$ A1 for $x = 71$ A1 ft (provided M2 awarded) for "142"
14	(a)(i)		2.21	2	B1 for 2.21
	(ii)		0.013		B1 for 0.013
	(b)	LCM = 3 × 13 × 17 = 3 × 221	663	2	M1 for 3 × 13 × 17 oe A1 for 663

PAPER 5503				
No	**Working**	**Answer**	**Mark**	**Notes**
15		Tick boxes 1,3 & 6	3	B1 for $\frac{\pi abc}{2d}$; B1 for $2a^2$; B1 for $2\left(c^2+d^2\right)$ (−B1 for each additional expression ticked (>3) to a minimum of 0)
16	200×0.2	40	2	M1 for 200×0.2 or $\frac{40}{200}$ seen A1 for 40
17 (a)	eg 2 | 108 2 | 54 3 | 27 3 | 9 3	$2^2 \times 3^3$	3	M2 for full systematic method of at least 4 divisions by prime numbers oe factor trees; condone 1 calculation error (M1 for 108 written as a correct product(s) with only one non-prime or equivalent division or a full process with 2 calculation errors.) A1 for $2^2 \times 3^3$ (accept $2 \times 2 \times 3 \times 3 \times 3$)
(b)		12	1	B1 for 12
18	Perpendicular from P to intersecting arcs (within tramlines); perpendicular at least 2cm long		2	M1 relevant pair of arcs crossing within tramlines A1 SC M1 AO for a full construction of a perpendicular to AB not passing through P.
19	15×10	150 cm^3.	3	M1 for 15×10 A1 for 150 B1 for cm^3.

PAPER 5503					
No		**Working**	**Answer**	**Mark**	**Notes**
20			$y = 2x + 6$	2	B2 for $y = 2x + 6$ (B1 for $y = 2x + k$, $k \neq 1$ or for $y = mx + 6$, m $\neq 0$ or for $2x + 6$)
21		$6\frac{2}{5} = \frac{32}{5}$ Area of triangle = $\frac{1}{2} \times \frac{5}{8} \times 6\frac{2}{5}$ (=2) Length of a side of sq. = $\sqrt{18 \times "2"}$ (=6) Perimeter of square = 4 × 6	24	5	B1 for $6\frac{2}{5} = \frac{32}{5}$ oe or $3\frac{1}{5} = \frac{16}{5}$ or $\frac{30}{8} + \frac{2}{8}$ oe (or implied by area of triangle=2) M1 for $\frac{1}{2} \times \frac{5}{8} \times 6\frac{2}{5}$ oe M1 for area of square = 18 × product of two lengths A1 for $\sqrt{18 \times "2"}$ A1 for 24
22	(a)		$x(x-3)$	2	B2 for $x(x-3)$ (B1 for x (…….))
	(b)		k^3.	1	B1 for k^3.
	(c)(i)	$4x + 20 + 3x - 21$	$7x - 1$	4	M1 for **three** of 4 terms $4x + 20 + 3x - 21$ (or better) A1 for $7x - 1$
	(ii)	$x^2 + 3yx + 2xy + 6y^2$	$x^2 + 5xy + 6y^2$		M1 for **three** of 4 terms $x^2 + 3yx + 2xy + 6y^2$ A1 for $x^2 + 5xy + 6y^2$
	(d)		$(p+q)(p+q+5)$	1	B1 for $(p+q)(p+q+5)$

PAPER 5503					
	No	Working	Answer	Mark	Notes
23	(a)		32	1	B1 for 32 (accept 31.5 to 33.5 inclusive)
	(b)			3	B1 for ends of whiskers at 9 and 57, (with a box) B1 for ends of box at 16 and 45 (± 0.5) B1 for median marked at 32 or a complete box and whisker diagram drawn with a median inside the box
	(c)	Median(B)>Median(G); on average boys take longer IQR(B)>IQR(G); times for boys have a greater spread		2	B1 eg for comparison of medians B1 eg for comparison of (interquartile) ranges
24	(a)	$6y = 15 - 5x$	$y = \frac{15-5x}{6}$	2	M1 for either $6y = 15 - 5x$ or -6 $y = 5x - 15$ or for $\frac{5x}{6} + y = \frac{15}{6}$ or a correct ft on sign error to $y=$ A1 for $y = \frac{15-5x}{6}$ oe
	(b)	$6k + 5(-21) = 15$	20	2	M1 for substitution of $x = -21$ (or $x = 21$) into given equation or candidate's answer to (a) A1 for $k = 20$
	(c)(i)		Region R indicated	3	B2 correct region shaded (accept unshaded if R clear) (B1 shaded or R region satisfies 3 of the 4 given inequalities with same boundaries)
	(ii)		(1,1)		B1 for (1,1)

PAPER 5503					
	No	Working	Answer	Mark	Notes
25	(a)		60	1	B1 for 60 B1 for *BDC* = 25
	(b)	eg Angle *BDC* = 25 *ADB* = 60 − 25	35	2	[Award the mark for equivalent approaches] B1 ft for (a) − 25
	(c)	Ben is correct; angle *DAB* = 65 + 25 = 90 and since angle in a semi-circle is 90°, *BD* must be a diameter		1	B1 for full valid justification

PAPER 5504					
	No	Working	Answer	Mark	Notes
1	(a)	Accurate drawing of triangle		2	B1 cao for 38º (±2º) B1 cao (indep) for BC drawn 7.3 cm (±2mm) and completing the triangle.
	(b)	Measure angle A	63º	1	B1 for 63º (±2º) or ft their diagram (±2º)
2	(a)	0 × 1 = 0 1 × 1 = 1 2 × 4 = 8 3 × 8 = 24 4 × 8 = 32 5 × 7 = 35	100	3	M1 col 1 × col 2 (at least 3 shown) could be implied by answers. M1 (dep) sum of totals A1 cao SC: M1 M1 A0 for 101
	(b)	Either $35.50 ÷ 1.42 = £25; £26.99 - £25 = £1.99 Cheaper in the USA Or £26.99 × 1.42= $38.33; $38.33 - $35.50 = $2.83 Cheaper in the USA		3	M1 35.50 ÷ 1.42 A1 25 seen B1 ft (dep on M1) £1.99 with conclusion; units needed OR: M1 26.99 × 1.42 A1 38.33 or 38.32…seen B1 ft (dep on M1) $2.83 or $2.82 with conclusion; units needed
3	(a)		-1, (1), (3), 5, 7, 9	2	B2 cao (B1 for 2 values)
	(b)		Graph	2	B1 ft for plotting points ±1/2 square B1 cao for line between $x = -2$ and $x = 3$
	(c)(i)		0.4	2	B1 0.4 or ft single straight line with positive gradient
	(ii)		1.2		B1 1.2 or ft single straight line with positive gradient

PAPER 5504					
	No	Working	Answer	Mark	Notes
4	(a)			2	B1 Rectangle drawn B1 Triangle attached Ignore additional internal lines; 3D sketch gets B0
	(b)			2	B1 single Rectangle drawn B1 Attached smaller rectangle drawn Accept rotated plan, Ignore internal lines down; Nets get B0
5	(a)	£163.25 - £35.50 = £127.75 £127.75 ÷ £18.25 = 7	8	3	M1 163.25 – £35.50 (or sight of £127.75) M1 (dep) "127.75" ÷ 18.25 A1 cao SC: M2 for 7 days
	(b)	1.175 × £64 or $\frac{17.5}{100}$ × 64 or £11.20 seen	75.20	2	M1 1.175 × 64.00 0.175 × 64 oe or 11.20 or 75.2 seen OR 6.40, 3.20, and 1.60 seen A1 cao
	(c)	54 × £2.38 =	128.52	2	M1 54 × £2.38 A1 cao
6		Tessellation	Drawing	2	B2 seven additional hexagons, with at least 2 points at which 3 hexagons meet (B1 one point at which 3 hexagons meet).
7			200 150 225 150 10	3	B3 cao (B2 for three correct, or B1 for one correct)
8	(a)(i)	Bearing measured	70	2	B1 70 ± 4
	(ii)	Bearing measured	317		B1 317 ± 4
	(b)	Locus (circle) drawn & shaded		2	B1 circle ±2 mm centre Manchester B1 shading with accurate or approximate circle within tolerance

PAPER 5504					
	No	Working	Answer	Mark	Notes
9	(a)		Plots	1	B1 cao
	(b)		Description	1	B1 dynamic relationship or "positive" (correlation)
	(c)		Line of best fit	1	Line within overlay region, and to the extent of.
	(d)(i)	280 g →	Reading	2	B1 ft from single straight line of positive gradient (±1/2 square) B1 ft from single straight line of positive gradient (±1/2 square)
	(ii)	120 pages →	Reading		
10	(a)	$\frac{1}{6}, \frac{3}{8}, \frac{1}{2}, \frac{2}{3}, \frac{3}{4}$		2	B2 for all correct (B1 for 1 error or all correct but wrong order, or use of a common denominator decimals).
	(b)	3/5, 65%, 2/3, 0.72, 3/4		2	B2 for all correct (B1 for 1 error or all correct but wrong order or conversions to decimals oe)
11	(a)		182, 178, 180, 184	2	M1 mean of any three consecutive months, eg (147 + 161 + 238) ÷ 3 oe A1 cao
	(b)	Sale price = 80% Fun Friday price = 70% of 80% = 56% (oe)		2	B1 B1 for a fully correct explanation involving a worked example (oe) B1 a partially complete explanation

PAPER 5504					
	No	Working	Answer	Mark	Notes
12	(a)		Reason	1	B1 makes a mention of bias, either directly, or making reference to an insufficient or biased range of responses.
	(b)(i)		Reason	1	B1 make some mention of any one of (a) an insufficient range of responses (b) no mention of money (c) no time frame in the question (d) misunderstanding of "a lot" or "not much"
	(ii)		Question	2	B2 B1 for each of the following upto B2 (a) an improved question eg time frame made clear (b) response boxes (imperfect) (c) response boxes no errors OR For suggesting a generally improved question (a) a question clearly in the context of changes to the canteen (b) at least 3 boxes showing a full range of responses
13	(a)	$20y - 18y = 16 - 9$ oe $2y = 7$	$3\frac{1}{2}$ oe	3	M1 $20y - 18y = 16 - 9$ oe M1 $2y = 7$ A1 cao
	(b)	$40 - x = 3(4 + x)$ $40 - x = 12 + 3x$ $40 - 12 = x + 3x$ $4x = 28$	7	3	M1 multiplying through by 3: $3 \times \frac{40 - x}{3} = 3 \times 4 + 3 \times x$ A1 $40 - 12 = x + 3x$ A1 cao
14	(a)		$12(x\text{-}4)$	1	B1 for $12(x - 4)$ or $12x - 48$ or $12 \times x - 48$ oe $x = 12(x - 4)$ gets B0
	(b)		$18x\text{-}48$	2	M1 $6x +$ "$12(x - 4)$" or $6x +$ "$12x - 48$" A1 ft a linear expression $18x - 48$, $2(9x - 24)$, $3(6x - 16)$, $6(3x - 8)$

PAPER 5504					
No		**Working**	**Answer**	**Mark**	**Notes**
15		x $x^3 - 2x$ 4.1 60.7(21) 4.2 65.6(88) 4.3 70.9(07) Accept answer to 1 dp 4.22 66.7(114) or more 4.23 67.2(269) 4.24 67.7(45) 4.25 68.2(656)	4.2	4	B2 for trial $4.1 \leq x \leq 4.3$ evaluated (B1 for trial $4 < x < 5$ evaluated) B1 for different trial $4.225 \leq x \leq 4.25$ evaluated B1 (dep on at least one previous B1) for 4.2 cao
16	(a)		1.0×10^{-9}	1	B1 accept 1×10^{-9} or just 10^{-9}
	(b)	$1 \div 5 \times 10^{-9}$	2×10^{8}	2	M1 for $1 \div$ ("5×10^{-9}") or digit 2 with zeros only seen Condone omission of bracket for M1. A1 cao
17	(a)	$\frac{6.27 \times 4.52}{4.81 + 9.63} = \frac{28.3404}{14.44} = 1.962631579$	1.9626…	2	B2 for 1.9626… (B1 for 28.34 or 14.44)
	(b)		1.96	1	B1 ft from (a) as rounded to 1dp or 2dp. Do not accept 2, 2.00, but accept 2.0
18			$d = 4n + 6$	2	B2 $d = 4n + 6$ oe (B1 $d = 4n + k$, k an integer or 0, $4n + 6$, $n = 4n + 6$)
19		Vol = $\pi \times 3.8^2 \times 2.5 = \pi \times 14.44 \times 2.5$ = 45.36… × 2.5 = 113.411 Mass = "113" × 1.5 = 170.1165	170	4	M1 for $\pi \times r^2 \times 2.5$ where r = is 3.8 or 7.6 A1 if $r = 3.8$ M1 for "113" × 1.5 A1 for 169.5 – 170.3 cao

PAPER 5504					
	No	Working	Answer	Mark	Notes
20	(a)	$10^2 + 6^2$ or 136 $\sqrt{(100+36)}$ or $\sqrt{136} = 11.66\ldots$	11.7	3	M1 $10^2 + 6^2$ or 136 seen M1 (dep) $\sqrt{100+36}$ or $\sqrt{136}$ A1 11.66 – 11.7
	(b)	$\cos x = \frac{8}{10}$ or 0.8 $x = \cos^{-1} 0.8 = 36.869^\circ$	36.9	3	M1 for $\cos = \frac{8}{10}$, cos = 0.8 (oe) M1 (dep) for $\cos^{-1}$ (oe) A1 for 36.86 – 36.9
21		$18x - 6y = 99$ $\quad 12x - 4y = 66$ $8x + 6y = 18$ $\quad 12x + 9y = 27$ $26x = 117$ $\quad -13y = 39$	$x = 4\frac{1}{2}$ $y = -3$	4	M1 correct process to eliminate either x or y (condone one error) A1 cao for non – eliminated one. M1 (dep on 1st M1) for correct substitution of their found value. A1 cao (need both)
22		$\frac{133}{72} = 1.8472, \frac{160}{82} = 1.9512$ OR $\frac{72}{133} = 0.54135, \frac{82}{160} = 0.5125$ OR $\frac{160}{133} = 1.203...., \frac{82}{72} = 1.1388....$ OR $\frac{133}{160} = 0.83125...., \frac{72}{82} = 0.878$	1.84..≠ 1.95.. 1.20..≠ 1.13..	3	M1 for $\frac{133}{72}$ (= 1.8472…) oe Accept 1.8, 1.85 M1 for $\frac{160}{82}$ (=1.9512…) oe consistent pairing Accept 2.0, 1.9 **OR** M1 for $\frac{160}{133}$ (= 1.203…) oe M1 for $\frac{82}{72}$ (=1.1388) oe A1 for enough decimal places to show that the ratios are not equal; since the scale factors are different the shapes cannot be similar. NB Do Not need conclusion

PAPER 5504					
	No	Working	Answer	Mark	Notes
23	(a)		0.4, 0.6 0.4, 0.6, 0.4	2	B1 for LHS: (0.6), 0.4 B1 for RHS: 0.6, 0.4, 0.6, 0.4
	(b)	(30 × 42) – (25 × 42.8) = 1260 – 1070 = 190 190 ÷ 5 =	38	3	M1 for (30 × 42) – (25 × 42.8) or 1260 – 1070 or 190 seen M1 (dep) for "190" ÷ 5 A1 cao
24	(a)	£12000 × 0.25 = £3000; £12000 – £3000 = £9000 £9000 × 0.25 = £2250; £9000 – £2250 = £6750 £6750 × 0.25 = £1687.50; £6750 – £1687.50 =	£5062.50	3	M1 for 12000 × 0.75 (=9000) oe or £3000 or £23437.50 seen M1 (dep) for at least two further depreciation calculations (complete steps) A1 cao **OR** M2 for $12000 \times (0.75)^3$ or 5062.50 seen (M1 for $12000 \times (0.75)^n$, $n = 2$ or 4)
	(b)	0.8 × 0.8 × 0.8 × 0.8 (oe)	0.4096	2	M1 0.8^4 (oe) A1 cao

PAPER 5505					
No		**Working**	**Answer**	**Mark**	**Notes**
1	(a)(i) (ii) (b)	 LCM = 3 × 13 × 17 = 3 × 221	2.21 0.013 663	2 2	B1 for 2.21 B1 for 0.013 M1 for 3 × 13 × 17 oe A1 for 663
2			Tick boxes 1,3 & 6	3	B1 for $\frac{\pi abc}{2d}$; B1 for $2a^2$; B1 for $2(c^2 + d^2)$ (−B1 for each additional expression ticked (>3) to a minimum of 0)
3	(a) (b)	200 × 0.2 0.2 + 0.4	40 0.6	2 2	M1 for 200 × 0.2 or $\frac{40}{200}$ seen A1 for 40 M1 for 0.2 + 0.4 A1 for 0.6
4	(a) (b)	eg 2 | 108 2 | 54 3 | 27 3 | 9 3 12	$2^2 \times 3^3$ 12	3 1	M2 for full systematic method of at least 4 divisions by prime numbers oe factor trees; condone 1 calculation error (M1 for 108 written as a correct product with only one non-prime or equivalent division or a full process with 2 calculation errors.) A1 for $2^2 \times 3^3$ (accept 2 × 2 × 3 × 3 × 3) B1 for 12
5		Perpendicular from P to intersecting arcs (within tramlines); perpendicular at least 2 cm long		2	M1 relevant pair of arcs crossing within tramlines A1 SC M1A0 for full construction of a line perpendicular to AB not through P
6		15 × 10	150 cm^3.	3	M1 for 15 × 10 A1 for 150 B1 for cm^3

PAPER 5505					
	No	Working	Answer	Mark	Notes
7	(a)		k^3.	1	B1 for k^3.
	(b)(i)	$4x + 20 + 3x - 21$	$7x - 1$	4	M1 for **three** of 4 terms $4x + 20 + 3x - 21$ (or better) A1 for $7x - 1$
	(ii)	$x^2 + 3yx + 2xy + 6y^2$	$x^2 + 5xy + 6y^2$		M1 for **three** of 4 terms $x^2 + 3yx + 2xy + 6y^2$ A1 for $x^2 + 5xy + 6y^2$
	(c)		$(p+q)(p+q+5)$	1	B1 for $(p+q)(p+q+5)$
	(d)		m^8	1	B1 for m^8.
	(e)		$6r^3t^6$	2	B2 for $6r^3t^6$ (B1 for $.....r^3t^6$ or for $6....t^6$)
8	(i)	Least length = 100.5	100.5	2	B1 for 100.5
	(ii)	Greatest length = 101.5	101.5		B1 for 101.5; ACCEPT 101.499 or better
9		$6\frac{2}{5} = \frac{32}{5}$ Area of triangle = $\frac{1}{2} \times \frac{5}{8} \times 6\frac{2}{5}$ (= 2) Length of a side of sq. = $\sqrt{18 \times "2"}$ (=6) Perimeter of square = 4 × 6	24	5	B1 for $6\frac{2}{5} = \frac{32}{5}$ oe or $3\frac{1}{5} = \frac{16}{5}$ oe or $\frac{30}{8} + \frac{2}{8}$ oe (or implied by area of triangle=2) M1 for $\frac{1}{2} \times \frac{5}{8} \times 6\frac{2}{5}$ oe M1 for (area of square) = 18 × product of two lengths A1 = $\sqrt{18 \times "2"}$ A1 for 24

PAPER 5505					
	No	Working	Answer	Mark	Notes
10	(a)	$6y = 15 - 5x$	$y = \frac{15-5x}{6}$	2	M1 for either $6y = 15 - 5x$ or for $\frac{5x}{6} + y = \frac{15}{6}$ or $-6y = 5x - 15$ or a correct ft on sign error to $y =$ A1 for $y = \frac{15-5x}{6}$ oe
	(b)	$6k + 5(-21) = 15$	20	2	M1 for subst. of $x = -21$ (or $x = 21$) into given eq^n or answer to (a) A1 for $k = 20$
	(c)(i)		Region R indicated	3	B2 correct region shaded (accept unshaded if R clear) (B1 shaded (R) region satisfies 3 of the 4 given inequalities with same boundaries)
	(ii)		(1,1)		B1 for (1,1)
11	(a)		$y = 2x + 6$	2	B2 for $y = 2x + 6$ (B1 for $y = 2x + k$, $k \neq 1$ or for $y = mx + 6$, $m \neq 0$ or for $2x+6$)
	(b)	Grad of $AB = 2$; Grad of $BC = \frac{-1}{"2"}$	$y = -\frac{1}{2}x + 6$	2	M1 for Grad of $BC = \frac{-1}{"2"}, -\frac{1}{2}$ or grad of $BC = -\frac{1}{\text{grad of AB}}$ A1 ft for $y = -\frac{1}{2}x + 6$ oe ft on wrong coeff. of x in (a)
	(c)	Eg A rectangle is always a cyclic quadrilateral because the opposite angles of a rectangle always add up to 180° (90+90)		1	B1 for valid explanation. (eg lines from the pt of int. of diagonals of rect to all 4 vertices are equal(radii))
12		Vertices of new triangle at $(-1, -4)$ $(-4, 2)$ and $(2, 2)$	Correct triangle drawn	3	B3 cao (B2 for 3 correct vertices no triangle or triangle with 2 correct vertices (B1 for triangle with two of six co-ordinates correct from using P as centre or any isosceles triangle with base 6 and height 6)

PAPER 5505					
	No	Working	Answer	Mark	Notes
13	(a)		32	1	B1 for 32 (accept 31.5 to 33.5 inclusive)
	(b)			3	B1 for ends of whiskers at 9 and 57 (with a box) B1 for ends of box at 16 and 45/46 ($\pm$ 0.5) B1for median marked at "32"or complete box and whisker diagram drawn with a median inside the box
	(c)	Median(B)>Median(G); on average boys take longer IQR(B)>IQR(G); times for boys have a greater spread		2	B1 eg for comparison of medians (ft on diagrams) B1 eg for comparison of (interquartile) ranges (ft on diagram)
14		Reading top to bottom frequencies are 20; 18; 45; 52		2	B2 all correct (B1 for one frequency correct)
15	(a)	$1600 = p\,q^0$.; $400 = pq^2$ $q^2 = 0.25$	$p = 1600$ $q = 0.5$	3	M1 for either $400 = pq^2$ or $1600 = pq^0$ B1 for $p = 1600$ A1 for $q = 0.5$
	(b)	$V = pq^{-2}$	6400	2	M1 for recognition that t = –2 A1 for 6 400

PAPER 5505					
No		**Working**	**Answer**	**Mark**	**Notes**
16	(a)	(I) $AB = AC$ (triangle ABC is isosceles) (II) PB = PC tangents (from a point to a circle are) equal (III) AP = AP (common side) so the 2 triangles are congruent ,SSS.		3	B3 for I, II, III with congruency reason (B2 for any two of I, II or III) (B1 for any one of the I, II or III)
	(b)	$BPC = 20°$ PBC (or PCB) = 90-1/2 "20" (= 80°) $BAC = PBC$ = "80"	50°	4	B4 for 50° (B3 for $BAC = 80°$) (B2 for $PBC = 80°$ or $PCB = 80°$) (B1 for $APC = 10°$ or $BPC = 20°$ or a middle angle = 90°) SC if clear numerical slip seen eg "PBC = 180 – 90 – 10 = 70" then goes on to get correct ft angle $ABC = 55$ deduct 1 from total so this cand would get B4–1 = B3
17	(a)	$\overrightarrow{OP} = \overrightarrow{OA} + \overrightarrow{AP}$ $= \overrightarrow{OA} + \frac{2}{3}(6\mathbf{c} - 6\mathbf{a})$ $= 6\mathbf{a} + 4\mathbf{c} - 4\mathbf{a}$	$2\mathbf{a} + 4\mathbf{c}$	3	M1 for $\overrightarrow{OP} = \overrightarrow{OA} + \overrightarrow{AP}$ or any correct vector journey involving $\overrightarrow{OP}$ M1 for $\overrightarrow{AP} = \frac{2}{3}(6\mathbf{c} - 6\mathbf{a})$ oe or $\overrightarrow{CP} = \frac{1}{3}(-6\mathbf{c} + 6\mathbf{a})$ oe or reverse vectors A1 for $2\mathbf{a} + 4\mathbf{c}$ oe (accept unsimplified)
	(b)	Eg $\overrightarrow{OM} = \overrightarrow{OC} + \overrightarrow{CM} = 6\mathbf{c} + 3\mathbf{a}$ $\overrightarrow{OM} = 1.5\overrightarrow{OP}$	$\overrightarrow{OM} = 1.5\overrightarrow{OP}$ so OPM is a straight line	2	B1 for $\overrightarrow{OM} = 6\mathbf{c} + \frac{1}{2}(6\mathbf{a})$ or $\overrightarrow{PM} = 2\mathbf{c} + \mathbf{a}$ unsimplified or reverse vectors B1 for a fully correct proof.

PAPER 5505					
	No	Working	Answer	Mark	Notes
18	(a)		4	1	B1 for 4 condone $\pm$ 4
	(b)		2	1	B1 for 2 condone ± 2
	(c)	$\sqrt{160} = 4\sqrt{10}$; $\left[\frac{\sqrt{8}\left(\sqrt{5}+\sqrt{20}\right)-\sqrt{2}\times\sqrt{5}}{\sqrt{8}\left(\sqrt{5}+\sqrt{20}\right)}\right]\times 100$ $\left[\frac{6\sqrt{10}-\sqrt{10}}{6\sqrt{10}}\right]\times 100$	$\frac{500}{6}$	4	B1 for **either** $\sqrt{160} = 4\sqrt{10}$ or $\sqrt{8} = 2\sqrt{2}$ **or** $\sqrt{20} = 2\sqrt{5}$ M1 for $\left[\frac{\sqrt{8}\left(\sqrt{5}+\sqrt{20}\right)-\sqrt{2}\times\sqrt{5}}{\sqrt{8}\left(\sqrt{5}+\sqrt{20}\right)}\right]$ oe $(\times 100)$ B1 for either $6\sqrt{10} - \sqrt{10}$ or $6\sqrt{10}$ A1 for $\frac{500}{6}$ (accept 83.3 if no obvious earlier error)

PAPER 5505					
	No	Working	Answer	Mark	Notes
19	(a)(i)		$(2x-7)(x-14)$	3	M1 x^2 term and constant term (± 98) obtained or $2x(x-14) - 7(x-14)$ or $x(2x-7) - 14(2x-7)$ A1 for $(2x-7)(x-14)$
	(ii)		$x = \frac{7}{2}$; $x = 14$		B1ft ft (i) provided of form $(2x\pm a)(x\pm b)$
	(b)(i)		$\frac{7}{n+7}$	3	B1 for $\frac{7}{n+7}$ oe
	(ii)	$\frac{7}{n+7} = \frac{2}{5} \Rightarrow 2(n+7) = 5 \times 7$ $2n = 21$	n=10.5 is not possible since n has to be an integer		M1 for $2(n+7) = 5\times 7$ or $n+7=5\times 3.5$ (can be implied) ft (b)(i) fractional in terms of n and < 1 A1 ft for n=10.5 not possible (since n not integer) oe
	(c)	$2\times\left(\frac{n}{n+7}\right)\times\left(\frac{7}{n+7}\right) = \frac{4}{9}$ $14n\times 9 = 4(n+7)^2$ $14n\times 9 = 4(n^2+14n+49)$ $4n^2+56n+196-126n = 0$	$2n^2 - 35n + 98 = 0$	5	M1 for $\left(\frac{n}{n+7}\right)\times\left(\frac{7}{n+7}\right)$ seen M1 for $2\times\left(\frac{n}{n+7}\right)\times\left(\frac{7}{n+7}\right)$ oe $(=\frac{4}{9})$ M1(dep on 1st M) elimination of fractions within an equation B1 3 terms correct in expansion of $(n+7)^2 = n^2 + 7n + 7n + 49$ A1 full valid completion to printed answer

PAPER 5505					
No		Working	Answer	Mark	Notes
	(d)	$\frac{7}{n+7}\times\frac{7}{n+7}=\frac{7}{21}\times\frac{7}{21}=$	$\frac{1}{9}$	2	M1 for $\frac{7}{n+7}\times\frac{7}{n+7}$ or better or ft [answer (b)(i)]^2 or $1-\frac{4}{9}-(\frac{n}{n+7})^2$ A1 for $\frac{1}{9}$ oe cao
20	(a)(i)		$y=1+\sin x$	2	B1 for $y=1+\sin x$
	(ii)		$y=2\sin x$		B1 for $y=2\sin x$ SC both (i) f(x) + 1, (ii) 2f(x) B1
	(b)	Stretch parallel to y-axis scale factor 3 Stretch parallel to x-axis scale factor $\frac{1}{2}$		3	M1 for 'stretch' A1 for Stretch parallel to y-axis scale factor 3 oe A1 for Stretch parallel to x-axis scale factor $\frac{1}{2}$ oe SC if M0 award BI for "sf 3 vertically" **and** "sf $\frac{1}{2}$ horizon."

PAPER 5506				
No	**Working**	**Answer**	**Mark**	**Notes**
1		Question	2	B1 for each of the following upto B2 (a) an improved question eg time frame made clear (b) response boxes (imperfect) (c) response boxes no errors OR For suggesting a generally improved question (a) a question clearly in the context of changes to the canteen (b) at least 3 boxes showing a full range of responses
2	Locus (circle) drawn & shaded		2	B1 circle centre Manchester ±2mm B1 shading with accurate or approximate circle within tolerance
3 (a)		182, 178, 180, 184	2	M1 mean of any three consecutive months, eg (147 + 161 + 238) ÷ 3 oe A1 cao
(b)	Sale price = 80% Fun Friday price = 70% of 80% = 56% (oe)		2	B1 B1 for a fully correct explanation involving a worked example (oe) B1 a partially complete explanation
4	x $x^3 - 2x$ 4.1 60.7(21) 4.2 65.6(88) 4.3 70.9(07) 4.22 66.7(114) 4.23 67.2(269) 4.24 67.7(45) 4.25 68.2(656)	4.2	4	B2 for trial $4.1 \leq x \leq 4.3$ evaluated (B1 for trial $4 < x < 5$ evaluated) B1 for different trial $4.225 \leq x \leq 4.25$ evaluated B1 (dep on at least one previous B1) for 4.2 cao

PAPER 5506					
	No	Working	Answer	Mark	Notes
5	(a)		1.0×10^{-9}	1	B1 accept 1×10^{-9} or just 10^{-9}
	(b)	$1 \div (5 \times 10^{-9})$	2×10^{8}	2	M1 for $1 \div$ ("5×10^{-9}") or digit 2 with zeros only seen Condone omission of bracket for M1. A1 cao
6	(a)	$\frac{6.27 \times 4.52}{4.81 + 9.63} = \frac{28.3404}{14.44} = 1.962631579$	1.9626…	2	B2 for 1.9626… (B1 for 28.34… or 14.44)
	(b)		1.96	1	B1 ft from (a) as rounded to 1dp or 2dp. Do not accept 2, 2.00, but accept 2.0
7			$d = 4n + 6$	2	B2 $d = 4n + 6$ oe (B1 $d = 4n + k$, k an integer $\neq 6$, $4n + 6$, $n = 4n + 6$)
8		Vol = $\pi \times 3.8^2 \times 2.5 = \pi \times 14.44 \times 2.5$ $= 45.36\ldots \times 2.5 = 113.411$ Mass = "113" × 1.5 = 170.1165	170	4	M1 for $\pi \times r^2 \times 2.5$ where r = is 3.8 or 7.6 A1 if $r = 3.8$ M1 for "113" × 1.5 A1 for 169.5 – 170.3 cao

PAPER 5506					
	No	Working	Answer	Mark	Notes
9	(a)	$10^2 + 6^2$ or 136 $\sqrt{(100 + 36)}$ or $\sqrt{136} = 11.66\ldots$	11.7	3	M1 for $10^2 + 6^2$ or 136 seen M1 (dep) $\sqrt{100+36}$ or $\sqrt{136}$ A1 11.66 – 11.7
	(b)	Cos x = 8/10 or 0.8 $x = \cos^{-1} 0.8 = 36.869^o$	36.9	3	M1 for cos = $\frac{8}{10}$, cos = 0.8(oe) M1 (dep) for $\cos^{-1}$ (oe) A1 for 36.86 – 36.9 M1 Use of sine rule and x found M1 for $x = 90 - \sin^{-1}$("0.8") A1 for 36.86 – 36.9
10		$18x - 6y = 99$ $\quad 12x - 4y = 66$ $8x + 6y = 18$ $\quad 12x + 9y = 27$ $26x = 117$ $\quad -13y = 39$	$x = 4\ ½$ $y = –3$	4	M1 correct process to eliminate either x or y (condone one error) A1 cao for non – eliminated one. M1 (dep on 1st M1) for correct substitution of their found value. A1 cao (need both)

PAPER 5506					
	No	Working	Answer	Mark	Notes
11		$\frac{133}{72} = 1.8472\,,\ \frac{160}{82} = 1.9512$ OR $\frac{72}{133} = 0.54135, \frac{82}{160} = 0.5125$ OR $\frac{160}{133} = 1.203...., \frac{82}{72} = 1.1388....$ OR $\frac{133}{160} = 0.83125...., \frac{72}{82} = 0.878$	1.84..≠ 1.95.. 1.20..≠ 1.13..	3	M1 for $\frac{133}{72}$ (= 1.8472…) oe Accept 1.8, 1.85 M1 for $\frac{160}{82}$ (=1.9512…) oe consistent pairing Accept 2.0, 1.9 **OR** M1 for $\frac{160}{133}$ (= 1.203…) oe M1 for $\frac{82}{72}$ (=1.1388) oe A1 for enough decimal places to show that the ratios are not equal; since the scale factors are different the shapes cannot be similar. NB Do Not need conclusion
12	(a)	£12000 × 0.25 = £3000; £12000 – £3000 = £9000 £9000 × 0.25 = £2250; £9000 – £2250 = £6750 £6750 × 0.25 = £1687.50; £6750 – £1687.50 =	£5062.50	3	M1 for 12000 × 0.75 (=9000) oe or £3000 or £23437.50 seen M1 (dep) for at least two further depreciation calculations (complete steps) A1 cao **OR** M2 for 12000 × $(0.75)^3$ or 5062.50 seen (M1 for 12000 × $(0.75)^n$, $n = 2$ or 4)
	(b)	0.8 × 0.8 × 0.8 × 0.8 (oe)	0.4096	2	M1 0.8^4 (oe) A1 cao

PAPER 5506					
No		**Working**	**Answer**	**Mark**	**Notes**
13		$r^2 = \frac{3\times10}{\pi h} = \frac{3\times10}{\pi 1.5} = \frac{3\times10}{4.712..} = 6.36, 6.37$ $r = \sqrt{6.366\ldots}$	2.52-2.54	3	M1 for correct rearrangement to give $r^2 = \frac{3V}{\pi h}$ or $30 \div 4.712..$ or $6.36 - 6.37$ *Allow 0.3, 0.33 for* $\frac{1}{3}$ M1 (dep) for $\sqrt{}$ A1 cao 2.52 – 2.54
14	(a)		0.4 0.6,0.4, 0.6,0.4	2	B1 for LHS: (0.6), 0.4 B1 for RHS: 0.6, 0.4, 0.6, 0.4
	(b)	0.6×0.6	0.36	2	M1 $0.6 \times$ "0.6" [0 < "0.6" < 1] A1 cao
	(c)	$(30 \times 42) - (25 \times 42.8) = (1260 - 1070 = 190$ $190 \div 5 =$	38	3	M1 for $(30 \times 42) - (25 \times 42.8)$ or $1260 - 1070$ or 190 seen M1(dep) for "190" ÷ 5 A1 cao 38

PAPER 5506					
	No	Working	Answer	Mark	Notes
15	(a)	$S = \frac{k}{f^2};\ 125 = \frac{k}{8^2};\ k = 8000$	$S = \frac{8000}{f^2}$	3	M1 for $S = \frac{k}{f^2}$ M1 for $125 = \frac{k}{8^2}$ A1 cao These marks can be awarded if the full formula appears in part (b), rather than in part (a). [SC: $S = \frac{125}{64} f^2$ M1 M0 A0, $S = 1.95(3125) f^2$ M1 M0 A0 $S = \frac{1000}{f}$ M1 M0 A0]
	(b)		500	1	B1 cao

PAPER 5506				
No	**Working**	**Answer**	**Mark**	**Notes**
16	$0.5 \times 3.2 \times 8.4 \times \text{Sin } B = 10$ sin $B = 0.74404\ldots$ 48.077 $AC^2 = 3.2^2 + 8.4^2 - 2 \times 3.2 \times 8.4 \times \cos B$ $AC^2 = 44.8815\ldots..$ $AC = 6.69\ (936\ldots)$ Perimeter = 18.3 Use the altitude AD, $\frac{h \times 8.4}{2} = 10 \Rightarrow h = (2.381)$ $BD = \sqrt{3.2^2 - h^2} = 2.139$ $DC = 6.261$ $AC = \sqrt{2.38^2 + '6.261'^2} = 6.69(936)$ Perimeter = 18.3	18.3	6	M1 for $0.5 \times 3.2 \times 8.4 \times \sin B$ (= 10) A1 for sin B = 0.74(404…) or B = 47.7 – 48.1 M1 for $3.2^2 + 8.4^2 - 2 \times 3.2 \times 8.4 \times \cos$ "48.077" M1(dep) for AC^2 = "44.8(815)"….. with correct order of evaluation A1 $AC = 6.69 - 6.7$ A1 18.29 – 18.3 **for** $\frac{h \times 8.4}{2} = 10 \Rightarrow h = (2.381)$ M1 for $BD^2 = 3.2^2 - "2.381"^2$ A1 $BD = 2.1 - 2.2$ M1 (dep) $AC^2 = "2.381"^2 + "6.261"^2$ A1 $AC = 6.69 - 6.7$ A1 18.29 – 18.3

PAPER 5506					
	No	Working	Answer	Mark	Notes
17	(a)	$(x + 8)^2 = x^2 + (x + 5)^2$ $x^2 + 16x + 64 = 2x^2 + 10x + 25$		4	B1 for angle $OTA = 90°$ (implied by use of Pythagoras with OA as hypotenuse) M1 $(x + 8)^2 = x^2 + (x + 5)^2$ oe M1 for correct squaring of x+8 or x+5 A1 for completion following correct working
	(b)	$(+6 + \sqrt{(6^2 - - 4\times39)})/2$ $= (6 \pm \sqrt{(36 + 156)})/2$ $= (6 \pm \sqrt{192})/2 = (6 + 13.856)/2$	9.93	3	M1 for substitution into quadratic formula, allow sign errors in b and c M1 for $x = (6 \pm \sqrt{192})/2$ [+ alone will do] A1 for 9.92 – 9.93 M1 for $(x-3)^2-9-39$ M1 for $x = 3 \pm \sqrt{48}$ [+ alone will do it] A1 for 9.92 – 9.93 T&I= 9.93 gets M1,M0,A0
18		$EB = 60 \times \tan 30°$ $BD = \sqrt{(60^2 + 60^2)}$ $\tan BDE = 34.64 \div 84.85$ $EB = 60 \times \tan 30°$ (= 34.64) $ED^2 = 60^2 + (\frac{60}{\cos 30})^2$ $ED = \sqrt{8400} = (91.65)$ $\text{Angle} = \sin^{-1}\left(\frac{EB}{\sqrt{8400}}\right) = 22.2$	22.2°	4	M1 for $EB = 60\times\tan30$ M1 for $BD = \sqrt{(60^2 + 60^2)}$ M1 for $\tan BDE$ = "34.64" ÷ "84.85" A1 22.17 – 22.21 M1 for $EB = 60 \times \tan 30°$ oe M1 for fully correct method for ED M1 for $\sin BDE = \left(\frac{'34.84'}{'\sqrt{8400}'}\right)$ (oe) A1 22.17 – 22.21

PAPER 5506					
	No	Working	Answer	Mark	Notes
19	(a)	$x^2 + 6^2 = 25$ $x^2 = -11$		2	M1 substitutes y=6 to get x^2+36 = 25 A1 deduces x^2=25-36<0; impossible, (so line does not intersect curve)
	(b)	$y^2 = (2x - 2)^2$ $x^2 + (2x - 2)^2 = 25$ $x^2 + 4x^2 - 8x + 4 = 25$ $5x^2 - 8x + 4 - 25 = 0$ $5x^2 - 8x - 21 = 0$ $(5x + 7)(x - 3) = 0$ or $x = \frac{--8 \pm \sqrt{(-8)^2 - 4 \times 5 \times (-21)}}{10} = \frac{8 \pm \sqrt{484}}{10}$ So $x = 3$, or $x = -1.4$ Subs into either equation gives: $y = 4$, or $y = -4.8$	$x = 3$ $y = 4$ $x = -1.4$ $y = -4.8$	6	M1 $y^2=(2x-2)^2$ seen or implied A1 $x^2 + 4x^2 - 8x + 4 = 25$ (oe expanded form) M1 correct attempt to solve 3 term quadratic equation A1 $x = 3$, $x = -1.4$ M1 (dep on previous Ms) Sub one value of x into either equation gives: A1 $y = 4$, $y = -4.8$ NB: incorrectly matched pairs loses the final A1.

PAPER 5506					
	No	Working	Answer	Mark	Notes
20	(a)	400.005 ÷ 59.95 = 6.672310 6.672310 ÷ 1000 × 3600 = 24.02032 399.995 ÷ 60.05 = 6.661032 6.661032 ÷ 1000 × 3600 = 23.97972	24.020 23.980	5	B1 for 400.005 or 59.95 seen oe M1 for "400.005" ÷ "59.95" where "400.005" ∈ [400.005,400.5] and "59.95" ∈ [59.5,59.95] oe B1 for 399.995 or 60.05 seen oe M1 for "399.995" ÷ "60.05" where "399.995" ∈ [399.5,399.95] and "60.05" ∈ [60.05,60.5] oe A1 23.979-23.980 and 24.020-24.0204
	(b)	24.0 because to 1dp the answers are the same		1	B1cao for 24.0 with reason
	(c)	177 × 50/477 = 18.553 → 19 → 18 111 × 50/477 = 11.635 → 12 86 × 50/477 = 9.0147 → 9 82 × 50/477 = 8.595 → 9 21 × 50/477 = 2.201 → 2	18 12 9 9 2	3	M1 for $\frac{50}{"477"} \times 177$ or 111 or 86 or 82 or 21 A1 for all integers or better answers, at least 3 correct A1 cao
21	(a)	$40 - x = 3(4 + x)$ $40 - x = 12 + 3x$ $40 - 12 = x + 3x$ $4x = 28$	7	3	M1 multiplying through by 3: $3 \times \frac{40 - x}{3} = 3 \times 4 + 3 \times x$ A1 $40 - 12 = x + 3x$ A1 cao
	(b)	$\frac{2x(2x - 3)}{(2x - 3)(2x + 3)} = \frac{2x}{2x + 3}$	$\frac{2x}{2x + 3}$	3	B1 for $(2x-3)(2x+3)$ B1 for $2x(2x-3)$ or $(2x + 0)(2x + 3)$ B1 cao

PAPER 5506				
No	**Working**	**Answer**	**Mark**	**Notes**
22	Distance from x axis is y. Distance from (0, 2) is $\sqrt{(x^2+(y-2)^2)}$ $y^2 = x^2 + (y-2)^2$ $y^2 = x^2 + y^2 - 4y + 4$ $0 = x^2 - 4y + 4$ $4y = x^2 + 4$ and finish		4	B1 for $(x-0)^2 + (y-2)^2$ or $\sqrt{((x-0)^2+(y-2)^2)}$ oe seen B1 for $y = \sqrt{(x-0)^2+(y-2)^2}$ or $y^2 = (x-0)^2 + (y-2)^2$ oe B1 $(y-2)^2 = y^2 - 4y + 4$ seen B1 for $4y = x^2 + 4$ and finish

Further copies of this publication are available from
Edexcel Publications, Adamsway, Mansfield, Notts, NG18 4FN

Telephone: 01623 467467
Fax: 01623 450481
Email: publications@linneydirect.com

Order Code UG015616 July 2004

For more information on Edexcel and BTEC qualifications please contact
Customer Services on 0870 240 9800
or http://enquiries.edexcel.org.uk
or visit our website: www.edexcel.org.uk

London Qualifications Limited, trading as Edexcel. Registered in England and Wales No. 4496750
Registered Office: Stewart House, 32 Russell Square, London WC1B 5DN



GCSE

Edexcel GCSE

Mathematics A 1387

Summer 2005
Mark scheme

Edexcel GCSE
Mathematics A 1387

Edexcel is one of the leading examining and awarding bodies in the UK and throughout the world. We provide a wide range of qualifications including academic, vocational, occupational and specific programmes for employers.

Through a network of UK and overseas offices, Edexcel's centres receive the support they need to help them deliver their education and training programmes to learners.

For further information please call our Customer Services on 0870 240 9800, or visit our website at www.edexcel.org.uk.

Summer 2005

Publications Code UG016720

All the material in this publication is copyright
© Edexcel Ltd 2005

CONTENTS

Notes on Marking Principles 1

Paper 5521/01 3

Paper 5521/02 12

Paper 5523/03 18

Paper 5523/04 27

Paper 5525/05 37

Paper 5525/06 45

NOTES ON MARKING PRINCIPLES

1 Types of mark

- M marks: method marks
- A marks: accuracy marks
- B marks: unconditional accuracy marks (independent of M marks)

2 Abbreviations

cao – correct answer only
ft – follow through
isw – ignore subsequent working
SC: special case
oe – or equivalent (and appropriate)
dep – dependent
indep - independent

3 No working

If no working is shown then correct answers normally score full marks
If no working is shown then incorrect (even though nearly correct) answers score no marks.

4 With working

If there is a wrong answer indicated on the answer line always check the working in the body of the script (and on any diagrams), and award any marks appropriate from the mark scheme.
If it is clear from the working that the "correct" answer has been obtained from incorrect working, award 0 marks. Send the response to review, and discuss each of these situations with your Team Leader.
Any case of suspected misread loses A (and B) marks on that part, but can gain the M marks. Discuss each of these situations with your Team Leader.
If working is crossed out and still legible, then it should be given any appropriate marks, as long as it has not been replaced by alternative work.
If there is a choice of methods shown, then no marks should be awarded, unless the answer on the answer line makes clear the method that has been used.
If there is no answer on the answer line then check the working for an obvious answer.

5 Follow through marks

Follow through marks which involve a single stage calculation can be awarded without working since you can check the answer yourself, but if ambiguous do not award.
Follow through marks which involve more than one stage of calculation can only be awarded on sight of the relevant working, even if it appears obvious that there is only one way you could get the answer given.

6 **Ignoring subsequent work**
It is appropriate to ignore subsequent work when the additional work does not change the answer in a way that is inappropriate for the question: eg. incorrect cancelling of a fraction that would otherwise be correct
It is not appropriate to ignore subsequent work when the additional work essentially makes the answer incorrect eg algebra.
Transcription errors occur when candidates present a correct answer in working, and write it incorrectly on the answer line; mark the correct answer.

7 **Probability**
Probability answers must be given a fractions, percentages or decimals. If a candidate gives a decimal equivalent to a probability, this should be written to at least 2 decimal places (unless tenths).
Incorrect notation should lose the accuracy marks, but be awarded any implied method marks.
If a probability answer is given on the answer line using both incorrect and correct notation, award the marks.
If a probability fraction is given then cancelled incorrectly, ignore the incorrectly cancelled answer.

8 **Linear equations**
Full marks can be gained if the solution alone is given on the answer line, or otherwise unambiguously indicated in working (without contradiction elsewhere). Where the correct solution only is shown substituted, but not identified as the solution, the accuracy mark is lost but any method marks can be awarded.

9 **Parts of questions**
Unless allowed by the mark scheme, the marks allocated to one part of the question CANNOT be awarded in another.

Paper 5521/01					
No		**Working**	**Answer**	**Mark**	**Notes**
1	(a)		17252	1	B1 cao
	(b)		5400	1	B1 cao
	(c)		thousands, 1000, 4000	1	B1
2	(a)		grams, g	3	B1 oe spelling
			centimetres, cm		B1 oe spelling
			millilitres, m*l*, cm^3		B1 oe spelling
	(b)		5	1	B1 cao
3	(a)		106, 102	1	B1 cao ignore extras
	(b)		eg take away 4	1	B1 could be indicated on the diagram
	(c)		46	1	B1 cao

Paper 5521/01					
No		**Working**	**Answer**	**Mark**	**Notes**
4		286 × 43 = 858 + 11440 = 12298 43 × 286 = 258 + 3440 + 8600 = 12298 286×40 = 1140 286×3 = 858 1140+858=12298 x | 40 | 3 | 200 | 8000 | 600 | 8600 80 | 3200 | 240 | 3440 6 | 240 | 18 | 258 | | | 12298 2 8 6 1 | 0 8 | 3 2 | 2 4 | 4 2 | 0 6 | 2 4 | 1 8 | 3 2 9 8	12298	3	M2 for complete correct method (condone one computational error) (M1 for complete correct method with two computational errors) A1 cao OR B2 inside of grid completed (condone missing zeros and one error) (B1 2 or 3 errors) B1 cao
5	(a) (b)(i) (ii) (c) (d)(i) (ii) (iii)		18, 69 18 or 36 16 or 36 factor 18 11 or 88 69	1 1 1 1 3	B1 B1 B1 B1 B1 cao B1 B1 cao

Paper 5521/01					
No		**Working**	**Answer**	**Mark**	**Notes**
6	(a)		April & May	1	B1 for both
	(b)		Daffodil	1	B1
	(c)		Feb	1	B1
	(d)		Crocus	1	B1
	(e)(i)		$\frac{1}{5}$	2	B1 for $\frac{1}{5}$ oe
	(ii)		× from 56 mm to 64 mm from 0		B1 A single mark on the line, between 56 mm and 64 mm measured from end 0
7	(a)	$\frac{40}{100}$	$\frac{2}{5}$	2	B2 for $\frac{2}{5}$ B1 for $\frac{40}{100}$ or $\frac{4}{10}$ or $\frac{20}{50}$ or $\frac{8}{20}$
	(b)		0.98	1	B1 cao
	(c)		7 500 000	1	B1 cao
	(d)		25	1	B1 cao
	(e)		60	1	B1 cao

Paper 5521/01					
No		**Working**	**Answer**	**Mark**	**Notes**
8	(a)(i)		(0, 2)	2	B1 cao
	(ii)		(4, 1)		B1 cao
	(b)		$(2, 1\frac{1}{2})$ marked	1	B1 Allow 2mm tolerance from $(2, 1\frac{1}{2})$
9	(a)		2.40	1	B1 cao could be indicated on the diagram
	(b)	1.60 + 0.40	2.00	2	M1 for appropriate sum or product in £ or p or 200 seen eg 1.60 + 0.40, 160 + 40, 0.80 + 0.80 + 0.40, 80 + 80 + 40, 0.08×25, 0.80×2.5, 200 A1 cao
	(c)	$1 \div 0.8$ or $2.50 \div 2$	1.25	2	M1 for $1.00 \div 0.8$ or $2.50 \div 2$ or 125 or appropriate combination eg $1 + \frac{1}{2} \times 0.50$ A1 cao
10	(a)		hexagon	1	B1 Condone spelling error
	(b)		Sum of angles at a point is 360°	2	B1 for 360 seen B1 for "point", "complete turn" or "a circle" or similar unless accompanied by an incorrect angle SC If neither B1 scored, award B1 for a clear indication that the size of an angle, other than *x*, is 90° or a right angle (may be on diagram)
	(c)	$30 \times 4 + 8 \times 2$	136	2	M1 $30 \times 4 + 8 \times 2$ or attempt to sum 5 or 6 lengths A1 cao

Paper 5521/01					
No		**Working**	**Answer**	**Mark**	**Notes**
11	(a)		13, 67, 76, 103, 130	5	B1 cao
	(b)		$-7, -3, -1, 0, 5$		B1 cao
	(c)		0.07, 0.072,0.7, 0.702, 0.72		B1 cao
	(d)		0.6, $\frac{2}{3}$, 70%, $\frac{3}{4}$		B2 (B1 for any 3 in correct order)
12	(a)		16 30	1	B1 Accept 4 30 pm Do not accept 4 30
	(b)(i)	$33.56 \div 4$ oe	8.39	3	M1 for $33.56 \div 4$ oe eg $3356 \div 4$, division by 2 twice A1 cao
	(ii)		9		B1 ft from "8.39" unless whole number of pounds
13	(a)		6 cm^2	3	B2 for 6 cao for numerical answer (B1 for $5.5 < \text{Area} \leq 7$) then B1 (indep) for cm^2 with or without numerical answer
	(b)	See diagram	Correct shape	2	B2 (B1 for any 2 sides correct or a correct enlargement scale factor $\neq 1$ or 2)

Paper 5521/01				
No	**Working**	**Answer**	**Mark**	**Notes**
14 (a)	$(4+3)\times10$	70	2	M1 for (4 + 3) × 10 A1 cao
(b)	$120\div10-3$	9	2	M1 for $\frac{120}{10}$ or 12 seen eg $12\times10=120$ A1 cao
(c)		$C=10(n+3)$	3	B3 for $C=10(n+3)$ oe such as $C=(n+3)\times10$ (B2 for correct RHS or $C=n+3\times10$, $C=10n+3$ oe B1 for C = some other linear expression in n or for $n+3\times10$, $10n+3$ etc) Note: $C = n$ scores no marks
15		11 13 16 8 21	2	B2 all correct (B1 for 2 correct)

Paper 5521/01					
No		**Working**	**Answer**	**Mark**	**Notes**
16	(a)		$2p + 4q$	2	B2 for $2p + 4q$ (accept $2 \times p$ etc) (B1 for $2p$ or $4q$)
	(b)		$2y^2$	1	B1 accept $2 \times y^2$ oe inc $2 \times y \times y$
	(c)		$3c + 4d$	2	B2 for $3c + 4d$ (accept $3 \times c$ etc) (B1 for $3c$ or $4d$)
	(d)		$8pq$	1	B1 accept in any order but must not include $\times$ sign
17	(a)(i)		60	2	B1 cao
	(ii)		eg top triangle is equilateral		B1 for reason
	(b)		150	2	M1 for $\frac{180-"60"}{2} + 90$ A1 ft from (a)(i) if $x < 90$ SC B1 for "60" + 90 if $x < 90$
18			40	2	M1 for 60×2 or 120 or $60 \div 3$ or 20 or $\frac{120}{180}$ A1 cao
19			correct drawing	2	B2 Condone hidden detail shown with solid lines and missing lines on front face (B1 for a correct sketch with other incorrect sketch(es) or for prism with correct cross section >1 cube wide or for attempt to draw prism with correct cross section or prism with correct plan and side elevation)

Paper 5521/01					
No		**Working**	**Answer**	**Mark**	**Notes**
20		$\frac{600}{3\times10}$ or $\frac{640}{3.2\times10}$	20- $21\frac{1}{3}$	2	M1 for rounding at least two of the numbers to 1 sf or for sight of 640, 3.2 or 640, 32 or 600, 32 or 30 seen A1 for 20- $21\frac{1}{3}$ Note: 20.3125 scores M0 A0
21	(a)		Points plotted	1	B1 $\pm$ 1 full (2 mm) square
	(b)		positive	1	B1 cao
	(c)		Line of best fit	1	B1 Must pass through (42.5, 1.45), (42.5, 1.55) AND (67.5, 1.75), (67.5, 1.85)
	(d)		~ 1.65	1	B1 ft from single line segment with positive gradient $\pm$ 1 full (2 mm) square
22	(a)	eg $50\times\frac{2000}{500}$	200	2	M1 for $\frac{2000}{500}$ or 4 seen A1 cao
	(b)	eg $400\times\frac{750}{500}$	600	2	M1 for $\frac{750}{500}$ or 1.5 seen or 400 + 200 A1 cao

Paper 5521/01					
No		**Working**	**Answer**	**Mark**	**Notes**
23	(a)	$4\times3-2\times1$ $12-2$	10	3	M1 for 3×4 (=12) or 1×2 or attempt to divide diagram up into rectangles M1 "12"– "2" or sum of areas of rectangles A1 cao
	(b)(i)	$\frac{10}{100}\times680$ or $680\div10$ 680 + 68	748	5	M1 $\frac{10}{100}\times680$ or 680÷10 or 68 seen M1 (dep) 680 + "68" or M2 for 680×1.10 A1 cao
	(ii)	"748"÷50 or 14.96	15		M1 For "748"÷50 or 14.96 Accept "748" rounded up or down to next 50 followed by $\div50$ A1 ft from (b)(i) rounded up SC B1 for 680 (seen) leading to 14

Paper 5521/02					
No		**Working**	**Answer**	**Mark**	**Notes**
1	(a)	Plain llll lll 8 Chicken lll 3 Bovril llll 5 S & Vin llll 4		3	M1 for attempt to tally A1 for 1 frequency correct or all tallies correct A1 for all frequencies correct (accept for /20)
	(b)		4	1	B1 ft
	(c)		Plain or 8	1	B1 ft
2	(a)(i)		11	2	B1 cao
	(ii)		16		B1 cao
	(b)	See diagram	Correct lines	2	B2 cao for both lines correct (B1 for one line correct)
	(c)		12	2	B2 cao (B1 for 11 or 13)
3	(a)		580	1	B1 for 580 (± 2) could be written on line
	(b)		7.2	1	B1 for 7.2 ± 0.02 could be written on line
	(c)		Arrow at 48	1	B1 allow ± half graduation
	(d)		Arrow at 6.7	1	B1 allow ± half graduation
4	(i)		Cylinder	2	B1 ignore spelling
	(ii)		Cuboid		B1 ignore spelling
5	(a)	£10 – (£2.15 + £2.30)	5.55	4	M1 £2.15 + £2.30 A1 for 4.45 M1 £10 – "4.45" A1 cao
	(b)	£60 ÷ £2.80 = 21.42857	21	2	M1 for £60 ÷ 2.80 or sight of digits 214… A1 for 21
	(c)	$120 \times 25 \div 100$	30	2	M1 ¼ of £120 (oe) A1 cao SC B2 for £90

Paper 5521/02					
No		Working	Answer	Mark	Notes
6	(a)(i)		143^0	2	B1 for 143 ($\pm 2^0$)
	(ii)		Obtuse		B1 for obtuse (ignore spelling)
	(b)	See diagram	Accurate drawing	1	B1 for accurate drawing ± 2mm
7	(a)(i)		5	2	B1 cao
	(ii)		23		B1 cao
	(b)	$\times 2 - 1$		1	B1 for explaining a suitable method
	(c)	See their diagram		1	B1 for a correct diagram
	(d)		14, 17	2	B2 cao for both (B1 for one only ft from their 14)
8	(a)		90	1	B1 accept –90
	(b)		540	1	B1 accept –540
	(c)		Jupiter	1	B1 accept –150
	(d)		- 230	1	B1 cao

Paper 5521/02					
No		Working	Answer	Mark	Notes
9	(a)	2658 – 2430 = 228 "228" × 32	72.96	4	M1 2658 – 2430 A1 228 M1 "228" × 32 or "228" × 0.32 or digits 7296 seen A1 cao **Or** M1 for 2430 × 32 (or digits 77760 seen) or 2658 × 32 (or digits 85056 seen) A1 if 1 correct M1 for "85056" – "77760" or 7296 seen A1 cao
	(b)	$\frac{2}{5} \times 145 = 58$ 145 – "58"	87	3	M1 $\frac{2}{5} \times 145$ (or M1 $\frac{3}{5}$ seen) A1 58 (or M1 $\frac{3}{5} \times 145$) A1 for 87 ft
	(c)(i) (ii)		80 125	2	B1 for 80 (± 1) B1 125 (± 3)

Paper 5521/02				
No	**Working**	**Answer**	**Mark**	**Notes**
10 (a)		1.5 – 2.0	1	B1 for height between 1.5m – 2.0m inclusive
(b)	Height of man × "2.5"	3 – 6	3	B3 for height between 3m – 6m inclusive (B2 for multiplying (a) by a number between 2 and 3 inclusive) (B1 for multiplying (a) by a number)
11	61 – 19 = 42 42 ÷ 3 = 14	14	2	M1 for – 19 or 42 seen A1 cao
12 (a)		5	1	B1
(b)	4+5+5+5+4+3+2+1+4+5 = 38 mean = 38 ÷ 10 = 3.8	3.8	2	M1 for attempt to add and ÷ 10 or 3.7 or 3.9 seen A1 for 3.8 SC B1 for 33.5 seen
13 (a)		$3x$	1	B1 cao Accept $3 \times x$, $x3$, $x \times 3$, $x + x + x$
(b)		x - 9	1	B1 for x – 9 cao
14 (a)	14.44 – 8.660254038	5.77974(…)	2	M1 for 14.44 seen or 8.66(…) or 5.7 or 5.8 or better rounded or truncated
(b)		6	1	A1 cao B1 ft
15	15 ÷ 24	62.5	2	M1 for 15 ÷ 24 or 1500 ÷ 24 or sight of digits 625 A1 cao
16	2.10 × 450	945	2	M1 for digits 210 × 450 or sight of digits 945 A1 cao
17	See diagram	$2(y + y)$ $2y + 2y$	2	B1 for $2(y + y)$ B1 for $2y + 2y$ (Deduct B1 for each additional tick (>2) to min 0)
18	360° ÷ 18 (=20) Sector angles: G= 60; S= 80; B=220; Correct sectors labelled correctly Use angle measurer	Angles drawn, labelled	4	B4 for fully correct and labelled pie chart (B3 for all angles correct or for a labelled pie chart with 2 correct angles) (B2 for labelled pie chart with 1 correct angle drawn) (B1 for 360° ÷ 18 or 20 seen or implied)

Paper 5521/02					
No		Working	Answer	Mark	Notes
19	(a)		Correct plane	2	B2 for a correct plane defined by showing at least 2 lines. (B1 for a line of symmetry on one face)
	(b)		Correct net	2	B2 cao (B1 for 2 equilateral triangles joined appropriately to at least one rectangle or for 1 equilateral triangle joined appropriately to one of 3 rectangles)
	(c)		Correct drawing	2	B1 for two extra sides of length 6cm (± 2mm) B1 for construction arcs 6cm from each of the ends of the given line.
20	(a)		15	1	B1 for 15 (± 1)
	(b)		15	1	B1 for 15 (± 0.4)
	(c)			2	B1 horiz. line from (2, 20) to (3, 20) B1 line from (3, 20) to (5,0) or horizontal translation of it SC B1 for any journey ending at (5,0)
21	(a)	$x+4+x+x+4+x$	$4x+8$	2	M1 for attempting to add x, $x + 4$, x, $x + 4$ may be implied by $4x + a$ ($a > 0$) A1 for $4x + 8$ or $4(x + 2)$
	(b)	$4x + 8 = 54$ $4x = 46$ $x = 11.5$ Length = "11.5" + 4	15.5	3	M1 for "$4x + 8$" = 54 A1 cao for 11.5 seen B1 ft for "11.5" + 4
22		0.4 + 0.15 1 – "0.55"	0.45	2	M1 for 1 – sum A1 for 0.45 o.e. SC B1 for 0.81
23	(a)		3:1	1	B1 cao
	(b)	$\pi \times 2.45$	7.7	2	M1 for π X 2.45 (accept π as 3.1 or better) A1 for 7.59 to 7.70

Paper 5521/02					
No		**Working**	**Answer**	**Mark**	**Notes**
24		7×10000	70 000	2	M1 for 7 X 10 000 or 7 X 100 X 100 A1 cao
25		5.40 ÷ 3 × 7	12.60	3	M1 for 5.40 ÷ 3 or sight of 1.8 M1 dep for "1.80" × 7 A1 for 12.6 or equivalent
26		7.60 x $\frac{17.5}{100}$ = 1.33 7.60 + 1.33 = 8.93 1650 x "8.93"	£14 734.50	4	M1 for 7.60 x $\frac{17.5}{100}$ or 1.33 seen or 7.60 x 1.175 (oe) (Award M1 for 10%, 5% and 2½% correctly calculated) A1 for 8.93 or 893 M1 for 1650 x "8.93" or digits 147345 seen A1 cao Accept 14734.5 **Alternative** M1 for 1650 × 7.6(0) or 12540 seen M1 for "12540" × $\frac{17.5}{100}$ or 2194.5 seen or "12540"× 1.175 (oe) (Award M1 for 10%, 5% and 2½% correctly calculated) M1 for "12540" + "2194.5" (dep on both previous method marks) or digits 147345 seen A1 cao accept 14 734.5

Paper 5523/03				
No	**Working**	**Answer**	**Mark**	**Notes**
1		Correct shape	2	B2 B1 for any 2 sides correct, or a correct enlargement scale factor ≠1 or 2.
2 (a)		11 13 16 8 21	2	B2 all correct (B1 for 2 correct) sign
(b)		$\frac{31}{80}$	1	B1 oe
3 (a)		$2p+3q$	2	B2 for $2p+3q$ (accept $2\times p$ etc) (B1 for $2p$ or $3q$ or $2p3q$)
(b)		$2y^2$	1	B1 accept $2\times y^2$ or $2\times y\times y$
(c)		$3c+4d$	2	B2 for $3c+4d$ (accept $3\times c$ etc) (B1 for $3c$ or $4d$ or $3c4d$)
(d)		$8pq$	1	B1 accept in any order but must not include ×
4 (a)(i)		60	2	B1 cao
(ii)		eg top triangle is equilateral		B1 for reason
(b)		150	2	M1 $\frac{(180-"60")}{2}+90$ A1 ft from (a)(i) if $x < 90°$ SC:B1 for answer from "60" + 90 if $x < 90°$

Paper 5523/03					
No		Working	Answer	Mark	Notes
5	(a)	$4\times3-2\times1$ $12-2$	10	3	M1 for 3×4 (=12) or 1×2 or attempt to divide diagram up into rectangles M1 "12" – "2" A1 cao
	(b)(i)	$\frac{10}{100}\times680$ or $680\div10$ 680 + 68	748	5	M1 $\frac{10}{100}\times680$ or $680\div10$ or 68 seen M1 (dep) 680 +"68" (or M2 for 680×1.10) A1 cao
	(ii)	"748" ÷ 50 or 14.96	15		M1 for "748" $\div50$ or 14.96; accept "748" rounded up or down to next 50 followed by $\div50$ A1 ft from (b)(i) rounded up SC B1 for 680 (seen) leading to 14
6	(a)	$2\times5+5\times-3=10-15=$	-5	2	M1 substitute e.g 2×5 and 5×-3 or 10 and -15 A1 cao
	(b)	5×4^2 - 7 5×16 - 7	73	3	M1 substitution e.g 5×4^2 -7; do not accept 54^2-7 M1 $5\times16-7$ or $5\times4\times4$-7 or 80 – 7 (NB 4^2 as 4×4) A1 cao

Paper 5523/03					
No		**Working**	**Answer**	**Mark**	**Notes**
7		679 × 28 = 5432 + 13580 = 19012 or 28 × 679 = 252 + 1960 + 16800 = 19012 or  	190.12	3	M1 for an attempt to multiply the units and tens, or correct partitioning M1 complete correct method (condone one arithmetic error) A1 for 190.12 cao OR M1 for putting the numbers in a grid M1 for multiplying out and addition (condone one error) A1 answer shown with point OR M1 for correct partitioning M1 679×20 and 679×8 calculated oe (condone one error) A1 cao
8	(a)		Points plotted	1	B1 ±1 full (2mm) square
	(b)		positive	1	B1 cao
	(c)		Line of best fit	1	B1 must pass through (42.5, 1.45), (42.5, 1.55) AND (67.5, 1.75), (67.5, 1.85)
	(d)		approx 1.65	1	B1 ft from single line segment with positive gradient ± 1 full (2mm) square

Paper 5523/03					
No		**Working**	**Answer**	**Mark**	**Notes**
9	(a)	eg $50 \times \frac{2000}{500}$	200	2	M1 $2000 \div 500$ or 4 seen A1 cao
	(b)	eg $400 \times \frac{750}{500}$	600	2	M1 $750 \div 500$ or 1.5 seen or 400 + 200 A1 cao
10			$C = 10(n+3)$	3	B3 for $C = 10(n+3)$ oe such as $C = (n+3) \times 10$ (B2 for correct RHS or $C = n + 3 \times 10$, $C = 10n + 3$ etc B1 for C = some other linear expression in n or $n + 3 \times 10$, $10n + 3$ etc) NB: C=n scores no marks
11	(a)		$p(p+6)$	2	B2 for $p(p+6)$ or $p \times (p+6)$ (B1 for $p(ap+b)$ where a,b are numbers or $p+6$ seen on it's own, or part of an expression)
	(b)	$x^2 - 4x + 7x - 28$	$x^2 + 3x - 28$	2	M1 for 4 terms correct ignoring signs (e.g $x^2, 4x, 7x, 28$) or 3 terms with correct signs (e.g $x^2, -4x, 7x, -28$) A1 cao
12			correct drawing	2	B2. Condone hidden detail shown with solid lines, or missing lines on front face. (B1 for : one sketch correct with other sketches incorrect cross-section correct with depth > 1 cube, correct plan and side elevation)

Paper 5523/03					
No		**Working**	**Answer**	**Mark**	**Notes**
13		$\frac{600}{3\times10}$ or $\frac{640}{3.2\times10}$	20 to 21 $\frac{1}{3}$	2	M1 For rounding at least two of the numbers to 1 sf, or for sight of 640, 3.2 or 640, 32 or 600, 32 or 30 seen A1 for 20 to 21 $\frac{1}{3}$ NB: 20.3125 scores M0 A0
14	(a)		correct reflection	2	B2 (B1 reflection in line other than x=3)
	(b)		reflection in $y = x$	2	B2 cao Accept the word "reflected" (B1 any statement including the word "reflection")
15	(a)(i)		5^6	1	B1 accept 15125, 5^{4+2}
	(ii)		5^3	1	B1 accept 125, 5^{9-6}
	(b)	$x + y = 10$ and $x - y = 4$	$x = 7$ $y = 3$	3	M1 for either $x + y = 10$ or $x - y = 4$ A2 for both values correct [(A1 for one value correct) If M0, award B3 for both values correct or B2 for one value correct, otherwise B0] SC B2 for $x = 3$ and $y = 7$

Paper 5523/03					
No		**Working**	**Answer**	**Mark**	**Notes**
16	(a)	$5-3x=2x+2$ $5-2=2x+3x$	$\frac{3}{5}$	3	B1 for $2x+2$ seen OR $2.5-1.5x=x+1$ M1 for correct rearrangement of 4 terms A1 for $\frac{3}{5}$ oe
	(b)		$-3,-2,-1,0,1,2$	2	B2 (B1 for 5 correct and not more than one incorrect integers)
17			question + response boxes oe	2	1st aspect: One question with time period (eg each night); ignore other questions. 2nd aspect: Response list (at least two), not overlapping.* 3rd aspect: Some mention of units (eg hours) in either question or responses Award B2 for all three aspects, or B1 for just two aspects. * 0-1, 2-3, 4-5 is OK, but 0-1, 1-2, 2-3 is not OK.

Paper 5523/03					
No		**Working**	**Answer**	**Mark**	**Notes**
18	(a)	$\frac{2}{3}\times\frac{3}{4}=\frac{6}{12}$	$\frac{1}{2}$	2	M1 for $\frac{6}{12}$ or $\frac{3}{6}$ or $\frac{2\times3}{3\times4}$ A1 accept 0.5
	(b)	$1+2+\frac{8}{12}+\frac{9}{12}$	$4\frac{5}{12}$	3	M1 for attempt to convert to fractions with common denominator e.g two fractions, denominator of 12 A1 correct conversion : $\frac{8}{12}$ and $\frac{9}{12}$, or $\frac{20}{12}$ and $\frac{33}{12}$ seen (oe) A1 cao for $4\frac{5}{12}$ OR attempts to convert to decimals: must use at least 2dp M1 0.66+0.75 (or 1.66+2.75) or 0.67+0.75 etc A1 4.41, 4.417, 4.416 A1 4.416 (*recurring*)
19		$2\times\frac{1}{2}\times6\times8$ or 48 $8\times9+6\times9+10\times9$ or 72 +54 + 90	264 cm^2	4	M1 attempt to find the area of one face; $\frac{1}{2}\times6\times8$ or (8×9) or (6×9) or (10×9) or 72 or 54 or 90 or 24 M1 all five faces with an intention to add A1 cao numerical answer of 264 B1 (indep) cm^2 with or without numerical answer

Paper 5523/03					
No		**Working**	**Answer**	**Mark**	**Notes**
20			$\frac{\pi ab^3}{3d}$ $3(c+d)^3$ $3\pi bc^2$	3	B3 (B1 for each one correct) Nb –B1 for each of the 4th,5th,6th tick
21	(a)	$x+0.3+0.2+x=1$	0.25	2	M1 for $x+0.3+0.2+x=1$ oe, or $0.5\div 2$ A1 oe
	(b)	0.3×200	60	2	M1 0.3×200 A1 cao Accept 60 out of 200 (in words) SC B1 for $\frac{60}{200}$
22	(a)		$(-12)-4\quad -2\quad (0)8$	3	B3 for all correct [(B1 for each one correct)
	(b)		points plotted accurately points joined with smooth curve	2	B1 ± 1 full (2mm) square ft table if at least B1 awarded (all 5 points plotted) B1 ft for any smooth curve if previous B1 gained NB: curve must pass within 1 full square of the points
23			$\frac{1}{4}$ on LH branch $\frac{2}{3}$ & $\frac{1}{3}$ & $\frac{2}{3}$ on RH branches	2	B1 B1
24			m=3 n=5	2	B1 for 3 B1 for 5 (B2 for $2^3\times 5$ or $2\times 2\times 2\times 5$) SC: award B1 only if m=5, n=3 or for 8×5 seen

Paper 5523/03					
No		Working	Answer	Mark	Notes
25		$\frac{5--1}{-1-2} = -2$	$y = -2x + 5$	4	M1 for clear attempt to find gradient eg fraction with -1,5 in numerator, 2,-1 in denominator A1 for -2 B2 ft for $y =$"-2"$x + 5$ oe (eg $y = \frac{-6}{3}x + 5$) (B1 for $y = mx + 5$ or , $-2x+5$ or $y =$"-2"$x + c$)
26	(a)(i)		150	2	B1 accept 150 or 210
	(ii)				B1 for angle at the centre is twice the angle at the circumference
	(b)		30	3	B1 identifies angle between radius and tangent as $90°$ (may be in working or on diagram) M1 $360° - 90 - 90 -$"150" A1 ft from (a)(i) excluding a negative answer OR B1 for 90 M1 for $2 \times (180 - 90 -$"$\frac{150}{2}$"$)$ A1 ft from (a)(i) excluding a negative answer OR B3 for $180 -$(a)
		$360 - 90 - 90 -$"150"			

Paper 5523/04					
No		**Working**	**Answer**	**Mark**	**Notes**
1	(a)	14.44 – 8.660254038	5.77974(….)	2	M1 for 14.44 seen or 8.66(……) seen or 5.7 or 5.8 or better, rounded or truncated A1 cao
	(b)		6	1	B1 ft
2		15 ÷ 24	62.5	2	M1 for 15 ÷ 24 or 1500 ÷ 24 or sight of digits 625 A1 cao
3	(a)	2.10 × 450	945	2	M1 for digits 210 × 450 or sight of digits 945 A1 cao
	(b)	63÷2.10	30	2	M1 for 63 ÷ digits 210 A1 cao
4		See diagram	$2(y + y)$ $2y + 2y$	2	B1 for $2(y + y)$ B1 for $2y + 2y$ (Deduct B1 for each additional tick (>2) to min 0)
5		360° ÷ 18 (=20) Sector angles: G= 60; S= 80; B=220; Correct sectors labelled correctly Use angle measurer	Angles drawn, labelled	4	B4 for fully correct and labelled pie chart (B3 for all angles correct or for a labelled pie chart with two angles correct) (B2 for labelled pie chart with one correct angle drawn) (B1 for 360÷18 or 20 seen or implied)
6	(a)		Correct plane	2	B2 for a correct plane defined by showing at least 2 lines. (B1 for a line of symmetry on one face)
	(b)		Correct net	2	B2 cao (B1 for 2 equilateral triangles joined appropriately to at least one rectangle or for 1 equilateral triangle joined appropriately to one of the three rectangles)
	(c)		Correct drawing	2	B1 for two extra sides of length 6 cm (± 2mm) B1 for construction arcs 6cm from each of the ends of the given line
7		61 – 19 = 42 42 ÷ 3 = 14	14	2	M1 for –19 or 42 seen or $3x + 19$ A1 cao

Paper 5523/04					
No		Working	Answer	Mark	Notes
8	(a) (b) (c)		15 15	1 1 2	B1 cao for 15(±1) B1 cao for 15(±0.4) B1 horiz. line from (2,20) to (3,20) B1 line from (3,20) to (5,0) or horiz. translation of it SC: B1 for any journey ending at (5,0)
9	(a)	x+4+x+x+4+x	4x+8	2	M1 for attempting to add $x+4, x, x+4, x$ may be implied by 4x+a, a>0 A1 for 4x+8 or 4(x + 2)
	(b)	4 x + 8 = 54 4 x = 46 x = 11.5 Length = "11.5" + 4	15.5	3	M1 for "4x + 8" = 54 A1 cao for 11.5 seen B1 ft for "11.5"+ 4
10		0.4 + 0.15 1 – 0.55	0.45	2	M1 for 1 – sum A1 for 0.45 oe SC: B1 for 0.81
11	(a) (b)	 π × 2.45	3:1 7.7	1 2	B1 cao M1 for π × 2.45 (accept π as 3.1 or better) A1 for 7.59 to 7.70
12		7 × 10000	70000	2	M1 for 7 × 10000 or 7 × 100 × 100 A1 cao
13		5.40 ÷ 3 × 7	12.60	3	M1 for 5.40 ÷ 3 or sight of 1.8 M1 (dep) for "1.80" × 7 A1 for 12.6 or equivalent

Paper 5523/04				
No	**Working**	**Answer**	**Mark**	**Notes**
14	$7.60 \times \frac{17.5}{100} = 1.33$ 7.60 + 1.33 = 8.93 1650 × "8.93"	£14734.50	4	M1 for $7.60 \times \frac{17.5}{100}$ or 1.33 seen or 7.60×1.175 (oe) (Award M1 for 10%, 5% and 2½% correctly calculated) A1 for 8.93 or 893 M1 for 1650 × "8.93" or digits 147345 seen A1 cao Accept 14734.5 OR M1 for 1650×7.6 or 12540 seen M1 for "12540" $\times \frac{17.5}{100}$ or 2194.5 seen or "12540" $\times 1.175$ (oe) (Award M1 for 10%, 5%, and 2½% correctly calculated) M1 for "12540" + "2194.5" (dep on both previous M marks) or digits 147345 seen A1 cao accept 14734.5

Paper 5523/04					
No		**Working**	**Answer**	**Mark**	**Notes**
15		$285 \times 1000/(60 \times 60) = 79.16\dot{}$		3	M2 for $285 \times 1000 \div 60 \div 60$ or $80 \times 60 \times 60 \div 1000$ or for a correct method to obtain two comparable values e.g $80 \times 60 \times 60$ and 285×1000 (M1 for $285 \div 60 \div 60$ or 0.079(….) seen or $80 \times 60 \times 60$ or 288000 seen or for 285×1000 or 285000 seen or $80 \div 1000$ or 0.08 seen) A1 for 288 or 79.(….) or for two correctly calculated comparable values e.g 288000 and 285000
16	(a)	$4x + 12 = 6$ $4x = -6$	-1.5	3	B1 for $4x + 12$ or $x + 3 = \frac{6}{4}$ M1 for a correct re-arrangement of their 3 terms to isolate $4x$ or x A1 for -1.5 oe
	(b)	$v - u = 5t$	$\frac{v-u}{5}$	2	M1 for isolating $\pm 5t$ or $\pm t$ or for dividing through by 5 A1 oe

Paper 5523/04					
No		**Working**	**Answer**	**Mark**	**Notes**
17		3→15 4→48 3.1→17.3(91) 3.2→19.9(68) 3.3→22.7(37) 3.4→25.7(04) 3.5→28.8(75) 3.4→25.7(04) 3.3→22.7(37) 3.35→24.1(95375)	3.3	4	B2 for trial between 3.3 and 3.4 inclusive (B1 for trial between 3 and 4 inclusive) B1 for different trial between 3.3 and 3.4 exclusive B1 (dep on at least one previous B1) for 3.3 NB trials should be evaluated to at least 1 dp truncated or rounded
18	(a)	36 ÷ (7+3+2) "3" × 7	21	3	M1 for 36 ÷ (7+3+2) M1 (dep) for "3" × 7 or 3 or 2 A1 cao
	(b)	$51.5 \times \frac{8.5}{100} = 4.3775$ 51.5 – 4.3775 = 47.1225	47 or 47.1 or 47.12	4	M1 for $51.5 \times \frac{8.5}{100}$ or 4.37(75) seen M1 (dep) for 51.5 – "4.37(75)" A1 for 47 or better B1 (indep) for rounding their answer correctly to the nearest whole number or 1 or 2 d.p OR M1 for $51.5 \times \frac{100-8.5}{100}$ M1 for $51.5 \times$"0.915" or 0.515 × "91.5" A1 for 47 or better B1 (indep) for rounding their answer correct to the nearest whole number or 1 or 2 d.p

Paper 5523/04					
No		**Working**	**Answer**	**Mark**	**Notes**
19	(a)		Angle in a semicircle	1	B1 oe
	(b)	$12^2 + 16^2 = 400$ $\sqrt{400} = 20$	20	3	M1 for $12^2 + 16^2$ M1 for $\sqrt{144+256}$ A1 cao
	(c)	$\pi \times 10^2$	314	3	M1 for $\pi \times \left(\frac{"20"}{2}\right)^2$ M1 (indep) for correct order of evaluation of $\pi \times r^2$ for any r A1 for 314 – 315 inclusive

Paper 5523/04					
No		**Working**	**Answer**	**Mark**	**Notes**
20	(a)	$(1 \times 10)+(3 \times 15)+(5 \times 30)+(7 \times 35)+$ $(9 \times 25)+(11 \times 5) = 730$ "730" $\div$ 120 = 6.08333	6.08	4	M1 for use of *fx* with *x* consistent within intervals (including end points) M1 (dep) for use of midpoints M1 (dep on 1st M1) for use of $\frac{\sum fx}{\sum f}$ A1 6.08 to 6.085
	(b)		(10),25,55,90,115, 120	1	B1 for all correct
	(c)		graph	2	B1 ft for 5 or 6 points plotted correctly $\pm$ 1 full (2mm) square at the end of interval dep on sensible table (condone 1 addition error) B1(dep) for points joined by curve or line segments provided no gradient is negative – ignore any part of graph outside range of their points. (SC: B1 if 5 or 6 points plotted not at end but consistent within each interval and joined)

Paper 5523/04				
No	**Working**	**Answer**	**Mark**	**Notes**
(d)		72–74	2	M1 (ft dep on graph being cf) for reading from graph at 7 A1 ft ±1 full (2 mm) square Or B2 for $72-74$
21 (a) (b) (c) (d)		a^7 $15x^3y^4$ $x-1$ $(x+3)(x-3)$	1 2 1 1	B1 accept a^{4+3} B2 cao (B1 for two of 15, x^3, y^4 in a product) B1 cao B1 cao
22	80% = 220 $220 \div 80 \times 100$	275	3	M1 for recognising that 80% is equivalent to 220 M1 for $220 \div 80 \times 100$ oe A1 cao

Paper 5523/04					
No		**Working**	**Answer**	**Mark**	**Notes**
23			$x = 3$ $y = 0.5$	3	M1 for coefficients of x or y the same followed by correct operation, condone one arithmetical error M1 (dep) for substituting found value in one equation A1 cao SC: B1 for one correct answer only if M's not awarded
24			1.4×10^{10}	2	B2 for 1.4×10^{10} or 1.44×10^{10} (B1 for 14.4×10^{9} or 14400,000,000 or 14000,000,000 or 14×10^{9})
25	(a)	$\tan x = \frac{1.9}{3.2}$ $x = \tan^{-1}\left(\frac{1.9}{3.2}\right) = 30.7$	30.7	3	M1 for $\tan x = \frac{1.9}{3.2}$ or $\tan \frac{1.9}{3.2}$ M1 for $\tan^{-1}\left(\frac{1.9}{3.2}\right)$ A1 for 30.6 – 30.7
	(b)	90 + "30.7"	121	1	B1 (indep) ft for 90 + "30.7" rounded to 3 or 4 s.f

Paper 5523/04				
No	**Working**	**Answer**	**Mark**	**Notes**
26	SF$=\frac{12}{9}$ $\frac{12}{9}\times 6=8$	2	2	M1 for $\frac{12}{9}$ or $\frac{9}{12}$ or 1.33… seen or 0.75 seen or 8 seen or $\frac{6}{9}$ or $\frac{9}{6}$ or 0.66… or 1.5 or $\frac{1}{3}$ or 3 oe seen A1 cao

Paper 5525/05					
No		**Working**	**Answer**	**Mark**	**Notes**
1	(a)	$x^2-4x+7x-28$	$x^2+3x-28$	2	M1 for 4 terms correct ignoring signs (e.g $x^2,4x,7x,28$) or 3 terms with correct signs (e.g $x^2,-4x,7x,-28$) A1 cao
	(b)		y^4+2y^2	2	B2 cao B1 for y^4 or $2y^2$
	(c)		$p(p+6)$	2	B2 for $p(p+6)$ or $p\times(p+6)$ (B1 for $p(ap+b)$ where a,b are numbers or $p+6$ seen on it's own, or part of an expression)
	(d)		$3x(2x-3y)$	2	B2 (B1 for $3(2x^2-3xy)$ or $x(6x-9y)$ or $3x(...)$)
2			question + response boxes oe	2	1st aspect: One question with time period (eg each night); ignore other questions. 2nd aspect: Response list (at least two), not overlapping.* 3rd aspect: Some mention of units (eg hours) in either question or responses Award B2 for all three aspects, or B1 for just two aspects. * 0-1, 2-3, 4-5 is OK, but 0-1, 1-2, 2-3 is not OK.
3	(b)		reflection in $y=x$	2	B2 cao accept the word "reflected" (B1 any statement including the word "reflection")
4	(a)	$5-3x=2x+2$ $5-2=2x+3x$	$\frac{3}{5}$	3	B1 for $2x+2$ seen OR $2.5-1.5x=x+1$ M1 for correct rearrangement of 4 terms A1 for $\frac{3}{5}$ oe
	(b)		$-3,-2,-1,0,1,2$	2	B2 (B1 for 5 correct and not more than one incorrect integers)

Paper 5525/05					
No		**Working**	**Answer**	**Mark**	**Notes**
5	(a)	$\frac{2}{3}\times\frac{3}{4}=\frac{6}{12}$	$\frac{1}{2}$	2	M1 for $\frac{6}{12}$ or $\frac{3}{6}$ or $\frac{2\times3}{3\times4}$ A1 accept 0.5
	(b)	$1+2+\frac{8}{12}+\frac{9}{12}$	$4\frac{5}{12}$	2	M1 for attempt to convert to fractions with common denominator e.g two fractions, denominator of 12 A1 correct conversion : $\frac{8}{12}$ and $\frac{9}{12}$, or $\frac{20}{12}$ and $\frac{33}{12}$ seen (oe) A1 cao for $4\frac{5}{12}$ OR attempts to convert to decimals: must use at least 2dp M1 0.66+0.75 (or 1.66+2.75) or 0.67+0.75 etc A1 4.41, 4.417, 4.416 or 0.41, 0.417, 0.416 or 0.42, 4.42 A1 4.416 (*recurring*)
6	(a)(i)		5^6	1	B1 accept 15625, 5^{4+2}
	(ii)		5^3	1	B1 accept 125, 5^{9-6}
	(b)	$x+y=10$ and $x-y=4$	$x = 7$ $y = 3$	3	M1 for either $x + y = 10$ or $x-y=4$ A2 for both values correct [(A1 for one value correct) If M0, award B3 for both values correct or B2 for one value correct, otherwise B0] SC B2 for $x = 3$ or $y = 7$

Paper 5525/05					
No		**Working**	**Answer**	**Mark**	**Notes**
7		$2\times\frac{1}{2}\times6\times8$ or 48 $8\times9+6\times9+10\times9$ or 72 +54 + 90	264 cm^2	4	M1 attempt to find the area of one face; $\frac{1}{2}\times6\times8$ or (8×9) or (6×9) or (10×9) or 72 or 54 or 90 or 24 or 48 M1 all five faces with an intention to add A1 cao numerical answer of 264 B1 (indep) cm^2 with or without numerical answer
8			$\frac{\pi ab^3}{3d}$ $3(c+d)^3$ $3\pi bc^2$	3	B3 (B1 for each one correct) Nb –B1 for each of the 4th,5th,6th tick
9	(a)	$x+0.3+0.2+x=1$	0.25	2	M1 for $x+0.3+0.2+x=1$ oe, or 0.5 ÷ 2 A1 oe
	(b)	0.3×200	60	2	M1 0.3×200 A1 cao Accept 60 out of 200 (in words) SC B1 for $\frac{60}{200}$
10	(a)		$(-12)-4\quad-2\quad(0)8$	3	B3 for all correct [(B1 for each one correct)
	(b)		5 points plotted accurately points joined with smooth curve	2	B1 ±1 full (2mm) square ft table if at least B1 awarded (all 5 points plotted) B1 ft for any smooth curve if previous B1 gained NB: curve must pass within 1 full square of the points
11			m=3 n=5	2	B1 for 3 B1 for 5 (B2 for $2^3\times5$ or $2\times2\times2\times5$) SC: award B1 only if m=3, n=3, for 8×5 seen

Paper 5525/05					
No		**Working**	**Answer**	**Mark**	**Notes**
12		$\frac{5--1}{-1-2} = -2$	$y = -2x + 5$	4	M1 for clear attempt to find gradient eg fraction with -1,5 in numerator, 2,-1 in denominator A1 for -2 cao B2 ft for $y =$"-2"$x + 5$ oe (eg $y = \frac{-6}{3}x + 5$) (B1 for $y = mx + 5$ or , $-2x+5$ or $y =$"-2"$x + c$)
13	(a)		$\frac{1}{4}$ on LH branch $\frac{2}{3}$ & $\frac{1}{3}$ & $\frac{2}{3}$ on RH branches	2	B1 cao B1
	(b)	$\frac{3}{4} \times \frac{2}{3} + \frac{1}{4} \times \frac{1}{3} = \frac{6}{12} + \frac{1}{12}$	$\frac{7}{12}$	3	M1 for $\frac{3}{4} \times \frac{2}{3}$ or $\frac{1}{4} \times \frac{1}{3}$ from their tree diagram M1 for sum of two products A1 for $\frac{7}{12}$ oe
	(c)	$n = 21 \times 4$ or $\frac{1}{6} : \frac{1}{4}$ oe $\frac{1}{6} \times 84$ or $21 \times \frac{2}{3}$	14	3	M1 for either $\frac{1}{3} \times \frac{3}{4} \left(= \frac{1}{4}\right)$ or $\frac{2}{3} \times \frac{1}{4} \left(= \frac{1}{6}\right)$ from their tree diagram M1 for 21×4 (=84) or $\frac{21}{3} \times 2$ A1 for 14 cao SC: B2 for 63 seen in fraction or ratio

Paper 5525/05					
No		Working	Answer	Mark	Notes
14	(a)(i)		150	2	B1 accept 150 or 210
	(ii)				B1 for angle at the centre is twice the angle at the circumference
	(b)		30	3	B1 identifies angle between radius and tangent as $90°$ (may be in working or on diagram)
		$360 - 90 - 90 - "150"$ or $180 - "150"$			M1 $360° - 90 - 90 - "150"$ A1 ft from (a)(i) excluding a negative answer Or B1 for 90 M1 for $2 \times (180 - 90 - "\frac{150}{2}")$ A1 ft from (a)(i) excluding a negative answer Or B3 for $180 - (a)$ SC: 180 – "210" can get B1 for $90°$ and/or B1 for "cyclic quadrilateral"
15	(a)		0.2727…	1	B1 for 2.27 recurring or 0.2727…. oe or 0.273
	(b)	eg $x = 0.3939…$ so $100x = 39.3939…$ $99x = 39$ so $x = \frac{39}{99} = \frac{13}{33}$		3	M1 for $100x = 39.39…$ M1 dep for subtraction of both sides A1 for $\frac{13}{33}$ from correct proof **Alternative method** M1 for $13.000 \div 33$ M1 for remainders 31 and 13 A1 for 0.39 recurring SC:B1 for $\frac{39}{99}$

Paper 5525/05					
No		**Working**	**Answer**	**Mark**	**Notes**
16	(a)	$d = kt^2$ $80 = k \times 4^2$	$d = 5t^2$	3	M1 for $d = kt^2$ or $d \propto t^2$ M1 sub d=80 and t=4 into their equation A1 for $d = 5t^2$ oe (cao)
	(b)		245	1	B1 ft from (a) using "k"
	(c)	$45 = 5t^2$	3	2	M1 ft from (a) for substituting d=45 into their equation A1 for 3 cao (condone inclusion of -3)
17	(a)(i) (ii)		(0, 9) (8, 25)	3	B1 cao B1 for $x = 8$ cao B1 for $y = 25$ cao SC: B1 for (25, 8)
	(b)	LHS = $\left(\frac{100-(x^2-16x+64)}{4}\right)$ = $\left(\frac{36+16x-x^2}{4}\right)$ RHS = $\left(\frac{36-2x+18x-x^2}{4}\right)$ = LHS		3	M1 for expansion of either set of brackets with at least 3 of 4 terms correct M1 for common denominator of 4 or multiplying through by 4 or reducing each numerator to a single term A1 for fully correct solution **Alternative method** M1 for $(5-\frac{(x-8)}{2})(5+\frac{(x-8)}{2})$ M1 for $(\frac{2\times5-(x-8)}{2})(\frac{2\times5+(x-8)}{2})$ A1 for $\frac{(18-x)(x+2)}{4}$

Paper 5525/05					
No		Working	Answer	Mark	Notes
18	(a)	$\frac{810\pi}{90\pi}$ or 9 $\sqrt{9}$ or 3	12	3	M1 for $\frac{810\pi}{90\pi}$ or 9 or $\frac{1}{9}$ or 1:9 oe M1 for $\sqrt{\frac{810\pi}{90\pi}}$ or $\sqrt{9}$ or 3 or $\frac{1}{3}$ or $\sqrt{9}:\sqrt{1}$ oe A1 cao
	(b)	3^3 or 27 or 2700	2700π	2	SC:B1 for answer of 36 M1 for "3"^{3} or 27 or $\left(\sqrt{9}\right)^3 : (\sqrt{81})^3$ oe or 9^3 or 2700– A1 cao
19	(a)(i)		1	1	B1 cao
	(ii)		8	1	B1 cao
	(iii)	$64^{-\frac{2}{3}} = \frac{1}{64^{\frac{2}{3}}}$ or $64^{-\frac{2}{3}} = (4^2)^{-1}$	$\frac{1}{16}$	2	M1 for knowing negative power is a reciprocal or power of $\frac{1}{3}$ root is a cube root A1 cao for $\frac{1}{16}$
	(b)	$\sqrt{27} = \sqrt{9\times3}$ or $\sqrt{27} = 3\sqrt{3}$ or $\sqrt{27} = 3^{3/2}$	$\frac{5}{2}$ oe	2	M1 for $\sqrt{27} = \sqrt{9\times3}$ or $\sqrt{27} = 3^{3/2}$ A1 for $\frac{5}{2}$ oe (cao) **Alternative method** M1 for $9\times27 = 3^{2n}$ A1 for $\frac{5}{2}$ oe (cao)

Paper 5525/05					
No		**Working**	**Answer**	**Mark**	**Notes**
20	(a)(i) (ii) (b)(i) (ii)		(90, 1) (180, 0) (45, 0) (90, -3)	2 2 	B1 cao could be indicated on diagram B1 cao could be indicated on diagram B1 cao could be indicated on diagram B1 cao could be indicated on diagram
21		$\frac{1}{3}\pi x^2 h = \frac{4}{3}\pi(2x)^3$ $x^2 h = 4\times 8x^3$	$32x$	3	M1 for substitution in correct formulae M1 (dep.) for correct unsimplified expression eg $h = \frac{\frac{4}{3}\pi(2x)^3}{\frac{1}{3}\pi x^2}$ oe or $h = 8x$ oe A1 for $32x$ cao
22	(a)	$\left(\overline{OM} =\right)\ \boldsymbol{a} + 2\boldsymbol{b}$ $\left(\overline{ON} =\right) 3\boldsymbol{a}$ or $\frac{6}{2}\boldsymbol{a}$ $\left(\overline{MN} =\right)\ -\boldsymbol{a} - 2\boldsymbol{b} + 3\boldsymbol{a}$	$2\boldsymbol{a} - 2\boldsymbol{b}$	2	B2 (B1 for either $\overline{OM}$ or $\overline{ON}$ or $-\boldsymbol{a} - 2\boldsymbol{b} + 3\boldsymbol{a}$ SC: B1 for $2\boldsymbol{b} - 2\boldsymbol{a}$
	(b)	$\left(\overline{OX} =\right)\ 2\boldsymbol{a} + \boldsymbol{b}$ $\left(\overline{OY} =\right)\boldsymbol{b} + 4\boldsymbol{a}$ (½ $\overline{QR}$ =) $2\mathbf{a} - \boldsymbol{b}$ or (½ $\overline{RQ}$ =) $\boldsymbol{b} - 2\boldsymbol{a}$	$\overline{XY} = 2\boldsymbol{a}$ (hence parallel)	2	B1 for either $\overline{OX}$ or $\overline{OY}$ or (½ $\overline{QR}$) B1 for $\overline{XY} = 2\boldsymbol{a}$ or $\overline{YX} = -2\boldsymbol{a}$

Paper 5525/06					
No		Working	Answer	Mark	Notes
1	(a)	$v - u = 5t$	$\frac{v-u}{5}$	2	M1 for isolating $\pm 5t$ or $\pm t$ or for dividing through by 5 A1 oe
	(b)	$x - 3 = 5x - 25$ $22 = 4x$	$5\frac{1}{2}$	3	M1 for $x - 3 = 5(x-5)$ or $\frac{x}{5} - \frac{3}{5} = x - 5$ M1 for isolating terms in x correctly from $ax + b = cx + d$ A1 cao accept $5\frac{1}{2}$, $\frac{11}{2}$, 5.5
2	(a)	$36 \div (7+3+2)$ "3" $\times 7$	21	3	M1 for $36 \div (7+3+2)$ M1 (dep) for "3" $\times 7$ or 3 or 2 A1 cao
	(b)	$51.5 \times \frac{8.5}{100} = 4.3775$ $51.5 - 4.3775 = 47.1225$	47 or 47.1 or 47.12	4	M1 for $51.5 \times \frac{8.5}{100}$ or 4.37(75) seen M1 (dep) for 51.5 – "4.37(75)" A1 for 47 or better B1 (indep) for rounding their answer correctly to the nearest whole number or 1 or 2 d.p OR M1 for $51.5 \times \frac{100 - 8.5}{100}$ M1 for $51.5 \times$"0.915" or 0.515 ×"91.5" A1 for 47 or better B1 (indep) for rounding their answer correct to the nearest whole number or 1 or 2 d.p

Paper 5525/06					
No		**Working**	**Answer**	**Mark**	**Notes**
3		3→15 4→48 3.1→17.3(91) 3.2→19.9(68) 3.3→22.7(37) 3.4→25.7(04) 3.5→28.8(75) 3.4→25.7(04) 3.3→22.7(37) 3.35→24.1(95375)	3.3	4	B2 for trial between 3.3 and 3.4 inclusive (B1 for trial between 3 and 4 inclusive) B1 for different trial between 3.3 and 3.4 exclusive B1 (dep on at least one previous B1) for 3.3 NB trials should be evaluated to at least 1 dp truncated or rounded
4	(a)		Angle in a semicircle	1	B1 oe
	(b)	$12^2 + 16^2 = 400$ $\sqrt{400} = 20$	20	3	M1 for $12^2 + 16^2$ M1 for $\sqrt{144+256}$ A1 cao
	(c)	$\pi \times 10^2$	314	3	M1 for $\pi \times \left(\frac{"20"}{2}\right)^2$ M1 (indep) for correct order of evaluation of $\pi \times r^2$ for any r A1 for 314 – 315 inclusive

Paper 5525/06					
No		**Working**	**Answer**	**Mark**	**Notes**
5	(a)	$(1 \times 10)+(3 \times 15)+(5 \times 30)+(7 \times 35)+$ $(9 \times 25)+(11 \times 5) = 730$ "730" ÷ 120 = 6.08333	6.08	4	M1 for use of *fx* with *x* consistent within intervals (including end points) M1 (dep) for use of midpoints M1 (dep on 1st M1) for use of $\frac{\sum fx}{\sum f}$ A1 6.08 to 6.085
	(b)		(10),25,55,90, 115,120	1	B1 for all correct
	(c)		graph	2	B1 ft for 5 or 6 points plotted correctly ± 1 full (2mm) square at the end of interval dep on sensible table (condone 1 addition error) B1(dep) for points joined by curve or line segments provided no gradient is negative – ignore any part of graph outside range of their points. (SC: B1 if 5 or 6 points plotted not at end but consistent within each interval and joined)
	(d)		72 – 74	2	M1 (ft dep on graph being cf) for reading from graph at 7 A1 ft ±1 full (2 mm) square Or B2 for $72 - 74$

Paper 5525/06					
No		**Working**	**Answer**	**Mark**	**Notes**
6	(a)		a^7	1	B1 accept a^{4+3}
	(b)		$15x^3y^4$	2	B2 cao (B1 for two of 15, x^3, y^4 in a product)
	(c)		$x-1$	1	B1 cao
	(d)		$(a + 3b)(a - 3b)$	2	B2 for $(a + 3b)(a - 3b)$ (B1 for $(a \pm 3b)(a \pm 3b)$
7		80% = 220 $220 \div 80 \times 100$	275	3	M1 for recognising that 80% is equivalent to 220 M1 for $220 \div 80 \times 100$ oe A1 cao
8			$x = 3$ $y = 0.5$	3	M1 for coefficients of x or y the same followed by correct operation, condone one arithmetical error M1 (dep) for substituting found value in one equation A1 cao SC: B1 for one correct answer only if Ms not awarded
9			1.4×10^{10}	2	B2 for 1.4×10^{10} or 1.44×10^{10} (B1 for 14.4×10^9 or 14400,000,000 or 14000,000,000 or 14×10^9)

Paper 5525/06					
No		**Working**	**Answer**	**Mark**	**Notes**
10	(a)	$\tan x = \frac{1.9}{3.2}$ $x = \tan^{-1}\left(\frac{1.9}{3.2}\right) = 30.7$	30.7	3	M1 for $\tan x = \frac{1.9}{3.2}$ or $\tan \frac{1.9}{3.2}$ M1 for $\tan^{-1}\left(\frac{1.9}{3.2}\right)$ A1 for 30.6 – 30.7
	(b)	90 + "30.7"	121	1	B1 (indep) ft for 90 + "30.7" rounded to 3 or 4 s.f
11	(a)	$SF = \frac{12}{9}$ $\frac{12}{9} \times 6 = 8$	2	2	M1 for $\frac{12}{9}$ or $\frac{9}{12}$ or 1.33… seen or 0.75 seen or 8 seen or $\frac{6}{9}$ or $\frac{9}{6}$ or 0.66… or 1.5 or $\frac{1}{3}$ or 3 oe seen A1 cao
	(b)	$SF = \frac{9}{12}, \frac{9}{12} \times 7 = 5.25$	5.25	2	M1 for $\frac{BE}{7} = \frac{9}{12}$ oe A1 cao

Paper 5525/06					
No		**Working**	**Answer**	**Mark**	**Notes**
12	(a)	$84 = 6.7\pi + 2 \times 6.7 + 2a$ $2a + 13.4 = 62.95\ldots$ or $2a + 34.44 = 84$	24.8	3	M1 for substituting correctly, π may be left M1 for correct rearrangement as far as $\pm 2a$ A1 for $24.7 - 24.8$
	(b)	$P = \pi r + 2r + 2a$ $P - 2a = \pi r + 2r$ $P - 2a = (\pi + 2)r$	$\frac{P-2a}{\pi+2}$	3	M1 subtracting $2a$ from each side M1 for factorising to get $(\pi+2)r$ A1 for $\frac{P-2a}{\pi+2}$ oe S.C $\frac{p-2a}{5.14}$ oe is M1 M1 A0
13		Area $\Delta ABC = \frac{1}{2} \times 14 \times 8 \times \sin 106$ (= 53.8)	53.8	3	M1 for $\frac{1}{2} \times 14 \times 8 \times \sin 106$ M1 (dep) for $56 \times 0.961(26..)$ or $107.6\ldots$ A1 $53.8 - 53.9$ SC 107.6 is B2
14	(a)		4.5	1	B1 cao
	(b)	$500 \times 1.045^{20} = 1205.857\ldots\ldots$	1205.86	2	M1 for 500×1.045^{20} A1 for $1205.85 - 1206$ (SC:B1 for $705.85 - 706$ no working)

Paper 5525/06				
No	**Working**	**Answer**	**Mark**	**Notes**
15 (a)	$6x^2 + 11x - 10 + 6x - 4 = 25$ $6x^2 + 17x - 39 = 0$		3	M1 for an expression for the area involving either $(3x-2)(2x+5)+2(3x-2)$ or $3x(3x-2)+(3x-2)(7-x)$ or $3x(2x+5)-2(7-x)$ or $(3x-2)^2 + 2(3x-2) + (3x-2)(7-x)$ where in each case at least one of 2 or 3 product terms must be correct M1 (indep) for one correct expansion involving x^2 A1 for simplification to final answer

Paper 5525/06					
No		Working	Answer	Mark	Notes
15	(b)(i)	$x = \frac{-17 \pm \sqrt{17^2 - 4\times 6\times(-39)}}{2\times 6}$ $= \frac{-17 \pm \sqrt{289+936}}{12}$ $x = +\frac{18}{12}$ or -4.33	1.5, $-\frac{13}{3}$	4	M1 for $x = \frac{-17 \pm \sqrt{17^2 - 4\times 6\times(-39)}}{2\times 6}$ up to signs in b & c M1 for $x = \frac{-17 \pm \sqrt{1225}}{12}$ A1 $x = 1.5$ or -4.33, or better OR M2 for $(3x+13)(2x-3)$ (M1 for $(3x \pm a)(2x \pm b)$ with ab = ±39 A1 x = 1.5 or – 4.33, or better
		$x^2 + \frac{17}{6}x - \frac{39}{6} = 0$ $\left(x+\frac{17}{12}\right)^2 - \left(\frac{17}{12}\right)^2 - \frac{39}{6} = 0$ $\left(x+\frac{17}{12}\right)^2 = \left(\frac{17}{12}\right)^2 + \frac{39}{6}$			OR M1 for $\left(x+\frac{17}{12}\right)^2$ *seen* M1 $\left(x+\frac{17}{12}\right)^2 = \left(\frac{17}{12}\right)^2 + \frac{39}{6}$ A1 x = 1.5 or – 4.33, or better SC:M1 for answer "1.5" with no working or T & I
	(ii)		8		B1 cao length = 8

Paper 5525/06					
No		**Working**	**Answer**	**Mark**	**Notes**
16	(a)	P(win) = $\frac{2}{5}\times\frac{3}{5}+\frac{2}{5}\times\frac{1}{5}(=\frac{8}{25})$	$\frac{8}{25}$	3	M1 for $\frac{2}{5}\times\frac{3}{5}$ or $\frac{2}{5}\times\frac{1}{5}$ or for clearly identifying in P(R) $\times$P(R) + P(B) $\times$ P(B) M1 for P(win) = " $\frac{2}{5}$ " $\times$ " $\frac{3}{5}$ " + " $\frac{2}{5}$ " $\times$ " $\frac{1}{5}$ " A1 for $\frac{8}{25}$, oe
	(b)	$\frac{8}{25}$ $\times$ 100 (=32) 100 $\times$ 20 – "32" $\times$ 50	£4	2	M1 for (" $\frac{8}{25}$ " $\times$100)$\times$50 or $\times$ 0.5 A1 cao

Paper 5525/06					
No		**Working**	**Answer**	**Mark**	**Notes**
17		Lower bound of 1200 is 1150 Upper bound of 60 is 65 $1150 \div 65$	17	4	B1 for 1150 or 1250 seen B1 for 65 or 55 seen M1 (Lower bound of load) ÷ (Upper bound of weight) Where 1150 ≤ LB load < 1200 and 60 < UB Weight ≤ 65 A1 for 17 requires fully correct working OR B1 for 1150 or 1250 seen B1 for 65 or 55 seen M1 (upper bound of load) ÷(lower bound of weight) Where 1200 ‹ UB load ≤ 1250 and 55 ≤ LB weight < 60 A1 for 22 requires fully correct working OR M2 $1200 \div 55$ A1 21.8 A1 21 requires fully correct working OR M2 $1200 \div 65$ A1 18.4(6) A1 18 requires fully correct working
18	(a)	$3^4 x^4 y^8$	$81x^4y^8$	2	B2 for $81x^4y^8$ (B1 for 2 of 81, x^4, y^8)
	(b)	$\frac{x(x-3)}{(x-5)(x-3)}$	$\frac{x}{x-5}$	3	B1 for $x(x-3)$ B1 for $(x-5)(x-3)$ B1 cao

Paper 5525/06					
No		Working	Answer	Mark	Notes
19	(a)	$6^2 - 2^2 = 32$	5.66	2	M1 for $6^2 - 2^2$ (= 32) A1 5.65 – 5.66
	(b)	V  $DVA = 2 \times \sin^{-1}(\frac{2}{6})$ OR $\cos DVA = \frac{6^2 + 6^2 - 16}{2 \times 6 \times 6}$ $= \frac{56}{72}$ $DVA = \cos^{-1}\left(\frac{56}{72}\right) = 38.94$	38.9	3	M1 $\sin x = \frac{2}{6}$ oe M1 for $DVA = 2 \times \sin^{-1}(\frac{2}{6})$ A1 38.9 – 38.95 OR M1 for $(\cos DVA =) \frac{6^2 + 6^2 - 4^2}{2 \times 6 \times 6}$ M1 for $DVA = \cos^{-1}\left(\frac{56}{72}\right)$ A1 38.9 – 38.95

Paper 5525/06				
No	**Working**	**Answer**	**Mark**	**Notes**
19 (c)	$AC^2 = 2^2 + 2^2 - 2 \times 2 \times 2 \times \cos 120^o$ $AC = \sqrt{12}$ **OR** $AN = 2 \times \sin 60 = \sqrt{3}$ **OR** VN = $\sqrt{"32"+1} = \sqrt{33}$ $\cos AVC = \frac{6^2 + 6^2 - 12}{2 \times 6 \times 6}$ $\cos AVC = \frac{60}{72}$ **OR** $AVC = 2 \times \sin^{-1}\frac{\sqrt{3}}{6}$, using AN **OR** $AVC = 2 \times \cos^{-1}\frac{\sqrt{33}}{6}$, using VN	33.6	4	M1 for any valid method for AC or AN or VN where N is the midpoint of AC A1 for $AC^2 = 12$ or $AC = \sqrt{12}$ (= 3.46…) or $AN = \sqrt{3}$ (=1.73…)or $VN = \sqrt{33}$ (=5.74…) M1 (indep) for correct method to find angle AVC A1 33.55 – 33.6

Paper 5525/06					
No		**Working**	**Answer**	**Mark**	**Notes**
20	(a)	Graph translated 1 unit to the right passing through the points (-1,0), (1,2) and (2,0)		2	M1 for translation of $\begin{pmatrix}1\\0\end{pmatrix}$ or $\begin{pmatrix}-1\\0\end{pmatrix}$ A1 for right through the 3 points, $\pm\frac{1}{4}$ sq
	(b)	Graph stretched 2 units parallel to y-axis; passing through the points (-2,0), (0,4) and (1,0)		2	M1 for graph stretched parallel to the y-axis by scale factor 2 A1 through all 3 points; $\pm\frac{1}{4}$ sq not on grid at $x = 2$

Further copies of this publication are available from
Edexcel Publications, Adamsway, Mansfield, Notts, NG18 4FN

Telephone 01623 467467
Fax 01623 450481

Email publications@linneydirect.com

Order Code UG016720 Summer 2005

For more information on Edexcel qualifications, please visit www.edexcel.org.uk/qualifications
Alternatively, you can contact Customer Services at www.edexcel.org.uk/ask or on 0870 240 9800

Edexcel Limited. Registered in England and Wales no.4496750
Registered Office: One90 High Holborn, London, WC1V 7BH

PMT

edexcel

Mark Scheme (Results)

June 2012

GCSE Mathematics (2MB01) Higher
5MB2H (Non-Calculator) Paper 01

Edexcel and BTEC Qualifications
Edexcel and BTEC qualifications come from Pearson, the world's leading learning company. We provide a wide range of qualifications including academic, vocational, occupational and specific programmes for employers. For further information, please call our GCE line on 0844 576 0025, our GCSE team on 0844 576 0027, or visit our qualifications website at www.edexcel.com. For information about our BTEC qualifications, please call 0844 576 0026, or visit our website at www.btec.co.uk.

If you have any subject specific questions about this specification that require the help of a subject specialist, you may find our Ask The Expert email service helpful.

Ask The Expert can be accessed online at the following link:

http://www.edexcel.com/Aboutus/contact-us/

Alternatively, you can speak directly to the subject team at Pearson about Edexcel qualifications. Their contact details can be found on this link: www.edexcel.com/teachingservices

Pearson: helping people progress, everywhere
Our aim is to help everyone progress in their lives through education. We believe in every kind of learning, for all kinds of people, wherever they are in the world. We've been involved in education for over 150 years, and by working across 70 countries, in 100 languages, we have built an international reputation for raising achievement through innovation in education. Find out more about how we can help you and your students at: www.pearson.com/uk

June 2012
Publications Code UG032660
All the material in this publication is copyright
© Pearson Education Ltd 2012

PMT

NOTES ON MARKING PRINCIPLES

1 All candidates must receive the same treatment. Examiners must mark the first candidate in exactly the same way as they mark the last.

2 Mark schemes should be applied positively. Candidates must be rewarded for what they have shown they can do rather than penalised for omissions.

3 All the marks on the mark scheme are designed to be awarded. Examiners should always award full marks if deserved, i.e if the answer matches the mark scheme. Examiners should also be prepared to award zero marks if the candidate's response is not worthy of credit according to the mark scheme.

4 Where some judgement is required, mark schemes will provide the principles by which marks will be awarded and exemplification may be limited.

5 Crossed out work should be marked UNLESS the candidate has replaced it with an alternative response.

6 Mark schemes will indicate within the table where, and which strands of QWC, are being assessed. The strands are as follows:

i) *ensure that text is legible and that spelling, punctuation and grammar are accurate so that meaning is clear*
Comprehension and meaning is clear by using correct notation and labeling conventions.

ii) *select and use a form and style of writing appropriate to purpose and to complex subject matter*
Reasoning, explanation or argument is correct and appropriately structured to convey mathematical reasoning.

iii) *organise information clearly and coherently, using specialist vocabulary when appropriate*.
The mathematical methods and processes used are coherently and clearly organised and the appropriate mathematical vocabulary used.

7 With working

If there is a wrong answer indicated on the answer line always check the working in the body of the script (and on any diagrams), and award any marks appropriate from the mark scheme.
If working is crossed out and still legible, then it should be given any appropriate marks, as long as it has not been replaced by alternative work.
If it is clear from the working that the "correct" answer has been obtained from incorrect working, award 0 marks. Send the response to review, and discuss each of these situations with your Team Leader.
If there is no answer on the answer line then check the working for an obvious answer.
Any case of suspected misread loses A (and B) marks on that part, but can gain the M marks. Discuss each of these situations with your Team Leader.
If there is a choice of methods shown, then no marks should be awarded, unless the answer on the answer line makes clear the method that has been used.

8 Follow through marks

Follow through marks which involve a single stage calculation can be awarded without working since you can check the answer yourself, but if ambiguous do not award.
Follow through marks which involve more than one stage of calculation can only be awarded on sight of the relevant working, even if it appears obvious that there is only one way you could get the answer given.

9 Ignoring subsequent work

It is appropriate to ignore subsequent work when the additional work does not change the answer in a way that is inappropriate for the question: e.g. incorrect canceling of a fraction that would otherwise be correct
It is not appropriate to ignore subsequent work when the additional work essentially makes the answer incorrect e.g. algebra.
Transcription errors occur when candidates present a correct answer in working, and write it incorrectly on the answer line; mark the correct answer.

10 Probability

Probability answers must be given a fractions, percentages or decimals. If a candidate gives a decimal equivalent to a probability, this should be written to at least 2 decimal places (unless tenths).
Incorrect notation should lose the accuracy marks, but be awarded any implied method marks.
If a probability answer is given on the answer line using both incorrect and correct notation, award the marks.
If a probability fraction is given then cancelled incorrectly, ignore the incorrectly cancelled answer.

11 Linear equations
Full marks can be gained if the solution alone is given on the answer line, or otherwise unambiguously indicated in working (without contradiction elsewhere). Where the correct solution only is shown substituted, but not identified as the solution, the accuracy mark is lost but any method marks can be awarded.

12 Parts of questions
Unless allowed by the mark scheme, the marks allocated to one part of the question CANNOT be awarded in another.

13 Range of answers
Unless otherwise stated, when an answer is given as a range (e.g 3.5 – 4.2) then this is inclusive of the end points (e.g 3.5, 4.2) and includes all numbers within the range (e.g 4, 4.1)

Guidance on the use of codes within this mark scheme
M1 – method mark A1 – accuracy mark B1 – Working mark C1 – communication mark QWC – quality of written communication oe – or equivalent cao – correct answer only ft – follow through sc – special case dep – dependent (on a previous mark or conclusion) indep – independent isw – ignore subsequent working

5MB2H_01					
Question		**Working**	**Answer**	**Mark**	**Notes**
*1		Angle *BED* = 68° 180 – (68 + 68) OR Angle *BEF* = 180 – 68 = 112 Angle *BED* = 180= 112 = 68 180 – (68 + 68)	*x* = 44°	4	M1 for Angle *BED* = 68° seen in the diagram or correctly used in the working space M1 for 180 – 2 × "68" A1 for *x* = 44° (accept angle *BDE* = 44°) [Note: 44° only seen in the body of the script without the "*x* =" gets M1M1A0] C1 (dep on at least M1) for alternate angles are equal (or equivalent) and one other reason; either angles in a triangle add to 180° or base angles of an isosceles triangle are equal OR for allied angles (or equivalent, eg co-interior) add up to 180° and angles on a straight line add up to 180° and one other reason; either angles in a triangle add to 180° or base angles of an isosceles triangle are equal
2			4*n* + 2	2	B2 for 4*n* + 2 oe (eg 4×*n* + 2 or *n*4 + 2, …) or *n*th = 4*n* + 2 (B1 for a linear expression in 4*n* e.g. 4*n* + a ($a \neq 2$) or *n* = 4*n* + 2) (B0 for *n* = 4*n* and *n* + 4)

5MB2H_01					
Question		**Working**	**Answer**	**Mark**	**Notes**
3		35 ÷ (5 + 2) = 5 5 × 5 OR 5 2 10 4 15 6 20 8 25 10	25	2	M1 for 35 ÷ (5 + 2) or 35 ÷ 7 or 35 × $\frac{5}{7}$ A1 for 25 cao OR M1 for listing 5, 10, 15, ….. and 2, 4, 6, ….. to at least 15 and 6 A1 for 25 cao [SC: B1 for an answer of 25:10 if M0 scored]
4		$\frac{16}{40} + \frac{15}{40} = \frac{31}{40}$ OR | | 2 | 5 | | 3 | | 15 | | 8 | 16 | 40 | OR 0.4 + 0.375	$\frac{31}{40}$ or 0.775	2	M1 for attempt to write both fractions with a common denominator (a multiple of 40) with at least one of them correct A1 for $\frac{31}{40}$ oe OR M1 for 40 in the correct cell and 15 or 16 in the correct cell A1 for $\frac{31}{40}$ oe OR M1 for changing both fractions to decimals with both 0.4 and 0.375 seen A1 for 0.775

PMT

5MB2H_01					
Question		**Working**	**Answer**	**Mark**	**Notes**
5		$\frac{15}{100} \times 400 = 60$ $400 - 60 =$ OR $\frac{85}{100} \times 400$	340	3	M1 for $\frac{15}{100} \times 400$ (= 60) oe or 40 + 20 or 400 × 0.15 M1 (dep) for 400 – "60" A1 for 340 cao OR M1 for 100–15 (=85) M1 (dep) for $\frac{'85'}{100} \times 400$ or '0.85' × 400 A1 for 340 [SC: B1 for an answer of 460 if M0 scored]
6	(a)		$5(2a + 1)$	1	B1 for $5(2a + 1)$ or $5\times(2a + 1)$ or $(2a + 1)5$ or $5(1 + 2a)$, etc
	(b)	$5x + 35 + 3x - 6$	$8x + 29$	2	M1 for $5x + 35$ or $3x - 6$ or $8x$ or 29 A1 for $8x + 29$
	(c)		$3ab(a + 2b)$	2	B2 for $3ab(a + 2b)$ (B1 for correct partial factorisation $a(3ab + 6b^2)$ or $b(3a^2 + 6ab)$ or $3a(ab + 2b^2)$ or $3b(a^2 + 2ab)$ or $ab(3a + 6b)$ OR $3ab(ma + 2b)$ or $3ab(a + nb)$ where $m \neq 1$, $n \neq 2$) [B0 for partial factorisation using only an integer e.g. $3(a^2b + 2ab^2)$]

5MB2H_01

Question		Working	Answer	Mark	Notes
7		515 × 35 2575 15450 18025 10 × 515 = 5150 10 × 515 = 5150 10 × 515 = 5150 5 × 515 = 2575 18025 15000 + 2500 + 300 + 50 + 150 + 25 =18025	£180.25	4	M1 for 515 × 0.35 or 515 × 35 This may be implied from an incomplete method of multiplication M1 for a complete method with relative place value correct. Condone one multiplication error, addition not necessary Or for a complete grid, condone one multiplication error, addition not necessary Or for sight of a complete partitioning method. Condone one multiplication error final addition not necessary M1 (dep on the previous M1) for addition of appropriate elements of the calculation A1 for £180.25(p) or 18025p (with '£' sign deleted)

	5	1	5	×
	1 / 5	0 / 3	1 / 5	3
1	2 / 5	0 / 5	2 / 5	5
8	0	2	5	

	500	10	5
30	15000	300	150
5	2500	50	25

5MB2H_01					
Question		**Working**	**Answer**	**Mark**	**Notes**
		OR 3307 × 35 = 115 745 2792 × 35 = 97720 115745 – 97720			OR M1 for 3307 × 0.35 − 2792 × 0.35 or 3307 × 35 − 2792 × 35 M1 for a correct method of multiplication of at least one product, using digits 3307 and 35 or 2792 and 35 Condone one multiplication error, addition not necessary M1 (dep on the previous M1) for addition of appropriate elements of the calculation A1 for £180.25 or 18025p (with '£' sign deleted)

5MB2H_01					
Question		**Working**	**Answer**	**Mark**	**Notes**
8		**Triangular ends** $\frac{1}{2} \times 5 \times 12 = 30$ $\frac{1}{2} \times 5 \times 12 = 30$ **Base** $20 \times 5 = 100$ **Vertical face** $20 \times 12 = 240$ **Slant face** $20 \times 13 = 260$ **Total area** $= 30 + 30 + 100 + 240 + 260$ OR $(5 + 12 + 13) \times 20 + 2 \times \frac{1}{2} \times 5 \times 12$	660	3	M1 for $\frac{1}{2} \times 5 \times 12$ (= 30) or 20×5 (= 100) or 20×12 (= 240) or 20×13 (= 260) M1 (dep) for adding at least 3 areas found from correct methods (of no more than 5 faces) A1 cao OR M1 for $(5 + 12 + 13) \times 20$ or $\frac{1}{2} \times 5 \times 12$ (= 30) M1 (dep) for adding "$(5 + 12 + 13) \times 20$" to at least "$1 \times \frac{1}{2} \times 5 \times 12$" A1 cao Note: Sight of $\frac{1}{2} \times 5 \times 12 \times 20$ or 600 (ie a volume calculation) scores no marks

5MB2H_01					
Question		**Working**	**Answer**	**Mark**	**Notes**
9		Table of values x : –2, –1, 0, 1, 2 y : –7, –5, –3, –1, 1 OR Using $y = mx + c$ Gradient 2 intercept –3	Single line drawn from (–2, –7) to (2, 1)	3	**(Table of values)** M1 for at least 2 correct attempts to find points by substituting values of x. M1 (dep) ft for correctly plotting at least 2 of their points (any points plotted from their table must be plotted correctly) A1 for the correct line from (-2, -7) to (2, 1) OR **(No table of values)** M2 for at least 2 correct points (and no incorrect points) correctly plotted or for a line segment of the graph of $y = 2x – 3$ drawn (ignore any additional incorrect line segments) [M1 for at least 3 correct points plotted with no more than 2 incorrect points] A1 for the correct line from (-2, -7) to (2, 1) OR **(Use of $y = mx + c$)** M2 for a single straight line of gradient 2, passing through (0, -3) [M1 for a single straight line of gradient 2 or for a single straight line passing through (0, -3)] A1 for the correct line from (-2, -7) to (2, 1)

5MB2H_01					
Question		**Working**	**Answer**	**Mark**	**Notes**
10		$\frac{1}{2}$ (6 + 4) × 3 OR 6 × 3 – $\frac{1}{2}$ × 2 × 3 OR 4 × 3 + $\frac{1}{2}$ × 2 × 3	15 cm²	4	M2 for $\frac{1}{2}$ (6 + 4) × 3 oe A1 for 15 cao B1 for cm² OR M1 for 6 × 3 (=18) or $\frac{1}{2}$ × 2 × 3 (=3) M1 (dep on "6 × 3" and "$\frac{1}{2}$ × 2 × 3") for "18" – "3" from correct methods A1 for 15 cao B1 for cm² OR M1 for 4×3 (=12) or $\frac{1}{2}$ × 2 × 3 (=3) M1 (dep on "4×3" and "$\frac{1}{2}$ × 2 × 3") for "12" + "3" from correct methods A1 for 15 cao B1 for cm^2

5MB2H_01					
Question		**Working**	**Answer**	**Mark**	**Notes**
11		10 000 × 0.8 8000 × 0.9 = 7200 OR 10 000 – $\frac{20}{100}$ × 10 000 = 8000 8000 – $\frac{10}{100}$ × 8 000 OR 10 000 × 0.8 × 0.9	7200	3	M1 for 10 000 × 0.8 (= 8000) M1 (dep) for "8000" × 0.9 (= 7200) A1 for £7200 cao OR M1 for 10 000 – $\frac{20}{100}$ × 10 000 oe M1 (dep) for "8000" – $\frac{10}{100}$ × "8 000" oe A1 7200 cao OR M1 for 0.8 × 0.9 (=0.72) M1 (dep)for 10 000 × "0.72" A1 for 7200 cao [SC: B1 for an answer of 7000 if M0 scored]
12	(a)		$x^2 - 3x - 40$	2	M1 for 3 terms correct (out of no more than 4 terms) from x^2, $5x$, $-8x$ and -40 or 4 terms x^2, $5x$, $8x$ and 40 (ignoring signs) A1 for $x^2 - 3x - 40$ [Note: $x^2 - 3x + 40$ and $x^2 + 3x - 40$ with no working get M0A0]
	(b)		$(x + 4)(x - 4)$	1	B1 for $(x + 4)(x - 4)$ oe
13	(a)		(0, 2, 4)	1	B1 cao
	(b)	$\left(\frac{0+6}{2}, \frac{2+2}{2}, \frac{4+4}{2}\right)$	(3, 2, 4)	2	M1 for an answer of (a, 2, 4) or (3, b, 4) or (3, 2, c) or for[("0" + 6) ÷2, ("2" + 2) ÷2, ("4" + 4) ÷2] This may be implied by their answer with no working seen A1 for (3, 2, 4) cao

5MB2H_01					
Question		**Working**	**Answer**	**Mark**	**Notes**
14	(a)	$x = 0.25555\ldots$ $10x = 2.555\ldots$ $100x = 25.5555\ldots$ $90x = 25 - 2 = 23$ OR $x = 0.25555\ldots$ $10x = 2.555\ldots$ $100x = 25.5555\ldots$ $9x = 2.3$ OR $0.2 + (x = 0.0555\ldots.)$ $10x = 0.555\ldots$ $100x = 5.5555\ldots$ $0.2 + 5/90$	$\frac{23}{90}$	3	M1 for $0.255(5\ldots.)$ or $0.2 + 0.055(5\ldots)$ This can be implied in subsequent working M1 for 2 correct recurring decimals which when subtracted will leave an integer or a terminating decimal number A1 for $\frac{23}{90}$ [Note: $\frac{2.3}{9}$ gets A0] [SC: B1 for an answer of $\frac{25}{99}$ oe $(= 0.\dot{2}\dot{5})$, with or without working if M0 scored]
	(b)	$\frac{12}{\sqrt{6}} \times \frac{\sqrt{6}}{\sqrt{6}} = \frac{12\sqrt{6}}{6}$	$2\sqrt{6}$	2	M1 for multiplying numerator and denominator by $\sqrt{6}$ A1 for $2\sqrt{6}$ (accept $\frac{2\sqrt{6}}{1}$)

5MB2H_01					
Question		**Working**	**Answer**	**Mark**	**Notes**
*15		180 –(90 + 20) = 70 2 × 70 = 140	Angle *TOR* =140º	4	M1 for angle *PTO* (*PRO*) = 90º or seeing it marked on the diagram with a right angle or as 90° M1 (dep) for 180 –(90 + 20) (=70°) or for 360 – (90 + 90 + 40) (=140) A1 for (angle) *TOR* = 140º or for 140º seen in the correct place in the diagram [140º alone without the '*TOR* =' gets A0] C1 (dep on at least M1) for angle between a tangent and a radius = 90° plus at least one other correct reason from: Sum of angles in a triangle is 180º Sum of angles in a quadrilateral is 360º Triangles *PTO* and *PRO* are congruent Tangents from a point are equal in length OR M1 for angle *PTO* (*PRO*) = 90º or seeing it marked on the diagram with a right angle or as 90° M1 for (180 – 40)÷2 (=70) and [180 – 2×(90 –"70")] (=140) A1 for (angle) *TOR* = 140º or for 140º seen in the correct place in the diagram [140º alone without the '*TOR* =' gets A0] C1 (dep on at least M1) for angle between a tangent and a radius = 90° plus at least one other correct reason from: Sum of angles in a triangle is 180º Base angles of an isosceles triangle are equal Triangles *PTO* and *PRO* are congruent Tangents from a point are equal in length
		(180 – 40)÷2 =70 180 – 2×(90 –70) = 140			

5MB2H_01					
Question		**Working**	**Answer**	**Mark**	**Notes**
16		$80 \times \frac{5}{8} = 50$ 50×2.75 OR $80 \times 2.75 = 220$ $220 \times \frac{5}{8}$	136 to 138 inc.	3	M1 for $80 \times \frac{5}{8}$ or $80 \div 1.6$ oe (= 50) M1 (indep) for "50" × 2.75 [accept "50"× 165 (=8250)] or "50" + "50" + "50"÷2 (=25) + "25" ÷2 (=12.5) Note: "50" is what is considered to be their speed in miles per hour calculated using an explicitly stated conversion factor A1 for an answer in the range 136 to 138 inc. OR M1 for 80 × 2.75 (=220) [accept 80 × 165 (=13200)] or 80 + 80 + 80÷2 (=40) + "40"÷2 (=20) M1 (indep) for "220" × $\frac{5}{8}$ Note: "220" is what is considered to be their distance in kilometres calculated using an explicitly stated conversion factor A1 for an answer in the range 136 to 138 inc.
17		$y = -\frac{1}{2}x + 2.5$ *mm'* = –1 shows gradient is 2 $y = 2x + c$ goes through (3, 7) $7 = 2 \times 3 + c$	$y = 2x + 1$	4	M1 for establishing gradient of original line is $-\frac{1}{2}$ or sight of $y = -\frac{1}{2}x + c$ M1 (indep) for (gradient of perpendicular) × "$-\frac{1}{2}$" = –1 This can be implied by a gradient of 2 or ft on "$-\frac{1}{2}$" M1 (dep on the previous M1) for substituting (3, 7) into y = "2"x + c A1 for $y = 2x + 1$ (or equivalent algebraic equation)

PMT

5MB2H_01					
Question		**Working**	**Answer**	**Mark**	**Notes**
18		$\frac{2x^2-9x-5}{4x^3+2x^2}$ $\frac{(2x+1)(x-5)}{2x^2(2x+1)}$	$\frac{x-5}{2x^2}$	3	M1 for factorising the numerator correctly M1 for fully factorising the denominator correctly A1 for $\frac{x-5}{2x^2}$ oe eg. $\frac{-5+x}{2x^2}$

PMT

Further copies of this publication are available from
Edexcel Publications, Adamsway, Mansfield, Notts, NG18 4FN

Telephone 01623 467467
Fax 01623 450481
Email publication.orders@edexcel.com

Order Code UG032660 June 2012

For more information on Edexcel qualifications, please visit
www.edexcel.com/quals

Pearson Education Limited. Registered company number 872828
with its registered office at Edinburgh Gate, Harlow, Essex CM20 2JE

PMT

edexcel

Mark Scheme (Results)

March 2013

GCSE Mathematics (2MB01) Higher
5MB3H (Calculator) Paper 01

PMT

Edexcel and BTEC Qualifications

Edexcel and BTEC qualifications come from Pearson, the world's leading learning company. We provide a wide range of qualifications including academic, vocational, occupational and specific programmes for employers. For further information visit our qualifications websites at www.edexcel.com or www.btec.co.uk for our BTEC qualifications.
Alternatively, you can get in touch with us using the details on our contact us page at www.edexcel.com/contactus.

If you have any subject specific questions about this specification that require the help of a subject specialist, you can speak directly to the subject team at Pearson.
Their contact details can be found on this link: www.edexcel.com/teachingservices.

You can also use our online Ask the Expert service at www.edexcel.com/ask. You will need an Edexcel username and password to access this service.

Pearson: helping people progress, everywhere
Our aim is to help everyone progress in their lives through education. We believe in every kind of learning, for all kinds of people, wherever they are in the world. We've been involved in education for over 150 years, and by working across 70 countries, in 100 languages, we have built an international reputation for our commitment to high standards and raising achievement through innovation in education. Find out more about how we can help you and your students at: www.pearson.com/uk

March 2013
Publications Code UG035055
All the material in this publication is copyright
© Pearson Education Ltd 2013

NOTES ON MARKING PRINCIPLES

1 All candidates must receive the same treatment. Examiners must mark the first candidate in exactly the same way as they mark the last.

2 Mark schemes should be applied positively. Candidates must be rewarded for what they have shown they can do rather than penalised for omissions.

3 All the marks on the mark scheme are designed to be awarded. Examiners should always award full marks if deserved, i.e if the answer matches the mark scheme. Examiners should also be prepared to award zero marks if the candidate's response is not worthy of credit according to the mark scheme.

4 Where some judgement is required, mark schemes will provide the principles by which marks will be awarded and exemplification may be limited.

5 Crossed out work should be marked UNLESS the candidate has replaced it with an alternative response.

6 Mark schemes will indicate within the table where, and which strands of QWC, are being assessed. The strands are as follows:

i) *ensure that text is legible and that spelling, punctuation and grammar are accurate so that meaning is clear*
Comprehension and meaning is clear by using correct notation and labeling conventions.

ii) *select and use a form and style of writing appropriate to purpose and to complex subject matter*
Reasoning, explanation or argument is correct and appropriately structured to convey mathematical reasoning.

iii) *organise information clearly and coherently, using specialist vocabulary when appropriate*.
The mathematical methods and processes used are coherently and clearly organised and the appropriate mathematical vocabulary used.

7 With working

If there is a wrong answer indicated on the answer line always check the working in the body of the script (and on any diagrams), and award any marks appropriate from the mark scheme.
If working is crossed out and still legible, then it should be given any appropriate marks, as long as it has not been replaced by alternative work.
If it is clear from the working that the "correct" answer has been obtained from incorrect working, award 0 marks. Send the response to review, and discuss each of these situations with your Team Leader.
If there is no answer on the answer line then check the working for an obvious answer.
Any case of suspected misread loses A (and B) marks on that part, but can gain the M marks. Discuss each of these situations with your Team Leader.
If there is a choice of methods shown, then no marks should be awarded, unless the answer on the answer line makes clear the method that has been used.

8 Follow through marks

Follow through marks which involve a single stage calculation can be awarded without working since you can check the answer yourself, but if ambiguous do not award.
Follow through marks which involve more than one stage of calculation can only be awarded on sight of the relevant working, even if it appears obvious that there is only one way you could get the answer given.

9 Ignoring subsequent work

It is appropriate to ignore subsequent work when the additional work does not change the answer in a way that is inappropriate for the question: e.g. incorrect canceling of a fraction that would otherwise be correct
It is not appropriate to ignore subsequent work when the additional work essentially makes the answer incorrect e.g. algebra.
Transcription errors occur when candidates present a correct answer in working, and write it incorrectly on the answer line; mark the correct answer.

10 Probability

Probability answers must be given a fractions, percentages or decimals. If a candidate gives a decimal equivalent to a probability, this should be written to at least 2 decimal places (unless tenths).
Incorrect notation should lose the accuracy marks, but be awarded any implied method marks.
If a probability answer is given on the answer line using both incorrect and correct notation, award the marks.
If a probability fraction is given then cancelled incorrectly, ignore the incorrectly cancelled answer.

11 Linear equations

Full marks can be gained if the solution alone is given on the answer line, or otherwise unambiguously indicated in working (without contradiction elsewhere). Where the correct solution only is shown substituted, but not identified as the solution, the accuracy mark is lost but any method marks can be awarded.

12 Parts of questions

Unless allowed by the mark scheme, the marks allocated to one part of the question CANNOT be awarded in another.

13 Range of answers

Unless otherwise stated, when an answer is given as a range (e.g 3.5 – 4.2) then this is inclusive of the end points (e.g 3.5, 4.2) and includes all numbers within the range (e.g 4, 4.1)

Guidance on the use of codes within this mark scheme
M1 – method mark A1 – accuracy mark B1 – Working mark C1 – communication mark QWC – quality of written communication oe – or equivalent cao – correct answer only ft – follow through sc – special case dep – dependent (on a previous mark or conclusion) indep – independent isw – ignore subsequent working

PMT

5MB3H_01					
Question		**Working**	**Answer**	**Mark**	**Notes**
*1			small and correct answers	3	M1 for 4.2 ÷ 1.75 (=2.4(0)) **or** 8.68 ÷ 3.5 (=2.48) M1 for 4.2 ÷ 1.75 (=2.4(0)) **and** 8.68 ÷ 3.5 (=2.48) C1 (dep on at least M1) for small and (£)2.4(0) and (£)2.48 **OR** M1 for 1.75 ÷ 4.2 (=0.41(6)) **or** 3.5 ÷ 8.68 (=0.40(3)) M1 for 1.75 ÷ 4.2 (=0.41(6)) **and** 3.5 ÷ 8.68 (=0.40(3)) C1 (dep on at least M1) for small and 0.41(6)(kg) and 0.40(3)(kg) **OR** M1 for 4.2 ÷ 1.75 (=2.4(0)) **or** 8.68 ÷ 3.5 (=2.48) M1 for (4.2 ÷ 1.75) × 3.5 (=8.4(0)) or (8.68 ÷ 3.5) × 1.75 (=4.34) C1 (dep on at least M1) for small and (£)8.4(0) or for small and (£)4.34 **OR** M1 for 1.75 ÷ 4.2 (=0.41(6)) or 3.5 ÷ 8.68 (=0.40(3)) M1 for (1.75 ÷ 4.2) × 8.68 (=3.61(6)) or (3.5 ÷ 8.68) × 4.2 (=1.69(3)) C1 (dep on at least M1) for small and 3.61(6)(kg) or 1.69(3)(kg) **OR** M2 for 8.68 ÷ 2 (=4.34) or 4.20 × 2 (=8.40) C1 (dep on at least M1) for small and (£)4.34 or (£8.40) **OR** Any other method considered equivalent. Figures may be truncated or rounded as long as their method is clear.

5MB3H_01					
Question		**Working**	**Answer**	**Mark**	**Notes**
2		$7 \times 8^2 + 320 = 448 + 320$ 768p = 7.68	£7.68	3	M1 for 7×8^2 or 448 seen A1 for 768 B1 for correct monetary answer written correctly eg £7.68 or 768p
3			correct shaded region	2	B1 for arc of circle, centre oak tree, radius 4cm(±2mm) B1 for shaded region where the tree can be planted, bounded by sides of garden and arc of circle centre oak tree
4	(a)		−3, −2, −1,0,1	2	B2 for all 5 values and no others (B1 for 4 correct values and no others or -4,-3,-2,-1,0,1 or -3,-2,-1,0,1,2
	(b)		$-2 \leq x < 4$	2	B2 for $-2 \leq x < 4$ (B1 for $-2 \leq x$ or $x < 4$ or $-2 < x \leq 4$) [Note: accept the use of any letter other than x throughout and ignore any attempt to list integer values]
5			25.1-25.2	2	M1 for $2 \times 3.142 \times 4$ or 8π oe A1 for 25.1 – 25. 2
6	(a)		5, −4, −3	2	B2 for 5, −4 and −3 (B1 for 5 or −4 or −3)
	(b)		correct curve	2	B2 for fully correct curve (B1 ft for at least 5 points plotted correctly)

5MB3H_01					
Question		**Working**	**Answer**	**Mark**	**Notes**
7			enlargement, scale factor 2, centre (6, −5)	3	B1 for enlargement B1 for (scale) factor 2 or ×2 or sf 2 B1 for (6, −5) NB: award 0 marks for an explanation that includes reference to more than one transformation.
*8		Cost of wages, rent and other expenses last year 92 000+10 800+7000=109 800 Cost of wages, rent and other expenses this year $1.075\times92\,000 + \frac{7}{9} \times 10$ 800 + 7000÷2 = 98 900+8400+3500 = 110 800 Costs are more this year, so she cannot increase the amount she spends on goods	no, with working and reason	4	M1 for an attempt to calculate using 7.5% and 92000 (eg 7.5% of 92000 or increase of 7.5%) eg 92000 + 6900 or 98900 M1 for an attempt to find a fractional amount of 10800 (eg $\frac{7}{9}$ × 10800 or 8400 or $\frac{2}{9}$ × 10800 or 2400) M1 for complete method of increasing 92000 by 7.5%, finding $\frac{7}{9}$ of 10800, and halving 7000, with at least all of these three added together. C1 for statement eg "no" with both 110800 & 109800 seen, OR "no" with "1000 more" OR "no" and compares 181800 with 182800, oe.
9	(a)	$\sqrt{30} = 5.4772255\ldots$ $2.5^2 = 6.25$ 5.4772255...÷ 6.25 =	0.876	2	M1 for $\sqrt{30} \div 6.25$ or $5.4(7\ldots) \div 2.5^2$ A1 for any answer in the range 0.876 to 0.877
	(b)	4.5 × 1000 × 1000	4 500 000	2	M1 for complete method equivalent to 4.5 × 1000 × 1000 A1 for 4 500 000 oe

5MB3H_01					
Question		**Working**	**Answer**	**Mark**	**Notes**
10		3 → 21 4 → 56 3.1 → 23.5(9) 3.2 → 26.3(6) 3.3 → 29.3(3) 3.4 → 32.5(0) 3.5 → 35.8(7) 3.6 → 39.4(5) 3.7 → 43.2(5) 3.8 → 47.2(7) 3.9 → 51.(5) 3.35 → 30.8(9)	3.3	4	B2 for a trial between 3.3 and 3.4 inclusive (B1 for a trial between 3 and 4 inclusive) B1 for a different trial between 3.3 and 3.4 exclusive B1 (dep on at least one previous B1) for 3.3 NB trials should be evaluated to at least 1dp truncated or rounded
11			45	3	M1 for 60000 × 0.75 or ÷1000 or digits 45 or the numbers 60 or 0.00075) M1 for the complete method 60 000 × 0.75 ÷ 1000 oe A1 cao
12	(a)		−7	2	M1 for an attempt to get *x*s on one side or number terms on one side A1 cao
	(b)		8.5	2	M1 for an attempt to divide each side by 4 or an attempt to expand the bracket eg $4 \times x - 4 \times 5$ A1 for 8.5 oe

5MB3H_01					
Question		**Working**	**Answer**	**Mark**	**Notes**
*13		2500×0.04×2 =£200 2500×$(1.039)^2$ = £2698.80 £2698.80 – £2500 = £198.80 Scheme A gives £1.20 more	statement	4	M1 for a correct method to find 4% of 2500 or 3.9% of 2500 A1 for a correctly calculated amount 2700 or 2698.8(0) or 200 or 198.8(0); or percentage rate calculated over the 2 years for comparison: 3.93% or 3.976% oe M1 for a correct compound interest method using 3.9% and 2500 over 2 years C1 for statement of scheme A, with two correct comparable figures.
14		$3x - 2y = 7$ $7x + 2y = 13$ $10x = 20$ $x = 2$ $3\times2 - 2y = 7$ $-2y = 1$ $y = -0.5$	2, −0.5	3	M1 for a correct process to eliminate either x or y (allow one arithmetic error) M1 (dep) for correct substitution of their found variable or an otherwise correct method to eliminate the other variable A1 for 2 and −0.5 oe
15	(a)		3.7×10^{-3}	1	B1 cao
	(b)		49 000	1	B1 cao
	(c)	500 ÷ 250 000 [= 0.002] OR $(5 \times 10^2) \div (2.5 \times 10^5)$ [= $(5\div2.5)\times10^{2-5}$] OR $\frac{500}{250} \times \frac{1}{10^3}$ [= 2×10^{-3}] OR $\frac{500\div100}{250000\div100} = \frac{5}{2500}$ [= 0.002]	2×10^{-3}	2	M1 for an attempt to divide using two numbers that are in consistent form eg following an attempt to convert to ordinary numbers, or standard form numbers. A1 for 2×10^{-3}

PMT

5MB3H_01					
Question		**Working**	**Answer**	**Mark**	**Notes**
16			12.7	3	M1 for 3.142 × 5 × 5 oe or 3.142 × 5 × 5 × '*h*' (=78.5 – 78.55) M1 for 1000 ÷ (3.142 × 5 × 5) A1 for 12.7 – 12.8 NB: multiples of π acceptable for M marks
17		$4x - 3 = 2x + 2y$ $2x - 3 = 2y$ $2x = 2y + 3$ $x = y + 1.5$	$x = y + 1.5$	3	M1 for attempt to expand brackets eg $2\times x+2\times y$ or divide through by 2 (each term). M1 for attempt to get x on one side of equation. A1 for $(x =) y + 1.5$, $\frac{2y + 3}{2}$, oe
18			(11, 21)	3	M1 for 5 – 2 or 9 – 3 OR 3 or 6 as long as these are not related to the 3 from *A* or multiple 3 or 9,18 M1 for 2 + 3 × "3" and 3 + 3 × "6" OR for 5 + 2 × "3" and 9 + 2 × "6" OR for 2 + 3 × "3" (=11) and (y=) 2 × '11' – 1 A1 cao SC: B1 if no method shown and answer shows x coordinate as 11 or y coordinate as 21.

PMT

5MB3H_01					
Question		**Working**	**Answer**	**Mark**	**Notes**
19			4.6	5	M1 for $AC = \sqrt{(3^2+4^2)}$ (=5) or $DA = \sqrt{(5^2+2^2)}$ M1 for tan BAC = 0.75 oe or (BAC=) 36.8(6) or 36.9 M1 for tan DAC = 0.4 oe or (DAC=) 21.8(0) M1 for $\sqrt{'5'^2+2^2}$ × sin("36.8(6)"+"21.8(0)") or 5.385 × sin 58.7 A1 for 4.59 – 4.61 OR M1 for $AC = \sqrt{3^2+4^2}(=5)$ or $DP = \sqrt{(29 - AP^2)}$ M1 for cos BAC = 0.8 oe or (BAC=) 36.8(6) oe M1 for angle CDP = angle BAC M1 for (DP=) 3 + 2×cos CDP or (AP=) 4 – 2×sin CDP A1 for 4.59 – 4.61
20			0.5, −3	3	M1 for $(2x \pm 1)(x \pm 3)$ M1 for $(2x - 1)(x + 3)$ A1 cao OR M1 for $\frac{-5 \pm \sqrt{5^2 - 4 \times 2 \times -3}}{2 \times 2}$ allow sub. of $c = \pm 3$ M1 for $\frac{-5 \pm \sqrt{49}}{4}$ A1 cao NB: any other method put in review.

PMT

5MB3H_01					
Question		**Working**	**Answer**	**Mark**	**Notes**
21		$1180.5 \div \frac{4}{3}\pi(6.15)^3$	1.21	4	M1 for 1180 ± 0.5 or 6.2 ± 0.05 M1 for 'max. mass' ÷ 'min. volume' where "min volume" is defined as any expression involving 6.15 M1 for $1180.5 \div \frac{4}{3}\pi(6.15)^3$ A1 for 1.21 – 1.22
22			proof	3	B1 for *AD* = *AB* and *AE* = *AG* B1 for angle *EAB* = angle *DAG* (= 90 + angle *DAE*) B1 (dep on previous B marks) for 2 sides and included angle (SAS) oe
23	(a)		$3\boldsymbol{a} + \boldsymbol{b}$	1	B1 oe
	(b)		$3\mathbf{c}$	4	M1 for writing *QB* as a combination of vectors eg $\frac{1}{2}$ ('3**a** + **b**') + **b** or 3**a** + 2**b** – $\frac{1}{2}$ ('3**a** + **b**') or 2**a** + 2**b** − **c** oe M1 for equating **a** + **b** = 2**c** or writing *PQ* in terms of vectors **a** and **b** eg −**a** + $\frac{1}{2}$ ('3**a** + **b**') or 2**a** + **b** – $\frac{1}{2}$ ('3**a** + **b**') A1 for (*PQ*=) $\frac{1}{2}$**a** + $\frac{1}{2}$**b or** (*QB*=) $\frac{3}{2}$**a** + $\frac{3}{2}$**b** or (*QB*=) 2**c**−**a** + **a** + **c** A1 cao NB: accept equivalent expressions throughout

PMT

Further copies of this publication are available from
Edexcel Publications, Adamsway, Mansfield, Notts, NG18 4FN

Telephone 01623 467467
Fax 01623 450481
Email publication.orders@edexcel.com
Order Code UG035055 March 2013

For more information on Edexcel qualifications, please visit our website
www.edexcel.com

Pearson Education Limited. Registered company number 872828
with its registered office at Edinburgh Gate, Harlow, Essex CM20 2JE

Ofqual
Llywodraeth Cynulliad Cymru
Welsh Assembly Government
Rewarding Learning

PMT

edexcel

Mark Scheme (Results)

Summer 2013

GCSE Mathematics (Linear) 1MA0
Higher (Calculator) Paper 2H

PMT

Edexcel and BTEC Qualifications

Edexcel and BTEC qualifications come from Pearson, the world's leading learning company. We provide a wide range of qualifications including academic, vocational, occupational and specific programmes for employers. For further information visit our qualifications websites at www.edexcel.com or www.btec.co.uk for our BTEC qualifications.
Alternatively, you can get in touch with us using the details on our contact us page at www.edexcel.com/contactus.

If you have any subject specific questions about this specification that require the help of a subject specialist, you can speak directly to the subject team at Pearson.
Their contact details can be found on this link: www.edexcel.com/teachingservices.

You can also use our online Ask the Expert service at www.edexcel.com/ask. You will need an Edexcel username and password to access this service.

Pearson: helping people progress, everywhere
Our aim is to help everyone progress in their lives through education. We believe in every kind of learning, for all kinds of people, wherever they are in the world. We've been involved in education for over 150 years, and by working across 70 countries, in 100 languages, we have built an international reputation for our commitment to high standards and raising achievement through innovation in education. Find out more about how we can help you and your students at: www.pearson.com/uk

Summer 2013
Publications Code UG037224
All the material in this publication is copyright
© Pearson Education Ltd 2013

NOTES ON MARKING PRINCIPLES

1 All candidates must receive the same treatment. Examiners must mark the first candidate in exactly the same way as they mark the last.

2 Mark schemes should be applied positively. Candidates must be rewarded for what they have shown they can do rather than penalised for omissions.

3 All the marks on the mark scheme are designed to be awarded. Examiners should always award full marks if deserved, i.e if the answer matches the mark scheme. Examiners should also be prepared to award zero marks if the candidate's response is not worthy of credit according to the mark scheme.

4 Where some judgement is required, mark schemes will provide the principles by which marks will be awarded and exemplification may be limited.

5 Crossed out work should be marked UNLESS the candidate has replaced it with an alternative response.

6 Mark schemes will indicate within the table where, and which strands of QWC, are being assessed. The strands are as follows:

i) *ensure that text is legible and that spelling, punctuation and grammar are accurate so that meaning is clear*
Comprehension and meaning is clear by using correct notation and labeling conventions.

ii*) select and use a form and style of writing appropriate to purpose and to complex subject matter*
Reasoning, explanation or argument is correct and appropriately structured to convey mathematical reasoning.

iii) *organise information clearly and coherently, using specialist vocabulary when appropriate*.
The mathematical methods and processes used are coherently and clearly organised and the appropriate mathematical vocabulary used.

7 With working

If there is a wrong answer indicated on the answer line always check the working in the body of the script (and on any diagrams), and award any marks appropriate from the mark scheme.
If working is crossed out and still legible, then it should be given any appropriate marks, as long as it has not been replaced by alternative work.
If it is clear from the working that the "correct" answer has been obtained from incorrect working, award 0 marks. Send the response to review, and discuss each of these situations with your Team Leader.
If there is no answer on the answer line then check the working for an obvious answer.
Any case of suspected misread loses A (and B) marks on that part, but can gain the M marks. Discuss each of these situations with your Team Leader.
If there is a choice of methods shown, then no marks should be awarded, unless the answer on the answer line makes clear the method that has been used.

8 Follow through marks

Follow through marks which involve a single stage calculation can be awarded without working since you can check the answer yourself, but if ambiguous do not award.
Follow through marks which involve more than one stage of calculation can only be awarded on sight of the relevant working, even if it appears obvious that there is only one way you could get the answer given.

9 Ignoring subsequent work

It is appropriate to ignore subsequent work when the additional work does not change the answer in a way that is inappropriate for the question: e.g. incorrect canceling of a fraction that would otherwise be correct
It is not appropriate to ignore subsequent work when the additional work essentially makes the answer incorrect e.g. algebra.
Transcription errors occur when candidates present a correct answer in working, and write it incorrectly on the answer line; mark the correct answer.

10 Probability

Probability answers must be given a fractions, percentages or decimals. If a candidate gives a decimal equivalent to a probability, this should be written to at least 2 decimal places (unless tenths).
Incorrect notation should lose the accuracy marks, but be awarded any implied method marks.
If a probability answer is given on the answer line using both incorrect and correct notation, award the marks.
If a probability fraction is given then cancelled incorrectly, ignore the incorrectly cancelled answer.

11 Linear equations
Full marks can be gained if the solution alone is given on the answer line, or otherwise unambiguously indicated in working (without contradiction elsewhere). Where the correct solution only is shown substituted, but not identified as the solution, the accuracy mark is lost but any method marks can be awarded.

12 Parts of questions
Unless allowed by the mark scheme, the marks allocated to one part of the question CANNOT be awarded in another.

13 Range of answers
Unless otherwise stated, when an answer is given as a range (e.g 3.5 – 4.2) then this is inclusive of the end points (e.g 3.5, 4.2) and includes all numbers within the range (e.g 4, 4.1)

Guidance on the use of codes within this mark scheme
M1 – method mark A1 – accuracy mark B1 – Working mark C1 – communication mark QWC – quality of written communication oe – or equivalent cao – correct answer only ft – follow through sc – special case dep – dependent (on a previous mark or conclusion) indep – independent isw – ignore subsequent working

PMT

PAPER: 1MA0_2H					
Question		**Working**	**Answer**	**Mark**	**Notes**
1			40.5	3	M1 for 1.5×6 or 1.5 ×1.5 M1 for adding area of 5 or 6 faces provided at least 3 are the correct area A1 cao NB: anything that leads to a volume calculation 0 marks.
*2			Not enough mincemeat since 600<700 OR Only able to make 38 mince pies since insufficient mincemeat	4	M1 for 45 ÷ 18 (= 2.5) M1 for 2.5 used as factor or divisor A1 for ingredients as 562.5 and 875 and 250 and 700 and 2.5 (accept 2 or 3) OR for availables as 400, 400, 200 240, 2.4 (accept 2 or 3) C1 ft (dep on at least M1) for identifying and stating which ingredient is insufficient for the recipe (with some supportive evidence) OR M1 for a correct method to determine the number of pies one ingredient could produce M1 for a correct method to determine the number of pies **all** ingredient could produce A1 for 80 and 51 and 90 and 38 and 108 C1 ft (dep on at least M1) for identifying and stating which ingredient is insufficient for the recipe. (with some supportive evidence)

PMT

PAPER: 1MA0_2H					
Question		**Working**	**Answer**	**Mark**	**Notes**
3	(a)		Points plotted at (1,8200) and (3.5,5000)	1	B1 for points accurately plotted ±1/2 square tolerance
	(b)		'the older the car the lower the value' 'the greater the value the newer the car'	1	B1 for an acceptable relationship eg. 'the older the car the lower the value' (accept 'negative correlation' but not just 'negative')
	(c)		5200 to 6600	2	M1 for a single line segment with negative gradient that could be used as a line of best fit or a vertical line from 2.5 or a point at (2.5,*y*) where *y* is from 5200 to 6600 A1 for given answer in the range 5200 − 6600
4			126	3	M1 for 1 – 0.05 – 0.32 (= 0.63) M1 for '0.63' × 200 A1 cao OR M1 for 0.05 × 200 (= 10) or 0.32 × 200 (= 64) or 0.37 × 200 (=74) M1 for 200 – '10' – '64' A1 cao OR M1 for 100 – 5 – 32 (= 63) M1 for $\frac{"63"}{100}\times 200$ A1 cao SC: B2 for $\frac{126}{200}$ as the answer.

PMT

PAPER: 1MA0_2H					
Question		**Working**	**Answer**	**Mark**	**Notes**
5	(a)		Response boxes overlap and are not exhaustive	2	B2 for **TWO** aspects from: No time frame given Non-exhaustive responses Response boxes over-lapping (B1 for ONE correct aspect)
	(b)		How many magazines do you buy each month? 0-4 5-8 over 8	2	B1 for a question with a time frame B1 for at least 3 correctly labelled response boxes (non-overlapping, need not be exhaustive) **or** for a set of response boxes that are exhaustive (could be overlapping) [Do not allow inequalities in response boxes]
	(c)		One reason	1	B1 for ONE reason Eg. All the same age, may all be males, may all like same types of magazines, sample too small, biased
6			4.8	4	M1 for 60 × 60 (=3600) M1 for 15000÷ 20 (=750) or 20÷15000 (=0.00133..) or "3600"÷15000 (=0.24) or 15000÷"3600" (=4.16..) M1 for "3600" ÷ (15000÷20) or "3600"×20÷15000 oe A1 cao

PMT

PAPER: 1MA0_2H					
Question		**Working**	**Answer**	**Mark**	**Notes**
7			28% or $\frac{14}{50}$	4	M1 for 100 30 (= 70) or $1 - \frac{3}{10}$ $(= \frac{7}{10})$ M1 for "70" ÷ (3 + 2) (= 14) or $"\frac{7}{10}" \div (3+2)$ $(= \frac{7}{50})$ M1 for "14" × 2 or $\frac{7}{50} \times 2$ A1 for 28% or $\frac{14}{50}$ oe **OR** M1 for a correct method to find (100-30)% of any actual sum of money M1 for "350" ÷ (3 + 2) (= 70) M1 for "70" × 2 A1 for 28% or $\frac{14}{50}$ oe **OR** M1 for starting with two numbers in ratio 3:2, eg 21 and 14 M1 for equating sum of their numbers to 100 – 30 (=70%), eg '21' + '14' (=35) M1 for scaling sum of their numbers to 100%, eg '35'÷70×100 (=50) A1 for 28% or $\frac{14}{50}$ oe SC: award B3 for oe answers expressed in an incorrect form eg $\frac{2.8}{10}$

PAPER: 1MA0_2H					
Question		Working	Answer	Mark	Notes
8			10752	4	M1 for splitting the pentagon (or show the recognition of the "absent" triangle) and using a correct method to find the area of one shape M1 for a complete and correct method to find the total area M1 (dep on at least one prev M1) for multiplying their total area by 2.56 (where total area is a calculation involving at least two areas) A1 cao
9			55	4	M1 for a correct method to find a different angle using 35° M1 for setting up a complete process to calculate angle x A1 cao B1 states one of the following reasons relating to their chosen method: Alternate angles are equal; Corresponding angles are equal; Allied angles / Co-interior angles add up to 180; the exterior angle of a triangle is equal to the sum of the interior opposite angles.

PMT

PAPER: 1MA0_2H

Question		Working	Answer	Mark	Notes
10		x | $x^3 + 2x$ 4 | 72 4.1 | 77.(121) 4.2 | 82.(488) 4.3 | 88.(107) 4.4 | 93.(984) 4.5 | 100.(125) 4.6 | 106.(536) 4.7 | 113.(223) 4.8 | 120.(192) 4.9 | 127.(449) 5 | 135 4.65 | 109.8(44625) 4.66 | 110.5(14696) 4.67 | 111.1(87563) 4.68 | 111.8(63232) 4.69 | 112.5(41709)	4.7	4	B2 for a trial $4.6 \leq x \leq 4.7$ evaluated correctly (B1 for a trial evaluated correctly for $4 \leq x \leq 5$) B1 for a different trial evaluated correctly for $4.65 \leq x < 4.7$ B1 (dep on at least one previous B1) for 4.7 [Note: Trials should be evaluated to at least accuracy shown in table, truncated or rounded] No working scores 0 marks
11			3.52	3	M1 for $1.35^2 + 3.25^2$ M1 (dep) for $\sqrt{(1.35^2 + 3.25^2)}$ $(= \sqrt{12.385})$ A1 for answer in the range 3.51 to 3.52

PAPER: 1MA0_2H					
Question		**Working**	**Answer**	**Mark**	**Notes**
12	(a)	$3x - 6 = x + 7$ $2x = 13$	6.5	3	M1 for $3\times x - 3\times 2$ ($=3x - 6$) or $\frac{x}{3} + \frac{7}{3}$ seen M1 for correct method to isolate the terms in x or the number terms on opposite sides of an equation A1 for 6.5 oe
	(b)	$2 - y = 1 \times 5$	-3	2	M1 for intention to multiply both sides by 5 (to give $2 - y = 1 \times 5$) A1 cao
13	(a)		(3, 3.5) oe	2	M1 for a correct method to find the value of either the x coordinate or the y coordinate of the midpoint **or** $x = 3$ **or** $y = 3.5$ A1 cao
	(b)		-1.8 oe	2	M1 for correct method to find the gradient OR (+)1.8 A1 for -1.8 oe

PAPER: 1MA0_2H					
Question		**Working**	**Answer**	**Mark**	**Notes**
*14			The Friendly Bank	4	M1 for a correct method to find interest for the first year for either bank **OR** correct method to find the value of investment after one year for either bank **OR** use of the multiplier 1.04 or 1.05 M1 for a correct full method to find the value of the investment (or the value of the total interest) at the end of 2 years in either bank A1 for 2100.8(0) and 2110.5(0) (accept 100.8(0) and 110.5(0)) C1 (dep on M1) ft for a correct comparison of *their* total amounts, identifying the bank from their calculations **OR** M1 for either 1.04 × 1.01 or 1.05 × 1.005 M1 for 1.04 × 1.01 and 1.05 × 1.005 A1 for 1.0504 and 1.05525 C1 (dep on M1) ft for a correct comparison of *their* total multiplying factors identifying the bank from their calculations

PMT

PAPER: 1MA0_2H					
Question		**Working**	**Answer**	**Mark**	**Notes**
15	(a)		-2 -1 0 1 2 3 4 **8** 3 0 **-1** **0** 3 **8**	2	B2 for 8, -1, 0, 8 (B1 for at least two of 8, -1, 0, 8)
	(b)		Correct curve	2	M1 (ft) for at least 5 points plotted correctly A1 for a fully correct curve
	(c)	$x^2 - 2x - 3 = 0$ OR $(x - 3)(x + 1) = 0$	3 and −1	2	M1 for the straight line $y = 3$ drawn to intersect the "graph" from (a) A1 for both solutions **OR** M1 for identifying $y = 3$ from the table A1 for both solutions **OR** M1 for $(x \pm 3)(x \pm 1)$ A1 for both solutions

PAPER: 1MA0_2H					
Question		**Working**	**Answer**	**Mark**	**Notes**
*16		Angle *POT* = 180 – 90 – 32 = 58 (angle between radius and tangent = 90° and sum of angles in a triangle = 180°) Angle *OST* =angle *OTS* = 58÷2 (ext angle of a triangle equal to sum of int opp angles and base angles of an isos triangle are equal) or (angle at centre = 2x angle at circumference) OR Angle *SOT* = 90 + 32 = 122 (ext angle of a triangle equal to sum of int opp angles) (180 – 122) ÷ 2 (base angles of an isos triangle are equal)	29	5	B1 for angle OTP = 90°, quoted or shown on the diagram M1 for a method that leads to 180 – (90 + 32) or 58 shown at *TOP* M1 for completing the method leading to "58"÷2 or 29 shown at *TSP* A1 cao C1 for "angle between radius and tangent = 90°" **and** one other correct reason given from theory used NB: C0 if inappropriate rules listed OR B1 for angle OTP = 90°, quoted or shown on the diagram M1 for a method that leads to 122 shown at *SOT* M1 for (180 – "122") ÷ 2 or 29 shown at *TSP* A1 cao C1 for "angle between radius and tangent = 90°" **and** one other correct reason given from theory used NB: C0 if inappropriate rules listed

PAPER: 1MA0_2H					
Question		**Working**	**Answer**	**Mark**	**Notes**
17	(a)		Box plot overlay	2	M1 for a box drawn with at least 2 correct points from LQ, Med and UQ A1 for a fully correct box plot
	(b)		Comparison of a measure of spread plus a comparison of medians (in context)	2	B1 for a correct comparison of a measure of spread (using either range or iqr) B1 for a correct comparison of medians For the award of both marks at least one of the comparisons made must be in the context of the question.
18		$3p^2 = y + 4$ $p^2 = \frac{y+4}{3}$	$p = \sqrt{\frac{y+4}{3}}$	3	M1 for clear intention to add 4 to both sides or divide all terms by 3(with at least 3 terms) M1 for clear intention to find the square root from p^2 = (expression in y) A1 for $p = \sqrt{\frac{y+4}{3}}$ oe (accept ± a correct root)
19	(a)		$3(2 + 3x)$	1	B1 for $3(2 + 3x)$
	(b)		$(y + 4)(y – 4)$	1	B1 for $(y + 4)(y – 4)$
	(c)		$(2p − 5)(p + 2)$	2	M1 for $(2p \pm 5)(p \pm 2)$ A1 for $(2p − 5)(p + 2)$

PAPER: 1MA0_2H					
Question		**Working**	**Answer**	**Mark**	**Notes**
20		cos y = 2.25 ÷ 6 y = cos^{-1} (2.25 ÷ 6) OR 6cos 75 = 1.55…	The ladder is not safe because y is not near to 75	3	M1 for cos y = 2.25 ÷ 6 oe M1 for cos^{-1} (2.25 ÷ 6) C1 for sight of 67-68 and a statement eg this angle is NOT (near to) 75° and so the ladder is not steep enough and so not safe. OR M1 for cos 75 = x ÷ 6 M1 for 6cos 75 C1 for sight of 1.55(29…) and a statement eg that 2.25 NOT (near to) 1.55 and so the ladder is not steep enough and so not safe.
21			48 or 49	2	M1 for $\frac{460}{460+320+165}\times 100$ (=48.67 ….) or $\frac{460}{9.5}$ or $\frac{460}{9.45}$ A1 for 48 or 49
22			1.33	3	M1 for $3.4 = \frac{k}{5^2}$ oe or 3.4×5^2 (=85) M1 for '3.4×5^2' ÷ 8^2 A1 for answer in range 1.32 to 1.33 or $\frac{85}{64}$
23		*d*: UB = 54.5 (or 54.499), LB = 53.5 *C:* UB = 170.5 (or 170.499), LB = 169.5 170.5 ÷ 53.5 169.5 ÷ 54.5	3.19 3.11..	4	B1 for any one correct bound quoted M1 for 170.5 ÷ 53.5 or 169.5 ÷ 54.5 A1 for UB = answer in range 3.18 to 3.19 from correct working A1 for LB = 3.11.. from correct working

PMT

PAPER: 1MA0_2H					
Question		**Working**	**Answer**	**Mark**	**Notes**
24	(a)		18.2	2	M1 for ½ × 6 × 7 × sin60 A1 for answer in range 18.1 to 18.2
	(b)		6.56	3	M1 for $6^2 + 7^2 - 2 \times 6 \times 7 \times \cos 60$ M1 for correct order of operation eg 36 + 49 – 42 (=43) A1 for answer in range 6.55 to 6.56
25			$x = 2.87$, $y = -0.87$ and $x = -0.87$, $y = 2.87$	6	M1 for $x^2 + (2 - x)^2 = 9$ M1 for $4 - 4x + x^2$ A1 for $2x^2 - 4x - 5 = 0$ oe 3 term simplified quadratic M1 for a correct method to solve their quadratic Eg $x = \frac{4 \pm \sqrt{(16 - 4 \times 2 \times -5)}}{4}$ A1 for $x = 2.87$, $y = -0.87$ or better A1 for $x = -0.87$, $y = 2.87$ or better Award marks for equivalent algebraic expressions. Apply the same scheme as above for y first.

PMT

Modifications to the mark scheme for Modified Large Print (MLP) papers.

Only mark scheme amendments are shown where the enlargement or modification of the paper requires a change in the mark scheme.

The following tolerances should be accepted on marking MLP papers, unless otherwise stated below:
Angles: ±5°
Measurements of length: ±5 mm

PAPER: 1MA0_2H			
Question		**Modification**	**Notes**
1		Model as well as diagram provided	Standard mark scheme
3	(a)	*y*-axis 2 cm for 1000. *x*-axis 2 cm for ½ Table: 8200 changed to 8000	Points plotted at (1,8000) and (3.5,5000
8		Braille diagram labelled A B E D C	Standard mark scheme
12	(a)	MLP only: *x* changed to *y*.	Standard mark scheme
13		Crosses at A and B changed to a filled-in circle. Braille: AB is joined with a line.	Standard mark scheme

PMT

PAPER: 1MA0_2H			
Question		**Modification**	**Notes**
15		Table: wording added "There are four spaces to fill." *x*-axis 2 cm for ½. *y*-axis 2 cm for 1. Labelling remains same as on standard paper.	Standard mark scheme
17		Both box plots put on one page and labelled 'Girls' and 'Boys' Girls: LQ changed to 15, UQ changed to 40 Boys: figures changed to 5 20 35 40 50 2 cm grids.	Standard mark scheme
20		'horizontal ground' and 'vertical wall' labelled.	Standard mark scheme
24		Braille: Information about measurements given	Standard mark scheme

PMT

Further copies of this publication are available from
Edexcel Publications, Adamsway, Mansfield, Notts, NG18 4FN

Telephone 01623 467467
Fax 01623 450481
Email publication.orders@edexcel.com

Order Code UG037224 Summer 2013

For more information on Edexcel qualifications, please visit our website
www.edexcel.com

Pearson Education Limited. Registered company number 872828
with its registered office at Edinburgh Gate, Harlow, Essex CM20 2JE

Ofqual
Llywodraeth Cynulliad Cymru
Welsh Assembly Government
Rewarding Learning

PMT

Mark Scheme (Results)

November 2014

Pearson Edexcel GCSE
In Mathematics A (1MA0)
Higher (Calculator) Paper 2H

PMT

Edexcel and BTEC Qualifications

Edexcel and BTEC qualifications are awarded by Pearson, the UK's largest awarding body. We provide a wide range of qualifications including academic, vocational, occupational and specific programmes for employers. For further information visit our qualifications websites at www.edexcel.com or www.btec.co.uk. Alternatively, you can get in touch with us using the details on our contact us page at www.edexcel.com/contactus.

Pearson: helping people progress, everywhere

Pearson aspires to be the world's leading learning company. Our aim is to help everyone progress in their lives through education. We believe in every kind of learning, for all kinds of people, wherever they are in the world. We've been involved in education for over 150 years, and by working across 70 countries, in 100 languages, we have built an international reputation for our commitment to high standards and raising achievement through innovation in education. Find out more about how we can help you and your students at: www.pearson.com/uk

November 2014
Publications Code UG040311
All the material in this publication is copyright
© Pearson Education Ltd 2014

NOTES ON MARKING PRINCIPLES

1 All candidates must receive the same treatment. Examiners must mark the first candidate in exactly the same way as they mark the last.

2 Mark schemes should be applied positively.

3 All the marks on the mark scheme are designed to be awarded. Examiners should always award full marks if deserved, i.e if the answer matches the mark scheme. Note that in some cases a correct answer alone will not score marks unless supported by working; these situations are made clear in the mark scheme. Examiners should be prepared to award zero marks if the candidate's response is not worthy of credit according to the mark scheme.

4 Where some judgement is required, mark schemes will provide the principles by which marks will be awarded and exemplification may be limited.

5 Crossed out work should be marked UNLESS the candidate has replaced it with an alternative response.

6 Mark schemes will award marks for the quality of written communication (QWC).
The strands are as follows:

i) *ensure that text is legible and that spelling, punctuation and grammar are accurate so that meaning is clear*
Comprehension and meaning is clear by using correct notation and labelling conventions.

ii*) select and use a form and style of writing appropriate to purpose and to complex subject matter*
Reasoning, explanation or argument is correct and appropriately structured to convey mathematical reasoning.

iii) *organise information clearly and coherently, using specialist vocabulary when appropriate*.
The mathematical methods and processes used are coherently and clearly organised and the appropriate mathematical vocabulary used.

With working

If there is a wrong answer indicated on the answer line always check the working in the body of the script (and on any diagrams), and award any marks appropriate from the mark scheme.
If working is crossed out and still legible, then it should be given any appropriate marks, as long as it has not been replaced by alternative work.
If it is clear from the working that the "correct" answer has been obtained from incorrect working, award 0 marks. Send the response to review, and discuss each of these situations with your Team Leader.
If there is no answer on the answer line then check the working for an obvious answer.
Partial answers shown (usually indicated in the ms by brackets) can be awarded the method mark associated with it (implied).
Any case of suspected misread loses A (and B) marks on that part, but can gain the M marks; transcription errors may also gain some credit. Send any such responses to review for the Team Leader to consider.
If there is a choice of methods shown, then no marks should be awarded, unless the answer on the answer line makes clear the method that has been used.

8 Follow through marks

Follow through marks which involve a single stage calculation can be awarded without working since you can check the answer yourself, but if ambiguous do not award.
Follow through marks which involve more than one stage of calculation can only be awarded on sight of the relevant working, even if it appears obvious that there is only one way you could get the answer given.

9 Ignoring subsequent work

It is appropriate to ignore subsequent work when the additional work does not change the answer in a way that is inappropriate for the question: e.g. incorrect cancelling of a fraction that would otherwise be correct
It is not appropriate to ignore subsequent work when the additional work essentially makes the answer incorrect e.g. algebra.

10 Probability

Probability answers must be given a fractions, percentages or decimals. If a candidate gives a decimal equivalent to a probability, this should be written to at least 2 decimal places (unless tenths).
Incorrect notation should lose the accuracy marks, but be awarded any implied method marks.
If a probability answer is given on the answer line using both incorrect and correct notation, award the marks.
If a probability fraction is given then cancelled incorrectly, ignore the incorrectly cancelled answer.

Linear equations

Full marks can be gained if the solution alone is given on the answer line, or otherwise unambiguously indicated in working (without contradiction elsewhere). Where the correct solution only is shown substituted, but not identified as the solution, the accuracy mark is lost but any method marks can be awarded (embedded answers).

12 Parts of questions

Unless allowed by the mark scheme, the marks allocated to one part of the question CANNOT be awarded in another.

13 Range of answers

Unless otherwise stated, when an answer is given as a range (e.g 3.5 – 4.2) then this is inclusive of the end points (e.g 3.5, 4.2) and includes all numbers within the range (e.g 4, 4.1)

14 The detailed notes in the mark scheme, and in practice/training material for examiners, should be taken as precedents over the above notes.

Guidance on the use of codes within this mark scheme
M1 – method mark for appropriate method in the context of the question A1 – accuracy mark B1 – Working mark C1 – communication mark QWC – quality of written communication oe – or equivalent cao – correct answer only ft – follow through sc – special case dep – dependent (on a previous mark or conclusion) indep – independent isw – ignore subsequent working

PMT

PAPER: 1MA0_2H					
Question		**Working**	**Answer**	**Mark**	**Notes**
1	(a)		360	2	M1 30 ÷ 10 (= 3) or 120 ÷ 10 (=12) or 120 + 120 + 120 oe A1 cao
	(b)		25	2	M1 for $\frac{750}{300}$ (=2.5) oe A1 cao
2	(a)		Relationship	1	B1 for description of relationship eg "As the length of the pine cone increases the width increases" oe (accept positive correlation)
	(b)		6.1 to 6.4	2	M1 for a single straight line segment with positive gradient that could be used as a line of best fit or a vertical line from 8.4 or a point at (8.4, y) where y is from 6.1 to 6.4 A1 for given answer in the range 6.1 to 6.4
3	(a)		–1	2	M1 for $3 \times -5 + 7 \times 2$ A1 cao
	(b)		$3(x + 2)$	1	B1 cao
	(c)		$7y - 16$	2	M1 for intention to expand a bracket eg $5y - 10$ or $2y - 6$ A1 cao
	(d)		m^8	1	B1 cao
	(e)		p^4	1	B1 cao

PAPER: 1MA0_2H					
Question		**Working**	**Answer**	**Mark**	**Notes**
4	(a)		Correct shape	2	B2 cao (B1 for shape in the correct orientation below the line $y = x$ or for 2 vertices correct) with vertices at (2, 1), (4, 1), (4, 0), (3, 0)
	(b)		Translation by $\begin{pmatrix} 4 \\ -1 \end{pmatrix}$	2	B1 for translation B1 for $\begin{pmatrix} 4 \\ -1 \end{pmatrix}$ NB: B0 if more than one transformation given
5	(a)		0.2	2	M1 for 1 – 0.16 – 0.4 – 0.24 oe A1 cao
	(b)		20	2	M1 for 0.16 × 125 oe A1 cao
6			2.10 euros or £1.81	3	M1 for 2.5 × 1.16 (= 2.9) M1 (dep) for 5 – "2.9" (=2.1) A1 for 2.1(0) euros OR M1 for 5 ÷ 1.16 (= 4.31...) M1 (dep) for "4.31" – 2.50 (=1.81) A1 for £1.81
7	(a)		$4n - 2$	2	B2 for $4n - 2$ oe (B1 for $4n + k$, $k \neq -2$ or k is absent, or $n = 4n - 2$)
	*(b)		Yes + reason	1	C1 ft from (a) for decision and explanation, e.g. equating 86 with nth term **and** "Yes, its the 22nd term" or continuing the sequence up to 86 **and** "Yes, 86 is in the sequence" oe

PAPER: 1MA0_2H					
Question		Working	Answer	Mark	Notes
8			Polygon drawn	2	B2 for fully correct frequency polygon - points plotted at the midpoint (B1 for all points plotted accurately but not joined with straight line segments) **or** all points plotted accurately and joined with last joined to first to make a polygon **or** all points at the correct heights and consistently within or at the ends of the intervals and joined (can include joining last to first to make a polygon) NB: ignore parts of graph drawn to the left of the 1st point or the right of the last point; ignore any histograms drawn.

PAPER: 1MA0_2H					
Question		**Working**	**Answer**	**Mark**	**Notes**
*9			Decision (No the attendance target was not met)	3	M1 for attempting to find total number of students or 1210 seen M1 for $\frac{'1092'}{'1210'} \times 100$ oe or $\frac{'118'}{'1210'} \times 100$ oe C1 for correct decision with 90.(2479...) or correct decision with 6 and 9.(752...) **OR** M1 for attempting to find total number of students or 1210 seen M1 for $\frac{94}{100} \times$ '1210' oe C1 for correct decision with 1137 (.4) and 1092 or correct decision with 72(.6) and 118 **OR** M1 for a correct % method for one year, e.g. $\frac{192}{208} \times 100$ or $\frac{94}{100} \times 208$ M1 for a correct % method for each year C1 for correct decision with 92.(30...), 90.(87...), 89.(31...), 89.(27...), 89.(91...) or 195(.5..), 226.(9…), 246.(2..), 245.(3…), 223.(7…)

PAPER: 1MA0_2H					
Question		**Working**	**Answer**	**Mark**	**Notes**
10		5 115 6 204 5.1 122.(451) 5.2 130.(208) 5.3 138.(277) 5.4 146.(664) 5.5 155.(375) 5.6 164.(416) 5.7 173.(793) 5.8 183.(512) 5.9 193.(579) 5.11 123.2(12..) 5.12 123.9(77..) 5.13 124.7(45..) 5.14 125.5(16..) 5.15 126.2(90..)	5.1	4	B2 for a trial $5.1 \leq x \leq 5.2$ evaluated (B1 for a trial $5 \leq x \leq 6$ evaluated) B1 for a different trial $5.1 < x \leq 5.15$ evaluated B1 (dep on at least one previous B1) for 5.1 Accept trials correct to the nearest whole number (rounded or truncated) if the value of x is to 1 dp but correct to 1dp (rounded or truncated) if the value of x is to 2 dp. (Accept 124 for $x = 5.12$) NB : no working scores no marks even if the answer is correct.
*11			No + reason	4	M1 for intention to find the circumference eg $140 \times \pi$ (= 439.82...) A1 for circumference = 439 - 440 M1 (dep on M1) for a complete method shown that could arrive at two figures that are comparable eg "C"÷60×12 (=87.96..) , 90÷12×60 (=450) , 90×60÷"C" (=12.27), "C"÷90×12 (=58.64..) C1 (dep on both M marks) for No and explanation that shows a correct comparison eg only 84 people could sit around the tables or that 13 tables are needed or that 480 cm is needed.

PAPER: 1MA0_2H					
Question		**Working**	**Answer**	**Mark**	**Notes**
12		<table><tr><td>-2</td><td>-1</td><td>0</td><td>1</td><td>2</td><td>3</td></tr><tr><td>-7</td><td>-5</td><td>-3</td><td>-1</td><td>1</td><td>3</td></tr></table>	Straight line from (–2, –7) to (3, 3)	4	**(Table of values)** C1 for axes scaled and labelled M1 for at least 2 correct attempts to find points by substituting values of x M1 ft for plotting at least 2 of their points (any points plotted from their table must be plotted correctly) A1 for correct line between $x = -2$ and $x = 3$ **(No table of values)** C1 for axes scaled and labelled M1 for at least 2 correct points with no more than 2 incorrect points M1 for at least 2 correct points (and no incorrect points) plotted OR line segment of $y = 2x - 3$ drawn A1 for correct line between $x = -2$ and $x = 3$ **(Use of $y = mx+c$)** C1 for axes scaled and labelled M1 for line drawn with gradient of 2 OR line drawn with a y intercept of –3 M1 for line drawn with gradient of 2 AND with a y intercept of –3 A1 for correct line between $x = -2$ and $x = 3$ SC : B2 for the correct line from $x = 0$ to $x = 3$

PAPER: 1MA0_2H					
Question		**Working**	**Answer**	**Mark**	**Notes**
13	(a)		65	5	M1 for splitting up the cross section into separate areas and a method to find the area of one part OR for splitting up the pool into smaller prisms and a method to find the volume of one small prism, e.g. a cuboid M1 (dep) for a complete method to find the area of the cross section [with correct dimensions] OR for a method to find the total volume of more than one correct prism M1 (dep) for a complete method to find the volume of the pool [with correct dimensions] (= 195) M1 for "195" × 1000 ÷ 50 (=3900) oe where "195" comes from a volume A1 cao
	(b)		C	1	B1 cao
*14		$1.025^2 = 1.050625$ 1.04×1.015 $= 1.0556$	Bonus Saver with correct comparable values	4	M1 for a method to calculate 4% or 2.5% of 20000 (= 800 or 20800 or 500 or 20500) M1 for a method to calculate using a compound interest method, eg 1.025^2 oe or 1.04 followed by 1.015 oe A1 for 1.050625 or 1.0556 or 10556 or 556 or 21112 or 21012.5 or 1112 or 1012.5 C1 for a correct decision in a statement with two correct comparable values. **NB** all final money values can be rounded or truncated to nearest integer or left unrounded.

PAPER: 1MA0_2H					
Question		**Working**	**Answer**	**Mark**	**Notes**
15		$3x + y = 30$ $x + 3y = 22$	8.50 4.50	4	M1 for forming two algebraic equations M1 for a correct process to eliminate one variable (condone one arithmetic error) M1 (dep) for substituting found value in one of the equations or appropriate method after starting again (condone one arithmetic error) A1 for 8.5(0) and 4.5(0)
16		$AC^2 = 5^2 + 3^2$ $AC = \sqrt{25+9}$ (=5.83) $\frac{5}{5.83} = \frac{DB}{3}$ $DB = \frac{5}{5.83} \times 3$ (= 2.57) 5 + 3 + 5.83 + 2.57 = **OR** $AC = \sqrt{25+9}$ (=5.83) $\tan A = \frac{3}{5}$ $A = 30.96$ $\sin 30.96 = \frac{DB}{5}$ $DB = 5 \times \sin 30.96$ (= 2.57) 5 + 3 + 5.83 + 2.57 =	16.4	5	M1 for $(AC^2) = 5^2 + 3^2$ (=34) M1 for $\sqrt{25+9}$ or $\sqrt{34}$ (=5.83) M1 for $\frac{5}{'5.83'} = \frac{DB}{3}$ or $DB \times AC = 5 \times 3$ M1 for $(DB =) \frac{5}{'5.83'} \times 3$ A1 for 16.4 to 16.41 **OR** M1 for $(AC^2) = 5^2 + 3^2$ (=34) M1 for $\sqrt{25+9}$ or $\sqrt{34}$ (=5.83) M1 for using a correct trig ratio in an attempt to find angle A or angle C, e.g. $\tan A = \frac{3}{5}$, $\sin A = \frac{3}{'5.83'}$, $\cos C = \frac{3}{'5.83'}$ M1 for using DB in a a correct trig ratio, e.g. sin'30.96' = $\frac{DB}{5}$ A1 for 16.4 to 16.41

PAPER: 1MA0_2H					
Question		**Working**	**Answer**	**Mark**	**Notes**
17			35°	4	M1 for $ABC = 90$ M1 for ($ACB =$) $180 - 90 - 25$ (= 65) M1 for ($DBC =$) 180 – '65' – 80 (=35) A1 cao supported by working OR M1 for ($AOB =$) $180 - 2 \times 25$ (= 130) M1 for ($ADB =$) $130 \div 2$ (=65) M1 for ($DAC =$) 180 – 65 – 80 A1 cao supported by working.
18	(a)	$5 \times 8 = 40$ $12.5 \times 15 = 187.5$ $17.5 \times 11 = 192.5$ $25 \times 10 = 250$ $40 \times 6 = 240$ $910 \div 50 = 18.2$	18.2	4	M1 for fx consistently within interval including ends (allow 1 error) M1 consistently using appropriate midpoints M1 (dep on first M1) for $\Sigma fx \div \Sigma f$ A1 for 18.2 cao
	(b)	$0 \leq t < 10$ fd 0.8 $10 \leq t < 15$ fd 3 $15 \leq t < 20$ fd 2.2 $20 \leq t < 30$ fd 1 $30 \leq t < 50$ fd 0.3	Correct histogram	3	B3 fully correct histogram with vertical axis correctly scaled. (B2 for 4 correct blocks or 5 correct blocks with incorrect or no scale) (B1 for 2 correct blocks of different widths or any 3 correct blocks or correct FD values for at least 3 frequencies) eg fd of 0.8, 3, 2.2, 1, 0.3
19	(a)		0.3 0.3, 0.7, 0.3	2	B1 for 0.3 as first spin oe B1 for 0.3, 0.7, 0.3 in correct positions for second spin oe
	(b)		0.42	3	M1 for '0.3' × '0.7' or 0.7 × '0.3' (=0.21) M1 for '0.3' × '0.7 + 0.7 × '0.3 (OR M2 for $1 - 0.7^2 - 0.3^2$) A1 for 0.42 oe

PAPER: 1MA0_2H					
Question		**Working**	**Answer**	**Mark**	**Notes**
20			1.85 and – 0.180	3	M1 for $\frac{--5\pm\sqrt{-5^2-4\times3\times-1}}{2\times3}$ (condone one sign error) M1 for $\frac{5\pm\sqrt{37}}{6}$ (=1.8 to1.85 or −0.18 to −0.181) A1 for answers in the ranges 1.8 to1.85, and −0.18 to −0.181
21			8.52	5	M1 for $\frac{BD}{\sin45}=\frac{7.4}{\sin80}$ oe M1 for $(BD=)\frac{7.4}{\sin80}\times\sin45$ (= 5.3133..) M1 for 5.8^2 + '5.31'^{2} – 2 × 5.8 × '5.31' cos100 M1 (dep) for correct order of evaluation or 72.5(73...) A1 for 8.51 – 8.52 OR M1 for $\frac{AD}{\sin(180-80-45)}=\frac{7.4}{\sin80}$ oe M1 for $(AD=)\frac{7.4}{\sin80}\times\sin(180-80-45)$ (= 6.15...) M1 for 7.4^2+ ('6.15' + 5.8)^2 – 2 × 7.4 × ('6.15' + 5.8) × cos45 M1 (dep) for correct order of evaluation or 72.5(7398...) A1 for 8.51 – 8.52

PAPER: 1MA0_2H					
Question		**Working**	**Answer**	**Mark**	**Notes**
22	(a)	$\frac{(2x-3)(x-1)}{(x+6)(x-1)}$	$\frac{2x-3}{x+6}$	3	M1 for $(2x-3)(x-1)$ M1 for $(x+6)(x-1)$ A1 cao
	(b)	$\frac{mb-tv}{vb}=\frac{m-t}{R}$ $mbR-tvR=mvb-tvb$ $mbR-mvb=tvR-tvb$ $m(bR-vb)=tvR-tvb$ OR $\frac{m}{v}-\frac{t}{b}=\frac{m}{R}-\frac{t}{R}$ $\frac{m}{v}-\frac{m}{R}=\frac{t}{b}-\frac{t}{R}$ $\frac{mR-mv}{vR}=\frac{tR-tb}{bR}$ $\frac{m(R-v)}{vR}=\frac{tR-tb}{bR}$	$m=\frac{tv(R-b)}{b(R-v)}$	4	M1 for putting LHS over a common denominator with at least one correct numerator (ignore signs) or for showing an intention to multiply each term on both sides by R or v or b M1 for rearranging correctly to isolate terms in m M1 for factorising with common factor m from 2 terms A1 for $m=\frac{tv(R-b)}{b(R-v)}$ oe
*23			Yes, average speed could have been as high as 80.622...	5	B1 for 4535 or 4534.999... or 202.5 M1 for 4535 (oe) ÷ 202.5 M1 for ×3600 and ÷1000 A1 for 80.622... C1 (dep on first M1) for correct conclusion from their calculations

Modifications to the mark scheme for Modified Large Print (MLP) papers.

Only mark scheme amendments are shown where the enlargement or modification of the paper requires a change in the mark scheme.

The following tolerances should be accepted on marking MLP papers, unless otherwise stated below:
Angles: ±5°
Measurements of length: ±5 mm

PAPER: 1MA0_2H			
Question		**Modification**	**Notes**
2	(b)	2 cm grid 8.4 changed to 8.5	
3	(b)	MLP – *x* changed to *y*	
4	(a) (b)	2 cm grid 2 cm grid	
8		Table frequencies changed: 2 5 10 25 15 5 Grid – X axis 3 cm for 5 with an intermediate line Y axis 1.5 cm for 5	
11		No model – table top only drawn showing the diameter	
12		2 cm grid Braille axes put on grid and labelled	

PMT

Pearson Education Limited. Registered company number 872828
with its registered office at Edinburgh Gate, Harlow, Essex CM20 2JE

PMT

edexcel

Mark Scheme (Results)

November 2014

Pearson Edexcel GCSE
In Mathematics B (2MB01)
Higher (Calculator) Unit 1

Edexcel and BTEC Qualifications

Edexcel and BTEC qualifications are awarded by Pearson, the UK's largest awarding body. We provide a wide range of qualifications including academic, vocational, occupational and specific programmes for employers. For further information visit our qualifications websites at www.edexcel.com or www.btec.co.uk. Alternatively, you can get in touch with us using the details on our contact us page at www.edexcel.com/contactus.

Pearson: helping people progress, everywhere

Pearson aspires to be the world's leading learning company. Our aim is to help everyone progress in their lives through education. We believe in every kind of learning, for all kinds of people, wherever they are in the world. We've been involved in education for over 150 years, and by working across 70 countries, in 100 languages, we have built an international reputation for our commitment to high standards and raising achievement through innovation in education. Find out more about how we can help you and your students at: www.pearson.com/uk

November 2014
Publications Code UG040294
All the material in this publication is copyright
© Pearson Education Ltd 2014

NOTES ON MARKING PRINCIPLES

1 All candidates must receive the same treatment. Examiners must mark the first candidate in exactly the same way as they mark the last.

2 Mark schemes should be applied positively.

3 All the marks on the mark scheme are designed to be awarded. Examiners should always award full marks if deserved, i.e if the answer matches the mark scheme. Note that in some cases a correct answer alone will not score marks unless supported by working; these situations are made clear in the mark scheme. Examiners should be prepared to award zero marks if the candidate's response is not worthy of credit according to the mark scheme.

4 Where some judgement is required, mark schemes will provide the principles by which marks will be awarded and exemplification may be limited.

5 Crossed out work should be marked UNLESS the candidate has replaced it with an alternative response.

6 Mark schemes will award marks for the quality of written communication (QWC).
The strands are as follows:

i) *ensure that text is legible and that spelling, punctuation and grammar are accurate so that meaning is clear*
Comprehension and meaning is clear by using correct notation and labelling conventions.

ii*) select and use a form and style of writing appropriate to purpose and to complex subject matter*
Reasoning, explanation or argument is correct and appropriately structured to convey mathematical reasoning.

iii) *organise information clearly and coherently, using specialist vocabulary when appropriate*.
The mathematical methods and processes used are coherently and clearly organised and the appropriate mathematical vocabulary used.

7 With working

If there is a wrong answer indicated on the answer line always check the working in the body of the script (and on any diagrams), and award any marks appropriate from the mark scheme.
If working is crossed out and still legible, then it should be given any appropriate marks, as long as it has not been replaced by alternative work.
If it is clear from the working that the "correct" answer has been obtained from incorrect working, award 0 marks. Send the response to review, and discuss each of these situations with your Team Leader.
If there is no answer on the answer line then check the working for an obvious answer.
Partial answers shown (usually indicated in the ms by brackets) can be awarded the method mark associated with it (implied).
Any case of suspected misread loses A (and B) marks on that part, but can gain the M marks; transcription errors may also gain some credit. Send any such responses to review for the Team Leader to consider.
If there is a choice of methods shown, then no marks should be awarded, unless the answer on the answer line makes clear the method that has been used.

8 Follow through marks

Follow through marks which involve a single stage calculation can be awarded without working since you can check the answer yourself, but if ambiguous do not award.
Follow through marks which involve more than one stage of calculation can only be awarded on sight of the relevant working, even if it appears obvious that there is only one way you could get the answer given.

9 Ignoring subsequent work

It is appropriate to ignore subsequent work when the additional work does not change the answer in a way that is inappropriate for the question: e.g. incorrect cancelling of a fraction that would otherwise be correct
It is not appropriate to ignore subsequent work when the additional work essentially makes the answer incorrect e.g. algebra.

10 Probability

Probability answers must be given as fractions, percentages or decimals. If a candidate gives a decimal equivalent to a probability, this should be written to at least 2 decimal places (unless tenths).
Incorrect notation should lose the accuracy marks, but be awarded any implied method marks.
If a probability answer is given on the answer line using both incorrect and correct notation, award the marks.
If a probability fraction is given then cancelled incorrectly, ignore the incorrectly cancelled answer.

11 Linear equations
Full marks can be gained if the solution alone is given on the answer line, or otherwise unambiguously indicated in working (without contradiction elsewhere). Where the correct solution only is shown substituted, but not identified as the solution, the accuracy mark is lost but any method marks can be awarded (embedded answers).

12 Parts of questions
Unless allowed by the mark scheme, the marks allocated to one part of the question CANNOT be awarded in another.

13 Range of answers
Unless otherwise stated, when an answer is given as a range (e.g 3.5 – 4.2) then this is inclusive of the end points (e.g 3.5, 4.2) and includes all numbers within the range (e.g 4, 4.1)

14 The detailed notes in the mark scheme, and in practice/training material for examiners, should be taken as precedents over the above notes.

Guidance on the use of codes within this mark scheme
M1 – method mark for appropriate method in the context of the question A1 – accuracy mark B1 – Working mark C1 – communication mark QWC – quality of written communication oe – or equivalent cao – correct answer only ft – follow through sc – special case dep – dependent (on a previous mark or conclusion) indep – independent isw – ignore subsequent working

Paper_5MB1H_01				
Question	**Working**	**Answer**	**Mark**	**Notes**
1.		12 | 3 5 9 13 | 0 3 3 5 7 8 14 | 7 7 8 9 15 | 0 1	3	B2 for a fully correct ordered diagram (B1 for correct unordered diagram or ordered with at most two errors) B1 for correct key eg 12 | 3 means 123 (cm)
2. (a)		2 different reasons	2	B1 for a reason relating to: Bias – due to gender or due to railway station location Size of sample too small B1 for one other reason
(b)		Question and response boxes	2	B1 for a suitable question with time period and units in question or response boxes B1 for at least 3 non-overlapping and exhaustive response boxes
3.		$\frac{x+x+5+2x}{3}$	2	M1 for intention to add x, $x + 5$, $2x$ or $4x + 5$ seen or ambiguous answer eg "$4x+5$"÷3 A1 for $\frac{x+x+5+2x}{3}$ oe

Paper_5MB1H_01				
Question	**Working**	**Answer**	**Mark**	**Notes**
4. (a)		Frequency polygon	2	B2 for fully correct frequency polygon - points plotted at the midpoint (B1 for all points plotted accurately but not joined with straight line segments) **or** all points plotted accurately and joined with last joined to first to make a polygon **or** all points at the correct heights and consistently within or at the ends of the intervals and joined (can include joining last to first to make a polygon) NB: ignore parts of graph drawn to the left of the 1st point or the right of the last point
(b)		$160 < h \leqslant 180$	1	B1 for $160 < h \leqslant 180$ (could be ft from diagram)
5. (a)		0.05	3	M1 for correct method using sum of probabilities = 1 eg $1 - 0.6 - 0.25$ (=0.15) or $0.6 + 0.25 + 2x + x = 1$ M1 (dep) for correct method to use P(blue) = 2 × (Green) Eg "0.15" ÷ 3 A1 cao
(b)		30	2	M1 for 0.6 × 50 oe A1 cao

Paper_5MB1H_01				
Question	**Working**	**Answer**	**Mark**	**Notes**
6.		15.42	4	M1 for method to find litres needed for either car A (eg 450÷10.3 (= 43.69)) or car B (eg 450÷14.6 = (30.82)) M1 for method to find cost of fuel for either car A (eg 1.39×43.69 (=60.73) or car B (eg 1.47×30.82 (=45.31)) M1 (dep M2) or method to find difference in fuel costs for car A and B A1 cao Or M1 for method to find cost per mile for car A (eg 1.39÷10.3 (=0.135) or for car B (eg 1.47÷14.6 (=0.101)) M1 for method to find total cost of fuel for either car A (eg 450×0.135 (=60.73)) or for car B (eg450×0.101 (=54.31)) M1 (dep M2) for method to find difference in fuel costs for car A and B A1 for £15.42 NB: Working throughout may be in £ or pence.
7.		28	5	M1 for method to find $\frac{1}{5}$ of children eg 60 ÷ 5 (=12) M1 for method to find number of boys or girls eg "12" × 2 (=24) or "12"×3 (=36) M1 for method to find total number going in the morning eg $\frac{3}{4} \times 60$ (= 45) M1 for complete method to find number of girls going in the morning eg 45 – (24 - 7) A1 cao
8.		0.7, 0.3 0.9, 0.1, 0.9, 0.1	2	B1 for 0.7, 0.3 in correct position B1 for 0.9, 0.1, 0.9, 0.1 in correct position

Paper_5MB1H_01				
Question	**Working**	**Answer**	**Mark**	**Notes**
9. (a)		Point at (47, 34)	1	B1 point plotted
(b)		Positive	1	Positive (correlation)
(c)		48 to 51 inclusive	2	M1 for a single straight line segment with positive gradient that could be used as a line of best fit or a horizontal line from 35 or point marked at (n,35). A1 for given answer in the range 48 – 51
10.		1615.34	3	M1 for correct method to find value of investment after 1 year eg 1500×0.025 or 37.5 or 1500×1.025 or 1537.5 oe) M1 for a complete compound interest method to to find value of investment after 3 years eg 1500×1.025^3 A1 cao
*11		Justification	4	M1 for method to find total mileage eg 55 × 5 + 50 (= 325) M1 for method to find mean eg 325 ÷ 6 A1 for 54.1 – 54.2 C1 (dep on at least M1) for justification comparing means. OR M1 for method to find total mileage for Andy's mean 52.5 × 6 (= 315) M1 for method to find correct total mileage 55 × 5 + 50 (= 325) A1 for 315 and 325 C1 (dep on at least M1) for justification comparing correct totals

Paper_5MB1H_01				
Question	**Working**	**Answer**	**Mark**	**Notes**
12. (a)		40	1	B1 cao
(b)		22-24	3	M1 for reading graph up from 43 and across [36-38] A1 for 22 or 23 or 24
(c)		Correct box plot	3	B3 for fully correct box plot (allow ft for median from (a)) (B2 for at least 3 correct values plotted including box **and** tails **or** 5 correct values indicated) (B1 for at least 2 correct values plotted including box **or** tails **or** 3 or 4 correct values plotted) Min LQ Median UQ Max 17 32 "40" 46 50
13.		223	3	B1 for using 4.5, 4. 4$\dot{9}$, 0.0045 or 0.0044$\dot{9}$ M1 for 1000 or 1 kg divided by 4.5, 4. 4$\dot{9}$, 0.0045 or 0.0044$\dot{9}$ (=222.72) or 222 seen A1 cao
14. (a)		Correct explanation	1	B1 for groups in the sample are in the same proportion as they are in the population.
(b)		33	2	M1 for $\frac{494}{1786} \times 120$ oe A1 cao

Paper_5MB1H_01				
Question	**Working**	**Answer**	**Mark**	**Notes**
15.	(50,10) (10,50) (20,20) (20,50) (50,20)	$\frac{12}{30}$	4	M1 for method to identify all correct pairs eg sample space or tree diagram (may be implied by correct products) M1 for all correct products $\frac{1}{6}\times\frac{3}{5}, \frac{3}{6}\times\frac{1}{5}, \frac{2}{6}\times\frac{1}{5}, \frac{1}{6}\times\frac{2}{5}, \frac{2}{6}\times\frac{1}{5}$ M1 for finding sum of correct products $\frac{1}{6}\times\frac{3}{5}+\frac{3}{6}\times\frac{1}{5}+\frac{2}{6}\times\frac{1}{5}+\frac{1}{6}\times\frac{2}{5}+\frac{2}{6}\times\frac{1}{5}$ A1 for $\frac{12}{30}$ oe OR M1 for method to identify all correct pairs < 40p eg sample space or tree diagram (may be implied by correct products) M1 for all correct products $\frac{3}{6}\times\frac{2}{5}, \frac{3}{6}\times\frac{2}{5}, \frac{2}{6}\times\frac{3}{5}$ M1 for completing working $1-(\frac{3}{6}\times\frac{2}{5}+\frac{3}{6}\times\frac{2}{5}+\frac{2}{6}\times\frac{3}{5})$ A1 for $\frac{12}{30}$ oe

Paper_5MB1H_01				
Question	**Working**	**Answer**	**Mark**	**Notes**
16. (a)		Correct histogram	3	B3 fully correct histogram with vertical axis correctly scaled. (B2 for 4 correct blocks or 5 correct blocks with incorrect or no scale) (B1 for 2 correct blocks of different widths or any 3 correct blocks or correct FD values for at least 3 frequencies) eg fd of 1.2, 2.1, 2.2, 1.6, 0.4
(b)		38	2	M1 for $\frac{1}{3} \times 33 + 21 + 6$ A1 cao OR M1 for vertical line at m= 20 or showing one third of $15 < m \leqslant 30$ bar. A1 cao

Modifications to the mark scheme for Modified Large Print (MLP) papers.

Only mark scheme amendments are shown where the enlargement or modification of the paper requires a change in the mark scheme.

The following tolerances should be accepted on marking MLP papers, unless otherwise stated below:
Angles: ±5°
Measurements of length: ±5 mm

PAPER: 5MB1H_01			
Question		**Modification**	**Notes**
1		Size x 1½. 4th horizontal line drawn in.	
4		Grid: 2 cm squares both axes, right axes labelled. Horizontal axis – heavier lines at 120, 140, 160, 180, and 200 Vertical axis heavier lines at 5, 10 and 15	
8		Braille (i) to (vi) given on diagram and candidates asked to write values for each.	
9		2 cm grid. Crosses changed to filled in circles. Right axis labelled	
12		Graph line changed – Curve goes through (15,1) (30, 15) (40, 30) (45, 45) (50, 60)	
	(c)	17 changed to 15 – will mean five points are 15, 30, 40, 45 and 50	
16		Table: 21 changed to 20 Top line 84 changed to 83 Grid: 2 cm	

PMT

Pearson Education Limited. Registered company number 872828
with its registered office at Edinburgh Gate, Harlow, Essex CM20 2JE

PMT

edexcel

Mark Scheme (Results)

Summer 2015

Pearson Edexcel GCSE
In Mathematics B (2MB01)
Higher (Calculator) Unit 1

ALWAYS LEARNING PEARSON

PMT

Edexcel and BTEC Qualifications

Edexcel and BTEC qualifications are awarded by Pearson, the UK's largest awarding body. We provide a wide range of qualifications including academic, vocational, occupational and specific programmes for employers. For further information visit our qualifications websites at www.edexcel.com or www.btec.co.uk. Alternatively, you can get in touch with us using the details on our contact us page at www.edexcel.com/contactus.

Pearson: helping people progress, everywhere

Pearson aspires to be the world's leading learning company. Our aim is to help everyone progress in their lives through education. We believe in every kind of learning, for all kinds of people, wherever they are in the world. We've been involved in education for over 150 years, and by working across 70 countries, in 100 languages, we have built an international reputation for our commitment to high standards and raising achievement through innovation in education. Find out more about how we can help you and your students at: www.pearson.com/uk

Summer 2015
Publications Code UG042109
All the material in this publication is copyright
© Pearson Education Ltd 2015

NOTES ON MARKING PRINCIPLES

1 All candidates must receive the same treatment. Examiners must mark the first candidate in exactly the same way as they mark the last.

2 Mark schemes should be applied positively.

3 All the marks on the mark scheme are designed to be awarded. Examiners should always award full marks if deserved, i.e if the answer matches the mark scheme. Note that in some cases a correct answer alone will not score marks unless supported by working; these situations are made clear in the mark scheme. Examiners should be prepared to award zero marks if the candidate's response is not worthy of credit according to the mark scheme.

4 Where some judgement is required, mark schemes will provide the principles by which marks will be awarded and exemplification may be limited.

5 Crossed out work should be marked UNLESS the candidate has replaced it with an alternative response.

6 Mark schemes will award marks for the quality of written communication (QWC).
The strands are as follows:

i) *ensure that text is legible and that spelling, punctuation and grammar are accurate so that meaning is clear*
Comprehension and meaning is clear by using correct notation and labelling conventions.

ii) *select and use a form and style of writing appropriate to purpose and to complex subject matter*
Reasoning, explanation or argument is correct and appropriately structured to convey mathematical reasoning.

iii) *organise information clearly and coherently, using specialist vocabulary when appropriate*.
The mathematical methods and processes used are coherently and clearly organised and the appropriate mathematical vocabulary used.

PMT

7 With working

If there is a wrong answer indicated on the answer line always check the working in the body of the script (and on any diagrams), and award any marks appropriate from the mark scheme.
If working is crossed out and still legible, then it should be given any appropriate marks, as long as it has not been replaced by alternative work.
If it is clear from the working that the "correct" answer has been obtained from incorrect working, award 0 marks. Send the response to review, and discuss each of these situations with your Team Leader.
If there is no answer on the answer line then check the working for an obvious answer.
Partial answers shown (usually indicated in the ms by brackets) can be awarded the method mark associated with it (implied).
Any case of suspected misread loses A (and B) marks on that part, but can gain the M marks; transcription errors may also gain some credit. Send any such responses to review for the Team Leader to consider.
If there is a choice of methods shown, then no marks should be awarded, unless the answer on the answer line makes clear the method that has been used.

8 Follow through marks

Follow through marks which involve a single stage calculation can be awarded without working since you can check the answer yourself, but if ambiguous do not award.
Follow through marks which involve more than one stage of calculation can only be awarded on sight of the relevant working, even if it appears obvious that there is only one way you could get the answer given.

9 Ignoring subsequent work

It is appropriate to ignore subsequent work when the additional work does not change the answer in a way that is inappropriate for the question: e.g. incorrect cancelling of a fraction that would otherwise be correct
It is not appropriate to ignore subsequent work when the additional work essentially makes the answer incorrect e.g. algebra.

10 Probability

Probability answers must be given a fractions, percentages or decimals. If a candidate gives a decimal equivalent to a probability, this should be written to at least 2 decimal places (unless tenths).
Incorrect notation should lose the accuracy marks, but be awarded any implied method marks.
If a probability answer is given on the answer line using both incorrect and correct notation, award the marks.
If a probability fraction is given then cancelled incorrectly, ignore the incorrectly cancelled answer.

11 Linear equations
Full marks can be gained if the solution alone is given on the answer line, or otherwise unambiguously indicated in working (without contradiction elsewhere). Where the correct solution only is shown substituted, but not identified as the solution, the accuracy mark is lost but any method marks can be awarded (embedded answers).

12 Parts of questions
Unless allowed by the mark scheme, the marks allocated to one part of the question CANNOT be awarded in another.

13 Range of answers
Unless otherwise stated, when an answer is given as a range (e.g 3.5 – 4.2) then this is inclusive of the end points (e.g 3.5, 4.2) and includes all numbers within the range (e.g 4, 4.1)

14 The detailed notes in the mark scheme, and in practice/training material for examiners, should be taken as precedents over the above notes.

Guidance on the use of codes within this mark scheme
M1 – method mark for appropriate method in the context of the question A1 – accuracy mark B1 – Working mark C1 – communication mark QWC – quality of written communication oe – or equivalent cao – correct answer only ft – follow through sc – special case dep – dependent (on a previous mark or conclusion) indep – independent isw – ignore subsequent working

PMT

5MB1H/01 June 2015					
Question		**Working**	**Answer**	**Mark**	**Notes**
1	(a)		0.8	1	B1 0.8 oe
	(b)		40	2	M1 for 200 × 0.2 oe A1 cao
2	(a)		Description	1	B1 description eg Taller trees are older. Accept positive correlation.
	(b)		20	1	B1 19 – 21
	(c)		2	2	M1 for evidence of taking readings at two points from Sandy line, or increase excluding start eg 24÷10, 14÷5 A1 for answer 1.8 to 2.2
	(d)		Comparison	2	B2 for a complete explanation e.g.Trees grow at approximately twice the rate on sandy soil (B1 for a partial explanation e.g. Trees grow faster on sandy soil)
3	(a)		Reason	1	B1 e.g. people coming from the market are more likely to have used it.
	(b)		Reason	1	B1 e.g. it's a leading question, “cheap” not defined, etc.
	(c)		Question with response boxes	2	B1 for a suitable question e.g. How far have you travelled to get to the market? B1 for a set of at least 3 exhaustive, non-overlapping boxes with units, with no inequality symbols.
4	(a)		53.5	1	B1 cao
	(b)		54.5	1	B1 for 54.5 (accept $54.4\dot{9}$)

PMT

5MB1H/01 June 2015				
Question	**Working**	**Answer**	**Mark**	**Notes**
5		32.35	3	M1 for $109 \times \frac{15}{100}$ (=16.35) or 0.85 oe M1 (dep M1) for 109 – "16.35" or $109 \times \frac{85}{100}$ (=92.65) or 125 – "92.65" A1 cao
6 (a)		0 8 9 1 4 7 8 8 2 0 1 1 2 2 5 6 3 0 3	3	B2 for a fully correct ordered stem and leaf diagram [B1 for a complete unordered diagram or for an ordered diagram with at most 2 errors] B1 (indep) key
(b)		20	2	M1 for 36 ÷ (5 + 4) (=4) A1 cao
7 (a)		1	1	B1 cao
(b)		2.4	3	M1 for Σ(number of books × frequency) (=60) M1 for "60" ÷ "25" A1 cao SC B2 for an answer of 2.48
(c)		3.15	3	M1 for 15 × 4.4 (=66) M1 for a complete method eg ("60" + "66") ÷ (15 + "25") A1 cao

PMT

5MB1H/01 June 2015					
Question		**Working**	**Answer**	**Mark**	**Notes**
*8		BS Bank I: 2436 2550 Tot: 42436 42550 %: 1.0609 1.06375	Correct decision with evidence	4	M1 for $40000\times\frac{3}{100}$ oe (=1200) or 41200 M1 for evidence of a compound interest method eg '41200'$\times\left(\frac{103}{100}\right)$ or $\left(\frac{103}{100}\right)^2\times 40000$ A1 for 2436 or 42436 C1 (dep at least M1) for correct decision ft for either Bank or Building Society OR M1 for 1.03 M1 for 1.03^2 (= 1.0609) and $\frac{2550}{40000}$ oe A1 for 1.0609 and 1.06375 C1 (dep at least M1) for correct decision ft for either Bank or Building Society
9	(a)		43	1	B1 42 – 44
	(b)		90	2	M1 for evidence of reading in the range 48 - 52 A1 88 – 92
	*(c)	Medians B 50 G 43 Q_1 B 40 G 22 Q_3 B 30 G 56 IQRs B 30 G 34 Allow ±1 in figs.	Comparison	4	B1 for boys' median = 50 B1 for boys' IQR = 30 or girls' IQR= 34 C1 for comparison of medians or quartiles or IQR (only if stated) C1 for comparison of medians and IQR with all values correct and with context

PMT

5MB1H/01 June 2015				
Question	**Working**	**Answer**	**Mark**	**Notes**
10 (a)		Explanation	1	B1 eg One where the proportions of the strata in the sample are the same as in the population
(b)		20	2	M1 for $\frac{73}{45+78+73+25}\times 60$ or $\frac{73}{221}\times 60$ oe (=19.819…) A1 cao
11		A: $y=2^x$ B: $y=10-2x$ C: $y=8x-2x^2$	3	B1cao B1cao B1cao

PMT

5MB1H/01 June 2015				
Question	**Working**	**Answer**	**Mark**	**Notes**
12 (a)		Probability tree	3	B1 for $\frac{2}{8}$ in the correct place B1 for $\frac{5}{7},\frac{2}{7};\frac{6}{7},\frac{1}{7}$ in the correct place on a probability tree B1 complete probability tree with labelling eg A, B etc.
(b)		$\frac{30}{56}$	2	M1 $\frac{6}{8}\times\frac{5}{7}$ A1 oe eg 0.5357…. or $\frac{15}{28}$
(c)		$\frac{54}{56}$	3	M1 for $\frac{6}{8}\times\frac{5}{7}$ or $\frac{6}{8}\times\frac{2}{7}$ or $\frac{2}{8}\times\frac{6}{7}$ oe eg 0.5357… or 0.214… M1 for $\frac{6}{8}\times\frac{5}{7}+\frac{6}{8}\times\frac{2}{7}+\frac{2}{8}\times\frac{6}{7}$ or $1-\left(\frac{2}{8}\times\frac{1}{7}\right)$ A1 oe eg 0.964…. or $\frac{27}{28}$
13	F 90 126 144 120 60 54	345	5	M1 for use of F = FD × Int width A1 for any 3 Fs correct M1 for $\frac{60}{100}\times(90+126+144+120)$ $(=288)$ or $\frac{60}{100}\times 480$ (=288) M1 $\frac{1}{2}\times"(60+54)"(=57)$ or $\frac{1}{2}\times 114$ (=57) A1 cao

PMT

Modifications to the mark scheme for Modified Large Print (MLP) papers.

Only mark scheme amendments are shown where the enlargement or modification of the paper requires a change in the mark scheme.

The following tolerances should be accepted on marking MLP papers, unless otherwise stated below:
Angles: ±5°
Measurements of length: ±5 mm

PAPER: 5MB1H_01			
Question		**Modification**	**Notes**
Q2	(a)	2 graphs provided, one for 'sandy soil' and one for 'clay soil'. Sandy soil graph line goes through (10, 25) and (20, 45) Clay soil graph line goes through (15, 20) and (25, 30) Points are moved to fit in with the new graph lines. Parts (b) and (c) have been reversed and relabelled.	B1 description eg Taller trees are older. Accept positive correlation.
Q2	(b)	2 graphs provided, one for 'sandy soil' and one for 'clay soil'. Sandy soil graph line goes through (10, 25) and (20, 45) Clay soil graph line goes through (15, 20) and (25, 30) Points are moved to fit in with the new graph lines. Parts (b) and (c) have been reversed and relabelled.	B1 19 – 21
Q2	(c)	2 graphs provided, one for 'sandy soil' and one for 'clay soil'. Sandy soil graph line goes through (10, 25) and (20, 45) Clay soil graph line goes through (15, 20) and (25, 30) Points are moved to fit in with the new graph lines. Parts (b) and (c) have been reversed and relabelled. 18 years has been changed to 15 years.	M1 for evidence of taking readings at two points from Sandy line, or increase excluding start eg 24÷10, 14÷5 A1 for answer 1.8 to 2.2 within given tolerance and adjusted appropriately.

PMT

PAPER: 5MB1H_01			
Question		**Modification**	**Notes**
Q2	(d)	2 graphs provided, one for 'sandy soil' and one for 'clay soil'. Sandy soil graph line goes through (10, 25) and (20, 45) Clay soil graph line goes through (15, 20) and (25, 30) Points are moved to fit in with the new graph lines. Parts (b) and (c) have been reversed and relabelled.	B2 for a complete explanation e.g.Trees grow at approximately twice the rate on sandy soil (B1 for a partial explanation e.g. Trees grow faster on sandy soil)
Q3	(a)	Question for questionnaire moved to the Diagram Book.	B1 e.g. people coming from the market are more likely to have used it.
Q3	(b)	Question for questionnaire moved to the Diagram Book.	B1 e.g. it's a leading question, "cheap" not defined, etc.
Q3	(c)	Question for questionnaire moved to the Diagram Book.	B1 for a suitable question e.g. How far have you travelled to get to the market? B1 for a set of at least 3 exhaustive, non-overlapping boxes with units, with no inequality symbols.
Q6	(a)	Bottom line has been drawn on the stem and leaf diagram.	B2 for a fully correct ordered stem and leaf diagram [B1 for a complete unordered diagram or for an ordered diagram with at most 2 errors] B1 (indep) key
Q6	(b)	Bottom line has been drawn on the stem and leaf diagram.	M1 for 36 ÷ (5 + 4) (=4) A1 cao

PMT

PAPER: 5MB1H_01			
Question		**Modification**	**Notes**
Q7	(a)	Frequency column on the table has been extended to allow room for working.	B1 cao
Q7	(b)	Frequency column on the table has been extended to allow room for working.	M1 for Σ(number of books × frequency) (=60) M1 for "60" ÷ "25" A1 cao SC B2 for an answer of 2.48
Q7	(c)	Frequency column on the table has been extended to allow room for working.	M1 for 15 × 4.4 (=66) M1 for a complete method eg ("60" + "66") ÷ (15 + "25") A1 cao

PMT

Pearson Education Limited. Registered company number 872828
with its registered office at 80 Strand, London, WC2R 0RL, United Kingdom

PMT

edexcel

Mark Scheme (Results)

November 2015

Pearson Edexcel GCSE
In Mathematics B (2MB01)
Higher (Calculator) Unit 1

ALWAYS LEARNING PEARSON

PMT

Edexcel and BTEC Qualifications

Edexcel and BTEC qualifications are awarded by Pearson, the UK's largest awarding body. We provide a wide range of qualifications including academic, vocational, occupational and specific programmes for employers. For further information visit our qualifications websites at www.edexcel.com or www.btec.co.uk. Alternatively, you can get in touch with us using the details on our contact us page at www.edexcel.com/contactus.

Pearson: helping people progress, everywhere

Pearson aspires to be the world's leading learning company. Our aim is to help everyone progress in their lives through education. We believe in every kind of learning, for all kinds of people, wherever they are in the world. We've been involved in education for over 150 years, and by working across 70 countries, in 100 languages, we have built an international reputation for our commitment to high standards and raising achievement through innovation in education. Find out more about how we can help you and your students at: www.pearson.com/uk

November 2015
Publications Code UG042904
All the material in this publication is copyright
© Pearson Education Ltd 2015

NOTES ON MARKING PRINCIPLES

1 All candidates must receive the same treatment. Examiners must mark the first candidate in exactly the same way as they mark the last.

2 Mark schemes should be applied positively.

3 All the marks on the mark scheme are designed to be awarded. Examiners should always award full marks if deserved, i.e if the answer matches the mark scheme. Note that in some cases a correct answer alone will not score marks unless supported by working; these situations are made clear in the mark scheme. Examiners should be prepared to award zero marks if the candidate's response is not worthy of credit according to the mark scheme.

4 Where some judgement is required, mark schemes will provide the principles by which marks will be awarded and exemplification may be limited.

5 Crossed out work should be marked UNLESS the candidate has replaced it with an alternative response.

6 Mark schemes will award marks for the quality of written communication (QWC).
The strands are as follows:

i) *ensure that text is legible and that spelling, punctuation and grammar are accurate so that meaning is clear*
Comprehension and meaning is clear by using correct notation and labelling conventions.

ii) *select and use a form and style of writing appropriate to purpose and to complex subject matter*
Reasoning, explanation or argument is correct and appropriately structured to convey mathematical reasoning.

iii) *organise information clearly and coherently, using specialist vocabulary when appropriate.*
The mathematical methods and processes used are coherently and clearly organised and the appropriate mathematical vocabulary used.

7 With working

If there is a wrong answer indicated on the answer line always check the working in the body of the script (and on any diagrams), and award any marks appropriate from the mark scheme.
If working is crossed out and still legible, then it should be given any appropriate marks, as long as it has not been replaced by alternative work.
If it is clear from the working that the "correct" answer has been obtained from incorrect working, award 0 marks. Send the response to review, and discuss each of these situations with your Team Leader.
If there is no answer on the answer line then check the working for an obvious answer.
Partial answers shown (usually indicated in the ms by brackets) can be awarded the method mark associated with it (implied).
Any case of suspected misread loses A (and B) marks on that part, but can gain the M marks; transcription errors may also gain some credit. Send any such responses to review for the Team Leader to consider.
If there is a choice of methods shown, then no marks should be awarded, unless the answer on the answer line makes clear the method that has been used.

8 Follow through marks

Follow through marks which involve a single stage calculation can be awarded without working since you can check the answer yourself, but if ambiguous do not award.
Follow through marks which involve more than one stage of calculation can only be awarded on sight of the relevant working, even if it appears obvious that there is only one way you could get the answer given.

9 Ignoring subsequent work

It is appropriate to ignore subsequent work when the additional work does not change the answer in a way that is inappropriate for the question: e.g. incorrect cancelling of a fraction that would otherwise be correct
It is not appropriate to ignore subsequent work when the additional work essentially makes the answer incorrect e.g. algebra.

10 Probability

Probability answers must be given a fractions, percentages or decimals. If a candidate gives a decimal equivalent to a probability, this should be written to at least 2 decimal places (unless tenths).
Incorrect notation should lose the accuracy marks, but be awarded any implied method marks.
If a probability answer is given on the answer line using both incorrect and correct notation, award the marks.
If a probability fraction is given then cancelled incorrectly, ignore the incorrectly cancelled answer.

11 Linear equations

Full marks can be gained if the solution alone is given on the answer line, or otherwise unambiguously indicated in working (without contradiction elsewhere). Where the correct solution only is shown substituted, but not identified as the solution, the accuracy mark is lost but any method marks can be awarded (embedded answers).

12 Parts of questions

Unless allowed by the mark scheme, the marks allocated to one part of the question CANNOT be awarded in another.

13 Range of answers

Unless otherwise stated, when an answer is given as a range (e.g 3.5 – 4.2) then this is inclusive of the end points (e.g 3.5, 4.2) and includes all numbers within the range (e.g 4, 4.1)

14 The detailed notes in the mark scheme, and in practice/training material for examiners, should be taken as precedents over the above notes.

Guidance on the use of codes within this mark scheme
M1 – method mark for appropriate method in the context of the question A1 – accuracy mark B1 – Working mark C1 – communication mark QWC – quality of written communication oe – or equivalent cao – correct answer only ft – follow through sc – special case dep – dependent (on a previous mark or conclusion) indep – independent isw – ignore subsequent working

PMT

5MB1H_01 November 2015					
Question		**Working**	**Answer**	**Mark**	**Notes**
1.	(a)		0.2	2	M1 for 1 – (0.15 + 0.41 + 0.24) A1 cao
	(b)		12	2	M1 for 50 × 0.24 oe A1 cao
2.	(a)		(146, 41)	1	B1 for point plotted
	(b)		Description	1	B1 for description of dynamic relationship or statement of positive correlation
	(c)		155 – 158	2	M1 for a single straight line segment with positive gradient that could be used as a line of best fit or a horizontal line from 47.5 A1 answer in the range 155 – 158 or ft from line

PMT

5MB1H_01 November 2015

Question		Working	Answer	Mark	Notes
3.		<table><tr><td></td><td>Bus</td><td>Pre</td><td>Ec</td><td>Tot</td></tr><tr><td>M</td><td>(30)</td><td>28</td><td>34</td><td>(92)</td></tr><tr><td>F</td><td>14</td><td>32</td><td>(62)</td><td>108</td></tr><tr><td>Total</td><td>(44)</td><td>(60)</td><td>96</td><td>(200)</td></tr></table> ( ) value given	28	4	M1 for total female students 200 – 92 or 108 seen; or for total Economy passengers 200 – 44 – 60 or 96 seen. M1 for total male passengers in Economy "96"-62 or 34 seen; or for total female Premium "108" – 62 – (44-30) or 32 seen M1 for 92 – 30 – "34" or for 60 – "32" A1 cao OR Answers may appear in a two-way table with no other method seen B1 for Female total 108 or Total Economy 96 M1 for "96" – 62 or 34 seen in Male Economy; or "108" – 62 – (44 –30) or 32 seen in Female Premium M1 for 92 – 30 – "34" or for 60 – "32" A1 cao
4.	(a)		Out: 1023/1148 Return: 1737/1918 in Colwyn 5h 49min	4	B1 for selecting 1023 train (cheapest out) B1 for selecting 1737 B1 for 5h 49min (spent in Colwyn) C1 (dep on at least B1) clearly stating departure and arrival times of both trains used and correct time in Colwyn for their trains
	(b)		133.40	3	M1 for 30% of any adult fare M1 for 2 × adult fare + 3 × child fare for at least one of their chosen trains A1 (accept 133.4) (SC B2 for £188.60)

PMT

5MB1H_01 November 2015					
Question		**Working**	**Answer**	**Mark**	**Notes**
5.			Reasons	2	B1 for one reason eg no quantity (units), no time frame, overlapping intervals, not exhaustive B1 for second (different) reason
6.			$\frac{5x+4}{3}$	2	M1 $x + x + 4 + 3x$ $(= 5x + 4)$ A1 for $(x + x + 4 + 3x) \div 3$ oe
7.		2500 + 2500 × 3.5÷100 = 2500 + 87.50 = 2587.50 2587.50 + 2587.50 × 3.5 ÷ 100 = 2587.50 + 90.5625	2678.06	3	M1 for 2500 × 1.035 or 2500 + 2500 × 0.035 oe or for 2587.5(0) or 87.5(0) or 8750 or 2412.5(0) M1 (dep) for "2587.5" × 1.035 or for "2587.5" + "2587.5" × 0.035 or for "2578.5" + "90.56(25)" or for 2678 or 2678.1(0) or 2678.07 or 2678.06… A1 cao NB: if correct answer seen then ignore any extra years Alternative method: M2 for 2500×1.035^n where $n \geq 2$ or for 2678 or 2678.07 or 2678.06… A1 cao

PMT

5MB1H_01 November 2015					
Question		**Working**	**Answer**	**Mark**	**Notes**
8.	(a)		$10 < n \leq 20$	2	M1 for use of cf to find the 20.5^{th} or 21st value A1 cao
	(b)	$(5 \times 14) + (15 \times 13) + (25 \times 8)$ $+ (35 \times 4) + (45 \times 2)$ $70 + 195 + 200 + 140 + 90$ $695 \div 41$	16.95	4	M1 for $\sum fx$ with consistent values within interval (including end points); accept one error M1 for $\sum fx$ with correct midpoint values M1 (dep M1) for "$\sum fx$" $\div 41$ or "695" $\div 41$ A1 for 16.95(12….)
9.			Box plot	3	M1 for UQ = 1.7 + 2.7 (= 4.4) or 4.4 shown on box plot B1 for box plot with at least 3 pieces of information correctly plotted B1 for fully correct box plot NB: there must be a box
10.	(a)		5, 23, 35, 39, 40	1	B1 for all correct
	(b)		cf graph	2	B1 for 4 or 5 "points" plotted consistently dep on sensible table (condone 1 addition error) B1 correct graph
	(c)		3	2	M1 for evidence of reading off from 187 (eg vertical line) on cf graph or $35 + \frac{2}{5} \times 4$ A1 ft from cf graph

5MB1H_01 November 2015					
Question		**Working**	**Answer**	**Mark**	**Notes**
11.			20 shown	5	B1 for 3 combinations (1 + 8, 5 + 4, 7 + 2) spacing amended M1 for partial working $\frac{3}{20}\times 80$ or $\frac{3}{20}\times 3$ oe or 80 × 3 (= 240) M1 for complete working $\frac{3}{20}\times 80\times 3$ oe M1 (income) 80 × 70 (= 5600) or 80 × 0.7 (= 56) C1 for "56 – 36=20" clearly stated
12.	(a)		3	2	M1 for $\frac{50}{600}\times 40$ oe or for 3.33… oe A1 cao
	(b)		75	2	M1 for $\frac{n}{600}\times 40$ or for $\frac{5\times 600}{40}$ where '5' can be 4.5 to 5.5 A1 for 75; accept answers in the range 68 – 82 supported by working.

PMT

5MB1H_01 November 2015					
Question		**Working**	**Answer**	**Mark**	**Notes**
13.			400 and correct assumption	4	M1 for partial working eg $\frac{60}{12}$ oe or 20% or $\frac{1}{5}$ seen or 80 ÷ 12 (= 6.66..) or $\frac{12}{80}$ oe M1 for complete method eg $\frac{80\times 60}{12}$ or 80 × 5 or 6.66..× 60 or $\frac{12}{60}=\frac{80}{n}$ oe or 80 ÷ 0.2 oe A1 cao C1 for a correct mathematical assumption eg population has not changed overnight or mark which does not wear off or sample is random etc

PMT

5MB1H_01 November 2015					
Question		**Working**	**Answer**	**Mark**	**Notes**
14.			$\frac{56}{110}$	4	M1 for use of 10 as denominator of second probability M1 for a correct method to find the probability of at least one possible combination, $\frac{4}{11}\times\frac{7}{10}$ or $\frac{7}{11}\times\frac{4}{10}$ M1 for complete and correct method shown, eg $\frac{4}{11}\times\frac{7}{10}+\frac{7}{11}\times\frac{4}{10}$ A1 for $\frac{56}{110}$ oe **Alternative scheme for replacement** M1 for $\frac{4}{11}\times\frac{7}{11}$ or $\frac{7}{11}\times\frac{4}{11}$ M1 for $\frac{4}{11}\times\frac{7}{11}+\frac{7}{11}\times\frac{4}{11}$ OR B2 for $\frac{56}{121}$
15.		Frequency densities of 8 ÷ 10 = 0.8 16 ÷ 10 = 1.6 15 ÷ 5 = 3 12 ÷ 5 = 2.4 6 ÷ 20 = 0.3	Fully labelled histogram	3	B3 for fully correct histogram (B2 for 4 correct blocks) (B1 for 3 correct blocks) (If B0 then SC B1 for correct key eg $1cm^2$=2 birds or frequency ÷ class interval for at least 3 frequencies) NB apply the same mark scheme if a different frequency density is used

Modifications to the mark scheme for Modified Large Print (MLP) papers.

Only mark scheme amendments are shown where the enlargement or modification of the paper requires a change in the mark scheme.

The following tolerances should be accepted on marking MLP papers, unless otherwise stated below:
Angles: ±5°
Measurements of length: ±5 mm

PAPER: 5MB1H_01			
Question		**Modification**	**Notes**
Q02	(a)	Grid enlarged. Crosses changed to filled in circles. 146 cm changed to 150 cm. 41 kg changed to 40 kg.	
Q04		Crewe to Colwyn – First 2 columns removed. Colwyn to Crewe – First and last columns removed.	
Q06		MLP only: x → f.	
Q09		Weights changed to 1.5 kg, 6.5 kg, 2.5 kg, 1.5 kg, 3.5 kg. Grid enlarged.	
Q10	(b) (c)	Frequencies changed to 5, 15, 10, 5, 5. Grid enlarged. 187 cm changed to 182.5 cm.	
Q15		Frequencies changed to 5, 15, 15, 10, 10. Grid enlarged.	

PMT

Pearson Education Limited. Registered company number 872828
with its registered office at 80 Strand, London, WC2R 0RL, United Kingdom

PMT

edexcel

Mark Scheme (Results)

November 2015

Pearson Edexcel GCSE
In Mathematics B (2MB01)
Higher (Calculator) Unit 3

Edexcel and BTEC Qualifications

Edexcel and BTEC qualifications are awarded by Pearson, the UK's largest awarding body. We provide a wide range of qualifications including academic, vocational, occupational and specific programmes for employers. For further information visit our qualifications websites at www.edexcel.com or www.btec.co.uk. Alternatively, you can get in touch with us using the details on our contact us page at www.edexcel.com/contactus.

Pearson: helping people progress, everywhere

Pearson aspires to be the world's leading learning company. Our aim is to help everyone progress in their lives through education. We believe in every kind of learning, for all kinds of people, wherever they are in the world. We've been involved in education for over 150 years, and by working across 70 countries, in 100 languages, we have built an international reputation for our commitment to high standards and raising achievement through innovation in education. Find out more about how we can help you and your students at: www.pearson.com/uk

November 2015
Publications Code UG042928
All the material in this publication is copyright
© Pearson Education Ltd 2015

NOTES ON MARKING PRINCIPLES

1 All candidates must receive the same treatment. Examiners must mark the first candidate in exactly the same way as they mark the last.

2 Mark schemes should be applied positively.

3 All the marks on the mark scheme are designed to be awarded. Examiners should always award full marks if deserved, i.e if the answer matches the mark scheme. Note that in some cases a correct answer alone will not score marks unless supported by working; these situations are made clear in the mark scheme. Examiners should be prepared to award zero marks if the candidate's response is not worthy of credit according to the mark scheme.

4 Where some judgement is required, mark schemes will provide the principles by which marks will be awarded and exemplification may be limited.

5 Crossed out work should be marked UNLESS the candidate has replaced it with an alternative response.

6 Mark schemes will award marks for the quality of written communication (QWC).
The strands are as follows:

i) *ensure that text is legible and that spelling, punctuation and grammar are accurate so that meaning is clear*
Comprehension and meaning is clear by using correct notation and labelling conventions.

ii) *select and use a form and style of writing appropriate to purpose and to complex subject matter*
Reasoning, explanation or argument is correct and appropriately structured to convey mathematical reasoning.

iii) *organise information clearly and coherently, using specialist vocabulary when appropriate*.
The mathematical methods and processes used are coherently and clearly organised and the appropriate mathematical vocabulary used.

7 With working

If there is a wrong answer indicated on the answer line always check the working in the body of the script (and on any diagrams), and award any marks appropriate from the mark scheme.
If working is crossed out and still legible, then it should be given any appropriate marks, as long as it has not been replaced by alternative work.
If it is clear from the working that the "correct" answer has been obtained from incorrect working, award 0 marks. Send the response to review, and discuss each of these situations with your Team Leader.
If there is no answer on the answer line then check the working for an obvious answer.
Partial answers shown (usually indicated in the ms by brackets) can be awarded the method mark associated with it (implied).
Any case of suspected misread loses A (and B) marks on that part, but can gain the M marks; transcription errors may also gain some credit. Send any such responses to review for the Team Leader to consider.
If there is a choice of methods shown, then no marks should be awarded, unless the answer on the answer line makes clear the method that has been used.

8 Follow through marks

Follow through marks which involve a single stage calculation can be awarded without working since you can check the answer yourself, but if ambiguous do not award.
Follow through marks which involve more than one stage of calculation can only be awarded on sight of the relevant working, even if it appears obvious that there is only one way you could get the answer given.

9 Ignoring subsequent work

It is appropriate to ignore subsequent work when the additional work does not change the answer in a way that is inappropriate for the question: e.g. incorrect cancelling of a fraction that would otherwise be correct
It is not appropriate to ignore subsequent work when the additional work essentially makes the answer incorrect e.g. algebra.

10 Probability

Probability answers must be given a fractions, percentages or decimals. If a candidate gives a decimal equivalent to a probability, this should be written to at least 2 decimal places (unless tenths).
Incorrect notation should lose the accuracy marks, but be awarded any implied method marks.
If a probability answer is given on the answer line using both incorrect and correct notation, award the marks.
If a probability fraction is given then cancelled incorrectly, ignore the incorrectly cancelled answer.

11 Linear equations

Full marks can be gained if the solution alone is given on the answer line, or otherwise unambiguously indicated in working (without contradiction elsewhere). Where the correct solution only is shown substituted, but not identified as the solution, the accuracy mark is lost but any method marks can be awarded (embedded answers).

12 Parts of questions

Unless allowed by the mark scheme, the marks allocated to one part of the question CANNOT be awarded in another.

13 Range of answers

Unless otherwise stated, when an answer is given as a range (e.g 3.5 – 4.2) then this is inclusive of the end points (e.g 3.5, 4.2) and includes all numbers within the range (e.g 4, 4.1)

14 The detailed notes in the mark scheme, and in practice/training material for examiners, should be taken as precedents over the above notes.

Guidance on the use of codes within this mark scheme
M1 – method mark for appropriate method in the context of the question A1 – accuracy mark B1 – Working mark C1 – communication mark QWC – quality of written communication oe – or equivalent cao – correct answer only ft – follow through sc – special case dep – dependent (on a previous mark or conclusion) indep – independent isw – ignore subsequent working

5MB3H_01 November 2015					
Question		**Working**	**Answer**	**Mark**	**Notes**
1	(a)		2.47	2	M1 for 7.66… A1 for 2.47 – 2.48
	(b)		400	1	B1 for 400 or 4×10^2
2	(a)		Correct point marked	3	M1 for line bearing 300° M1 for line bearing 40° A1 cao
	(b)		4.15	2	M1 for "8.3" × 50 000 (=415 000) A1 for 4.10 – 4.25
*3			Bottle with reason	5	**Cans** M1 for 30×0.28 – 10×0.25 (=5.9) oe **Bottles** M1 0.15 × 1.60 (=£0.24) oe or 0.15 × 6.40 (=0.96) oe M1 (dep) for 1.60 – 0.24 (=£1.36 per bottle, or £5.44 for 4 bottles) oe **Best value** M1 for "1.36" ÷ 2.5 (=0.544 £/litre) and "5.9" ÷ 9.9 (=0.595…£/litre) oe C1 (dep on M1) for 0.544 and 0.595… and bottle identified OR M1 for 2.5 ÷ "1.36 (=1.83… litres/£) and 9.9 ÷"5.9" (=1.67… litres/£) C1 (dep on M1) for 1.67... and 1.83… and bottle identified
4	(a)		translation $\begin{pmatrix} 3 \\ -3 \end{pmatrix}$	2	B1 for translation B1 for $\begin{pmatrix} 3 \\ -3 \end{pmatrix}$ (B0 if not single transformation)
	(b)		Triangle	2	B2 cao (B1 for rotation a 180 degrees about any point or for a rotation about (0, 1))

<table>
<tr><th colspan="5">5MB3H_01 November 2015</th></tr>
<tr><th colspan="2">Question</th><th>Working</th><th>Answer</th><th>Mark</th><th>Notes</th></tr>
<tr><td>5</td><td></td><td></td><td>17.6</td><td>3</td><td>M1 for 8 ÷ 5 (=1.6) or 5÷8 (=0.625)
M1 for (16 – 5) × “1.6” or for (16 – 5) ÷ “0.625” oe
A1 cao</td></tr>
<tr><td>6</td><td></td><td></td><td>bisector</td><td>2</td><td>M1 for an appropriate pair of arcs or correct line drawn without construction arcs
A1 for perpendicular bisector of AB drawn with a pair of construction arcs</td></tr>
<tr><td>7</td><td></td><td><table><tr><th>x</th><th>$x^3 - 9x$</th></tr><tr><td>4</td><td>28</td></tr><tr><td>4.1</td><td>32.(021)</td></tr><tr><td>4.2</td><td>36.(288)</td></tr><tr><td>4.3</td><td>40.(807)</td></tr><tr><td>4.4</td><td>45.(584)</td></tr><tr><td>4.5</td><td>50.(625)</td></tr><tr><td>4.6</td><td>55.(936)</td></tr><tr><td>4.7</td><td>61,(523)</td></tr><tr><td>4.8</td><td>67.(392)</td></tr><tr><td>4.9</td><td>73.(549)</td></tr><tr><td>5</td><td>80</td></tr><tr><td>4.41</td><td>46.0(7612)</td></tr><tr><td>4.42</td><td>46.5(7089)</td></tr><tr><td>4.43</td><td>47.0(6831)</td></tr><tr><td>4.44</td><td>47.5(6838)</td></tr><tr><td>4.45</td><td>48.0(7113)</td></tr></table></td><td>4.4</td><td>4</td><td>B2 for a trial $4.4 \le x \le 4.5$
(B1 for a trial evaluated correctly for $4 \le x \le 5$)
B1 for a different trial evaluated correctly for $4.41 \le x \le 4.5$
B1 (dep on at least one previous B1) for 4.4

[Note trials should be evaluated to at least accuracy indicated in the table, truncated or rounded]

[NB B0 No working scores 0 marks]</td></tr>
</table>

5MB3H_01 November 2015					
Question		**Working**	**Answer**	**Mark**	**Notes**
8			180	3	M1 for area of cross section, eg 3×2 + 3×4 + 3×6 (=36) or 9×6 − 3×3×2 (=36) M1 for "36" ×5 A1 cao OR M1 for area of one cuboid eg 3 × 2 × 5 (=30) M1 for 6 × "30" A1 cao OR M1 for 4.5 × 8 (=36) M1 for "36" × 5 A1 cao
9	(a)		0, 4, 3, −5	2	M1 for one correct value, could be taken from graph A1 cao
	(b)		correct curve	2	M1 for at least 4 points plotted correctly from table A1 for correct curve drawn
10			11	4	M1 for introducing variable eg x or $x+3$ or $2x+6$ M1 (dep) for "x" + "$(x+3)$" + "$(2x+)$" = 53 M1 for complete method to isolate x A1 cao
11	(a)		$x > -4$	1	B1 cao
	(b)		$y \leq 3$	2	M1 for intention to isolate y or for $y = 3$ or $y < 3$ A1 cao
	(c)		−1,0,1	2	M1 for listing −3, −2, −1,0,1 or −1, 0,1,2,3 or for $-2 < ? < 2$ A1 for −1,0,1
12			1.01	3	M1 for 1.2 × 15 (= 18) or 1 × 250 clearly defined as mass M1 for $\frac{"18" + "250"}{15+250}$ A1 for 1.01(1…)

5MB3H_01 November 2015					
Question		**Working**	**Answer**	**Mark**	**Notes**
*13			36% depreciation	3	M1 for 0.8 × 0.8 (=0.64) M1 for 1 – "0.64" (=0.36) C1 for 36% (depreciation) oe or compares cost with 40% reduction OR (uses a trial value, eg 1000) M1 for $1000\times(0.8)^2$ (=640) M1 for (1000 – 640) ÷ 1000 (=0.36) C1 for 36% (depreciation) oe or compares cost with 40% reduction OR M1 for 0.2 × 0.2 (=0.04) M1 for 0.2 + 0.2 – "0.04" (=0.36) C1 for 36% (depreciation) oe or compares cost with 40% reduction OR C1 only for identifying the 2nd 20% reduction is off the reduced amount at the end of the first year
14			$t = \frac{ap^2}{3}$	3	M1 for squaring both sides of the equation as the first step M1 (dep) for isolating the *t* term A1 for $t = \frac{ap^2}{3}$ oe
15			20.94	5	M1 for method to find circumference of circle, eg. $2\times\pi\times2.45$ or $\pi\times4.9$ (= 15.393....) M1 (dep) for $\frac{105}{360}\times$ "15.393 ... (= 4.4898...) M1 for "4.4898.." ÷ 1.75 (= 2.565...) or "4.9" ÷ 1.75 (= 2.8) oe or "9.3898…" ÷ 1.75 (=5.3656…) M1 for total cost = "6" × 3.49 (=20.94) or cost of arc or straight edges = "3" × 3.49 (=10.47) A1 cao

5MB3H_01 November 2015					
Question		**Working**	**Answer**	**Mark**	**Notes**
16			$\frac{4}{7}$	4	M1 for multiplication of all terms by a multiple of 6 eg $3(x+1) + 2(2x-1) = 5$ M1 for $3\times x+3\times 1 (=3x+3) + 2\times 2x - 2\times 1 (=4x-2)$ oe or $3x+3+4x-2=5$ M1 (dep) for collecting like terms on each side of the equation eg $3x+4x = 5 -3 +2$ or $7x + 1 = 5$ or $7x = 4$ A1 for $\frac{4}{7}$ or 0.57…
*17			56 supported	3	M1 for 180 – 85 (=95) A1 for 56 C1 for opposite angles of a cyclic quadrilateral add up to 180
18			$-\frac{3}{2}, \frac{5}{3}$	3	M1 for $(2x \pm 3)(3x \pm 5)$ M1 for $(2x + 3)(3x - 5)$ A1 for $-\frac{3}{2}$ and $\frac{5}{3}$ oe accept 1.66 – 1.67 OR M1 for $\frac{-(-1)\pm\sqrt{(-1)^2-4\times 6\times -15}}{2\times 6}$, condone one sign error M1 for $\frac{1\pm\sqrt{361}}{12}$ A1 for $-\frac{3}{2}$ and $\frac{5}{3}$ oe accept 1.66 – 1.67 OR M1 for $\left(x-\frac{1}{12}\right)^2 \pm \left(\frac{1}{12}\right)^2 \pm a = 0$ M1 for $\left(x-\frac{1}{12}\right)^2 = b$ A1 for $-\frac{3}{2}$ and $\frac{5}{3}$ oe accept 1.66 – 1.67
19			36	3	M1 for $100 = k \times 5^2$ oe or $(k=)$ 4 M1 for $(y =) \frac{100}{5^2} \times 3^2$ or "4" $\times 3^2$ A1 cao

5MB3H_01 November 2015					
Question		**Working**	**Answer**	**Mark**	**Notes**
20			0.063	3	B1 for 252.5 or 247.5 or 3950 or 3850 M1 for 247.5 ÷ 3950 or ft "lower bound for 250" ÷ "upper bound for 3900" A1 for 0.062−0.063 (from correct working)
21		Eg $BQ=\sqrt{(5^2+6^2)}=\sqrt{61}$ Angle $ABQ=\tan^{-1}(6\div5)=50.194^o$ $BP=\sqrt{61}\div\cos30=9.018$ cm Angle $PBC=90–30–50.194^o=9.806^o$ $BC=9.018\times\cos9.806=8.886...$ **OR** $BQ=\sqrt{(5^2+6^2)}=\sqrt{61}$ $PQ=\sqrt{61}\tan30=4.509$ Angle $BQA=\tan^{-1}(5\div6)=39.806$ Angle $PQD=180–90–39.806=50.194^o$ $QD=4.509\times\cos50.194=2.886...$	8.89	5	M1 for correct use of Pythagoras M1 for correct use of appropriate trig ratio M1 for correct use of appropriate inverse trig ratio M1 for correct method to calculate angle *CBP* or *PQD* A1 for 8.88 – 8.89
22	(a)		(0, 1)	1	B1 cao
	(b)	P(−1, 0), Q(1, 0)	2	2	M1 for "a" – "$-a$" or (x =) –1 or (x =) 1 or "8" ÷ 4 A1 cao

Modifications to the mark scheme for Modified Large Print (MLP) papers.

Only mark scheme amendments are shown where the enlargement or modification of the paper requires a change in the mark scheme.

The following tolerances should be accepted on marking MLP papers, unless otherwise stated below:
Angles: ±5°
Measurements of length: ±5 mm

PAPER: 5MB3H_01			
Question		**Modification**	**Notes**
Q02		Harbour to Lighthouse = 10 cm. Harbour and Lighthouse are joined with a dashed line. North line extended.	
Q04	(a)	Grid enlarged.	
Q04	(b)	Question reversed. Triangle W given on grid. Candidates asked to describe the transformation of triangle T to triangle W.	
Q06		AB = 8 cm.	
Q08		Model provided for all candidates. MLP also given an enlarged diagram.	
Q09	(a)	Wording added above the table. There are four spaces to fill.	
Q09	(b)	Grid enlarged.	
Q11	(a)	Diagram enlarged.	

PMT

PAPER: 5MB3H_01			
Question		**Modification**	**Notes**
Q14		All candidates, a changed to n.	
Q15		Diagram enlarged.	
Q16		MLP only: x changed to y.	
Q17		Diagram enlarged. Wording added: “Angle BAP is marked x.”	
Q21		Diagram enlarged. Wording added: “BA = 5 cm. AQ = 6 cm. Angle PBQ = $30°$.	
Q22		Diagram enlarged.	

PMT

Pearson Education Limited. Registered company number 872828
with its registered office at 80 Strand, London, WC2R 0RL, United Kingdom



Mark Scheme (Results)

Summer 2017

Pearson Edexcel GCSE
In Mathematics A (1MA0)
Higher (Calculator) Paper 2H



Edexcel and BTEC Qualifications

Edexcel and BTEC qualifications are awarded by Pearson, the UK's largest awarding body. We provide a wide range of qualifications including academic, vocational, occupational and specific programmes for employers. For further information visit our qualifications websites at www.edexcel.com or www.btec.co.uk. Alternatively, you can get in touch with us using the details on our contact us page at www.edexcel.com/contactus.

Pearson: helping people progress, everywhere

Pearson aspires to be the world's leading learning company. Our aim is to help everyone progress in their lives through education. We believe in every kind of learning, for all kinds of people, wherever they are in the world. We've been involved in education for over 150 years, and by working across 70 countries, in 100 languages, we have built an international reputation for our commitment to high standards and raising achievement through innovation in education. Find out more about how we can help you and your students at: www.pearson.com/uk

Summer 2017
Publications Code 1MA0_2H_1706_MS
All the material in this publication is copyright
© Pearson Education Ltd 2017

NOTES ON MARKING PRINCIPLES

1 All candidates must receive the same treatment. Examiners must mark the first candidate in exactly the same way as they mark the last.

2 Mark schemes should be applied positively. Candidates must be rewarded for what they have shown they can do rather than penalised for omissions.

3 All the marks on the mark scheme are designed to be awarded. Examiners should always award full marks if deserved, i.e if the answer matches the mark scheme. Examiners should also be prepared to award zero marks if the candidate's response is not worthy of credit according to the mark scheme.

4 Where some judgement is required, mark schemes will provide the principles by which marks will be awarded and exemplification may be limited.

5 Crossed out work should be marked UNLESS the candidate has replaced it with an alternative response.

6 Mark schemes will indicate within the table where QWC is being assessed. The strands are as follows:

i) *ensure that text is legible and that spelling, punctuation and grammar are accurate so that meaning is clear*
Comprehension and meaning is clear by using correct notation and labeling conventions.

ii) *select and use a form and style of writing appropriate to purpose and to complex subject matter*
Reasoning, explanation or argument is correct and appropriately structured to convey mathematical reasoning.

iii) *organise information clearly and coherently, using specialist vocabulary when appropriate*.
The mathematical methods and processes used are coherently and clearly organised and the appropriate mathematical vocabulary used.

7 With working

If there is a wrong answer indicated on the answer line always check the working in the body of the script (and on any diagrams), and award any marks appropriate from the mark scheme.
If working is crossed out and still legible, then it should be given any appropriate marks, as long as it has not been replaced by alternative work.
If it is clear from the working that the "correct" answer has been obtained from incorrect working, award 0 marks. Send the response to review, and discuss each of these situations with your Team Leader.
If there is no answer on the answer line then check the working for an obvious answer.
Any case of suspected misread loses A (and B) marks on that part, but can gain the M marks. Discuss each of these situations with your Team Leader.
If there is a choice of methods shown, then no marks should be awarded, unless the answer on the answer line makes clear the method that has been used.

8 Follow through marks

Follow through marks which involve a single stage calculation can be awarded without working since you can check the answer yourself, but if ambiguous do not award.
Follow through marks which involve more than one stage of calculation can only be awarded on sight of the relevant working, even if it appears obvious that there is only one way you could get the answer given.

9 Ignoring subsequent work

It is appropriate to ignore subsequent work when the additional work does not change the answer in a way that is inappropriate for the question: e.g. incorrect canceling of a fraction that would otherwise be correct
It is not appropriate to ignore subsequent work when the additional work essentially makes the answer incorrect e.g. algebra.
Transcription errors occur when candidates present a correct answer in working, and write it incorrectly on the answer line; mark the correct answer.

10 Probability

Probability answers must be given a fractions, percentages or decimals. If a candidate gives a decimal equivalent to a probability, this should be written to at least 2 decimal places (unless tenths).
Incorrect notation should lose the accuracy marks, but be awarded any implied method marks.
If a probability answer is given on the answer line using both incorrect and correct notation, award the marks.
If a probability fraction is given then cancelled incorrectly, ignore the incorrectly cancelled answer.

11 Linear equations
Full marks can be gained if the solution alone is given on the answer line, or otherwise unambiguously indicated in working (without contradiction elsewhere). Where the correct solution only is shown substituted, but not identified as the solution, the accuracy mark is lost but any method marks can be awarded.

12 Parts of questions
Unless allowed by the mark scheme, the marks allocated to one part of the question CANNOT be awarded in another.

13 Range of answers
Unless otherwise stated, when an answer is given as a range (e.g 3.5 – 4.2) then this is inclusive of the end points (e.g 3.5, 4.2) and includes all numbers within the range (e.g 4, 4.1)

Guidance on the use of codes within this mark scheme
M1 – method mark A1 – accuracy mark B1 – Working mark C1 – communication mark QWC – quality of written communication oe – or equivalent cao – correct answer only ft – follow through sc – special case dep – dependent (on a previous mark or conclusion) indep – independent isw – ignore subsequent working

Paper: 1MA0/2H					
Question		**Working**	**Answer**	**Mark**	**Notes**
1			Question	2	B1 for a question with a time frame for frequency of use B1 for at least 3 correctly labelled response boxes (non-overlapping and exhaustive) [Do not allow inequalities in response boxes]
2			555	3	M1 for recognising that 1295 is 70% eg 70% = 1295 M1 for 10% = 1295 ÷ 7 (=185) or 1% = 1295 ÷ 70 (=18.5) or $1295 \times \frac{3}{7}$ oe or (1295 – 185) ÷ 2 or $1295 \times \frac{10}{7}$ oe (=1850) A1 cao
3		**£:** 189 ÷ 1.39= 135.97 174 ÷ 1.27 = 137.01 **SF:** 115 × 1.39 = 159.85 174 ÷ 1.27 × 1.39 = 190.44 **€:** 115 × 1.27 = 146.05 189 ÷ 1.39 × 1.27 = 172.68	London with correct comparable figures	3	M1 for method to convert one price to another currency, eg 189 ÷ 1.39 M1 for a complete method leading to 3 prices in the same currency or to figures that can be used to compare the 3 prices A1 for London and correct comparable figures (accept rounded or truncated to the nearest unit)
4	(a)		positive	1	B1 cao
	(b)		17 – 21.5	2	M1 for a single line segment with positive gradient that could be used as a line of best fit or a horizontal line from 21 or a point plotted at (x, 21) where x is in the range 17 – 21.5 A1 for answer in range 17 – 21.5

Paper: 1MA0/2H				
Question	**Working**	**Answer**	**Mark**	**Notes**
*5		$x = 30^o$ with complete reasons	4	M1 for a correct first step, eg angle *GED* = 55 or angle *GAD* = 55 or angle *EGA* = 180 – 55 (= 125) A1 for 30 C2 for 30 with full reasons, appropriate to their given method eg alternate angles are equal **and** corresponding angles are equal **and** angles on a straight line add up to 180 eg corresponding angles are equal **and** angles in a triangle add up to 180 **and** alternate angles are equal (C1 (dep on at least M1) for one appropriate reason relating to parallel lines or opposite angles of a parallelogram)
6		23	3	M1 for method to find difference in cost, eg 23×24 – 425 (= 127) or for 425 ÷ (23×24) (= 0.7699...) or 24 – (425 ÷ 23) (=5.52…) M1 for $\frac{"127"}{"552"} \times 100$ oe or or 100 – "0.7699 "×100 or $\frac{"5.52"}{24} \times 100$ A1for answer in range 23 – 23.01
7		Correct region	3	B1 for perpendicular bisector of the line *AB* B1 for arc of circle centre *B* radius 4 cm B1 for shading correct region

Paper: 1MA0/2H				
Question	**Working**	**Answer**	**Mark**	**Notes**
8 (a)		$6ab - 7g$	2	M1 for $6ab$ or $-7g$ A1 cao
(b)		$3(2m - 3)$	1	B1 cao
(c)		t^5	1	B1 cao
(d)		$2xy(x + 2y)$	2	B2 cao (B1 for $xy(2x + 4y)$ or $2x(xy + 2y^2)$ or $2y(x^2 + 2xy)$ or $2xy(\ldots)$ where $(\ldots)$ has two terms one of which is correct)
(e)	$w^2 - 5w - 5w + 25$	$w^2 - 10w + 25$	2	M1 for all 4 terms (and no additional terms) correct with or without signs or 3 out of no more than 4 terms correct with signs A1 cao
9		Correct position of C	3	M1 for line drawn or point marked on a bearing of 130° from A M1 for line drawn or point marked on a bearing of 245° from B A1 for correct position of C
10		72	4	M1 for "x" + 24 or "x" – 24 or for "g" and 5"g" M1 for forming an appropriate equation eg $x + 24 = 5(x - 24)$ or for $(5g - g) \div 2 = 24$ or $g = 12$ M1 for correct operations to isolate x terms and non-x terms in an equation of the form $ax + b = cx + d$ or $ax + b = c(x + d)$ or $x = 36$ or for $6 \times$ "12" oe A1 cao

Paper: 1MA0/2H					
Question		**Working**	**Answer**	**Mark**	**Notes**
*11			No (supported)	5	M1 for π × 9 ÷ 2 (=14.137…) or π × 5 ÷ 2 (=7.85…) or for π × 9 (=28.27…) or π × 5 (=15.7…) M1 for complete method to work out perimeter eg 2 + 2 + (π × 9 ÷ 2) + (π × 5 ÷ 2) (= 25.99...) M1 (dep M1) for method to find number of rolls required for their perimeter, eg "their total perimeter" ÷ 2.4 eg 25.99..÷2.4 (=10.8), "47.97.."÷2.4 (=19.9) or "43.47.." ÷2.4 (=18.3) M1 for method to work out cost eg 3×10 + 2×3.99 (= 37.98) or 11 × 3.99 (=43.89), 20 →67.98, 19→63.00 or for method to find how many rolls can be bought for £35 (= 10) C1 for a conclusion supported by fully correct answers eg 37.98 (for comparing with 35) e.g 10.8 and 10 OR M1 for π × 9 ÷ 2 (=14.137…) or π × 5 ÷ 2 (=7.85…) or for π × 9 (=28.27…) or π × 5 (=15.7…) M1 for complete method to work out perimeter eg 2 + 2 + (π × 9 ÷ 2) + (π × 5 ÷ 2) (= 25.99...) M1 for a method to find how many rolls can be bought for £35 (=10) M1 for a method to work out the coverage of 10 rolls e.g. 10 × 2.4 (=24) C1 for a conclusion supported by fully correct answers eg 25.9(...) and 24
12	(a)		$1.40 \leq h < 1.50$	1	B1 any unambiguous description of the correct interval
	(b)	1.35 × 11 = 14.85 1.45 × 9 = 13.05 1.55 × 7 = 10.85 1.65 × 6 = 9.9 1.75 × 2 = 3.5	1.49	4	M1 for fx consistently within interval including ends (allow 1 error) M1 consistently using appropriate midpoints M1 (dep on first M1) for $\Sigma fx \div \Sigma f$ eg 52.15 ÷ 35 A1 cao

Paper: 1MA0/2H				
Question	**Working**	**Answer**	**Mark**	**Notes**
13	$x = 2$ gives 10 $x = 3$ gives 30 $x = 2.1$ gives 11.(361) $x = 2.2$ gives 12.(848) $x = 2.3$ gives 14.(467) $x = 2.4$ gives 16.(224) $x = 2.5$ gives 18.(125) $x = 2.6$ gives 20.(176) $x = 2.7$ gives 22.(383) $x = 2.8$ gives 24.(752) $x = 2.9$ gives 27.(289) $x = 2.61$ gives 20.3(89..) $x = 2.62$ gives 20.6(04..) $x = 2.63$ gives 20.8(21..) $x = 2.64$ gives 21(.039..) $x = 2.65$ gives 21.2(59..)	2.6	4	B2 for a trial $2.6 \leq x \leq 2.7$ evaluated (B1 for a trial $2 \leq x \leq 3$ evaluated) B1 for a different trial $2.6 < x \leq 2.65$ evaluated B1 (dep on at least one previous B1) for 2.6 Accept trials correct to the nearest whole number (rounded or truncated) if the value of x is to 1 dp but correct to 1dp (rounded or truncated) if the value of x is to 2 dp. NB: no working scores no marks even if the answer is correct.
*14		Simple with correct comparable values	4	M1 for a method to calculate 2.15% or 2.3% or 102.15% or 102.3% of 15000 M1 for a complete method to calculate using a compound interest rate of 2.15% for 3 years eg 1.0215^3 (=1.065(89…)) or $1.0215^3 \times 15000$ (=15988.45) M1 for a complete method to calculate using a simple interest rate of 2.3% for 3 years e.g $1+0.023 \times 3$(=1.069) or $15000 + 0.069 \times 15000$ (=16035) or 0.023×3 C1 for a correct decision in a statement based on their two accurate comparable values eg 16035, 15988 to 15988.50 or 1035, 988 to 988.50 or 1.065(89...), 1.069 or 6.6%, 6.9 %

Paper: 1MA0/2H				
Question	**Working**	**Answer**	**Mark**	**Notes**
15		100	4	M1 for 360 ÷ 9 (= 40) or (9 – 2) × 180 (= 1260) M1 (dep) for 180 – "40" or "1260" ÷ 9 (= 140) oe M1 (dep M2) for a complete method to find the required angle, eg "140" – (360 – "140" – "140") ÷ 2 or ("140" ÷ 7) × 5 A1 for 100 supported by working
*16		No with correct calculations	5	M1 for splitting the cross section into separate areas and a method to find the area of one part OR for splitting up the pool into smaller prisms and a method to find the volume of one prism, e.g. a cuboid M1 (dep) for a complete method to find the cross-sectional area OR for a method to find the volume of more than on prism M1 (dep) for a complete method to find the vol of the pool (= 70 (m^3) OR for a complete method to find the depth of 60000L of water M1 for method to find figure for comparison, eg distance between surface and top of pool ("70" – "60") ÷ (5 × 10) C1 No, with correct calculations, eg water level is 20cm below top of pool

Paper: 1MA0/2H				
Question	**Working**	**Answer**	**Mark**	**Notes**
17 (a)		$\frac{3}{x+1}$	1	B1 oe
(b)		–2.5	3	M1 for attempting to multiply both sides by 5 as a first step and cancelling the LHS (can be implied by equations of the form $15 - x = 15x + ?$ or $15 - x = ?x + 55$) M1 for method to isolate terms in x and number terms from $ax + b = cx + d$ A1 for –2.5 oe OR M1 for splitting the LHS correctly into two parts $\frac{15}{5} - \frac{x}{5} = 3x + 11$ M1 for method to isolate terms in x and number terms from $ax + b = cx + d$ A1 for –2.5 oe
(c)		$m = \frac{2E}{v^2}$	3	M1 for a method to remove square root or clear fraction as a first step M1 for a method to remove square root **and** clear fraction A1 for $m = \frac{2E}{v^2}$
18		8.4	3	M1 for using $d = m/v$ e.g. $11.34 = 74 / V$ or vol. of lead (= 6.5(25...) or vol. of tin (= 17.2(3...) M1 (dep) for a complete method using 200 ÷ "total volume" A1 for answer in range 8.4 to 8.44
19 (a)		0.98 0.95, 0.05, 0.95	2	B1 for 0.98 oe for machine A B1 for 0.95, 0.05, 0.95 in correct positions for machine B
(b)		0.069	3	M1 for 0.02 × 0.05 or 0.02 × "0.95" or "0.98" × "0.05" or "0.98" × "0.95" M1 for 0.02 × 0.05 + 0.02 × "0.95" + "0.98" × "0.05" or 1 – "0.98" × "0.95" A1 for 0.069 oe

Paper: 1MA0/2H				
Question	**Working**	**Answer**	**Mark**	**Notes**
20		3072	3	M1 for $12 = \frac{k}{8^2}$ or 12×8^2 (= 768) oe or $(8\div 0.5)^2$ (= 256) M1 (dep) for substituting into $T = \frac{k}{d^2}$ e.g $(T =)\frac{"768"}{0.5^2}$ oe eg $12\times 8^2 \div 0.5^2$ oe A1 cao
21	$\frac{-3\pm\sqrt{3^2-4\times 2\times -7}}{2\times 2}$	1.27, −2.77	3	M1 for substitution of $a = 2$, $b = 3$, $c = -7$ (condone one sign error) M1 for $\frac{-3\pm\sqrt{65}}{4}$ A1 for solutions in range 1.26 to 1.27 **and** –2.76 to –2.77
22		$\frac{528}{167}$	3	B1 for 37.55 or 37.65 or 11.25 or 11.35 or 8.35 or 8.45 M1 for $\frac{37.65-11.25}{8.35}$ for $\frac{v_{ub}-u_{lb}}{t_{lb}}$ where $37.6 < v_{ub} \leq 37.65$ and $11.25 \leq u_{lb} < 11.3$ and $8.35 \leq t_{ub} < 8.4$ A1 for answer in range 3.16 to 3.162 from correct working
23		0.94 or 94% or $\frac{76}{81}$	3	M1 for method to work out total area eg 1.3×10 + 3.2×5 + 3.6×5 + 2.4×10 + 0.5×20 (=81) or area up to 100 grams eg 1.3×10 + 3.2×5 + 3.6×5 + 2.4×10 + 0.5×10 (=76) (In either case allow one error in reading a bar height) M1 for 1 – ((0.5×10)/"81") oe or for method to work out the total area and the area up to 100 grams (In both cases allow one error in reading a bar height) A1 for answer in range 0.938 to 0.94 or 93.8% to 94% or $\frac{76}{81}$ oe

Paper: 1MA0/2H				
Question	**Working**	**Answer**	**Mark**	**Notes**
24		$y = \frac{1}{4}x + 5$	4	B1 for $m = -4$ M1 (indep) for gradient of perpendicular $= -\frac{1}{"-4"}$ or $\frac{1}{4}$ M1 (dep on previous M1) for substituting $x = -8$, $y = 3$ into $y = "\frac{1}{4}"x + c$ A1 for $y = \frac{1}{4}x + 5$ oe SC If M0 is scored then B2 for $y = -\frac{1}{4}x + 1$

Paper: 1MA0/2H				
Question	**Working**	**Answer**	**Mark**	**Notes**
25		41.6	6	M1 for $0.5 \times 5.4 \times 7.3 \times \sin B = 19$ M1 for $(B =) \sin^{-1}\left(\frac{19}{0.5\times5.4\times7.3}\right)$ oe $(= 74.6)$ M1 for $(AC^2 =) 5.4^2 + 7.3^2 - 2\times5.4\times7.3\times\cos$ "74.6" M1 (dep) for correct order of evaluation or 61.(479…) M1 for $\frac{\sin C}{5.4} = \frac{\sin "74.6"}{"7.84"}$ oe or $0.5\times7.3\times$ "7.84" $\times \sin C = 19$ A1 for answer in the range 41.55 to 41.65 from correct working OR (with perpendicular from C meeting AB at a point X) M1 for $0.5 \times 5.4 \times CX = 19$ M1 for $(CX =) \frac{19}{0.5\times5.4} (= 7.037...)$ M1 for $BCX = \cos^{-1}\frac{"7.04"}{7.3} (= 15.425…)$ M1 for $(BX =) \sqrt{7.3^2 - "7.04"^2} (= 1.94…)$ M1 for $ACX = \tan^{-1}\frac{5.4-"1.94"'}{"7.04"} (= 26.17…)$ A1 for answer in the range 41.55 to 41.65 from correct working

Paper: 1MA0/2H				
Question	**Working**	**Answer**	**Mark**	**Notes**
25 cont.				OR (with perpendicular from A meeting BC at a point Y) M1 for $AY = \frac{19}{7.3 \div 2} = 5.20547..$ M1 for $BY = \sqrt{5.4^2 - "5.20547"^2}$ $(= 1.43630..)$ M1 for $CY = 7.3 - "1.43630.."$ $(= 5.86369...)$ M1 for $\tan C = \frac{"5.20547.."}{"5.86369"..}$ $(= 0.8877..)$ M1 for $C = \tan^{-1} "0.8877.."$ A1 for answer in the range 41.55 to 41.65 from correct working

Modifications to the mark scheme for Modified Large Print (MLP) papers.

Only mark scheme amendments are shown where the enlargement or modification of the paper requires a change in the mark scheme.

The following tolerances should be accepted on marking MLP papers, unless otherwise stated below:
Angles: ±5°
Measurements of length: ±5 mm

PAPER: 1MA0_2H			
Question		**Modification**	**Mark scheme notes**
4		Diagram enlarged. Axes labels moved to the left of the horizontal axis and above the vertical axis. Right axis has been labelled. Crosses have been changed to solid dots. In (b) the number 21 cm has been changed to 20 cm.	Standard mark scheme but in (b) the range used should be 20 - 24
5		Diagram enlarged. Angle sizes have been moved outside of the angle arcs and the arcs have been made smaller.	Standard mark scheme
7		Point B has been moved so the distance between A and B is 8 cm. Points A and B have been joined with a line. 40 km changed to 60 km. The scale has been moved above and to the left of the diagram.	The standard mark scheme can be applied in principle, with some adjustment. eg the use of a circle centre B which now has a radius of 6 cm instead of 4 cm.
8	(a)	MLP and Braille: *a* changed to *p*, *b* changed to *q* and *g* changed to *n*.	M1 for $6pq$ or $-7n$ A1 for $6pq - 7n$
9		North lines extended to 9 cm to allow for use of specialist equipment. Wording 'with a cross (x)' removed.	Standard mark scheme.
10		Diagram enlarged. Braille only: will add information about the diagram into the question wording.	Standard mark scheme
11		Diagram enlarged. Arrows removed from 2 m. Open headed arrows for 5 m. Dot has been made bigger. Information removed from the box and written as a sentence in the question wording.	Standard mark scheme
12		Frequency column has been widened to allow for working.	Standard mark scheme.
13		MLP only: *x* changed to *y*.	Standard mark scheme but *x* changed to *y*
15		Diagram enlarged.	Standard mark scheme

PAPER: 1MA0_2H			
Question		**Modification**	**Mark scheme notes**
16		Model provided for all candidates. Diagram enlarged and also provided for MLP.	Standard mark scheme
17		MLP only: *x* changed to *y*.	Standard mark scheme but *x* changed to *y*
19		Diagram enlarged. Wording added 'There are four spaces to fill.' Braille only: answer lines labelled from (i) to (iv).	Standard mark scheme
23		Diagram enlarged. Axes labels have been moved to the left of the horizontal axis and above the vertical axis. Points on the histogram moved: 60-70 has moved up to 1.5 70-75 has moved down to 3 75-80 has moved down to 3.5 80-90 has moved up to 2.5 90-110 has stayed the same (0.5)  	M1 for method to work out total area, eg 1.5×10 + 3×5 + 3.5×5 + 2.5×10 + 0.5×20 (=82.5) M1 for 1 – ((0.5×10)/"82.5") oe A1 for answer in range 0.939 to 0.94 or 93.9% to 94% or $\frac{31}{33}$ oe
25		Diagram enlarged. Wording added 'BA = 5.4 cm, BC = 7.3 cm'.	Standard mark scheme

Pearson Education Limited. Registered company number 872828
with its registered office at 80 Strand, London, WC2R 0RL, United Kingdom

Question 2

This question was a good discriminator. About one third of students entered for the examination scored full marks for their responses to this question testing compound interest. Students generally used a multiplier approach though students frequently used an incorrect multiplier, for example 1.15 A very common error was for students to give 212272.71 as their answer, the total value of the savings after 4 years and not the interest earned over the period. This answer was awarded two of the three marks available. A great majority of students got at least one mark for

the interest earned in the first year. Very few students lost the accuracy mark for not using correct money notation, that is for giving an answer to more than 2 decimal places.

Question 13

A common response was 3550×1.026^2 which gained both process marks. Some left it there, but a minority finished it off by writing 2.2 Premature rounding was all too prevalent in this question which frequently led to an answer outside the range allowed for the final mark. Weaker students used an incorrect multiplier which meant no marks could be awarded for example using 1.26 or 0.026 or even 10.26 Some trial and improvement methods were seen in this question, particularly when trying to find the final answer.

Question 22

Part (a) was poorly attempted, but there were some who gained full marks. Those who understood that 200 should be substituted generally gained at least the first mark leading to 190. It was unfortunate that some calculated 163.6 but failed to associate this with whole rabbits.

Part (b) was poorly answered, with many students either assuming that the number of rabbits got bigger, irrespective of their answer to part (a).

Question 8

This reverse percentage question was generally answered poorly, with a large number of students simply finding 5% of the sale value and adding on, thus dealing with at a percentage increase rather than a reverse percentage. Those who gained the method mark for a correct method almost always then gained the accuracy mark as well.

Part (b) was a compound interest problem, made slightly more difficult due to the two different rates of interest. It was pleasing to see that the vast majority of students attempted the question using efficient multiplier methods rather than the more long-winded build up methods that often lead to more mistakes. Some students did struggle with the rates being non-integer and therefore multipliers such as 1.24 and 1.17 were common mistakes. There were a number of students who lost the final mark as they gave their final answer as the interest only, and thus did not answer the question asked. Students need to be reminded to read the question carefully.

Question 10

The problem nature of this question proved a challenge for a good number of students, with many being unable to work backwards to find the initial investment. It was very common to see a multiplier of 0.975 rather than 1.025 being used. However, of those who struggled with the first part, and therefore to access the first two marks, many were then able to gain the third mark as they knew the required processes to calculate compound interest.

Question 19

This question was often not attempted though there were some excellent responses from higher attaining students taking this paper. However, it was clear that most students did not have a clear understanding of the notation used. Many students who did have some understanding used the incorrect relationship $3610 = k \times 4000$ and examiners were left wondering whether these students had thought they were dealing with successive years and not times which were 2 years apart. Examiners were generally unable to award these students any marks.

Question 6

This is a standard depreciation question and was generally answered well by most students. Common errors were students working with simple interest, which normally meant they were able to score the first mark for finding the decrease for one year. The other common error was to divide by 1.04 rather than multiply by 0.96. In this case they were not able to gain any credit at all. Those who had a correct method and gained 2 marks almost always gained the 3rd mark. The minority who didn't failed to gain this mark because they didn't use correct money notation of 2 decimal places or used the 'long way round' method by subtracting 4% year after year and so lost accuracy.

Question 10

This question was not well done. Too many students showed the misunderstanding that, to reverse a 10% decrease, they had to increase the value of the car by 10%, so they multiplied by 1.1 rather than using the correct method of dividing by 0.9. It was relatively unusual to award 1 or 2 marks for responses. Students usually either showed a good understanding or no understanding of the processes required to solve the problem.

Question 20

Though a significant number of students did not attempt this question, many of those students who did attempt it scored full marks for a complete and correct solution. The most common error seen was for students to write down a correct equation, $29\,600 = 24\,000a + 800$ but then make an error in solving the equation. It was not unusual for students to divide 29600 by 24800 as a first step, then subtract 800. Some students who found a correct value for "a" went on to use the iterative relationship correctly but only went as far as finding the profit made by the shop in the year 2020.

Question 6

This was another familiar style of question, the only complication being a different interest rate for each year. As is normal with this question, weaker students struggle to understand fully the compound nature of the question and work with simple interest. Those who did this normally gained 1 mark for finding 3%. Most of those who understood the question fully and worked with compound interest went on to score full marks. The few that didn't normally gave a final answer of £318.15, finding the value of the interest and not the investment.

Question 10

This problem combined reverse percentages with repeated percentage change, and proved a challenge to many, but primarily in relation to the reverse percentage aspect. It was very common to see candidates using multipliers of 1.19 and 1.23 rather than dividing by 0.81 and 0.77. This led to no marks being awarded. Of those who understood the reverse percentage, most then went on to complete the process and gain both P marks, and then normally the accuracy mark also.

Question 12

Part (a) proved a real challenge to candidates and it is clear that many didn't really understand iterative processes or how to use an iterative formula. Most tried to multiply 1.13 by the number of years, rather than raising to a power, and thus the majority of candidates scored no marks. The limited number of candidates who used the formula correctly were split into two groups, those who gained 1 mark for using the formula correctly once, and those who went on to gain both marks as they fully understood. In both these groups there were candidates who dealt with the constant alone, and looked to see when this became greater than 2, and candidates who chose a starting value (often 100) and worked till this value doubled. Both approaches were acceptable and seen as regularly as each other. The communication aspect of part (b) was approached well by many, with certainly more success than part (a). Many candidates correctly realised that by increasing the value of k would decrease the time taken.

Question 8

Unlike with Question 6, there were fewer candidates attempting build up methods here for the percentages, which was good to see. There were still a disappointing number of candidates working with simple rather than compound interest and these were able to score a maximum of 2 of the 4 marks on offer. Overall though we saw a significant number of candidates showing efficient methods and gaining all 4 marks. Use of the formula sheet was evident in some candidates' responses.

Question 3

A familiar compound interest question, and it was really pleasing to see so many students gaining both marks. Compared to the similar question in summer, it was notable that there were far fewer students working with simple interest. Those who did use simple interest were able to gain some credit for adding the percentage on. The mark scheme was generous as it allowed students who did not use correct money notation to gain full marks. This will not always be the case so students should ensure that when a question is dealing with money, the expectation is to give answers correct to two decimal places.

Question 4

A good discriminator with most students showing understanding of working with percentages. There were, though, too many students who just used a simple interest rather than a compound interest process. A common approach was to find 6% of 25000, multiply this by 3 and often add this to the 25000 with 29500 being a very common incorrect answer.

There were multiple errors in copying down the numbers, particularly missed zeros from the 25000 and using a multiplier of 1.006 instead of 1.06. A number of students also mistakenly used a multiplier of 1.03, through either a misunderstanding of the question, or a misread, this could not be credited. Those who gained just 3 of the marks usually did so because they gave the answer as 29775.4. These students were not awarded the accuracy mark as they hadn't taken account of the context of the question, being that we cannot have 0.4 of a person.

Question 14

Another multi-step question that appeared to be very challenging to a large proportion of students, as many struggled with the order in which to carry out their calculations; with many adding both the 1000 and the 750 before dividing by 1.035^2. Those students that carried out their calculations in an incorrect order had access to a maximum of two of the four marks. However, a good start was made by many who usually went down the numerical route of adding 1000 to the final amount of 2937.14, for which the first process mark was gained. The second mark could then be obtained from dividing an allowed value by 1.035.
At this point in their process, there was obvious confusion amongst some students about reverse percentages shown by either multiplying their value by 1.035 or multiplying or dividing by 0.965. Those who were able to achieve these first two marks from a correct process and carrying out the operations in the correct order often successfully completed the calculations and gained all four marks. As with other questions in this paper, the scheme for this question had the use of square brackets and those students that wrote down their process rather than expecting the examiner to guess or assume had significantly greater access to these marks. The numerical approach was more commonly seen and generally more successful than the algebraic approach. It is important that students show clear working and take care to not miscopy numbers on these multi-step questions as very often students work was poorly organised and had evidence of misreading of values.

Question 12

In part (a), learners generally showed a good understanding of percentage multipliers and could apply these to gain the investment value after one year. Many of these could then correctly interpret the change in the percentage for year 2 and 3 and would multiply by 1.018^2 to gain the correct solution. It is worth noting that marks were lost through an incorrect presentation of the answer, for example, not rounding to two decimal places. Learners would benefit on working on appropriate rounding, especially with monetary questions. Commonly seen errors included adding the percentages together in the first instance and then using this multiplier to the power of 3. Some worked with simple interest which allowed a maximum of 1 mark. The most successful solutions were when percentage multipliers were used, when they weren't methods often fell apart when trying to find accurate percentages of amounts prior to adding. Unsurprisingly, part (b) was found to be more challenging. A correct first step of dividing 4107 by 7500 gained the first mark. Some then struggled with correctly interpreting the sequence of steps required to obtain 74% and then subtracting this from 100%, with many learners leaving their answer as 0.74.

Question 18

The use of iterative formulae is definitely an area of development for many. The first mark was for substituting the values for 2019 and 2020 into the formula. This allowed learners to find the constant K. Some gained credit for the substitution but then could not divide to find the constant and went no further. Many of those who did find the value of K were able to then use this correctly to find the values for subsequent years. The most common incorrect approach was to subtract the values and say that the increase was 400 per year. This approach gained no credit at all.
The only other mistake that was seen that stopped full marks was to go on beyond 2022. In this case the comparison could not gain the final mark.